

<u>Database name:</u>	CADLIVE	DAILY	DATABASE RESTRICTED	
	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>
	MSdynamicsnapshotjobs	agent_id	int	
	MSdynamicsnapshotjobs	computed_dynsnap_location	bit	
	MSdynamicsnapshotjobs	dynamic_filter_hostname	nvarchar	128
	MSdynamicsnapshotjobs	dynamic_filter_login	nvarchar	128
	MSdynamicsnapshotjobs	dynamic_snapshot_location	nvarchar	255
	MSdynamicsnapshotjobs	id	int	
	MSdynamicsnapshotjobs	job_id	uniqueidentifier	
	MSdynamicsnapshotjobs	name	nvarchar	128
	MSdynamicsnapshotjobs	partition_id	int	
	MSdynamicsnapshotjobs	pubid	uniqueidentifier	
	MSdynamicsnapshotviews	dynamic_snapshot_view_name	nvarchar	128
	MSmerge_agent_parameters	parameter_name	nvarchar	128
	MSmerge_agent_parameters	profile_name	nvarchar	128
	MSmerge_agent_parameters	value	nvarchar	255
	MSmerge_altsyncpartners	alternate_subid	uniqueidentifier	
	MSmerge_altsyncpartners	description	nvarchar	255
	MSmerge_altsyncpartners	subid	uniqueidentifier	
	MSmerge_articlehistory	article_name	nvarchar	128
	MSmerge_articlehistory	conflicts	int	
	MSmerge_articlehistory	deletes	int	
	MSmerge_articlehistory	duration	int	
	MSmerge_articlehistory	estimated_changes	int	
	MSmerge_articlehistory	inserts	int	
	MSmerge_articlehistory	percent_complete	decimal	
	MSmerge_articlehistory	phase_id	int	
	MSmerge_articlehistory	relative_cost	decimal	
	MSmerge_articlehistory	rows_retried	int	
	MSmerge_articlehistory	session_id	int	
	MSmerge_articlehistory	start_time	datetime	
	MSmerge_articlehistory	updates	int	
	MSmerge_conflict_emmain_emmain	addrid	int	
	MSmerge_conflict_emmain_emmain	addtime	datetime	
	MSmerge_conflict_emmain_emmain	adduser	varchar	11
	MSmerge_conflict_emmain_emmain	adusername	varchar	100
	MSmerge_conflict_emmain_emmain	agency	char	4
	MSmerge_conflict_emmain_emmain	agencytype	char	4
	MSmerge_conflict_emmain_emmain	apt_flr	char	10
	MSmerge_conflict_emmain_emmain	b_timesht_	char	1
	MSmerge_conflict_emmain_emmain	beat	char	10
	MSmerge_conflict_emmain_emmain	blood_type	char	3
	MSmerge_conflict_emmain_emmain	c_cad____	char	1
	MSmerge_conflict_emmain_emmain	canine	char	4
	MSmerge_conflict_emmain_emmain	car	char	10
	MSmerge_conflict_emmain_emmain	cellphone	char	10
	MSmerge_conflict_emmain_emmain	city	varchar	20
	MSmerge_conflict_emmain_emmain	cnt_cnt	tinyint	
	MSmerge_conflict_emmain_emmain	comments	varchar	60
	MSmerge_conflict_emmain_emmain	contactlen	char	4
	MSmerge_conflict_emmain_emmain	countyid	char	10
	MSmerge_conflict_emmain_emmain	courtcivil	char	2
	MSmerge_conflict_emmain_emmain	courtraffc	char	2
	MSmerge_conflict_emmain_emmain	daysoff	char	7
	MSmerge_conflict_emmain_emmain	decalnbr	char	5
	MSmerge_conflict_emmain_emmain	doctoraddr	varchar	30
	MSmerge_conflict_emmain_emmain	doctorpage	char	10
	MSmerge_conflict_emmain_emmain	doctorph_h	char	10
	MSmerge_conflict_emmain_emmain	doctorph_w	varchar	15
	MSmerge_conflict_emmain_emmain	emage	tinyint	
	MSmerge_conflict_emmain_emmain	embudgetno	char	8

MSmerge_conflict_emmain_emmain	emcad_type	char	1
MSmerge_conflict_emmain_emmain	emcar_nbr	char	4
MSmerge_conflict_emmain_emmain	emcomprule	tinyint	
MSmerge_conflict_emmain_emmain	emdatehire	datetime	
MSmerge_conflict_emmain_emmain	emdateswrn	datetime	
MSmerge_conflict_emmain_emmain	emdateterm	datetime	
MSmerge_conflict_emmain_emmain	emdef_hour	decimal	
MSmerge_conflict_emmain_emmain	emdegree	char	3
MSmerge_conflict_emmain_emmain	emdepend	int	
MSmerge_conflict_emmain_emmain	emdept_id	char	10
MSmerge_conflict_emmain_emmain	emdivision	char	4
MSmerge_conflict_emmain_emmain	emdivs_grp	char	1
MSmerge_conflict_emmain_emmain	emdivs_pri	char	1
MSmerge_conflict_emmain_emmain	emdob	datetime	
MSmerge_conflict_emmain_emmain	emdrdexemp	bit	
MSmerge_conflict_emmain_emmain	ememail	text	2147483647
MSmerge_conflict_emmain_emmain	emethnic	char	1
MSmerge_conflict_emmain_emmain	emeye	char	4
MSmerge_conflict_emmain_emmain	emfname	varchar	20
MSmerge_conflict_emmain_emmain	emg_____	char	1
MSmerge_conflict_emmain_emmain	emgaddr1	varchar	30
MSmerge_conflict_emmain_emmain	emgaddr2	varchar	30
MSmerge_conflict_emmain_emmain	emgcontnm1	varchar	25
MSmerge_conflict_emmain_emmain	emgdoctor	varchar	25
MSmerge_conflict_emmain_emmain	emgpager	char	10
MSmerge_conflict_emmain_emmain	emgphn1_h	char	10
MSmerge_conflict_emmain_emmain	emgphn1_w	varchar	15
MSmerge_conflict_emmain_emmain	emgrelatn1	char	10
MSmerge_conflict_emmain_emmain	emhair	char	4
MSmerge_conflict_emmain_emmain	emheight	char	4
MSmerge_conflict_emmain_emmain	emhphone	char	10
MSmerge_conflict_emmain_emmain	emisoncall	bit	
MSmerge_conflict_emmain_emmain	emjobcd	char	6
MSmerge_conflict_emmain_emmain	emjobtitle	varchar	20
MSmerge_conflict_emmain_emmain	emlastgrad	tinyint	
MSmerge_conflict_emmain_emmain	emlname	varchar	25
MSmerge_conflict_emmain_emmain	emloc	char	10
MSmerge_conflict_emmain_emmain	emmarital	char	4
MSmerge_conflict_emmain_emmain	emmbphone	char	10
MSmerge_conflict_emmain_emmain	emmedalt1	char	10
MSmerge_conflict_emmain_emmain	emmname	varchar	15
MSmerge_conflict_emmain_emmain	emnotes	text	2147483647
MSmerge_conflict_emmain_emmain	emoln	varchar	25
MSmerge_conflict_emmain_emmain	emolndate	datetime	
MSmerge_conflict_emmain_emmain	empager	char	10
MSmerge_conflict_emmain_emmain	empagerpin	char	10
MSmerge_conflict_emmain_emmain	emparttime	bit	
MSmerge_conflict_emmain_emmain	emphoto	char	1
MSmerge_conflict_emmain_emmain	empl_id	int	
MSmerge_conflict_emmain_emmain	empl_type	tinyint	
MSmerge_conflict_emmain_emmain	emrace	char	2
MSmerge_conflict_emmain_emmain	emrank	char	10
MSmerge_conflict_emmain_emmain	emrankdate	datetime	
MSmerge_conflict_emmain_emmain	emsalaryty	tinyint	
MSmerge_conflict_emmain_emmain	emsection	char	4
MSmerge_conflict_emmain_emmain	emsecurity	char	1
MSmerge_conflict_emmain_emmain	emsex	char	1
MSmerge_conflict_emmain_emmain	emshift	char	4
MSmerge_conflict_emmain_emmain	emsignatur	bit	
MSmerge_conflict_emmain_emmain	emssn	char	9
MSmerge_conflict_emmain_emmain	emsuffix	char	3

MSmerge_conflict_emmain_emmain	emsupervs	bit	
MSmerge_conflict_emmain_emmain	emtermnote	varchar	15
MSmerge_conflict_emmain_emmain	emtimewrkd	tinyint	
MSmerge_conflict_emmain_emmain	emtype	char	4
MSmerge_conflict_emmain_emmain	emunit	char	4
MSmerge_conflict_emmain_emmain	emunitkey	char	2
MSmerge_conflict_emmain_emmain	emuserid	varchar	11
MSmerge_conflict_emmain_emmain	emweight	int	
MSmerge_conflict_emmain_emmain	emworkweek	varchar	15
MSmerge_conflict_emmain_emmain	emwphone	varchar	15
MSmerge_conflict_emmain_emmain	enddate	datetime	
MSmerge_conflict_emmain_emmain	endtime	char	4
MSmerge_conflict_emmain_emmain	geother	varchar	15
MSmerge_conflict_emmain_emmain	geox	int	
MSmerge_conflict_emmain_emmain	geoy	int	
MSmerge_conflict_emmain_emmain	histflag	char	5
MSmerge_conflict_emmain_emmain	hospital	varchar	20
MSmerge_conflict_emmain_emmain	idexpdate	datetime	
MSmerge_conflict_emmain_emmain	jailuser1	varchar	65
MSmerge_conflict_emmain_emmain	longvtdate	datetime	
MSmerge_conflict_emmain_emmain	lunch	char	4
MSmerge_conflict_emmain_emmain	med_alert	text	2147483647
MSmerge_conflict_emmain_emmain	mfrreview	varchar	100
MSmerge_conflict_emmain_emmain	modtime	datetime	
MSmerge_conflict_emmain_emmain	moduser	varchar	11
MSmerge_conflict_emmain_emmain	nondepart	char	4
MSmerge_conflict_emmain_emmain	notifyby	int	
MSmerge_conflict_emmain_emmain	offsign	varbinary	50
MSmerge_conflict_emmain_emmain	origin_datasource_id	uniqueidentifier	
MSmerge_conflict_emmain_emmain	phyexamdt	datetime	
MSmerge_conflict_emmain_emmain	posnumber	char	12
MSmerge_conflict_emmain_emmain	radioid	char	10
MSmerge_conflict_emmain_emmain	rowguid	uniqueidentifier	
MSmerge_conflict_emmain_emmain	startdate	datetime	
MSmerge_conflict_emmain_emmain	starttime	char	4
MSmerge_conflict_emmain_emmain	state	char	2
MSmerge_conflict_emmain_emmain	stateid	varchar	20
MSmerge_conflict_emmain_emmain	street	varchar	30
MSmerge_conflict_emmain_emmain	streetdir	char	2
MSmerge_conflict_emmain_emmain	streetnbr	char	5
MSmerge_conflict_emmain_emmain	supervisor	int	
MSmerge_conflict_emmain_emmain	sysflag	char	8
MSmerge_conflict_emmain_emmain	udcheckbox1	bit	
MSmerge_conflict_emmain_emmain	udfield1	char	4
MSmerge_conflict_emmain_emmain	udfield2	char	4
MSmerge_conflict_emmain_emmain	udfield3	char	10
MSmerge_conflict_emmain_emmain	udfield4	char	4
MSmerge_conflict_emmain_emmain	udfield5	char	4
MSmerge_conflict_emmain_emmain	unlisted	bit	
MSmerge_conflict_emmain_emmain	zip	char	10
MSmerge_conflicts_info	MSrepl_create_time	datetime	
MSmerge_conflicts_info	conflict_type	int	
MSmerge_conflicts_info	origin_datasource	nvarchar	255
MSmerge_conflicts_info	origin_datasource_id	uniqueidentifier	
MSmerge_conflicts_info	pubid	uniqueidentifier	
MSmerge_conflicts_info	reason_code	int	
MSmerge_conflicts_info	reason_text	nvarchar	720
MSmerge_conflicts_info	rowguid	uniqueidentifier	
MSmerge_conflicts_info	tablenick	int	
MSmerge_contents	colv1	varbinary	2953
MSmerge_contents	generation	bigint	

MSmerge_contents	lineage	varbinary	311
MSmerge_contents	logical_record_lineage	varbinary	311
MSmerge_contents	logical_record_parent_rowguid	uniqueidentifier	
MSmerge_contents	marker	uniqueidentifier	
MSmerge_contents	partchangegeen	bigint	
MSmerge_contents	rowguid	uniqueidentifier	
MSmerge_contents	tablenick	int	
MSmerge_current_partition_mappings	partition_id	int	
MSmerge_current_partition_mappings	publication_number	smallint	
MSmerge_current_partition_mappings	rowguid	uniqueidentifier	
MSmerge_current_partition_mappings	tablenick	int	
MSmerge_dynamic_snapshots	dynamic_snapshot_location	nvarchar	255
MSmerge_dynamic_snapshots	last_started	datetime	
MSmerge_dynamic_snapshots	last_updated	datetime	
MSmerge_dynamic_snapshots	partition_id	int	
MSmerge_errorlineage	lineage	varbinary	311
MSmerge_errorlineage	rowguid	uniqueidentifier	
MSmerge_errorlineage	tablenick	int	
MSmerge_generation_partition_mappings	changecount	int	
MSmerge_generation_partition_mappings	generation	bigint	
MSmerge_generation_partition_mappings	partition_id	int	
MSmerge_generation_partition_mappings	publication_number	smallint	
MSmerge_genhistory	art_nick	int	
MSmerge_genhistory	changecount	int	
MSmerge_genhistory	coldate	datetime	
MSmerge_genhistory	generation	bigint	
MSmerge_genhistory	genstatus	tinyint	
MSmerge_genhistory	guidsrc	uniqueidentifier	
MSmerge_genhistory	nicknames	varbinary	1001
MSmerge_genhistory	pubid	uniqueidentifier	
MSmerge_genhistory	subscriber_number	int	
MSmerge_history	agent_id	int	
MSmerge_history	comments	nvarchar	1000
MSmerge_history	error_id	int	
MSmerge_history	session_id	int	
MSmerge_history	time	datetime	
MSmerge_history	timestamp	timestamp	
MSmerge_history	updateable_row	bit	
MSmerge_identity_range	artid	uniqueidentifier	
MSmerge_identity_range	is_pub_range	bit	
MSmerge_identity_range	max_used	numeric	
MSmerge_identity_range	next_range_begin	numeric	
MSmerge_identity_range	next_range_end	numeric	
MSmerge_identity_range	range_begin	numeric	
MSmerge_identity_range	range_end	numeric	
MSmerge_identity_range	subid	uniqueidentifier	
MSmerge_log_files	file_name	nvarchar	2000
MSmerge_log_files	id	int	
MSmerge_log_files	log_file	varbinary	-1
MSmerge_log_files	log_file_type	int	
MSmerge_log_files	pubid	uniqueidentifier	
MSmerge_log_files	subid	uniqueidentifier	
MSmerge_log_files	upload_time	datetime	
MSmerge_log_files	web_server	nvarchar	128
MSmerge_metadataaction_request	action	tinyint	
MSmerge_metadataaction_request	changed	int	
MSmerge_metadataaction_request	generation	bigint	
MSmerge_metadataaction_request	rowguid	uniqueidentifier	
MSmerge_metadataaction_request	tablenick	int	
MSmerge_partition_groups	is_partition_active	bit	
MSmerge_partition_groups	maxgen_whenadded	bigint	

MSmerge_partition_groups	partition_id	int	
MSmerge_partition_groups	publication_number	smallint	
MSmerge_partition_groups	using_partition_groups	bit	
MSmerge_past_partition_mappings	generation	bigint	
MSmerge_past_partition_mappings	partition_id	int	
MSmerge_past_partition_mappings	publication_number	smallint	
MSmerge_past_partition_mappings	reason	tinyint	
MSmerge_past_partition_mappings	rowguid	uniqueidentifier	
MSmerge_past_partition_mappings	tablename	int	
MSmerge_replinfo	hostname	nvarchar	128
MSmerge_replinfo	login_name	nvarchar	128
MSmerge_replinfo	merge_jobid	binary	16
MSmerge_replinfo	repid	uniqueidentifier	
MSmerge_replinfo	resync_gen	bigint	
MSmerge_replinfo	sync_info	int	
MSmerge_replinfo	use_interactive_resolver	bit	
MSmerge_replinfo	validation_level	int	
MSmerge_sessions	agent_id	int	
MSmerge_sessions	bulk_inserts	int	
MSmerge_sessions	connection_type	int	
MSmerge_sessions	current_phase_id	int	
MSmerge_sessions	delivery_rate	decimal	
MSmerge_sessions	delivery_time	int	
MSmerge_sessions	download_conflicts	int	
MSmerge_sessions	download_deletes	int	
MSmerge_sessions	download_inserts	int	
MSmerge_sessions	download_rows_retried	int	
MSmerge_sessions	download_time	int	
MSmerge_sessions	download_updates	int	
MSmerge_sessions	duration	int	
MSmerge_sessions	end_time	datetime	
MSmerge_sessions	estimated_download_changes	int	
MSmerge_sessions	estimated_upload_changes	int	
MSmerge_sessions	metadata_rows_cleandup	int	
MSmerge_sessions	percent_complete	decimal	
MSmerge_sessions	prepare_snapshot_time	int	
MSmerge_sessions	runstatus	int	
MSmerge_sessions	schema_change_time	int	
MSmerge_sessions	schema_changes	int	
MSmerge_sessions	session_id	int	
MSmerge_sessions	spid	smallint	
MSmerge_sessions	spid_login_time	datetime	
MSmerge_sessions	start_time	datetime	
MSmerge_sessions	subid	uniqueidentifier	
MSmerge_sessions	time_remaining	int	
MSmerge_sessions	timestamp	timestamp	
MSmerge_sessions	upload_conflicts	int	
MSmerge_sessions	upload_deletes	int	
MSmerge_sessions	upload_inserts	int	
MSmerge_sessions	upload_rows_retried	int	
MSmerge_sessions	upload_time	int	
MSmerge_sessions	upload_updates	int	
MSmerge_settingshistory	artid	uniqueidentifier	
MSmerge_settingshistory	eventtext	nvarchar	2000
MSmerge_settingshistory	eventtime	datetime	
MSmerge_settingshistory	eventtype	tinyint	
MSmerge_settingshistory	newvalue	nvarchar	128
MSmerge_settingshistory	previousvalue	nvarchar	128
MSmerge_settingshistory	propertyname	nvarchar	128
MSmerge_settingshistory	pubid	uniqueidentifier	
MSmerge_supportability_settings	custom_script	nvarchar	2048

MSmerge_supportability_settings	delete_after_upload	int	
MSmerge_supportability_settings	last_log_upload_time	datetime	
MSmerge_supportability_settings	log_file_name	nvarchar	128
MSmerge_supportability_settings	log_file_path	nvarchar	255
MSmerge_supportability_settings	log_file_size	int	
MSmerge_supportability_settings	log_modules	int	
MSmerge_supportability_settings	log_severity	int	
MSmerge_supportability_settings	message_pattern	nvarchar	2000
MSmerge_supportability_settings	no_of_log_files	int	
MSmerge_supportability_settings	pubid	uniqueidentifier	
MSmerge_supportability_settings	subid	uniqueidentifier	
MSmerge_supportability_settings	support_options	int	
MSmerge_supportability_settings	upload_interval	int	
MSmerge_supportability_settings	web_server	nvarchar	128
MSmerge_tombstone	generation	bigint	
MSmerge_tombstone	lineage	varbinary	311
MSmerge_tombstone	logical_record_lineage	varbinary	311
MSmerge_tombstone	logical_record_parent_rowguid	uniqueidentifier	
MSmerge_tombstone	rowguid	uniqueidentifier	
MSmerge_tombstone	tablenick	int	
MSmerge_tombstone	type	tinyint	
MSrepl_errors	command_id	int	
MSrepl_errors	error_code	nvarchar	128
MSrepl_errors	error_text	ntext	1073741823
MSrepl_errors	error_type_id	int	
MSrepl_errors	id	int	
MSrepl_errors	session_id	int	
MSrepl_errors	source_name	nvarchar	100
MSrepl_errors	source_type_id	int	
MSrepl_errors	time	datetime	
MSrepl_errors	xact_seqno	varbinary	16
QYear_Rollup	Add_value	int	
QYear_Rollup	month_Num	int	
Quarter_Rollup	aQtr	int	
Quarter_Rollup	fQtr	int	
addrpts	address	varchar	50
addrpts	addrptsid	int	
addrpts	apt	char	10
addrpts	city	char	4
addrpts	esn	char	4
addrpts	x	decimal	
addrpts	y	decimal	
addrpts2	address	varchar	50
addrpts2	addrptsid	int	
addrpts2	apt	char	10
addrpts2	city	char	4
addrpts2	esn	char	4
addrpts2	x	float	
addrpts2	y	float	
advisory	addtime	datetime	
advisory	adduser	varchar	12
advisory	advisoryid	int	
advisory	advtype	char	10
advisory	city	varchar	20
advisory	expires	datetime	
advisory	geox	decimal	
advisory	geoy	decimal	
advisory	location	varchar	60
advisory	notes	text	2147483647
advisory	status	char	10
advisory	title	varchar	40

agconf	agconfid	int	
agconf	agency	char	4
agconf	alstostplv	int	
agconf	avlcutoff	int	
agconf	avlprior	char	1
agconf	defagroup	char	10
agconf	defoscode	char	10
agconf	moverot	bit	
agconf	nosamestat	bit	
agconf	onlystbt	bit	
agconf	preferos	char	4
agconf	preemptst	varchar	20
agconf	rotation	char	1
agconf	statcallo	bit	
agconf	suppclear	bit	
agconf	tranmode	char	1
agconf	urallunits	bit	
agency	address	varchar	40
agency	agencycode	char	4
agency	agencyid	int	
agency	agencyname	varchar	40
agency	agencytype	char	4
agency	caseform	varchar	14
agency	city	varchar	20
agency	county	varchar	15
agency	emailaddr	varchar	30
agency	fax	char	10
agency	geox	float	
agency	geoy	float	
agency	incharge	varchar	40
agency	notes	text	2147483647
agency	otherid	char	10
agency	phone	char	10
agency	phone2	char	10
agency	state	char	2
agency	zip	char	10
agyfrms	agencies	varchar	40
agyfrms	agyfrmsid	int	
agyfrms	directory	varchar	254
agyfrms	rms	int	
alarms	addtime	datetime	
alarms	adduser	varchar	11
alarms	age	char	2
alarms	agency	char	4
alarms	alarmnotes	text	2147483647
alarms	alarmsid	int	
alarms	alarmtype	char	4
alarms	amtowed	money	
alarms	amtpayed	money	
alarms	apt_flr	char	10
alarms	bill_seq	int	
alarms	bphone	char	10
alarms	buscomres	char	1
alarms	business	varchar	30
alarms	cadevent	int	
alarms	callernm	varchar	30
alarms	callerph	char	10
alarms	callrefno	int	
alarms	calltime	datetime	
alarms	case_id	varchar	14
alarms	category1	char	4

alarms	category2	char	4
alarms	causecode	char	4
alarms	citenbr	varchar	12
alarms	city	varchar	20
alarms	closecode	char	4
alarms	closecomm	text	2147483647
alarms	creserve1	char	4
alarms	district	char	4
alarms	emdivision	char	4
alarms	emsection	char	4
alarms	emshift	char	4
alarms	emunit	char	4
alarms	firstarrv	datetime	
alarms	firstdate	datetime	
alarms	inci_id	varchar	14
alarms	modtime	datetime	
alarms	moduser	varchar	11
alarms	name_id	int	
alarms	nature	varchar	30
alarms	neighborhd	char	4
alarms	nreserve1	int	
alarms	offcr_desc	varchar	40
alarms	offcr_id	int	
alarms	race	char	2
alarms	reportarea	char	4
alarms	sex	char	1
alarms	siteid	int	
alarms	state	char	2
alarms	statuscode	char	4
alarms	statusdate	datetime	
alarms	street	varchar	40
alarms	streetdir	char	2
alarms	streetnbr	char	8
alarms	subdivisn	char	4
alarms	sysflag	char	8
alarms	tract	char	4
alarms	validalarm	char	1
alarms	zip	char	10
alarms	zone	char	4
alcont	addtime	datetime	
alcont	adduser	varchar	12
alcont	alcontid	int	
alcont	almainid	int	
alcont	cadnameid	int	
alcont	callorder	int	
almain	addmark	tinyint	
almain	addtime	datetime	
almain	adduser	varchar	12
almain	agency	char	4
almain	alarmtype	char	4
almain	almainid	int	
almain	almonitor	int	
almain	alm_id	int	
almain	alservice	int	
almain	amtowed	float	
almain	amtpayed	float	
almain	appdate	datetime	
almain	decal	char	10
almain	expdate	datetime	
almain	fee	float	
almain	image	tinyint	



almain	inspdate	datetime	
almain	insppass	bit	
almain	issuedate	datetime	
almain	monitor	char	10
almain	notes	text	2147483647
almain	occcode	char	10
almain	oth_seq	int	
almain	perltr	int	
almain	perltrdt	datetime	
almain	printed	tinyint	
almain	siteid	int	
almain	socode	char	10
almain	status	char	4
almain	statusdt	datetime	
almain	ulcert	char	10
almain	uldate	datetime	
almain	ulreqd	bit	
almain	use_stcont	bit	
almonser	addr1	varchar	40
almonser	addr2	varchar	40
almonser	agency	char	4
almonser	almonserid	int	
almonser	businame	varchar	40
almonser	city	varchar	40
almonser	cmonitor	bit	
almonser	cservice	bit	
almonser	notes	text	2147483647
almonser	phone	varchar	20
almonser	state	char	2
almonser	zip	varchar	14
alrmexcp	alrmexcpid	int	
alrmexcp	city	varchar	20
alrmexcp	street	varchar	30
alrmexcp	strnum	varchar	10
alrtstat	alrtstatid	int	
alrtstat	ipaddr	varchar	15
alrtstat	ipport	char	4
alrtstat	pstatus	char	6
alrtstat	station	char	4
alrtstat	status	char	4
alrtstat	statustm	datetime	
anialihs	anialihsid	int	
anialihs	callrefno	int	
anialihs	calltime	datetime	
anialihs	city	varchar	20
anialihs	classser	char	4
anialihs	consoleid	char	2
anialihs	customer	varchar	50
anialihs	custph	varchar	14
anialihs	endtime	datetime	
anialihs	esn	char	4
anialihs	esntext1	varchar	35
anialihs	esntext2	varchar	35
anialihs	esntext3	varchar	35
anialihs	etxtime	datetime	
anialihs	housensfx	char	4
anialihs	housenum	char	8
anialihs	inci_id	varchar	14
anialihs	location	varchar	30
anialihs	npdcode	char	1
anialihs	phonenum	varchar	14

anialihs	pilotnum	char	8
anialihs	proctime	datetime	
anialihs	rawdata	text	2147483647
anialihs	secsring	int	
anialihs	secstotal	int	
anialihs	state	char	2
anialihs	stdirect	char	2
anialihs	stname	varchar	50
anialihs	stxtime	datetime	
anialihs	timediff	int	
anialihs	tmcons1	char	2
anialihs	tmcons2	char	2
anialihs	tmcons3	char	2
anialihs	tmcons4	char	2
anialihs	tmcons5	char	2
anialihs	tmcons6	char	2
anialihs	tmtime1	datetime	
anialihs	tmtime2	datetime	
anialihs	tmtime3	datetime	
anialihs	tmtime4	datetime	
anialihs	tmtime5	datetime	
anialihs	tmtime6	datetime	
anialihs	tmtime1	char	1
anialihs	tmtime2	char	1
anialihs	tmtime3	char	1
anialihs	tmtime4	char	1
anialihs	tmtime5	char	1
anialihs	tmtime6	char	1
anialihs	trunk	char	2
anialiin	altitude	char	6
anialiin	anialiinid	int	
anialiin	anidate	char	10
anialiin	anitime	char	8
anialiin	city	varchar	20
anialiin	classser	char	4
anialiin	confidence	char	10
anialiin	consoleid	char	2
anialiin	customer	varchar	50
anialiin	esn	char	4
anialiin	esntext	varchar	200
anialiin	housensfx	char	4
anialiin	houenum	char	8
anialiin	inci_id	varchar	14
anialiin	latitude	varchar	12
anialiin	location	varchar	30
anialiin	longitude	varchar	12
anialiin	phonenum	varchar	14
anialiin	pilotnum	char	8
anialiin	proctime	datetime	
anialiin	state	char	2
anialiin	stdirect	char	2
anialiin	stname	varchar	50
anialiin	typecall	char	1
anialilv	altitude	char	6
anialilv	anialilvid	int	
anialilv	anidate	char	10
anialilv	anitime	char	8
anialilv	city	varchar	20
anialilv	classser	char	4
anialilv	confidence	char	10
anialilv	consoleid	char	2

anialilv	customer	varchar	50
anialilv	esn	char	4
anialilv	esntext	varchar	200
anialilv	housensfx	char	4
anialilv	houenum	char	8
anialilv	latitude	varchar	12
anialilv	location	varchar	30
anialilv	longitude	varchar	12
anialilv	phonenum	varchar	14
anialilv	pilotnum	char	8
anialilv	proctime	datetime	
anialilv	state	char	2
anialilv	stdirect	char	2
anialilv	stname	varchar	50
anialilv	typecall	char	1
avlllog	agency	char	4
avlllog	avlllogid	int	
avlllog	avstatus	char	4
avlllog	geox	decimal	
avlllog	geoy	decimal	
avlllog	heading	decimal	
avlllog	inci_id	varchar	14
avlllog	retaindate	datetime	
avlllog	speed	decimal	
avlllog	status	char	1
avlllog	timestamp	datetime	
avlllog	unitcode	char	6
avlllog	unitperid	int	
avlllog	vehicleid	char	10
bol	addtime	datetime	
bol	adduser	varchar	12
bol	bolid	int	
bol	boltype	varchar	30
bol	caseid	varchar	14
bol	expires	datetime	
bol	inci_id	varchar	14
bol	notes	text	2147483647
bol	readtime	datetime	
bol	requesting	varchar	40
bol	status	char	10
bol	statustime	datetime	
bol	sysflag	char	8
bol	title	varchar	60
bol	vehicleid	varchar	15
bol	vehstate	char	4
cadname	addmark	tinyint	
cadname	addtime	datetime	
cadname	adduser	varchar	12
cadname	apt_flr	char	10
cadname	cadnameid	int	
cadname	callergp	char	4
cadname	callerid	int	
cadname	city	varchar	20
cadname	empl_addr	varchar	40
cadname	employer	varchar	30
cadname	first	varchar	20
cadname	hphone	char	10
cadname	last	varchar	40
cadname	middle	varchar	15
cadname	mphone	char	10
cadname	notes	text	2147483647

cadname	oth_seq	int	
cadname	pager	char	10
cadname	sndfirst	char	4
cadname	sndlast	char	4
cadname	state	char	2
cadname	street	varchar	40
cadname	suffix	char	5
cadname	wphone	varchar	15
cadname	zip	char	10
cadname_082907	addmark	tinyint	
cadname_082907	addtime	datetime	
cadname_082907	adduser	varchar	12
cadname_082907	apt_flr	char	10
cadname_082907	cadnameid	int	
cadname_082907	callergp	char	4
cadname_082907	callerid	int	
cadname_082907	city	varchar	20
cadname_082907	empl_addr	varchar	40
cadname_082907	employer	varchar	30
cadname_082907	first	varchar	20
cadname_082907	hphone	char	10
cadname_082907	last	varchar	40
cadname_082907	middle	varchar	15
cadname_082907	mphone	char	10
cadname_082907	notes	text	2147483647
cadname_082907	oth_seq	int	
cadname_082907	pager	char	10
cadname_082907	sndfirst	char	4
cadname_082907	sndlast	char	4
cadname_082907	state	char	2
cadname_082907	street	varchar	40
cadname_082907	suffix	char	5
cadname_082907	wphone	varchar	15
cadname_082907	zip	char	10
commtab1	code_agcy	char	4
commtab1	code_fbi	char	4
commtab1	code_key	char	4
commtab1	code_sbi	char	4
commtab1	commtab1id	int	
commtab1	descriptn	varchar	55
commtab1	internal	tinyint	
commtab1	notes	text	2147483647
commtab1	sys_msg	varchar	40
commtab1	sys_use	varchar	30
ctagcy	agencycode	char	4
ctagcy	c2ctype	char	1
ctagcy	citycode	char	4
ctagcy	ctagcyid	int	
ctagcy	descriptn	varchar	30
ctagcy	ipaddr	varchar	15
ctagcy	localport	int	
ctagcy	services	varchar	30
ctnat	agency	char	4
ctnat	ctnatid	int	
ctnat	fulldesc	varchar	30
ctnat	naturecode	char	6
ctnat	newnature	char	6
ctrule	agencycode	char	4
ctrule	criteria	text	2147483647
ctrule	ctruleid	int	
ctrule	service	char	4

ctsent	ctsentid	int	
ctsent	localid	varchar	14
ctsent	timesent	datetime	
ctsent	toagency	char	4
ctsent	toid	varchar	30
ctsent	toservice	char	4
dbo_unit_new	actas	char	255
dbo_unit_new	addtime	datetime	
dbo_unit_new	adduser	varchar	255
dbo_unit_new	agency	char	255
dbo_unit_new	alphapgid	char	255
dbo_unit_new	beat	char	255
dbo_unit_new	controlled	char	255
dbo_unit_new	defasuper	int	
dbo_unit_new	digradio	char	255
dbo_unit_new	district	char	255
dbo_unit_new	groupcode	char	255
dbo_unit_new	kind	char	255
dbo_unit_new	min_man	tinyint	
dbo_unit_new	notes	text	2147483647
dbo_unit_new	officerid	int	
dbo_unit_new	pagerid	char	255
dbo_unit_new	radarfreq	char	255
dbo_unit_new	radargunid	char	255
dbo_unit_new	radiofreq	char	255
dbo_unit_new	radioid	char	255
dbo_unit_new	shotgunid	char	255
dbo_unit_new	station	char	255
dbo_unit_new	superunit	char	255
dbo_unit_new	termid	char	255
dbo_unit_new	type	char	255
dbo_unit_new	unitcode	char	50
dbo_unit_new	unitid	int	
dtproperties	id	int	
dtproperties	lvalue	image	2147483647
dtproperties	objectid	int	
dtproperties	property	varchar	64
dtproperties	uvalue	nvarchar	255
dtproperties	value	varchar	255
dtproperties	version	int	
emaction	actiondate	datetime	
emaction	actiondesc	varchar	30
emaction	actionnote	text	2147483647
emaction	addtime	datetime	
emaction	adduser	varchar	11
emaction	emactionid	int	
emaction	emdivision	char	4
emaction	empl_id	int	
emaction	emsection	char	4
emaction	emshift	char	4
emaction	emunit	char	4
emaction	modtime	datetime	
emaction	moduser	varchar	11
emaction	payrate	char	4
emaction	promfrom	char	20
emaction	promto	char	20
emaction	rowguid	uniqueidentifier	
emaction	salarybon	float	
emcert	addtime	datetime	
emcert	adduser	varchar	11
emcert	cert_cmmnt	varchar	20

emcert	certexpire	datetime	
emcert	certtype	varchar	30
emcert	emcertid	int	
emcert	emdate	datetime	
emcert	empl_id	int	
emcert	issueagent	varchar	20
emcert	modtime	datetime	
emcert	moduser	varchar	11
emcert	rowguid	uniqueidentifier	
emcert	trcertid	int	
emcertif	addtime	datetime	
emcertif	adduser	varchar	11
emcertif	certdesc	varchar	40
emcertif	certnotes	varchar	30
emcertif	earnhours	float	
emcertif	emcertifid	int	
emcertif	empl_id	int	
emcertif	expdate	datetime	
emcertif	issueagent	char	4
emcertif	issuedate	datetime	
emcertif	lastctdate	datetime	
emcertif	modtime	datetime	
emcertif	moduser	varchar	11
emcertif	recertify	tinyint	
emcertif	reqhours	float	
emcertif	rowguid	uniqueidentifier	
emcertif	termmonth	int	
emcertif	titlegen	bit	
emcertif	trcertifid	int	
emcont	address	text	2147483647
emcont	addtime	datetime	
emcont	adduser	varchar	11
emcont	contnotes	text	2147483647
emcont	emcontid	int	
emcont	empl_id	int	
emcont	fullname	varchar	30
emcont	hphone	char	10
emcont	medalart	char	10
emcont	modtime	datetime	
emcont	moduser	varchar	11
emcont	relation	char	10
emcont	rowguid	uniqueidentifier	
emcont	wphone	varchar	15
emeduc	addtime	datetime	
emeduc	adduser	varchar	11
emeduc	educdegree	char	4
emeduc	educgrade	varchar	15
emeduc	educnote	varchar	30
emeduc	emdate	datetime	
emeduc	emeducid	int	
emeduc	empl_id	int	
emeduc	institute	varchar	30
emeduc	modtime	datetime	
emeduc	moduser	varchar	11
emeduc	rowguid	uniqueidentifier	
emempl	addtime	datetime	
emempl	adduser	varchar	11
emempl	buscode	char	6
emempl	denied	bit	
emempl	duedate	datetime	
emempl	ememplid	int	

emempl	empl_id	int	
emempl	emptype	char	4
emempl	jobcode	char	4
emempl	notes	text	2147483647
emempl	onetime	bit	
emempl	related	bit	
emempl	renewdate	datetime	
emempl	reqdate	datetime	
emempl	rowguid	uniqueidentifier	
emempl	termdate	datetime	
emempl	uniform	bit	
emempl	vehicle	bit	
emequip	addtime	datetime	
emequip	adduser	varchar	11
emequip	citafrom	varchar	12
emequip	citato	varchar	12
emequip	citatto	varchar	12
emequip	dateissued	datetime	
emequip	datereturn	datetime	
emequip	emequipid	int	
emequip	empl_id	int	
emequip	eqgrant	char	4
emequip	eqlocalno	char	10
emequip	eqmake	varchar	20
emequip	eqmodel	varchar	20
emequip	eqnotes	text	2147483647
emequip	eqquantity	float	
emequip	eqserialno	varchar	15
emequip	eqtype	char	10
emequip	modtime	datetime	
emequip	moduser	varchar	11
emequip	reserve1	char	4
emequip	returnqnty	float	
emequip	rowguid	uniqueidentifier	
emfaqual	activity	char	4
emfaqual	activtype	char	4
emfaqual	addtime	datetime	
emfaqual	adduser	varchar	11
emfaqual	caliber	char	4
emfaqual	comments	text	2147483647
emfaqual	emfaqualid	int	
emfaqual	empl_id	int	
emfaqual	instruct1	int	
emfaqual	instruct2	int	
emfaqual	instruct3	int	
emfaqual	offduty	char	2
emfaqual	passfail	char	2
emfaqual	qualdate	datetime	
emfaqual	qualdate2	datetime	
emfaqual	rounds	int	
emfaqual	rowguid	uniqueidentifier	
emfaqual	score	char	5
emfaqual	serialno	varchar	25
emfaqual	timespent	decimal	
emfaqual	weapmake	char	4
emfaqual	weapmodl	varchar	20
emfaqual	weaptype	char	4
eminspec	addtime	datetime	
eminspec	adduser	varchar	11
eminspec	creserve1	char	10
eminspec	creserve2	char	4

eminspec	eminspecid	int	
eminspec	empl_id	int	
eminspec	inspdate	datetime	
eminspec	inspnotes	text	2147483647
eminspec	insptype	char	4
eminspec	nextinsp	datetime	
eminspec	nreserve1	int	
eminspec	nreserve2	int	
eminspec	passfail	char	1
eminspec	rowguid	uniqueidentifier	
eminspec	supervisor	int	
emmain	addrid	int	
emmain	addtime	datetime	
emmain	adduser	varchar	11
emmain	adusername	varchar	100
emmain	agency	char	4
emmain	agencytype	char	4
emmain	apt_flr	char	10
emmain	b_timesht_	char	1
emmain	beat	char	10
emmain	blood_type	char	3
emmain	c_cad_____	char	1
emmain	canine	char	4
emmain	car	char	10
emmain	cellphone	char	10
emmain	city	varchar	20
emmain	cnt_cnt	tinyint	
emmain	comments	varchar	60
emmain	contactlen	char	4
emmain	countyid	char	10
emmain	courtcivil	char	2
emmain	courtraffc	char	2
emmain	daysoff	char	7
emmain	decalnbr	char	5
emmain	doctoraddr	varchar	30
emmain	doctorpage	char	10
emmain	doctorph_h	char	10
emmain	doctorph_w	varchar	15
emmain	emage	tinyint	
emmain	embudgetno	char	8
emmain	emcad_type	char	1
emmain	emcar_nbr	char	4
emmain	emcomprule	tinyint	
emmain	emdatehire	datetime	
emmain	emdateswrn	datetime	
emmain	emdateterm	datetime	
emmain	emdef_hour	decimal	
emmain	emdegree	char	3
emmain	emdepend	int	
emmain	emdept_id	char	10
emmain	emdivision	char	4
emmain	emdivs_grp	char	1
emmain	emdivs_pri	char	1
emmain	emdob	datetime	
emmain	emdrdexemp	bit	
emmain	ememail	text	2147483647
emmain	emethnic	char	1
emmain	emeye	char	4
emmain	emfname	varchar	20
emmain	emg_____	char	1
emmain	emgaddr1	varchar	30



emmain	emgaddr2	varchar	30
emmain	emgcontnm1	varchar	25
emmain	emgdoctor	varchar	25
emmain	emgpager	char	10
emmain	emgphn1_h	char	10
emmain	emgphn1_w	varchar	15
emmain	emgrelatn1	char	10
emmain	emhair	char	4
emmain	emheight	char	4
emmain	emhphone	char	10
emmain	emisoncall	bit	
emmain	emjobcd	char	6
emmain	emjobtitle	varchar	20
emmain	emlastgrad	tinyint	
emmain	emlname	varchar	25
emmain	emloc	char	10
emmain	emmarital	char	4
emmain	emmbphone	char	10
emmain	emmedalt1	char	10
emmain	emmname	varchar	15
emmain	emnotes	text	2147483647
emmain	emoln	varchar	25
emmain	emolndate	datetime	
emmain	empager	char	10
emmain	empagerpin	char	10
emmain	emparttime	bit	
emmain	emphoto	char	1
emmain	empl_id	int	
emmain	empl_type	tinyint	
emmain	emrace	char	2
emmain	emrank	char	10
emmain	emrankdate	datetime	
emmain	emsalaryty	tinyint	
emmain	emsection	char	4
emmain	emsecurity	char	1
emmain	emsex	char	1
emmain	emshift	char	4
emmain	emsignatur	bit	
emmain	emssn	char	9
emmain	emsuffix	char	3
emmain	emsupervs	bit	
emmain	emtermnote	varchar	15
emmain	emtimewrkd	tinyint	
emmain	emtype	char	4
emmain	emunit	char	4
emmain	emunitkey	char	2
emmain	emuserid	varchar	11
emmain	emweight	int	
emmain	emworkweek	varchar	15
emmain	emwphone	varchar	15
emmain	enddate	datetime	
emmain	endtime	char	4
emmain	geother	varchar	15
emmain	geox	int	
emmain	geoy	int	
emmain	histflag	char	5
emmain	hospital	varchar	20
emmain	idexpdate	datetime	
emmain	jailuser1	varchar	65
emmain	longvtdate	datetime	
emmain	lunch	char	4

emmain	med_alert	text	2147483647
emmain	mfrreview	varchar	100
emmain	modtime	datetime	
emmain	moduser	varchar	11
emmain	nondepart	char	4
emmain	notifyby	int	
emmain	offsign	varbinary	50
emmain	phyexamdt	datetime	
emmain	posnumber	char	12
emmain	radioid	char	10
emmain	rowguid	uniqueidentifier	
emmain	startdate	datetime	
emmain	starttime	char	4
emmain	state	char	2
emmain	stateid	varchar	20
emmain	street	varchar	30
emmain	streetdir	char	2
emmain	streetnbr	char	5
emmain	supervisor	int	
emmain	sysflag	char	8
emmain	udcheckbox1	bit	
emmain	udfield1	char	4
emmain	udfield2	char	4
emmain	udfield3	char	10
emmain	udfield4	char	4
emmain	udfield5	char	4
emmain	unlisted	bit	
emmain	zip	char	10
emmainx	emdate	datetime	
emmainx	emhourate	float	
emmainx	emmainid	int	
emmainx	emovtmrate	float	
emmainx	empayrange	char	4
emmainx	empaystep	char	4
emmainx	empl_id	char	9
emmainx	emsalary	float	
emmainx	emxnotes	text	2147483647
emmainx	modtime	datetime	
emmainx	moduser	varchar	11
emmainx	rowguid	uniqueidentifier	
emother	emotherid	int	
emother	empl_id	int	
emother	rowguid	uniqueidentifier	
emother	zone	char	4
emprom	emdate	datetime	
emprom	empl_id	int	
emprom	empromid	int	
emprom	modtime	datetime	
emprom	moduser	varchar	11
emprom	prom_cmmnt	varchar	30
emprom	prom_from	varchar	15
emprom	prom_to	varchar	15
emprom	rowguid	uniqueidentifier	
emskill	addtime	datetime	
emskill	adduser	varchar	11
emskill	empl_id	int	
emskill	emskillid	int	
emskill	modtime	datetime	
emskill	moduser	varchar	11
emskill	rowguid	uniqueidentifier	
emskill	skillcode	char	4

emskill	skilldate	datetime	
emskill	skilldesc	varchar	40
emtitle	addtime	datetime	
emtitle	adduser	varchar	11
emtitle	empl_id	int	
emtitle	emtitleid	int	
emtitle	modtime	datetime	
emtitle	moduser	varchar	11
emtitle	rowguid	uniqueidentifier	
emtitle	titledesc	varchar	30
emtitle	titleid	char	10
emtrain1	addtime	datetime	
emtrain1	adduser	varchar	11
emtrain1	crsdesc	varchar	40
emtrain1	crshours	float	
emtrain1	crslocatn	varchar	40
emtrain1	crstitle	char	10
emtrain1	emdate	datetime	
emtrain1	empl_id	int	
emtrain1	emtrain1id	int	
emtrain1	instructor	varchar	20
emtrain1	lodgeexp	float	
emtrain1	materlexp	float	
emtrain1	mealexp	float	
emtrain1	miscexp	float	
emtrain1	postscore	char	3
emtrain1	prescore	char	3
emtrain1	reserve1	char	4
emtrain1	rowguid	uniqueidentifier	
emtrain1	source	char	4
emtrain1	tuitionexp	float	
fpntrej	fpntrejid	int	
fpntrej	premalrt	text	2147483647
fpntrej	siteaddr	varchar	60
fpntrej	siteid	int	
fpntrej	sitename	varchar	40
geoprox	code	char	4
geoprox	geoproxid	int	
geoprox	newrplan	char	4
geoprox	notify	text	2147483647
geoprox	position	int	
geoprox	statbeat	char	4
geotab1	code_agcy	char	4
geotab1	code_fbi	char	4
geotab1	code_key	char	4
geotab1	code_sbi	char	4
geotab1	descriptn	varchar	55
geotab1	geotab1id	int	
geotab1	internal	tinyint	
geotab1	notes	text	2147483647
geotab1	sys_msg	varchar	40
geotab1	sys_use	varchar	30
grmain	addtime	datetime	
grmain	adduser	varchar	12
grmain	beatstatsp	bit	
grmain	controlled	char	1
grmain	deftype	char	4
grmain	descriptn	varchar	50
grmain	grmainid	int	
grmain	grpcode	char	6
grmain	picture	varchar	12

grmain	vehtype	char	1
grmon	active	int	
grmon	addtime	datetime	
grmon	console	char	11
grmon	grmonid	int	
grmon	groupcode	char	6
grmon	grporder	int	
grmon	minimized	bit	
grstbeat	grmainid	int	
grstbeat	grstbeatid	int	
grstbeat	service	char	4
grstbeat	statbeat	char	4
incident	addtst	varchar	60
incident	age	char	3
incident	agency	char	4
incident	alarmcnt	tinyint	
incident	alarmlev	tinyint	
incident	alarmtype	char	4
incident	alerts_cnt	tinyint	
incident	almr_id	int	
incident	anialguid	varchar	38
incident	apt	char	10
incident	bolid	int	
incident	bphone	char	10
incident	bpemr_cnt	tinyint	
incident	busi_type	char	4
incident	business	varchar	30
incident	cadnameid	int	
incident	calleraddr	varchar	60
incident	callernm	varchar	30
incident	callerph	char	10
incident	callgroup	char	6
incident	callguid	varchar	38
incident	calllineno	char	3
incident	callrefno	int	
incident	callsource	char	5
incident	callstatus	int	
incident	calltaker	char	10
incident	calltime	datetime	
incident	cancelled	bit	
incident	case_id	varchar	14
incident	case_id2	varchar	14
incident	casenumreq	char	1
incident	city	char	4
incident	citydesc	varchar	20
incident	closecode	char	4
incident	closecomm	varchar	40
incident	console	char	10
incident	crossroad1	varchar	40
incident	crossroad2	varchar	40
incident	cs_idpict	varchar	14
incident	cs_idpict2	varchar	14
incident	dig_code	char	10
incident	digdisp	char	1
incident	disp_req	char	1
incident	district	char	4
incident	emsgroup	char	6
incident	firegroup	char	6
incident	firstarrv	datetime	
incident	firstdisp	char	10
incident	firstdtm	datetime	

incident	firstenr	datetime	
incident	firsttran	datetime	
incident	geoemds	char	4
incident	geoemgp	char	4
incident	geoemra	char	4
incident	geoemresp	char	4
incident	geoems	char	4
incident	geoemst	char	4
incident	geofire	char	4
incident	geofrds	char	4
incident	geofrgp	char	4
incident	geofrra	char	4
incident	geofrresp	char	4
incident	geofrst	char	4
incident	geolaw	char	4
incident	geolwbt	char	4
incident	geolwds	char	4
incident	geolwgp	char	4
incident	geolwpr	char	4
incident	geolwra	char	4
incident	geolwresp	char	4
incident	geoneigh	char	4
incident	geoothr1	char	4
incident	geoothr2	char	4
incident	georesc	char	4
incident	georesp	char	4
incident	geortr	char	4
incident	geosubd	char	4
incident	geotow	char	4
incident	geox	float	
incident	geoy	float	
incident	gp	char	4
incident	hazmat_cnt	tinyint	
incident	hist_cnt	float	
incident	hold_dttm	datetime	
incident	hotsp_cnt	tinyint	
incident	hours_hot	int	
incident	id2agency	char	4
incident	image_cnt	tinyint	
incident	inci_id	varchar	14
incident	inci_pict	varchar	14
incident	jur	char	4
incident	lastclr	datetime	
incident	lastobj	char	10
incident	lawgroup	char	6
incident	lictype	char	2
incident	mapbmp	varchar	12
incident	maxarv_tm	int	
incident	maxcall_tm	int	
incident	maxdis_tm	int	
incident	maxenr_tm	int	
incident	maxhos_tm	int	
incident	maxtos_tm	int	
incident	medcsstat	char	1
incident	meddislvl	char	8
incident	medprior	int	
incident	natpagerid	char	20
incident	nature	varchar	30
incident	nature2	varchar	30
incident	naturechg	bit	
incident	naturecode	char	6

incident	natureid	int	
incident	notes	text	2147483647
incident	ntcalltype	char	1
incident	ntsumcode	char	4
incident	othegroup	char	6
incident	parent_id	varchar	14
incident	precinct	char	4
incident	prem_cnt	tinyint	
incident	primeunit	char	6
incident	primeuper	int	
incident	priority	char	1
incident	ra	char	4
incident	race	char	1
incident	radiochan	char	10
incident	reptaken	char	6
incident	rescgroup	char	6
incident	respcode	char	6
incident	rmsstatus	char	1
incident	rptonly	bit	
incident	service	char	4
incident	sex	char	1
incident	site_type	char	4
incident	siteemresp	char	4
incident	sitefrresp	char	4
incident	siteid	int	
incident	sitelwresp	char	4
incident	siteotresp	char	4
incident	siteresp	char	4
incident	sitersresp	char	4
incident	snature	char	8
incident	sopcode	char	6
incident	spemsnat	char	6
incident	spfirenat	char	6
incident	splawnat	char	6
incident	spoth1nat	char	6
incident	spoth2nat	char	6
incident	sprescnat	char	6
incident	spwems	tinyint	
incident	spwfire	tinyint	
incident	spwlaw	tinyint	
incident	spwoth1	tinyint	
incident	spwoth1c	char	5
incident	spwoth2	tinyint	
incident	spwoth2c	char	5
incident	spwresc	tinyint	
incident	statbeat	char	4
incident	state	char	2
incident	stnote_cnt	tinyint	
incident	street	varchar	60
incident	streetno	float	
incident	streetonly	varchar	60
incident	timefini	datetime	
incident	timeready	datetime	
incident	timeroute	datetime	
incident	tow_cnt	int	
incident	trparentid	varchar	30
incident	trsentto	varchar	30
incident	ucalltime	datetime	
incident	ufirstarrv	datetime	
incident	ufirstdtm	datetime	
incident	ufirstenr	datetime	

incident	ufirsttran	datetime	
incident	uhold_dttm	datetime	
incident	ulastclr	datetime	
incident	unitassign	char	6
incident	utimefini	datetime	
incident	utimeready	datetime	
incident	utimeroute	datetime	
incident	vehicleid	varchar	15
incident	vehstate	char	4
incident	verloc	char	1
incident	vernats	char	1
incident	wanted_cnt	tinyint	
incident	worigaddr	varchar	60
incident	zip	char	5
incilog	closecode	char	4
incilog	comments	varchar	50
incilog	console	char	10
incilog	descript	varchar	25
incilog	inci_id	varchar	14
incilog	incilogid	int	
incilog	parent_id	varchar	14
incilog	radorev	char	1
incilog	timeinsecs	int	
incilog	timestamp	datetime	
incilog	transtype	char	4
incilog	unitcode	char	6
incilog	unitperid	int	
incilog	userid	varchar	12
incilog	usertyped	varchar	40
incilog	utimestamp	datetime	
inmain	addtst	varchar	60
inmain	age	char	3
inmain	agency	char	4
inmain	alarmcnt	tinyint	
inmain	alarmlev	tinyint	
inmain	alarmtype	char	4
inmain	alerts_cnt	tinyint	
inmain	almr_id	int	
inmain	apt	char	10
inmain	bolid	int	
inmain	bphone	char	10
inmain	bprem_cnt	tinyint	
inmain	busi_type	char	4
inmain	business	varchar	30
inmain	cadnameid	int	
inmain	calldow	tinyint	
inmain	calleraddr	varchar	60
inmain	callernm	varchar	30
inmain	callerph	char	10
inmain	callgroup	char	6
inmain	calllineno	char	3
inmain	callrefno	int	
inmain	callsource	char	5
inmain	calltaker	char	10
inmain	calltime	datetime	
inmain	cancelled	bit	
inmain	case_id	varchar	14
inmain	case_id2	varchar	14
inmain	casenumreq	char	1
inmain	city	char	4
inmain	citydesc	varchar	20

inmain	closecode	char	4
inmain	closecomm	varchar	40
inmain	console	char	10
inmain	crossroad1	varchar	40
inmain	crossroad2	varchar	40
inmain	cs_idpict	varchar	14
inmain	cs_idpict2	varchar	14
inmain	dig_code	char	10
inmain	digdisp	char	1
inmain	disp_req	char	1
inmain	district	char	4
inmain	emsgroup	char	6
inmain	firegroup	char	6
inmain	firstarrv	datetime	
inmain	firstdisp	char	10
inmain	firstdtm	datetime	
inmain	firstenr	datetime	
inmain	firsttran	datetime	
inmain	geoemds	char	4
inmain	geoemgp	char	4
inmain	geoemra	char	4
inmain	geoemresp	char	4
inmain	geoems	char	4
inmain	geoemst	char	4
inmain	geofire	char	4
inmain	geofrds	char	4
inmain	geofrgp	char	4
inmain	geofrra	char	4
inmain	geofrresp	char	4
inmain	geofrst	char	4
inmain	geolaw	char	4
inmain	geolwbt	char	4
inmain	geolwds	char	4
inmain	geolwgp	char	4
inmain	geolwpr	char	4
inmain	geolwra	char	4
inmain	geolwresp	char	4
inmain	geoneigh	char	4
inmain	geoothr1	char	4
inmain	geoothr2	char	4
inmain	georesc	char	4
inmain	georesp	char	4
inmain	geortr	char	4
inmain	geosubd	char	4
inmain	geotow	char	4
inmain	geox	decimal	
inmain	geoy	decimal	
inmain	gp	char	4
inmain	hazmat_cnt	tinyint	
inmain	hist_cnt	decimal	
inmain	hold_dttm	datetime	
inmain	hotsp_cnt	tinyint	
inmain	hours_hot	int	
inmain	id2agency	char	4
inmain	image_cnt	tinyint	
inmain	inci_id	varchar	14
inmain	inci_pict	varchar	14
inmain	jur	char	4
inmain	lastclr	datetime	
inmain	lawgroup	char	6
inmain	mapbmp	varchar	12



inmain	maxarv_tm	int	
inmain	maxcall_tm	int	
inmain	maxdis_tm	int	
inmain	maxenr_tm	int	
inmain	maxhos_tm	int	
inmain	maxtos_tm	int	
inmain	medcsstat	char	1
inmain	meddislvl	char	8
inmain	medprior	int	
inmain	nature	varchar	30
inmain	nature2	varchar	30
inmain	naturechg	bit	
inmain	naturecode	char	6
inmain	natureid	int	
inmain	notes	text	2147483647
inmain	ntcalltype	char	1
inmain	ntsumcode	char	4
inmain	othegroup	char	6
inmain	parent_id	varchar	14
inmain	precinct	char	4
inmain	prem_cnt	tinyint	
inmain	primeunit	char	6
inmain	primeuper	int	
inmain	priority	char	1
inmain	ra	char	4
inmain	race	char	1
inmain	radiochan	char	4
inmain	reptaken	char	6
inmain	rescgroup	char	6
inmain	respcode	char	6
inmain	rmsstatus	char	1
inmain	route_cnt	tinyint	
inmain	rptonly	bit	
inmain	secs2ar	int	
inmain	secs2di	int	
inmain	secs2en	int	
inmain	secs2fn	int	
inmain	secs2lc	int	
inmain	secs2rt	int	
inmain	secs2tr	int	
inmain	secsar2lc	int	
inmain	secsar2tr	int	
inmain	secscallt	int	
inmain	secsdi2ar	int	
inmain	secsdi2en	int	
inmain	secsfi2dsp	int	
inmain	secsrt2dsp	int	
inmain	secstr2lc	int	
inmain	service	char	4
inmain	sex	char	1
inmain	site_type	char	4
inmain	siteemresp	char	4
inmain	sitefrresp	char	4
inmain	siteid	int	
inmain	sitelwresp	char	4
inmain	siteotresp	char	4
inmain	siteresp	char	4
inmain	sitersresp	char	4
inmain	snature	char	8
inmain	sopcode	char	6
inmain	spemsnat	char	6

inmain	spfirenat	char	6
inmain	splawnat	char	6
inmain	spoth1nat	char	6
inmain	spoth2nat	char	6
inmain	sprescnat	char	6
inmain	spwems	tinyint	
inmain	spwfire	tinyint	
inmain	spwlaw	tinyint	
inmain	spwoth1	tinyint	
inmain	spwoth1c	char	5
inmain	spwoth2	tinyint	
inmain	spwoth2c	char	5
inmain	spwresc	tinyint	
inmain	statbeat	char	4
inmain	state	char	2
inmain	stnote_cnt	tinyint	
inmain	street	varchar	60
inmain	streetno	decimal	
inmain	streetonly	varchar	60
inmain	timeclose	datetime	
inmain	timefini	datetime	
inmain	timeready	datetime	
inmain	timeroute	datetime	
inmain	tow_cnt	int	
inmain	ucalltime	datetime	
inmain	ufirstarrv	datetime	
inmain	ufirstdtm	datetime	
inmain	ufirstenr	datetime	
inmain	ufirsttran	datetime	
inmain	uhold_dttm	datetime	
inmain	ulastclr	datetime	
inmain	unitassign	char	6
inmain	utimeclose	datetime	
inmain	utimefini	datetime	
inmain	utimeready	datetime	
inmain	utimeroute	datetime	
inmain	vehicleid	varchar	15
inmain	vehstate	char	4
inmain	verloc	char	1
inmain	vernat	char	1
inmain	wanted_cnt	tinyint	
inmain	zip	char	5
layerdef	cadfwidth	float	
layerdef	cadkey	char	10
layerdef	cadreq	bit	
layerdef	cadverdbf	varchar	30
layerdef	cadverfilt	varchar	20
layerdef	cadverfld	char	10
layerdef	clnfield	varchar	15
layerdef	clnfile	varchar	30
layerdef	clnftype	char	3
layerdef	descriptn	varchar	30
layerdef	layerdefid	int	
layerdef	useradded	bit	
layerdef	usilaycls	char	10
layerdef	usilayname	varchar	30
layerdef	usimap	char	8
log	callrefno	int	
log	closecode	char	4
log	comments	varchar	50
log	console	char	10

log	descript	varchar	25
log	inci_id	varchar	14
log	logid	int	
log	parent_id	varchar	14
log	radorev	char	1
log	timeinsecs	int	
log	timestamp	datetime	
log	transtype	char	4
log	unitcode	char	6
log	unitperid	int	
log	userid	varchar	12
log	usertyped	varchar	40
log	utimestamp	datetime	
mail	fromcons	char	10
mail	fromuser	varchar	12
mail	mailid	int	
mail	message	text	2147483647
mail	replytoid	int	
mail	senddelete	bit	
mail	sendtime	datetime	
mail	subject	varchar	40
mail	type	char	1
mailgr	groupname	varchar	20
mailgr	grtype	char	1
mailgr	mailgrid	int	
mailgr	userid	varchar	20
mailto	mailid	int	
mailto	mailtoid	int	
mailto	readtime	datetime	
mailto	touser	varchar	12
memexp	active	int	
memexp	cdts	varchar	16
memexp	eapt	char	4
memexp	ecompl	varchar	80
memexp	edirpre	char	2
memexp	edirsuf	char	2
memexp	efeanme	varchar	30
memexp	efeatyp	char	4
memexp	eid	varchar	14
memexp	estnum	varchar	11
memexp	tycod	varchar	16
memexp	typ_eng	varchar	80
memexp	updated	datetime	
memexp	upstatus	int	
memexp	x_cord	decimal	
memexp	y_cord	decimal	
mrostdt	cend	char	4
mrostdt	cstart	char	4
mrostdt	emdept_id	char	6
mrostdt	empl_id	int	
mrostdt	endtime	datetime	
mrostdt	extraper	bit	
mrostdt	groupcode	char	6
mrostdt	name	varchar	30
mrostdt	notes	text	2147483647
mrostdt	rostdtid	int	
mrostdt	rostid	int	
mrostdt	starttime	datetime	
mrostdt	statbeat	char	4
mrostdt	super	bit	
mrostdt	unit	char	6

mrostdt	unittype	char	4
mrostdt	vehid	char	6
mrosth	agency	char	4
mrosth	bureau	char	4
mrosth	caduse	bit	
mrosth	division	char	4
mrosth	rollcall	bit	
mrosth	rostid	int	
mrosth	shift	char	4
mrosth	unit	char	4
msgs	computer	varchar	50
msgs	datetime	datetime	
msgs	message	varchar	254
msgs	recno	int	
msgschdl	addconsole	char	10
msgschdl	addtime	datetime	
msgschdl	adduser	varchar	12
msgschdl	daymth	int	
msgschdl	dayocc	int	
msgschdl	dow1	bit	
msgschdl	dow2	bit	
msgschdl	dow3	bit	
msgschdl	dow4	bit	
msgschdl	dow5	bit	
msgschdl	dow6	bit	
msgschdl	dow7	bit	
msgschdl	enddate	datetime	
msgschdl	fromuser	varchar	50
msgschdl	lastrun	datetime	
msgschdl	mdow	int	
msgschdl	message	text	2147483647
msgschdl	modtime	datetime	
msgschdl	moduser	varchar	12
msgschdl	msgschdlid	int	
msgschdl	mthocc	int	
msgschdl	numdays	int	
msgschdl	numweeks	int	
msgschdl	occ	int	
msgschdl	onedate	datetime	
msgschdl	onoff	int	
msgschdl	schrn	datetime	
msgschdl	sctime	varchar	20
msgschdl	series	int	
msgschdl	startdate	datetime	
msgschdl	tousers	varchar	250
naddrpts	address	varchar	50
naddrpts	addrptsid	int	
naddrpts	apt	char	10
naddrpts	city	char	4
naddrpts	esn	char	4
naddrpts	x	decimal	
naddrpts	y	decimal	
nat2agn	addtime	datetime	
nat2agn	adduser	varchar	12
nat2agn	agency	char	4
nat2agn	alm_lev	int	
nat2agn	autospawn	char	1
nat2agn	casenumreq	char	1
nat2agn	dig_code	char	10
nat2agn	dig_disp	char	1
nat2agn	disp_req	char	1

nat2agn	lmtdisp	varchar	50
nat2agn	mapbmp	varchar	12
nat2agn	maxarv_tm	float	
nat2agn	maxenr_tm	float	
nat2agn	maxhos_tm	float	
nat2agn	maxtos_tm	float	
nat2agn	nat2agnid	int	
nat2agn	natureid	int	
nat2agn	notify	text	2147483647
nat2agn	pagerid	char	10
nat2agn	pagestyle	char	10
nat2agn	preprior	char	1
nat2agn	priority	char	1
nat2agn	respcat	char	4
nat2agn	respcode	char	4
nat2agn	resplevel	int	
nat2agn	sopcode	char	6
nat2agn	summcode	char	4
nat2agn	wnitype	int	
nat2agn	wnrtype	int	
natalias	addtime	datetime	
natalias	adduser	varchar	12
natalias	alias	char	6
natalias	nataliasid	int	
natalias	natureid	int	
nature	assemblyrpt	char	1
nature	calltype	char	1
nature	ems	tinyint	
nature	expcode	char	10
nature	fire	tinyint	
nature	fulldesc	varchar	30
nature	hours_hot	float	
nature	jur	char	3
nature	law	tinyint	
nature	maxcall_tm	float	
nature	maxdis_tm	float	
nature	medprior	int	
nature	naturecode	char	6
nature	natureid	int	
nature	other1	tinyint	
nature	other1code	char	5
nature	other2	tinyint	
nature	other2code	char	5
nature	question	bit	
nature	rescue	tinyint	
nature	shortdesc	char	8
nature	status	char	1
nexttone	nexttone	int	
nmmain	age	char	2
nmmain	apt	char	10
nmmain	city	varchar	40
nmmain	comments	text	2147483647
nmmain	dob	datetime	
nmmain	eye	char	4
nmmain	firstname	varchar	20
nmmain	geox	decimal	
nmmain	geoy	decimal	
nmmain	height	char	4
nmmain	hphone	char	10
nmmain	inci_id	varchar	14
nmmain	lastname	varchar	40

nmmain	middlename	varchar	15
nmmain	mphone	char	10
nmmain	nmmainid	int	
nmmain	nmtype	char	4
nmmain	oln	varchar	25
nmmain	olnstate	char	2
nmmain	oncalltake	bit	
nmmain	parent_id	varchar	14
nmmain	race	char	2
nmmain	sex	char	1
nmmain	state	char	2
nmmain	street	varchar	60
nmmain	streetno	decimal	
nmmain	streetonly	char	10
nmmain	suffix	char	5
nmmain	weight	int	
nmmain	wkphext	char	10
nmmain	wphone	varchar	15
nmmain	zip	char	10
notify	address	varchar	60
notify	alerts	tinyint	
notify	callhist	tinyint	
notify	city	varchar	30
notify	hazards	tinyint	
notify	hotuntil	datetime	
notify	notifyid	int	
notify	other	char	10
notify	premise	tinyint	
notify	wants	tinyint	
nstreet	city	char	4
nstreet	direction	char	2
nstreet	emdsev	char	4
nstreet	emdsod	char	4
nstreet	emev	char	4
nstreet	emgpev	char	4
nstreet	emgpod	char	4
nstreet	emod	char	4
nstreet	emraev	char	4
nstreet	emraod	char	4
nstreet	emrespev	char	4
nstreet	emrespod	char	4
nstreet	emstev	char	4
nstreet	emstod	char	4
nstreet	esn	char	4
nstreet	evenodd	char	1
nstreet	flow	char	1
nstreet	frdsev	char	4
nstreet	frdsod	char	4
nstreet	frev	char	4
nstreet	frgpev	char	4
nstreet	frgpod	char	4
nstreet	frod	char	4
nstreet	fromleft	decimal	
nstreet	fromright	decimal	
nstreet	frraev	char	4
nstreet	frraod	char	4
nstreet	frrespev	char	4
nstreet	frrespod	char	4
nstreet	frstev	char	4
nstreet	frstod	char	4
nstreet	gisid	int	

nstreet	length	decimal	
nstreet	loxstreet	varchar	40
nstreet	lwbtev	char	4
nstreet	lwbtod	char	4
nstreet	lwdsev	char	4
nstreet	lwdsod	char	4
nstreet	lwev	char	4
nstreet	lwgpev	char	4
nstreet	lwgpod	char	4
nstreet	lwod	char	4
nstreet	lwraev	char	4
nstreet	lwraod	char	4
nstreet	lwrespev	char	4
nstreet	lwrespod	char	4
nstreet	lwrzev	char	4
nstreet	lwrzod	char	4
nstreet	mapgrid	char	10
nstreet	mapname	varchar	12
nstreet	maprecno	decimal	
nstreet	nodebeg	int	
nstreet	nodeend	int	
nstreet	notes	text	2147483647
nstreet	otneev	char	4
nstreet	otneod	char	4
nstreet	otsuev	char	4
nstreet	otsuod	char	4
nstreet	ottwev	char	4
nstreet	ottwod	char	4
nstreet	otutev	char	4
nstreet	otutod	char	4
nstreet	plainst	varchar	35
nstreet	postdirect	char	4
nstreet	rangefr	decimal	
nstreet	rangeto	decimal	
nstreet	rtrev	char	4
nstreet	rtrod	char	4
nstreet	sndloxstr	char	4
nstreet	sndplainst	char	4
nstreet	sndxstr	char	4
nstreet	speedback	int	
nstreet	speedforw	int	
nstreet	street	varchar	40
nstreet	streetid	int	
nstreet	streettype	char	4
nstreet	toleft	decimal	
nstreet	toright	decimal	
nstreet	xstnum	decimal	
nstreet	xstreet	varchar	40
nstreet	zipev	char	5
nstreet	zipod	char	5
nxtmsg	nextrec	int	
outserv	addconsole	char	10
outserv	adduser	varchar	12
outserv	comments	varchar	40
outserv	duration	int	
outserv	endconsole	char	10
outserv	endtm	datetime	
outserv	enduser	varchar	12
outserv	location	varchar	40
outserv	notifytm	datetime	
outserv	oscode	char	4

outserv	outservid	int	
outserv	starttm	datetime	
outserv	unitcode	char	6
outserv	unitperid	int	
pager	name	varchar	50
pager	notes	text	2147483647
pager	pagerid	int	
pager	pagernum	char	20
pager	vendorid	int	
pglayout	field	char	10
pglayout	pglayoutid	int	
pglayout	position	int	
pglayout	stylename	char	10
pgstyle	addtime	datetime	
pgstyle	adduser	varchar	12
pgstyle	descriptn	varchar	30
pgstyle	pgstyleid	int	
pgstyle	stylename	char	10
phdir	address1	varchar	30
phdir	address2	varchar	30
phdir	addtime	datetime	
phdir	adduser	varchar	12
phdir	category	varchar	15
phdir	city	varchar	20
phdir	contname	varchar	30
phdir	department	varchar	20
phdir	emailaddr	varchar	60
phdir	fax	varchar	20
phdir	first	varchar	20
phdir	homeph	varchar	20
phdir	last	varchar	40
phdir	mobileph	varchar	20
phdir	notes	text	2147483647
phdir	pagerph	varchar	20
phdir	phdirid	int	
phdir	state	char	2
phdir	workph	varchar	20
phdir	zip	char	10
premalrt	addtime	datetime	
premalrt	adduser	varchar	12
premalrt	alerttype	char	4
premalrt	category	char	4
premalrt	dept	char	10
premalrt	empl_id	int	
premalrt	endtime	datetime	
premalrt	notes	text	2147483647
premalrt	premalrtid	int	
premalrt	review	datetime	
premalrt	siteid	int	
premalrt	source	varchar	30
premalrt	starttime	datetime	
premrang	addtime	datetime	
premrang	adduser	varchar	12
premrang	alerttype	char	4
premrang	category	char	4
premrang	city	char	4
premrang	endtime	datetime	
premrang	evenodd	char	1
premrang	geox	float	
premrang	geoxhigh	float	
premrang	geoxlow	float	



premrang	geoy	float	
premrang	geoyhigh	float	
premrang	geoylow	float	
premrang	notes	text	2147483647
premrang	premrangid	int	
premrang	rangefr	int	
premrang	rangeto	int	
premrang	review	datetime	
premrang	source	varchar	30
premrang	starttime	datetime	
premrang	street	varchar	40
premrang	sysflag	char	8
premrang	xydist	int	
resplvl	alrmlevel	int	
resplvl	category	char	4
resplvl	isor	bit	
resplvl	quantity	int	
resplvl	rectype	char	1
resplvl	respcode	char	4
resplvl	resplvlid	int	
resplvl	unitorder	int	
resplvl	unittype	char	6
respmain	agency	char	4
respmain	begintime	char	7
respmain	descript	varchar	40
respmain	dow1	bit	
respmain	dow2	bit	
respmain	dow3	bit	
respmain	dow4	bit	
respmain	dow5	bit	
respmain	dow6	bit	
respmain	dow7	bit	
respmain	endtime	char	7
respmain	notes	text	2147483647
respmain	respcode	char	4
respmain	respmainid	int	
respmain	respmode	char	4
respmain	respparent	char	4
respmain	service	char	4
respnot	alphagid	char	10
respnot	alrmlevel	int	
respnot	category	char	4
respnot	notify	text	2147483647
respnot	respcode	char	4
respnot	respnotid	int	
rostdt	cend	char	4
rostdt	cstart	char	4
rostdt	emdept_id	char	6
rostdt	empl_id	int	
rostdt	endtime	datetime	
rostdt	enproc	bit	
rostdt	extraper	bit	
rostdt	groupcode	char	6
rostdt	name	varchar	30
rostdt	notes	text	2147483647
rostdt	present	bit	
rostdt	presentdt	datetime	
rostdt	rostdtid	int	
rostdt	rostdid	int	
rostdt	starttime	datetime	
rostdt	statbeat	char	4

rostdt	stproc	bit	
rostdt	super	bit	
rostdt	unit	char	6
rostdt	unittype	char	4
rostdt	vehid	char	6
rosth	agency	char	4
rosth	bureau	char	4
rosth	caduse	bit	
rosth	division	char	4
rosth	rollcall	bit	
rosth	rostid	int	
rosth	shift	char	4
rosth	startdt	datetime	
rosth	unit	char	4
rotlist	lastrotate	datetime	
rotlist	name	varchar	30
rotlist	olddate	datetime	
rotlist	rotcode	char	4
rotlist	rotlistid	int	
rotlist	wreckerid	int	
rotmain	addtime	datetime	
rotmain	adduser	varchar	12
rotmain	begintime	char	4
rotmain	descriptn	varchar	30
rotmain	dow1	bit	
rotmain	dow2	bit	
rotmain	dow3	bit	
rotmain	dow4	bit	
rotmain	dow5	bit	
rotmain	dow6	bit	
rotmain	dow7	bit	
rotmain	endtime	char	4
rotmain	rotcode	char	4
rotmain	rotmainid	int	
rotmain	rotparent	char	4
site	addmark	tinyint	
site	address1	varchar	60
site	address2	varchar	60
site	addtime	datetime	
site	adduser	varchar	15
site	buscomres	char	1
site	busi_type	char	4
site	city	varchar	30
site	comm_name	varchar	40
site	con_fax	varchar	24
site	con_fone	varchar	24
site	con_name	varchar	24
site	con_ssn	char	9
site	emresp	char	4
site	firefilt	char	1
site	frresp	char	4
site	geotime	datetime	
site	geouser	varchar	11
site	has_access	tinyint	
site	has_alarms	tinyint	
site	has_exting	tinyint	
site	has_hazard	tinyint	
site	has_hazmat	tinyint	
site	has_hydran	tinyint	
site	has_images	tinyint	
site	has_names	tinyint	

site	has_pplans	tinyint	
site	has_shutof	tinyint	
site	has_tanks	tinyint	
site	keywords	varchar	20
site	lwresp	char	4
site	m_address1	varchar	60
site	m_address2	varchar	60
site	m_city	varchar	20
site	m_name	varchar	40
site	m_state	char	2
site	m_street_n	char	10
site	m_zip	char	10
site	modtime	datetime	
site	moduser	varchar	15
site	notes	text	2147483647
site	oth_seq	int	
site	otresp	char	4
site	penltr	int	
site	penltrdt	datetime	
site	permit_com	text	2147483647
site	pmstatus	char	4
site	pmstatusdt	datetime	
site	rsresp	char	4
site	site_name	varchar	40
site	site_type	varchar	30
site	siteid	int	
site	sndname	char	4
site	state	char	2
site	status	char	1
site	street_num	char	10
site	sysflag	char	8
site	totowed	float	
site	totpayed	float	
site	usersiteid	char	10
site	verloc	bit	
site	xc	float	
site	yc	float	
site	zip	char	10
site_070307	addmark	tinyint	
site_070307	address1	varchar	60
site_070307	address2	varchar	60
site_070307	addtime	datetime	
site_070307	adduser	varchar	15
site_070307	buscomres	char	1
site_070307	busi_type	char	4
site_070307	city	varchar	30
site_070307	comm_name	varchar	40
site_070307	con_fax	varchar	24
site_070307	con_fone	varchar	24
site_070307	con_name	varchar	24
site_070307	con_ssn	char	9
site_070307	emresp	char	4
site_070307	firefilt	char	1
site_070307	frresp	char	4
site_070307	geotime	datetime	
site_070307	geouser	varchar	11
site_070307	has_access	tinyint	
site_070307	has_alarms	tinyint	
site_070307	has_exting	tinyint	
site_070307	has_hazard	tinyint	
site_070307	has_hazmat	tinyint	

site_070307	has_hydran	tinyint	
site_070307	has_images	tinyint	
site_070307	has_names	tinyint	
site_070307	has_pplans	tinyint	
site_070307	has_shutof	tinyint	
site_070307	has_tanks	tinyint	
site_070307	keywords	varchar	20
site_070307	lwresp	char	4
site_070307	m_address1	varchar	60
site_070307	m_address2	varchar	60
site_070307	m_city	varchar	20
site_070307	m_name	varchar	40
site_070307	m_state	char	2
site_070307	m_street_n	char	10
site_070307	m_zip	char	10
site_070307	modtime	datetime	
site_070307	moduser	varchar	15
site_070307	notes	text	2147483647
site_070307	oth_seq	int	
site_070307	otresp	char	4
site_070307	penltr	int	
site_070307	penltrdt	datetime	
site_070307	permit_com	text	2147483647
site_070307	pmstatus	char	4
site_070307	pmstatusdt	datetime	
site_070307	rsresp	char	4
site_070307	site_name	varchar	40
site_070307	site_type	varchar	30
site_070307	siteid	int	
site_070307	sndname	char	4
site_070307	state	char	2
site_070307	status	char	1
site_070307	street_num	char	10
site_070307	sysflag	char	8
site_070307	totowed	float	
site_070307	totpayed	float	
site_070307	usersiteid	char	10
site_070307	verloc	bit	
site_070307	xc	float	
site_070307	yc	float	
site_070307	zip	char	10
site_hold	addmark	tinyint	
site_hold	address1	varchar	60
site_hold	address2	varchar	60
site_hold	addtime	datetime	
site_hold	adduser	varchar	15
site_hold	buscomres	char	1
site_hold	busi_type	char	4
site_hold	city	varchar	30
site_hold	comm_name	varchar	40
site_hold	con_fax	varchar	24
site_hold	con_fone	varchar	24
site_hold	con_name	varchar	24
site_hold	con_ssn	char	9
site_hold	emresp	char	4
site_hold	firefilt	char	1
site_hold	frresp	char	4
site_hold	geotime	datetime	
site_hold	geouser	varchar	11
site_hold	has_access	tinyint	
site_hold	has_alarms	tinyint	

site_hold	has_exting	tinyint	
site_hold	has_hazard	tinyint	
site_hold	has_hazmat	tinyint	
site_hold	has_hydran	tinyint	
site_hold	has_images	tinyint	
site_hold	has_names	tinyint	
site_hold	has_pplans	tinyint	
site_hold	has_shutof	tinyint	
site_hold	has_tanks	tinyint	
site_hold	keywords	varchar	20
site_hold	lwresp	char	4
site_hold	m_address1	varchar	60
site_hold	m_address2	varchar	60
site_hold	m_city	varchar	20
site_hold	m_name	varchar	40
site_hold	m_state	char	2
site_hold	m_street_n	char	10
site_hold	m_zip	char	10
site_hold	modtime	datetime	
site_hold	moduser	varchar	15
site_hold	notes	text	2147483647
site_hold	oth_seq	int	
site_hold	otresp	char	4
site_hold	penltr	int	
site_hold	penltrdt	datetime	
site_hold	permit_com	text	2147483647
site_hold	pmstatus	char	4
site_hold	pmstatusdt	datetime	
site_hold	rsresp	char	4
site_hold	site_name	varchar	40
site_hold	site_type	varchar	30
site_hold	siteid	int	
site_hold	sndname	char	4
site_hold	state	char	2
site_hold	status	char	1
site_hold	street_num	char	10
site_hold	sysflag	char	8
site_hold	totowed	float	
site_hold	totpayed	float	
site_hold	usersiteid	char	10
site_hold	verloc	bit	
site_hold	xc	float	
site_hold	yc	float	
site_hold	zip	char	10
sqlaexcp	descriptn	varchar	100
sqlaexcp	recnum	int	
sqlaexcp	sqlcxcpid	int	
sqlaexcp	trantime	datetime	
sqlalog	descriptn	varchar	100
sqlalog	recnum	int	
sqlalog	sqlalogid	int	
sqlalog	trantime	datetime	
sqlcexcp	descriptn	varchar	100
sqlcexcp	recnum	int	
sqlcexcp	sqlcexcpid	int	
sqlcexcp	trantime	datetime	
sqlclog	agencycode	char	6
sqlclog	descriptn	varchar	254
sqlclog	inorout	char	3
sqlclog	recnum	int	
sqlclog	sqlclogid	int	

sqlclog	transtype	varchar	25
sqlclog	trantime	datetime	
sqlmexcp	descriptn	varchar	100
sqlmexcp	recnum	int	
sqlmexcp	sqlmexcpid	int	
sqlmexcp	trantime	datetime	
sqlmlog	descriptn	varchar	254
sqlmlog	fromcons	varchar	20
sqlmlog	id	varchar	60
sqlmlog	inci_id	varchar	14
sqlmlog	recnum	int	
sqlmlog	sqlmlogid	int	
sqlmlog	trantime	datetime	
sqlmlog	units	varchar	50
sqlpexcp	descriptn	varchar	100
sqlpexcp	recnum	int	
sqlpexcp	sqlpexcpid	int	
sqlpexcp	trantime	datetime	
sqlplog	descriptn	varchar	254
sqlplog	fromcons	varchar	25
sqlplog	id	char	20
sqlplog	inci_id	varchar	14
sqlplog	recnum	int	
sqlplog	sqlplogid	int	
sqlplog	trantime	datetime	
sqlplog	units	varchar	50
sqlrexcpc	descriptn	varchar	100
sqlrexcpc	recnum	int	
sqlrexcpc	sqlrexcpcid	int	
sqlrexcpc	trantime	datetime	
sqlrlog	descriptn	varchar	254
sqlrlog	fromcons	varchar	20
sqlrlog	id	varchar	254
sqlrlog	inci_id	varchar	14
sqlrlog	recnum	int	
sqlrlog	sqlrlogid	int	
sqlrlog	trantime	datetime	
sqlrlog	units	varchar	50
sqltexcpc	descriptn	varchar	100
sqltexcpc	recnum	int	
sqltexcpc	sqltexcpcid	int	
sqltexcpc	trantime	datetime	
sqltlog	descriptn	varchar	100
sqltlog	recnum	int	
sqltlog	sqltlogid	int	
sqltlog	trantime	datetime	
stalias	addtime	datetime	
stalias	adduser	varchar	12
stalias	alias	varchar	40
stalias	aliastype	char	1
stalias	fullname	varchar	40
stalias	rangefr	int	
stalias	rangeto	int	
stalias	staliasid	int	
station	address	varchar	40
station	addtime	datetime	
station	adduser	varchar	12
station	agency	char	4
station	city	varchar	20
station	county	varchar	15
station	dispunits	char	1

station	emailaddr	varchar	100
station	fax	char	10
station	fax2	char	10
station	geox	float	
station	geoy	float	
station	incharge	varchar	40
station	inchargeid	int	
station	ipaddrs	varchar	15
station	ipport	char	4
station	jur	char	3
station	notes	text	2147483647
station	pagerid	char	10
station	paidorvol	char	1
station	phone	char	10
station	phone2	char	10
station	printer	varchar	100
station	rtdelivery	char	10
station	rtreports	char	10
station	statcode	char	4
station	state	char	2
station	stateid	char	10
station	stationid	int	
station	statname	varchar	40
station	stattype	char	4
station	toning	int	
station	zip	char	10
stcont	addmark	tinyint	
stcont	addtime	datetime	
stcont	adduser	varchar	12
stcont	cadnameid	int	
stcont	callorder	tinyint	
stcont	oth_seq	int	
stcont	siteid	int	
stcont	stcontid	int	
stcont_082907	addmark	tinyint	
stcont_082907	addtime	datetime	
stcont_082907	adduser	varchar	12
stcont_082907	cadnameid	int	
stcont_082907	callorder	tinyint	
stcont_082907	oth_seq	int	
stcont_082907	siteid	int	
stcont_082907	stcontid	int	
stname	basedist	char	5
stname	city	char	4
stname	closed	bit	
stname	gridcode	char	4
stname	notes	text	2147483647
stname	stname	varchar	45
stname	stnameid	int	
street	city	char	4
street	direction	char	2
street	emdsev	char	4
street	emdsod	char	4
street	emev	char	4
street	emgpev	char	4
street	emgpod	char	4
street	emod	char	4
street	emraev	char	4
street	emraod	char	4
street	emrespev	char	4
street	emrespod	char	4

street	emstev	char	4
street	emstod	char	4
street	esn	char	4
street	evenodd	char	1
street	flow	char	1
street	frdsev	char	4
street	frdsod	char	4
street	frev	char	4
street	frgpev	char	4
street	frgpod	char	4
street	frod	char	4
street	fromleft	float	
street	fromright	float	
street	frraev	char	4
street	frraad	char	4
street	frrespev	char	4
street	frrespod	char	4
street	frstev	char	4
street	frstod	char	4
street	gisid	int	
street	length	float	
street	loxstreet	varchar	40
street	lwbtev	char	4
street	lwbtod	char	4
street	lwdsev	char	4
street	lwsod	char	4
street	lwev	char	4
street	lwgpev	char	4
street	lwgpod	char	4
street	lwod	char	4
street	lwraev	char	4
street	lwraad	char	4
street	lwrespev	char	4
street	lwrespod	char	4
street	lwrzev	char	4
street	lwrzod	char	4
street	mapgrid	char	10
street	mapname	varchar	12
street	maprecno	float	
street	nodebeg	int	
street	nodeend	int	
street	notes	text	2147483647
street	otneev	char	4
street	otneod	char	4
street	otsuev	char	4
street	otsuod	char	4
street	ottwev	char	4
street	ottwod	char	4
street	otutev	char	4
street	otutod	char	4
street	plainst	varchar	35
street	postdirect	char	4
street	rangefr	float	
street	rangeto	float	
street	rtrev	char	4
street	rtrod	char	4
street	sndloxstr	char	4
street	sndplainst	char	4
street	sndxstr	char	4
street	speedback	int	
street	speedforw	int	



street	street	varchar	40
street	streetid	int	
street	streettype	char	4
street	toleft	float	
street	toright	float	
street	xstnum	float	
street	xstreet	varchar	40
street	zipev	char	5
street	zipod	char	5
street2	city	char	4
street2	direction	char	2
street2	emdsev	char	4
street2	emdsod	char	4
street2	emev	char	4
street2	emgpev	char	4
street2	emgpod	char	4
street2	emod	char	4
street2	emraev	char	4
street2	emraod	char	4
street2	emrespev	char	4
street2	emrespod	char	4
street2	emstev	char	4
street2	emstod	char	4
street2	esn	char	4
street2	evenodd	char	1
street2	flow	char	1
street2	frdsev	char	4
street2	frdsod	char	4
street2	frev	char	4
street2	frgpev	char	4
street2	frgpod	char	4
street2	frod	char	4
street2	fromleft	float	
street2	fromright	float	
street2	frraev	char	4
street2	frraod	char	4
street2	frrespev	char	4
street2	frrespod	char	4
street2	frstev	char	4
street2	frstod	char	4
street2	gisid	int	
street2	length	float	
street2	loxstreet	varchar	40
street2	lwbtev	char	4
street2	lwbtod	char	4
street2	lwdsev	char	4
street2	lwdsod	char	4
street2	lwev	char	4
street2	lwgpev	char	4
street2	lwgpod	char	4
street2	lwod	char	4
street2	lwraev	char	4
street2	lwraod	char	4
street2	lwrespev	char	4
street2	lwrespod	char	4
street2	lwrzev	char	4
street2	lwrzod	char	4
street2	mapgrid	char	10
street2	mapname	varchar	12
street2	maprecno	float	
street2	nodebeg	int	

street2	nodeend	int	
street2	notes	text	2147483647
street2	otneev	char	4
street2	otneod	char	4
street2	otsuev	char	4
street2	otsuod	char	4
street2	ottwev	char	4
street2	ottwod	char	4
street2	otutev	char	4
street2	otutod	char	4
street2	plainst	varchar	35
street2	postdirect	char	4
street2	rangefr	float	
street2	rangeto	float	
street2	rtrev	char	4
street2	rtrod	char	4
street2	sndloxstr	char	4
street2	sndplainst	char	4
street2	sndxstr	char	4
street2	speedback	int	
street2	speedforw	int	
street2	street	varchar	40
street2	streetid	int	
street2	streettype	char	4
street2	toleft	float	
street2	toright	float	
street2	xstnum	float	
street2	xstreet	varchar	40
street2	zipbev	char	5
street2	zipod	char	5
syinvl	agencyid	char	4
syinvl	date_inv	datetime	
syinvl	innameflag	char	1
syinvl	inv_desc	varchar	40
syinvl	inv_status	char	6
syinvl	modtime	datetime	
syinvl	moduser	varchar	11
syinvl	rec_code	varchar	15
syinvl	rec_id	int	
syinvl	rec_key	char	2
syinvl	relatnship	varchar	15
syinvl	relrec_cod	varchar	15
syinvl	relrec_id	int	
syinvl	relrec_key	char	2
syinvl	syinvlid	int	
syinvl	sysgen	char	1
sys_att	addtime	datetime	
sys_att	adduser	varchar	11
sys_att	descriptn	varchar	30
sys_att	filename	varchar	24
sys_att	folder	varchar	25
sys_att	summary	text	2147483647
sys_att	sys_attid	int	
sys_att	sysid	int	
sys_att	syskey	char	2
sys_hist	addtime	datetime	
sys_hist	adduser	varchar	11
sys_hist	dateinfo	datetime	
sys_hist	enteredby	char	10
sys_hist	histinfo	varchar	80
sys_hist	histkey	varchar	14

sys_hist	keytype	char	2
sys_hist	sys_histid	int	
sys_hist	sysid	char	2
sys_hist	syskey	int	
sys_recp	addtime	datetime	
sys_recp	adduser	varchar	11
sys_recp	agency	char	4
sys_recp	billdate	datetime	
sys_recp	checknbr	char	10
sys_recp	emdivision	char	4
sys_recp	emsection	char	4
sys_recp	emshift	char	4
sys_recp	emunit	char	4
sys_recp	fkeyid	int	
sys_recp	fkeyname	char	2
sys_recp	modtime	datetime	
sys_recp	moduser	varchar	11
sys_recp	notes	text	2147483647
sys_recp	officerid	int	
sys_recp	paidby	varchar	30
sys_recp	paidddate	datetime	
sys_recp	quantity	decimal	
sys_recp	recptdate	datetime	
sys_recp	recptkey	varchar	14
sys_recp	recptno	int	
sys_recp	revenuecode	char	4
sys_recp	siteid	int	
sys_recp	sys_recpid	int	
sys_recp	totalpaid	money	
sys_recp	trandesc	varchar	40
sys_recp	transtype	char	4
sys_recp	unitprice	money	
sys_recp	voidid	int	
sys_trac	actioncode	char	4
sys_trac	addtime	datetime	
sys_trac	adduser	varchar	11
sys_trac	fkeyid	int	
sys_trac	fkeyname	char	2
sys_trac	sys_tracid	int	
sys_trac	track_desc	text	2147483647
sys_trac	track_id	varchar	14
sys_trac	trackamt	money	
sys_trac	trackoffcr	int	
sys_trac	tracktime	datetime	
sysaccs	agency	char	4
sysaccs	appconsole	varchar	20
sysaccs	appemplid	int	
sysaccs	appid	char	10
sysaccs	appusernam	varchar	15
sysaccs	logintime	datetime	
sysaccs	logouttime	datetime	
sysaccs	moduleid	char	10
sysaccs	ntcompname	varchar	25
sysaccs	ntusername	varchar	20
sysaccs	sysaccsid	int	
sysaccs	systemos	varchar	20
sysaudit	addconsole	char	20
sysaudit	addtime	datetime	
sysaudit	adduser	varchar	11
sysaudit	agency	char	4
sysaudit	audittype	char	2

sysaudit	fieldname	char	10
sysaudit	postvalue	text	2147483647
sysaudit	prevalue	text	2147483647
sysaudit	primkey	int	
sysaudit	primtabkey	int	
sysaudit	sysauditid	int	
sysaudit	tablename	char	8
sysaudit	windowname	char	20
sysmergearticles	allow_interactive_resolver	bit	
sysmergearticles	article_resolver	nvarchar	255
sysmergearticles	artid	uniqueidentifier	
sysmergearticles	before_image_objid	int	
sysmergearticles	before_upd_view_objid	int	
sysmergearticles	before_view_objid	int	
sysmergearticles	check_permissions	int	
sysmergearticles	column_tracking	int	
sysmergearticles	columns	varbinary	128
sysmergearticles	compensate_for_errors	bit	
sysmergearticles	conflict_script	nvarchar	255
sysmergearticles	conflict_table	nvarchar	128
sysmergearticles	creation_script	nvarchar	255
sysmergearticles	delete_proc	nvarchar	128
sysmergearticles	delete_tracking	bit	
sysmergearticles	deleted_cols	varbinary	128
sysmergearticles	description	nvarchar	255
sysmergearticles	destination_object	nvarchar	128
sysmergearticles	destination_owner	nvarchar	128
sysmergearticles	excluded_col_count	int	
sysmergearticles	excluded_cols	varbinary	128
sysmergearticles	fast_multicol_updateproc	bit	
sysmergearticles	gen_cur	bigint	
sysmergearticles	identity_support	int	
sysmergearticles	ins_conflict_proc	nvarchar	128
sysmergearticles	insert_proc	nvarchar	128
sysmergearticles	lightweight	bit	
sysmergearticles	maxversion_at_cleanup	int	
sysmergearticles	metadata_select_proc	nvarchar	128
sysmergearticles	missing_col_count	int	
sysmergearticles	missing_cols	varbinary	128
sysmergearticles	name	nvarchar	128
sysmergearticles	nickname	int	
sysmergearticles	objid	int	
sysmergearticles	pre_creation_command	tinyint	
sysmergearticles	preserve_rowguidcol	bit	
sysmergearticles	processing_order	int	
sysmergearticles	procname_postfix	nchar	32
sysmergearticles	pub_range	bigint	
sysmergearticles	pubid	uniqueidentifier	
sysmergearticles	published_in_tran_pub	bit	
sysmergearticles	range	bigint	
sysmergearticles	resolver_clsid	nvarchar	50
sysmergearticles	resolver_info	nvarchar	517
sysmergearticles	schema_option	binary	8
sysmergearticles	select_proc	nvarchar	128
sysmergearticles	status	tinyint	
sysmergearticles	stream_blob_columns	bit	
sysmergearticles	subset_filterclause	nvarchar	1000
sysmergearticles	sync_objid	int	
sysmergearticles	threshold	int	
sysmergearticles	type	tinyint	
sysmergearticles	update_proc	nvarchar	128

sysmergearticles	upload_options	tinyint	
sysmergearticles	verify_resolver_signature	int	
sysmergearticles	vertical_partition	int	
sysmergearticles	view_sel_proc	nvarchar	290
sysmergearticles	view_type	tinyint	
sysmergearticles	well_partitioned_lightweight	bit	
sysmergepartitioninfo	artid	uniqueidentifier	
sysmergepartitioninfo	column_list	nvarchar	-1
sysmergepartitioninfo	column_list_blob	nvarchar	-1
sysmergepartitioninfo	expand_proc	nvarchar	128
sysmergepartitioninfo	logical_record_deleted_view_rule	nvarchar	-1
sysmergepartitioninfo	logical_record_level_conflict_detection	bit	
sysmergepartitioninfo	logical_record_level_conflict_resolution	bit	
sysmergepartitioninfo	logical_record_parent_nickname	int	
sysmergepartitioninfo	logical_record_view	int	
sysmergepartitioninfo	membership_eval_proc_name	nvarchar	128
sysmergepartitioninfo	partition_deleted_view_rule	nvarchar	-1
sysmergepartitioninfo	partition_inserted_view_rule	nvarchar	-1
sysmergepartitioninfo	partition_options	tinyint	
sysmergepartitioninfo	partition_view_id	int	
sysmergepartitioninfo	pubid	uniqueidentifier	
sysmergepartitioninfo	repl_view_id	int	
sysmergepublications	ad_guidname	nvarchar	128
sysmergepublications	allow_anonymous	int	
sysmergepublications	allow_partition_realignment	bit	
sysmergepublications	allow_pull	int	
sysmergepublications	allow_push	int	
sysmergepublications	allow_subscriber_initiated_snapshot	bit	
sysmergepublications	allow_subscription_copy	bit	
sysmergepublications	allow_synctoalternate	bit	
sysmergepublications	allow_web_synchronization	bit	
sysmergepublications	alt_snapshot_folder	nvarchar	255
sysmergepublications	automatic_reinitialization_policy	bit	
sysmergepublications	backward_comp_level	int	
sysmergepublications	centralized_conflicts	int	
sysmergepublications	compress_snapshot	bit	
sysmergepublications	conflict_retention	int	
sysmergepublications	decentralized_conflicts	int	
sysmergepublications	description	nvarchar	255
sysmergepublications	designmasterid	uniqueidentifier	
sysmergepublications	distributor	nvarchar	128
sysmergepublications	dynamic_filters	bit	
sysmergepublications	dynamic_filters_function_list	nvarchar	500
sysmergepublications	enabled_for_internet	bit	
sysmergepublications	ftp_address	nvarchar	128
sysmergepublications	ftp_login	nvarchar	128
sysmergepublications	ftp_password	nvarchar	524
sysmergepublications	ftp_port	int	
sysmergepublications	ftp_subdirectory	nvarchar	255
sysmergepublications	generation_leveling_threshold	int	
sysmergepublications	keep_before_values	int	
sysmergepublications	max_concurrent_dynamic_snapshots	int	
sysmergepublications	max_concurrent_merge	int	
sysmergepublications	name	nvarchar	128
sysmergepublications	parentid	uniqueidentifier	
sysmergepublications	partition_id_eval_proc	nvarchar	128
sysmergepublications	post_snapshot_script	nvarchar	255
sysmergepublications	pre_snapshot_script	nvarchar	255
sysmergepublications	pubid	uniqueidentifier	
sysmergepublications	publication_number	smallint	
sysmergepublications	publication_type	tinyint	

sysmergepublications	publisher	nvarchar	128
sysmergepublications	publisher_db	nvarchar	128
sysmergepublications	replicate_ddl	int	
sysmergepublications	retention	int	
sysmergepublications	retention_period_unit	tinyint	
sysmergepublications	snapshot_in_defaultfolder	bit	
sysmergepublications	snapshot_jobid	binary	16
sysmergepublications	snapshot_ready	tinyint	
sysmergepublications	status	tinyint	
sysmergepublications	sync_mode	tinyint	
sysmergepublications	use_partition_groups	smallint	
sysmergepublications	validate_subscriber_info	nvarchar	500
sysmergepublications	web_synchronization_url	nvarchar	500
sysmergeschemaarticles	artid	uniqueidentifier	
sysmergeschemaarticles	creation_script	nvarchar	255
sysmergeschemaarticles	description	nvarchar	255
sysmergeschemaarticles	destination_object	nvarchar	128
sysmergeschemaarticles	destination_owner	nvarchar	128
sysmergeschemaarticles	name	nvarchar	128
sysmergeschemaarticles	objid	int	
sysmergeschemaarticles	pre_creation_command	tinyint	
sysmergeschemaarticles	processing_order	int	
sysmergeschemaarticles	pubid	uniqueidentifier	
sysmergeschemaarticles	schema_option	binary	8
sysmergeschemaarticles	status	tinyint	
sysmergeschemaarticles	type	tinyint	
sysmergeschemachange	artid	uniqueidentifier	
sysmergeschemachange	pubid	uniqueidentifier	
sysmergeschemachange	schemaguid	uniqueidentifier	
sysmergeschemachange	schemastatus	tinyint	
sysmergeschemachange	schemasubtype	int	
sysmergeschemachange	schematext	nvarchar	-1
sysmergeschemachange	schematype	int	
sysmergeschemachange	schemaversion	int	
sysmergesubscriptions	application_name	nvarchar	128
sysmergesubscriptions	attempted_validate	datetime	
sysmergesubscriptions	cleanedup_unsent_changes	bit	
sysmergesubscriptions	datasource_type	int	
sysmergesubscriptions	db_name	nvarchar	128
sysmergesubscriptions	description	nvarchar	255
sysmergesubscriptions	last_makegeneration_datetime	datetime	
sysmergesubscriptions	last_sync_date	datetime	
sysmergesubscriptions	last_sync_status	int	
sysmergesubscriptions	last_sync_summary	nvarchar	128
sysmergesubscriptions	last_validated	datetime	
sysmergesubscriptions	metadatacleanuptime	datetime	
sysmergesubscriptions	partition_id	int	
sysmergesubscriptions	priority	real	
sysmergesubscriptions	pubid	uniqueidentifier	
sysmergesubscriptions	recgen	bigint	
sysmergesubscriptions	recguid	uniqueidentifier	
sysmergesubscriptions	replica_version	int	
sysmergesubscriptions	replicastate	uniqueidentifier	
sysmergesubscriptions	replnickname	binary	6
sysmergesubscriptions	schemaguid	uniqueidentifier	
sysmergesubscriptions	schemaversion	int	
sysmergesubscriptions	sentgen	bigint	
sysmergesubscriptions	sentguid	uniqueidentifier	
sysmergesubscriptions	status	tinyint	
sysmergesubscriptions	subid	uniqueidentifier	
sysmergesubscriptions	subscriber_number	int	

sysmergesubscriptions	subscriber_server	nvarchar	128
sysmergesubscriptions	subscriber_type	int	
sysmergesubscriptions	subscription_type	int	
sysmergesubscriptions	supportability_mode	int	
sysmergesubscriptions	sync_type	tinyint	
sysmergesubsetfilters	art_nickname	int	
sysmergesubsetfilters	artid	uniqueidentifier	
sysmergesubsetfilters	expand_proc	nvarchar	128
sysmergesubsetfilters	filter_type	tinyint	
sysmergesubsetfilters	filtername	nvarchar	128
sysmergesubsetfilters	join_articlename	nvarchar	128
sysmergesubsetfilters	join_filterclause	nvarchar	1000
sysmergesubsetfilters	join_filterid	int	
sysmergesubsetfilters	join_nickname	int	
sysmergesubsetfilters	join_unique_key	int	
sysmergesubsetfilters	pubid	uniqueidentifier	
sysmsg	computer	varchar	50
sysmsg	datetime	datetime	
sysmsg	message	varchar	254
sysmsg	sysmsgid	int	
sysprof1	agencyid	char	4
sysprof1	backcolor	int	
sysprof1	cflag	char	4
sysprof1	codekey	char	4
sysprof1	creserve1	char	10
sysprof1	formname	char	10
sysprof1	methods	text	2147483647
sysprof1	modtime	datetime	
sysprof1	nreserve1	int	
sysprof1	profdesc	varchar	50
sysprof1	reserve1	text	2147483647
sysprof1	sharecode	char	1
sysprof1	sysprof1id	int	
sysprof1	userid	varchar	11
sysreplservers	srvid	int	
sysreplservers	srvname	nvarchar	128
systab1	code_agcy	char	4
systab1	code_fbi	char	4
systab1	code_key	char	4
systab1	code_sbi	char	4
systab1	descriptn	varchar	55
systab1	internal	tinyint	
systab1	notes	text	2147483647
systab1	sys_msg	varchar	40
systab1	sys_use	varchar	30
systab1	systab1id	int	
systab2	code_agcy	char	4
systab2	code_fbi	char	4
systab2	code_key	char	4
systab2	code_sbi	char	4
systab2	codenote	varchar	20
systab2	descriptn	varchar	45
systab2	grp_code	char	4
systab2	systab2id	int	
systab2	updatecode	char	4
systab3	cflag1	char	1
systab3	cflag2	char	4
systab3	code_agcy	varchar	15
systab3	code_key	char	4
systab3	descriptn	varchar	40
systab3	nflag1	tinyint	

systab3	nflag2	tinyint	
systab3	quickkey	char	3
systab3	rate1	float	
systab3	rate2	float	
systab3	sys_msg	varchar	30
systab3	sys_other	varchar	30
systab3	sys_use	varchar	30
systab3	sysnotes	text	2147483647
systab3	systab3id	int	
tencode	addtime	datetime	
tencode	adduser	varchar	12
tencode	agency	char	4
tencode	codeext	char	4
tencode	descriptn	varchar	30
tencode	fullcode	varchar	12
tencode	nature	char	6
tencode	tencode	char	4
tencode	tencodeid	int	
tencode	tenfunc	char	4
toneque	callrefno	int	
toneque	fromcons	char	25
toneque	inci_id	char	14
toneque	incitime	datetime	
toneque	message	char	254
toneque	recno	int	
toneque	street	char	60
toneque	tonemsg	char	254
toneque	tonetype	int	
toneque	unitlist	char	254
tow	adduser	varchar	12
tow	canccode	char	4
tow	canccomm	text	2147483647
tow	canctime	datetime	
tow	dateentr	datetime	
tow	inci_id	varchar	14
tow	picktype	char	1
tow	putback	bit	
tow	rotcode	char	4
tow	timeentr	datetime	
tow	timesecs	int	
tow	towid	int	
tow	vehi_id	int	
tow	vehnum	int	
tow	wreckerid	int	
transpat	addtime	datetime	
transpat	adduser	varchar	12
transpat	comments	varchar	50
transpat	cond1	char	4
transpat	cond2	char	4
transpat	cond3	char	4
transpat	cond4	char	4
transpat	emergency	char	1
transpat	fromdesc	varchar	40
transpat	fromloc	varchar	40
transpat	inci_id	varchar	14
transpat	patnum	int	
transpat	sex	char	1
transpat	todesc	varchar	40
transpat	toloc	varchar	40
transpat	transpatid	int	
transpat	unitcode	char	6



transpat	unitperiod	int	
undisp	actas	char	1
undisp	agency	char	4
undisp	autooffdt	datetime	
undisp	avcomments	varchar	30
undisp	avend	datetime	
undisp	avnotify	datetime	
undisp	avstart	datetime	
undisp	avstatus	char	4
undisp	basedloc	varchar	40
undisp	basedname	varchar	30
undisp	basedx	int	
undisp	basedy	int	
undisp	callrefno	int	
undisp	clear	datetime	
undisp	dispatch	datetime	
undisp	district	char	4
undisp	endmile	int	
undisp	geox	decimal	
undisp	geoy	decimal	
undisp	groupcode	char	6
undisp	homestbt	char	4
undisp	inci_id	varchar	14
undisp	lastradio	datetime	
undisp	laststime	datetime	
undisp	laststuser	varchar	12
undisp	location	varchar	40
undisp	mancode	char	3
undisp	maxarv_tm	int	
undisp	maxenr_tm	int	
undisp	maxhos_tm	int	
undisp	maxtos_tm	int	
undisp	mct2man	char	1
undisp	mctequip	char	1
undisp	natureid	int	
undisp	ntcalltype	char	1
undisp	ntsumcode	char	4
undisp	offduty	datetime	
undisp	officerid	int	
undisp	onduty	datetime	
undisp	pagerid	char	10
undisp	parent_id	varchar	14
undisp	picture	varchar	12
undisp	primaryveh	bit	
undisp	primeoffc	varchar	30
undisp	priority	int	
undisp	prvunitrec	bit	
undisp	radargunid	char	10
undisp	radiofreq	char	10
undisp	radioid	char	10
undisp	removetm	datetime	
undisp	shotgunid	char	10
undisp	siflag	bit	
undisp	snature	char	8
undisp	sqlts	timestamp	
undisp	stacked	tinyint	
undisp	startmile	int	
undisp	statbeat	char	4
undisp	statloc	varchar	40
undisp	status	char	1
undisp	statustime	datetime	

undisp	statxpos	int	
undisp	statypos	int	
undisp	superunit	char	6
undisp	undispid	int	
undisp	unitcode	char	6
undisp	unitflag	char	1
undisp	unitperid	int	
undisp	unitrecom	bit	
undisp	unittype	varchar	30
undisp	uoffduty	datetime	
undisp	uonduty	datetime	
undisp	ustatustm	datetime	
undisp	vehicleid	char	10
undisp	vehtype	char	4
undisp	watchdog	datetime	
undisp	watchmin	int	
unequip	addtime	datetime	
unequip	adduser	varchar	12
unequip	descript	varchar	40
unequip	equipcode	char	6
unequip	unequipid	int	
unequip	unitcode	char	6
unit	actas	char	1
unit	addtime	datetime	
unit	adduser	varchar	12
unit	agency	char	4
unit	alphapgid	char	10
unit	alrtzone	varchar	100
unit	beat	char	4
unit	controlled	char	1
unit	defasuper	int	
unit	digradio	char	10
unit	district	char	4
unit	groupcode	char	6
unit	kind	char	10
unit	min_man	tinyint	
unit	notes	text	2147483647
unit	officerid	int	
unit	pagerid	char	10
unit	radarfreq	char	10
unit	radargunid	char	10
unit	radiofreq	char	10
unit	radioid	char	10
unit	shotgunid	char	10
unit	specflags	char	10
unit	station	char	4
unit	superunit	char	6
unit	termid	char	10
unit	type	char	4
unit	unitcode	char	6
unit	unitid	int	
unit_WOPDCONV	actas	char	1
unit_WOPDCONV	addtime	datetime	
unit_WOPDCONV	adduser	varchar	12
unit_WOPDCONV	agency	char	4
unit_WOPDCONV	alphapgid	char	10
unit_WOPDCONV	alrtzone	varchar	100
unit_WOPDCONV	beat	char	4
unit_WOPDCONV	controlled	char	1
unit_WOPDCONV	defasuper	int	
unit_WOPDCONV	digradio	char	10

unit_WOPDCONV	district	char	4
unit_WOPDCONV	groupcode	char	6
unit_WOPDCONV	kind	char	10
unit_WOPDCONV	min_man	tinyint	
unit_WOPDCONV	notes	text	2147483647
unit_WOPDCONV	officerid	int	
unit_WOPDCONV	pagerid	char	10
unit_WOPDCONV	radarfreq	char	10
unit_WOPDCONV	radargunid	char	10
unit_WOPDCONV	radiofreq	char	10
unit_WOPDCONV	radioid	char	10
unit_WOPDCONV	shotgunid	char	10
unit_WOPDCONV	station	char	4
unit_WOPDCONV	superunit	char	6
unit_WOPDCONV	termid	char	10
unit_WOPDCONV	type	char	4
unit_WOPDCONV	unitcode	char	6
unit_WOPDCONV	unitid	int	
unithist	agency	char	4
unithist	beat	char	4
unithist	district	char	4
unithist	endmile	int	
unithist	groupcode	char	6
unithist	mancode	char	3
unithist	minsonduty	int	
unithist	offduty	datetime	
unithist	onduty	datetime	
unithist	picture	varchar	12
unithist	radarfreq	char	10
unithist	radargunid	char	10
unithist	radiofreq	char	10
unithist	radioid	char	10
unithist	shotgunid	char	10
unithist	startmile	int	
unithist	station	char	4
unithist	superunit	char	6
unithist	unitcode	char	6
unithist	unithistid	int	
unithist	unitperid	int	
unithist	uoffduty	datetime	
unithist	uonduty	datetime	
unithist	vehicleid	char	10
unithist	vehetype	char	4
unitper	emdept_id	char	10
unitper	intime	datetime	
unitper	minsonduty	int	
unitper	name	varchar	40
unitper	notes	varchar	100
unitper	officerid	int	
unitper	outtime	datetime	
unitper	primekey	int	
unitper	radioid	char	10
unitper	uintime	datetime	
unitper	unitcode	char	6
unitper	unitperid	int	
unitper	uouttime	datetime	
unitper_WOPDCONV	emdept_id	char	10
unitper_WOPDCONV	intime	datetime	
unitper_WOPDCONV	minsonduty	int	
unitper_WOPDCONV	name	varchar	40
unitper_WOPDCONV	notes	varchar	100

unitper_WOPDCONV	officerid	int	
unitper_WOPDCONV	outtime	datetime	
unitper_WOPDCONV	primekey	int	
unitper_WOPDCONV	radioid	char	10
unitper_WOPDCONV	uintime	datetime	
unitper_WOPDCONV	unitcode	char	6
unitper_WOPDCONV	unitperid	int	
unitper_WOPDCONV	uouttime	datetime	
untype	addtime	datetime	
untype	adduser	varchar	12
untype	alsotype	bit	
untype	inactive	bit	
untype	officerid	int	
untype	onlycat	char	4
untype	onlyoutstb	bit	
untype	onlystbt	bit	
untype	typeorder	int	
untype	undisplay	bit	
untype	unitcode	char	6
untype	unittype	char	6
untype	unypeid	int	
userprof	options	char	10
userprof	proftype	char	1
userprof	userid	varchar	12
userprof	userprofid	int	
userprof	windprof	varchar	20
vhmain	addconsole	char	8
vhmain	addtime	datetime	
vhmain	adduser	varchar	11
vhmain	age	char	2
vhmain	agency	char	4
vhmain	color1	char	4
vhmain	color2	char	4
vhmain	date_recvd	char	10
vhmain	doors	char	1
vhmain	feddate1	datetime	
vhmain	feddate2	datetime	
vhmain	federalnbr	varchar	15
vhmain	licpl_no	char	10
vhmain	licpl_st	char	2
vhmain	licpl_type	char	4
vhmain	licpl_year	int	
vhmain	localid	char	8
vhmain	locstatus	char	4
vhmain	make	char	4
vhmain	model	varchar	12
vhmain	otherjuri	char	10
vhmain	owner_id	int	
vhmain	race	char	2
vhmain	rcv_condtn	varchar	20
vhmain	reg_date	datetime	
vhmain	reg_resend	int	
vhmain	respoffcr	int	
vhmain	sex	char	1
vhmain	statedate1	datetime	
vhmain	statedate2	datetime	
vhmain	statenbr	char	10
vhmain	statustime	datetime	
vhmain	sysflag	char	8
vhmain	towedby	char	4
vhmain	towimpd	char	1

vhmain	udfield1	char	4
vhmain	vehi_id	int	
vhmain	vehstyle	char	4
vhmain	vehstyle	char	4
vhmain	vehyear	int	
vhmain	vhfeature	text	2147483647
vhmain	vhnotes	text	2147483647
vhmain	vhstatus	char	4
vhmain	vhvalue	money	
vhmain	vin	varchar	30
vhmain	wantedveh	char	4
wincoord	height	int	
wincoord	layorder	int	
wincoord	leftpos	int	
wincoord	other	char	10
wincoord	profile	varchar	20
wincoord	toppos	int	
wincoord	type	char	4
wincoord	width	int	
wincoord	wincoordid	int	
wincoord	winname	varchar	30
wrecker	aaa	bit	
wrecker	addr1	varchar	30
wrecker	addr2	varchar	30
wrecker	addtime	datetime	
wrecker	adduser	varchar	12
wrecker	city	varchar	20
wrecker	contact	varchar	30
wrecker	flatbed	bit	
wrecker	isactive	bit	
wrecker	name	varchar	30
wrecker	notes	text	2147483647
wrecker	oversize	bit	
wrecker	phone1	char	10
wrecker	phone2	char	10
wrecker	regular	bit	
wrecker	state	char	2
wrecker	wreckerid	int	
wrecker	zip	char	5
zccjisgeotab1	code_agcy	char	4
zccjisgeotab1	code_fbi	char	4
zccjisgeotab1	code_key	char	4
zccjisgeotab1	code_sbi	char	4
zccjisgeotab1	descriptn	varchar	55
zccjisgeotab1	geotab1id	int	
zccjisgeotab1	internal	tinyint	
zccjisgeotab1	notes	text	2147483647
zccjisgeotab1	sys_msg	varchar	40
zccjisgeotab1	sys_use	varchar	30
zccjisgrmain	addtime	datetime	
zccjisgrmain	adduser	varchar	12
zccjisgrmain	beatstatasp	bit	
zccjisgrmain	controlled	char	1
zccjisgrmain	deftype	char	4
zccjisgrmain	descriptn	varchar	50
zccjisgrmain	grmainid	int	
zccjisgrmain	grpcode	char	6
zccjisgrmain	picture	varchar	12
zccjisgrmain	vehstyle	char	1
zccjisrotmain	addtime	datetime	
zccjisrotmain	adduser	varchar	12

zccjisrotmain	descriptn	varchar	30
zccjisrotmain	rotcode	char	4
zccjisrotmain	rotmainid	int	
zccjisunit	actas	char	1
zccjisunit	addtime	datetime	
zccjisunit	adduser	varchar	12
zccjisunit	agency	char	4
zccjisunit	alphapgid	char	10
zccjisunit	beat	char	4
zccjisunit	controlled	char	1
zccjisunit	defasuper	int	
zccjisunit	digradio	char	10
zccjisunit	district	char	4
zccjisunit	groupcode	char	6
zccjisunit	kind	char	10
zccjisunit	min_man	tinyint	
zccjisunit	notes	text	2147483647
zccjisunit	officerid	int	
zccjisunit	pagerid	char	10
zccjisunit	radarfreq	char	10
zccjisunit	radargunid	char	10
zccjisunit	radiofreq	char	10
zccjisunit	radioid	char	10
zccjisunit	shotgunid	char	10
zccjisunit	station	char	4
zccjisunit	superunit	char	6
zccjisunit	type	char	4
zccjisunit	unitcode	char	6
zccjisunit	unitid	int	
zccjisunit2	actas	char	1
zccjisunit2	addtime	datetime	
zccjisunit2	adduser	varchar	12
zccjisunit2	agency	char	4
zccjisunit2	alphapgid	char	10
zccjisunit2	beat	char	4
zccjisunit2	controlled	char	1
zccjisunit2	defasuper	int	
zccjisunit2	digradio	char	10
zccjisunit2	district	char	4
zccjisunit2	groupcode	char	6
zccjisunit2	kind	char	10
zccjisunit2	min_man	tinyint	
zccjisunit2	notes	text	2147483647
zccjisunit2	officerid	int	
zccjisunit2	pagerid	char	10
zccjisunit2	radarfreq	char	10
zccjisunit2	radargunid	char	10
zccjisunit2	radiofreq	char	10
zccjisunit2	radioid	char	10
zccjisunit2	shotgunid	char	10
zccjisunit2	station	char	4
zccjisunit2	superunit	char	6
zccjisunit2	type	char	4
zccjisunit2	unitcode	char	6
zccjisunit2	unitid	int	
zccjisuntype	addtime	datetime	
zccjisuntype	adduser	varchar	12
zccjisuntype	alsotype	bit	
zccjisuntype	onlycat	char	4
zccjisuntype	onlystbt	bit	
zccjisuntype	typeorder	int	

zccjisuntype	unitcode	char	6
zccjisuntype	unitttype	char	6
zccjisuntype	untypeid	int	
zccjisuntype2	addtime	datetime	
zccjisuntype2	adduser	varchar	12
zccjisuntype2	alsotype	bit	
zccjisuntype2	onlycat	char	4
zccjisuntype2	onlystbt	bit	
zccjisuntype2	typeorder	int	
zccjisuntype2	unitcode	char	6
zccjisuntype2	unitttype	char	6
zccjisuntype2	untypeid	int	
zccjisgeoprox	code	char	4
zccjisgeoprox	geoproxid	int	
zccjisgeoprox	newrplan	char	4
zccjisgeoprox	notify	text	2147483647
zccjisgeoprox	position	int	
zccjisgeoprox	statbeat	char	4
zccjisgeotab1	code_agcy	char	4
zccjisgeotab1	code_fbi	char	4
zccjisgeotab1	code_key	char	4
zccjisgeotab1	code_sbi	char	4
zccjisgeotab1	descriptn	varchar	55
zccjisgeotab1	geotab1id	int	
zccjisgeotab1	internal	tinyint	
zccjisgeotab1	notes	text	2147483647
zccjisgeotab1	sys_msg	varchar	40
zccjisgeotab1	sys_use	varchar	30
zccjisgrmain	addtime	datetime	
zccjisgrmain	adduser	varchar	12
zccjisgrmain	beatstatsp	bit	
zccjisgrmain	controlled	char	1
zccjisgrmain	deftype	char	4
zccjisgrmain	descriptn	varchar	50
zccjisgrmain	grmainid	int	
zccjisgrmain	grpcode	char	6
zccjisgrmain	picture	varchar	12
zccjisgrmain	vehetype	char	1
zccjisnat2agn	addtime	datetime	
zccjisnat2agn	adduser	varchar	12
zccjisnat2agn	agency	char	4
zccjisnat2agn	almr_lev	int	
zccjisnat2agn	autospawn	char	1
zccjisnat2agn	casenumreq	char	1
zccjisnat2agn	dig_code	char	10
zccjisnat2agn	dig_disp	char	1
zccjisnat2agn	disp_req	char	1
zccjisnat2agn	lmtdisp	varchar	50
zccjisnat2agn	mapbmp	varchar	12
zccjisnat2agn	maxarv_tm	float	
zccjisnat2agn	maxenr_tm	float	
zccjisnat2agn	maxhos_tm	float	
zccjisnat2agn	maxtos_tm	float	
zccjisnat2agn	nat2agnid	int	
zccjisnat2agn	natureid	int	
zccjisnat2agn	notify	text	2147483647
zccjisnat2agn	pagerid	char	10
zccjisnat2agn	pagestyle	char	10
zccjisnat2agn	preprior	char	1
zccjisnat2agn	priority	char	1
zccjisnat2agn	respcat	char	4

zzzcjisnat2agn	respcode	char	4
zzzcjisnat2agn	resplevel	int	
zzzcjisnat2agn	sopcode	char	6
zzzcjisnat2agn	sumcode	char	4
zzzcjisnatalias	addtime	datetime	
zzzcjisnatalias	adduser	varchar	12
zzzcjisnatalias	alias	char	6
zzzcjisnatalias	nataliasid	int	
zzzcjisnatalias	natureid	int	
zzzcjisnature	assemblyrp	char	1
zzzcjisnature	calltype	char	1
zzzcjisnature	ems	tinyint	
zzzcjisnature	fire	tinyint	
zzzcjisnature	fulldesc	varchar	30
zzzcjisnature	hours_hot	float	
zzzcjisnature	jur	char	3
zzzcjisnature	law	tinyint	
zzzcjisnature	maxcall_tm	float	
zzzcjisnature	maxdis_tm	float	
zzzcjisnature	medprior	int	
zzzcjisnature	naturecode	char	6
zzzcjisnature	natureid	int	
zzzcjisnature	other1	tinyint	
zzzcjisnature	other1code	char	5
zzzcjisnature	other2	tinyint	
zzzcjisnature	other2code	char	5
zzzcjisnature	question	bit	
zzzcjisnature	rescue	tinyint	
zzzcjisnature	shortdesc	char	8
zzzcjisnature	status	char	1
zzzcjisresplvl	alrmlevel	int	
zzzcjisresplvl	category	char	4
zzzcjisresplvl	isor	bit	
zzzcjisresplvl	quantity	int	
zzzcjisresplvl	rectype	char	1
zzzcjisresplvl	respcode	char	4
zzzcjisresplvl	resplvlid	int	
zzzcjisresplvl	unitorder	int	
zzzcjisresplvl	unittype	char	6
zzzcjisrespmain	agency	char	4
zzzcjisrespmain	descript	varchar	40
zzzcjisrespmain	notes	text	2147483647
zzzcjisrespmain	respcode	char	4
zzzcjisrespmain	respmainid	int	
zzzcjisrespmain	service	char	4
zzzcjisrespnot	alphapgid	char	10
zzzcjisrespnot	alrmlevel	int	
zzzcjisrespnot	category	char	4
zzzcjisrespnot	notify	text	2147483647
zzzcjisrespnot	respcode	char	4
zzzcjisrespnot	respnotid	int	
zzzcjisunit	actas	char	1
zzzcjisunit	addtime	datetime	
zzzcjisunit	adduser	varchar	12
zzzcjisunit	agency	char	4
zzzcjisunit	alphapgid	char	10
zzzcjisunit	beat	char	4
zzzcjisunit	controlled	char	1
zzzcjisunit	defasuper	int	
zzzcjisunit	digradio	char	10
zzzcjisunit	district	char	4



zzzcjisunit	groupcode	char	6
zzzcjisunit	kind	char	10
zzzcjisunit	min_man	tinyint	
zzzcjisunit	notes	text	2147483647
zzzcjisunit	officerid	int	
zzzcjisunit	pagerid	char	10
zzzcjisunit	radarfreq	char	10
zzzcjisunit	radargunid	char	10
zzzcjisunit	radiofreq	char	10
zzzcjisunit	radioid	char	10
zzzcjisunit	shotgunid	char	10
zzzcjisunit	station	char	4
zzzcjisunit	superunit	char	6
zzzcjisunit	type	char	4
zzzcjisunit	unitcode	char	6
zzzcjisunit	unitid	int	
zzzcjizgrmon	addtime	datetime	
zzzcjizgrmon	console	char	11
zzzcjizgrmon	grmonid	int	
zzzcjizgrmon	groupcode	char	6
zzzcjizgrmon	grporder	int	
zzzcjizgrmon	minimized	bit	