

Database name: BISSI_Data

Frequency Updated: Daily

Database Restricted

<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>
mailinappold	mappl_appl_source	varchar	8000
mailinappold	mappl_client_name_first	varchar	8000
mailinappold	mappl_client_name_last	varchar	8000
mailinappold	mappl_comments	varchar	8000
mailinappold	mappl_dte_5104_mailed	varchar	8000
mailinappold	mappl_dte_app_mailed	varchar	8000
mailinappold	mappl_dte_assigned	varchar	8000
mailinappold	mappl_dte_received	varchar	8000
mailinappold	mappl_dte_requested	varchar	8000
mailinappold	mappl_mailto_type	varchar	8000
mailinappold	mappl_req_address_1	varchar	8000
mailinappold	mappl_req_address_2	varchar	8000
mailinappold	mappl_req_city	varchar	8000
mailinappold	mappl_req_client_same	varchar	8000
mailinappold	mappl_req_name_first	varchar	8000
mailinappold	mappl_req_name_last	varchar	8000
mailinappold	mappl_req_state	varchar	8000
mailinappold	mappl_req_zip	varchar	8000
mailinappold	mappl_requested_method	varchar	8000
mailinappold	mappl_worker_assigned_fk	varchar	8000
mailinappold	mappl_worker_mailed_fk	varchar	8000
TB_CBCAT_ALIAS	CBCAT_ALIAS	varchar	20
TB_CBCAT_ALIAS	CBCAT_ALIAS_EPICS_CLAIM	bit	
TB_CBCAT_ALIAS	CBCAT_ALIAS_GROUP	varchar	25
TB_CBCAT_ALIAS	CBCAT_ALIAS_IS_ACTIVE	tinyint	
TB_CBCAT_ALIAS	CBCAT_ALIAS_PK	int	
TB_CBCAT_ALIAS	CBCAT_LAWSON_CBCAT_FK	int	
TB_LAWSON_CBCAT	ACCT_CATEGORY	char	5
TB_LAWSON_CBCAT	ACTIVITY	char	15
TB_LAWSON_CBCAT	BISSI_IS_ACTIVE	bit	
TB_LAWSON_CBCAT	CBCAT_DISPLAY	varchar	103
TB_LAWSON_CBCAT	COMPANY	int	

TB_LAWSON_CBCAT	DESCRIPTION	char	30
TB_LAWSON_CBCAT	LIST_INDEX	int	
TB_LAWSON_CBCAT	PK	int	
TB_LAWSON_CBCAT	PROD_TAX_CAT	char	15
TB_LAWSON_CBCAT	REQUIRES_ALIAS	bit	
TB_LAWSON_CBCAT	REV_ACCOUNT	int	
TB_LAWSON_CBCAT	REV_ACCT_UNIT	char	15
TB_LAWSON_CBCAT	REV_SUB_ACCT	int	
TB_LAWSON_CBCAT	USED_FLAG	char	1
TB_LAWSON_TRUSTEE_CHECK_RUN	ACCT_CATEGORY	char	5
TB_LAWSON_TRUSTEE_CHECK_RUN	BANK_INST_CODE	char	3
TB_LAWSON_TRUSTEE_CHECK_RUN	CASH_CODE	char	4
TB_LAWSON_TRUSTEE_CHECK_RUN	check no.	char	10
TB_LAWSON_TRUSTEE_CHECK_RUN	CHECK_DATE	datetime	
TB_LAWSON_TRUSTEE_CHECK_RUN	num_clients_affected	int	
TB_LAWSON_TRUSTEE_CHECK_RUN	PAID_NAME	char	30
TB_LAWSON_TRUSTEE_CHECK_RUN	PROC_LEVEL	char	5
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_client_name_first	varchar	30
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_client_name_last	varchar	30
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_client_name_mi	char	1
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_client_name_suffix	varchar	5
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_fk	int	
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_item_amount	money	
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_item_date	datetime	
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_item_name_first	varchar	30
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_item_name_last	varchar	30
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_item_name_mi	char	1
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_item_name_suffix	varchar	5
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_item_num	varchar	20
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_item_type	int	
TB_LAWSON_TRUSTEE_CHECK_RUN	rli_payable_to_type	char	1
TB_LAWSON_TRUSTEE_CHECK_RUN	TRAN_PMT_AMT	money	
TB_LAWSON_TRUSTEE_CHECK_RUN	TRANS_IDENT	numeric	
TB_LAWSON_TRUSTEE_CHECK_RUN	ts_imported	datetime	

TB_LAWSON_TRUSTEE_CHECK_RUN	ts_processed	datetime	
TB_LAWSON_TRUSTEE_CHECK_RUN	VENDOR	varchar	9
TB_MED_APP_MAIL_LOG	mappl_appl_num	varchar	10
TB_MED_APP_MAIL_LOG	mappl_appl_source	varchar	20
TB_MED_APP_MAIL_LOG	mappl_chk_address	bit	
TB_MED_APP_MAIL_LOG	mappl_chk_dob	bit	
TB_MED_APP_MAIL_LOG	mappl_chk_legible	bit	
TB_MED_APP_MAIL_LOG	mappl_chk_name	bit	
TB_MED_APP_MAIL_LOG	mappl_chk_sex	bit	
TB_MED_APP_MAIL_LOG	mappl_chk_signed	bit	
TB_MED_APP_MAIL_LOG	mappl_client_address_1	varchar	50
TB_MED_APP_MAIL_LOG	mappl_client_address_2	varchar	50
TB_MED_APP_MAIL_LOG	mappl_client_address_illegible	bit	
TB_MED_APP_MAIL_LOG	mappl_client_city	varchar	20
TB_MED_APP_MAIL_LOG	mappl_client_dob	datetime	
TB_MED_APP_MAIL_LOG	mappl_client_dob_unknown	bit	
TB_MED_APP_MAIL_LOG	mappl_client_name_first	varchar	30
TB_MED_APP_MAIL_LOG	mappl_client_name_illegible	bit	
TB_MED_APP_MAIL_LOG	mappl_client_name_last	varchar	30
TB_MED_APP_MAIL_LOG	mappl_client_no_phone	bit	
TB_MED_APP_MAIL_LOG	mappl_client_phone	varchar	20
TB_MED_APP_MAIL_LOG	mappl_client_phone_ext	varchar	5
TB_MED_APP_MAIL_LOG	mappl_client_state	varchar	2
TB_MED_APP_MAIL_LOG	mappl_client_zip	varchar	10
TB_MED_APP_MAIL_LOG	mappl_comments	varchar	3000
TB_MED_APP_MAIL_LOG	mappl_county	varchar	30
TB_MED_APP_MAIL_LOG	mappl_dte_5097_appt	datetime	
TB_MED_APP_MAIL_LOG	mappl_dte_5104_mailed	datetime	
TB_MED_APP_MAIL_LOG	mappl_dte_app_mailed	datetime	
TB_MED_APP_MAIL_LOG	mappl_dte_assigned	datetime	
TB_MED_APP_MAIL_LOG	mappl_dte_complete	datetime	
TB_MED_APP_MAIL_LOG	mappl_dte_incomplete	datetime	
TB_MED_APP_MAIL_LOG	mappl_dte_mailed_county	datetime	
TB_MED_APP_MAIL_LOG	mappl_dte_outcome	datetime	

TB_MED_APP_MAIL_LOG	mappl_dte_received	datetime	
TB_MED_APP_MAIL_LOG	mappl_dte_received_corrected	datetime	
TB_MED_APP_MAIL_LOG	mappl_dte_requested	datetime	
TB_MED_APP_MAIL_LOG	mappl_dte_worker_outcome	datetime	
TB_MED_APP_MAIL_LOG	mappl_fa_copy_sent	bit	
TB_MED_APP_MAIL_LOG	mappl_mailto_address_same_as_client	bit	
TB_MED_APP_MAIL_LOG	mappl_mailto_name_first	varchar	30
TB_MED_APP_MAIL_LOG	mappl_mailto_name_last	varchar	30
TB_MED_APP_MAIL_LOG	mappl_mailto_name_type	int	
TB_MED_APP_MAIL_LOG	mappl_mailto_other_org	bit	
TB_MED_APP_MAIL_LOG	mappl_mailto_type	char	1
TB_MED_APP_MAIL_LOG	mappl_outcome	varchar	50
TB_MED_APP_MAIL_LOG	mappl_pk	int	
TB_MED_APP_MAIL_LOG	mappl_req_address_1	varchar	50
TB_MED_APP_MAIL_LOG	mappl_req_address_2	varchar	50
TB_MED_APP_MAIL_LOG	mappl_req_city	varchar	20
TB_MED_APP_MAIL_LOG	mappl_req_client_same	bit	
TB_MED_APP_MAIL_LOG	mappl_req_name_first	varchar	30
TB_MED_APP_MAIL_LOG	mappl_req_name_last	varchar	30
TB_MED_APP_MAIL_LOG	mappl_req_no_phone	bit	
TB_MED_APP_MAIL_LOG	mappl_req_other_org	bit	
TB_MED_APP_MAIL_LOG	mappl_req_phone	varchar	20
TB_MED_APP_MAIL_LOG	mappl_req_phone_ext	varchar	5
TB_MED_APP_MAIL_LOG	mappl_req_state	varchar	2
TB_MED_APP_MAIL_LOG	mappl_req_type	char	1
TB_MED_APP_MAIL_LOG	mappl_req_zip	varchar	10
TB_MED_APP_MAIL_LOG	mappl_requested_method	varchar	20
TB_MED_APP_MAIL_LOG	mappl_updated	datetime	
TB_MED_APP_MAIL_LOG	mappl_updated_empl_fk	int	
TB_MED_APP_MAIL_LOG	mappl_worker_assigned_fk	int	
TB_MED_APP_MAIL_LOG	mappl_worker_mailed_fk	int	
TB_MED_APP_MAIL_LOG	mappl_worker_outcome	varchar	15
TB_MED_APP_MAIL_LOG	mappl_worker_outcome_other	varchar	255
TB_MED_APP_MAIL_LOG_HISTORY	mappl_appl_num	varchar	10

TB_MED_APP_MAIL_LOG_HISTORY	mappl_appl_source	varchar	20
TB_MED_APP_MAIL_LOG_HISTORY	mappl_chk_address	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_chk_dob	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_chk_legible	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_chk_name	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_chk_sex	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_chk_signed	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_address_1	varchar	50
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_address_2	varchar	50
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_address_illegible	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_city	varchar	20
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_dob	datetime	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_dob_unknown	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_name_first	varchar	30
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_name_illegible	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_name_last	varchar	30
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_no_phone	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_phone	varchar	20
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_phone_ext	varchar	5
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_state	varchar	2
TB_MED_APP_MAIL_LOG_HISTORY	mappl_client_zip	varchar	10
TB_MED_APP_MAIL_LOG_HISTORY	mappl_comments	varchar	3000
TB_MED_APP_MAIL_LOG_HISTORY	mappl_county	varchar	30
TB_MED_APP_MAIL_LOG_HISTORY	mappl_dte_5097_appt	datetime	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_dte_5104_mailed	datetime	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_dte_app_mailed	datetime	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_dte_assigned	datetime	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_dte_complete	datetime	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_dte_incomplete	datetime	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_dte_mailed_county	datetime	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_dte_outcome	datetime	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_dte_received	datetime	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_dte_received_corrected	datetime	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_dte_requested	datetime	

TB_MED_APP_MAIL_LOG_HISTORY	mappl_fa_copy_sent	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_mailto_address_same_as_client	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_mailto_name_first	varchar	30
TB_MED_APP_MAIL_LOG_HISTORY	mappl_mailto_name_last	varchar	30
TB_MED_APP_MAIL_LOG_HISTORY	mappl_mailto_name_type	int	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_mailto_other_org	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_mailto_type	char	1
TB_MED_APP_MAIL_LOG_HISTORY	mappl_outcome	varchar	50
TB_MED_APP_MAIL_LOG_HISTORY	mappl_pk	int	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_address_1	varchar	50
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_address_2	varchar	50
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_city	varchar	20
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_client_same	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_name_first	varchar	30
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_name_last	varchar	30
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_no_phone	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_other_org	bit	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_phone	varchar	20
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_phone_ext	varchar	5
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_state	varchar	2
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_type	char	1
TB_MED_APP_MAIL_LOG_HISTORY	mappl_req_zip	varchar	10
TB_MED_APP_MAIL_LOG_HISTORY	mappl_requested_method	varchar	20
TB_MED_APP_MAIL_LOG_HISTORY	mappl_updated	datetime	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_updated_empl_fk	int	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_worker_assigned_fk	int	
TB_MED_APP_MAIL_LOG_HISTORY	mappl_worker_mailed_fk	int	
TB_MED_APP_MAIL_LOG_HISTORY	mapplh_pk	int	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_appl_source	varchar	20
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_chk_address	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_chk_dob	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_chk_legible	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_chk_name	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_chk_sex	bit	

TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_chk_signed	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_address_1	varchar	50
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_address_2	varchar	50
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_address_illegible	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_city	varchar	20
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_dob	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_dob_unknown	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_name_first	varchar	30
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_name_illegible	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_name_last	varchar	30
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_no_phone	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_phone	varchar	20
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_phone_ext	varchar	5
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_state	varchar	2
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_client_zip	varchar	10
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_comments	varchar	3000
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_county	varchar	30
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_dte_5097_appt	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_dte_5104_mailed	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_dte_app_mailed	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_dte_assigned	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_dte_complete	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_dte_incomplete	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_dte_mailed_county	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_dte_outcome	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_dte_received	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_dte_received_corrected	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_dte_requested	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_dte_worker_outcome	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_fa_copy_sent	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_mailto_address_same_as_client	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_mailto_name_first	varchar	30
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_mailto_name_last	varchar	30
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_mailto_name_type	int	

TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_mailto_other_org	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_mailto_type	char	1
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_outcome	varchar	50
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_pk	int	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_address_1	varchar	50
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_address_2	varchar	50
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_city	varchar	20
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_client_same	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_name_first	varchar	30
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_name_last	varchar	30
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_no_phone	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_other_org	bit	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_phone	varchar	20
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_phone_ext	varchar	5
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_state	varchar	2
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_type	char	1
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_req_zip	varchar	10
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_requested_method	varchar	20
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_updated	datetime	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_updated_empl_fk	int	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_worker_assigned_fk	int	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_worker_mailed_fk	int	
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_worker_outcome	varchar	15
TB_MED_APP_MAIL_LOG_PREIMPORT	mappl_worker_outcome_other	varchar	255
tb_tax_rate	dte_effective	datetime	
tb_tax_rate	dte_expired	datetime	
tb_tax_rate	id_tax_rate	int	
tb_tax_rate	tax_rate	money	
tb_tax_rate	tax_type	varchar	1
TBL_AFPS	afp_created_empl_fk	int	
TBL_AFPS	afp_date_created	datetime	
TBL_AFPS	afp_dte_check_returned	datetime	
TBL_AFPS	afp_emergency	bit	
TBL_AFPS	afp_emergency_note	text	2147483647

TBL_AFPS	afp_file_id	int	
TBL_AFPS	afp_owner_cvlock_fk	int	
TBL_AFPS	afp_owner_group_fk	int	
TBL_AFPS	afp_person_id	int	
TBL_AFPS	afp_pk	int	
TBL_AFPS	afp_return_check	bit	
TBL_AFPS	afp_return_check_reason	text	2147483647
TBL_AFPS	issi_afp_fk	int	
TBL_AID_PROGRAMS	ap_is_active	bit	
TBL_AID_PROGRAMS	ap_list_index	int	
TBL_AID_PROGRAMS	ap_name	varchar	25
TBL_AID_PROGRAMS	ap_pk	int	
TBL_AID_PROGRAMS	org_fk	int	
TBL_APPEAL_HEARINGS	apl_fk	int	
TBL_APPEAL_HEARINGS	aplh_attorney	varchar	255
TBL_APPEAL_HEARINGS	aplh_created_empl_fk	int	
TBL_APPEAL_HEARINGS	aplh_date_created	datetime	
TBL_APPEAL_HEARINGS	aplh_date_decision	datetime	
TBL_APPEAL_HEARINGS	aplh_date_requested	datetime	
TBL_APPEAL_HEARINGS	aplh_date_reversal_completed	datetime	
TBL_APPEAL_HEARINGS	aplh_date_scheduled	datetime	
TBL_APPEAL_HEARINGS	aplh_date_state_1473_mailed	datetime	
TBL_APPEAL_HEARINGS	aplh_decision	varchar	15
TBL_APPEAL_HEARINGS	aplh_decision_comment	varchar	3000
TBL_APPEAL_HEARINGS	aplh_floor	varchar	20
TBL_APPEAL_HEARINGS	aplh_hearing_assigned_empl_fk	int	
TBL_APPEAL_HEARINGS	aplh_is_remand_result	bit	
TBL_APPEAL_HEARINGS	aplh_level	varchar	25
TBL_APPEAL_HEARINGS	aplh_pk	int	
TBL_APPEAL_HEARINGS	aplh_processor_empl_fk	int	
TBL_APPEAL_HEARINGS	aplh_requested_by	varchar	255
TBL_APPEAL_HEARINGS	aplh_requested_by_is_client	bit	
TBL_APPEAL_HEARINGS	aplh_room	varchar	20
TBL_APPEAL_HEARINGS	aplh_updated	datetime	

TBL_APPEAL_HEARINGS	aplh_updated_empl_fk	int	
TBL_APPEAL_PROGRAM_CODES	aplpc_code	varchar	10
TBL_APPEAL_PROGRAM_CODES	aplpc_list_index	int	
TBL_APPEAL_PROGRAM_CODES	aplpc_pk	int	
TBL_APPEAL_PROGRAM_CODES	aplpc_type	varchar	5
TBL_APPEAL_REASONS	aplr_list_index	int	
TBL_APPEAL_REASONS	aplr_name	varchar	50
TBL_APPEAL_REASONS	aplr_pk	int	
TBL_APPEAL_REASONS	aplr_type_AA	bit	
TBL_APPEAL_REASONS	aplr_type_FA	bit	
TBL_APPEAL_REASONS	aplr_type_FS	bit	
TBL_APPEAL_REASONS	aplr_type_WF	bit	
TBL_APPEALS	apl_appeal_reason	int	
TBL_APPEALS	apl_appeal_reason_other	varchar	100
TBL_APPEALS	apl_assigned_empl_fk	int	
TBL_APPEALS	apl_client_name_first	varchar	30
TBL_APPEALS	apl_client_name_last	varchar	30
TBL_APPEALS	apl_client_name_mi	varchar	1
TBL_APPEALS	apl_client_name_suffix	varchar	5
TBL_APPEALS	apl_client_ssn	varchar	11
TBL_APPEALS	apl_comments	varchar	3000
TBL_APPEALS	apl_owner_group_fk	int	
TBL_APPEALS	apl_pk	int	
TBL_APPEALS	apl_program_code	int	
TBL_APPEALS	apl_supv_assigned_empl_fk	int	
TBL_APPEALS	apl_updated	datetime	
TBL_APPEALS	apl_updated_empl_fk	int	
TBL_EMAIL_ALERT_QUEUE	EAQ_ALERT_FK	int	
TBL_EMAIL_ALERT_QUEUE	EAQ_ATTACH_BYTES	varbinary	-1
TBL_EMAIL_ALERT_QUEUE	EAQ_ATTACH_NAME	varchar	255
TBL_EMAIL_ALERT_QUEUE	EAQ_CREATED_EMPL_FK	int	
TBL_EMAIL_ALERT_QUEUE	EAQ_DATE_CREATED	datetime	
TBL_EMAIL_ALERT_QUEUE	EAQ_DATE_PROCESSED	datetime	
TBL_EMAIL_ALERT_QUEUE	EAQ_DM_REF_PARAMS	varchar	4000

TBL_EMAIL_ALERT_QUEUE	EAQ_MAIL_BCC	varchar	1000
TBL_EMAIL_ALERT_QUEUE	EAQ_MAIL_BODY	text	2147483647
TBL_EMAIL_ALERT_QUEUE	EAQ_MAIL_FROM	varchar	200
TBL_EMAIL_ALERT_QUEUE	EAQ_MAIL_SUBJECT	varchar	1000
TBL_EMAIL_ALERT_QUEUE	EAQ_MAIL_TO	varchar	1000
TBL_EMAIL_ALERT_QUEUE	EAQ_PK	bigint	
TBL_EMAIL_ALERT_QUEUE	EAQ_REF_DATA	varchar	255
TBL_EMAIL_ALERT_QUEUE	EAQ_SUCCESS	bit	
TBL_ER_MEDICAID_CARDS	ermc_cap_level	varchar	2
TBL_ER_MEDICAID_CARDS	ermc_card_end_date	datetime	
TBL_ER_MEDICAID_CARDS	ermc_card_start_date	datetime	
TBL_ER_MEDICAID_CARDS	ermc_carolina_access_provider_address1	varchar	50
TBL_ER_MEDICAID_CARDS	ermc_carolina_access_provider_address2	varchar	50
TBL_ER_MEDICAID_CARDS	ermc_carolina_access_provider_city	varchar	20
TBL_ER_MEDICAID_CARDS	ermc_carolina_access_provider_name	varchar	255
TBL_ER_MEDICAID_CARDS	ermc_carolina_access_provider_phone	varchar	12
TBL_ER_MEDICAID_CARDS	ermc_carolina_access_provider_state	varchar	2
TBL_ER_MEDICAID_CARDS	ermc_carolina_access_provider_zip	varchar	10
TBL_ER_MEDICAID_CARDS	ermc_case_head_address1	varchar	50
TBL_ER_MEDICAID_CARDS	ermc_case_head_address2	varchar	50
TBL_ER_MEDICAID_CARDS	ermc_case_head_city	varchar	20
TBL_ER_MEDICAID_CARDS	ermc_case_head_name_first	varchar	30
TBL_ER_MEDICAID_CARDS	ermc_case_head_name_last	varchar	30
TBL_ER_MEDICAID_CARDS	ermc_case_head_name_mi	varchar	1
TBL_ER_MEDICAID_CARDS	ermc_case_head_name_suffix	varchar	5
TBL_ER_MEDICAID_CARDS	ermc_case_head_state	varchar	2
TBL_ER_MEDICAID_CARDS	ermc_case_head_zip	varchar	10
TBL_ER_MEDICAID_CARDS	ermc_case_id	varchar	10
TBL_ER_MEDICAID_CARDS	ermc_class	varchar	1
TBL_ER_MEDICAID_CARDS	ermc_comment	varchar	3000
TBL_ER_MEDICAID_CARDS	ermc_county_case_num	varchar	7
TBL_ER_MEDICAID_CARDS	ermc_delivery_method	varchar	10
TBL_ER_MEDICAID_CARDS	ermc_dist_num	varchar	3
TBL_ER_MEDICAID_CARDS	ermc_emerg_moved_dt	datetime	

TBL_ER_MEDICAID_CARDS	ermc_emerg_moved_state	varchar	2
TBL_ER_MEDICAID_CARDS	ermc_emerg_sdx_online_verified_dt	datetime	
TBL_ER_MEDICAID_CARDS	ermc_has_cap	bit	
TBL_ER_MEDICAID_CARDS	ermc_has_carolina_access	bit	
TBL_ER_MEDICAID_CARDS	ermc_has_medicareA	bit	
TBL_ER_MEDICAID_CARDS	ermc_has_medicareB	bit	
TBL_ER_MEDICAID_CARDS	ermc_has_third_party_ins	bit	
TBL_ER_MEDICAID_CARDS	ermc_is_emerg_cert	bit	
TBL_ER_MEDICAID_CARDS	ermc_is_emerg_dma5050_verified	bit	
TBL_ER_MEDICAID_CARDS	ermc_is_emerg_sdx_online_verified	bit	
TBL_ER_MEDICAID_CARDS	ermc_is_family_planning	bit	
TBL_ER_MEDICAID_CARDS	ermc_is_sdx	bit	
TBL_ER_MEDICAID_CARDS	ermc_member_dob	datetime	
TBL_ER_MEDICAID_CARDS	ermc_member_id	varchar	13
TBL_ER_MEDICAID_CARDS	ermc_member_name_first	varchar	30
TBL_ER_MEDICAID_CARDS	ermc_member_name_last	varchar	30
TBL_ER_MEDICAID_CARDS	ermc_member_name_mi	varchar	1
TBL_ER_MEDICAID_CARDS	ermc_member_name_suffix	varchar	5
TBL_ER_MEDICAID_CARDS	ermc_member_sex	varchar	1
TBL_ER_MEDICAID_CARDS	ermc_owner_cvlock_fk	int	
TBL_ER_MEDICAID_CARDS	ermc_owner_group_fk	int	
TBL_ER_MEDICAID_CARDS	ermc_pk	int	
TBL_ER_MEDICAID_CARDS	ermc_program	varchar	3
TBL_ER_MEDICAID_CARDS	ermc_reason	varchar	25
TBL_ER_MEDICAID_CARDS	ermc_third_party_co_code	varchar	3
TBL_ER_MEDICAID_CARDS	ermc_third_party_policy_num	varchar	50
TBL_ER_MEDICAID_CARDS	ermc_third_party_type_coverage	varchar	2
TBL_MED_APP_MAIL_LOG_RECENT	mappl_dte_visited	datetime	
TBL_MED_APP_MAIL_LOG_RECENT	mappl_fk	int	
TBL_MED_APP_MAIL_LOG_RECENT	mappl_visited_empl_fk	int	
TBL_MED_APP_MAIL_LOG_RECENT	mapplr_pk	int	
TBL_MEDICAID_CLASSIFICATIONS	mc_code	varchar	1
TBL_MEDICAID_CLASSIFICATIONS	mc_description	varchar	255
TBL_MEDICAID_CLASSIFICATIONS	mc_list_index	int	

TBL_MEDICAID_CLASSIFICATIONS	mc_pk	int	
TBL_MEDICAID_INSURANCE_TYPES	mit_code	varchar	2
TBL_MEDICAID_INSURANCE_TYPES	mit_description	varchar	255
TBL_MEDICAID_PROGRAMS	mp_benefits	varchar	1
TBL_MEDICAID_PROGRAMS	mp_code	varchar	3
TBL_MEDICAID_PROGRAMS	mp_description	varchar	255
TBL_MEDICAID_PROGRAMS	mp_pk	int	
TBL_RECEIPTS_LOG_BATCH_DEPOSITS	bd_dt	datetime	
TBL_RECEIPTS_LOG_BATCH_DEPOSITS	bd_nbr	varchar	20
TBL_RECEIPTS_LOG_BATCH_DEPOSITS	bd_pk	int	
TBL_RECEIPTS_LOG_BATCH_VERIFICATION_HIST	rlb_created_dt	datetime	
TBL_RECEIPTS_LOG_BATCH_VERIFICATION_HIST	rlb_created_empl_fk	int	
TBL_RECEIPTS_LOG_BATCH_VERIFICATION_HIST	rlb_is_verified	bit	
TBL_RECEIPTS_LOG_BATCH_VERIFICATION_HIST	rlb_nbr	int	
TBL_RECEIPTS_LOG_BATCH_VERIFICATION_HIST	rlb_updated_dt	datetime	
TBL_RECEIPTS_LOG_BATCH_VERIFICATION_HIST	rlb_updated_empl_fk	int	
TBL_RECEIPTS_LOG_BATCH_VERIFICATION_HIST	rlb_verified_dt	datetime	
TBL_RECEIPTS_LOG_BATCH_VERIFICATION_HIST	rlb_verified_empl_fk	int	
TBL_RECEIPTS_LOG_BATCH_VERIFICATION_HIST	rlbvh_pk	int	
TBL_RECEIPTS_LOG_BATCHES	bd_fk	int	
TBL_RECEIPTS_LOG_BATCHES	rlb_cash_amt	money	
TBL_RECEIPTS_LOG_BATCHES	rlb_cash_ouverage	money	
TBL_RECEIPTS_LOG_BATCHES	rlb_cash_shortage	money	
TBL_RECEIPTS_LOG_BATCHES	rlb_cc_amt	money	
TBL_RECEIPTS_LOG_BATCHES	rlb_cc_processed	bit	
TBL_RECEIPTS_LOG_BATCHES	rlb_check_amt	money	
TBL_RECEIPTS_LOG_BATCHES	rlb_created_dt	datetime	
TBL_RECEIPTS_LOG_BATCHES	rlb_created_empl_fk	int	
TBL_RECEIPTS_LOG_BATCHES	rlb_deposit_processed	bit	
TBL_RECEIPTS_LOG_BATCHES	rlb_disposition_fk	int	
TBL_RECEIPTS_LOG_BATCHES	rlb_is_verified	bit	
TBL_RECEIPTS_LOG_BATCHES	rlb_items_logged	bit	
TBL_RECEIPTS_LOG_BATCHES	rlb_nbr	int	
TBL_RECEIPTS_LOG_BATCHES	rlb_num_checks	int	

TBL_RECEIPTS_LOG_BATCHES	rlb_updated_dt	datetime	
TBL_RECEIPTS_LOG_BATCHES	rlb_updated_empl_fk	int	
TBL_RECEIPTS_LOG_BATCHES	rlb_verified_dt	datetime	
TBL_RECEIPTS_LOG_BATCHES	rlb_verified_empl_fk	int	
TBL_RECEIPTS_LOG_DEPOSITS	deposit_dt	datetime	
TBL_RECEIPTS_LOG_DEPOSITS	deposit_nbr	int	
TBL_RECEIPTS_LOG_DEPOSITS	deposit_treasurer_receipt	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_CVLOCK_FK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_CVLOCK_TEXT	varchar	50
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_DEPOSITABLE_ONLY	bit	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_IS_OWNER	bit	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_IS_REQUEST	bit	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_ORG_FK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_OWNER_CVLOCK_FK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_OWNER_GROUP_FK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_PK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_REQUIRES_POST	bit	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_RLD_CURRENT_FK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_RLD_FK_CURRENT_TEXT	varchar	50
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_RLD_FK_OPTION_TEXT	varchar	50
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_RLD_OPTION_FK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_RLD_TARGET_FK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_RLI_ITEM_TYPE	varchar	25
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_RLI_MONEY_TYPE	varchar	12
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_RLI_RECEIPT_TYPE	varchar	10
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_TARGET_GROUP_FK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL	RLDC_TARGET_OR_OWNER_GROUP_FK_TEXT	varchar	50
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR	RLDC_CVLOCK_FK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR	RLDC_CVLOCK_TEXT	varchar	50
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR	RLDC_IS_OWNER	bit	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR	RLDC_OWNER_CVLOCK_FK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR	RLDC_OWNER_GROUP_FK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR	RLDC_PK	int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR	RLDC_REQUIRES_POST	bit	

TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR_RLDC_RLD_CURRENT_FK		int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR_RLDC_RLD_FK_CURRENT_TEXT		varchar	50
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR_RLDC_RLD_FK_OPTION_TEXT		varchar	50
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR_RLDC_RLD_OPTION_FK		int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR_RLDC_RLD_TARGET_FK		int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR_RLDC_RLI_ITEM_TYPE		varchar	25
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR_RLDC_RLI_RECEIPT_TYPE		varchar	10
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR_RLDC_TARGET_GROUP_FK		int	
TBL_RECEIPTS_LOG_DISPOSITION_CONTROL_OR_RLDC_TARGET_OR_OWNER_GROUP_FK_TEXT		varchar	50
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	afp_fk	int	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	ermc_fk	int	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_finance_worker_approved	bit	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_finance_worker_approved_dt	datetime	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_finance_worker_approved_empl_fk	int	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_pk	int	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_program_manager_approved	bit	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_program_manager_approved_dt	datetime	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_program_manager_approved_empl_fk	int	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_status	int	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_status_dt	datetime	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_status_empl_fk	int	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_status_reason	text	2147483647
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_supervisor_approved	bit	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_supervisor_approved_dt	datetime	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_supervisor_approved_empl_fk	int	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rli_fk	int	
TBL_RECEIPTS_LOG_DISPOSITION_REQUEST_ITE	rldri_fk	int	
TBL_RECEIPTS_LOG_DISPOSITIONS	rld_action_name	varchar	255
TBL_RECEIPTS_LOG_DISPOSITIONS	rld_child_group_fk	int	
TBL_RECEIPTS_LOG_DISPOSITIONS	rld_external_name	varchar	255
TBL_RECEIPTS_LOG_DISPOSITIONS	rld_group_fk	int	
TBL_RECEIPTS_LOG_DISPOSITIONS	rld_internal_name	varchar	255
TBL_RECEIPTS_LOG_DISPOSITIONS	rld_is_internal_transfer	bit	
TBL_RECEIPTS_LOG_DISPOSITIONS	rld_is_request	bit	

TBL_RECEIPTS_LOG_DISPOSITIONS	rld_is_terminating	bit	
TBL_RECEIPTS_LOG_DISPOSITIONS	rld_org_fk	int	
TBL_RECEIPTS_LOG_DISPOSITIONS	rld_pk	int	
TBL_RECEIPTS_LOG_DISPOSITIONS	rld_request_list_index	int	
TBL_RECEIPTS_LOG_DISPOSITIONS	rld_requires_ownership	bit	
TBL_RECEIPTS_LOG_DISPOSITIONS	rld_requires_target_group_cvlock_match	bit	
TBL_RECEIPTS_LOG_HISTORY	rli_aid_program_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rli_aid_transport_destination	varchar	100
TBL_RECEIPTS_LOG_HISTORY	rli_aid_transport_oneway_roundtrip	varchar	1
TBL_RECEIPTS_LOG_HISTORY	rli_client_address_1	varchar	50
TBL_RECEIPTS_LOG_HISTORY	rli_client_address_2	varchar	50
TBL_RECEIPTS_LOG_HISTORY	rli_client_city	varchar	20
TBL_RECEIPTS_LOG_HISTORY	rli_client_name_first	varchar	30
TBL_RECEIPTS_LOG_HISTORY	rli_client_name_last	varchar	30
TBL_RECEIPTS_LOG_HISTORY	rli_client_name_mi	varchar	1
TBL_RECEIPTS_LOG_HISTORY	rli_client_name_suffix	varchar	5
TBL_RECEIPTS_LOG_HISTORY	rli_client_state	varchar	2
TBL_RECEIPTS_LOG_HISTORY	rli_client_zip	varchar	10
TBL_RECEIPTS_LOG_HISTORY	rli_co_case_num	varchar	7
TBL_RECEIPTS_LOG_HISTORY	rli_created	datetime	
TBL_RECEIPTS_LOG_HISTORY	rli_created_cvlock_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rli_created_empl_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rli_disposition_date	datetime	
TBL_RECEIPTS_LOG_HISTORY	rli_disposition_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rli_district_num	varchar	30
TBL_RECEIPTS_LOG_HISTORY	rli_donation_letter_mailed_date	datetime	
TBL_RECEIPTS_LOG_HISTORY	rli_edited	bit	
TBL_RECEIPTS_LOG_HISTORY	rli_fp_license_num	varchar	10
TBL_RECEIPTS_LOG_HISTORY	rli_gift_card_client_employment_status	varchar	4
TBL_RECEIPTS_LOG_HISTORY	rli_gift_card_event	varchar	50
TBL_RECEIPTS_LOG_HISTORY	rli_gift_card_type_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rli_gift_owner_group_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rli_is_card_check_same	bit	
TBL_RECEIPTS_LOG_HISTORY	rli_is_card_included	bit	

TBL_RECEIPTS_LOG_HISTORY	rli_is_client_check_same	bit	
TBL_RECEIPTS_LOG_HISTORY	rli_is_client_rec_from_same	bit	
TBL_RECEIPTS_LOG_HISTORY	rli_is_issued_by_rec_from_same	bit	
TBL_RECEIPTS_LOG_HISTORY	rli_is_posted	bit	
TBL_RECEIPTS_LOG_HISTORY	rli_is_returned	bit	
TBL_RECEIPTS_LOG_HISTORY	rli_is_sdx	bit	
TBL_RECEIPTS_LOG_HISTORY	rli_issued_by	varchar	50
TBL_RECEIPTS_LOG_HISTORY	rli_item_amount	money	
TBL_RECEIPTS_LOG_HISTORY	rli_item_date	datetime	
TBL_RECEIPTS_LOG_HISTORY	rli_item_name_first	varchar	30
TBL_RECEIPTS_LOG_HISTORY	rli_item_name_last	varchar	30
TBL_RECEIPTS_LOG_HISTORY	rli_item_name_mi	varchar	1
TBL_RECEIPTS_LOG_HISTORY	rli_item_name_suffix	varchar	5
TBL_RECEIPTS_LOG_HISTORY	rli_item_num	varchar	20
TBL_RECEIPTS_LOG_HISTORY	rli_item_type	int	
TBL_RECEIPTS_LOG_HISTORY	rli_item_type_other	varchar	25
TBL_RECEIPTS_LOG_HISTORY	rli_mid_id	varchar	10
TBL_RECEIPTS_LOG_HISTORY	rli_money_receipt_num	varchar	10
TBL_RECEIPTS_LOG_HISTORY	rli_money_type	varchar	12
TBL_RECEIPTS_LOG_HISTORY	rli_org_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rli_owner_cvlock_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rli_owner_empl_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rli_owner_group_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rli_patient_num	varchar	30
TBL_RECEIPTS_LOG_HISTORY	rli_payable_to_type	varchar	1
TBL_RECEIPTS_LOG_HISTORY	rli_pk	int	
TBL_RECEIPTS_LOG_HISTORY	rli_receipt_date	datetime	
TBL_RECEIPTS_LOG_HISTORY	rli_receipt_method	varchar	10
TBL_RECEIPTS_LOG_HISTORY	rli_receipt_type	varchar	12
TBL_RECEIPTS_LOG_HISTORY	rli_received_from	varchar	50
TBL_RECEIPTS_LOG_HISTORY	rli_sis_id	varchar	11
TBL_RECEIPTS_LOG_HISTORY	rli_target_group_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rli_type_category	varchar	9
TBL_RECEIPTS_LOG_HISTORY	rli_updated	datetime	

TBL_RECEIPTS_LOG_HISTORY	rli_updated_empl_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rliid_fk	int	
TBL_RECEIPTS_LOG_HISTORY	rlih_pk	int	
TBL_RECEIPTS_LOG_HISTORY	sibling_fk	int	
TBL_RECEIPTS_LOG_ITEM_ACCT_CODES	rli_fk	int	
TBL_RECEIPTS_LOG_ITEM_ACCT_CODES	rliac_acct_amt	money	
TBL_RECEIPTS_LOG_ITEM_ACCT_CODES	rliac_acct_code_fk	int	
TBL_RECEIPTS_LOG_ITEM_ACCT_CODES	rliac_acct_code_fraud_fk	int	
TBL_RECEIPTS_LOG_ITEM_ACCT_CODES	rliac_inactive	bit	
TBL_RECEIPTS_LOG_ITEM_ACCT_CODES	rliac_pk	int	
TBL_RECEIPTS_LOG_ITEM_ACCT_CODES	rliid_fk	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rli_fk	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_batch_amt	money	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_batch_nbr	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_checkout_to_employee	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_deposit_amt	money	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_deposit_nbr	varchar	15
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_have_codes	bit	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_internal_transfer_employee_fk	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_mailto_address1	varchar	50
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_mailto_address2	varchar	50
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_mailto_city	varchar	20
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_mailto_fk	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_mailto_name	varchar	100
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_mailto_reason	text	2147483647
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_mailto_state	varchar	2
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_mailto_zip	varchar	10
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_on_hold_reason	text	2147483647
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_pk	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_release_id	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_release_id_num	varchar	50
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_release_reason	text	2147483647
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_release_to	varchar	15
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rliid_release_to_employee	int	

TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rlid_release_to_fs_employee	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rlid_release_to_other	varchar	100
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rlid_release_to_signature	varchar	6000
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rlid_return_to_pool_reason	text	2147483647
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rlid_updated	datetime	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rlid_updated_empl_fk	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rlid_void_reason	text	2147483647
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_DATA	rlidr_fk	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_REQUE	rli_disposition_fk	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_REQUE	rli_target_group_fk	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_REQUE	rlidr_pk	int	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_REQUE	rlidr_requested	datetime	
TBL_RECEIPTS_LOG_ITEM_DISPOSITION_REQUE	rlidr_requested_empl_fk	int	
TBL_RECEIPTS_LOG_ITEM_IDENTIFICATION_TYP	idt_is_active	bit	
TBL_RECEIPTS_LOG_ITEM_IDENTIFICATION_TYP	idt_list_index	int	
TBL_RECEIPTS_LOG_ITEM_IDENTIFICATION_TYP	idt_name	varchar	100
TBL_RECEIPTS_LOG_ITEM_IDENTIFICATION_TYP	idt_pk	int	
TBL_RECEIPTS_LOG_ITEM_IDENTIFICATION_TYP	idt_requires_id_num	bit	
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_addr_add	varchar	50
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_addr1	varchar	50
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_addr2	varchar	50
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_city	varchar	20
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_gen_env	bit	
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_is_active	bit	
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_list_index	int	
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_name	varchar	50
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_org_fk	int	
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_pk	int	
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_requires_address	int	
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_state	varchar	2
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_to	varchar	100
TBL_RECEIPTS_LOG_ITEM_MAILTO_TYPES	mt_zip	varchar	10
TBL_RECEIPTS_LOG_ITEM_MONEY_TYPES	org_fk	int	
TBL_RECEIPTS_LOG_ITEM_MONEY_TYPES	rlimt_is_active	bit	

TBL_RECEIPTS_LOG_ITEM_MONEY_TYPES	rlimt_list_index	int	
TBL_RECEIPTS_LOG_ITEM_MONEY_TYPES	rlimt_name	varchar	15
TBL_RECEIPTS_LOG_ITEM_MONEY_TYPES	rlimt_pk	int	
TBL_RECEIPTS_LOG_ITEM_RECEIPT_METHODS	org_fk	int	
TBL_RECEIPTS_LOG_ITEM_RECEIPT_METHODS	rlirm_is_active	bit	
TBL_RECEIPTS_LOG_ITEM_RECEIPT_METHODS	rlirm_list_index	int	
TBL_RECEIPTS_LOG_ITEM_RECEIPT_METHODS	rlirm_name	varchar	10
TBL_RECEIPTS_LOG_ITEM_RECEIPT_METHODS	rlirm_pk	int	
TBL_RECEIPTS_LOG_ITEM_RETURN_LABEL	rli_fk	int	
TBL_RECEIPTS_LOG_ITEM_RETURN_LABEL	rlirl_date_created	datetime	
TBL_RECEIPTS_LOG_ITEM_RETURN_LABEL	rlirl_insertid	int	
TBL_RECEIPTS_LOG_ITEM_RETURN_LABEL	rlirl_label	image	2147483647
TBL_RECEIPTS_LOG_ITEM_RETURN_LABEL	rlirl_pk	int	
TBL_RECEIPTS_LOG_ITEM_TYPES	org_fk	int	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_bus_pass_type	bit	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_card_type	bit	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_cash_type	bit	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_check_type	bit	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_creditcard_type	bit	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_donation_target_service	varchar	2
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_event_ticket_type	bit	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_gift_card_empl_required	bit	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_gift_card_type	bit	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_gift_type	bit	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_is_active	int	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_list_index	int	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_name	varchar	100
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_nondepositable	bit	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_pk	int	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_returned_check_type	bit	
TBL_RECEIPTS_LOG_ITEM_TYPES	rlit_supply_type	bit	
TBL_RECEIPTS_LOG_ITEMS	rli_aid_program_fk	int	
TBL_RECEIPTS_LOG_ITEMS	rli_aid_transport_destination	varchar	100
TBL_RECEIPTS_LOG_ITEMS	rli_aid_transport_oneway_roundtrip	varchar	1

TBL_RECEIPTS_LOG_ITEMS	rli_client_address_1	varchar	50
TBL_RECEIPTS_LOG_ITEMS	rli_client_address_2	varchar	50
TBL_RECEIPTS_LOG_ITEMS	rli_client_city	varchar	20
TBL_RECEIPTS_LOG_ITEMS	rli_client_name_first	varchar	30
TBL_RECEIPTS_LOG_ITEMS	rli_client_name_last	varchar	30
TBL_RECEIPTS_LOG_ITEMS	rli_client_name_mi	varchar	1
TBL_RECEIPTS_LOG_ITEMS	rli_client_name_suffix	varchar	5
TBL_RECEIPTS_LOG_ITEMS	rli_client_state	varchar	2
TBL_RECEIPTS_LOG_ITEMS	rli_client_zip	varchar	10
TBL_RECEIPTS_LOG_ITEMS	rli_co_case_num	varchar	7
TBL_RECEIPTS_LOG_ITEMS	rli_created	datetime	
TBL_RECEIPTS_LOG_ITEMS	rli_created_cvlock_fk	int	
TBL_RECEIPTS_LOG_ITEMS	rli_created_empl_fk	int	
TBL_RECEIPTS_LOG_ITEMS	rli_disposition_date	datetime	
TBL_RECEIPTS_LOG_ITEMS	rli_disposition_fk	int	
TBL_RECEIPTS_LOG_ITEMS	rli_district_num	varchar	30
TBL_RECEIPTS_LOG_ITEMS	rli_donation_letter_mailed_date	datetime	
TBL_RECEIPTS_LOG_ITEMS	rli_edited	bit	
TBL_RECEIPTS_LOG_ITEMS	rli_fp_license_num	varchar	10
TBL_RECEIPTS_LOG_ITEMS	rli_gift_card_client_employment_status	varchar	4
TBL_RECEIPTS_LOG_ITEMS	rli_gift_card_event	varchar	50
TBL_RECEIPTS_LOG_ITEMS	rli_gift_card_type_fk	int	
TBL_RECEIPTS_LOG_ITEMS	rli_gift_owner_group_fk	int	
TBL_RECEIPTS_LOG_ITEMS	rli_is_card_check_same	bit	
TBL_RECEIPTS_LOG_ITEMS	rli_is_card_included	bit	
TBL_RECEIPTS_LOG_ITEMS	rli_is_client_check_same	bit	
TBL_RECEIPTS_LOG_ITEMS	rli_is_client_rec_from_same	bit	
TBL_RECEIPTS_LOG_ITEMS	rli_is_issued_by_rec_from_same	bit	
TBL_RECEIPTS_LOG_ITEMS	rli_is_posted	bit	
TBL_RECEIPTS_LOG_ITEMS	rli_is_returned	bit	
TBL_RECEIPTS_LOG_ITEMS	rli_is_sdx	bit	
TBL_RECEIPTS_LOG_ITEMS	rli_issued_by	varchar	50
TBL_RECEIPTS_LOG_ITEMS	rli_issued_by_address_1	varchar	50
TBL_RECEIPTS_LOG_ITEMS	rli_issued_by_address_2	varchar	50

TBL_RECEIPTS_LOG_ITEMS	rli_issued_by_city	varchar	20
TBL_RECEIPTS_LOG_ITEMS	rli_issued_by_state	varchar	2
TBL_RECEIPTS_LOG_ITEMS	rli_issued_by_zip	varchar	10
TBL_RECEIPTS_LOG_ITEMS	rli_item_amount	money	
TBL_RECEIPTS_LOG_ITEMS	rli_item_date	datetime	
TBL_RECEIPTS_LOG_ITEMS	rli_item_name_first	varchar	30
TBL_RECEIPTS_LOG_ITEMS	rli_item_name_last	varchar	30
TBL_RECEIPTS_LOG_ITEMS	rli_item_name_mi	varchar	1
TBL_RECEIPTS_LOG_ITEMS	rli_item_name_suffix	varchar	5
TBL_RECEIPTS_LOG_ITEMS	rli_item_num	varchar	20
TBL_RECEIPTS_LOG_ITEMS	rli_item_type	int	
TBL_RECEIPTS_LOG_ITEMS	rli_item_type_other	varchar	25
TBL_RECEIPTS_LOG_ITEMS	rli_mid_id	varchar	10
TBL_RECEIPTS_LOG_ITEMS	rli_money_receipt_num	varchar	10
TBL_RECEIPTS_LOG_ITEMS	rli_money_type	varchar	12
TBL_RECEIPTS_LOG_ITEMS	rli_org_fk	int	
TBL_RECEIPTS_LOG_ITEMS	rli_owner_cvlock_fk	int	
TBL_RECEIPTS_LOG_ITEMS	rli_owner_empl_fk	int	
TBL_RECEIPTS_LOG_ITEMS	rli_owner_group_fk	int	
TBL_RECEIPTS_LOG_ITEMS	rli_patient_num	varchar	30
TBL_RECEIPTS_LOG_ITEMS	rli_payable_to_type	varchar	1
TBL_RECEIPTS_LOG_ITEMS	rli_pk	int	
TBL_RECEIPTS_LOG_ITEMS	rli_receipt_date	datetime	
TBL_RECEIPTS_LOG_ITEMS	rli_receipt_method	varchar	10
TBL_RECEIPTS_LOG_ITEMS	rli_receipt_type	varchar	12
TBL_RECEIPTS_LOG_ITEMS	rli_received_from	varchar	50
TBL_RECEIPTS_LOG_ITEMS	rli_sis_id	varchar	11
TBL_RECEIPTS_LOG_ITEMS	rli_target_group_fk	int	
TBL_RECEIPTS_LOG_ITEMS	rli_type_category	varchar	9
TBL_RECEIPTS_LOG_ITEMS	rli_updated	datetime	
TBL_RECEIPTS_LOG_ITEMS	rli_updated_empl_fk	int	
TBL_RECEIPTS_LOG_ITEMS	rliid_fk	int	
TBL_RECEIPTS_LOG_ITEMS	sibling_fk	int	
TBL_RECEIPTS_LOG_ITEMS_MATCHING_FILTER	date_created	datetime	

TBL_RECEIPTS_LOG_ITEMS_MATCHING_FILTER	empl_fk	int	
TBL_RECEIPTS_LOG_ITEMS_MATCHING_FILTER	empl_in_owner_cvlock	bit	
TBL_RECEIPTS_LOG_ITEMS_MATCHING_FILTER	item_pk	int	
TBL_RECEIPTS_LOG_ITEMS_MATCHING_FILTER	rli_acct_codes	varchar	255
TBL_RECEIPTS_LOG_ITEMS_MATCHING_FILTER	rli_fk	int	
TBL_RECEIPTS_LOG_ITEMS_MATCHING_FILTER	rli_item_disabled	varchar	1
TBL_RECEIPTS_LOG_ITEMS_MATCHING_FILTER	s_disposition	varchar	255
TBL_RECEIPTS_LOG_MONEY_RECEIPTS	rli_fk	int	
TBL_RECEIPTS_LOG_MONEY_RECEIPTS	rlmr_pk	int	
TBL_RECEIPTS_LOG_REMOVE_FROM_DEPOSIT_	empl_pk	int	
TBL_RECEIPTS_LOG_REMOVE_FROM_DEPOSIT_	remove_pk	int	
TBL_RECEIPTS_LOG_REQUEST_APPROVER_OVE	appr_empl_fk	int	
TBL_RECEIPTS_LOG_REQUEST_APPROVER_OVE	appr_pk	int	
TBL_RECEIPTS_LOG_REQUEST_APPROVER_OVE	appr_request_service_area	varchar	10
TBL_RECEIPTS_LOG_REQUEST_APPROVER_OVE	appr_request_type	varchar	10
TBL_RECEIPTS_LOG_REQUEST_APPROVER_OVE	appr_supv_empl_fk	int	
TBL_RECEIPTS_LOG_ROLLBACK_TMP	empl_pk	int	
TBL_RECEIPTS_LOG_ROLLBACK_TMP	rollback_pk	int	