

<u>Database name:</u>	<u>FIRE</u>	<u>DAILY</u>	<u>DATABASE RESTRICTED</u>	
	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>
	access	access_seq	numeric	
	access	access_typ	varchar	20
	access	addtime	datetime	
	access	location	varchar	30
	access	notes	text	2147483647
	access	number	int	
	access	rowguid	uniqueidentifier	
	access	site_seq	numeric	
	accset1	action_	char	1
	accset1	addallowed	varchar	100
	accset1	addstring	varchar	100
	accset1	caption1	varchar	20
	accset1	caption2	varchar	20
	accset1	formname	varchar	50
	accset1	formobj	char	10
	accset1	hasmenu	bit	
	accset1	menumodify	text	2147483647
	accset1	menuname	char	15
	accset1	menunew	text	2147483647
	accset1	menuopen	text	2147483647
	accset1	objectname	varchar	20
	accset1	picture	varchar	50
	accset1	prim_seq	numeric	
	accset1	rowguid	uniqueidentifier	
	accset1	runprofstr	varchar	100
	accset1	runstring	varchar	80
	accset1	searchmodule	varchar	100
	accset1	sho4emslap	bit	
	accset1	sho4emsnet	bit	
	accset1	show	bit	
	accset1	show4mobl	bit	
	accset1	showorder	float	
	accset1	sshandle	varchar	25
	accset1	version	char	5
	actions	actcode	char	15
	actions	addmark	float	
	actions	addtime	datetime	
	actions	adduser	varchar	100
	actions	agency	char	15
	actions	date_	datetime	
	actions	desc_	varchar	30
	actions	emp_seq	numeric	
	actions	enddate	datetime	
	actions	fire_dist	char	15
	actions	modmark	float	
	actions	modtime	datetime	
	actions	moduser	varchar	100
	actions	notes	text	2147483647
	actions	prim_seq	numeric	
	actions	rowguid	uniqueidentifier	
	actvcert	addtime	datetime	
	actvcert	category	char	4
	actvcert	cert_seq	numeric	

actvcert	certcode	char	10
actvcert	certdesc	varchar	40
actvcert	certnotes	text	2147483647
actvcert	earnhours	float	
actvcert	emp_seq	numeric	
actvcert	expdate	datetime	
actvcert	issueagent	char	4
actvcert	issuedate	datetime	
actvcert	lastctdate	datetime	
actvcert	nemsiscert	bit	
actvcert	prim_seq	numeric	
actvcert	recertify	float	
actvcert	reqhours	float	
actvcert	rowguid	uniqueidentifier	
actvcert	termmonth	int	
actvcert	titlegen	bit	
addendum	adate	datetime	
addendum	add_seq	numeric	
addendum	addtime	datetime	
addendum	atitle	varchar	50
addendum	authorid	char	10
addendum	authorname	varchar	40
addendum	ems_seq	numeric	
addendum	mniseq	numeric	
addendum	note	text	2147483647
addendum	rowguid	uniqueidentifier	
alcomps	address	varchar	60
alcomps	addtime	datetime	
alcomps	al_com_seq	numeric	
alcomps	alm_id	numeric	
alcomps	city	varchar	25
alcomps	comp_name	varchar	25
alcomps	notes	text	2147483647
alcomps	phone1	varchar	24
alcomps	phone2	varchar	24
alcomps	phone3	varchar	24
alcomps	rowguid	uniqueidentifier	
alcomps	state	char	2
alcomps	zip	char	12
alcont	addmark	float	
alcont	addtime	datetime	
alcont	adduser	varchar	100
alcont	agency	char	15
alcont	alcont_seq	numeric	
alcont	alm_id	numeric	
alcont	callorder	float	
alcont	fire_dist	char	15
alcont	modmark	float	
alcont	modtime	datetime	
alcont	moduser	varchar	100
alcont	name_seq	numeric	
alcont	rowguid	uniqueidentifier	
almain	addmark	float	
almain	alarmtype	varchar	20
almain	alm_id	numeric	

almain	appdate	datetime	
almain	expdate	datetime	
almain	fee	float	
almain	image	float	
almain	monitor	char	10
almain	notes	text	2147483647
almain	oth_seq	numeric	
almain	panel_loc	varchar	30
almain	rem_annun	varchar	30
almain	rowguid	uniqueidentifier	
almain	site_seq	numeric	
almain	status	char	4
almain	use_stcont	bit	
amadtl	datatype	char	2
amadtl	detail_seq	numeric	
amadtl	element	int	
amadtl	expr	text	2147483647
amadtl	fixedval	char	10
amadtl	maxcnt	float	
amadtl	maxlength	char	5
amadtl	name	varchar	50
amadtl	rowguid	uniqueidentifier	
amadtl	timestamp_column	timestamp	8
amadtl	tran_seq	numeric	
amahdr	expr	varchar	200
amahdr	join_	varchar	50
amahdr	name	varchar	50
amahdr	order_	char	10
amahdr	parent	int	
amahdr	rowguid	uniqueidentifier	
amahdr	table_	char	10
amahdr	tran_seq	numeric	
apgar	active	char	1
apgar	addtime	datetime	
apgar	apg_seq	numeric	
apgar	appear	char	1
apgar	ems_seq	numeric	
apgar	grimace	char	1
apgar	medicseq	numeric	
apgar	medicsid	char	10
apgar	pulse	char	1
apgar	respir	char	1
apgar	rowguid	uniqueidentifier	
apgar	timestamp_	datetime	
apgar	total	char	2
assmt	accmuscles	bit	
assmt	as_seq	numeric	
assmt	assmttime	datetime	
assmt	bklaclesc	bit	
assmt	bklaclesl	bit	
assmt	bklaclest	bit	
assmt	bknormal	bit	
assmt	bknormall	bit	
assmt	bknormalt	bit	
assmt	bktpsc	bit	

assmt	bktpsl	bit	
assmt	bktpst	bit	
assmt	bktspc	bit	
assmt	bktspl	bit	
assmt	bktspt	bit	
assmt	bpupsnorm	bit	
assmt	carotid	bit	
assmt	ccyanotic	bit	
assmt	chestbs	bit	
assmt	chestinc	bit	
assmt	chestnorm	bit	
assmt	chestnot	bit	
assmt	chlacles	bit	
assmt	chnormal	bit	
assmt	clammy	bit	
assmt	cltender	bit	
assmt	cool	bit	
assmt	crepitus	bit	
assmt	crowning	bit	
assmt	crtender	bit	
assmt	decr_bs	bit	
assmt	deformc	bit	
assmt	deforml	bit	
assmt	deformt	bit	
assmt	diaphoret	bit	
assmt	dysphsia	bit	
assmt	ems_seq	numeric	
assmt	entco2	char	3
assmt	eq_bs	bit	
assmt	eqexp	bit	
assmt	errors	text	2147483647
assmt	examby	char	10
assmt	extnormal	bit	
assmt	extnormalll	bit	
assmt	extnormallu	bit	
assmt	extnormalrl	bit	
assmt	flail	bit	
assmt	gentinj	bit	
assmt	glucose1	char	3
assmt	glucose2	char	3
assmt	gunotdone	bit	
assmt	headassym	bit	
assmt	headdrain	bit	
assmt	headmass	bit	
assmt	headnodone	bit	
assmt	headnorm	bit	
assmt	headswell	bit	
assmt	heart	varchar	40
assmt	helacles	bit	
assmt	henormal	bit	
assmt	hot	bit	
assmt	jaundice	bit	
assmt	jvd	bit	
assmt	l2mm	bit	
assmt	l3mm	bit	

assmt	l4mm	bit	
assmt	l5mm	bit	
assmt	l6mm	bit	
assmt	l7mm	bit	
assmt	lclear	bit	
assmt	ldecr_bs	bit	
assmt	lfail	bit	
assmt	lhemipleg	bit	
assmt	ldisten	bit	
assmt	llededform	bit	
assmt	lledema	bit	
assmt	lledacles	bit	
assmt	lepulse	bit	
assmt	lesens	bit	
assmt	lguard	bit	
assmt	llacles	bit	
assmt	lmass	bit	
assmt	lnormal	bit	
assmt	lnotdone	bit	
assmt	lpain	bit	
assmt	ltender	bit	
assmt	lweak	bit	
assmt	lnotdone	bit	
assmt	lpupbln	bit	
assmt	lpupcon	bit	
assmt	lpupdil	bit	
assmt	lpupnon	bit	
assmt	lpuprea	bit	
assmt	lrales	bit	
assmt	lrhonchi	bit	
assmt	ludisten	bit	
assmt	luededform	bit	
assmt	luedema	bit	
assmt	luelacles	bit	
assmt	lepulse	bit	
assmt	lesens	bit	
assmt	lguard	bit	
assmt	lulacles	bit	
assmt	lumass	bit	
assmt	lunormal	bit	
assmt	lunotdone	bit	
assmt	lupain	bit	
assmt	lutender	bit	
assmt	luweak	bit	
assmt	lwheezing	bit	
assmt	medic1	varchar	30
assmt	medic1seq	numeric	
assmt	medic2	char	10
assmt	medic2seq	numeric	
assmt	medic3	char	10
assmt	medic3seq	numeric	
assmt	medic4	char	10
assmt	medic4seq	numeric	
assmt	mentcomb	bit	
assmt	mentconf	bit	

assmt	menthall	bit	
assmt	mentnorm	bit	
assmt	mentnot	bit	
assmt	mentpers	bit	
assmt	mentplace	bit	
assmt	menttime	bit	
assmt	mentunresp	bit	
assmt	mois_dry	bit	
assmt	mois_moist	bit	
assmt	mois_norm	bit	
assmt	necknodone	bit	
assmt	neurdroop	bit	
assmt	neurgait	bit	
assmt	neurnorm	bit	
assmt	neurnot	bit	
assmt	neurseiz	bit	
assmt	neursnorm	bit	
assmt	neursslur	bit	
assmt	neurtrem	bit	
assmt	neurweakl	bit	
assmt	neurwekar	bit	
assmt	notdonec	bit	
assmt	notdonel	bit	
assmt	notdonet	bit	
assmt	o2after	char	3
assmt	o2before	char	3
assmt	obstructed	bit	
assmt	painfulc	bit	
assmt	painfull	bit	
assmt	painfult	bit	
assmt	pale	bit	
assmt	pglacles	bit	
assmt	pgnormal	bit	
assmt	pskinperf	varchar	20
assmt	pskinperfco	char	2
assmt	pulseafter	bit	
assmt	r2mm	bit	
assmt	r3mm	bit	
assmt	r4mm	bit	
assmt	r5mm	bit	
assmt	r6mm	bit	
assmt	r7mm	bit	
assmt	radial	bit	
assmt	rales	bit	
assmt	rclear	bit	
assmt	rhemipleg	bit	
assmt	rhonchi	bit	
assmt	rldisten	bit	
assmt	rledeform	bit	
assmt	rledema	bit	
assmt	rlelacles	bit	
assmt	rlepulse	bit	
assmt	rlesens	bit	
assmt	rlguard	bit	
assmt	rllaces	bit	

assmt	rlmass	bit	
assmt	rlnormal	bit	
assmt	rlnotdone	bit	
assmt	rlpain	bit	
assmt	rltender	bit	
assmt	rlweak	bit	
assmt	rnotdone	bit	
assmt	rowguid	uniqueidentifier	
assmt	rpupbln	bit	
assmt	rpupcon	bit	
assmt	rpupdil	bit	
assmt	rpupnon	bit	
assmt	rpuprea	bit	
assmt	rudisten	bit	
assmt	ruedeform	bit	
assmt	ruedema	bit	
assmt	ruelacles	bit	
assmt	ruepulse	bit	
assmt	ruesens	bit	
assmt	ruguard	bit	
assmt	rulacles	bit	
assmt	rumass	bit	
assmt	runormal	bit	
assmt	runotdone	bit	
assmt	rupain	bit	
assmt	rutender	bit	
assmt	ruweak	bit	
assmt	sklividity	bit	
assmt	skmottled	bit	
assmt	sknormal	bit	
assmt	sknotdone	bit	
assmt	sqair	bit	
assmt	stridor	bit	
assmt	tender	bit	
assmt	tracheal	bit	
assmt	unequal	bit	
assmt	unstable	bit	
assmt	user1	varchar	50
assmt	user10	varchar	50
assmt	user11	varchar	50
assmt	user12	varchar	50
assmt	user2	varchar	50
assmt	user3	varchar	50
assmt	user4	varchar	50
assmt	user5	varchar	50
assmt	user6	varchar	50
assmt	user7	varchar	50
assmt	user8	varchar	50
assmt	user9	varchar	50
assmt	warm	bit	
assmt	wheezing	bit	
assmt	xnotll	bit	
assmt	xnotlu	bit	
assmt	xnotrl	bit	
assmt	xnotru	bit	

attach	addtime	datetime	
attach	adduser	varchar	100
attach	att_cat	varchar	20
attach	att_name	varchar	30
attach	att_seq	numeric	
attach	att_type	varchar	20
attach	citem_seq	numeric	
attach	clnktble	char	20
attach	date_taken	datetime	
attach	filename	varchar	150
attach	item_seq	numeric	
attach	lnktble	char	20
attach	notes	text	2147483647
attach	rowguid	uniqueidentifier	
attach	taken_by	varchar	20
battach	addtime	datetime	
battach	adduser	varchar	100
battach	att_bin	image	2147483647
battach	att_seq	numeric	
battach	batt_seq	numeric	
battach	content	text	2147483647
battach	moduser	varchar	100
battach	rowguid	uniqueidentifier	
battalion	batt_seq	numeric	
battalion	dept_seq	numeric	
battalion	div_seq	numeric	
battalion	name	char	30
battalion	rowguid	uniqueidentifier	
bc_emsbilling	addtime	datetime	
bc_emsbilling	calloutcod	char	1
bc_emsbilling	calloutcom	varchar	200
bc_emsbilling	dept_seq	numeric	
bc_emsbilling	dob	datetime	
bc_emsbilling	employer	varchar	50
bc_emsbilling	ems_seq	numeric	
bc_emsbilling	gua_city	varchar	25
bc_emsbilling	gua_first	char	15
bc_emsbilling	gua_last	varchar	20
bc_emsbilling	gua_midin	char	10
bc_emsbilling	gua_phone	varchar	24
bc_emsbilling	gua_prefix	char	2
bc_emsbilling	gua_state	char	2
bc_emsbilling	gua_stnum	char	8
bc_emsbilling	gua_street	varchar	40
bc_emsbilling	gua_type	char	4
bc_emsbilling	gua_zip	char	10
bc_emsbilling	hphone	varchar	24
bc_emsbilling	inc_num	char	14
bc_emsbilling	insur_grp1	varchar	30
bc_emsbilling	insur_grp2	char	15
bc_emsbilling	insur_no1	varchar	20
bc_emsbilling	insur_no2	varchar	20
bc_emsbilling	insurname1	varchar	20
bc_emsbilling	insurname2	varchar	20
bc_emsbilling	medicaidno	varchar	25

bc_emsbilling	medicareno	varchar	25
bc_emsbilling	modtime	datetime	
bc_emsbilling	moduser	char	11
bc_emsbilling	patientnum	char	3
bc_emsbilling	pcity	varchar	25
bc_emsbilling	pcityfips	char	5
bc_emsbilling	pfirstname	varchar	30
bc_emsbilling	plastname	varchar	30
bc_emsbilling	pmiddlein	char	2
bc_emsbilling	pstate	char	2
bc_emsbilling	pstprefix	char	2
bc_emsbilling	pstreet	varchar	40
bc_emsbilling	pstreetnum	char	8
bc_emsbilling	psttype	char	4
bc_emsbilling	pzip	char	10
bc_emsbilling	rowguid	uniqueidentifier	
bc_emsbilling	sent2bill	bit	
bc_emsbilling	sex	char	1
bc_emsbilling	ssn	char	9
bc_emsbilling	wphone	varchar	24
bc_emsbillingbu	addtime	datetime	
bc_emsbillingbu	calloutcod	char	1
bc_emsbillingbu	caloutcom	varchar	200
bc_emsbillingbu	dept_seq	decimal	
bc_emsbillingbu	dob	datetime	
bc_emsbillingbu	employer	varchar	25
bc_emsbillingbu	ems_seq	decimal	
bc_emsbillingbu	gua_city	varchar	25
bc_emsbillingbu	gua_first	char	15
bc_emsbillingbu	gua_last	varchar	20
bc_emsbillingbu	gua_midin	char	10
bc_emsbillingbu	gua_phone	varchar	24
bc_emsbillingbu	gua_prefix	char	2
bc_emsbillingbu	gua_state	char	2
bc_emsbillingbu	gua_stnum	char	8
bc_emsbillingbu	gua_street	varchar	40
bc_emsbillingbu	gua_type	char	4
bc_emsbillingbu	gua_zip	char	10
bc_emsbillingbu	hphone	varchar	24
bc_emsbillingbu	inc_num	char	14
bc_emsbillingbu	insur_grp1	varchar	30
bc_emsbillingbu	insur_grp2	char	15
bc_emsbillingbu	insur_no1	varchar	20
bc_emsbillingbu	insur_no2	varchar	20
bc_emsbillingbu	insurname1	varchar	20
bc_emsbillingbu	insurname2	varchar	20
bc_emsbillingbu	medicaidno	varchar	25
bc_emsbillingbu	medicareno	varchar	25
bc_emsbillingbu	modtime	datetime	
bc_emsbillingbu	moduser	char	11
bc_emsbillingbu	patientnum	char	3
bc_emsbillingbu	pcity	varchar	25
bc_emsbillingbu	pcityfips	char	5
bc_emsbillingbu	pfirstname	varchar	30
bc_emsbillingbu	plastname	varchar	30

bc_emsbillingbu	pmiddlein	char	2
bc_emsbillingbu	pstate	char	2
bc_emsbillingbu	pstprefix	char	2
bc_emsbillingbu	pstreet	varchar	40
bc_emsbillingbu	pstreetnum	char	8
bc_emsbillingbu	psttype	char	4
bc_emsbillingbu	pzip	char	10
bc_emsbillingbu	rowguid	uniqueidentifier	
bc_emsbillingbu	sent2bill	bit	
bc_emsbillingbu	sex	char	1
bc_emsbillingbu	ssn	char	9
bc_emsbillingbu	wphone	varchar	24
billexpt	boe	bit	
billexpt	cursorprep	text	2147483647
billexpt	cust	varchar	30
billexpt	eo	bit	
billexpt	exp_type	char	10
billexpt	expression	text	2147483647
billexpt	exptype	varchar	30
billexpt	field	char	19
billexpt	field_desc	varchar	40
billexpt	format_sty	varchar	40
billexpt	format_typ	char	10
billexpt	length	float	
billexpt	level_	int	
billexpt	newrecov	bit	
billexpt	postproces	text	2147483647
billexpt	preprocess	text	2147483647
billexpt	prim_seq	numeric	
billexpt	prog_label	char	10
billexpt	rowguid	uniqueidentifier	
billexpt	seq	int	
billexpt	state	char	2
billstatuslookup	billstatuslookupseq	int	
billstatuslookup	code	char	10
billstatuslookup	descr	varchar	30
billstatuslookup	rowguid	uniqueidentifier	
bindata	addtime	datetime	
bindata	adduser	char	11
bindata	bin_seq	numeric	
bindata	content	text	2147483647
bindata	digimage	image	2147483647
bindata	moduser	char	11
bindata	rowguid	uniqueidentifier	
cad_times	cexpr	varchar	100
cad_times	ctimetype	varchar	20
cad_times	ntimekey	numeric	
cad_times	rowguid	uniqueidentifier	
cardiac	activity	bit	
cardiac	addtime	datetime	
cardiac	alert	bit	
cardiac	arlapse	char	30
cardiac	arlapseco	char	10
cardiac	arms	bit	
cardiac	arrest	char	30

cardiac	arrestco	char	10
cardiac	attdef	bit	
cardiac	attvent	bit	
cardiac	car_seq	numeric	
cardiac	cardarrdtm	datetime	
cardiac	cardarrwco	char	2
cardiac	cardarrwit	varchar	40
cardiac	chgpost	bit	
cardiac	circondtm	datetime	
cardiac	cprdis	varchar	60
cardiac	cprdisco	char	10
cardiac	cprstart	datetime	
cardiac	cprstop	datetime	
cardiac	deepinsp	bit	
cardiac	diaphor	bit	
cardiac	dypsnea	bit	
cardiac	edema	bit	
cardiac	ems_seq	numeric	
cardiac	epigastric	bit	
cardiac	errors	text	2147483647
cardiac	etio	char	30
cardiac	etiocode	char	10
cardiac	firstrhy	char	50
cardiac	firstrhyco	char	10
cardiac	hospneur	char	30
cardiac	hospneurco	char	10
cardiac	initcp	bit	
cardiac	jaw	bit	
cardiac	lead12	varchar	100
cardiac	midsternal	bit	
cardiac	naturepain	char	15
cardiac	nausea	bit	
cardiac	neck	bit	
cardiac	none_	bit	
cardiac	nopain	bit	
cardiac	notapp	bit	
cardiac	notav	bit	
cardiac	notcirc	bit	
cardiac	notdnr	bit	
cardiac	notfut	bit	
cardiac	notknown	bit	
cardiac	onsetpain	varchar	30
cardiac	other	bit	
cardiac	palpat	bit	
cardiac	pulsearriv	bit	
cardiac	qualpain	char	15
cardiac	radlocat	varchar	50
cardiac	radofpain	bit	
cardiac	retcirc	varchar	50
cardiac	retcircco	char	10
cardiac	rhydes	char	50
cardiac	rhydesco	char	10
cardiac	rowguid	uniqueidentifier	
cardiac	substernal	bit	
cardiac	timeonset	datetime	

cardiac	upback	bit	
cardiac	vomiting	bit	
cardpro	arr_after	bit	
cardpro	circondtm	datetime	
cardpro	circretrn	varchar	15
cardpro	cprbyco	char	2
cardpro	cprmethod	float	
cardpro	cpro_seq	numeric	
cardpro	cprstart	datetime	
cardpro	cprstop	datetime	
cardpro	cprstrtby	char	15
cardpro	cprsuccess	bit	
cardpro	defbdevco	char	2
cardpro	defbdevice	varchar	20
cardpro	defib_by	char	10
cardpro	defib1dtm	datetime	
cardpro	defibbyco	char	2
cardpro	defibrill	bit	
cardpro	dnrinplace	bit	
cardpro	ems_seq	numeric	
cardpro	pulsearriv	bit	
cardpro	rowguid	uniqueidentifier	
certify	category	char	4
certify	cert_seq	numeric	
certify	certcode	char	10
certify	certdesc	char	40
certify	certorqual	char	1
certify	dept_seq	numeric	
certify	ems_cadpull_time	char	20
certify	inithours	int	
certify	issueagent	char	4
certify	notes	text	2147483647
certify	recertify	float	
certify	reqhours	float	
certify	rowguid	uniqueidentifier	
certify	termmonth	int	
certreqs	cert_seq	numeric	
certreqs	cirr_seq	numeric	
certreqs	prim_seq	numeric	
certreqs	rowguid	uniqueidentifier	
chapters	addmark	float	
chapters	addtime	datetime	
chapters	adduser	varchar	100
chapters	agency	char	15
chapters	chapter_title	char	80
chapters	contents	text	2147483647
chapters	dept_seq	numeric	
chapters	f_dist	char	15
chapters	fc_seq	numeric	
chapters	modmark	float	
chapters	modtime	datetime	
chapters	moduser	varchar	100
chapters	notes	text	2147483647
chapters	rowguid	uniqueidentifier	
chemlist	amb_state	char	6

chemlist	cas	char	11
chemlist	chem_name	char	60
chemlist	chem_pref	bit	
chemlist	chem_srce	char	5
chemlist	chris	char	3
chemlist	ext_name	varchar	140
chemlist	formula	varchar	30
chemlist	hazlab	varchar	50
chemlist	lfad	char	16
chemlist	lfbd	char	3
chemlist	lfm	char	16
chemlist	loc	float	
chemlist	nfpa_f	char	1
chemlist	nfpa_h	char	1
chemlist	nfpa_r	char	1
chemlist	nfpa_s	char	1
chemlist	noaano	char	5
chemlist	pref_id	char	10
chemlist	rcra	char	4
chemlist	recid60	char	10
chemlist	rowguid	uniqueidentifier	
chemlist	rq	char	5
chemlist	rtecs	char	9
chemlist	stcc	char	7
chemlist	thres_112r	char	10
chemlist	tpq	char	10
chemlist	unno	char	4
chemlist	update_	datetime	
chemlist	yn_112r	bit	
chemlist	yn_313	bit	
chemlist	yn_cercla	bit	
chemlist	yn_ehs	bit	
cirricul	category	char	4
cirricul	ceu	char	10
cirricul	cirr_seq	numeric	
cirricul	countcert	bit	
cirricul	coursedesc	char	40
cirricul	courseid	char	10
cirricul	coursenum	char	10
cirricul	dept_seq	numeric	
cirricul	estcost	money	
cirricul	hours	float	
cirricul	inactive	bit	
cirricul	location	varchar	30
cirricul	modmark	numeric	
cirricul	points	char	10
cirricul	rowguid	uniqueidentifier	
cirricul	scored	bit	
cirricul	trmethod	char	4
citatio	ac_cp_date	datetime	
citatio	addtime	datetime	
citatio	cit_code	char	10
citatio	cit_date	datetime	
citatio	cit_desc	text	2147483647
citatio	cit_floor	char	10

citatio	cit_loc	varchar	40
citatio	cit_seq	numeric	
citatio	cleared_by	char	10
citatio	comp_seq	numeric	
citatio	fine_amt	money	
citatio	fine_due	datetime	
citatio	fine_log	bit	
citatio	fine_recd	datetime	
citatio	gen_code	bit	
citatio	in_seq	numeric	
citatio	insp_by	char	10
citatio	life_safe	bit	
citatio	notes	text	2147483647
citatio	rowguid	uniqueidentifier	
citatio	site_seq	numeric	
citatio	vio_seq	numeric	
codelook	code	varchar	100
codelook	codeseq	numeric	
codelook	descrip	varchar	100
codelook	expcode	varchar	100
codelook	export	varchar	100
codelook	field	varchar	100
codelook	rowguid	uniqueidentifier	
combddata	cmb_seq	numeric	
combddata	code	char	3
combddata	dept_seq	numeric	
combddata	inactive	bit	
combddata	rowguid	uniqueidentifier	
combddata	seq	int	
combddata	value1	varchar	50
combddata	value2	varchar	100
combddata	windows	char	15
combmeta	addtime	datetime	
combmeta	adduser	varchar	30
combmeta	ccode	varchar	1500
combmeta	combmetaseq	numeric	
combmeta	ctablename	varchar	30
combmeta	dept_config	bit	
combmeta	dept_restrict	bit	
combmeta	dept_seq	numeric	
combmeta	rowguid	uniqueidentifier	
comm	comdate	datetime	
comm	comseq	numeric	
comm	comtypeseq	numeric	
comm	emailfrom	varchar	50
comm	emailto	varchar	600
comm	errorcode	int	
comm	faxid	int	
comm	faxnumfrom	char	15
comm	faxnumto	char	15
comm	faxpresserror	varchar	1000
comm	fromaddr	varchar	50
comm	fromname	varchar	50
comm	itemseq	numeric	
comm	lnktable	char	10

comm	nxtcom	datetime	
comm	outputdir	varchar	255
comm	reportname	varchar	50
comm	rowguid	uniqueidentifier	
comm	sent	bit	
comm	sentdate	datetime	
comm	status	int	
comm	subject	varchar	50
comm	toaddr	varchar	50
comm	toname	varchar	50
commtype	comtypeseq	numeric	
commtype	desc	char	25
commtype	descr	varchar	50
commtype	rowguid	uniqueidentifier	
commtype	typecode	text	2147483647
companys	com_seq	numeric	
companys	comp_id	char	10
companys	compname	varchar	40
companys	dept_seq	numeric	
companys	eq_seq	numeric	
companys	rowguid	uniqueidentifier	
companys	sched_seq	numeric	
companys	sta_seq	numeric	
companys	type	char	10
comparts	agency	char	10
comparts	cmp_seq	numeric	
comparts	com_code	char	10
comparts	com_desc	varchar	40
comparts	dept_seq	numeric	
comparts	eq_seq	numeric	
comparts	rowguid	uniqueidentifier	
comparts	unit_num	char	10
complia	addtime	datetime	
complia	comp_seq	numeric	
complia	date_begun	datetime	
complia	date_end	datetime	
complia	in_seq	numeric	
complia	insp_fname	char	20
complia	insp_lname	char	30
complia	insp_mname	char	15
complia	insp_mni_seq	numeric	
complia	insp_suffix	char	5
complia	inspector	char	15
complia	lactive	bit	
complia	notes	text	2147483647
complia	rowguid	uniqueidentifier	
complia	site_seq	numeric	
complia	tottime	float	
conflict_fire_access	access_seq	numeric	
conflict_fire_access	access_typ	varchar	20
conflict_fire_access	addtime	datetime	
conflict_fire_access	conflict_type	int	
conflict_fire_access	location	varchar	30
conflict_fire_access	MSrepl_create_time	datetime	
conflict_fire_access	notes	text	2147483647

conflict_fire_access	number	int	
conflict_fire_access	origin_datasource	nvarchar	255
conflict_fire_access	pubid	uniqueidentifier	
conflict_fire_access	reason_code	int	
conflict_fire_access	reason_text	nvarchar	720
conflict_fire_access	rowguid	uniqueidentifier	
conflict_fire_access	site_seq	numeric	
conflict_fire_accset1	action_	char	1
conflict_fire_accset1	addallowed	varchar	100
conflict_fire_accset1	addstring	varchar	100
conflict_fire_accset1	caption1	varchar	20
conflict_fire_accset1	caption2	varchar	20
conflict_fire_accset1	conflict_type	int	
conflict_fire_accset1	formname	varchar	50
conflict_fire_accset1	formobj	char	10
conflict_fire_accset1	hasmenu	bit	
conflict_fire_accset1	menumodify	text	2147483647
conflict_fire_accset1	menuname	char	15
conflict_fire_accset1	menunew	text	2147483647
conflict_fire_accset1	menuopen	text	2147483647
conflict_fire_accset1	MSrepl_create_time	datetime	
conflict_fire_accset1	objectname	varchar	20
conflict_fire_accset1	origin_datasource	nvarchar	255
conflict_fire_accset1	picture	varchar	50
conflict_fire_accset1	prim_seq	numeric	
conflict_fire_accset1	pubid	uniqueidentifier	
conflict_fire_accset1	reason_code	int	
conflict_fire_accset1	reason_text	nvarchar	720
conflict_fire_accset1	rowguid	uniqueidentifier	
conflict_fire_accset1	runprofstr	varchar	100
conflict_fire_accset1	runstring	varchar	80
conflict_fire_accset1	searchmodule	varchar	100
conflict_fire_accset1	sho4emslap	bit	
conflict_fire_accset1	sho4emsnet	bit	
conflict_fire_accset1	show	bit	
conflict_fire_accset1	show4mobl	bit	
conflict_fire_accset1	showorder	float	
conflict_fire_accset1	sshandle	varchar	25
conflict_fire_accset1	version	char	5
conflict_fire_actions	actcode	char	15
conflict_fire_actions	addmark	float	
conflict_fire_actions	addtime	datetime	
conflict_fire_actions	adduser	varchar	100
conflict_fire_actions	agency	char	15
conflict_fire_actions	conflict_type	int	
conflict_fire_actions	date_	datetime	
conflict_fire_actions	desc_	varchar	30
conflict_fire_actions	emp_seq	numeric	
conflict_fire_actions	enddate	datetime	
conflict_fire_actions	fire_dist	char	15
conflict_fire_actions	modmark	float	
conflict_fire_actions	modtime	datetime	
conflict_fire_actions	moduser	varchar	100
conflict_fire_actions	MSrepl_create_time	datetime	
conflict_fire_actions	notes	text	2147483647

conflict_fire_actions	origin_datasource	nvarchar	255
conflict_fire_actions	prim_seq	numeric	
conflict_fire_actions	pubid	uniqueidentifier	
conflict_fire_actions	reason_code	int	
conflict_fire_actions	reason_text	nvarchar	720
conflict_fire_actions	rowguid	uniqueidentifier	
conflict_fire_actvcert	addtime	datetime	
conflict_fire_actvcert	category	char	4
conflict_fire_actvcert	cert_seq	numeric	
conflict_fire_actvcert	certcode	char	10
conflict_fire_actvcert	certdesc	varchar	40
conflict_fire_actvcert	certnotes	text	2147483647
conflict_fire_actvcert	conflict_type	int	
conflict_fire_actvcert	earnhours	float	
conflict_fire_actvcert	emp_seq	numeric	
conflict_fire_actvcert	expdate	datetime	
conflict_fire_actvcert	issueagent	char	4
conflict_fire_actvcert	issuedate	datetime	
conflict_fire_actvcert	lastctdate	datetime	
conflict_fire_actvcert	MSrepl_create_time	datetime	
conflict_fire_actvcert	nemsiscert	bit	
conflict_fire_actvcert	origin_datasource	nvarchar	255
conflict_fire_actvcert	prim_seq	numeric	
conflict_fire_actvcert	pubid	uniqueidentifier	
conflict_fire_actvcert	reason_code	int	
conflict_fire_actvcert	reason_text	nvarchar	720
conflict_fire_actvcert	recertify	float	
conflict_fire_actvcert	reqhours	float	
conflict_fire_actvcert	rowguid	uniqueidentifier	
conflict_fire_actvcert	termmonth	int	
conflict_fire_actvcert	titlegen	bit	
conflict_fire_addendum	adate	datetime	
conflict_fire_addendum	add_seq	numeric	
conflict_fire_addendum	addtime	datetime	
conflict_fire_addendum	atitle	varchar	50
conflict_fire_addendum	authorid	char	10
conflict_fire_addendum	authorname	varchar	40
conflict_fire_addendum	conflict_type	int	
conflict_fire_addendum	ems_seq	numeric	
conflict_fire_addendum	mniseq	numeric	
conflict_fire_addendum	MSrepl_create_time	datetime	
conflict_fire_addendum	note	text	2147483647
conflict_fire_addendum	origin_datasource	nvarchar	255
conflict_fire_addendum	pubid	uniqueidentifier	
conflict_fire_addendum	reason_code	int	
conflict_fire_addendum	reason_text	nvarchar	720
conflict_fire_addendum	rowguid	uniqueidentifier	
conflict_fire_alcomps	address	varchar	60
conflict_fire_alcomps	addtime	datetime	
conflict_fire_alcomps	al_com_seq	numeric	
conflict_fire_alcomps	alm_id	numeric	
conflict_fire_alcomps	city	varchar	25
conflict_fire_alcomps	comp_name	varchar	25
conflict_fire_alcomps	conflict_type	int	
conflict_fire_alcomps	MSrepl_create_time	datetime	

conflict_fire_alcomps	notes	text	2147483647
conflict_fire_alcomps	origin_datasource	nvarchar	255
conflict_fire_alcomps	phone1	varchar	24
conflict_fire_alcomps	phone2	varchar	24
conflict_fire_alcomps	phone3	varchar	24
conflict_fire_alcomps	pubid	uniqueidentifier	
conflict_fire_alcomps	reason_code	int	
conflict_fire_alcomps	reason_text	nvarchar	720
conflict_fire_alcomps	rowguid	uniqueidentifier	
conflict_fire_alcomps	state	char	2
conflict_fire_alcomps	zip	char	12
conflict_fire_alcont	addmark	float	
conflict_fire_alcont	addtime	datetime	
conflict_fire_alcont	adduser	varchar	100
conflict_fire_alcont	agency	char	15
conflict_fire_alcont	alcont_seq	numeric	
conflict_fire_alcont	alm_id	numeric	
conflict_fire_alcont	callorder	float	
conflict_fire_alcont	conflict_type	int	
conflict_fire_alcont	fire_dist	char	15
conflict_fire_alcont	modmark	float	
conflict_fire_alcont	modtime	datetime	
conflict_fire_alcont	moduser	varchar	100
conflict_fire_alcont	MSrepl_create_time	datetime	
conflict_fire_alcont	name_seq	numeric	
conflict_fire_alcont	origin_datasource	nvarchar	255
conflict_fire_alcont	pubid	uniqueidentifier	
conflict_fire_alcont	reason_code	int	
conflict_fire_alcont	reason_text	nvarchar	720
conflict_fire_alcont	rowguid	uniqueidentifier	
conflict_fire_almain	addmark	char	11
conflict_fire_almain	alarmtype	varchar	20
conflict_fire_almain	alm_id	numeric	
conflict_fire_almain	appdate	datetime	
conflict_fire_almain	conflict_type	int	
conflict_fire_almain	expdate	datetime	
conflict_fire_almain	fee	float	
conflict_fire_almain	image	float	
conflict_fire_almain	monitor	char	10
conflict_fire_almain	MSrepl_create_time	datetime	
conflict_fire_almain	notes	text	2147483647
conflict_fire_almain	origin_datasource	nvarchar	255
conflict_fire_almain	oth_seq	numeric	
conflict_fire_almain	panel_loc	varchar	30
conflict_fire_almain	pubid	uniqueidentifier	
conflict_fire_almain	reason_code	int	
conflict_fire_almain	reason_text	nvarchar	720
conflict_fire_almain	rem_annun	varchar	30
conflict_fire_almain	rowguid	uniqueidentifier	
conflict_fire_almain	site_seq	numeric	
conflict_fire_almain	status	char	4
conflict_fire_almain	use_stcont	bit	
conflict_fire_amadtl	conflict_type	int	
conflict_fire_amadtl	datatype	char	2
conflict_fire_amadtl	detail_seq	numeric	

conflict_fire_amadtl	element	int	
conflict_fire_amadtl	expr	text	2147483647
conflict_fire_amadtl	fixedval	char	10
conflict_fire_amadtl	maxcnt	float	
conflict_fire_amadtl	maxlength	char	5
conflict_fire_amadtl	MSrepl_create_time	datetime	
conflict_fire_amadtl	name	varchar	50
conflict_fire_amadtl	origin_datasource	nvarchar	255
conflict_fire_amadtl	pubid	uniqueidentifier	
conflict_fire_amadtl	reason_code	int	
conflict_fire_amadtl	reason_text	nvarchar	720
conflict_fire_amadtl	rowguid	uniqueidentifier	
conflict_fire_amadtl	timestamp_column	timestamp	8
conflict_fire_amadtl	tran_seq	numeric	
conflict_fire_amahdr	conflict_type	int	
conflict_fire_amahdr	expr	varchar	200
conflict_fire_amahdr	join_	varchar	50
conflict_fire_amahdr	MSrepl_create_time	datetime	
conflict_fire_amahdr	name	varchar	50
conflict_fire_amahdr	order_	char	10
conflict_fire_amahdr	origin_datasource	nvarchar	255
conflict_fire_amahdr	parent	int	
conflict_fire_amahdr	pubid	uniqueidentifier	
conflict_fire_amahdr	reason_code	int	
conflict_fire_amahdr	reason_text	nvarchar	720
conflict_fire_amahdr	rowguid	uniqueidentifier	
conflict_fire_amahdr	table_	char	10
conflict_fire_amahdr	tran_seq	numeric	
conflict_fire_apgar	active	char	1
conflict_fire_apgar	addtime	datetime	
conflict_fire_apgar	apg_seq	numeric	
conflict_fire_apgar	appear	char	1
conflict_fire_apgar	conflict_type	int	
conflict_fire_apgar	ems_seq	numeric	
conflict_fire_apgar	grimace	char	1
conflict_fire_apgar	medicseq	numeric	
conflict_fire_apgar	medicsid	char	10
conflict_fire_apgar	MSrepl_create_time	datetime	
conflict_fire_apgar	origin_datasource	nvarchar	255
conflict_fire_apgar	pubid	uniqueidentifier	
conflict_fire_apgar	pulse	char	1
conflict_fire_apgar	reason_code	int	
conflict_fire_apgar	reason_text	nvarchar	720
conflict_fire_apgar	respir	char	1
conflict_fire_apgar	rowguid	uniqueidentifier	
conflict_fire_apgar	timestamp_	datetime	
conflict_fire_apgar	total	char	2
conflict_fire_assmt	accmuscles	bit	
conflict_fire_assmt	as_seq	numeric	
conflict_fire_assmt	assmttime	datetime	
conflict_fire_assmt	bklaclesc	bit	
conflict_fire_assmt	bklaclesl	bit	
conflict_fire_assmt	bklaclest	bit	
conflict_fire_assmt	bknormal	bit	
conflict_fire_assmt	bknormall	bit	

conflict_fire_assmt	bknormalt	bit	
conflict_fire_assmt	bktpsc	bit	
conflict_fire_assmt	bktpsl	bit	
conflict_fire_assmt	bktpst	bit	
conflict_fire_assmt	bktspc	bit	
conflict_fire_assmt	bktspl	bit	
conflict_fire_assmt	bktspt	bit	
conflict_fire_assmt	bpupsnorm	bit	
conflict_fire_assmt	carotid	bit	
conflict_fire_assmt	ccyanotic	bit	
conflict_fire_assmt	chestbs	bit	
conflict_fire_assmt	chestinc	bit	
conflict_fire_assmt	chestnorm	bit	
conflict_fire_assmt	chestnot	bit	
conflict_fire_assmt	chlacles	bit	
conflict_fire_assmt	chnormal	bit	
conflict_fire_assmt	clammy	bit	
conflict_fire_assmt	cltender	bit	
conflict_fire_assmt	conflict_type	int	
conflict_fire_assmt	cool	bit	
conflict_fire_assmt	crepitus	bit	
conflict_fire_assmt	crowning	bit	
conflict_fire_assmt	crtender	bit	
conflict_fire_assmt	decr_bs	bit	
conflict_fire_assmt	deformc	bit	
conflict_fire_assmt	deforml	bit	
conflict_fire_assmt	deformt	bit	
conflict_fire_assmt	diaphoret	bit	
conflict_fire_assmt	dysphsia	bit	
conflict_fire_assmt	ems_seq	numeric	
conflict_fire_assmt	entco2	char	3
conflict_fire_assmt	eq_bs	bit	
conflict_fire_assmt	eqexp	bit	
conflict_fire_assmt	errors	text	2147483647
conflict_fire_assmt	examby	char	10
conflict_fire_assmt	extnormal	bit	
conflict_fire_assmt	extnormalll	bit	
conflict_fire_assmt	extnormalllu	bit	
conflict_fire_assmt	extnormalrl	bit	
conflict_fire_assmt	flail	bit	
conflict_fire_assmt	gentinj	bit	
conflict_fire_assmt	glucose1	char	3
conflict_fire_assmt	glucose2	char	3
conflict_fire_assmt	gunotdone	bit	
conflict_fire_assmt	headassym	bit	
conflict_fire_assmt	headdrain	bit	
conflict_fire_assmt	headmass	bit	
conflict_fire_assmt	headnodone	bit	
conflict_fire_assmt	headnorm	bit	
conflict_fire_assmt	headswell	bit	
conflict_fire_assmt	heart	varchar	40
conflict_fire_assmt	helacles	bit	
conflict_fire_assmt	henormal	bit	
conflict_fire_assmt	hot	bit	
conflict_fire_assmt	jaundice	bit	

conflict_fire_assmt	jvd	bit	
conflict_fire_assmt	l2mm	bit	
conflict_fire_assmt	l3mm	bit	
conflict_fire_assmt	l4mm	bit	
conflict_fire_assmt	l5mm	bit	
conflict_fire_assmt	l6mm	bit	
conflict_fire_assmt	l7mm	bit	
conflict_fire_assmt	lclear	bit	
conflict_fire_assmt	ldecr_bs	bit	
conflict_fire_assmt	lflail	bit	
conflict_fire_assmt	lhemipleg	bit	
conflict_fire_assmt	lldisten	bit	
conflict_fire_assmt	llededform	bit	
conflict_fire_assmt	lledema	bit	
conflict_fire_assmt	lledacles	bit	
conflict_fire_assmt	lepulse	bit	
conflict_fire_assmt	lesens	bit	
conflict_fire_assmt	lguard	bit	
conflict_fire_assmt	llacles	bit	
conflict_fire_assmt	lmass	bit	
conflict_fire_assmt	lnormal	bit	
conflict_fire_assmt	lnotdone	bit	
conflict_fire_assmt	lpain	bit	
conflict_fire_assmt	ltender	bit	
conflict_fire_assmt	lweak	bit	
conflict_fire_assmt	lnotdone	bit	
conflict_fire_assmt	lpupbln	bit	
conflict_fire_assmt	lpupcon	bit	
conflict_fire_assmt	lpupdil	bit	
conflict_fire_assmt	lpupnon	bit	
conflict_fire_assmt	lpuprea	bit	
conflict_fire_assmt	lrales	bit	
conflict_fire_assmt	lrhonchi	bit	
conflict_fire_assmt	ludisten	bit	
conflict_fire_assmt	luededform	bit	
conflict_fire_assmt	luedema	bit	
conflict_fire_assmt	luelacles	bit	
conflict_fire_assmt	luepulse	bit	
conflict_fire_assmt	luesens	bit	
conflict_fire_assmt	lguard	bit	
conflict_fire_assmt	lulacles	bit	
conflict_fire_assmt	lumass	bit	
conflict_fire_assmt	lnormal	bit	
conflict_fire_assmt	lnotdone	bit	
conflict_fire_assmt	lpain	bit	
conflict_fire_assmt	ltender	bit	
conflict_fire_assmt	lweak	bit	
conflict_fire_assmt	lwheezing	bit	
conflict_fire_assmt	medic1	varchar	30
conflict_fire_assmt	medic1seq	numeric	
conflict_fire_assmt	medic2	char	10
conflict_fire_assmt	medic2seq	numeric	
conflict_fire_assmt	medic3	char	10
conflict_fire_assmt	medic3seq	numeric	
conflict_fire_assmt	medic4	char	10

conflict_fire_assmt	medic4seq	numeric	
conflict_fire_assmt	mentcomb	bit	
conflict_fire_assmt	mentconf	bit	
conflict_fire_assmt	menthall	bit	
conflict_fire_assmt	mentnorm	bit	
conflict_fire_assmt	mentnot	bit	
conflict_fire_assmt	mentpers	bit	
conflict_fire_assmt	mentplace	bit	
conflict_fire_assmt	menttime	bit	
conflict_fire_assmt	mentunresp	bit	
conflict_fire_assmt	mois_dry	bit	
conflict_fire_assmt	mois_moist	bit	
conflict_fire_assmt	mois_norm	bit	
conflict_fire_assmt	MSrepl_create_time	datetime	
conflict_fire_assmt	necknodone	bit	
conflict_fire_assmt	neurdroop	bit	
conflict_fire_assmt	neurgait	bit	
conflict_fire_assmt	neurnorm	bit	
conflict_fire_assmt	neurnot	bit	
conflict_fire_assmt	neursez	bit	
conflict_fire_assmt	neurnsnorm	bit	
conflict_fire_assmt	neursslur	bit	
conflict_fire_assmt	neurtrem	bit	
conflict_fire_assmt	neurweakl	bit	
conflict_fire_assmt	neurwekar	bit	
conflict_fire_assmt	notdonec	bit	
conflict_fire_assmt	notdonel	bit	
conflict_fire_assmt	notdonet	bit	
conflict_fire_assmt	o2after	char	3
conflict_fire_assmt	o2before	char	3
conflict_fire_assmt	obstructed	bit	
conflict_fire_assmt	origin_datasource	nvarchar	255
conflict_fire_assmt	painfulc	bit	
conflict_fire_assmt	painfull	bit	
conflict_fire_assmt	painfult	bit	
conflict_fire_assmt	pale	bit	
conflict_fire_assmt	pglacles	bit	
conflict_fire_assmt	pgnormal	bit	
conflict_fire_assmt	pskinperf	varchar	20
conflict_fire_assmt	pskinperfco	char	2
conflict_fire_assmt	pubid	uniqueidentifier	
conflict_fire_assmt	pulseafter	bit	
conflict_fire_assmt	r2mm	bit	
conflict_fire_assmt	r3mm	bit	
conflict_fire_assmt	r4mm	bit	
conflict_fire_assmt	r5mm	bit	
conflict_fire_assmt	r6mm	bit	
conflict_fire_assmt	r7mm	bit	
conflict_fire_assmt	radial	bit	
conflict_fire_assmt	rales	bit	
conflict_fire_assmt	rclear	bit	
conflict_fire_assmt	reason_code	int	
conflict_fire_assmt	reason_text	nvarchar	720
conflict_fire_assmt	rhemipleg	bit	
conflict_fire_assmt	rhonchi	bit	

conflict_fire_assmt	rldisten	bit	
conflict_fire_assmt	rledeform	bit	
conflict_fire_assmt	rledema	bit	
conflict_fire_assmt	rlclacles	bit	
conflict_fire_assmt	rllepulse	bit	
conflict_fire_assmt	rlesens	bit	
conflict_fire_assmt	rlguard	bit	
conflict_fire_assmt	rllacles	bit	
conflict_fire_assmt	rlmass	bit	
conflict_fire_assmt	rlnormal	bit	
conflict_fire_assmt	rlnotdone	bit	
conflict_fire_assmt	rlpain	bit	
conflict_fire_assmt	rltender	bit	
conflict_fire_assmt	rlweak	bit	
conflict_fire_assmt	rnotdone	bit	
conflict_fire_assmt	rowguid	uniqueidentifier	
conflict_fire_assmt	rpupbln	bit	
conflict_fire_assmt	rpupcon	bit	
conflict_fire_assmt	rpupdil	bit	
conflict_fire_assmt	rpupnon	bit	
conflict_fire_assmt	rpuprea	bit	
conflict_fire_assmt	rudisten	bit	
conflict_fire_assmt	ruedeform	bit	
conflict_fire_assmt	ruedema	bit	
conflict_fire_assmt	ruelacles	bit	
conflict_fire_assmt	ruelpulse	bit	
conflict_fire_assmt	ruesens	bit	
conflict_fire_assmt	ruguard	bit	
conflict_fire_assmt	rulacles	bit	
conflict_fire_assmt	rumass	bit	
conflict_fire_assmt	runormal	bit	
conflict_fire_assmt	runotdone	bit	
conflict_fire_assmt	rupain	bit	
conflict_fire_assmt	rutender	bit	
conflict_fire_assmt	ruweak	bit	
conflict_fire_assmt	sklividity	bit	
conflict_fire_assmt	skmottled	bit	
conflict_fire_assmt	sknormal	bit	
conflict_fire_assmt	sknotdone	bit	
conflict_fire_assmt	sqair	bit	
conflict_fire_assmt	stridor	bit	
conflict_fire_assmt	tender	bit	
conflict_fire_assmt	tracheal	bit	
conflict_fire_assmt	unequal	bit	
conflict_fire_assmt	unstable	bit	
conflict_fire_assmt	user1	varchar	50
conflict_fire_assmt	user10	varchar	50
conflict_fire_assmt	user11	varchar	50
conflict_fire_assmt	user12	varchar	50
conflict_fire_assmt	user2	varchar	50
conflict_fire_assmt	user3	varchar	50
conflict_fire_assmt	user4	varchar	50
conflict_fire_assmt	user5	varchar	50
conflict_fire_assmt	user6	varchar	50
conflict_fire_assmt	user7	varchar	50

conflict_fire_assmt	user8	varchar	50
conflict_fire_assmt	user9	varchar	50
conflict_fire_assmt	warm	bit	
conflict_fire_assmt	wheezing	bit	
conflict_fire_assmt	xnotll	bit	
conflict_fire_assmt	xnotlu	bit	
conflict_fire_assmt	xnotrl	bit	
conflict_fire_assmt	xnotru	bit	
conflict_fire_attach	addtime	datetime	
conflict_fire_attach	adduser	varchar	100
conflict_fire_attach	att_cat	varchar	20
conflict_fire_attach	att_name	varchar	30
conflict_fire_attach	att_seq	numeric	
conflict_fire_attach	att_type	varchar	20
conflict_fire_attach	citem_seq	numeric	
conflict_fire_attach	clnktble	char	20
conflict_fire_attach	conflict_type	int	
conflict_fire_attach	date_taken	datetime	
conflict_fire_attach	filename	varchar	150
conflict_fire_attach	item_seq	numeric	
conflict_fire_attach	lnktble	char	20
conflict_fire_attach	MSrepl_create_time	datetime	
conflict_fire_attach	notes	text	2147483647
conflict_fire_attach	origin_datasource	nvarchar	255
conflict_fire_attach	pubid	uniqueidentifier	
conflict_fire_attach	reason_code	int	
conflict_fire_attach	reason_text	nvarchar	720
conflict_fire_attach	rowguid	uniqueidentifier	
conflict_fire_attach	taken_by	varchar	20
conflict_fire_battach	addtime	datetime	
conflict_fire_battach	adduser	varchar	100
conflict_fire_battach	att_bin	image	2147483647
conflict_fire_battach	att_seq	numeric	
conflict_fire_battach	batt_seq	numeric	
conflict_fire_battach	conflict_type	int	
conflict_fire_battach	content	text	2147483647
conflict_fire_battach	moduser	varchar	100
conflict_fire_battach	MSrepl_create_time	datetime	
conflict_fire_battach	origin_datasource	nvarchar	255
conflict_fire_battach	pubid	uniqueidentifier	
conflict_fire_battach	reason_code	int	
conflict_fire_battach	reason_text	nvarchar	720
conflict_fire_battach	rowguid	uniqueidentifier	
conflict_fire_battalion	batt_seq	numeric	
conflict_fire_battalion	conflict_type	int	
conflict_fire_battalion	dept_seq	numeric	
conflict_fire_battalion	div_seq	numeric	
conflict_fire_battalion	MSrepl_create_time	datetime	
conflict_fire_battalion	name	char	30
conflict_fire_battalion	origin_datasource	nvarchar	255
conflict_fire_battalion	pubid	uniqueidentifier	
conflict_fire_battalion	reason_code	int	
conflict_fire_battalion	reason_text	nvarchar	720
conflict_fire_battalion	rowguid	uniqueidentifier	
conflict_fire_billexpt	boe	bit	

conflict_fire_billexpt	conflict_type	int	
conflict_fire_billexpt	cursorprep	text	2147483647
conflict_fire_billexpt	cust	varchar	30
conflict_fire_billexpt	eo	bit	
conflict_fire_billexpt	exp_type	char	10
conflict_fire_billexpt	expression	text	2147483647
conflict_fire_billexpt	exptype	varchar	30
conflict_fire_billexpt	field	char	19
conflict_fire_billexpt	field_desc	varchar	40
conflict_fire_billexpt	format_sty	varchar	40
conflict_fire_billexpt	format_typ	char	10
conflict_fire_billexpt	length	float	
conflict_fire_billexpt	level_	int	
conflict_fire_billexpt	MSrepl_create_time	datetime	
conflict_fire_billexpt	newrecov	bit	
conflict_fire_billexpt	origin_datasource	nvarchar	255
conflict_fire_billexpt	postproces	text	2147483647
conflict_fire_billexpt	preprocess	text	2147483647
conflict_fire_billexpt	prim_seq	numeric	
conflict_fire_billexpt	prog_label	char	10
conflict_fire_billexpt	pubid	uniqueidentifier	
conflict_fire_billexpt	reason_code	int	
conflict_fire_billexpt	reason_text	nvarchar	720
conflict_fire_billexpt	rowguid	uniqueidentifier	
conflict_fire_billexpt	seq	int	
conflict_fire_billexpt	state	char	2
conflict_fire_billstatuslookup	billstatuslookupseq	int	
conflict_fire_billstatuslookup	code	char	10
conflict_fire_billstatuslookup	conflict_type	int	
conflict_fire_billstatuslookup	descr	varchar	30
conflict_fire_billstatuslookup	MSrepl_create_time	datetime	
conflict_fire_billstatuslookup	origin_datasource	nvarchar	255
conflict_fire_billstatuslookup	pubid	uniqueidentifier	
conflict_fire_billstatuslookup	reason_code	int	
conflict_fire_billstatuslookup	reason_text	nvarchar	720
conflict_fire_billstatuslookup	rowguid	uniqueidentifier	
conflict_fire_bindata	addtime	datetime	
conflict_fire_bindata	adduser	char	11
conflict_fire_bindata	bin_seq	numeric	
conflict_fire_bindata	conflict_type	int	
conflict_fire_bindata	content	text	2147483647
conflict_fire_bindata	digimage	image	2147483647
conflict_fire_bindata	moduser	char	11
conflict_fire_bindata	MSrepl_create_time	datetime	
conflict_fire_bindata	origin_datasource	nvarchar	255
conflict_fire_bindata	pubid	uniqueidentifier	
conflict_fire_bindata	reason_code	int	
conflict_fire_bindata	reason_text	nvarchar	720
conflict_fire_bindata	rowguid	uniqueidentifier	
conflict_fire_cad_times	cexpr	varchar	100
conflict_fire_cad_times	conflict_type	int	
conflict_fire_cad_times	ctimetype	varchar	20
conflict_fire_cad_times	MSrepl_create_time	datetime	
conflict_fire_cad_times	ntimekey	numeric	
conflict_fire_cad_times	origin_datasource	nvarchar	255

conflict_fire_cad_times	pubid	uniqueidentifier	
conflict_fire_cad_times	reason_code	int	
conflict_fire_cad_times	reason_text	nvarchar	720
conflict_fire_cad_times	rowguid	uniqueidentifier	
conflict_fire_cardiac	activity	bit	
conflict_fire_cardiac	addtime	datetime	
conflict_fire_cardiac	alert	bit	
conflict_fire_cardiac	arlapse	char	30
conflict_fire_cardiac	arlapseco	char	10
conflict_fire_cardiac	arms	bit	
conflict_fire_cardiac	arrest	char	30
conflict_fire_cardiac	arrestco	char	10
conflict_fire_cardiac	attdef	bit	
conflict_fire_cardiac	attvent	bit	
conflict_fire_cardiac	car_seq	numeric	
conflict_fire_cardiac	cardarrdtm	datetime	
conflict_fire_cardiac	cardarrwco	char	2
conflict_fire_cardiac	cardarrwit	varchar	40
conflict_fire_cardiac	chgpost	bit	
conflict_fire_cardiac	circondtm	datetime	
conflict_fire_cardiac	conflict_type	int	
conflict_fire_cardiac	cprdis	varchar	60
conflict_fire_cardiac	cprdisco	char	10
conflict_fire_cardiac	cprstart	datetime	
conflict_fire_cardiac	cprstop	datetime	
conflict_fire_cardiac	deepinsp	bit	
conflict_fire_cardiac	diaphor	bit	
conflict_fire_cardiac	dypsnea	bit	
conflict_fire_cardiac	edema	bit	
conflict_fire_cardiac	ems_seq	numeric	
conflict_fire_cardiac	epigastric	bit	
conflict_fire_cardiac	errors	text	2147483647
conflict_fire_cardiac	etio	char	30
conflict_fire_cardiac	etiocode	char	10
conflict_fire_cardiac	firstrhy	char	50
conflict_fire_cardiac	firstrhyco	char	10
conflict_fire_cardiac	hospneur	char	30
conflict_fire_cardiac	hospneurco	char	10
conflict_fire_cardiac	initcp	bit	
conflict_fire_cardiac	jaw	bit	
conflict_fire_cardiac	lead12	varchar	100
conflict_fire_cardiac	midsternal	bit	
conflict_fire_cardiac	MSrepl_create_time	datetime	
conflict_fire_cardiac	naturepain	char	15
conflict_fire_cardiac	nausea	bit	
conflict_fire_cardiac	neck	bit	
conflict_fire_cardiac	none_	bit	
conflict_fire_cardiac	nopain	bit	
conflict_fire_cardiac	notapp	bit	
conflict_fire_cardiac	notav	bit	
conflict_fire_cardiac	notcirc	bit	
conflict_fire_cardiac	notdnr	bit	
conflict_fire_cardiac	notfut	bit	
conflict_fire_cardiac	notknown	bit	
conflict_fire_cardiac	onsetpain	varchar	30

conflict_fire_cardiac	origin_datasource	nvarchar	255
conflict_fire_cardiac	other	bit	
conflict_fire_cardiac	palpat	bit	
conflict_fire_cardiac	pubid	uniqueidentifier	
conflict_fire_cardiac	pulsearriv	bit	
conflict_fire_cardiac	qualpain	char	15
conflict_fire_cardiac	radlocat	varchar	50
conflict_fire_cardiac	radofpain	bit	
conflict_fire_cardiac	reason_code	int	
conflict_fire_cardiac	reason_text	nvarchar	720
conflict_fire_cardiac	retcirc	varchar	50
conflict_fire_cardiac	retcircco	char	10
conflict_fire_cardiac	rhydes	char	50
conflict_fire_cardiac	rhydesco	char	10
conflict_fire_cardiac	rowguid	uniqueidentifier	
conflict_fire_cardiac	substernal	bit	
conflict_fire_cardiac	timeonset	datetime	
conflict_fire_cardiac	upback	bit	
conflict_fire_cardiac	vomiting	bit	
conflict_fire_cardpro	arr_after	bit	
conflict_fire_cardpro	circondtm	datetime	
conflict_fire_cardpro	circretrn	varchar	15
conflict_fire_cardpro	conflict_type	int	
conflict_fire_cardpro	cprbyco	char	2
conflict_fire_cardpro	cprmethod	float	
conflict_fire_cardpro	cpro_seq	numeric	
conflict_fire_cardpro	cprstart	datetime	
conflict_fire_cardpro	cprstop	datetime	
conflict_fire_cardpro	cprstrtby	char	15
conflict_fire_cardpro	cprsuccess	bit	
conflict_fire_cardpro	defbdevco	char	2
conflict_fire_cardpro	defbdevice	varchar	20
conflict_fire_cardpro	defib_by	char	10
conflict_fire_cardpro	defib1dtm	datetime	
conflict_fire_cardpro	defibbyco	char	2
conflict_fire_cardpro	defibrill	bit	
conflict_fire_cardpro	dnrinplace	bit	
conflict_fire_cardpro	ems_seq	numeric	
conflict_fire_cardpro	MSrepl_create_time	datetime	
conflict_fire_cardpro	origin_datasource	nvarchar	255
conflict_fire_cardpro	pubid	uniqueidentifier	
conflict_fire_cardpro	pulsearriv	bit	
conflict_fire_cardpro	reason_code	int	
conflict_fire_cardpro	reason_text	nvarchar	720
conflict_fire_cardpro	rowguid	uniqueidentifier	
conflict_fire_certify	category	char	4
conflict_fire_certify	cert_seq	numeric	
conflict_fire_certify	certcode	char	10
conflict_fire_certify	certdesc	char	40
conflict_fire_certify	certorqual	char	1
conflict_fire_certify	conflict_type	int	
conflict_fire_certify	dept_seq	numeric	
conflict_fire_certify	ems_cadpull_time	char	20
conflict_fire_certify	inithours	int	
conflict_fire_certify	issueagent	char	4

conflict_fire_certify	MSrepl_create_time	datetime	
conflict_fire_certify	notes	text	2147483647
conflict_fire_certify	origin_datasource	nvarchar	255
conflict_fire_certify	pubid	uniqueidentifier	
conflict_fire_certify	reason_code	int	
conflict_fire_certify	reason_text	nvarchar	720
conflict_fire_certify	recertify	float	
conflict_fire_certify	reqhours	float	
conflict_fire_certify	rowguid	uniqueidentifier	
conflict_fire_certify	termmonth	int	
conflict_fire_certreqs	cert_seq	numeric	
conflict_fire_certreqs	cirr_seq	numeric	
conflict_fire_certreqs	conflict_type	int	
conflict_fire_certreqs	MSrepl_create_time	datetime	
conflict_fire_certreqs	origin_datasource	nvarchar	255
conflict_fire_certreqs	prim_seq	numeric	
conflict_fire_certreqs	pubid	uniqueidentifier	
conflict_fire_certreqs	reason_code	int	
conflict_fire_certreqs	reason_text	nvarchar	720
conflict_fire_certreqs	rowguid	uniqueidentifier	
conflict_fire_chapters	addmark	float	
conflict_fire_chapters	addtime	datetime	
conflict_fire_chapters	adduser	varchar	100
conflict_fire_chapters	agency	char	15
conflict_fire_chapters	chapter_title	char	80
conflict_fire_chapters	conflict_type	int	
conflict_fire_chapters	contents	text	2147483647
conflict_fire_chapters	dept_seq	numeric	
conflict_fire_chapters	f_dist	char	15
conflict_fire_chapters	fc_seq	numeric	
conflict_fire_chapters	modmark	float	
conflict_fire_chapters	modtime	datetime	
conflict_fire_chapters	moduser	varchar	100
conflict_fire_chapters	MSrepl_create_time	datetime	
conflict_fire_chapters	notes	text	2147483647
conflict_fire_chapters	origin_datasource	nvarchar	255
conflict_fire_chapters	pubid	uniqueidentifier	
conflict_fire_chapters	reason_code	int	
conflict_fire_chapters	reason_text	nvarchar	720
conflict_fire_chapters	rowguid	uniqueidentifier	
conflict_fire_chemlist	amb_state	char	6
conflict_fire_chemlist	cas	char	11
conflict_fire_chemlist	chem_name	char	60
conflict_fire_chemlist	chem_pref	bit	
conflict_fire_chemlist	chem_srce	char	5
conflict_fire_chemlist	chris	char	3
conflict_fire_chemlist	conflict_type	int	
conflict_fire_chemlist	ext_name	varchar	140
conflict_fire_chemlist	formula	varchar	30
conflict_fire_chemlist	hazlab	varchar	50
conflict_fire_chemlist	lfad	char	16
conflict_fire_chemlist	lfbid	char	3
conflict_fire_chemlist	lfm	char	16
conflict_fire_chemlist	loc	float	
conflict_fire_chemlist	MSrepl_create_time	datetime	

conflict_fire_chemlist	nfpa_f	char	1
conflict_fire_chemlist	nfpa_h	char	1
conflict_fire_chemlist	nfpa_r	char	1
conflict_fire_chemlist	nfpa_s	char	1
conflict_fire_chemlist	noaano	char	5
conflict_fire_chemlist	origin_datasource	nvarchar	255
conflict_fire_chemlist	pref_id	char	10
conflict_fire_chemlist	pubid	uniqueidentifier	
conflict_fire_chemlist	rcra	char	4
conflict_fire_chemlist	reason_code	int	
conflict_fire_chemlist	reason_text	nvarchar	720
conflict_fire_chemlist	recid60	char	10
conflict_fire_chemlist	rowguid	uniqueidentifier	
conflict_fire_chemlist	rq	char	5
conflict_fire_chemlist	rtecs	char	9
conflict_fire_chemlist	stcc	char	7
conflict_fire_chemlist	thres_112r	char	10
conflict_fire_chemlist	tpq	char	10
conflict_fire_chemlist	unno	char	4
conflict_fire_chemlist	update_	datetime	
conflict_fire_chemlist	yn_112r	bit	
conflict_fire_chemlist	yn_313	bit	
conflict_fire_chemlist	yn_cercla	bit	
conflict_fire_chemlist	yn_ehs	bit	
conflict_fire_cirricul	category	char	4
conflict_fire_cirricul	ceu	char	10
conflict_fire_cirricul	cirr_seq	numeric	
conflict_fire_cirricul	conflict_type	int	
conflict_fire_cirricul	countcert	bit	
conflict_fire_cirricul	coursedesc	char	40
conflict_fire_cirricul	courseid	char	10
conflict_fire_cirricul	coursenum	char	10
conflict_fire_cirricul	dept_seq	numeric	
conflict_fire_cirricul	estcost	money	
conflict_fire_cirricul	hours	float	
conflict_fire_cirricul	inactive	bit	
conflict_fire_cirricul	location	varchar	30
conflict_fire_cirricul	modmark	numeric	
conflict_fire_cirricul	MSrepl_create_time	datetime	
conflict_fire_cirricul	origin_datasource	nvarchar	255
conflict_fire_cirricul	points	char	10
conflict_fire_cirricul	pubid	uniqueidentifier	
conflict_fire_cirricul	reason_code	int	
conflict_fire_cirricul	reason_text	nvarchar	720
conflict_fire_cirricul	rowguid	uniqueidentifier	
conflict_fire_cirricul	scored	bit	
conflict_fire_cirricul	trmethod	char	4
conflict_fire_citatio	ac_cp_date	datetime	
conflict_fire_citatio	addtime	datetime	
conflict_fire_citatio	cit_code	char	10
conflict_fire_citatio	cit_date	datetime	
conflict_fire_citatio	cit_desc	text	2147483647
conflict_fire_citatio	cit_floor	char	10
conflict_fire_citatio	cit_loc	varchar	40
conflict_fire_citatio	cit_seq	numeric	

conflict_fire_citatio	cleared_by	char	10
conflict_fire_citatio	comp_seq	numeric	
conflict_fire_citatio	conflict_type	int	
conflict_fire_citatio	fine_amt	money	
conflict_fire_citatio	fine_due	datetime	
conflict_fire_citatio	fine_log	bit	
conflict_fire_citatio	fine_recd	datetime	
conflict_fire_citatio	gen_code	bit	
conflict_fire_citatio	in_seq	numeric	
conflict_fire_citatio	insp_by	char	10
conflict_fire_citatio	life_safe	bit	
conflict_fire_citatio	MSrepl_create_time	datetime	
conflict_fire_citatio	notes	text	2147483647
conflict_fire_citatio	origin_datasource	nvarchar	255
conflict_fire_citatio	pubid	uniqueidentifier	
conflict_fire_citatio	reason_code	int	
conflict_fire_citatio	reason_text	nvarchar	720
conflict_fire_citatio	rowguid	uniqueidentifier	
conflict_fire_citatio	site_seq	numeric	
conflict_fire_citatio	vio_seq	numeric	
conflict_fire_codelook	code	varchar	100
conflict_fire_codelook	codeseq	numeric	
conflict_fire_codelook	conflict_type	int	
conflict_fire_codelook	descrip	varchar	100
conflict_fire_codelook	expcode	varchar	100
conflict_fire_codelook	export	varchar	100
conflict_fire_codelook	field	varchar	100
conflict_fire_codelook	MSrepl_create_time	datetime	
conflict_fire_codelook	origin_datasource	nvarchar	255
conflict_fire_codelook	pubid	uniqueidentifier	
conflict_fire_codelook	reason_code	int	
conflict_fire_codelook	reason_text	nvarchar	720
conflict_fire_codelook	rowguid	uniqueidentifier	
conflict_fire_combdata	cmb_seq	numeric	
conflict_fire_combdata	code	char	3
conflict_fire_combdata	conflict_type	int	
conflict_fire_combdata	dept_seq	numeric	
conflict_fire_combdata	inactive	bit	
conflict_fire_combdata	MSrepl_create_time	datetime	
conflict_fire_combdata	origin_datasource	nvarchar	255
conflict_fire_combdata	pubid	uniqueidentifier	
conflict_fire_combdata	reason_code	int	
conflict_fire_combdata	reason_text	nvarchar	720
conflict_fire_combdata	rowguid	uniqueidentifier	
conflict_fire_combdata	seq	int	
conflict_fire_combdata	value1	varchar	50
conflict_fire_combdata	value2	varchar	100
conflict_fire_combdata	windows	char	15
conflict_fire_combmeta	addtime	datetime	
conflict_fire_combmeta	adduser	varchar	30
conflict_fire_combmeta	ccode	varchar	1500
conflict_fire_combmeta	combmetaseq	numeric	
conflict_fire_combmeta	conflict_type	int	
conflict_fire_combmeta	ctablename	varchar	30
conflict_fire_combmeta	dept_config	bit	

conflict_fire_combmeta	dept_restrict	bit	
conflict_fire_combmeta	dept_seq	numeric	
conflict_fire_combmeta	MSrepl_create_time	datetime	
conflict_fire_combmeta	origin_datasource	nvarchar	255
conflict_fire_combmeta	pubid	uniqueidentifier	
conflict_fire_combmeta	reason_code	int	
conflict_fire_combmeta	reason_text	nvarchar	720
conflict_fire_combmeta	rowguid	uniqueidentifier	
conflict_fire_comm	comdate	datetime	
conflict_fire_comm	comseq	numeric	
conflict_fire_comm	comtypeseq	numeric	
conflict_fire_comm	conflict_type	int	
conflict_fire_comm	emailfrom	varchar	50
conflict_fire_comm	emailto	varchar	600
conflict_fire_comm	errorcode	int	
conflict_fire_comm	faxid	int	
conflict_fire_comm	faxnumfrom	char	15
conflict_fire_comm	faxnumto	char	15
conflict_fire_comm	faxpresserror	varchar	1000
conflict_fire_comm	fromaddr	varchar	50
conflict_fire_comm	fromname	varchar	50
conflict_fire_comm	itemseq	numeric	
conflict_fire_comm	lnktable	char	10
conflict_fire_comm	MSrepl_create_time	datetime	
conflict_fire_comm	nxtcom	datetime	
conflict_fire_comm	origin_datasource	nvarchar	255
conflict_fire_comm	outputdir	varchar	255
conflict_fire_comm	pubid	uniqueidentifier	
conflict_fire_comm	reason_code	int	
conflict_fire_comm	reason_text	nvarchar	720
conflict_fire_comm	reportname	varchar	50
conflict_fire_comm	rowguid	uniqueidentifier	
conflict_fire_comm	sent	bit	
conflict_fire_comm	sentdate	datetime	
conflict_fire_comm	status	int	
conflict_fire_comm	subject	varchar	50
conflict_fire_comm	toaddr	varchar	50
conflict_fire_comm	toname	varchar	50
conflict_fire_commtype	comtypeseq	numeric	
conflict_fire_commtype	conflict_type	int	
conflict_fire_commtype	desc	char	25
conflict_fire_commtype	descr	varchar	50
conflict_fire_commtype	MSrepl_create_time	datetime	
conflict_fire_commtype	origin_datasource	nvarchar	255
conflict_fire_commtype	pubid	uniqueidentifier	
conflict_fire_commtype	reason_code	int	
conflict_fire_commtype	reason_text	nvarchar	720
conflict_fire_commtype	rowguid	uniqueidentifier	
conflict_fire_commtype	typecode	text	2147483647
conflict_fire_companys	com_seq	numeric	
conflict_fire_companys	comp_id	char	10
conflict_fire_companys	compname	varchar	40
conflict_fire_companys	conflict_type	int	
conflict_fire_companys	dept_seq	numeric	
conflict_fire_companys	eq_seq	numeric	

conflict_fire_companys	MSrepl_create_time	datetime	
conflict_fire_companys	origin_datasource	nvarchar	255
conflict_fire_companys	pubid	uniqueidentifier	
conflict_fire_companys	reason_code	int	
conflict_fire_companys	reason_text	nvarchar	720
conflict_fire_companys	rowguid	uniqueidentifier	
conflict_fire_companys	sched_seq	numeric	
conflict_fire_companys	sta_seq	numeric	
conflict_fire_companys	type	char	10
conflict_fire_comparts	agency	char	10
conflict_fire_comparts	cmp_seq	numeric	
conflict_fire_comparts	com_code	char	10
conflict_fire_comparts	com_desc	varchar	40
conflict_fire_comparts	conflict_type	int	
conflict_fire_comparts	dept_seq	numeric	
conflict_fire_comparts	eq_seq	numeric	
conflict_fire_comparts	MSrepl_create_time	datetime	
conflict_fire_comparts	origin_datasource	nvarchar	255
conflict_fire_comparts	pubid	uniqueidentifier	
conflict_fire_comparts	reason_code	int	
conflict_fire_comparts	reason_text	nvarchar	720
conflict_fire_comparts	rowguid	uniqueidentifier	
conflict_fire_comparts	unit_num	char	10
conflict_fire_complia	addtime	datetime	
conflict_fire_complia	comp_seq	numeric	
conflict_fire_complia	conflict_type	int	
conflict_fire_complia	date_begun	datetime	
conflict_fire_complia	date_end	datetime	
conflict_fire_complia	in_seq	numeric	
conflict_fire_complia	insp_fname	char	20
conflict_fire_complia	insp_lname	char	30
conflict_fire_complia	insp_mname	char	15
conflict_fire_complia	insp_mni_seq	numeric	
conflict_fire_complia	insp_suffix	char	5
conflict_fire_complia	inspector	char	15
conflict_fire_complia	lactive	bit	
conflict_fire_complia	MSrepl_create_time	datetime	
conflict_fire_complia	notes	text	2147483647
conflict_fire_complia	origin_datasource	nvarchar	255
conflict_fire_complia	pubid	uniqueidentifier	
conflict_fire_complia	reason_code	int	
conflict_fire_complia	reason_text	nvarchar	720
conflict_fire_complia	rowguid	uniqueidentifier	
conflict_fire_complia	site_seq	numeric	
conflict_fire_complia	totttime	float	
conflict_fire_courses	addtime	datetime	
conflict_fire_courses	ceu	char	10
conflict_fire_courses	cirr_seq	numeric	
conflict_fire_courses	conflict_type	int	
conflict_fire_courses	countcertf	bit	
conflict_fire_courses	course_seq	numeric	
conflict_fire_courses	coursedate	datetime	
conflict_fire_courses	coursedesc	char	40
conflict_fire_courses	coursehour	float	
conflict_fire_courses	courseid	char	10

conflict_fire_courses	coursenum	char	10
conflict_fire_courses	crsdate2	datetime	
conflict_fire_courses	dept_seq	numeric	
conflict_fire_courses	indoor	bit	
conflict_fire_courses	inst_num	char	10
conflict_fire_courses	inst_out	bit	
conflict_fire_courses	inst_seq	numeric	
conflict_fire_courses	instfirst	varchar	20
conflict_fire_courses	instlast	char	20
conflict_fire_courses	instmidl	char	2
conflict_fire_courses	instmniseq	numeric	
conflict_fire_courses	instsuff	char	15
conflict_fire_courses	isocomp	varchar	20
conflict_fire_courses	location	char	30
conflict_fire_courses	lodge	money	
conflict_fire_courses	material	money	
conflict_fire_courses	mealexp	money	
conflict_fire_courses	miscexp	money	
conflict_fire_courses	MSrepl_create_time	datetime	
conflict_fire_courses	night	bit	
conflict_fire_courses	notes	text	2147483647
conflict_fire_courses	origin_datasource	nvarchar	255
conflict_fire_courses	perstdcost	money	
conflict_fire_courses	points	char	10
conflict_fire_courses	pubid	uniqueidentifier	
conflict_fire_courses	reason_code	int	
conflict_fire_courses	reason_text	nvarchar	720
conflict_fire_courses	rowguid	uniqueidentifier	
conflict_fire_courses	statecertf	bit	
conflict_fire_courses	testscore	bit	
conflict_fire_courses	trcategory	char	4
conflict_fire_courses	trmethod	char	4
conflict_fire_courses	tution	money	
conflict_fire_dailyact	act_seq	numeric	
conflict_fire_dailyact	addtime	datetime	
conflict_fire_dailyact	audcount	float	
conflict_fire_dailyact	certcode	char	10
conflict_fire_dailyact	code	char	10
conflict_fire_dailyact	conflict_type	int	
conflict_fire_dailyact	countcertf	bit	
conflict_fire_dailyact	days_seq	numeric	
conflict_fire_dailyact	location	text	2147483647
conflict_fire_dailyact	MSrepl_create_time	datetime	
conflict_fire_dailyact	origin_datasource	nvarchar	255
conflict_fire_dailyact	points	char	10
conflict_fire_dailyact	pubid	uniqueidentifier	
conflict_fire_dailyact	reason_code	int	
conflict_fire_dailyact	reason_text	nvarchar	720
conflict_fire_dailyact	rowguid	uniqueidentifier	
conflict_fire_dailyact	time_	float	
conflict_fire_daysact	addtime	datetime	
conflict_fire_daysact	comptime	float	
conflict_fire_daysact	conflict_type	int	
conflict_fire_daysact	date_	datetime	
conflict_fire_daysact	days_seq	numeric	

conflict_fire_daysact	dept_seq	numeric	
conflict_fire_daysact	emp_seq	numeric	
conflict_fire_daysact	mileage	float	
conflict_fire_daysact	MSrepl_create_time	datetime	
conflict_fire_daysact	origin_datasource	nvarchar	255
conflict_fire_daysact	pubid	uniqueidentifier	
conflict_fire_daysact	reason_code	int	
conflict_fire_daysact	reason_text	nvarchar	720
conflict_fire_daysact	rowguid	uniqueidentifier	
conflict_fire_daysact	shift_seq	numeric	
conflict_fire_depts	address1	varchar	60
conflict_fire_depts	address2	varchar	60
conflict_fire_depts	agency	char	15
conflict_fire_depts	autoemsbill_exp	bit	
conflict_fire_depts	autostate_exp	bit	
conflict_fire_depts	city	varchar	20
conflict_fire_depts	conflict_type	int	
conflict_fire_depts	countyname	varchar	25
conflict_fire_depts	countynum	char	5
conflict_fire_depts	dept_seq	numeric	
conflict_fire_depts	deptcode	char	10
conflict_fire_depts	deptname	varchar	60
conflict_fire_depts	emp_seq	int	
conflict_fire_depts	f_dist	char	15
conflict_fire_depts	fdid	char	10
conflict_fire_depts	loc_seq	numeric	
conflict_fire_depts	mainfone	varchar	25
conflict_fire_depts	mgr_seq	int	
conflict_fire_depts	MSrepl_create_time	datetime	
conflict_fire_depts	origin_datasource	nvarchar	255
conflict_fire_depts	prov_name	varchar	40
conflict_fire_depts	prov_num	char	10
conflict_fire_depts	pubid	uniqueidentifier	
conflict_fire_depts	reason_code	int	
conflict_fire_depts	reason_text	nvarchar	720
conflict_fire_depts	rowguid	uniqueidentifier	
conflict_fire_depts	state	char	2
conflict_fire_depts	staterep	bit	
conflict_fire_depts	station	varchar	20
conflict_fire_depts	stprefix	char	3
conflict_fire_depts	street_num	char	10
conflict_fire_depts	stsuffix	char	3
conflict_fire_depts	sttype	char	4
conflict_fire_depts	zip	char	10
conflict_fire_detectr	addtime	datetime	
conflict_fire_detectr	conflict_type	int	
conflict_fire_detectr	detect_seq	numeric	
conflict_fire_detectr	detect_typ	varchar	20
conflict_fire_detectr	location	varchar	30
conflict_fire_detectr	MSrepl_create_time	datetime	
conflict_fire_detectr	notes	text	2147483647
conflict_fire_detectr	number	int	
conflict_fire_detectr	origin_datasource	nvarchar	255
conflict_fire_detectr	pubid	uniqueidentifier	
conflict_fire_detectr	reason_code	int	

conflict_fire_detectr	reason_text	nvarchar	720
conflict_fire_detectr	rowguid	uniqueidentifier	
conflict_fire_detectr	site_seq	numeric	
conflict_fire_device	addtime	datetime	
conflict_fire_device	adduser	varchar	100
conflict_fire_device	co2	numeric	
conflict_fire_device	conflict_type	int	
conflict_fire_device	device_seq	numeric	
conflict_fire_device	diabp	numeric	
conflict_fire_device	dmode	char	30
conflict_fire_device	dtime	datetime	
conflict_fire_device	ecgint	char	30
conflict_fire_device	ecglead	char	30
conflict_fire_device	ems_seq	numeric	
conflict_fire_device	ename	char	30
conflict_fire_device	energy	char	30
conflict_fire_device	hrate	numeric	
conflict_fire_device	invpressm	numeric	
conflict_fire_device	MSrepl_create_time	datetime	
conflict_fire_device	origin_datasource	nvarchar	255
conflict_fire_device	pacerate	char	30
conflict_fire_device	pox	numeric	
conflict_fire_device	prate	numeric	
conflict_fire_device	pubid	uniqueidentifier	
conflict_fire_device	reason_code	int	
conflict_fire_device	reason_text	nvarchar	720
conflict_fire_device	resprate	numeric	
conflict_fire_device	rowguid	uniqueidentifier	
conflict_fire_device	shockcnt	char	30
conflict_fire_device	shocktype	char	30
conflict_fire_device	sysbp	numeric	
conflict_fire_device	units	char	30
conflict_fire_division	conflict_type	int	
conflict_fire_division	dept_seq	numeric	
conflict_fire_division	div_seq	numeric	
conflict_fire_division	MSrepl_create_time	datetime	
conflict_fire_division	name	char	20
conflict_fire_division	origin_datasource	nvarchar	255
conflict_fire_division	pubid	uniqueidentifier	
conflict_fire_division	reason_code	int	
conflict_fire_division	reason_text	nvarchar	720
conflict_fire_division	rowguid	uniqueidentifier	
conflict_fire_drugsusd	addtime	datetime	
conflict_fire_drugsusd	auth	varchar	40
conflict_fire_drugsusd	authphys	varchar	20
conflict_fire_drugsusd	authsuff	char	15
conflict_fire_drugsusd	beforeunit	varchar	30
conflict_fire_drugsusd	compli	varchar	30
conflict_fire_drugsusd	conflict_type	int	
conflict_fire_drugsusd	data1	varchar	100
conflict_fire_drugsusd	data10	varchar	100
conflict_fire_drugsusd	data11	varchar	100
conflict_fire_drugsusd	data12	varchar	100
conflict_fire_drugsusd	data13	varchar	100
conflict_fire_drugsusd	data14	varchar	100

conflict_fire_drugsusd	data15	varchar	100
conflict_fire_drugsusd	data2	varchar	100
conflict_fire_drugsusd	data3	varchar	100
conflict_fire_drugsusd	data4	varchar	100
conflict_fire_drugsusd	data5	varchar	100
conflict_fire_drugsusd	data6	varchar	100
conflict_fire_drugsusd	data7	varchar	100
conflict_fire_drugsusd	data8	varchar	100
conflict_fire_drugsusd	data9	varchar	100
conflict_fire_drugsusd	dose	varchar	20
conflict_fire_drugsusd	doseunits	char	10
conflict_fire_drugsusd	dru_seq	numeric	
conflict_fire_drugsusd	ems_seq	numeric	
conflict_fire_drugsusd	label1	varchar	50
conflict_fire_drugsusd	label10	varchar	50
conflict_fire_drugsusd	label11	varchar	50
conflict_fire_drugsusd	label12	varchar	50
conflict_fire_drugsusd	label13	varchar	50
conflict_fire_drugsusd	label14	varchar	50
conflict_fire_drugsusd	label15	varchar	50
conflict_fire_drugsusd	label2	varchar	50
conflict_fire_drugsusd	label3	varchar	50
conflict_fire_drugsusd	label4	varchar	50
conflict_fire_drugsusd	label5	varchar	50
conflict_fire_drugsusd	label6	varchar	50
conflict_fire_drugsusd	label7	varchar	50
conflict_fire_drugsusd	label8	varchar	50
conflict_fire_drugsusd	label9	varchar	50
conflict_fire_drugsusd	medic1	varchar	30
conflict_fire_drugsusd	medic1seq	numeric	
conflict_fire_drugsusd	medic2	char	10
conflict_fire_drugsusd	medic2seq	numeric	
conflict_fire_drugsusd	medic3	char	10
conflict_fire_drugsusd	medic3seq	numeric	
conflict_fire_drugsusd	medic4	char	10
conflict_fire_drugsusd	medic4seq	numeric	
conflict_fire_drugsusd	medication	varchar	30
conflict_fire_drugsusd	mediccode	char	11
conflict_fire_drugsusd	medicsid	char	10
conflict_fire_drugsusd	MSrepl_create_time	datetime	
conflict_fire_drugsusd	notes	varchar	100
conflict_fire_drugsusd	origin_datasource	nvarchar	255
conflict_fire_drugsusd	phys_seq	numeric	
conflict_fire_drugsusd	physfirst	varchar	20
conflict_fire_drugsusd	physmid	varchar	15
conflict_fire_drugsusd	physsuff	char	15
conflict_fire_drugsusd	pubid	uniqueidentifier	
conflict_fire_drugsusd	reason_code	int	
conflict_fire_drugsusd	reason_text	nvarchar	720
conflict_fire_drugsusd	response	varchar	30
conflict_fire_drugsusd	route	varchar	40
conflict_fire_drugsusd	rowguid	uniqueidentifier	
conflict_fire_drugsusd	timestamp_	datetime	
conflict_fire_eagency	addtime	datetime	
conflict_fire_eagency	adduser	varchar	100

conflict_fire_eagency	agency	varchar	100
conflict_fire_eagency	agencycode	varchar	30
conflict_fire_eagency	arrival	datetime	
conflict_fire_eagency	atype	varchar	30
conflict_fire_eagency	atypecode	varchar	30
conflict_fire_eagency	conflict_type	int	
conflict_fire_eagency	eagency_seq	numeric	
conflict_fire_eagency	ems_seq	numeric	
conflict_fire_eagency	MSrepl_create_time	datetime	
conflict_fire_eagency	note	varchar	100
conflict_fire_eagency	origin_datasource	nvarchar	255
conflict_fire_eagency	pubid	uniqueidentifier	
conflict_fire_eagency	reason_code	int	
conflict_fire_eagency	reason_text	nvarchar	720
conflict_fire_eagency	rowguid	uniqueidentifier	
conflict_fire_eaid	addtime	datetime	
conflict_fire_eaid	adduser	varchar	100
conflict_fire_eaid	aid	varchar	100
conflict_fire_eaid	aidby	varchar	30
conflict_fire_eaid	aidcode	varchar	30
conflict_fire_eaid	aidwhen	datetime	
conflict_fire_eaid	bycode	varchar	30
conflict_fire_eaid	conflict_type	int	
conflict_fire_eaid	eaid_seq	numeric	
conflict_fire_eaid	ems_seq	numeric	
conflict_fire_eaid	MSrepl_create_time	datetime	
conflict_fire_eaid	note	varchar	100
conflict_fire_eaid	origin_datasource	nvarchar	255
conflict_fire_eaid	pubid	uniqueidentifier	
conflict_fire_eaid	reason_code	int	
conflict_fire_eaid	reason_text	nvarchar	720
conflict_fire_eaid	result	varchar	30
conflict_fire_eaid	resultcode	varchar	30
conflict_fire_eaid	rowguid	uniqueidentifier	
conflict_fire_educate	conflict_type	int	
conflict_fire_educate	degree	char	10
conflict_fire_educate	edu_seq	numeric	
conflict_fire_educate	emp_seq	numeric	
conflict_fire_educate	ged	bit	
conflict_fire_educate	graduated	bit	
conflict_fire_educate	major	varchar	20
conflict_fire_educate	MSrepl_create_time	datetime	
conflict_fire_educate	notes	text	2147483647
conflict_fire_educate	origin_datasource	nvarchar	255
conflict_fire_educate	pubid	uniqueidentifier	
conflict_fire_educate	reason_code	int	
conflict_fire_educate	reason_text	nvarchar	720
conflict_fire_educate	rowguid	uniqueidentifier	
conflict_fire_educate	school	varchar	25
conflict_fire_educate	typedegree	char	15
conflict_fire_educate	yeargrad	char	4
conflict_fire_eexpos	addtime	datetime	
conflict_fire_eexpos	adduser	varchar	100
conflict_fire_eexpos	conflict_type	int	
conflict_fire_eexpos	date	datetime	

conflict_fire_eexpos	eexpos_seq	numeric	
conflict_fire_eexpos	ems_seq	numeric	
conflict_fire_eexpos	MSrepl_create_time	datetime	
conflict_fire_eexpos	note	varchar	100
conflict_fire_eexpos	origin_datasource	nvarchar	255
conflict_fire_eexpos	pubid	uniqueidentifier	
conflict_fire_eexpos	reason_code	int	
conflict_fire_eexpos	reason_text	nvarchar	720
conflict_fire_eexpos	role	varchar	30
conflict_fire_eexpos	roleco	char	10
conflict_fire_eexpos	rowguid	uniqueidentifier	
conflict_fire_eexpos	typeco	varchar	50
conflict_fire_eexpos	yn	bit	
conflict_fire_eimages	addmark	float	
conflict_fire_eimages	addtime	datetime	
conflict_fire_eimages	adduser	char	11
conflict_fire_eimages	agency	char	15
conflict_fire_eimages	bin_seq	numeric	
conflict_fire_eimages	conflict_type	int	
conflict_fire_eimages	date_taken	datetime	
conflict_fire_eimages	ems_seq	int	
conflict_fire_eimages	filename	varchar	50
conflict_fire_eimages	fire_dist	char	15
conflict_fire_eimages	imag_name	varchar	30
conflict_fire_eimages	image	varchar	40
conflict_fire_eimages	image_cat	varchar	20
conflict_fire_eimages	image_type	varchar	20
conflict_fire_eimages	img_seq	numeric	
conflict_fire_eimages	modmark	float	
conflict_fire_eimages	modtime	datetime	
conflict_fire_eimages	moduser	char	11
conflict_fire_eimages	MSrepl_create_time	datetime	
conflict_fire_eimages	notes	text	2147483647
conflict_fire_eimages	origin_datasource	nvarchar	255
conflict_fire_eimages	pubid	uniqueidentifier	
conflict_fire_eimages	reason_code	int	
conflict_fire_eimages	reason_text	nvarchar	720
conflict_fire_eimages	rowguid	uniqueidentifier	
conflict_fire_eimages	taken_by	varchar	20
conflict_fire_eimmun	addtime	datetime	
conflict_fire_eimmun	adduser	varchar	100
conflict_fire_eimmun	comment	varchar	1024
conflict_fire_eimmun	conflict_type	int	
conflict_fire_eimmun	dtverified	datetime	
conflict_fire_eimmun	eimmun_seq	numeric	
conflict_fire_eimmun	ems_seq	numeric	
conflict_fire_eimmun	immun	varchar	30
conflict_fire_eimmun	immuncode	varchar	30
conflict_fire_eimmun	immundate	datetime	
conflict_fire_eimmun	MSrepl_create_time	datetime	
conflict_fire_eimmun	origin_datasource	nvarchar	255
conflict_fire_eimmun	pubid	uniqueidentifier	
conflict_fire_eimmun	reason_code	int	
conflict_fire_eimmun	reason_text	nvarchar	720
conflict_fire_eimmun	rowguid	uniqueidentifier	

conflict_fire_einsur	addtime	datetime	
conflict_fire_einsur	adduser	varchar	100
conflict_fire_einsur	comp_seq	numeric	
conflict_fire_einsur	company	varchar	50
conflict_fire_einsur	conflict_type	int	
conflict_fire_einsur	einsur_seq	numeric	
conflict_fire_einsur	ems_seq	numeric	
conflict_fire_einsur	igroup	varchar	50
conflict_fire_einsur	itype	varchar	50
conflict_fire_einsur	MSrepl_create_time	datetime	
conflict_fire_einsur	origin_datasource	nvarchar	255
conflict_fire_einsur	policy	varchar	50
conflict_fire_einsur	priority	varchar	20
conflict_fire_einsur	pubid	uniqueidentifier	
conflict_fire_einsur	reason_code	int	
conflict_fire_einsur	reason_text	nvarchar	720
conflict_fire_einsur	rowguid	uniqueidentifier	
conflict_fire_ems	addtime	datetime	
conflict_fire_ems	adduser	varchar	100
conflict_fire_ems	alcdrug	varchar	50
conflict_fire_ems	alcdrugco	varchar	10
conflict_fire_ems	allergies	text	2147483647
conflict_fire_ems	allerrors	text	2147483647
conflict_fire_ems	appcausco	varchar	100
conflict_fire_ems	appcaustx	varchar	75
conflict_fire_ems	arrivedest	datetime	
conflict_fire_ems	assbyair	bit	
conflict_fire_ems	assbyby	bit	
conflict_fire_ems	assbyfire	bit	
conflict_fire_ems	assbyfr	bit	
conflict_fire_ems	assbyid	char	5
conflict_fire_ems	assbyle	bit	
conflict_fire_ems	assbymd	bit	
conflict_fire_ems	assbyoth	bit	
conflict_fire_ems	assbyres	bit	
conflict_fire_ems	atpatient	datetime	
conflict_fire_ems	cad_id	char	14
conflict_fire_ems	callcanc	datetime	
conflict_fire_ems	callcompl	datetime	
conflict_fire_ems	calloutcod	char	2
conflict_fire_ems	calloutcom	varchar	200
conflict_fire_ems	callrecd	datetime	
conflict_fire_ems	callsign	varchar	30
conflict_fire_ems	calltime	char	4
conflict_fire_ems	callupdown	varchar	50
conflict_fire_ems	case_num	varchar	30
conflict_fire_ems	chfcomp	text	2147483647
conflict_fire_ems	chfdur	varchar	30
conflict_fire_ems	chfunt	varchar	30
conflict_fire_ems	cmnonfile	bit	
conflict_fire_ems	comploc	varchar	30
conflict_fire_ems	comporgan	varchar	30
conflict_fire_ems	condcode	varchar	75
conflict_fire_ems	conddest	varchar	50
conflict_fire_ems	condmod	varchar	70

conflict_fire_ems	conflict_type	int	
conflict_fire_ems	crossst	varchar	50
conflict_fire_ems	delay_co	char	2
conflict_fire_ems	delay_tx	varchar	25
conflict_fire_ems	dept_seq	numeric	
conflict_fire_ems	destptnum	char	30
conflict_fire_ems	directive	varchar	75
conflict_fire_ems	disaster	varchar	50
conflict_fire_ems	disasterco	varchar	200
conflict_fire_ems	disp_as	varchar	75
conflict_fire_ems	disp_co	char	2
conflict_fire_ems	disp_tx	varchar	75
conflict_fire_ems	dispatch	datetime	
conflict_fire_ems	dispdelay	varchar	50
conflict_fire_ems	dispdelayc	varchar	10
conflict_fire_ems	dispfrom	char	15
conflict_fire_ems	dispnotidt	datetime	
conflict_fire_ems	dispzone	varchar	30
conflict_fire_ems	dtbillexp	datetime	
conflict_fire_ems	dtcomplete	datetime	
conflict_fire_ems	emd	varchar	50
conflict_fire_ems	emdnum	varchar	15
conflict_fire_ems	emerdisp	varchar	50
conflict_fire_ems	eminform	varchar	30
conflict_fire_ems	ems_date	datetime	
conflict_fire_ems	ems_seq	numeric	
conflict_fire_ems	emsdup_seq	numeric	
conflict_fire_ems	enroute	datetime	
conflict_fire_ems	errors	text	2147483647
conflict_fire_ems	exposure	varchar	30
conflict_fire_ems	expreport	varchar	30
conflict_fire_ems	exptype	varchar	30
conflict_fire_ems	facaffca	varchar	50
conflict_fire_ems	facaffcaco	char	2
conflict_fire_ems	frarrive	datetime	
conflict_fire_ems	fromgrid	char	10
conflict_fire_ems	fstals	datetime	
conflict_fire_ems	fstarive	datetime	
conflict_fire_ems	fstbls	datetime	
conflict_fire_ems	geotime	datetime	
conflict_fire_ems	geouser	char	11
conflict_fire_ems	geover	bit	
conflict_fire_ems	geoxcoord	numeric	
conflict_fire_ems	geoycoord	numeric	
conflict_fire_ems	gpal_a	float	
conflict_fire_ems	gpal_g	float	
conflict_fire_ems	gpal_l	float	
conflict_fire_ems	gpal_p	float	
conflict_fire_ems	has_adden	float	
conflict_fire_ems	has_als	float	
conflict_fire_ems	has_apgar	float	
conflict_fire_ems	has_assmt	float	
conflict_fire_ems	has_bls	float	
conflict_fire_ems	has_cardi	float	
conflict_fire_ems	has_drugs	float	

conflict_fire_ems	has_excond	float	
conflict_fire_ems	has_img	float	
conflict_fire_ems	has_injlst	float	
conflict_fire_ems	has_medics	float	
conflict_fire_ems	has_meds	float	
conflict_fire_ems	has_prop	float	
conflict_fire_ems	has_vid	float	
conflict_fire_ems	has_vital	float	
conflict_fire_ems	helocall	datetime	
conflict_fire_ems	heloclear	datetime	
conflict_fire_ems	helodest	datetime	
conflict_fire_ems	helolift	datetime	
conflict_fire_ems	helopad	datetime	
conflict_fire_ems	heloquart	datetime	
conflict_fire_ems	hospdisp	varchar	50
conflict_fire_ems	iaddress2	char	15
conflict_fire_ems	icd9	varchar	30
conflict_fire_ems	icity	varchar	25
conflict_fire_ems	icityfips	char	5
conflict_fire_ems	icityfipsco	varchar	200
conflict_fire_ems	icntyfips	char	5
conflict_fire_ems	icntyfipsco	varchar	200
conflict_fire_ems	inc_locco	varchar	10
conflict_fire_ems	inc_loctx	varchar	30
conflict_fire_ems	inc_num	char	14
conflict_fire_ems	inci_seq	int	
conflict_fire_ems	injpresent	varchar	10
conflict_fire_ems	inoutcity	char	10
conflict_fire_ems	inservice	datetime	
conflict_fire_ems	invoiceno	varchar	20
conflict_fire_ems	iscomplete	bit	
conflict_fire_ems	isfinal	bit	
conflict_fire_ems	istafips	char	5
conflict_fire_ems	istate	char	2
conflict_fire_ems	istprefix	char	2
conflict_fire_ems	istreet	char	30
conflict_fire_ems	istreetnum	char	8
conflict_fire_ems	istsuffix	char	2
conflict_fire_ems	isttype	char	4
conflict_fire_ems	izip	char	10
conflict_fire_ems	latitude	char	13
conflict_fire_ems	leftdest	datetime	
conflict_fire_ems	leftscene	datetime	
conflict_fire_ems	loc_seq	numeric	
conflict_fire_ems	longitude	char	13
conflict_fire_ems	lvlcare	varchar	30
conflict_fire_ems	mapzone	varchar	50
conflict_fire_ems	massinc	varchar	100
conflict_fire_ems	massincco	varchar	200
conflict_fire_ems	medprior	char	10
conflict_fire_ems	MSrepl_create_time	datetime	
conflict_fire_ems	narcotics	bit	
conflict_fire_ems	narrative	text	2147483647
conflict_fire_ems	narratvnum	char	10
conflict_fire_ems	nfirsexp	varchar	30

conflict_fire_ems	nfirsno	varchar	30
conflict_fire_ems	nkda	bit	
conflict_fire_ems	numofpat	int	
conflict_fire_ems	onset	datetime	
conflict_fire_ems	origin_datasource	nvarchar	255
conflict_fire_ems	origptnum	char	30
conflict_fire_ems	pat_trans	bit	
conflict_fire_ems	pat_type	varchar	30
conflict_fire_ems	patientcnt	int	
conflict_fire_ems	patientnum	char	3
conflict_fire_ems	pcomplco	varchar	5
conflict_fire_ems	pcompltx	varchar	75
conflict_fire_ems	policeno	varchar	30
conflict_fire_ems	preg	varchar	30
conflict_fire_ems	primagrav	bit	
conflict_fire_ems	primsymp	varchar	60
conflict_fire_ems	priorv	varchar	30
conflict_fire_ems	protocols	text	2147483647
conflict_fire_ems	prov_name	varchar	80
conflict_fire_ems	prov_num	char	10
conflict_fire_ems	prov2imp	varchar	75
conflict_fire_ems	prov2impco	varchar	6
conflict_fire_ems	provimp	varchar	75
conflict_fire_ems	provimpco	varchar	6
conflict_fire_ems	ptfound	varchar	30
conflict_fire_ems	pubid	uniqueidentifier	
conflict_fire_ems	pulsearriv	bit	
conflict_fire_ems	reason_code	int	
conflict_fire_ems	reason_text	nvarchar	720
conflict_fire_ems	regcand	varchar	50
conflict_fire_ems	rept_type	float	
conflict_fire_ems	resourceno	varchar	25
conflict_fire_ems	rev_date	datetime	
conflict_fire_ems	rev_id	char	12
conflict_fire_ems	rev_seq	numeric	
conflict_fire_ems	review	text	2147483647
conflict_fire_ems	revreq	varchar	50
conflict_fire_ems	rework	bit	
conflict_fire_ems	rowguid	uniqueidentifier	
conflict_fire_ems	scene_as	varchar	200
conflict_fire_ems	scene_co	char	2
conflict_fire_ems	scene_tx	varchar	75
conflict_fire_ems	scomplco	varchar	5
conflict_fire_ems	scompltx	varchar	75
conflict_fire_ems	sdelay_co	char	2
conflict_fire_ems	sdelay_tx	varchar	25
conflict_fire_ems	seccomp	text	2147483647
conflict_fire_ems	secdur	varchar	30
conflict_fire_ems	secunt	varchar	30
conflict_fire_ems	sent2bill	bit	
conflict_fire_ems	sentnemsis	datetime	
conflict_fire_ems	servtype	varchar	30
conflict_fire_ems	servtypeco	char	4
conflict_fire_ems	shift	char	2
conflict_fire_ems	signonfile	bit	

conflict_fire_ems	statenum	varchar	50
conflict_fire_ems	subscriber	bit	
conflict_fire_ems	subsnumber	char	15
conflict_fire_ems	tdelay_co	varchar	30
conflict_fire_ems	tdelay_txt	varchar	30
conflict_fire_ems	togrid	char	10
conflict_fire_ems	transcare	datetime	
conflict_fire_ems	trdelay_co	varchar	30
conflict_fire_ems	trdelay_txt	varchar	50
conflict_fire_ems	unit	char	10
conflict_fire_ems	unitarriv	datetime	
conflict_fire_ems	unitrespno	varchar	30
conflict_fire_ems	unitrole	varchar	30
conflict_fire_ems	xagency	varchar	30
conflict_fire_ems	xcoord	numeric	
conflict_fire_ems	ycoord	numeric	
conflict_fire_ems	zonetype	varchar	30
conflict_fire_emscheck	condition	text	2147483647
conflict_fire_emscheck	conflict_type	int	
conflict_fire_emscheck	cust	varchar	30
conflict_fire_emscheck	dept_seq	numeric	
conflict_fire_emscheck	edit_block	char	2
conflict_fire_emscheck	edit_field	varchar	25
conflict_fire_emscheck	edit_level	char	1
conflict_fire_emscheck	edit_no	char	4
conflict_fire_emscheck	edit_order	int	
conflict_fire_emscheck	edit_text	text	2147483647
conflict_fire_emscheck	error_seq	numeric	
conflict_fire_emscheck	errmsgs	varchar	254
conflict_fire_emscheck	focus	varchar	200
conflict_fire_emscheck	group_	char	10
conflict_fire_emscheck	level_	char	10
conflict_fire_emscheck	module_	char	15
conflict_fire_emscheck	MSrepl_create_time	datetime	
conflict_fire_emscheck	origin_datasource	nvarchar	255
conflict_fire_emscheck	pubid	uniqueidentifier	
conflict_fire_emscheck	reason_code	int	
conflict_fire_emscheck	reason_text	nvarchar	720
conflict_fire_emscheck	rowguid	uniqueidentifier	
conflict_fire_emscheck	scancursor	char	15
conflict_fire_emscheck	state	char	2
conflict_fire_emscombo	cmb_seq	numeric	
conflict_fire_emscombo	code	char	3
conflict_fire_emscombo	conflict_type	int	
conflict_fire_emscombo	dept_seq	numeric	
conflict_fire_emscombo	inactive	bit	
conflict_fire_emscombo	MSrepl_create_time	datetime	
conflict_fire_emscombo	origin_datasource	nvarchar	255
conflict_fire_emscombo	pubid	uniqueidentifier	
conflict_fire_emscombo	reason_code	int	
conflict_fire_emscombo	reason_text	nvarchar	720
conflict_fire_emscombo	rowguid	uniqueidentifier	
conflict_fire_emscombo	seq	int	
conflict_fire_emscombo	sweetcode	char	10
conflict_fire_emscombo	value1	varchar	100

conflict_fire_emscombo	value2	varchar	200
conflict_fire_emsunit	alarm	datetime	
conflict_fire_emsunit	arrive	datetime	
conflict_fire_emsunit	arrivedest	datetime	
conflict_fire_emsunit	cancel	datetime	
conflict_fire_emsunit	clear	datetime	
conflict_fire_emsunit	completed	datetime	
conflict_fire_emsunit	conflict_type	int	
conflict_fire_emsunit	deptcode	char	10
conflict_fire_emsunit	dispatch	datetime	
conflict_fire_emsunit	ems_seq	numeric	
conflict_fire_emsunit	enroute	datetime	
conflict_fire_emsunit	eunit_seq	numeric	
conflict_fire_emsunit	inservice	datetime	
conflict_fire_emsunit	leftdest	datetime	
conflict_fire_emsunit	leftscene	datetime	
conflict_fire_emsunit	MSrepl_create_time	datetime	
conflict_fire_emsunit	origin_datasource	nvarchar	255
conflict_fire_emsunit	pubid	uniqueidentifier	
conflict_fire_emsunit	reason_code	int	
conflict_fire_emsunit	reason_text	nvarchar	720
conflict_fire_emsunit	returned	datetime	
conflict_fire_emsunit	role	varchar	20
conflict_fire_emsunit	rowguid	uniqueidentifier	
conflict_fire_emsunit	unitcode	char	10
conflict_fire_eqclass	agency	char	10
conflict_fire_eqclass	cla_code	char	4
conflict_fire_eqclass	cla_desc	varchar	30
conflict_fire_eqclass	cla_seq	numeric	
conflict_fire_eqclass	comment	varchar	50
conflict_fire_eqclass	conflict_type	int	
conflict_fire_eqclass	dept_seq	numeric	
conflict_fire_eqclass	MSrepl_create_time	datetime	
conflict_fire_eqclass	origin_datasource	nvarchar	255
conflict_fire_eqclass	pubid	uniqueidentifier	
conflict_fire_eqclass	reason_code	int	
conflict_fire_eqclass	reason_text	nvarchar	720
conflict_fire_eqclass	rowguid	uniqueidentifier	
conflict_fire_eqmaint	addtime	datetime	
conflict_fire_eqmaint	agency	char	10
conflict_fire_eqmaint	conflict_type	int	
conflict_fire_eqmaint	date_	datetime	
conflict_fire_eqmaint	emp_id	char	10
conflict_fire_eqmaint	emp_seq	numeric	
conflict_fire_eqmaint	eq_seq	numeric	
conflict_fire_eqmaint	eqm_seq	numeric	
conflict_fire_eqmaint	first	char	20
conflict_fire_eqmaint	hours	float	
conflict_fire_eqmaint	hrs_down	float	
conflict_fire_eqmaint	hrs_used	float	
conflict_fire_eqmaint	inhouse	bit	
conflict_fire_eqmaint	int_units	char	3
conflict_fire_eqmaint	interval_	float	
conflict_fire_eqmaint	laborcost	float	
conflict_fire_eqmaint	last	char	30

conflict_fire_eqmaint	middle	char	15
conflict_fire_eqmaint	mileage	float	
conflict_fire_eqmaint	mniseq	numeric	
conflict_fire_eqmaint	MSrepl_create_time	datetime	
conflict_fire_eqmaint	notes	text	2147483647
conflict_fire_eqmaint	origin_datasource	nvarchar	255
conflict_fire_eqmaint	partscost	float	
conflict_fire_eqmaint	passfail	char	4
conflict_fire_eqmaint	pubid	uniqueidentifier	
conflict_fire_eqmaint	reason_code	int	
conflict_fire_eqmaint	reason_text	nvarchar	720
conflict_fire_eqmaint	rowguid	uniqueidentifier	
conflict_fire_eqmaint	suff	char	5
conflict_fire_eqmaint	taskcode	char	10
conflict_fire_eqmaint	taskname	varchar	30
conflict_fire_eqmaint	testscore	char	10
conflict_fire_eqmaint	title	char	30
conflict_fire_eqmaint	totalcost	float	
conflict_fire_eqmaint	ven_seq	numeric	
conflict_fire_eqmaint	vendor	varchar	50
conflict_fire_eqmaint	workorder	char	10
conflict_fire_eqstaff	cert_seq	numeric	
conflict_fire_eqstaff	conflict_type	int	
conflict_fire_eqstaff	eq_seq	numeric	
conflict_fire_eqstaff	MSrepl_create_time	datetime	
conflict_fire_eqstaff	origin_datasource	nvarchar	255
conflict_fire_eqstaff	pubid	uniqueidentifier	
conflict_fire_eqstaff	quantity	smallint	
conflict_fire_eqstaff	reason_code	int	
conflict_fire_eqstaff	reason_text	nvarchar	720
conflict_fire_eqstaff	rowguid	uniqueidentifier	
conflict_fire_eqstaff	staff_seq	numeric	
conflict_fire_eqtype	agency	char	10
conflict_fire_eqtype	assn_type	char	4
conflict_fire_eqtype	cla_code	char	4
conflict_fire_eqtype	comment	varchar	50
conflict_fire_eqtype	conflict_type	int	
conflict_fire_eqtype	dept_seq	numeric	
conflict_fire_eqtype	eqt_seq	numeric	
conflict_fire_eqtype	eqt_type	char	4
conflict_fire_eqtype	MSrepl_create_time	datetime	
conflict_fire_eqtype	origin_datasource	nvarchar	255
conflict_fire_eqtype	pubid	uniqueidentifier	
conflict_fire_eqtype	reason_code	int	
conflict_fire_eqtype	reason_text	nvarchar	720
conflict_fire_eqtype	rowguid	uniqueidentifier	
conflict_fire_eqtype	size_	char	10
conflict_fire_eqtype	sizeunits	char	10
conflict_fire_eqtype	type_desc	varchar	30
conflict_fire_equcombo	code	char	3
conflict_fire_equcombo	com_seq	numeric	
conflict_fire_equcombo	conflict_type	int	
conflict_fire_equcombo	dept_seq	numeric	
conflict_fire_equcombo	inactive	bit	
conflict_fire_equcombo	MSrepl_create_time	datetime	

conflict_fire_equcombo	origin_datasource	nvarchar	255
conflict_fire_equcombo	pubid	uniqueidentifier	
conflict_fire_equcombo	reason_code	int	
conflict_fire_equcombo	reason_text	nvarchar	720
conflict_fire_equcombo	rowguid	uniqueidentifier	
conflict_fire_equcombo	seq	int	
conflict_fire_equcombo	type	char	4
conflict_fire_equcombo	value1	varchar	50
conflict_fire_equcombo	value2	varchar	100
conflict_fire_equip	addtime	datetime	
conflict_fire_equip	adduser	varchar	100
conflict_fire_equip	agency	char	10
conflict_fire_equip	ambulance	bit	
conflict_fire_equip	annualhours	int	
conflict_fire_equip	annualmiles	int	
conflict_fire_equip	assn_seq	numeric	
conflict_fire_equip	assn_to	char	10
conflict_fire_equip	assnfirst	char	20
conflict_fire_equip	assnlast	char	30
conflict_fire_equip	assnmid	char	15
conflict_fire_equip	assnmniseq	numeric	
conflict_fire_equip	assnsuff	char	5
conflict_fire_equip	billcode	varchar	30
conflict_fire_equip	color	char	10
conflict_fire_equip	com_seq	numeric	
conflict_fire_equip	compartment	char	10
conflict_fire_equip	conflict_type	int	
conflict_fire_equip	cost_new	float	
conflict_fire_equip	cost_repl	float	
conflict_fire_equip	date_repl	datetime	
conflict_fire_equip	dept_seq	numeric	
conflict_fire_equip	desc_	varchar	40
conflict_fire_equip	diameter	char	10
conflict_fire_equip	eq_class	char	4
conflict_fire_equip	eq_num	char	10
conflict_fire_equip	eq_seq	numeric	
conflict_fire_equip	eq_type	char	4
conflict_fire_equip	expires	datetime	
conflict_fire_equip	inactive	bit	
conflict_fire_equip	last_hour	float	
conflict_fire_equip	last_mile	float	
conflict_fire_equip	license	char	10
conflict_fire_equip	location	char	15
conflict_fire_equip	make	char	15
conflict_fire_equip	mileyear	int	
conflict_fire_equip	model	char	10
conflict_fire_equip	MSrepl_create_time	datetime	
conflict_fire_equip	nextmcode	char	4
conflict_fire_equip	nextmdue	datetime	
conflict_fire_equip	notes	text	2147483647
conflict_fire_equip	orig_hours	float	
conflict_fire_equip	orig_miles	float	
conflict_fire_equip	origin_datasource	nvarchar	255
conflict_fire_equip	pubid	uniqueidentifier	
conflict_fire_equip	purchased	datetime	

conflict_fire_equip	reason_code	int	
conflict_fire_equip	reason_text	nvarchar	720
conflict_fire_equip	rowguid	uniqueidentifier	
conflict_fire_equip	serial	varchar	25
conflict_fire_equip	size_	char	10
conflict_fire_equip	sold_price	float	
conflict_fire_equip	sta_seq	numeric	
conflict_fire_equip	statenum	varchar	50
conflict_fire_equip	status	char	10
conflict_fire_equip	unit_num	char	10
conflict_fire_equip	unittype	char	3
conflict_fire_equip	ven_name	varchar	50
conflict_fire_equip	ven_seq	numeric	
conflict_fire_equip	vendor	char	4
conflict_fire_equip	year_	char	4
conflict_fire_equusr	conflict_type	int	
conflict_fire_equusr	eq_seq	numeric	
conflict_fire_equusr	MSrepl_create_time	datetime	
conflict_fire_equusr	origin_datasource	nvarchar	255
conflict_fire_equusr	pubid	uniqueidentifier	
conflict_fire_equusr	reason_code	int	
conflict_fire_equusr	reason_text	nvarchar	720
conflict_fire_equusr	rowguid	uniqueidentifier	
conflict_fire_equusr	usr_seq	numeric	
conflict_fire_equusr	usr1	varchar	25
conflict_fire_equusr	usr10	varchar	25
conflict_fire_equusr	usr2	varchar	25
conflict_fire_equusr	usr3	varchar	25
conflict_fire_equusr	usr4	varchar	25
conflict_fire_equusr	usr5	varchar	25
conflict_fire_equusr	usr6	varchar	25
conflict_fire_equusr	usr7	varchar	25
conflict_fire_equusr	usr8	varchar	25
conflict_fire_equusr	usr9	varchar	25
conflict_fire_equusr	usrmemo	text	2147483647
conflict_fire_errorlog	action_	varchar	25
conflict_fire_errorlog	conflict_type	int	
conflict_fire_errorlog	control	varchar	150
conflict_fire_errorlog	counter	int	
conflict_fire_errorlog	error	int	
conflict_fire_errorlog	error_seq	numeric	
conflict_fire_errorlog	errordata	text	2147483647
conflict_fire_errorlog	errmsgsg	char	200
conflict_fire_errorlog	lasttime	datetime	
conflict_fire_errorlog	line	int	
conflict_fire_errorlog	linecode	char	200
conflict_fire_errorlog	method	varchar	150
conflict_fire_errorlog	MSrepl_create_time	datetime	
conflict_fire_errorlog	origin_datasource	nvarchar	255
conflict_fire_errorlog	pubid	uniqueidentifier	
conflict_fire_errorlog	reason_code	int	
conflict_fire_errorlog	reason_text	nvarchar	720
conflict_fire_errorlog	rowguid	uniqueidentifier	
conflict_fire_errorlog	userid	varchar	100
conflict_fire_esafeq	addtime	datetime	

conflict_fire_esafeq	adduser	varchar	100
conflict_fire_esafeq	conflict_type	int	
conflict_fire_esafeq	ems_seq	numeric	
conflict_fire_esafeq	equip	varchar	30
conflict_fire_esafeq	equipcnt	numeric	
conflict_fire_esafeq	equipco	char	10
conflict_fire_esafeq	equiplvl	char	10
conflict_fire_esafeq	equipused	bit	
conflict_fire_esafeq	esafeq_seq	numeric	
conflict_fire_esafeq	MSrepl_create_time	datetime	
conflict_fire_esafeq	origin_datasource	nvarchar	255
conflict_fire_esafeq	pubid	uniqueidentifier	
conflict_fire_esafeq	reason_code	int	
conflict_fire_esafeq	reason_text	nvarchar	720
conflict_fire_esafeq	rowguid	uniqueidentifier	
conflict_fire_euser	addtime	datetime	
conflict_fire_euser	adduser	varchar	100
conflict_fire_euser	conflict_type	int	
conflict_fire_euser	ems_seq	numeric	
conflict_fire_euser	euser_seq	numeric	
conflict_fire_euser	MSrepl_create_time	datetime	
conflict_fire_euser	note1	text	2147483647
conflict_fire_euser	origin_datasource	nvarchar	255
conflict_fire_euser	pubid	uniqueidentifier	
conflict_fire_euser	reason_code	int	
conflict_fire_euser	reason_text	nvarchar	720
conflict_fire_euser	rowguid	uniqueidentifier	
conflict_fire_euser	user1	varchar	50
conflict_fire_euser	user10	varchar	50
conflict_fire_euser	user11	varchar	50
conflict_fire_euser	user12	varchar	50
conflict_fire_euser	user13	varchar	50
conflict_fire_euser	user14	varchar	50
conflict_fire_euser	user15	varchar	50
conflict_fire_euser	user16	varchar	50
conflict_fire_euser	user17	varchar	50
conflict_fire_euser	user18	varchar	50
conflict_fire_euser	user19	varchar	50
conflict_fire_euser	user2	varchar	50
conflict_fire_euser	user20	varchar	50
conflict_fire_euser	user3	varchar	50
conflict_fire_euser	user4	varchar	50
conflict_fire_euser	user5	varchar	50
conflict_fire_euser	user6	varchar	50
conflict_fire_euser	user7	varchar	50
conflict_fire_euser	user8	varchar	50
conflict_fire_euser	user9	varchar	50
conflict_fire_exceptn	apply2holidays	bit	
conflict_fire_exceptn	conflict_type	int	
conflict_fire_exceptn	duty	bit	
conflict_fire_exceptn	ex_desc	varchar	20
conflict_fire_exceptn	except_seq	numeric	
conflict_fire_exceptn	MSrepl_create_time	datetime	
conflict_fire_exceptn	origin_datasource	nvarchar	255
conflict_fire_exceptn	paid	bit	

conflict_fire_exceptn	pubid	uniqueidentifier	
conflict_fire_exceptn	rate	smallmoney	
conflict_fire_exceptn	reason_code	int	
conflict_fire_exceptn	reason_text	nvarchar	720
conflict_fire_exceptn	rowguid	uniqueidentifier	
conflict_fire_exconds	condco	char	3
conflict_fire_exconds	condition	varchar	30
conflict_fire_exconds	conflict_type	int	
conflict_fire_exconds	dtverified	datetime	
conflict_fire_exconds	ems_seq	numeric	
conflict_fire_exconds	exc_seq	numeric	
conflict_fire_exconds	MSrepl_create_time	datetime	
conflict_fire_exconds	origin_datasource	nvarchar	255
conflict_fire_exconds	pubid	uniqueidentifier	
conflict_fire_exconds	reason_code	int	
conflict_fire_exconds	reason_text	nvarchar	720
conflict_fire_exconds	rowguid	uniqueidentifier	
conflict_fire_expaddend	add_seq	numeric	
conflict_fire_expaddend	addendum	text	2147483647
conflict_fire_expaddend	addtime	datetime	
conflict_fire_expaddend	adduser	varchar	100
conflict_fire_expaddend	conflict_type	int	
conflict_fire_expaddend	exp_seq	numeric	
conflict_fire_expaddend	MSrepl_create_time	datetime	
conflict_fire_expaddend	origin_datasource	nvarchar	255
conflict_fire_expaddend	pubid	uniqueidentifier	
conflict_fire_expaddend	reason_code	int	
conflict_fire_expaddend	reason_text	nvarchar	720
conflict_fire_expaddend	rowguid	uniqueidentifier	
conflict_fire_expexam	addtime	datetime	
conflict_fire_expexam	adduser	varchar	100
conflict_fire_expexam	conflict_type	int	
conflict_fire_expexam	exam_date	datetime	
conflict_fire_expexam	exam_next	datetime	
conflict_fire_expexam	exam_seq	numeric	
conflict_fire_expexam	exam_type	char	20
conflict_fire_expexam	exp_seq	numeric	
conflict_fire_expexam	facility	char	50
conflict_fire_expexam	facmliseq	numeric	
conflict_fire_expexam	MSrepl_create_time	datetime	
conflict_fire_expexam	nurse_fname	char	20
conflict_fire_expexam	nurse_lname	char	30
conflict_fire_expexam	nurse_mname	char	15
conflict_fire_expexam	nurse_mni_seq	numeric	
conflict_fire_expexam	nurse_suffix	char	5
conflict_fire_expexam	origin_datasource	nvarchar	255
conflict_fire_expexam	phys_fname	char	20
conflict_fire_expexam	phys_lname	char	30
conflict_fire_expexam	phys_mname	char	15
conflict_fire_expexam	phys_mni_seq	numeric	
conflict_fire_expexam	phys_suffix	char	5
conflict_fire_expexam	pubid	uniqueidentifier	
conflict_fire_expexam	reason_code	int	
conflict_fire_expexam	reason_text	nvarchar	720
conflict_fire_expexam	recommend	text	2147483647

conflict_fire_expexam	rowguid	uniqueidentifier	
conflict_fire_expexam	trans_code	char	3
conflict_fire_expexam	trans_desc	char	50
conflict_fire_explab	addtime	datetime	
conflict_fire_explab	adduser	varchar	100
conflict_fire_explab	conflict_type	int	
conflict_fire_explab	exam_seq	numeric	
conflict_fire_explab	exp_seq	numeric	
conflict_fire_explab	lab_result	char	10
conflict_fire_explab	lab_seq	numeric	
conflict_fire_explab	lab_type	char	10
conflict_fire_explab	MSrepl_create_time	datetime	
conflict_fire_explab	origin_datasource	nvarchar	255
conflict_fire_explab	pubid	uniqueidentifier	
conflict_fire_explab	reason_code	int	
conflict_fire_explab	reason_text	nvarchar	720
conflict_fire_explab	rowguid	uniqueidentifier	
conflict_fire_exposure	addtime	datetime	
conflict_fire_exposure	adduser	varchar	100
conflict_fire_exposure	allerrors	text	2147483647
conflict_fire_exposure	call_type	char	20
conflict_fire_exposure	comments	text	2147483647
conflict_fire_exposure	conflict_type	int	
conflict_fire_exposure	dept_seq	numeric	
conflict_fire_exposure	details	text	2147483647
conflict_fire_exposure	emp_fname	char	20
conflict_fire_exposure	emp_lname	char	30
conflict_fire_exposure	emp_mname	char	15
conflict_fire_exposure	emp_mni_seq	numeric	
conflict_fire_exposure	emp_seq	numeric	
conflict_fire_exposure	emp_suffix	char	5
conflict_fire_exposure	errors	text	2147483647
conflict_fire_exposure	exp_seq	numeric	
conflict_fire_exposure	exp_status	char	20
conflict_fire_exposure	exp_time	datetime	
conflict_fire_exposure	file_closed	datetime	
conflict_fire_exposure	inj_code	char	3
conflict_fire_exposure	inj_desc	varchar	50
conflict_fire_exposure	iscomplete	bit	
conflict_fire_exposure	isreviewed	bit	
conflict_fire_exposure	link_exp	char	3
conflict_fire_exposure	link_id	char	25
conflict_fire_exposure	link_key	numeric	
conflict_fire_exposure	loc_address2	char	30
conflict_fire_exposure	loc_city	char	20
conflict_fire_exposure	loc_geotime	datetime	
conflict_fire_exposure	loc_geouser	char	11
conflict_fire_exposure	loc_geover	bit	
conflict_fire_exposure	loc_postdir	char	2
conflict_fire_exposure	loc_predir	char	2
conflict_fire_exposure	loc_seq	numeric	
conflict_fire_exposure	loc_state	char	2
conflict_fire_exposure	loc_stname	char	30
conflict_fire_exposure	loc_stnum	char	8
conflict_fire_exposure	loc_sttype	char	5

conflict_fire_exposure	loc_zip	char	5
conflict_fire_exposure	mailed	bit	
conflict_fire_exposure	med_attn	bit	
conflict_fire_exposure	modtime	datetime	
conflict_fire_exposure	moduser	varchar	100
conflict_fire_exposure	MSrepl_create_time	datetime	
conflict_fire_exposure	needle_date	datetime	
conflict_fire_exposure	needle_type	char	10
conflict_fire_exposure	notify_eco	datetime	
conflict_fire_exposure	notify_time	datetime	
conflict_fire_exposure	origin_datasource	nvarchar	255
conflict_fire_exposure	ppe_code	char	3
conflict_fire_exposure	ppe_desc	varchar	50
conflict_fire_exposure	pubid	uniqueidentifier	
conflict_fire_exposure	reason_code	int	
conflict_fire_exposure	reason_text	nvarchar	720
conflict_fire_exposure	reject_reason	text	2147483647
conflict_fire_exposure	review	text	2147483647
conflict_fire_exposure	risk	char	10
conflict_fire_exposure	rowguid	uniqueidentifier	
conflict_fire_exposure	skin_intact	bit	
conflict_fire_exposure	sta_seq	numeric	
conflict_fire_exposure	station_id	char	10
conflict_fire_exposure	taken_code	char	3
conflict_fire_exposure	taken_desc	varchar	50
conflict_fire_exposure	valid_casualty	bit	
conflict_fire_exposure	valid_link	bit	
conflict_fire_exposure	valid_person	bit	
conflict_fire_exposure	wc_casenum	char	20
conflict_fire_exposure	wc_date	datetime	
conflict_fire_exposure	wc_submit	bit	
conflict_fire_exposure	xpo_device	varchar	50
conflict_fire_exposure	xpo_level	char	10
conflict_fire_exposure	xpo_loc	varchar	25
conflict_fire_exposure	xpo_task	varchar	50
conflict_fire_exposure	xpo_type	varchar	50
conflict_fire_expuser	conflict_type	int	
conflict_fire_expuser	errors	text	2147483647
conflict_fire_expuser	exp_seq	numeric	
conflict_fire_expuser	MSrepl_create_time	datetime	
conflict_fire_expuser	origin_datasource	nvarchar	255
conflict_fire_expuser	prim_seq	numeric	
conflict_fire_expuser	pubid	uniqueidentifier	
conflict_fire_expuser	reason_code	int	
conflict_fire_expuser	reason_text	nvarchar	720
conflict_fire_expuser	rowguid	uniqueidentifier	
conflict_fire_expuser	usr1	varchar	20
conflict_fire_expuser	usr10	varchar	20
conflict_fire_expuser	usr2	varchar	20
conflict_fire_expuser	usr3	varchar	20
conflict_fire_expuser	usr4	varchar	20
conflict_fire_expuser	usr5	varchar	20
conflict_fire_expuser	usr6	varchar	20
conflict_fire_expuser	usr7	varchar	20
conflict_fire_expuser	usr8	varchar	20

conflict_fire_expuser	usr9	varchar	20
conflict_fire_expuser	usrmemo	text	2147483647
conflict_fire_faxcode	conflict_type	int	
conflict_fire_faxcode	descr	varchar	100
conflict_fire_faxcode	faxcode	int	
conflict_fire_faxcode	faxcodeseq	int	
conflict_fire_faxcode	faxcodetyp	int	
conflict_fire_faxcode	MSrepl_create_time	datetime	
conflict_fire_faxcode	origin_datasource	nvarchar	255
conflict_fire_faxcode	pubid	uniqueidentifier	
conflict_fire_faxcode	reason_code	int	
conflict_fire_faxcode	reason_text	nvarchar	720
conflict_fire_faxcode	rowguid	uniqueidentifier	
conflict_fire_fees	addtime	datetime	
conflict_fire_fees	conflict_type	int	
conflict_fire_fees	fee_amt	money	
conflict_fire_fees	fee_checkn	char	15
conflict_fire_fees	fee_cmnt	text	2147483647
conflict_fire_fees	fee_fkcd	char	3
conflict_fire_fees	fee_fkseq	numeric	
conflict_fire_fees	fee_forward	char	45
conflict_fire_fees	fee_paiddt	datetime	
conflict_fire_fees	fee_pmethod	char	15
conflict_fire_fees	fee_recby	varchar	25
conflict_fire_fees	fee_recptn	char	15
conflict_fire_fees	fee_seq	numeric	
conflict_fire_fees	fee_type	varchar	20
conflict_fire_fees	fwdaddr2	varchar	100
conflict_fire_fees	fwdcity	char	60
conflict_fire_fees	fwdfirst	char	20
conflict_fire_fees	fwdlast	char	30
conflict_fire_fees	fwdmiddle	char	15
conflict_fire_fees	fwdmliseq	numeric	
conflict_fire_fees	fwdmni	numeric	
conflict_fire_fees	fwdorg	varchar	80
conflict_fire_fees	fwdstate	char	2
conflict_fire_fees	fwdstname	varchar	50
conflict_fire_fees	fwdstnum	char	8
conflict_fire_fees	fwdstpref	char	3
conflict_fire_fees	fwdstsuff	char	3
conflict_fire_fees	fwdsttype	char	4
conflict_fire_fees	fwdsuffix	char	15
conflict_fire_fees	fwdzip	char	10
conflict_fire_fees	MSrepl_create_time	datetime	
conflict_fire_fees	origin_datasource	nvarchar	255
conflict_fire_fees	pubid	uniqueidentifier	
conflict_fire_fees	reason_code	int	
conflict_fire_fees	reason_text	nvarchar	720
conflict_fire_fees	recfirst	char	20
conflict_fire_fees	reclast	char	30
conflict_fire_fees	recmiddle	char	15
conflict_fire_fees	recmni	numeric	
conflict_fire_fees	recsuffix	char	15
conflict_fire_fees	rowguid	uniqueidentifier	
conflict_fire_feetypes	conflict_type	int	

conflict_fire_feetypes	MSrepl_create_time	datetime	
conflict_fire_feetypes	origin_datasource	nvarchar	255
conflict_fire_feetypes	pubid	uniqueidentifier	
conflict_fire_feetypes	reason_code	int	
conflict_fire_feetypes	reason_text	nvarchar	720
conflict_fire_feetypes	rowguid	uniqueidentifier	
conflict_fire_feetypes	typ_desc	char	15
conflict_fire_feetypes	typ_order	int	
conflict_fire_fips	cl	char	2
conflict_fire_fips	composite	char	10
conflict_fire_fips	conflict_type	int	
conflict_fire_fips	countyfips	char	5
conflict_fire_fips	countyname	varchar	50
conflict_fire_fips	fipsseq	numeric	
conflict_fire_fips	MSrepl_create_time	datetime	
conflict_fire_fips	origin_datasource	nvarchar	255
conflict_fire_fips	placefips	char	5
conflict_fire_fips	placename	varchar	50
conflict_fire_fips	pubid	uniqueidentifier	
conflict_fire_fips	reason_code	int	
conflict_fire_fips	reason_text	nvarchar	720
conflict_fire_fips	rowguid	uniqueidentifier	
conflict_fire_fips	stateabb	char	2
conflict_fire_fips	statefips	char	2
conflict_fire_fips	zip	char	5
conflict_fire_flexp	conflict_type	int	
conflict_fire_flexp	MSrepl_create_time	datetime	
conflict_fire_flexp	origin_datasource	nvarchar	255
conflict_fire_flexp	p3_airfix	numeric	
conflict_fire_flexp	p3_airrot	numeric	
conflict_fire_flexp	p3_contact	char	40
conflict_fire_flexp	p3_counties	text	2147483647
conflict_fire_flexp	p3_email	char	50
conflict_fire_flexp	p3_emthrs	numeric	
conflict_fire_flexp	p3_fax	char	20
conflict_fire_flexp	p3_maddr	char	40
conflict_fire_flexp	p3_maddr2	char	40
conflict_fire_flexp	p3_mcity	char	40
conflict_fire_flexp	p3_mst	char	2
conflict_fire_flexp	p3_mzip	char	40
conflict_fire_flexp	p3_name	char	40
conflict_fire_flexp	p3_new	bit	
conflict_fire_flexp	p3_otherhr	numeric	
conflict_fire_flexp	p3_parahrs	numeric	
conflict_fire_flexp	p3_phone	char	20
conflict_fire_flexp	p3_prov	char	40
conflict_fire_flexp	p3_ptype	char	40
conflict_fire_flexp	p3_update	bit	
conflict_fire_flexp	p3_vehals	numeric	
conflict_fire_flexp	p3_vehbls	numeric	
conflict_fire_flexp	p3_zips	text	2147483647
conflict_fire_flexp	provnum	char	12
conflict_fire_flexp	pubid	uniqueidentifier	
conflict_fire_flexp	q1_na	numeric	
conflict_fire_flexp	q1_rendez	numeric	

conflict_fire_flexp	q1_scene	numeric
conflict_fire_flexp	q1_scxfer	numeric
conflict_fire_flexp	q1_stand	numeric
conflict_fire_flexp	q1_unk	numeric
conflict_fire_flexp	q1_unxfer	numeric
conflict_fire_flexp	q10_aedems	numeric
conflict_fire_flexp	q10_aedpri	numeric
conflict_fire_flexp	q10_noaed	numeric
conflict_fire_flexp	q10b_rosc	numeric
conflict_fire_flexp	q2_canc	numeric
conflict_fire_flexp	q2_dead	numeric
conflict_fire_flexp	q2_dnro	numeric
conflict_fire_flexp	q2_na	numeric
conflict_fire_flexp	q2_noptf	numeric
conflict_fire_flexp	q2_notrreq	numeric
conflict_fire_flexp	q2_refcare	numeric
conflict_fire_flexp	q2_trgh	numeric
conflict_fire_flexp	q2_trhome	numeric
conflict_fire_flexp	q2_trmoc	numeric
conflict_fire_flexp	q2_trnh	numeric
conflict_fire_flexp	q2_trother	numeric
conflict_fire_flexp	q2_trpv	numeric
conflict_fire_flexp	q2_trreftr	numeric
conflict_fire_flexp	q2_trrel	numeric
conflict_fire_flexp	q2_trtcal	numeric
conflict_fire_flexp	q2_trxfer	numeric
conflict_fire_flexp	q2_unk	numeric
conflict_fire_flexp	q3_abdom	numeric
conflict_fire_flexp	q3_airway	numeric
conflict_fire_flexp	q3_allerg	numeric
conflict_fire_flexp	q3_altered	numeric
conflict_fire_flexp	q3_behav	numeric
conflict_fire_flexp	q3_burns	numeric
conflict_fire_flexp	q3_cardiac	numeric
conflict_fire_flexp	q3_cardnos	numeric
conflict_fire_flexp	q3_cardrh	numeric
conflict_fire_flexp	q3_chestp	numeric
conflict_fire_flexp	q3_conghf	numeric
conflict_fire_flexp	q3_dignaus	numeric
conflict_fire_flexp	q3_dignos	numeric
conflict_fire_flexp	q3_elect	numeric
conflict_fire_flexp	q3_flulike	numeric
conflict_fire_flexp	q3_genill	numeric
conflict_fire_flexp	q3_hemorg	numeric
conflict_fire_flexp	q3_hypert	numeric
conflict_fire_flexp	q3_hyperth	numeric
conflict_fire_flexp	q3_hypogly	numeric
conflict_fire_flexp	q3_hypoth	numeric
conflict_fire_flexp	q3_hypov	numeric
conflict_fire_flexp	q3_inhal	numeric
conflict_fire_flexp	q3_medreac	numeric
conflict_fire_flexp	q3_nos	numeric
conflict_fire_flexp	q3_painnos	numeric
conflict_fire_flexp	q3_poison	numeric
conflict_fire_flexp	q3_preg	numeric

conflict_fire_flexp	q3_resparr	numeric
conflict_fire_flexp	q3_respdist	numeric
conflict_fire_flexp	q3_respnos	numeric
conflict_fire_flexp	q3_seiz	numeric
conflict_fire_flexp	q3_sexaslt	numeric
conflict_fire_flexp	q3_smoke	numeric
conflict_fire_flexp	q3_stings	numeric
conflict_fire_flexp	q3_stroke	numeric
conflict_fire_flexp	q3_syncope	numeric
conflict_fire_flexp	q3_traunos	numeric
conflict_fire_flexp	q3_unknown	numeric
conflict_fire_flexp	q3_vaghmrg	numeric
conflict_fire_flexp	q4_airc	numeric
conflict_fire_flexp	q4_animal	numeric
conflict_fire_flexp	q4_bicycle	numeric
conflict_fire_flexp	q4_burn	numeric
conflict_fire_flexp	q4_chemical	numeric
conflict_fire_flexp	q4_child	numeric
conflict_fire_flexp	q4_cold	numeric
conflict_fire_flexp	q4_diving	numeric
conflict_fire_flexp	q4_drown	numeric
conflict_fire_flexp	q4_drugpoi	numeric
conflict_fire_flexp	q4_electro	numeric
conflict_fire_flexp	q4_fall	numeric
conflict_fire_flexp	q4_fight	numeric
conflict_fire_flexp	q4_fire	numeric
conflict_fire_flexp	q4_gun	numeric
conflict_fire_flexp	q4_heat	numeric
conflict_fire_flexp	q4_inhal	numeric
conflict_fire_flexp	q4_lightn	numeric
conflict_fire_flexp	q4_machin	numeric
conflict_fire_flexp	q4_mc	numeric
conflict_fire_flexp	q4_mechsuf	numeric
conflict_fire_flexp	q4_mvbyc	numeric
conflict_fire_flexp	q4_mvfixed	numeric
conflict_fire_flexp	q4_mvmc	numeric
conflict_fire_flexp	q4_mvmv	numeric
conflict_fire_flexp	q4_mvoff	numeric
conflict_fire_flexp	q4_mvother	numeric
conflict_fire_flexp	q4_mvped	numeric
conflict_fire_flexp	q4_mvtrain	numeric
conflict_fire_flexp	q4_na	numeric
conflict_fire_flexp	q4_other	numeric
conflict_fire_flexp	q4_radiat	numeric
conflict_fire_flexp	q4_rape	numeric
conflict_fire_flexp	q4_scuba	numeric
conflict_fire_flexp	q4_smoke	numeric
conflict_fire_flexp	q4_stab	numeric
conflict_fire_flexp	q4_strain	numeric
conflict_fire_flexp	q4_struck	numeric
conflict_fire_flexp	q4_unk	numeric
conflict_fire_flexp	q4_venom	numeric
conflict_fire_flexp	q4_waterxp	numeric
conflict_fire_flexp	q5a_abdo	numeric
conflict_fire_flexp	q5a_ext	numeric

conflict_fire_flexp	q5a_face	numeric
conflict_fire_flexp	q5a_head	numeric
conflict_fire_flexp	q5a_lowext	numeric
conflict_fire_flexp	q5a_neck	numeric
conflict_fire_flexp	q5a_spine	numeric
conflict_fire_flexp	q5a_thorax	numeric
conflict_fire_flexp	q5a_unspec	numeric
conflict_fire_flexp	q5a_uppext	numeric
conflict_fire_flexp	q5b_amp	numeric
conflict_fire_flexp	q5b_blunt	numeric
conflict_fire_flexp	q5b_burn	numeric
conflict_fire_flexp	q5b_crush	numeric
conflict_fire_flexp	q5b_disloc	numeric
conflict_fire_flexp	q5b_gun	numeric
conflict_fire_flexp	q5b_lacer	numeric
conflict_fire_flexp	q5b_pain	numeric
conflict_fire_flexp	q5b_punct	numeric
conflict_fire_flexp	q5b_swell	numeric
conflict_fire_flexp	q6_15to54	numeric
conflict_fire_flexp	q6_1to4	numeric
conflict_fire_flexp	q6_55to64	numeric
conflict_fire_flexp	q6_5to14	numeric
conflict_fire_flexp	q6_65to74	numeric
conflict_fire_flexp	q6_75to84	numeric
conflict_fire_flexp	q6_85plus	numeric
conflict_fire_flexp	q6_under1	numeric
conflict_fire_flexp	q6_unk	numeric
conflict_fire_flexp	q7_counties	numeric
conflict_fire_flexp	q7_county	char
conflict_fire_flexp	q8_aeccprl	numeric
conflict_fire_flexp	q8_aedcprp	numeric
conflict_fire_flexp	q8_aedlic	numeric
conflict_fire_flexp	q8_aedpri	numeric
conflict_fire_flexp	q8_bag	numeric
conflict_fire_flexp	q8_chtube	numeric
conflict_fire_flexp	q8_cprlic	numeric
conflict_fire_flexp	q8_cprpri	numeric
conflict_fire_flexp	q8_crico	numeric
conflict_fire_flexp	q8_defib	numeric
conflict_fire_flexp	q8_ecg12	numeric
conflict_fire_flexp	q8_ecg3	numeric
conflict_fire_flexp	q8_gluc	numeric
conflict_fire_flexp	q8_intrao	numeric
conflict_fire_flexp	q8_intub	numeric
conflict_fire_flexp	q8_mastbp	numeric
conflict_fire_flexp	q8_mastfra	numeric
conflict_fire_flexp	q8_naso	numeric
conflict_fire_flexp	q8_needth	numeric
conflict_fire_flexp	q8_obdel	numeric
conflict_fire_flexp	q8_pacing	numeric
conflict_fire_flexp	q8_spinal	numeric
conflict_fire_flexp	q8_volres	numeric
conflict_fire_flexp	q8b_aspcp	numeric
conflict_fire_flexp	q8b_carddru	numeric
conflict_fire_flexp	q8b_medpain	numeric

conflict_fire_flexp	q8b_paratub	numeric	
conflict_fire_flexp	q8b_thromb	numeric	
conflict_fire_flexp	q8c_cardal	numeric	
conflict_fire_flexp	q8c_stroke	numeric	
conflict_fire_flexp	q8c_trauma	numeric	
conflict_fire_flexp	q9_alsfw	numeric	
conflict_fire_flexp	q9_alsgr	numeric	
conflict_fire_flexp	q9_alsrc	numeric	
conflict_fire_flexp	q9_blsgr	numeric	
conflict_fire_flexp	q9_other	numeric	
conflict_fire_flexp	quarter	char	12
conflict_fire_flexp	reason_code	int	
conflict_fire_flexp	reason_text	nvarchar	720
conflict_fire_flexp	rowguid	uniqueidentifier	
conflict_fire_flexppro	conflict_type	int	
conflict_fire_flexppro	contact	varchar	50
conflict_fire_flexppro	contaddr1	varchar	100
conflict_fire_flexppro	contaddr2	varchar	100
conflict_fire_flexppro	contaddr3	varchar	100
conflict_fire_flexppro	contemail	char	10
conflict_fire_flexppro	contfax	varchar	50
conflict_fire_flexppro	contph	varchar	50
conflict_fire_flexppro	counties	text	2147483647
conflict_fire_flexppro	dept_seq	numeric	
conflict_fire_flexppro	email	varchar	100
conflict_fire_flexppro	emthrs	numeric	
conflict_fire_flexppro	flprov_seq	numeric	
conflict_fire_flexppro	MSrepl_create_time	datetime	
conflict_fire_flexppro	origin_datasource	nvarchar	255
conflict_fire_flexppro	othhrs	numeric	
conflict_fire_flexppro	parahrs	numeric	
conflict_fire_flexppro	providerid	varchar	50
conflict_fire_flexppro	providertyp	varchar	50
conflict_fire_flexppro	pubid	uniqueidentifier	
conflict_fire_flexppro	reason_code	int	
conflict_fire_flexppro	reason_text	nvarchar	720
conflict_fire_flexppro	rowguid	uniqueidentifier	
conflict_fire_flexppro	vehals	numeric	
conflict_fire_flexppro	vehbls	numeric	
conflict_fire_flexppro	vehfixed	numeric	
conflict_fire_flexppro	vehrotor	numeric	
conflict_fire_flexppro	zips	text	2147483647
conflict_fire_flow	coeffdisc	char	4
conflict_fire_flow	conflict_type	int	
conflict_fire_flow	corfactor	char	4
conflict_fire_flow	fire_dist	char	10
conflict_fire_flow	first	char	20
conflict_fire_flow	flow_seq	numeric	
conflict_fire_flow	flowdate	datetime	
conflict_fire_flow	flowedby	char	11
conflict_fire_flow	flowedseq	numeric	
conflict_fire_flow	flowtime	char	5
conflict_fire_flow	gpm	char	5
conflict_fire_flow	gpmat0	char	5
conflict_fire_flow	gpmat10	char	5

conflict_fire_flow	gpmat20	char	5
conflict_fire_flow	hyd_seq	numeric	
conflict_fire_flow	last	char	30
conflict_fire_flow	middle	char	15
conflict_fire_flow	mniseq	numeric	
conflict_fire_flow	MSrepl_create_time	datetime	
conflict_fire_flow	notes	text	2147483647
conflict_fire_flow	orafce	char	4
conflict_fire_flow	origin_datasource	nvarchar	255
conflict_fire_flow	pitot	char	5
conflict_fire_flow	pubid	uniqueidentifier	
conflict_fire_flow	reason_code	int	
conflict_fire_flow	reason_text	nvarchar	720
conflict_fire_flow	resid	char	3
conflict_fire_flow	rowguid	uniqueidentifier	
conflict_fire_flow	static	char	3
conflict_fire_flow	suff	char	5
conflict_fire_flow	title	char	30
conflict_fire_flow	totttime	char	4
conflict_fire_hazards	conflict_type	int	
conflict_fire_hazards	haz_desc	varchar	30
conflict_fire_hazards	haz_loc	varchar	60
conflict_fire_hazards	haz_seq	numeric	
conflict_fire_hazards	life_haz	bit	
conflict_fire_hazards	MSrepl_create_time	datetime	
conflict_fire_hazards	notes	text	2147483647
conflict_fire_hazards	number	int	
conflict_fire_hazards	origin_datasource	nvarchar	255
conflict_fire_hazards	pubid	uniqueidentifier	
conflict_fire_hazards	reason_code	int	
conflict_fire_hazards	reason_text	nvarchar	720
conflict_fire_hazards	rowguid	uniqueidentifier	
conflict_fire_hazards	site_seq	numeric	
conflict_fire_hlocmap	conflict_type	int	
conflict_fire_hlocmap	descr	varchar	254
conflict_fire_hlocmap	emp_seq	numeric	
conflict_fire_hlocmap	hlocseq	numeric	
conflict_fire_hlocmap	loc_seq	numeric	
conflict_fire_hlocmap	MSrepl_create_time	datetime	
conflict_fire_hlocmap	origin_datasource	nvarchar	255
conflict_fire_hlocmap	pubid	uniqueidentifier	
conflict_fire_hlocmap	reason_code	int	
conflict_fire_hlocmap	reason_text	nvarchar	720
conflict_fire_hlocmap	rowguid	uniqueidentifier	
conflict_fire_hlocmap	staddr	varchar	254
conflict_fire_hlocmap	xcoord	char	10
conflict_fire_hlocmap	ycoord	char	10
conflict_fire_hotlist	agency	char	15
conflict_fire_hotlist	code	char	20
conflict_fire_hotlist	conflict_type	int	
conflict_fire_hotlist	dept_seq	numeric	
conflict_fire_hotlist	descript	text	2147483647
conflict_fire_hotlist	hot_seq	numeric	
conflict_fire_hotlist	inspname	varchar	20
conflict_fire_hotlist	MSrepl_create_time	datetime	

conflict_fire_hotlist	origin_datasource	nvarchar	255
conflict_fire_hotlist	pubid	uniqueidentifier	
conflict_fire_hotlist	reason_code	int	
conflict_fire_hotlist	reason_text	nvarchar	720
conflict_fire_hotlist	rowguid	uniqueidentifier	
conflict_fire_hotlist	type	float	
conflict_fire_hotnames	addmark	float	
conflict_fire_hotnames	addtime	datetime	
conflict_fire_hotnames	adduser	varchar	100
conflict_fire_hotnames	conflict_type	int	
conflict_fire_hotnames	hot_addr1	varchar	60
conflict_fire_hotnames	hot_addr2	varchar	60
conflict_fire_hotnames	hot_city	varchar	20
conflict_fire_hotnames	hot_first	varchar	20
conflict_fire_hotnames	hot_name	varchar	60
conflict_fire_hotnames	hot_seq	numeric	
conflict_fire_hotnames	hot_state	char	2
conflict_fire_hotnames	hot_type	char	15
conflict_fire_hotnames	modmark	float	
conflict_fire_hotnames	modtime	datetime	
conflict_fire_hotnames	moduser	varchar	100
conflict_fire_hotnames	MSrepl_create_time	datetime	
conflict_fire_hotnames	origin_datasource	nvarchar	255
conflict_fire_hotnames	pubid	uniqueidentifier	
conflict_fire_hotnames	reason_code	int	
conflict_fire_hotnames	reason_text	nvarchar	720
conflict_fire_hotnames	rowguid	uniqueidentifier	
conflict_fire_hyd2name	addmark	float	
conflict_fire_hyd2name	address2	char	50
conflict_fire_hyd2name	addtime	datetime	
conflict_fire_hyd2name	addtime1	datetime	
conflict_fire_hyd2name	adduser	varchar	100
conflict_fire_hyd2name	adduser1	char	11
conflict_fire_hyd2name	agency	char	15
conflict_fire_hyd2name	alcont	bit	
conflict_fire_hyd2name	callorder	float	
conflict_fire_hyd2name	city	char	60
conflict_fire_hyd2name	conflict_type	int	
conflict_fire_hyd2name	emailname	varchar	40
conflict_fire_hyd2name	fire_dist	char	15
conflict_fire_hyd2name	firstname	char	20
conflict_fire_hyd2name	geotime	datetime	
conflict_fire_hyd2name	geouser	char	12
conflict_fire_hyd2name	geover	bit	
conflict_fire_hyd2name	h2n_seq	numeric	
conflict_fire_hyd2name	hphone	varchar	24
conflict_fire_hyd2name	hyd_seq	numeric	
conflict_fire_hyd2name	isprime	bit	
conflict_fire_hyd2name	lastname	char	30
conflict_fire_hyd2name	loc_seq	numeric	
conflict_fire_hyd2name	mail_to	bit	
conflict_fire_hyd2name	middle	char	10
conflict_fire_hyd2name	modmark	float	
conflict_fire_hyd2name	modtime	datetime	
conflict_fire_hyd2name	moduser	varchar	100

conflict_fire_hyd2name	mphone	varchar	24
conflict_fire_hyd2name	MSrepl_create_time	datetime	
conflict_fire_hyd2name	name_seq	numeric	
conflict_fire_hyd2name	name_type	varchar	20
conflict_fire_hyd2name	name_type1	varchar	20
conflict_fire_hyd2name	note	varchar	200
conflict_fire_hyd2name	notes	varchar	200
conflict_fire_hyd2name	origin_datasource	nvarchar	255
conflict_fire_hyd2name	oth_seq	int	
conflict_fire_hyd2name	oth_seq1	numeric	
conflict_fire_hyd2name	pager	varchar	24
conflict_fire_hyd2name	prefix	char	20
conflict_fire_hyd2name	pubid	uniqueidentifier	
conflict_fire_hyd2name	reason_code	int	
conflict_fire_hyd2name	reason_text	nvarchar	720
conflict_fire_hyd2name	role	char	20
conflict_fire_hyd2name	rowguid	uniqueidentifier	
conflict_fire_hyd2name	state	char	2
conflict_fire_hyd2name	stname	varchar	50
conflict_fire_hyd2name	stnumber	char	8
conflict_fire_hyd2name	stprefix	char	3
conflict_fire_hyd2name	stsuffix	char	3
conflict_fire_hyd2name	sttype	char	4
conflict_fire_hyd2name	suffix	char	10
conflict_fire_hyd2name	title	char	30
conflict_fire_hyd2name	wphone	varchar	24
conflict_fire_hyd2name	zip	char	10
conflict_fire_hydcomb	code	char	3
conflict_fire_hydcomb	conflict_type	int	
conflict_fire_hydcomb	dept_seq	numeric	
conflict_fire_hydcomb	hc_seq	numeric	
conflict_fire_hydcomb	inactive	bit	
conflict_fire_hydcomb	MSrepl_create_time	datetime	
conflict_fire_hydcomb	origin_datasource	nvarchar	255
conflict_fire_hydcomb	pubid	uniqueidentifier	
conflict_fire_hydcomb	reason_code	int	
conflict_fire_hydcomb	reason_text	nvarchar	720
conflict_fire_hydcomb	rowguid	uniqueidentifier	
conflict_fire_hydcomb	seq	int	
conflict_fire_hydcomb	value1	varchar	50
conflict_fire_hydcomb	value2	varchar	100
conflict_fire_hydrants	address2	varchar	40
conflict_fire_hydrants	addtime	datetime	
conflict_fire_hydrants	adduser	varchar	100
conflict_fire_hydrants	agency	char	15
conflict_fire_hydrants	barr_len	char	6
conflict_fire_hydrants	barr_size	char	6
conflict_fire_hydrants	bordr_dist	char	15
conflict_fire_hydrants	city	varchar	20
conflict_fire_hydrants	class	char	2
conflict_fire_hydrants	clr_to_lgo	char	10
conflict_fire_hydrants	clr_to_smo	char	10
conflict_fire_hydrants	color	char	10
conflict_fire_hydrants	colorcode	bit	
conflict_fire_hydrants	conflict_type	int	

conflict_fire_hydrants	dept_seq	numeric	
conflict_fire_hydrants	disttocurb	float	
conflict_fire_hydrants	fire_dist	char	15
conflict_fire_hydrants	geotime	datetime	
conflict_fire_hydrants	geouser	char	11
conflict_fire_hydrants	hyd_crosst	char	60
conflict_fire_hydrants	hyd_id	char	15
conflict_fire_hydrants	hyd_make	varchar	20
conflict_fire_hydrants	hyd_model	char	12
conflict_fire_hydrants	hyd_owner	varchar	20
conflict_fire_hydrants	hyd_seq	numeric	
conflict_fire_hydrants	hyd_stname	char	60
conflict_fire_hydrants	hyd_stnum	char	10
conflict_fire_hydrants	hyd_type	char	15
conflict_fire_hydrants	hyd_vsize	char	5
conflict_fire_hydrants	hyd_year	char	4
conflict_fire_hydrants	insp_due	datetime	
conflict_fire_hydrants	installdt	datetime	
conflict_fire_hydrants	intersect_	bit	
conflict_fire_hydrants	last_flow	datetime	
conflict_fire_hydrants	last_serv	datetime	
conflict_fire_hydrants	lastgpm	char	5
conflict_fire_hydrants	lastsysflo	datetime	
conflict_fire_hydrants	lat_deg	char	12
conflict_fire_hydrants	latitude	char	12
conflict_fire_hydrants	lead_size	char	5
conflict_fire_hydrants	lead_vsize	char	5
conflict_fire_hydrants	leadtoctrd	float	
conflict_fire_hydrants	loc_seq	numeric	
conflict_fire_hydrants	long_deg	char	13
conflict_fire_hydrants	longitude	char	13
conflict_fire_hydrants	main_id	char	15
conflict_fire_hydrants	main_size	char	5
conflict_fire_hydrants	main_type	char	4
conflict_fire_hydrants	modmark	char	10
conflict_fire_hydrants	MSrepl_create_time	datetime	
conflict_fire_hydrants	notes	text	2147483647
conflict_fire_hydrants	num_lg_out	float	
conflict_fire_hydrants	num_sm_out	float	
conflict_fire_hydrants	origin_datasource	nvarchar	255
conflict_fire_hydrants	outservice	bit	
conflict_fire_hydrants	private	bit	
conflict_fire_hydrants	pubid	uniqueidentifier	
conflict_fire_hydrants	reason_code	int	
conflict_fire_hydrants	reason_text	nvarchar	720
conflict_fire_hydrants	reflec_mrk	bit	
conflict_fire_hydrants	rowguid	uniqueidentifier	
conflict_fire_hydrants	sector	char	10
conflict_fire_hydrants	serv_req	bit	
conflict_fire_hydrants	spref	char	4
conflict_fire_hydrants	ssuff	char	4
conflict_fire_hydrants	state	char	2
conflict_fire_hydrants	strapped	bit	
conflict_fire_hydrants	stype	char	4
conflict_fire_hydrants	verloc	bit	

conflict_fire_hydrants	waterzone	char	10
conflict_fire_hydrants	xc	float	
conflict_fire_hydrants	yc	float	
conflict_fire_hydrants	zip	char	10
conflict_fire_icomdata	code	char	3
conflict_fire_icomdata	conflict_type	int	
conflict_fire_icomdata	dept_seq	numeric	
conflict_fire_icomdata	icmb_seq	numeric	
conflict_fire_icomdata	inactive	bit	
conflict_fire_icomdata	MSrepl_create_time	datetime	
conflict_fire_icomdata	origin_datasource	nvarchar	255
conflict_fire_icomdata	pubid	uniqueidentifier	
conflict_fire_icomdata	reason_code	int	
conflict_fire_icomdata	reason_text	nvarchar	720
conflict_fire_icomdata	rowguid	uniqueidentifier	
conflict_fire_icomdata	seq	int	
conflict_fire_icomdata	value1	varchar	50
conflict_fire_icomdata	value2	varchar	100
conflict_fire_images	addmark	float	
conflict_fire_images	addtime	datetime	
conflict_fire_images	adduser	char	11
conflict_fire_images	agency	char	15
conflict_fire_images	bin_seq	numeric	
conflict_fire_images	conflict_type	int	
conflict_fire_images	date_taken	datetime	
conflict_fire_images	filename	varchar	50
conflict_fire_images	fire_dist	char	15
conflict_fire_images	forhazmat	bit	
conflict_fire_images	forinves	bit	
conflict_fire_images	hyd_seq	numeric	
conflict_fire_images	imag_name	varchar	30
conflict_fire_images	image	varchar	40
conflict_fire_images	image_cat	varchar	20
conflict_fire_images	image_seq	numeric	
conflict_fire_images	image_type	varchar	20
conflict_fire_images	inci_seq	numeric	
conflict_fire_images	inves_seq	numeric	
conflict_fire_images	modmark	float	
conflict_fire_images	modtime	datetime	
conflict_fire_images	moduser	char	11
conflict_fire_images	MSrepl_create_time	datetime	
conflict_fire_images	notes	text	2147483647
conflict_fire_images	origin_datasource	nvarchar	255
conflict_fire_images	pubid	uniqueidentifier	
conflict_fire_images	reason_code	int	
conflict_fire_images	reason_text	nvarchar	720
conflict_fire_images	rowguid	uniqueidentifier	
conflict_fire_images	site_seq	numeric	
conflict_fire_images	taken_by	varchar	20
conflict_fire_imaster	action_	char	10
conflict_fire_imaster	addtime	datetime	
conflict_fire_imaster	adduser	varchar	100
conflict_fire_imaster	agency	char	40
conflict_fire_imaster	binname	varchar	20
conflict_fire_imaster	binnum	char	10

conflict_fire_imaster	bsi	bit	
conflict_fire_imaster	bsi_cont	numeric	
conflict_fire_imaster	bsisent	bit	
conflict_fire_imaster	comp_visit	float	
conflict_fire_imaster	conflict_type	int	
conflict_fire_imaster	contractor	varchar	30
conflict_fire_imaster	date_begun	datetime	
conflict_fire_imaster	date_end	datetime	
conflict_fire_imaster	daterecd	datetime	
conflict_fire_imaster	dept_seq	numeric	
conflict_fire_imaster	emp_seq	numeric	
conflict_fire_imaster	fire_dist	char	20
conflict_fire_imaster	firstname	char	20
conflict_fire_imaster	followup	bit	
conflict_fire_imaster	freqyr	numeric	
conflict_fire_imaster	in_seq	numeric	
conflict_fire_imaster	insp_freq	float	
conflict_fire_imaster	insp_type	varchar	20
conflict_fire_imaster	insp3party	varchar	50
conflict_fire_imaster	inspdist	char	10
conflict_fire_imaster	inspector	char	15
conflict_fire_imaster	isite_name	char	80
conflict_fire_imaster	lactive	bit	
conflict_fire_imaster	lastname	char	30
conflict_fire_imaster	Inoncomply	bit	
conflict_fire_imaster	locc_class	char	10
conflict_fire_imaster	middle	char	15
conflict_fire_imaster	mniseq	numeric	
conflict_fire_imaster	MSrepl_create_time	datetime	
conflict_fire_imaster	nconstat	float	
conflict_fire_imaster	next_insp	datetime	
conflict_fire_imaster	nextsched	bit	
conflict_fire_imaster	notes	text	2147483647
conflict_fire_imaster	origin_datasource	nvarchar	255
conflict_fire_imaster	permitno	char	40
conflict_fire_imaster	plan_date	datetime	
conflict_fire_imaster	planned	bit	
conflict_fire_imaster	proj_name	varchar	40
conflict_fire_imaster	proj_seq	int	
conflict_fire_imaster	pubid	uniqueidentifier	
conflict_fire_imaster	reason_code	int	
conflict_fire_imaster	reason_text	nvarchar	720
conflict_fire_imaster	rev_type	varchar	20
conflict_fire_imaster	rowguid	uniqueidentifier	
conflict_fire_imaster	sector	char	10
conflict_fire_imaster	site_seq	numeric	
conflict_fire_imaster	status	char	10
conflict_fire_imaster	suffix	char	5
conflict_fire_imaster	totttime	float	
conflict_fire_imaster	travtime	numeric	
conflict_fire_imaster	type_seq	numeric	
conflict_fire_inexpdtl	conflict_type	int	
conflict_fire_inexpdtl	datatype	char	2
conflict_fire_inexpdtl	detail_seq	numeric	
conflict_fire_inexpdtl	element	int	

conflict_fire_inexpdtl	expr	text	2147483647
conflict_fire_inexpdtl	fixedval	char	10
conflict_fire_inexpdtl	maxcnt	float	
conflict_fire_inexpdtl	maxlength	char	5
conflict_fire_inexpdtl	MSrepl_create_time	datetime	
conflict_fire_inexpdtl	name	varchar	50
conflict_fire_inexpdtl	origin_datasource	nvarchar	255
conflict_fire_inexpdtl	pubid	uniqueidentifier	
conflict_fire_inexpdtl	reason_code	int	
conflict_fire_inexpdtl	reason_text	nvarchar	720
conflict_fire_inexpdtl	rowguid	uniqueidentifier	
conflict_fire_inexpdtl	timestamp_column	timestamp	8
conflict_fire_inexpdtl	tran_seq	numeric	
conflict_fire_inexpdhdr	conflict_type	int	
conflict_fire_inexpdhdr	expr	varchar	200
conflict_fire_inexpdhdr	join_	varchar	50
conflict_fire_inexpdhdr	MSrepl_create_time	datetime	
conflict_fire_inexpdhdr	name	varchar	50
conflict_fire_inexpdhdr	order_	char	10
conflict_fire_inexpdhdr	origin_datasource	nvarchar	255
conflict_fire_inexpdhdr	parent	int	
conflict_fire_inexpdhdr	pubid	uniqueidentifier	
conflict_fire_inexpdhdr	reason_code	int	
conflict_fire_inexpdhdr	reason_text	nvarchar	720
conflict_fire_inexpdhdr	rowguid	uniqueidentifier	
conflict_fire_inexpdhdr	table_	char	10
conflict_fire_inexpdhdr	tran_seq	numeric	
conflict_fire_injdtails	a_bladel	char	10
conflict_fire_injdtails	a_blangle	char	10
conflict_fire_injdtails	a_caliber	char	10
conflict_fire_injdtails	a_distance	char	10
conflict_fire_injdtails	a_method	char	15
conflict_fire_injdtails	alerttime	char	4
conflict_fire_injdtails	b_degree	char	15
conflict_fire_injdtails	b_type	char	15
conflict_fire_injdtails	bpercent1	char	3
conflict_fire_injdtails	bpercent2	char	3
conflict_fire_injdtails	bpercent3	char	3
conflict_fire_injdtails	carvsped	bit	
conflict_fire_injdtails	ccs_crying	char	1
conflict_fire_injdtails	ccs_eyes	char	1
conflict_fire_injdtails	ccs_motor	char	1
conflict_fire_injdtails	ccs_total	char	2
conflict_fire_injdtails	ccs_verbal	char	1
conflict_fire_injdtails	conflict_type	int	
conflict_fire_injdtails	deccel	bit	
conflict_fire_injdtails	e_acdc	float	
conflict_fire_injdtails	e_amps	char	10
conflict_fire_injdtails	e_duration	varchar	20
conflict_fire_injdtails	e_volts	char	10
conflict_fire_injdtails	ems_seq	numeric	
conflict_fire_injdtails	errors	text	2147483647
conflict_fire_injdtails	f_distfell	char	10
conflict_fire_injdtails	f_fellfrom	char	10
conflict_fire_injdtails	f_surface	varchar	20

conflict_fire_injdtails	gcseyes	char	1
conflict_fire_injdtails	gcsmotor	char	1
conflict_fire_injdtails	gcstime	datetime	
conflict_fire_injdtails	gcstotal	char	2
conflict_fire_injdtails	gcsverbal	char	1
conflict_fire_injdtails	injintent	varchar	40
conflict_fire_injdtails	injintentco	char	1
conflict_fire_injdtails	injury	varchar	30
conflict_fire_injdtails	inl_seq	numeric	
conflict_fire_injdtails	is_assult	bit	
conflict_fire_injdtails	is_burn	bit	
conflict_fire_injdtails	is_elec	bit	
conflict_fire_injdtails	is_fall	bit	
conflict_fire_injdtails	is_mva	bit	
conflict_fire_injdtails	m_abdepl	char	10
conflict_fire_injdtails	m_carseat	bit	
conflict_fire_injdtails	m_dash	bit	
conflict_fire_injdtails	m_doa	bit	
conflict_fire_injdtails	m_doasame	bit	
conflict_fire_injdtails	m_drvmagf	bit	
conflict_fire_injdtails	m_drvmags	bit	
conflict_fire_injdtails	m_eject	bit	
conflict_fire_injdtails	m_extime	char	10
conflict_fire_injdtails	m_fire	bit	
conflict_fire_injdtails	m_head_on	bit	
conflict_fire_injdtails	m_helmet	bit	
conflict_fire_injdtails	m_iarea	char	20
conflict_fire_injdtails	m_intrus	bit	
conflict_fire_injdtails	m_lateral	bit	
conflict_fire_injdtails	m_pasbagf	bit	
conflict_fire_injdtails	m_pasbags	bit	
conflict_fire_injdtails	m_pos	char	20
conflict_fire_injdtails	m_rear	bit	
conflict_fire_injdtails	m_rollov	bit	
conflict_fire_injdtails	m_rotation	bit	
conflict_fire_injdtails	m_row	char	10
conflict_fire_injdtails	m_sbels	bit	
conflict_fire_injdtails	m_sidept	bit	
conflict_fire_injdtails	m_steer	bit	
conflict_fire_injdtails	m_unknown	bit	
conflict_fire_injdtails	m_vtype	char	15
conflict_fire_injdtails	m_windsh	bit	
conflict_fire_injdtails	MSrepl_create_time	datetime	
conflict_fire_injdtails	origin_datasource	nvarchar	255
conflict_fire_injdtails	patpos	varchar	20
conflict_fire_injdtails	patrow	varchar	20
conflict_fire_injdtails	pubid	uniqueidentifier	
conflict_fire_injdtails	reason_code	int	
conflict_fire_injdtails	reason_text	nvarchar	720
conflict_fire_injdtails	rowguid	uniqueidentifier	
conflict_fire_injdtails	sdimapct	bit	
conflict_fire_injdtails	t_crit_co	char	2
conflict_fire_injdtails	t_crit_tx	varchar	30
conflict_fire_injdtails	t_number	char	10
conflict_fire_injdtails	t_time	datetime	

conflict_fire_injdtails	trcriteria	varchar	20
conflict_fire_injdtails	tsa_capr	char	1
conflict_fire_injdtails	tsa_gcs	char	1
conflict_fire_injdtails	tsa_resp	char	1
conflict_fire_injdtails	tsa_rexp	char	1
conflict_fire_injdtails	tsa_sybp	char	1
conflict_fire_injdtails	tsa_total	char	2
conflict_fire_injdtails	tsp_airw	char	2
conflict_fire_injdtails	tsp_cns	char	2
conflict_fire_injdtails	tsp_size	char	2
conflict_fire_injdtails	tsp_skel	char	2
conflict_fire_injdtails	tsp_sybp	char	2
conflict_fire_injdtails	tsp_total	char	2
conflict_fire_injdtails	tsp_wound	char	2
conflict_fire_injdtails	ttp	char	3
conflict_fire_injlist	conflict_type	int	
conflict_fire_injlist	ems_seq	numeric	
conflict_fire_injlist	inj_seq	numeric	
conflict_fire_injlist	injmech	varchar	40
conflict_fire_injlist	injmechco	char	3
conflict_fire_injlist	injsite	varchar	30
conflict_fire_injlist	injsiteco	char	2
conflict_fire_injlist	injtype	varchar	50
conflict_fire_injlist	injtypeco	char	3
conflict_fire_injlist	MSrepl_create_time	datetime	
conflict_fire_injlist	origin_datasource	nvarchar	255
conflict_fire_injlist	pubid	uniqueidentifier	
conflict_fire_injlist	reason_code	int	
conflict_fire_injlist	reason_text	nvarchar	720
conflict_fire_injlist	rowguid	uniqueidentifier	
conflict_fire_insptype	assigntype	char	1
conflict_fire_insptype	bsi	bit	
conflict_fire_insptype	conflict_type	int	
conflict_fire_insptype	dept_seq	numeric	
conflict_fire_insptype	freqyr	numeric	
conflict_fire_insptype	inspbhav	char	1
conflict_fire_insptype	inspdsc	varchar	40
conflict_fire_insptype	inspname	varchar	20
conflict_fire_insptype	isassign	bit	
conflict_fire_insptype	itcost	real	
conflict_fire_insptype	ithrs	real	
conflict_fire_insptype	itstatus	char	10
conflict_fire_insptype	ittravhrs	real	
conflict_fire_insptype	MSrepl_create_time	datetime	
conflict_fire_insptype	origin_datasource	nvarchar	255
conflict_fire_insptype	pubid	uniqueidentifier	
conflict_fire_insptype	reason_code	int	
conflict_fire_insptype	reason_text	nvarchar	720
conflict_fire_insptype	rowguid	uniqueidentifier	
conflict_fire_insptype	sched	bit	
conflict_fire_insptype	schedtype	char	1
conflict_fire_insptype	type_seq	numeric	
conflict_fire_insptype	windows	char	15
conflict_fire_interval	agency	char	10
conflict_fire_interval	cla_code	char	4

conflict_fire_interval	cla_seq	numeric	
conflict_fire_interval	conflict_type	int	
conflict_fire_interval	dept_seq	numeric	
conflict_fire_interval	eqt_seq	numeric	
conflict_fire_interval	int_seq	numeric	
conflict_fire_interval	int_units	char	3
conflict_fire_interval	interval_	float	
conflict_fire_interval	MSrepl_create_time	datetime	
conflict_fire_interval	name	varchar	30
conflict_fire_interval	namecode	char	4
conflict_fire_interval	origin_datasource	nvarchar	255
conflict_fire_interval	pubid	uniqueidentifier	
conflict_fire_interval	reason_code	int	
conflict_fire_interval	reason_text	nvarchar	720
conflict_fire_interval	rowguid	uniqueidentifier	
conflict_fire_interval	type	char	4
conflict_fire_interval	type_code	char	4
conflict_fire_intvcfg	addtime	datetime	
conflict_fire_intvcfg	adduser	varchar	100
conflict_fire_intvcfg	conflict_type	int	
conflict_fire_intvcfg	csource	varchar	50
conflict_fire_intvcfg	dept_seq	numeric	
conflict_fire_intvcfg	intvcfgseq	numeric	
conflict_fire_intvcfg	intvcode	varchar	50
conflict_fire_intvcfg	intvvalue1	varchar	100
conflict_fire_intvcfg	itemcode	varchar	50
conflict_fire_intvcfg	itemkeyb	bit	
conflict_fire_intvcfg	itemrowsrc	varchar	512
conflict_fire_intvcfg	lbltext	varchar	50
conflict_fire_intvcfg	MSrepl_create_time	datetime	
conflict_fire_intvcfg	notes	text	2147483647
conflict_fire_intvcfg	origin_datasource	nvarchar	255
conflict_fire_intvcfg	pubid	uniqueidentifier	
conflict_fire_intvcfg	reason_code	int	
conflict_fire_intvcfg	reason_text	nvarchar	720
conflict_fire_intvcfg	rowguid	uniqueidentifier	
conflict_fire_intvcfg	screenseq	int	
conflict_fire_intvcfg	tooltip	varchar	100
conflict_fire_ivproced	alsorbls	char	3
conflict_fire_ivproced	attempts	float	
conflict_fire_ivproced	auth	varchar	40
conflict_fire_ivproced	authphys	varchar	20
conflict_fire_ivproced	authsuff	char	15
conflict_fire_ivproced	beforeunit	varchar	30
conflict_fire_ivproced	compli	varchar	40
conflict_fire_ivproced	conflict_type	int	
conflict_fire_ivproced	data1	varchar	100
conflict_fire_ivproced	data10	varchar	100
conflict_fire_ivproced	data11	varchar	100
conflict_fire_ivproced	data12	varchar	100
conflict_fire_ivproced	data13	varchar	100
conflict_fire_ivproced	data14	varchar	100
conflict_fire_ivproced	data15	varchar	100
conflict_fire_ivproced	data2	varchar	100
conflict_fire_ivproced	data3	varchar	100

conflict_fire_ivproced	data4	varchar	100
conflict_fire_ivproced	data5	varchar	100
conflict_fire_ivproced	data6	varchar	100
conflict_fire_ivproced	data7	varchar	100
conflict_fire_ivproced	data8	varchar	100
conflict_fire_ivproced	data9	varchar	100
conflict_fire_ivproced	destconf	varchar	6
conflict_fire_ivproced	ems_seq	numeric	
conflict_fire_ivproced	ivp_seq	numeric	
conflict_fire_ivproced	ivsite	varchar	6
conflict_fire_ivproced	label1	varchar	50
conflict_fire_ivproced	label10	varchar	50
conflict_fire_ivproced	label11	varchar	50
conflict_fire_ivproced	label12	varchar	50
conflict_fire_ivproced	label13	varchar	50
conflict_fire_ivproced	label14	varchar	50
conflict_fire_ivproced	label15	varchar	50
conflict_fire_ivproced	label2	varchar	50
conflict_fire_ivproced	label3	varchar	50
conflict_fire_ivproced	label4	varchar	50
conflict_fire_ivproced	label5	varchar	50
conflict_fire_ivproced	label6	varchar	50
conflict_fire_ivproced	label7	varchar	50
conflict_fire_ivproced	label8	varchar	50
conflict_fire_ivproced	label9	varchar	50
conflict_fire_ivproced	medic1	char	12
conflict_fire_ivproced	medic1seq	numeric	
conflict_fire_ivproced	medic2	char	10
conflict_fire_ivproced	medic2seq	numeric	
conflict_fire_ivproced	medic3	char	10
conflict_fire_ivproced	medic3seq	numeric	
conflict_fire_ivproced	medic4	char	10
conflict_fire_ivproced	medic4seq	numeric	
conflict_fire_ivproced	medicsid	char	10
conflict_fire_ivproced	MSrepl_create_time	datetime	
conflict_fire_ivproced	notes	varchar	100
conflict_fire_ivproced	origin_datasource	nvarchar	255
conflict_fire_ivproced	phys_seq	numeric	
conflict_fire_ivproced	physfirst	varchar	20
conflict_fire_ivproced	physmid	varchar	15
conflict_fire_ivproced	procco	char	15
conflict_fire_ivproced	procsite	varchar	20
conflict_fire_ivproced	proctype	varchar	50
conflict_fire_ivproced	pubid	uniqueidentifier	
conflict_fire_ivproced	reason_code	int	
conflict_fire_ivproced	reason_text	nvarchar	720
conflict_fire_ivproced	response	varchar	30
conflict_fire_ivproced	rowguid	uniqueidentifier	
conflict_fire_ivproced	size_	char	10
conflict_fire_ivproced	successful	bit	
conflict_fire_ivproced	timestamp_	datetime	
conflict_fire_ivproced	tubeconf	varchar	6
conflict_fire_ivproced	vol_rate	char	10
conflict_fire_jobhist	career	char	1
conflict_fire_jobhist	conflict_type	int	

conflict_fire_jobhist	deptname	varchar	30
conflict_fire_jobhist	emp_seq	numeric	
conflict_fire_jobhist	enddate	datetime	
conflict_fire_jobhist	endrank	char	15
conflict_fire_jobhist	fdid	char	5
conflict_fire_jobhist	MSrepl_create_time	datetime	
conflict_fire_jobhist	notes	text	2147483647
conflict_fire_jobhist	origin_datasource	nvarchar	255
conflict_fire_jobhist	prim_seq	numeric	
conflict_fire_jobhist	pubid	uniqueidentifier	
conflict_fire_jobhist	reason_code	int	
conflict_fire_jobhist	reason_text	nvarchar	720
conflict_fire_jobhist	rowguid	uniqueidentifier	
conflict_fire_jobhist	servtime	float	
conflict_fire_jobhist	startdate	datetime	
conflict_fire_jobhist	startrank	char	15
conflict_fire_kellydetail	conflict_type	int	
conflict_fire_kellydetail	iteration	int	
conflict_fire_kellydetail	kd_seq	numeric	
conflict_fire_kellydetail	kg_seq	numeric	
conflict_fire_kellydetail	MSrepl_create_time	datetime	
conflict_fire_kellydetail	origin_datasource	nvarchar	255
conflict_fire_kellydetail	pubid	uniqueidentifier	
conflict_fire_kellydetail	reason_code	int	
conflict_fire_kellydetail	reason_text	nvarchar	720
conflict_fire_kellydetail	rowguid	uniqueidentifier	
conflict_fire_kellydetail	tour_seq	numeric	
conflict_fire_kellygroup	conflict_type	int	
conflict_fire_kellygroup	kg_cycles	int	
conflict_fire_kellygroup	kg_desc	varchar	30
conflict_fire_kellygroup	kg_seed_dt	datetime	
conflict_fire_kellygroup	kg_seq	numeric	
conflict_fire_kellygroup	MSrepl_create_time	datetime	
conflict_fire_kellygroup	origin_datasource	nvarchar	255
conflict_fire_kellygroup	pubid	uniqueidentifier	
conflict_fire_kellygroup	reason_code	int	
conflict_fire_kellygroup	reason_text	nvarchar	720
conflict_fire_kellygroup	rowguid	uniqueidentifier	
conflict_fire_kellygroup	shift_seq	numeric	
conflict_fire_keys	conflict_type	int	
conflict_fire_keys	MSrepl_create_time	datetime	
conflict_fire_keys	origin_datasource	nvarchar	255
conflict_fire_keys	pkey	numeric	
conflict_fire_keys	pkfield	varchar	50
conflict_fire_keys	pubid	uniqueidentifier	
conflict_fire_keys	reason_code	int	
conflict_fire_keys	reason_text	nvarchar	720
conflict_fire_keys	rowguid	uniqueidentifier	
conflict_fire_keys	tablename	varchar	50
conflict_fire_leave	begindate	datetime	
conflict_fire_leave	begintime	char	4
conflict_fire_leave	conflict_type	int	
conflict_fire_leave	duty	char	3
conflict_fire_leave	emp_seq	numeric	
conflict_fire_leave	enddate	datetime	

conflict_fire_leave	endtime	char	4
conflict_fire_leave	ex_desc	varchar	20
conflict_fire_leave	except_seq	numeric	
conflict_fire_leave	leave_seq	numeric	
conflict_fire_leave	length	int	
conflict_fire_leave	MSrepl_create_time	datetime	
conflict_fire_leave	note	text	2147483647
conflict_fire_leave	origin_datasource	nvarchar	255
conflict_fire_leave	paid	bit	
conflict_fire_leave	pubid	uniqueidentifier	
conflict_fire_leave	rate	smallmoney	
conflict_fire_leave	reason_code	int	
conflict_fire_leave	reason_text	nvarchar	720
conflict_fire_leave	request_dt	datetime	
conflict_fire_leave	review_by	int	
conflict_fire_leave	review_dt	datetime	
conflict_fire_leave	review_note	text	2147483647
conflict_fire_leave	rowguid	uniqueidentifier	
conflict_fire_leave	status	char	10
conflict_fire_leave	t_start	datetime	
conflict_fire_leave	t_stop	datetime	
conflict_fire_licenses	conditions	text	2147483647
conflict_fire_licenses	conflict_type	int	
conflict_fire_licenses	desc_	varchar	30
conflict_fire_licenses	emp_seq	numeric	
conflict_fire_licenses	expires	datetime	
conflict_fire_licenses	granted	datetime	
conflict_fire_licenses	MSrepl_create_time	datetime	
conflict_fire_licenses	notes	text	2147483647
conflict_fire_licenses	number	char	15
conflict_fire_licenses	origin_datasource	nvarchar	255
conflict_fire_licenses	prim_seq	numeric	
conflict_fire_licenses	pubid	uniqueidentifier	
conflict_fire_licenses	reason_code	int	
conflict_fire_licenses	reason_text	nvarchar	720
conflict_fire_licenses	rowguid	uniqueidentifier	
conflict_fire_licenses	type	char	15
conflict_fire_loc	address2	varchar	50
conflict_fire_loc	city	varchar	50
conflict_fire_loc	conflict_type	int	
conflict_fire_loc	distgrid	varchar	4
conflict_fire_loc	fax	varchar	24
conflict_fire_loc	geotime	datetime	
conflict_fire_loc	geouser	char	11
conflict_fire_loc	geover	bit	
conflict_fire_loc	gisid	numeric	
conflict_fire_loc	idnum	char	20
conflict_fire_loc	lat	varchar	30
conflict_fire_loc	latitude_deg	char	12
conflict_fire_loc	lattitude	char	12
conflict_fire_loc	loc_seq	numeric	
conflict_fire_loc	loczone	varchar	4
conflict_fire_loc	long	varchar	30
conflict_fire_loc	longitude	char	13
conflict_fire_loc	longitude_deg	char	13

conflict_fire_loc	mphone	varchar	24
conflict_fire_loc	MSrepl_create_time	datetime	
conflict_fire_loc	name	varchar	80
conflict_fire_loc	notes	varchar	5000
conflict_fire_loc	origin_datasource	nvarchar	255
conflict_fire_loc	pager	varchar	24
conflict_fire_loc	phone1	varchar	24
conflict_fire_loc	phone2	varchar	24
conflict_fire_loc	pubid	uniqueidentifier	
conflict_fire_loc	reason_code	int	
conflict_fire_loc	reason_text	nvarchar	720
conflict_fire_loc	rowguid	uniqueidentifier	
conflict_fire_loc	state	char	2
conflict_fire_loc	stcross	varchar	50
conflict_fire_loc	stinter	bit	
conflict_fire_loc	stname	varchar	50
conflict_fire_loc	stnumber	char	8
conflict_fire_loc	stprefix	char	3
conflict_fire_loc	stsuffix	char	3
conflict_fire_loc	sttype	char	4
conflict_fire_loc	taxid	varchar	20
conflict_fire_loc	type	varchar	50
conflict_fire_loc	xcoord	numeric	
conflict_fire_loc	ycoord	numeric	
conflict_fire_loc	zip	char	9
conflict_fire_locrole	conflict_type	int	
conflict_fire_locrole	datefrom	datetime	
conflict_fire_locrole	dateto	datetime	
conflict_fire_locrole	isprime	bit	
conflict_fire_locrole	item_seq	numeric	
conflict_fire_locrole	itemdtl	varchar	1024
conflict_fire_locrole	lnktble	varchar	128
conflict_fire_locrole	locrol_seq	numeric	
conflict_fire_locrole	lrclass	char	20
conflict_fire_locrole	lrstatus	char	20
conflict_fire_locrole	mailto	bit	
conflict_fire_locrole	MSrepl_create_time	datetime	
conflict_fire_locrole	origin_datasource	nvarchar	255
conflict_fire_locrole	pubid	uniqueidentifier	
conflict_fire_locrole	reason_code	int	
conflict_fire_locrole	reason_text	nvarchar	720
conflict_fire_locrole	rloc_seq	numeric	
conflict_fire_locrole	role	varchar	100
conflict_fire_locrole	rolecode	varchar	100
conflict_fire_locrole	roledtl	varchar	1024
conflict_fire_locrole	roletype	char	10
conflict_fire_locrole	rowguid	uniqueidentifier	
conflict_fire_losap	cap	numeric	
conflict_fire_losap	conflict_type	int	
conflict_fire_losap	dept_seq	numeric	
conflict_fire_losap	group_seq	numeric	
conflict_fire_losap	item	varchar	50
conflict_fire_losap	juris_seq	numeric	
conflict_fire_losap	losap_seq	numeric	
conflict_fire_losap	MSrepl_create_time	datetime	

conflict_fire_losap	notes	text	2147483647
conflict_fire_losap	origin_datasource	nvarchar	255
conflict_fire_losap	parent	varchar	50
conflict_fire_losap	parentkey	numeric	
conflict_fire_losap	per	numeric	
conflict_fire_losap	points	numeric	
conflict_fire_losap	pubid	uniqueidentifier	
conflict_fire_losap	reason_code	int	
conflict_fire_losap	reason_text	nvarchar	720
conflict_fire_losap	refyear	bit	
conflict_fire_losap	rowguid	uniqueidentifier	
conflict_fire_losap	typecap	numeric	
conflict_fire_losap	units	varchar	50
conflict_fire_losap	yearfrom	numeric	
conflict_fire_losap	yearto	numeric	
conflict_fire_mapdata	color	numeric	
conflict_fire_mapdata	conflict_type	int	
conflict_fire_mapdata	emp_seq	numeric	
conflict_fire_mapdata	imagefile	bit	
conflict_fire_mapdata	map_seq	numeric	
conflict_fire_mapdata	MSrepl_create_time	datetime	
conflict_fire_mapdata	origin_datasource	nvarchar	255
conflict_fire_mapdata	pointstyle	numeric	
conflict_fire_mapdata	polystyle	numeric	
conflict_fire_mapdata	psize	numeric	
conflict_fire_mapdata	pubid	uniqueidentifier	
conflict_fire_mapdata	reason_code	int	
conflict_fire_mapdata	reason_text	nvarchar	720
conflict_fire_mapdata	rowguid	uniqueidentifier	
conflict_fire_mapdata	show_shp	bit	
conflict_fire_mapdata	shpdesc	varchar	50
conflict_fire_mapdata	shpfile	varchar	50
conflict_fire_mapdata	srtorder	numeric	
conflict_fire_mapdata	street	bit	
conflict_fire_meddirstcert	conflict_type	int	
conflict_fire_meddirstcert	meddirstcertlvlseq	int	
conflict_fire_meddirstcert	meddirstcertseq	int	
conflict_fire_meddirstcert	MSrepl_create_time	datetime	
conflict_fire_meddirstcert	nemsisdemographseq	int	
conflict_fire_meddirstcert	origin_datasource	nvarchar	255
conflict_fire_meddirstcert	pubid	uniqueidentifier	
conflict_fire_meddirstcert	reason_code	int	
conflict_fire_meddirstcert	reason_text	nvarchar	720
conflict_fire_meddirstcert	rowguid	uniqueidentifier	
conflict_fire_meddirstcertlvl	code	varchar	10
conflict_fire_meddirstcertlvl	conflict_type	int	
conflict_fire_meddirstcertlvl	descr	varchar	30
conflict_fire_meddirstcertlvl	meddirstcertlvlseq	int	
conflict_fire_meddirstcertlvl	MSrepl_create_time	datetime	
conflict_fire_meddirstcertlvl	origin_datasource	nvarchar	255
conflict_fire_meddirstcertlvl	pubid	uniqueidentifier	
conflict_fire_meddirstcertlvl	reason_code	int	
conflict_fire_meddirstcertlvl	reason_text	nvarchar	720
conflict_fire_meddirstcertlvl	rowguid	uniqueidentifier	
conflict_fire_medicate	conflict_type	int	

conflict_fire_medicate	dose	varchar	30
conflict_fire_medicate	dtverified	datetime	
conflict_fire_medicate	ems_seq	numeric	
conflict_fire_medicate	med_seq	numeric	
conflict_fire_medicate	medication	varchar	40
conflict_fire_medicate	MSrepl_create_time	datetime	
conflict_fire_medicate	origin_datasource	nvarchar	255
conflict_fire_medicate	pubid	uniqueidentifier	
conflict_fire_medicate	reason_code	int	
conflict_fire_medicate	reason_text	nvarchar	720
conflict_fire_medicate	route	varchar	30
conflict_fire_medicate	rowguid	uniqueidentifier	
conflict_fire_medicate	testfield1	char	10
conflict_fire_medicate	units	varchar	30
conflict_fire_medics	chrgmedic	bit	
conflict_fire_medics	comment	varchar	100
conflict_fire_medics	conflict_type	int	
conflict_fire_medics	deptcode	char	10
conflict_fire_medics	drvrmedic	bit	
conflict_fire_medics	emp_seq	numeric	
conflict_fire_medics	ems_seq	numeric	
conflict_fire_medics	fullname	varchar	40
conflict_fire_medics	med_seq	numeric	
conflict_fire_medics	medicsid	char	10
conflict_fire_medics	medlevel	char	15
conflict_fire_medics	mniseq	numeric	
conflict_fire_medics	MSrepl_create_time	datetime	
conflict_fire_medics	origin_datasource	nvarchar	255
conflict_fire_medics	prim_med	bit	
conflict_fire_medics	ptcare	bit	
conflict_fire_medics	pubid	uniqueidentifier	
conflict_fire_medics	reason_code	int	
conflict_fire_medics	reason_text	nvarchar	720
conflict_fire_medics	role	char	30
conflict_fire_medics	rowguid	uniqueidentifier	
conflict_fire_medics	sec_med	bit	
conflict_fire_medics	secondary	bit	
conflict_fire_medics	unitcode	char	10
conflict_fire_message	app	varchar	30
conflict_fire_message	conflict_type	int	
conflict_fire_message	descr	varchar	200
conflict_fire_message	from_seq	numeric	
conflict_fire_message	item_desc	varchar	200
conflict_fire_message	item_seq	numeric	
conflict_fire_message	lnktble	char	20
conflict_fire_message	msg_seq	numeric	
conflict_fire_message	msgtype	varchar	30
conflict_fire_message	MSrepl_create_time	datetime	
conflict_fire_message	note	text	2147483647
conflict_fire_message	origin_datasource	nvarchar	255
conflict_fire_message	pubid	uniqueidentifier	
conflict_fire_message	reason_code	int	
conflict_fire_message	reason_text	nvarchar	720
conflict_fire_message	rowguid	uniqueidentifier	
conflict_fire_message	sent	datetime	

conflict_fire_message	subject	varchar	200
conflict_fire_messagefld	conflict_type	int	
conflict_fire_messagefld	folder	varchar	50
conflict_fire_messagefld	msgf_seq	numeric	
conflict_fire_messagefld	MSrepl_create_time	datetime	
conflict_fire_messagefld	origin_datasource	nvarchar	255
conflict_fire_messagefld	parent	varchar	50
conflict_fire_messagefld	pubid	uniqueidentifier	
conflict_fire_messagefld	reason_code	int	
conflict_fire_messagefld	reason_text	nvarchar	720
conflict_fire_messagefld	rowguid	uniqueidentifier	
conflict_fire_messagefld	userid	varchar	100
conflict_fire_messagercp	actionreq	char	30
conflict_fire_messagercp	conflict_type	int	
conflict_fire_messagercp	extaddress	varchar	200
conflict_fire_messagercp	flag	varchar	30
conflict_fire_messagercp	folder	varchar	100
conflict_fire_messagercp	msg_seq	numeric	
conflict_fire_messagercp	msgr_seq	numeric	
conflict_fire_messagercp	MSrepl_create_time	datetime	
conflict_fire_messagercp	offered	datetime	
conflict_fire_messagercp	opened	datetime	
conflict_fire_messagercp	origin_datasource	nvarchar	255
conflict_fire_messagercp	pubid	uniqueidentifier	
conflict_fire_messagercp	reason_code	int	
conflict_fire_messagercp	reason_text	nvarchar	720
conflict_fire_messagercp	rowguid	uniqueidentifier	
conflict_fire_messagercp	status	varchar	30
conflict_fire_messagercp	to_seq	numeric	
conflict_fire_messagercp	to_type	char	10
conflict_fire_mnixref	address2	varchar	50
conflict_fire_mnixref	city	varchar	50
conflict_fire_mnixref	color_eye	char	10
conflict_fire_mnixref	color_hair	char	10
conflict_fire_mnixref	conflict_type	int	
conflict_fire_mnixref	dlnumber	varchar	20
conflict_fire_mnixref	dlstate	char	2
conflict_fire_mnixref	dltype	varchar	20
conflict_fire_mnixref	dob	datetime	
conflict_fire_mnixref	height	varchar	5
conflict_fire_mnixref	juve	bit	
conflict_fire_mnixref	mnino	varchar	15
conflict_fire_mnixref	MSrepl_create_time	datetime	
conflict_fire_mnixref	name_first	varchar	20
conflict_fire_mnixref	name_last	varchar	30
conflict_fire_mnixref	name_middle	varchar	15
conflict_fire_mnixref	name_seq	numeric	
conflict_fire_mnixref	name_suffix	char	5
conflict_fire_mnixref	name_title	varchar	20
conflict_fire_mnixref	origin_datasource	nvarchar	255
conflict_fire_mnixref	phone	varchar	20
conflict_fire_mnixref	pubid	uniqueidentifier	
conflict_fire_mnixref	race	varchar	30
conflict_fire_mnixref	reason_code	int	
conflict_fire_mnixref	reason_text	nvarchar	720

conflict_fire_mnixref	rowguid	uniqueidentifier	
conflict_fire_mnixref	sex	char	1
conflict_fire_mnixref	ssn	char	9
conflict_fire_mnixref	state	char	2
conflict_fire_mnixref	stcross	varchar	50
conflict_fire_mnixref	stinter	bit	
conflict_fire_mnixref	stname	varchar	50
conflict_fire_mnixref	stnumber	char	8
conflict_fire_mnixref	stprefix	char	3
conflict_fire_mnixref	stsuffix	char	3
conflict_fire_mnixref	sttype	char	4
conflict_fire_mnixref	updatedt	datetime	
conflict_fire_mnixref	weight	numeric	
conflict_fire_mnixref	xcoord	numeric	
conflict_fire_mnixref	ycoord	numeric	
conflict_fire_mnixref	zip	char	9
conflict_fire_n5alfire	acreburned	float	
conflict_fire_n5alfire	agefactor	bit	
conflict_fire_n5alfire	asleep	bit	
conflict_fire_n5alfire	causignit	char	2
conflict_fire_n5alfire	confinflag	bit	
conflict_fire_n5alfire	conflict_type	int	
conflict_fire_n5alfire	eqbrand	varchar	25
conflict_fire_n5alfire	eqignition	char	4
conflict_fire_n5alfire	eqmodel	varchar	25
conflict_fire_n5alfire	eqportab	char	2
conflict_fire_n5alfire	eqpower	char	3
conflict_fire_n5alfire	eqserial	varchar	25
conflict_fire_n5alfire	eqyear	char	4
conflict_fire_n5alfire	errors	text	2147483647
conflict_fire_n5alfire	estage	char	3
conflict_fire_n5alfire	exposflag	bit	
conflict_fire_n5alfire	fireorigin	char	3
conflict_fire_n5alfire	firstitem	char	3
conflict_fire_n5alfire	heatsrce	char	3
conflict_fire_n5alfire	igfactor1	char	3
conflict_fire_n5alfire	igfactor2	char	3
conflict_fire_n5alfire	impaired	bit	
conflict_fire_n5alfire	inc_seq	numeric	
conflict_fire_n5alfire	matonsite1	char	4
conflict_fire_n5alfire	matonsite2	char	4
conflict_fire_n5alfire	matonsite3	char	4
conflict_fire_n5alfire	matstor1	char	2
conflict_fire_n5alfire	matstor2	char	2
conflict_fire_n5alfire	matstor3	char	2
conflict_fire_n5alfire	mental	bit	
conflict_fire_n5alfire	mobicode	char	2
conflict_fire_n5alfire	mobilicen	char	10
conflict_fire_n5alfire	mobimake	char	3
conflict_fire_n5alfire	mobimodel	varchar	25
conflict_fire_n5alfire	mobistate	char	3
conflict_fire_n5alfire	mobitype	char	3
conflict_fire_n5alfire	mobivin	char	17
conflict_fire_n5alfire	mobiyear	char	4
conflict_fire_n5alfire	MSrepl_create_time	datetime	

conflict_fire_n5alfire	multiplep	bit	
conflict_fire_n5alfire	nobuldfalg	bit	
conflict_fire_n5alfire	noequiflag	bit	
conflict_fire_n5alfire	nohumflag	bit	
conflict_fire_n5alfire	noigntflag	bit	
conflict_fire_n5alfire	nomatflag	bit	
conflict_fire_n5alfire	nomobiflag	bit	
conflict_fire_n5alfire	none2one	float	
conflict_fire_n5alfire	nosuppflag	bit	
conflict_fire_n5alfire	numbuldin	float	
conflict_fire_n5alfire	numresunit	float	
conflict_fire_n5alfire	origin_datasource	nvarchar	255
conflict_fire_n5alfire	physical	bit	
conflict_fire_n5alfire	prim_seq	numeric	
conflict_fire_n5alfire	pubid	uniqueidentifier	
conflict_fire_n5alfire	reason_code	int	
conflict_fire_n5alfire	reason_text	nvarchar	720
conflict_fire_n5alfire	reportcode	char	1
conflict_fire_n5alfire	residflag	bit	
conflict_fire_n5alfire	rowguid	uniqueidentifier	
conflict_fire_n5alfire	sexofinv	char	2
conflict_fire_n5alfire	suppfact1	char	4
conflict_fire_n5alfire	suppfact2	char	4
conflict_fire_n5alfire	suppfact3	char	4
conflict_fire_n5alfire	typemat	char	3
conflict_fire_n5alfire	unattended	bit	
conflict_fire_n5apprat	action1	char	3
conflict_fire_n5apprat	action2	char	3
conflict_fire_n5apprat	action3	char	3
conflict_fire_n5apprat	action4	char	3
conflict_fire_n5apprat	arrdate	datetime	
conflict_fire_n5apprat	arrtime	char	6
conflict_fire_n5apprat	cleardate	datetime	
conflict_fire_n5apprat	cleartime	char	6
conflict_fire_n5apprat	conflict_type	int	
conflict_fire_n5apprat	dept_seq	numeric	
conflict_fire_n5apprat	deptcode	char	10
conflict_fire_n5apprat	dispdate	datetime	
conflict_fire_n5apprat	disptime	char	6
conflict_fire_n5apprat	enrdate	datetime	
conflict_fire_n5apprat	enrtime	char	6
conflict_fire_n5apprat	eq_seq	numeric	
conflict_fire_n5apprat	errors	text	2147483647
conflict_fire_n5apprat	inc_seq	numeric	
conflict_fire_n5apprat	MSrepl_create_time	datetime	
conflict_fire_n5apprat	numfiremen	char	3
conflict_fire_n5apprat	origin_datasource	nvarchar	255
conflict_fire_n5apprat	prim_seq	numeric	
conflict_fire_n5apprat	pubid	uniqueidentifier	
conflict_fire_n5apprat	reason_code	int	
conflict_fire_n5apprat	reason_text	nvarchar	720
conflict_fire_n5apprat	reportcode	char	1
conflict_fire_n5apprat	rowguid	uniqueidentifier	
conflict_fire_n5apprat	unitid	char	5
conflict_fire_n5apprat	unittype	char	3

conflict_fire_n5apprat	unituse	char	1
conflict_fire_n5arson	address2	char	15
conflict_fire_n5arson	age	char	6
conflict_fire_n5arson	agency_moi_seq	numeric	
conflict_fire_n5arson	agencyname	varchar	50
conflict_fire_n5arson	city	varchar	20
conflict_fire_n5arson	conflict_type	int	
conflict_fire_n5arson	container	char	3
conflict_fire_n5arson	delaydev	char	3
conflict_fire_n5arson	dispositio	char	2
conflict_fire_n5arson	dob	datetime	
conflict_fire_n5arson	entrymeth	char	3
conflict_fire_n5arson	errors	text	2147483647
conflict_fire_n5arson	ethnic	char	2
conflict_fire_n5arson	famtype	char	2
conflict_fire_n5arson	firstmater	char	2
conflict_fire_n5arson	fuel	char	3
conflict_fire_n5arson	gender	char	2
conflict_fire_n5arson	groupinv1	char	2
conflict_fire_n5arson	groupinv2	char	2
conflict_fire_n5arson	groupinv3	char	2
conflict_fire_n5arson	inc_seq	numeric	
conflict_fire_n5arson	initobs1	bit	
conflict_fire_n5arson	initobs2	bit	
conflict_fire_n5arson	initobs3	bit	
conflict_fire_n5arson	initobs4	bit	
conflict_fire_n5arson	initobs5	bit	
conflict_fire_n5arson	initobs6	bit	
conflict_fire_n5arson	initobs7	bit	
conflict_fire_n5arson	initobs8	bit	
conflict_fire_n5arson	invinfo1	bit	
conflict_fire_n5arson	invinfo2	bit	
conflict_fire_n5arson	invinfo3	bit	
conflict_fire_n5arson	invinfo4	bit	
conflict_fire_n5arson	invinfo5	bit	
conflict_fire_n5arson	invinfo6	bit	
conflict_fire_n5arson	invinfo7	bit	
conflict_fire_n5arson	invinfo8	bit	
conflict_fire_n5arson	juvfact1	bit	
conflict_fire_n5arson	juvfact2	bit	
conflict_fire_n5arson	juvfact3	bit	
conflict_fire_n5arson	juvfact4	bit	
conflict_fire_n5arson	juvfact5	bit	
conflict_fire_n5arson	juvfact6	bit	
conflict_fire_n5arson	juvfact7	bit	
conflict_fire_n5arson	juvfact8	bit	
conflict_fire_n5arson	juvremarks	text	2147483647
conflict_fire_n5arson	labused1	bit	
conflict_fire_n5arson	labused2	bit	
conflict_fire_n5arson	labused3	bit	
conflict_fire_n5arson	labused4	bit	
conflict_fire_n5arson	labused5	bit	
conflict_fire_n5arson	labused6	bit	
conflict_fire_n5arson	labused7	bit	
conflict_fire_n5arson	labused8	bit	

conflict_fire_n5arson	motivation1	char	3
conflict_fire_n5arson	motivation2	char	3
conflict_fire_n5arson	motivation3	char	3
conflict_fire_n5arson	MSrepl_create_time	datetime	
conflict_fire_n5arson	onarrival	char	2
conflict_fire_n5arson	origin_datasource	nvarchar	255
conflict_fire_n5arson	phone	varchar	24
conflict_fire_n5arson	prim_seq	numeric	
conflict_fire_n5arson	propowner	char	2
conflict_fire_n5arson	pubid	uniqueidentifier	
conflict_fire_n5arson	race	char	2
conflict_fire_n5arson	reason_code	int	
conflict_fire_n5arson	reason_text	nvarchar	720
conflict_fire_n5arson	remarks	text	2147483647
conflict_fire_n5arson	reportcode	char	1
conflict_fire_n5arson	riskfactor	char	2
conflict_fire_n5arson	rowguid	uniqueidentifier	
conflict_fire_n5arson	state	char	3
conflict_fire_n5arson	status	char	2
conflict_fire_n5arson	stname	varchar	30
conflict_fire_n5arson	stnumber	char	8
conflict_fire_n5arson	stprefix	char	3
conflict_fire_n5arson	stsuffix	char	5
conflict_fire_n5arson	sttype	char	5
conflict_fire_n5arson	subject_number	smallint	
conflict_fire_n5arson	theircase	char	12
conflict_fire_n5arson	theirfdid	char	5
conflict_fire_n5arson	theirfid	char	2
conflict_fire_n5arson	theirori	char	5
conflict_fire_n5arson	zip	char	9
conflict_fire_n5basic	action1	char	3
conflict_fire_n5basic	action2	char	3
conflict_fire_n5basic	action3	char	3
conflict_fire_n5basic	addmark	float	
conflict_fire_n5basic	address2	char	15
conflict_fire_n5basic	addtime	datetime	
conflict_fire_n5basic	adduser	varchar	100
conflict_fire_n5basic	agency	char	15
conflict_fire_n5basic	aldate	datetime	
conflict_fire_n5basic	allerrors	text	2147483647
conflict_fire_n5basic	altime	char	6
conflict_fire_n5basic	arrdate	datetime	
conflict_fire_n5basic	arrdtflag	bit	
conflict_fire_n5basic	arrtime	char	6
conflict_fire_n5basic	cad_id	char	14
conflict_fire_n5basic	cadbusname	char	50
conflict_fire_n5basic	cadcalltime	datetime	
conflict_fire_n5basic	cadname	varchar	50
conflict_fire_n5basic	cadphone	char	20
conflict_fire_n5basic	census	char	6
conflict_fire_n5basic	cldate	datetime	
conflict_fire_n5basic	cldtflag	bit	
conflict_fire_n5basic	cltime	char	6
conflict_fire_n5basic	codtflag	bit	
conflict_fire_n5basic	condate	datetime	

conflict_fire_n5basic	conflict_type	int	
conflict_fire_n5basic	contime	char	6
conflict_fire_n5basic	contloss	float	
conflict_fire_n5basic	crossst	varchar	30
conflict_fire_n5basic	dept_seq	numeric	
conflict_fire_n5basic	detecflag	char	2
conflict_fire_n5basic	district	char	3
conflict_fire_n5basic	emsappcnt	char	4
conflict_fire_n5basic	emspercmt	char	4
conflict_fire_n5basic	errors	text	2147483647
conflict_fire_n5basic	exp_num	char	3
conflict_fire_n5basic	fdid	char	5
conflict_fire_n5basic	fire_dist	char	15
conflict_fire_n5basic	fsfatal	char	3
conflict_fire_n5basic	fsinjury	char	3
conflict_fire_n5basic	geotime	datetime	
conflict_fire_n5basic	geouser	char	11
conflict_fire_n5basic	geover	bit	
conflict_fire_n5basic	geoxcoord	numeric	
conflict_fire_n5basic	geoycoord	numeric	
conflict_fire_n5basic	hazreleas	char	2
conflict_fire_n5basic	icity	varchar	20
conflict_fire_n5basic	idate	datetime	
conflict_fire_n5basic	inc_num	char	14
conflict_fire_n5basic	inc_seq	numeric	
conflict_fire_n5basic	incitype	char	4
conflict_fire_n5basic	iscomplete	bit	
conflict_fire_n5basic	isreviewed	bit	
conflict_fire_n5basic	istate	char	3
conflict_fire_n5basic	izip	char	9
conflict_fire_n5basic	loc_seq	numeric	
conflict_fire_n5basic	locatype	char	2
conflict_fire_n5basic	memassmnt	char	10
conflict_fire_n5basic	memdate	datetime	
conflict_fire_n5basic	memfirst	char	15
conflict_fire_n5basic	memid	char	9
conflict_fire_n5basic	memlast	varchar	25
conflict_fire_n5basic	memmiddle	char	1
conflict_fire_n5basic	memmni_seq	numeric	
conflict_fire_n5basic	memseq	int	
conflict_fire_n5basic	memsuff	char	5
conflict_fire_n5basic	memtitle	char	40
conflict_fire_n5basic	mixeduse	char	3
conflict_fire_n5basic	modmark	float	
conflict_fire_n5basic	modtime	datetime	
conflict_fire_n5basic	moduser	varchar	100
conflict_fire_n5basic	MSrepl_create_time	datetime	
conflict_fire_n5basic	mutfdid	char	5
conflict_fire_n5basic	mutinc_num	char	7
conflict_fire_n5basic	mutstate	char	3
conflict_fire_n5basic	mutualaid	char	2
conflict_fire_n5basic	n10flag	bit	
conflict_fire_n5basic	n11flag	bit	
conflict_fire_n5basic	n2flag	bit	
conflict_fire_n5basic	n3flag	bit	

conflict_fire_n5basic	n4flag	bit	
conflict_fire_n5basic	n5flag	bit	
conflict_fire_n5basic	n6flag	bit	
conflict_fire_n5basic	n7flag	bit	
conflict_fire_n5basic	n8flag	bit	
conflict_fire_n5basic	n9flag	bit	
conflict_fire_n5basic	nocasflag	bit	
conflict_fire_n5basic	nocontloss	bit	
conflict_fire_n5basic	nocontval	bit	
conflict_fire_n5basic	noppropval	bit	
conflict_fire_n5basic	noproploss	bit	
conflict_fire_n5basic	numalarms	char	2
conflict_fire_n5basic	oicassmnt	char	10
conflict_fire_n5basic	oicdate	datetime	
conflict_fire_n5basic	oicfirst	char	15
conflict_fire_n5basic	oicid	char	9
conflict_fire_n5basic	oiclast	varchar	25
conflict_fire_n5basic	oicmiddle	char	1
conflict_fire_n5basic	oicmni_seq	numeric	
conflict_fire_n5basic	oicseq	int	
conflict_fire_n5basic	oicsuff	char	5
conflict_fire_n5basic	oictitle	char	40
conflict_fire_n5basic	origin_datasource	nvarchar	255
conflict_fire_n5basic	othappcnt	char	4
conflict_fire_n5basic	othfatal	char	3
conflict_fire_n5basic	othinjury	char	3
conflict_fire_n5basic	othpercent	char	4
conflict_fire_n5basic	pcontval	float	
conflict_fire_n5basic	ppropval	float	
conflict_fire_n5basic	proploss	float	
conflict_fire_n5basic	propuse	char	4
conflict_fire_n5basic	pubid	uniqueidentifier	
conflict_fire_n5basic	reason_code	int	
conflict_fire_n5basic	reason_text	nvarchar	720
conflict_fire_n5basic	remarks	text	2147483647
conflict_fire_n5basic	reportcode	char	1
conflict_fire_n5basic	rescntflag	bit	
conflict_fire_n5basic	resflag	bit	
conflict_fire_n5basic	revdate	datetime	
conflict_fire_n5basic	revfirst	char	20
conflict_fire_n5basic	revid	char	9
conflict_fire_n5basic	review	text	2147483647
conflict_fire_n5basic	revlast	char	30
conflict_fire_n5basic	revmiddle	char	15
conflict_fire_n5basic	revmniseq	numeric	
conflict_fire_n5basic	revseq	int	
conflict_fire_n5basic	revsuff	char	5
conflict_fire_n5basic	revtitle	char	30
conflict_fire_n5basic	rowguid	uniqueidentifier	
conflict_fire_n5basic	sameoic	bit	
conflict_fire_n5basic	sentalive	bit	
conflict_fire_n5basic	sentstate	bit	
conflict_fire_n5basic	shift	char	1
conflict_fire_n5basic	special1	char	5
conflict_fire_n5basic	special2	char	5

conflict_fire_n5basic	state	char	2
conflict_fire_n5basic	station	char	3
conflict_fire_n5basic	stname	varchar	30
conflict_fire_n5basic	stnumber	char	8
conflict_fire_n5basic	stprefix	char	3
conflict_fire_n5basic	stsuffix	char	3
conflict_fire_n5basic	sttype	char	5
conflict_fire_n5basic	supaaacnt	char	4
conflict_fire_n5basic	suppercmt	char	4
conflict_fire_n5basic	wildelse	bit	
conflict_fire_n5check	condition	text	2147483647
conflict_fire_n5check	conflict_type	int	
conflict_fire_n5check	edit_block	char	2
conflict_fire_n5check	edit_field	varchar	25
conflict_fire_n5check	edit_level	char	1
conflict_fire_n5check	edit_no	char	4
conflict_fire_n5check	edit_order	int	
conflict_fire_n5check	edit_text	text	2147483647
conflict_fire_n5check	error_seq	numeric	
conflict_fire_n5check	errormsg	varchar	254
conflict_fire_n5check	focus	varchar	75
conflict_fire_n5check	module_	char	10
conflict_fire_n5check	MSrepl_create_time	datetime	
conflict_fire_n5check	origin_datasource	nvarchar	255
conflict_fire_n5check	pubid	uniqueidentifier	
conflict_fire_n5check	reason_code	int	
conflict_fire_n5check	reason_text	nvarchar	720
conflict_fire_n5check	rowguid	uniqueidentifier	
conflict_fire_n5chems	casnumber	char	10
conflict_fire_n5chems	chemid	char	7
conflict_fire_n5chems	chemname	char	50
conflict_fire_n5chems	conflict_type	int	
conflict_fire_n5chems	errors	text	2147483647
conflict_fire_n5chems	MSrepl_create_time	datetime	
conflict_fire_n5chems	origin_datasource	nvarchar	255
conflict_fire_n5chems	prim_seq	numeric	
conflict_fire_n5chems	pubid	uniqueidentifier	
conflict_fire_n5chems	reason_code	int	
conflict_fire_n5chems	reason_text	nvarchar	720
conflict_fire_n5chems	rowguid	uniqueidentifier	
conflict_fire_n5chems	unnumber	char	4
conflict_fire_n5civcas	affiliatio	char	2
conflict_fire_n5civcas	age	char	6
conflict_fire_n5civcas	alcohol	bit	
conflict_fire_n5civcas	asleep	bit	
conflict_fire_n5civcas	cause	char	2
conflict_fire_n5civcas	cfactor1	char	3
conflict_fire_n5civcas	cfactor2	char	3
conflict_fire_n5civcas	cfactor3	char	3
conflict_fire_n5civcas	civcasnum	char	3
conflict_fire_n5civcas	conflict_type	int	
conflict_fire_n5civcas	date_	datetime	
conflict_fire_n5civcas	dispositio	bit	
conflict_fire_n5civcas	dob	datetime	
conflict_fire_n5civcas	drugs	bit	

conflict_fire_n5civcas	errors	text	2147483647
conflict_fire_n5civcas	ethnic	char	2
conflict_fire_n5civcas	firstname	char	15
conflict_fire_n5civcas	gender	char	2
conflict_fire_n5civcas	hphone	char	24
conflict_fire_n5civcas	inc_seq	numeric	
conflict_fire_n5civcas	incilocat	char	2
conflict_fire_n5civcas	inciloflag	bit	
conflict_fire_n5civcas	incistory	char	3
conflict_fire_n5civcas	injactivit	char	2
conflict_fire_n5civcas	injlocat	char	2
conflict_fire_n5civcas	injloflag	bit	
conflict_fire_n5civcas	injstory	char	3
conflict_fire_n5civcas	lastname	char	25
conflict_fire_n5civcas	mental	bit	
conflict_fire_n5civcas	middlein	char	1
conflict_fire_n5civcas	monthsflag	bit	
conflict_fire_n5civcas	MSrepl_create_time	datetime	
conflict_fire_n5civcas	name_seq	numeric	
conflict_fire_n5civcas	namesuffix	char	4
conflict_fire_n5civcas	noconflag	bit	
conflict_fire_n5civcas	nohfacflag	bit	
conflict_fire_n5civcas	origin_datasource	nvarchar	255
conflict_fire_n5civcas	partinjure	char	2
conflict_fire_n5civcas	physical	bit	
conflict_fire_n5civcas	prim_seq	numeric	
conflict_fire_n5civcas	psymptom	char	3
conflict_fire_n5civcas	pubid	uniqueidentifier	
conflict_fire_n5civcas	race	varchar	42
conflict_fire_n5civcas	reason_code	int	
conflict_fire_n5civcas	reason_text	nvarchar	720
conflict_fire_n5civcas	remarks	text	2147483647
conflict_fire_n5civcas	reportcode	char	1
conflict_fire_n5civcas	restrained	bit	
conflict_fire_n5civcas	rowguid	uniqueidentifier	
conflict_fire_n5civcas	severity	char	2
conflict_fire_n5civcas	speclocat	char	3
conflict_fire_n5civcas	time_	char	6
conflict_fire_n5civcas	unattended	bit	
conflict_fire_n5civcas	unconscio	bit	
conflict_fire_n5combo	code	char	6
conflict_fire_n5combo	conflict_type	int	
conflict_fire_n5combo	dept_seq	numeric	
conflict_fire_n5combo	depthlvl	float	
conflict_fire_n5combo	inactive	bit	
conflict_fire_n5combo	MSrepl_create_time	datetime	
conflict_fire_n5combo	notes	text	2147483647
conflict_fire_n5combo	origin_datasource	nvarchar	255
conflict_fire_n5combo	parent1	char	3
conflict_fire_n5combo	parent2	char	3
conflict_fire_n5combo	parent3	char	3
conflict_fire_n5combo	prim_seq	numeric	
conflict_fire_n5combo	pubid	uniqueidentifier	
conflict_fire_n5combo	reason_code	int	
conflict_fire_n5combo	reason_text	nvarchar	720

conflict_fire_n5combo	rowguid	uniqueidentifier	
conflict_fire_n5combo	seq	int	
conflict_fire_n5combo	showorder	int	
conflict_fire_n5combo	trans_value	varchar	20
conflict_fire_n5combo	value1	char	4
conflict_fire_n5combo	value2	varchar	75
conflict_fire_n5ems	age	char	6
conflict_fire_n5ems	alcohol	bit	
conflict_fire_n5ems	arrdate	datetime	
conflict_fire_n5ems	arrtime	char	6
conflict_fire_n5ems	asleep	bit	
conflict_fire_n5ems	assessmt	char	3
conflict_fire_n5ems	bodysite1	char	2
conflict_fire_n5ems	bodysite2	char	2
conflict_fire_n5ems	bodysite3	char	2
conflict_fire_n5ems	bodysite4	char	2
conflict_fire_n5ems	bodysite5	char	2
conflict_fire_n5ems	bystancpr	bit	
conflict_fire_n5ems	conflict_type	int	
conflict_fire_n5ems	dispositio	char	2
conflict_fire_n5ems	dob	datetime	
conflict_fire_n5ems	drugs	bit	
conflict_fire_n5ems	errors	text	2147483647
conflict_fire_n5ems	ethnic	char	2
conflict_fire_n5ems	gender	char	2
conflict_fire_n5ems	highlevel	char	2
conflict_fire_n5ems	inc_seq	numeric	
conflict_fire_n5ems	initlevel	char	2
conflict_fire_n5ems	injcause	char	3
conflict_fire_n5ems	injtype1	char	3
conflict_fire_n5ems	injtype2	char	3
conflict_fire_n5ems	injtype3	char	3
conflict_fire_n5ems	injtype4	char	3
conflict_fire_n5ems	injtype5	char	3
conflict_fire_n5ems	mental	bit	
conflict_fire_n5ems	monthsflag	bit	
conflict_fire_n5ems	MSrepl_create_time	datetime	
conflict_fire_n5ems	nohumflag	bit	
conflict_fire_n5ems	origin_datasource	nvarchar	255
conflict_fire_n5ems	othfactors	char	2
conflict_fire_n5ems	patstatus	char	2
conflict_fire_n5ems	physical	bit	
conflict_fire_n5ems	postarrest	bit	
conflict_fire_n5ems	prearrest	bit	
conflict_fire_n5ems	prim_seq	numeric	
conflict_fire_n5ems	proc00	bit	
conflict_fire_n5ems	proc01	bit	
conflict_fire_n5ems	proc02	bit	
conflict_fire_n5ems	proc03	bit	
conflict_fire_n5ems	proc04	bit	
conflict_fire_n5ems	proc05	bit	
conflict_fire_n5ems	proc06	bit	
conflict_fire_n5ems	proc07	bit	
conflict_fire_n5ems	proc08	bit	
conflict_fire_n5ems	proc09	bit	

conflict_fire_n5ems	proc10	bit	
conflict_fire_n5ems	proc11	bit	
conflict_fire_n5ems	proc12	bit	
conflict_fire_n5ems	proc13	bit	
conflict_fire_n5ems	proc14	bit	
conflict_fire_n5ems	proc15	bit	
conflict_fire_n5ems	proc16	bit	
conflict_fire_n5ems	proc17	bit	
conflict_fire_n5ems	proc18	bit	
conflict_fire_n5ems	proc19	bit	
conflict_fire_n5ems	proc20	bit	
conflict_fire_n5ems	proc21	bit	
conflict_fire_n5ems	proc22	bit	
conflict_fire_n5ems	proc23	bit	
conflict_fire_n5ems	proc24	bit	
conflict_fire_n5ems	procn	bit	
conflict_fire_n5ems	pubid	uniqueidentifier	
conflict_fire_n5ems	pulsetran	bit	
conflict_fire_n5ems	race	char	2
conflict_fire_n5ems	reason_code	int	
conflict_fire_n5ems	reason_text	nvarchar	720
conflict_fire_n5ems	reportcode	char	1
conflict_fire_n5ems	restrained	bit	
conflict_fire_n5ems	rhythm	char	2
conflict_fire_n5ems	rowguid	uniqueidentifier	
conflict_fire_n5ems	saairbag	bit	
conflict_fire_n5ems	sachldseat	bit	
conflict_fire_n5ems	safloatat	bit	
conflict_fire_n5ems	sahelmet	bit	
conflict_fire_n5ems	sanone	bit	
conflict_fire_n5ems	saothor	bit	
conflict_fire_n5ems	saprotclot	bit	
conflict_fire_n5ems	saseatbelt	bit	
conflict_fire_n5ems	saundeterm	bit	
conflict_fire_n5ems	trandate	datetime	
conflict_fire_n5ems	trantime	char	6
conflict_fire_n5ems	unattended	bit	
conflict_fire_n5ems	unconscious	bit	
conflict_fire_n5ems	witnesflag	bit	
conflict_fire_n5eqfail	cas_seq	numeric	
conflict_fire_n5eqfail	conflict_type	int	
conflict_fire_n5eqfail	eqitemtype	char	3
conflict_fire_n5eqfail	eqproblem	char	3
conflict_fire_n5eqfail	errors	text	2147483647
conflict_fire_n5eqfail	inc_seq	numeric	
conflict_fire_n5eqfail	itemnum	char	3
conflict_fire_n5eqfail	manufact	char	12
conflict_fire_n5eqfail	model	char	12
conflict_fire_n5eqfail	MSrepl_create_time	datetime	
conflict_fire_n5eqfail	origin_datasource	nvarchar	255
conflict_fire_n5eqfail	prim_seq	numeric	
conflict_fire_n5eqfail	pubid	uniqueidentifier	
conflict_fire_n5eqfail	reason_code	int	
conflict_fire_n5eqfail	reason_text	nvarchar	720
conflict_fire_n5eqfail	rowguid	uniqueidentifier	

conflict_fire_n5eqfail	serial	char	12
conflict_fire_n5expdtl	addrecord	bit	
conflict_fire_n5expdtl	conflict_type	int	
conflict_fire_n5expdtl	datatype	char	2
conflict_fire_n5expdtl	detail_seq	numeric	
conflict_fire_n5expdtl	element	int	
conflict_fire_n5expdtl	expr	text	2147483647
conflict_fire_n5expdtl	fieldmap	char	50
conflict_fire_n5expdtl	fixedval	char	10
conflict_fire_n5expdtl	maxcnt	float	
conflict_fire_n5expdtl	maxlength	char	5
conflict_fire_n5expdtl	MSrepl_create_time	datetime	
conflict_fire_n5expdtl	name	varchar	50
conflict_fire_n5expdtl	origin_datasource	nvarchar	255
conflict_fire_n5expdtl	pubid	uniqueidentifier	
conflict_fire_n5expdtl	reason_code	int	
conflict_fire_n5expdtl	reason_text	nvarchar	720
conflict_fire_n5expdtl	rowguid	uniqueidentifier	
conflict_fire_n5expdtl	tran_seq	numeric	
conflict_fire_n5exphdr	conflict_type	int	
conflict_fire_n5exphdr	expr	varchar	200
conflict_fire_n5exphdr	join_	varchar	50
conflict_fire_n5exphdr	MSrepl_create_time	datetime	
conflict_fire_n5exphdr	name	varchar	50
conflict_fire_n5exphdr	order_	char	10
conflict_fire_n5exphdr	origin_datasource	nvarchar	255
conflict_fire_n5exphdr	parent	int	
conflict_fire_n5exphdr	pubid	uniqueidentifier	
conflict_fire_n5exphdr	reason_code	int	
conflict_fire_n5exphdr	reason_text	nvarchar	720
conflict_fire_n5exphdr	rowguid	uniqueidentifier	
conflict_fire_n5exphdr	table_	char	10
conflict_fire_n5exphdr	tran_seq	numeric	
conflict_fire_n5exptyp	conflict_type	int	
conflict_fire_n5exptyp	datatype	char	2
conflict_fire_n5exptyp	descript	varchar	20
conflict_fire_n5exptyp	MSrepl_create_time	datetime	
conflict_fire_n5exptyp	origin_datasource	nvarchar	255
conflict_fire_n5exptyp	pubid	uniqueidentifier	
conflict_fire_n5exptyp	reason_code	int	
conflict_fire_n5exptyp	reason_text	nvarchar	720
conflict_fire_n5exptyp	rowguid	uniqueidentifier	
conflict_fire_n5fdrec	address	varchar	25
conflict_fire_n5fdrec	city	varchar	20
conflict_fire_n5fdrec	conflict_type	int	
conflict_fire_n5fdrec	county	char	15
conflict_fire_n5fdrec	density	char	1
conflict_fire_n5fdrec	deptname	varchar	30
conflict_fire_n5fdrec	email	varchar	45
conflict_fire_n5fdrec	errors	text	2147483647
conflict_fire_n5fdrec	fax	varchar	24
conflict_fire_n5fdrec	fdid	char	5
conflict_fire_n5fdrec	fipscode	char	3
conflict_fire_n5fdrec	inc_seq	numeric	
conflict_fire_n5fdrec	MSrepl_create_time	datetime	

conflict_fire_n5fdrec	numstation	char	3
conflict_fire_n5fdrec	origin_datasource	nvarchar	255
conflict_fire_n5fdrec	paid	char	4
conflict_fire_n5fdrec	population	char	8
conflict_fire_n5fdrec	prim_seq	numeric	
conflict_fire_n5fdrec	pubid	uniqueidentifier	
conflict_fire_n5fdrec	reason_code	int	
conflict_fire_n5fdrec	reason_text	nvarchar	720
conflict_fire_n5fdrec	rowguid	uniqueidentifier	
conflict_fire_n5fdrec	sqmiles	char	6
conflict_fire_n5fdrec	state	char	2
conflict_fire_n5fdrec	statecode	char	2
conflict_fire_n5fdrec	telephone	varchar	24
conflict_fire_n5fdrec	volnotpaid	char	4
conflict_fire_n5fdrec	volpaid	char	4
conflict_fire_n5fdrec	zip	char	9
conflict_fire_n5fscas	activity	char	3
conflict_fire_n5fscas	age	char	3
conflict_fire_n5fscas	causeinj	char	2
conflict_fire_n5fscas	conflict_type	int	
conflict_fire_n5fscas	date_	datetime	
conflict_fire_n5fscas	dob	datetime	
conflict_fire_n5fscas	eqfailflag	bit	
conflict_fire_n5fscas	errors	text	2147483647
conflict_fire_n5fscas	factorinj	char	3
conflict_fire_n5fscas	firstname	char	15
conflict_fire_n5fscas	fscasnum	char	3
conflict_fire_n5fscas	fsempid	char	9
conflict_fire_n5fscas	fsempseq	int	
conflict_fire_n5fscas	fsgender	char	2
conflict_fire_n5fscas	inc_seq	numeric	
conflict_fire_n5fscas	injstory	char	3
conflict_fire_n5fscas	injwhere	char	2
conflict_fire_n5fscas	lastname	varchar	25
conflict_fire_n5fscas	lostorflag	bit	
conflict_fire_n5fscas	middlein	char	1
conflict_fire_n5fscas	mniseq	numeric	
conflict_fire_n5fscas	MSrepl_create_time	datetime	
conflict_fire_n5fscas	namesuffix	char	4
conflict_fire_n5fscas	noobjflag	bit	
conflict_fire_n5fscas	numresp	char	2
conflict_fire_n5fscas	objinvolv	char	3
conflict_fire_n5fscas	origin_datasource	nvarchar	255
conflict_fire_n5fscas	paidorvol	char	2
conflict_fire_n5fscas	partbody	char	3
conflict_fire_n5fscas	phycond	char	2
conflict_fire_n5fscas	prim_seq	numeric	
conflict_fire_n5fscas	pubid	uniqueidentifier	
conflict_fire_n5fscas	reason_code	int	
conflict_fire_n5fscas	reason_text	nvarchar	720
conflict_fire_n5fscas	remarks	text	2147483647
conflict_fire_n5fscas	reportcode	char	1
conflict_fire_n5fscas	rowguid	uniqueidentifier	
conflict_fire_n5fscas	severity	char	2
conflict_fire_n5fscas	speclocat	char	3

conflict_fire_n5fscas	symptom	char	3
conflict_fire_n5fscas	takento	char	2
conflict_fire_n5fscas	time_	char	6
conflict_fire_n5fscas	usualassn	char	2
conflict_fire_n5fscas	vehictype	char	2
conflict_fire_n5hazmat	areaeffect	float	
conflict_fire_n5hazmat	areaevac	float	
conflict_fire_n5hazmat	areaunits	char	2
conflict_fire_n5hazmat	buildsevac	float	
conflict_fire_n5hazmat	casnumber	char	10
conflict_fire_n5hazmat	causerel	char	2
conflict_fire_n5hazmat	cfactor1	char	3
conflict_fire_n5hazmat	cfactor2	char	3
conflict_fire_n5hazmat	cfactor3	char	3
conflict_fire_n5hazmat	chemname	varchar	50
conflict_fire_n5hazmat	compacity	float	
conflict_fire_n5hazmat	conflict_type	int	
conflict_fire_n5hazmat	conttype	char	3
conflict_fire_n5hazmat	contunits	char	3
conflict_fire_n5hazmat	dispositio	char	2
conflict_fire_n5hazmat	dotclass	char	3
conflict_fire_n5hazmat	eqbrand	varchar	25
conflict_fire_n5hazmat	eqinvolve	char	4
conflict_fire_n5hazmat	eqmodel	varchar	25
conflict_fire_n5hazmat	eqserial	varchar	25
conflict_fire_n5hazmat	eqyear	char	4
conflict_fire_n5hazmat	errors	text	2147483647
conflict_fire_n5hazmat	evacunits	char	2
conflict_fire_n5hazmat	hazaction1	char	3
conflict_fire_n5hazmat	hazaction2	char	3
conflict_fire_n5hazmat	hazaction3	char	3
conflict_fire_n5hazmat	hazfatal	char	4
conflict_fire_n5hazmat	hazinjurie	char	4
conflict_fire_n5hazmat	hazmatid	char	2
conflict_fire_n5hazmat	inc_seq	numeric	
conflict_fire_n5hazmat	insideflag	bit	
conflict_fire_n5hazmat	logradflag	bit	
conflict_fire_n5hazmat	mfactor1	char	3
conflict_fire_n5hazmat	mfactor2	char	3
conflict_fire_n5hazmat	mfactor3	char	3
conflict_fire_n5hazmat	mobidotnum	char	17
conflict_fire_n5hazmat	mobilicen	char	10
conflict_fire_n5hazmat	mobimake	char	3
conflict_fire_n5hazmat	mobimodel	varchar	25
conflict_fire_n5hazmat	mobistate	char	3
conflict_fire_n5hazmat	mobitype	char	3
conflict_fire_n5hazmat	mobiyear	char	4
conflict_fire_n5hazmat	MSrepl_create_time	datetime	
conflict_fire_n5hazmat	nobuldevac	bit	
conflict_fire_n5hazmat	noeqflag	bit	
conflict_fire_n5hazmat	noevacflag	bit	
conflict_fire_n5hazmat	nomobiflag	bit	
conflict_fire_n5hazmat	nopeopevac	bit	
conflict_fire_n5hazmat	orderof	char	2
conflict_fire_n5hazmat	origin_datasource	nvarchar	255

conflict_fire_n5hazmat	outsideflag	bit	
conflict_fire_n5hazmat	peopleevac	float	
conflict_fire_n5hazmat	phystate	char	2
conflict_fire_n5hazmat	popdensity	char	2
conflict_fire_n5hazmat	prim_seq	numeric	
conflict_fire_n5hazmat	pubid	uniqueidentifier	
conflict_fire_n5hazmat	reason_code	int	
conflict_fire_n5hazmat	reason_text	nvarchar	720
conflict_fire_n5hazmat	relamount	float	
conflict_fire_n5hazmat	relinto	char	2
conflict_fire_n5hazmat	relstory	char	3
conflict_fire_n5hazmat	relunits	char	3
conflict_fire_n5hazmat	reportcode	char	1
conflict_fire_n5hazmat	rowguid	uniqueidentifier	
conflict_fire_n5hazmat	unnumber	char	4
conflict_fire_n5images	addmark	float	
conflict_fire_n5images	addtime	datetime	
conflict_fire_n5images	adduser	char	11
conflict_fire_n5images	agency	char	15
conflict_fire_n5images	bin_seq	numeric	
conflict_fire_n5images	conflict_type	int	
conflict_fire_n5images	date_taken	datetime	
conflict_fire_n5images	errors	text	2147483647
conflict_fire_n5images	filename	varchar	50
conflict_fire_n5images	fire_dist	char	15
conflict_fire_n5images	forhazmat	bit	
conflict_fire_n5images	forinves	bit	
conflict_fire_n5images	imag_name	varchar	30
conflict_fire_n5images	image	varchar	40
conflict_fire_n5images	image_cat	varchar	20
conflict_fire_n5images	image_seq	numeric	
conflict_fire_n5images	image_type	varchar	20
conflict_fire_n5images	inc_seq	numeric	
conflict_fire_n5images	modmark	float	
conflict_fire_n5images	modtime	datetime	
conflict_fire_n5images	moduser	char	11
conflict_fire_n5images	MSrepl_create_time	datetime	
conflict_fire_n5images	notes	text	2147483647
conflict_fire_n5images	origin_datasource	nvarchar	255
conflict_fire_n5images	pubid	uniqueidentifier	
conflict_fire_n5images	reason_code	int	
conflict_fire_n5images	reason_text	nvarchar	720
conflict_fire_n5images	rowguid	uniqueidentifier	
conflict_fire_n5images	taken_by	varchar	20
conflict_fire_n5involv	address2	char	15
conflict_fire_n5involv	agency	char	10
conflict_fire_n5involv	busname	char	25
conflict_fire_n5involv	conflict_type	int	
conflict_fire_n5involv	errors	text	2147483647
conflict_fire_n5involv	fire_dist	char	10
conflict_fire_n5involv	firstname	char	15
conflict_fire_n5involv	geotime	datetime	
conflict_fire_n5involv	geouser	char	12
conflict_fire_n5involv	geover	bit	
conflict_fire_n5involv	inc_seq	numeric	

conflict_fire_n5involv	lastname	varchar	25
conflict_fire_n5involv	loc_seq	numeric	
conflict_fire_n5involv	middlein	char	1
conflict_fire_n5involv	mrormrs	char	3
conflict_fire_n5involv	MSrepl_create_time	datetime	
conflict_fire_n5involv	nacity	varchar	20
conflict_fire_n5involv	name_seq	numeric	
conflict_fire_n5involv	namesuffix	char	3
conflict_fire_n5involv	nastate	char	2
conflict_fire_n5involv	nazip	char	9
conflict_fire_n5involv	origin_datasource	nvarchar	255
conflict_fire_n5involv	owner	float	
conflict_fire_n5involv	phone	varchar	24
conflict_fire_n5involv	pobox	char	10
conflict_fire_n5involv	prim_seq	numeric	
conflict_fire_n5involv	pubid	uniqueidentifier	
conflict_fire_n5involv	reason_code	int	
conflict_fire_n5involv	reason_text	nvarchar	720
conflict_fire_n5involv	rowguid	uniqueidentifier	
conflict_fire_n5involv	sameadflag	bit	
conflict_fire_n5involv	stname	varchar	20
conflict_fire_n5involv	stnumber	char	8
conflict_fire_n5involv	stprefix	char	2
conflict_fire_n5involv	stsuffix	char	2
conflict_fire_n5involv	sttype	char	4
conflict_fire_n5ncres	action1	bit	
conflict_fire_n5ncres	action10	bit	
conflict_fire_n5ncres	action11	bit	
conflict_fire_n5ncres	action2	bit	
conflict_fire_n5ncres	action3	bit	
conflict_fire_n5ncres	action4	bit	
conflict_fire_n5ncres	action5	bit	
conflict_fire_n5ncres	action6	bit	
conflict_fire_n5ncres	action7	bit	
conflict_fire_n5ncres	action8	bit	
conflict_fire_n5ncres	action9	bit	
conflict_fire_n5ncres	age	char	3
conflict_fire_n5ncres	airbag	char	1
conflict_fire_n5ncres	airmont	char	1
conflict_fire_n5ncres	angle1	bit	
conflict_fire_n5ncres	angle2	bit	
conflict_fire_n5ncres	angle3	bit	
conflict_fire_n5ncres	angle4	bit	
conflict_fire_n5ncres	angle5	bit	
conflict_fire_n5ncres	angle6	bit	
conflict_fire_n5ncres	apartmt	char	4
conflict_fire_n5ncres	boats	char	2
conflict_fire_n5ncres	cause	char	2
conflict_fire_n5ncres	city	varchar	20
conflict_fire_n5ncres	complaints	char	1
conflict_fire_n5ncres	compother	char	15
conflict_fire_n5ncres	conflict_type	int	
conflict_fire_n5ncres	depthres	char	2
conflict_fire_n5ncres	divers	char	2
conflict_fire_n5ncres	equip1	bit	

conflict_fire_n5ncres	equip10	bit	
conflict_fire_n5ncres	equip11	bit	
conflict_fire_n5ncres	equip12	bit	
conflict_fire_n5ncres	equip13	bit	
conflict_fire_n5ncres	equip14	bit	
conflict_fire_n5ncres	equip15	bit	
conflict_fire_n5ncres	equip16	bit	
conflict_fire_n5ncres	equip17	bit	
conflict_fire_n5ncres	equip18	bit	
conflict_fire_n5ncres	equip19	bit	
conflict_fire_n5ncres	equip2	bit	
conflict_fire_n5ncres	equip20	bit	
conflict_fire_n5ncres	equip21	bit	
conflict_fire_n5ncres	equip3	bit	
conflict_fire_n5ncres	equip4	bit	
conflict_fire_n5ncres	equip5	bit	
conflict_fire_n5ncres	equip6	bit	
conflict_fire_n5ncres	equip7	bit	
conflict_fire_n5ncres	equip8	bit	
conflict_fire_n5ncres	equip9	bit	
conflict_fire_n5ncres	errors	text	2147483647
conflict_fire_n5ncres	first_	char	10
conflict_fire_n5ncres	hoursrec	char	2
conflict_fire_n5ncres	inc_seq	numeric	
conflict_fire_n5ncres	injursite	char	1
conflict_fire_n5ncres	last_	varchar	20
conflict_fire_n5ncres	locrescue	char	2
conflict_fire_n5ncres	middlei	char	2
conflict_fire_n5ncres	mobitype	char	2
conflict_fire_n5ncres	mrms	char	2
conflict_fire_n5ncres	MSrepl_create_time	datetime	
conflict_fire_n5ncres	notes	text	2147483647
conflict_fire_n5ncres	notwater	bit	
conflict_fire_n5ncres	obcondition	char	1
conflict_fire_n5ncres	origin_datasource	nvarchar	255
conflict_fire_n5ncres	partremov	char	2
conflict_fire_n5ncres	phone	varchar	24
conflict_fire_n5ncres	prim_seq	numeric	
conflict_fire_n5ncres	propinvol	char	1
conflict_fire_n5ncres	pubid	uniqueidentifier	
conflict_fire_n5ncres	reason_code	int	
conflict_fire_n5ncres	reason_text	nvarchar	720
conflict_fire_n5ncres	rowguid	uniqueidentifier	
conflict_fire_n5ncres	scba	char	1
conflict_fire_n5ncres	searchsta	char	1
conflict_fire_n5ncres	seatbelt	char	1
conflict_fire_n5ncres	serachre	char	1
conflict_fire_n5ncres	serachvic	char	1
conflict_fire_n5ncres	state	char	2
conflict_fire_n5ncres	stnum	char	6
conflict_fire_n5ncres	stprefix	char	2
conflict_fire_n5ncres	street	varchar	22
conflict_fire_n5ncres	stsuffix	char	2
conflict_fire_n5ncres	sttype	char	4
conflict_fire_n5ncres	suffix	char	2

conflict_fire_n5ncres	timeinv	char	1
conflict_fire_n5ncres	typesit	char	2
conflict_fire_n5ncres	ventilate	char	1
conflict_fire_n5ncres	victim_num	char	3
conflict_fire_n5ncres	zip	char	9
conflict_fire_n5people	carvol	char	10
conflict_fire_n5people	conflict_type	int	
conflict_fire_n5people	dept_seq	int	
conflict_fire_n5people	deptcode	char	10
conflict_fire_n5people	driver	bit	
conflict_fire_n5people	emp_seq	numeric	
conflict_fire_n5people	empid	char	9
conflict_fire_n5people	errors	text	2147483647
conflict_fire_n5people	fullname	varchar	36
conflict_fire_n5people	inc_seq	numeric	
conflict_fire_n5people	mniseq	numeric	
conflict_fire_n5people	MSrepl_create_time	datetime	
conflict_fire_n5people	origin_datasource	nvarchar	255
conflict_fire_n5people	paction1	char	3
conflict_fire_n5people	paction2	char	3
conflict_fire_n5people	paction3	char	3
conflict_fire_n5people	paction4	char	3
conflict_fire_n5people	prim_seq	numeric	
conflict_fire_n5people	pubid	uniqueidentifier	
conflict_fire_n5people	reason_code	int	
conflict_fire_n5people	reason_text	nvarchar	720
conflict_fire_n5people	rowguid	uniqueidentifier	
conflict_fire_n5people	title	char	6
conflict_fire_n5people	unit_seq	numeric	
conflict_fire_n5people	unitid	char	5
conflict_fire_n5plus1	code	char	6
conflict_fire_n5plus1	conflict_type	int	
conflict_fire_n5plus1	MSrepl_create_time	datetime	
conflict_fire_n5plus1	notes	text	2147483647
conflict_fire_n5plus1	origin_datasource	nvarchar	255
conflict_fire_n5plus1	plus1code	char	1
conflict_fire_n5plus1	plus1order	int	
conflict_fire_n5plus1	plus1value	varchar	50
conflict_fire_n5plus1	prim_seq	numeric	
conflict_fire_n5plus1	pubid	uniqueidentifier	
conflict_fire_n5plus1	reason_code	int	
conflict_fire_n5plus1	reason_text	nvarchar	720
conflict_fire_n5plus1	rowguid	uniqueidentifier	
conflict_fire_n5plus1	showorder	int	
conflict_fire_n5plus1	value1	char	4
conflict_fire_n5prefs	bool_op	float	
conflict_fire_n5prefs	conflict_type	int	
conflict_fire_n5prefs	lsentstate	bit	
conflict_fire_n5prefs	lsittypeco	bit	
conflict_fire_n5prefs	lstation	bit	
conflict_fire_n5prefs	MSrepl_create_time	datetime	
conflict_fire_n5prefs	origin_datasource	nvarchar	255
conflict_fire_n5prefs	pref_seq	numeric	
conflict_fire_n5prefs	pubid	uniqueidentifier	
conflict_fire_n5prefs	reason_code	int	

conflict_fire_n5prefs	reason_text	nvarchar	720
conflict_fire_n5prefs	repstatus	float	
conflict_fire_n5prefs	rowguid	uniqueidentifier	
conflict_fire_n5prefs	sentstate	float	
conflict_fire_n5prefs	shift	char	10
conflict_fire_n5prefs	sittypeco	char	4
conflict_fire_n5prefs	station	char	10
conflict_fire_n5prefs	userid	varchar	100
conflict_fire_n5stfire	aesfail	char	2
conflict_fire_n5stfire	aesoperat	char	2
conflict_fire_n5stfire	aespresent	char	2
conflict_fire_n5stfire	aestype	char	2
conflict_fire_n5stfire	belowflag	bit	
conflict_fire_n5stfire	conflict_type	int	
conflict_fire_n5stfire	deteffect	char	2
conflict_fire_n5stfire	detfailoth	char	15
conflict_fire_n5stfire	detfailrea	char	2
conflict_fire_n5stfire	detoper	char	2
conflict_fire_n5stfire	detpower	char	2
conflict_fire_n5stfire	dettype	char	2
conflict_fire_n5stfire	errors	text	2147483647
conflict_fire_n5stfire	firespread	char	2
conflict_fire_n5stfire	floororigi	char	3
conflict_fire_n5stfire	inc_seq	numeric	
conflict_fire_n5stfire	isdetector	char	2
conflict_fire_n5stfire	lostories	char	2
conflict_fire_n5stfire	mainlength	float	
conflict_fire_n5stfire	mainsqft	float	
conflict_fire_n5stfire	mainwidth	float	
conflict_fire_n5stfire	matitemco	char	3
conflict_fire_n5stfire	mattypeco	char	3
conflict_fire_n5stfire	MSrepl_create_time	datetime	
conflict_fire_n5stfire	nomatflag	bit	
conflict_fire_n5stfire	numsprinkl	char	3
conflict_fire_n5stfire	origin_datasource	nvarchar	255
conflict_fire_n5stfire	prim_seq	numeric	
conflict_fire_n5stfire	pubid	uniqueidentifier	
conflict_fire_n5stfire	reason_code	int	
conflict_fire_n5stfire	reason_text	nvarchar	720
conflict_fire_n5stfire	rowguid	uniqueidentifier	
conflict_fire_n5stfire	stordam1	char	3
conflict_fire_n5stfire	stordam2	char	3
conflict_fire_n5stfire	stordam3	char	3
conflict_fire_n5stfire	stordam4	char	3
conflict_fire_n5stfire	strucstat	char	2
conflict_fire_n5stfire	structype	char	2
conflict_fire_n5stfire	totstories	char	3
conflict_fire_n5user	conflict_type	int	
conflict_fire_n5user	errors	text	2147483647
conflict_fire_n5user	inc_seq	numeric	
conflict_fire_n5user	MSrepl_create_time	datetime	
conflict_fire_n5user	origin_datasource	nvarchar	255
conflict_fire_n5user	prim_seq	numeric	
conflict_fire_n5user	pubid	uniqueidentifier	
conflict_fire_n5user	reason_code	int	

conflict_fire_n5user	reason_text	nvarchar	720
conflict_fire_n5user	rowguid	uniqueidentifier	
conflict_fire_n5user	usr1	varchar	20
conflict_fire_n5user	usr10	varchar	20
conflict_fire_n5user	usr2	varchar	20
conflict_fire_n5user	usr3	varchar	20
conflict_fire_n5user	usr4	varchar	20
conflict_fire_n5user	usr5	varchar	20
conflict_fire_n5user	usr6	varchar	20
conflict_fire_n5user	usr7	varchar	20
conflict_fire_n5user	usr8	varchar	20
conflict_fire_n5user	usr9	varchar	20
conflict_fire_n5user	usrmemo	text	2147483647
conflict_fire_n5wildld	age	char	3
conflict_fire_n5wildld	agefactor	bit	
conflict_fire_n5wildld	areatype	char	2
conflict_fire_n5wildld	asleep	bit	
conflict_fire_n5wildld	aspect	char	2
conflict_fire_n5wildld	buldignite	char	3
conflict_fire_n5wildld	buldthreat	char	3
conflict_fire_n5wildld	citytown	char	3
conflict_fire_n5wildld	conflict_type	int	
conflict_fire_n5wildld	county	char	3
conflict_fire_n5wildld	cropburn1	varchar	25
conflict_fire_n5wildld	cropburn2	varchar	25
conflict_fire_n5wildld	cropburn3	varchar	25
conflict_fire_n5wildld	dob	datetime	
conflict_fire_n5wildld	elevation	char	5
conflict_fire_n5wildld	eqinvolve	char	4
conflict_fire_n5wildld	errors	text	2147483647
conflict_fire_n5wildld	fedagcode	char	5
conflict_fire_n5wildld	federal	char	3
conflict_fire_n5wildld	firecause	char	2
conflict_fire_n5wildld	firedanger	char	2
conflict_fire_n5wildld	flamlength	char	2
conflict_fire_n5wildld	foreign_	char	3
conflict_fire_n5wildld	fuelmoist	char	2
conflict_fire_n5wildld	gender	char	2
conflict_fire_n5wildld	heatsource	char	3
conflict_fire_n5wildld	humidity	char	3
conflict_fire_n5wildld	igfactor1	char	3
conflict_fire_n5wildld	igfactor2	char	3
conflict_fire_n5wildld	impaired	bit	
conflict_fire_n5wildld	inc_seq	numeric	
conflict_fire_n5wildld	latitude	char	5
conflict_fire_n5wildld	longitude	char	6
conflict_fire_n5wildld	mental	bit	
conflict_fire_n5wildld	meridian	char	3
conflict_fire_n5wildld	military	char	3
conflict_fire_n5wildld	mobitype	char	3
conflict_fire_n5wildld	MSrepl_create_time	datetime	
conflict_fire_n5wildld	multiple	bit	
conflict_fire_n5wildld	negtemp	bit	
conflict_fire_n5wildld	nfdrsmodel	char	3
conflict_fire_n5wildld	nobuldflag	bit	

conflict_fire_n5wildld	nohumflag	bit	
conflict_fire_n5wildld	nontaxpay	char	3
conflict_fire_n5wildld	nothreflag	bit	
conflict_fire_n5wildld	origin_datasource	nvarchar	255
conflict_fire_n5wildld	other	char	3
conflict_fire_n5wildld	persactiv	char	3
conflict_fire_n5wildld	persresp	char	2
conflict_fire_n5wildld	physical	bit	
conflict_fire_n5wildld	prim_seq	numeric	
conflict_fire_n5wildld	pubid	uniqueidentifier	
conflict_fire_n5wildld	range	char	3
conflict_fire_n5wildld	rangedir	char	2
conflict_fire_n5wildld	ratespread	char	3
conflict_fire_n5wildld	reason_code	int	
conflict_fire_n5wildld	reason_text	nvarchar	720
conflict_fire_n5wildld	reportcode	char	1
conflict_fire_n5wildld	rowdist	char	2
conflict_fire_n5wildld	rowguid	uniqueidentifier	
conflict_fire_n5wildld	rowtype	char	4
conflict_fire_n5wildld	section_	char	2
conflict_fire_n5wildld	slope	char	2
conflict_fire_n5wildld	state	char	3
conflict_fire_n5wildld	subsection	char	5
conflict_fire_n5wildld	suppfact1	char	4
conflict_fire_n5wildld	suppfact2	char	4
conflict_fire_n5wildld	suppfact3	char	4
conflict_fire_n5wildld	taxpaying	char	3
conflict_fire_n5wildld	temperatur	char	4
conflict_fire_n5wildld	totalacres	float	
conflict_fire_n5wildld	towndir	char	2
conflict_fire_n5wildld	township	char	4
conflict_fire_n5wildld	unattended	bit	
conflict_fire_n5wildld	undermined	char	3
conflict_fire_n5wildld	weathstatn	char	6
conflict_fire_n5wildld	weattype	char	3
conflict_fire_n5wildld	whoowns	char	2
conflict_fire_n5wildld	winddirec	char	2
conflict_fire_n5wildld	windspeed	char	3
conflict_fire_nameattrot	category	varchar	100
conflict_fire_nameattrot	conflict_type	int	
conflict_fire_nameattrot	item	varchar	100
conflict_fire_nameattrot	itemdesc	varchar	254
conflict_fire_nameattrot	MSrepl_create_time	datetime	
conflict_fire_nameattrot	name_seq	numeric	
conflict_fire_nameattrot	nattro_seq	numeric	
conflict_fire_nameattrot	origin_datasource	nvarchar	255
conflict_fire_nameattrot	pubid	uniqueidentifier	
conflict_fire_nameattrot	reason_code	int	
conflict_fire_nameattrot	reason_text	nvarchar	720
conflict_fire_nameattrot	rowguid	uniqueidentifier	
conflict_fire_namerole	callorder	varchar	16
conflict_fire_namerole	commdis	char	1
conflict_fire_namerole	conflict_type	int	
conflict_fire_namerole	datefrom	datetime	
conflict_fire_namerole	dateto	datetime	

conflict_fire_namerole	isprime	bit	
conflict_fire_namerole	item_seq	numeric	
conflict_fire_namerole	itemdtl	varchar	1024
conflict_fire_namerole	Inktble	varchar	128
conflict_fire_namerole	mailto	bit	
conflict_fire_namerole	majordate	datetime	
conflict_fire_namerole	minor	char	1
conflict_fire_namerole	MSrepl_create_time	datetime	
conflict_fire_namerole	nrole_seq	numeric	
conflict_fire_namerole	origin_datasource	nvarchar	255
conflict_fire_namerole	pubid	uniqueidentifier	
conflict_fire_namerole	reason_code	int	
conflict_fire_namerole	reason_text	nvarchar	720
conflict_fire_namerole	rname_seq	numeric	
conflict_fire_namerole	role	char	100
conflict_fire_namerole	rolecode	varchar	100
conflict_fire_namerole	roledtl	varchar	1024
conflict_fire_namerole	roletype	char	10
conflict_fire_namerole	rowguid	uniqueidentifier	
conflict_fire_namerole	sassault	char	1
conflict_fire_names	addmark	char	11
conflict_fire_names	addr_seq	numeric	
conflict_fire_names	address2	varchar	100
conflict_fire_names	age	numeric	
conflict_fire_names	age_units	char	3
conflict_fire_names	attrnotes	varchar	2000
conflict_fire_names	bcity	varchar	15
conflict_fire_names	bcountry	varchar	15
conflict_fire_names	bcounty	varchar	15
conflict_fire_names	bstate	varchar	15
conflict_fire_names	challment	bit	
conflict_fire_names	challphys	bit	
conflict_fire_names	citizenof	varchar	25
conflict_fire_names	city	char	60
conflict_fire_names	conflict_type	int	
conflict_fire_names	country	char	15
conflict_fire_names	dateofresd	datetime	
conflict_fire_names	dnatest	varchar	20
conflict_fire_names	dob	datetime	
conflict_fire_names	dod	datetime	
conflict_fire_names	drvlic	varchar	30
conflict_fire_names	drvlicst	char	2
conflict_fire_names	emailname	varchar	40
conflict_fire_names	empl_addr	varchar	40
conflict_fire_names	employer	varchar	30
conflict_fire_names	ethncode	varchar	10
conflict_fire_names	ethnicity	varchar	30
conflict_fire_names	eyes	varchar	3
conflict_fire_names	fbi	varchar	15
conflict_fire_names	fbi_nbr	varchar	20
conflict_fire_names	fedrlic	varchar	20
conflict_fire_names	firstname	varchar	20
conflict_fire_names	geotime	datetime	
conflict_fire_names	geouser	char	11
conflict_fire_names	geover	bit	

conflict_fire_names	hair	varchar	3
conflict_fire_names	height	numeric	
conflict_fire_names	henry_bot	varchar	20
conflict_fire_names	henry_top	varchar	20
conflict_fire_names	hispanic	char	10
conflict_fire_names	hphone	varchar	24
conflict_fire_names	hphone_u	bit	
conflict_fire_names	immigrtnbr	varchar	10
conflict_fire_names	language	varchar	20
conflict_fire_names	lastname	varchar	30
conflict_fire_names	marital	char	4
conflict_fire_names	middle	varchar	15
conflict_fire_names	modmark	varchar	10
conflict_fire_names	modtime	datetime	
conflict_fire_names	mphone	varchar	24
conflict_fire_names	MSrepl_create_time	datetime	
conflict_fire_names	name_seq	numeric	
conflict_fire_names	ncic_enter	datetime	
conflict_fire_names	ncic_fpc	varchar	30
conflict_fire_names	ncicfpc	varchar	20
conflict_fire_names	note	varchar	4000
conflict_fire_names	oca	varchar	15
conflict_fire_names	occup	varchar	20
conflict_fire_names	occupation	varchar	15
conflict_fire_names	offsiteadd	bit	
conflict_fire_names	origin_datasource	nvarchar	255
conflict_fire_names	oth_seq	numeric	
conflict_fire_names	pager	varchar	24
conflict_fire_names	prefix	char	20
conflict_fire_names	printcard	datetime	
conflict_fire_names	pubid	uniqueidentifier	
conflict_fire_names	race	varchar	42
conflict_fire_names	racecode	char	10
conflict_fire_names	reason_code	int	
conflict_fire_names	reason_text	nvarchar	720
conflict_fire_names	religion	varchar	20
conflict_fire_names	rowguid	uniqueidentifier	
conflict_fire_names	rowguid92	uniqueidentifier	
conflict_fire_names	sex	char	1
conflict_fire_names	sid	varchar	15
conflict_fire_names	soundfirst	char	4
conflict_fire_names	soundlast	char	4
conflict_fire_names	ssn	char	9
conflict_fire_names	state	char	2
conflict_fire_names	state_id	varchar	20
conflict_fire_names	stcross	varchar	50
conflict_fire_names	stinter	bit	
conflict_fire_names	stname	varchar	50
conflict_fire_names	stnumber	char	8
conflict_fire_names	stprefix	char	3
conflict_fire_names	street	char	40
conflict_fire_names	stsuffix	char	3
conflict_fire_names	sttype	char	4
conflict_fire_names	suffix	char	5
conflict_fire_names	title	varchar	20

conflict_fire_names	vehicle	varchar	50
conflict_fire_names	violent	bit	
conflict_fire_names	weight	numeric	
conflict_fire_names	wphone	varchar	24
conflict_fire_names	xcoord	numeric	
conflict_fire_names	ycoord	numeric	
conflict_fire_names	zip	char	10
conflict_fire_nemsisdemograph	annualbillcalls	int	
conflict_fire_nemsisdemograph	annualcallvol	int	
conflict_fire_nemsisdemograph	annualcontactvol	int	
conflict_fire_nemsisdemograph	annualdispatchvol	int	
conflict_fire_nemsisdemograph	annualtransportvol	int	
conflict_fire_nemsisdemograph	billstatuslookupseq	int	
conflict_fire_nemsisdemograph	conflict_type	int	
conflict_fire_nemsisdemograph	contact_nameseq	numeric	
conflict_fire_nemsisdemograph	county	varchar	50
conflict_fire_nemsisdemograph	countyfips	text	2147483647
conflict_fire_nemsisdemograph	daylightsavings	bit	
conflict_fire_nemsisdemograph	deptseq	numeric	
conflict_fire_nemsisdemograph	director_nameseq	numeric	
conflict_fire_nemsisdemograph	director_spec	varchar	10
conflict_fire_nemsisdemograph	director_web	varchar	100
conflict_fire_nemsisdemograph	levelserv	varchar	10
conflict_fire_nemsisdemograph	meddirspe	varchar	40
conflict_fire_nemsisdemograph	MSrepl_create_time	datetime	
conflict_fire_nemsisdemograph	nationalproviderid	varchar	30
conflict_fire_nemsisdemograph	nemsisdemographseq	int	
conflict_fire_nemsisdemograph	orgstat	varchar	10
conflict_fire_nemsisdemograph	orgtype	varchar	10
conflict_fire_nemsisdemograph	origin_datasource	nvarchar	255
conflict_fire_nemsisdemograph	primserv	varchar	10
conflict_fire_nemsisdemograph	protocols	text	2147483647
conflict_fire_nemsisdemograph	pubid	uniqueidentifier	
conflict_fire_nemsisdemograph	reason_code	int	
conflict_fire_nemsisdemograph	reason_text	nvarchar	720
conflict_fire_nemsisdemograph	rowguid	uniqueidentifier	
conflict_fire_nemsisdemograph	servpopulation	int	
conflict_fire_nemsisdemograph	servsizearea	int	
conflict_fire_nemsisdemograph	statyear	numeric	
conflict_fire_nemsisdemograph	timezoneseq	int	
conflict_fire_newcons	chk_seq	numeric	
conflict_fire_newcons	conflict_type	int	
conflict_fire_newcons	date_	datetime	
conflict_fire_newcons	emp_seq	numeric	
conflict_fire_newcons	firstname	char	20
conflict_fire_newcons	in_seq	numeric	
conflict_fire_newcons	inittest	bit	
conflict_fire_newcons	inspector	char	15
conflict_fire_newcons	lastname	char	30
conflict_fire_newcons	middle	char	15
conflict_fire_newcons	mniseq	numeric	
conflict_fire_newcons	MSrepl_create_time	datetime	
conflict_fire_newcons	notes	text	2147483647
conflict_fire_newcons	numfail	int	
conflict_fire_newcons	numofdev	int	

conflict_fire_newcons	numpass	int	
conflict_fire_newcons	origin_datasource	nvarchar	255
conflict_fire_newcons	proj_name	varchar	40
conflict_fire_newcons	pubid	uniqueidentifier	
conflict_fire_newcons	reason_code	int	
conflict_fire_newcons	reason_text	nvarchar	720
conflict_fire_newcons	rowguid	uniqueidentifier	
conflict_fire_newcons	site_seq	numeric	
conflict_fire_newcons	suffix	char	5
conflict_fire_newcons	testtype	char	15
conflict_fire_newcons	tottime	float	
conflict_fire_newcons	travtime	numeric	
conflict_fire_newcons	tresult	char	10
conflict_fire_occupant	conflict_type	int	
conflict_fire_occupant	invalid	bit	
conflict_fire_occupant	invalidnum	float	
conflict_fire_occupant	MSrepl_create_time	datetime	
conflict_fire_occupant	notes	text	2147483647
conflict_fire_occupant	num24hrs	float	
conflict_fire_occupant	numday	float	
conflict_fire_occupant	numevening	float	
conflict_fire_occupant	occ_seq	numeric	
conflict_fire_occupant	origin_datasource	nvarchar	255
conflict_fire_occupant	permitnum	float	
conflict_fire_occupant	permitreq	bit	
conflict_fire_occupant	pubid	uniqueidentifier	
conflict_fire_occupant	reason_code	int	
conflict_fire_occupant	reason_text	nvarchar	720
conflict_fire_occupant	residnum	float	
conflict_fire_occupant	residocc	bit	
conflict_fire_occupant	rowguid	uniqueidentifier	
conflict_fire_occupant	site_seq	numeric	
conflict_fire_patient	age	float	
conflict_fire_patient	age_units	varchar	15
conflict_fire_patient	allergies	text	2147483647
conflict_fire_patient	billsign	bit	
conflict_fire_patient	cmnonfile	bit	
conflict_fire_patient	conflict_type	int	
conflict_fire_patient	country	char	30
conflict_fire_patient	countryco	char	10
conflict_fire_patient	cresearchc	char	1
conflict_fire_patient	dln	varchar	25
conflict_fire_patient	dln_state	char	2
conflict_fire_patient	dob	datetime	
conflict_fire_patient	email	char	100
conflict_fire_patient	empl_seq	numeric	
conflict_fire_patient	employer	varchar	50
conflict_fire_patient	ems_seq	numeric	
conflict_fire_patient	ethncode	varchar	10
conflict_fire_patient	ethnicity	varchar	30
conflict_fire_patient	ga_dob	datetime	
conflict_fire_patient	ga_emp	varchar	50
conflict_fire_patient	ga_empseq	numeric	
conflict_fire_patient	ga_geotime	datetime	
conflict_fire_patient	ga_geouser	char	12

conflict_fire_patient	ga_geover	bit	
conflict_fire_patient	ga_relate	varchar	25
conflict_fire_patient	ga_sex	varchar	1
conflict_fire_patient	gua_add2	varchar	40
conflict_fire_patient	gua_city	varchar	25
conflict_fire_patient	gua_first	char	15
conflict_fire_patient	gua_last	varchar	20
conflict_fire_patient	gua_midin	char	10
conflict_fire_patient	gua_phone	varchar	24
conflict_fire_patient	gua_phone2	varchar	24
conflict_fire_patient	gua_prefix	char	2
conflict_fire_patient	gua_sameas	bit	
conflict_fire_patient	gua_ssn	char	9
conflict_fire_patient	gua_state	char	2
conflict_fire_patient	gua_stnum	char	8
conflict_fire_patient	gua_street	varchar	40
conflict_fire_patient	gua_suff	char	2
conflict_fire_patient	gua_type	char	4
conflict_fire_patient	gua_zip	char	10
conflict_fire_patient	guamliseq	numeric	
conflict_fire_patient	guamniseq	numeric	
conflict_fire_patient	guasuff	char	5
conflict_fire_patient	height	int	
conflict_fire_patient	hipaadel	bit	
conflict_fire_patient	hipaassign	bit	
conflict_fire_patient	hphone	varchar	24
conflict_fire_patient	hxfrom	varchar	30
conflict_fire_patient	idnumber	varchar	30
conflict_fire_patient	industry	char	50
conflict_fire_patient	insur_grp1	varchar	30
conflict_fire_patient	insur_grp2	char	15
conflict_fire_patient	insur_no1	varchar	20
conflict_fire_patient	insur_no2	varchar	20
conflict_fire_patient	insurcode1	char	11
conflict_fire_patient	insurcode2	char	11
conflict_fire_patient	insurname1	varchar	20
conflict_fire_patient	insurname2	varchar	20
conflict_fire_patient	mcarecompl	text	2147483647
conflict_fire_patient	medicaidno	varchar	25
conflict_fire_patient	medicareno	varchar	25
conflict_fire_patient	mphone	varchar	24
conflict_fire_patient	MSrepl_create_time	datetime	
conflict_fire_patient	narrative	text	2147483647
conflict_fire_patient	occ	varchar	60
conflict_fire_patient	origin_datasource	nvarchar	255
conflict_fire_patient	paddress2	varchar	40
conflict_fire_patient	pat_seq	numeric	
conflict_fire_patient	paytype	char	4
conflict_fire_patient	pcity	varchar	25
conflict_fire_patient	pcityfips	varchar	60
conflict_fire_patient	pcntyfips	char	5
conflict_fire_patient	pfirstname	varchar	30
conflict_fire_patient	pgeotime	datetime	
conflict_fire_patient	pgeouser	char	12
conflict_fire_patient	pgeover	bit	

conflict_fire_patient	plastname	varchar	30
conflict_fire_patient	pmiddlein	char	2
conflict_fire_patient	pmliseq	numeric	
conflict_fire_patient	pmniseq	numeric	
conflict_fire_patient	ppaddress	varchar	40
conflict_fire_patient	ppaddress2	char	50
conflict_fire_patient	ppcity	varchar	30
conflict_fire_patient	ppfirst	char	30
conflict_fire_patient	ppgeotime	datetime	
conflict_fire_patient	ppgeouser	char	12
conflict_fire_patient	ppgeover	bit	
conflict_fire_patient	pphysician	varchar	25
conflict_fire_patient	ppmiddle	char	20
conflict_fire_patient	ppmliseq	numeric	
conflict_fire_patient	ppmniseq	numeric	
conflict_fire_patient	ppphone	varchar	24
conflict_fire_patient	ppstate	char	2
conflict_fire_patient	ppstnum	char	10
conflict_fire_patient	ppstpref	char	10
conflict_fire_patient	ppstsuff	char	10
conflict_fire_patient	ppsttype	char	10
conflict_fire_patient	ppsuff	char	10
conflict_fire_patient	ppzip	char	10
conflict_fire_patient	pstafips	char	5
conflict_fire_patient	pstate	char	2
conflict_fire_patient	pstprefix	char	2
conflict_fire_patient	pstreet	varchar	40
conflict_fire_patient	pstreetnum	char	8
conflict_fire_patient	pstsuff	char	2
conflict_fire_patient	psttype	char	4
conflict_fire_patient	psuffix	char	5
conflict_fire_patient	pubid	uniqueidentifier	
conflict_fire_patient	pzip	char	10
conflict_fire_patient	r_address	varchar	50
conflict_fire_patient	r_address2	char	50
conflict_fire_patient	r_mliseq	numeric	
conflict_fire_patient	r_relation	varchar	25
conflict_fire_patient	r_stnum	char	10
conflict_fire_patient	r_stpref	char	3
conflict_fire_patient	r_stsuff	char	3
conflict_fire_patient	r_sttype	char	4
conflict_fire_patient	race	varchar	42
conflict_fire_patient	raceco	char	10
conflict_fire_patient	rcity	varchar	20
conflict_fire_patient	reason_code	int	
conflict_fire_patient	reason_text	nvarchar	720
conflict_fire_patient	rel_name	varchar	30
conflict_fire_patient	relfirst	char	30
conflict_fire_patient	relmiddle	char	20
conflict_fire_patient	relsuff	char	5
conflict_fire_patient	rgeotime	datetime	
conflict_fire_patient	rgeouser	char	12
conflict_fire_patient	rgeover	bit	
conflict_fire_patient	rmniseq	numeric	
conflict_fire_patient	rowguid	uniqueidentifier	

conflict_fire_patient	rphone	varchar	24
conflict_fire_patient	rstate	char	2
conflict_fire_patient	rzip	char	10
conflict_fire_patient	sex	char	1
conflict_fire_patient	signonfile	bit	
conflict_fire_patient	ssn	char	9
conflict_fire_patient	status	varchar	30
conflict_fire_patient	treatauth	varchar	25
conflict_fire_patient	treatauthc	char	2
conflict_fire_patient	weight	int	
conflict_fire_patient	workrel	varchar	100
conflict_fire_patient	wphone	varchar	24
conflict_fire_period	addtime	datetime	
conflict_fire_period	com_seq	numeric	
conflict_fire_period	comment	varchar	100
conflict_fire_period	company	varchar	40
conflict_fire_period	conflict_type	int	
conflict_fire_period	dept_seq	numeric	
conflict_fire_period	displaylength	int	
conflict_fire_period	displayunit	char	1
conflict_fire_period	duty	char	3
conflict_fire_period	emp_seq	int	
conflict_fire_period	employee	varchar	40
conflict_fire_period	eq_seq	numeric	
conflict_fire_period	equipment	varchar	20
conflict_fire_period	ex_desc	varchar	20
conflict_fire_period	except_seq	numeric	
conflict_fire_period	l_temp	bit	
conflict_fire_period	length	int	
conflict_fire_period	MSrepl_create_time	datetime	
conflict_fire_period	origin_datasource	nvarchar	255
conflict_fire_period	paid	bit	
conflict_fire_period	period_seq	numeric	
conflict_fire_period	pubid	uniqueidentifier	
conflict_fire_period	rate	smallmoney	
conflict_fire_period	reason_code	int	
conflict_fire_period	reason_text	nvarchar	720
conflict_fire_period	roster_key	numeric	
conflict_fire_period	roster_seq	numeric	
conflict_fire_period	rowguid	uniqueidentifier	
conflict_fire_period	sched_seq	numeric	
conflict_fire_period	shift	varchar	20
conflict_fire_period	shift_seq	numeric	
conflict_fire_period	t_start	datetime	
conflict_fire_period	t_stop	datetime	
conflict_fire_permits	addtime	datetime	
conflict_fire_permits	agency	char	50
conflict_fire_permits	conflict_type	int	
conflict_fire_permits	dept_seq	numeric	
conflict_fire_permits	fire_dist	char	10
conflict_fire_permits	geotime	datetime	
conflict_fire_permits	geouser	char	11
conflict_fire_permits	geover	bit	
conflict_fire_permits	geoxcoord	numeric	
conflict_fire_permits	geoycoord	numeric	

conflict_fire_permits	loc_seq	numeric	
conflict_fire_permits	mlifk	numeric	
conflict_fire_permits	MSrepl_create_time	datetime	
conflict_fire_permits	origin_datasource	nvarchar	255
conflict_fire_permits	per_appdt	datetime	
conflict_fire_permits	per_appnum	char	20
conflict_fire_permits	per_effdt	datetime	
conflict_fire_permits	per_expdt	datetime	
conflict_fire_permits	per_issuedby	char	20
conflict_fire_permits	per_noexp	bit	
conflict_fire_permits	per_num	char	20
conflict_fire_permits	per_plans	bit	
conflict_fire_permits	per_reason	text	2147483647
conflict_fire_permits	per_seq	numeric	
conflict_fire_permits	per_siteadd1	char	60
conflict_fire_permits	per_siteadd2	char	60
conflict_fire_permits	per_sitearea	text	2147483647
conflict_fire_permits	per_sitcity	char	20
conflict_fire_permits	per_sitcmt	text	2147483647
conflict_fire_permits	per_sitemap	char	20
conflict_fire_permits	per_sitename	char	40
conflict_fire_permits	per_siteparcel	char	25
conflict_fire_permits	per_sitesector	char	10
conflict_fire_permits	per_siteseq	numeric	
conflict_fire_permits	per_sitestate	char	2
conflict_fire_permits	per_sitestreet	char	10
conflict_fire_permits	per_sitezip	char	10
conflict_fire_permits	per_status	int	
conflict_fire_permits	per_tranby	varchar	20
conflict_fire_permits	per_trandt	datetime	
conflict_fire_permits	per_trantype	char	10
conflict_fire_permits	per_type	varchar	20
conflict_fire_permits	per_uselong	text	2147483647
conflict_fire_permits	per_useshort	char	60
conflict_fire_permits	perstpre	char	4
conflict_fire_permits	perstsuff	char	4
conflict_fire_permits	persttyp	char	4
conflict_fire_permits	pubid	uniqueidentifier	
conflict_fire_permits	reason_code	int	
conflict_fire_permits	reason_text	nvarchar	720
conflict_fire_permits	rowguid	uniqueidentifier	
conflict_fire_permits	tranbytit	varchar	20
conflict_fire_permits	tranfirst	char	30
conflict_fire_permits	tranlast	char	30
conflict_fire_permits	tranmiddle	char	15
conflict_fire_permits	tranmniseq	numeric	
conflict_fire_permits	transuff	char	10
conflict_fire_perNames	busmliseq	numeric	
conflict_fire_perNames	busname	varchar	80
conflict_fire_perNames	busphone	varchar	24
conflict_fire_perNames	busstnum	char	8
conflict_fire_perNames	busstpref	char	3
conflict_fire_perNames	busstsuff	char	3
conflict_fire_perNames	bussttype	char	4
conflict_fire_perNames	conflict_type	int	

conflict_fire_pername	conmiddle	char	20
conflict_fire_pername	consuffix	char	20
conflict_fire_pername	MSrepl_create_time	datetime	
conflict_fire_pername	nam_addr1	varchar	60
conflict_fire_pername	nam_addr2	varchar	60
conflict_fire_pername	nam_bustype	char	60
conflict_fire_pername	nam_city	varchar	20
conflict_fire_pername	nam_contnum	char	60
conflict_fire_pername	nam_first	varchar	20
conflict_fire_pername	nam_name	varchar	60
conflict_fire_pername	nam_perseq	numeric	
conflict_fire_pername	nam_phone	varchar	24
conflict_fire_pername	nam_seq	numeric	
conflict_fire_pername	nam_state	char	2
conflict_fire_pername	nam_type	char	15
conflict_fire_pername	nam_zip	char	10
conflict_fire_pername	nammniseq	numeric	
conflict_fire_pername	origin_datasource	nvarchar	255
conflict_fire_pername	pubid	uniqueidentifier	
conflict_fire_pername	reason_code	int	
conflict_fire_pername	reason_text	nvarchar	720
conflict_fire_pername	rowguid	uniqueidentifier	
conflict_fire_persprop	condition	varchar	20
conflict_fire_persprop	conflict_type	int	
conflict_fire_persprop	descript	varchar	60
conflict_fire_persprop	ems_seq	numeric	
conflict_fire_persprop	errors	text	2147483647
conflict_fire_persprop	givento	varchar	30
conflict_fire_persprop	item	varchar	20
conflict_fire_persprop	MSrepl_create_time	datetime	
conflict_fire_persprop	origin_datasource	nvarchar	255
conflict_fire_persprop	per_seq	numeric	
conflict_fire_persprop	pubid	uniqueidentifier	
conflict_fire_persprop	reason_code	int	
conflict_fire_persprop	reason_text	nvarchar	720
conflict_fire_persprop	rowguid	uniqueidentifier	
conflict_fire_pevent	act_date	datetime	
conflict_fire_pevent	addmark	float	
conflict_fire_pevent	addtime	datetime	
conflict_fire_pevent	adduser	varchar	100
conflict_fire_pevent	agency	char	15
conflict_fire_pevent	code	char	15
conflict_fire_pevent	conflict_type	int	
conflict_fire_pevent	descr	varchar	30
conflict_fire_pevent	emp_seq	numeric	
conflict_fire_pevent	fire_dist	char	15
conflict_fire_pevent	freq	int	
conflict_fire_pevent	margin1	numeric	
conflict_fire_pevent	margin2	numeric	
conflict_fire_pevent	modmark	float	
conflict_fire_pevent	modtime	datetime	
conflict_fire_pevent	moduser	varchar	100
conflict_fire_pevent	MSrepl_create_time	datetime	
conflict_fire_pevent	ndate	datetime	
conflict_fire_pevent	notes	text	2147483647

conflict_fire_pevent	origin_datasource	nvarchar	255
conflict_fire_pevent	prim_seq	numeric	
conflict_fire_pevent	psize	varchar	5
conflict_fire_pevent	pstatus	char	10
conflict_fire_pevent	pubid	uniqueidentifier	
conflict_fire_pevent	punits	char	15
conflict_fire_pevent	reason_code	int	
conflict_fire_pevent	reason_text	nvarchar	720
conflict_fire_pevent	refer	bit	
conflict_fire_pevent	reoccur	bit	
conflict_fire_pevent	rowguid	uniqueidentifier	
conflict_fire_pevent	sch_date	datetime	
conflict_fire_pevent	value1	varchar	50
conflict_fire_pevent	value2	varchar	100
conflict_fire_plansbin	agency	char	15
conflict_fire_plansbin	bin_seq	numeric	
conflict_fire_plansbin	bindesc	varchar	40
conflict_fire_plansbin	bindoc	image	2147483647
conflict_fire_plansbin	binname	varchar	20
conflict_fire_plansbin	conflict_type	int	
conflict_fire_plansbin	MSrepl_create_time	datetime	
conflict_fire_plansbin	origin_datasource	nvarchar	255
conflict_fire_plansbin	pubid	uniqueidentifier	
conflict_fire_plansbin	reason_code	int	
conflict_fire_plansbin	reason_text	nvarchar	720
conflict_fire_plansbin	rowguid	uniqueidentifier	
conflict_fire_plrview	binname	varchar	20
conflict_fire_plrview	binnum	char	10
conflict_fire_plrview	certocc	bit	
conflict_fire_plrview	chk_seq	numeric	
conflict_fire_plrview	codate	datetime	
conflict_fire_plrview	conflict_type	int	
conflict_fire_plrview	contractor	varchar	25
conflict_fire_plrview	dateexpir	datetime	
conflict_fire_plrview	daterecd	datetime	
conflict_fire_plrview	daterview	datetime	
conflict_fire_plrview	in_seq	numeric	
conflict_fire_plrview	MSrepl_create_time	datetime	
conflict_fire_plrview	notes	text	2147483647
conflict_fire_plrview	origin_datasource	nvarchar	255
conflict_fire_plrview	permitnum	char	10
conflict_fire_plrview	pubid	uniqueidentifier	
conflict_fire_plrview	reason_code	int	
conflict_fire_plrview	reason_text	nvarchar	720
conflict_fire_plrview	rowguid	uniqueidentifier	
conflict_fire_plrview	site_seq	numeric	
conflict_fire_plrview	tempapp	bit	
conflict_fire_plrview	type	varchar	20
conflict_fire_preplan	alarm1	varchar	80
conflict_fire_preplan	alarm2	varchar	80
conflict_fire_preplan	alarm3	varchar	80
conflict_fire_preplan	alarm4	varchar	80
conflict_fire_preplan	alarm5	varchar	80
conflict_fire_preplan	alarm6	varchar	80
conflict_fire_preplan	alarm7	varchar	80

conflict_fire_preplan	alarm8	varchar	80
conflict_fire_preplan	avfireflow	int	
conflict_fire_preplan	conflict_type	int	
conflict_fire_preplan	equip00	text	2147483647
conflict_fire_preplan	equip25	text	2147483647
conflict_fire_preplan	equip50	text	2147483647
conflict_fire_preplan	equip75	text	2147483647
conflict_fire_preplan	exposures	text	2147483647
conflict_fire_preplan	fireflow00	int	
conflict_fire_preplan	fireflow25	int	
conflict_fire_preplan	fireflow50	int	
conflict_fire_preplan	fireflow75	int	
conflict_fire_preplan	MSrepl_create_time	datetime	
conflict_fire_preplan	notes	text	2147483647
conflict_fire_preplan	occupants	text	2147483647
conflict_fire_preplan	origin_datasource	nvarchar	255
conflict_fire_preplan	person00	text	2147483647
conflict_fire_preplan	person25	text	2147483647
conflict_fire_preplan	person50	text	2147483647
conflict_fire_preplan	person75	text	2147483647
conflict_fire_preplan	pre_pl_seq	numeric	
conflict_fire_preplan	pubid	uniqueidentifier	
conflict_fire_preplan	reason_code	int	
conflict_fire_preplan	reason_text	nvarchar	720
conflict_fire_preplan	rowguid	uniqueidentifier	
conflict_fire_preplan	search00	text	2147483647
conflict_fire_preplan	search25	text	2147483647
conflict_fire_preplan	search50	text	2147483647
conflict_fire_preplan	search75	text	2147483647
conflict_fire_preplan	site_seq	numeric	
conflict_fire_preplan	stg_areas	text	2147483647
conflict_fire_preplan	updated	datetime	
conflict_fire_preplan	updatedby	varchar	30
conflict_fire_projects	addtime	datetime	
conflict_fire_projects	binloc	char	10
conflict_fire_projects	binname	varchar	20
conflict_fire_projects	conflict_type	int	
conflict_fire_projects	contractor	varchar	30
conflict_fire_projects	daterecd	datetime	
conflict_fire_projects	in_seq	numeric	
conflict_fire_projects	MSrepl_create_time	datetime	
conflict_fire_projects	notes	text	2147483647
conflict_fire_projects	origin_datasource	nvarchar	255
conflict_fire_projects	proj_name	varchar	40
conflict_fire_projects	proj_seq	numeric	
conflict_fire_projects	proj_type	float	
conflict_fire_projects	pubid	uniqueidentifier	
conflict_fire_projects	reason_code	int	
conflict_fire_projects	reason_text	nvarchar	720
conflict_fire_projects	rowguid	uniqueidentifier	
conflict_fire_projects	site_seq	numeric	
conflict_fire_projects	type	varchar	20
conflict_fire_recommnd	conflict_type	int	
conflict_fire_recommnd	fire_dist	char	10
conflict_fire_recommnd	in_seq	numeric	

conflict_fire_recommd	MSrepl_create_time	datetime	
conflict_fire_recommd	notes	text	2147483647
conflict_fire_recommd	origin_datasource	nvarchar	255
conflict_fire_recommd	po_hazard	text	2147483647
conflict_fire_recommd	pubid	uniqueidentifier	
conflict_fire_recommd	reason_code	int	
conflict_fire_recommd	reason_text	nvarchar	720
conflict_fire_recommd	rec_code	char	10
conflict_fire_recommd	rec_seq	numeric	
conflict_fire_recommd	recommend	text	2147483647
conflict_fire_recommd	rowguid	uniqueidentifier	
conflict_fire_recommd	site_seq	numeric	
conflict_fire_referrl	conflict_type	int	
conflict_fire_referrl	descript	text	2147483647
conflict_fire_referrl	fire_dist	char	10
conflict_fire_referrl	firstname	char	20
conflict_fire_referrl	in_seq	numeric	
conflict_fire_referrl	middle	char	15
conflict_fire_referrl	mniseq	numeric	
conflict_fire_referrl	MSrepl_create_time	datetime	
conflict_fire_referrl	notes	text	2147483647
conflict_fire_referrl	origin_datasource	nvarchar	255
conflict_fire_referrl	pubid	uniqueidentifier	
conflict_fire_referrl	reason_code	int	
conflict_fire_referrl	reason_text	nvarchar	720
conflict_fire_referrl	ref_date	datetime	
conflict_fire_referrl	ref_person	varchar	20
conflict_fire_referrl	ref_seq	numeric	
conflict_fire_referrl	ref_to	varchar	20
conflict_fire_referrl	ref_via	varchar	20
conflict_fire_referrl	rowguid	uniqueidentifier	
conflict_fire_referrl	site_seq	numeric	
conflict_fire_referrl	suffix	char	5
conflict_fire_repeats	allergies	text	2147483647
conflict_fire_repeats	billsign	bit	
conflict_fire_repeats	cmnonfile	bit	
conflict_fire_repeats	conflict_type	int	
conflict_fire_repeats	dtverified	datetime	
conflict_fire_repeats	employer	char	30
conflict_fire_repeats	ga_relate	char	20
conflict_fire_repeats	gua_sameas	bit	
conflict_fire_repeats	guamniseq	numeric	
conflict_fire_repeats	hipaadel	bit	
conflict_fire_repeats	hipaassign	bit	
conflict_fire_repeats	insur_grp1	char	15
conflict_fire_repeats	insur_grp2	char	15
conflict_fire_repeats	insur_no1	varchar	20
conflict_fire_repeats	insur_no2	varchar	20
conflict_fire_repeats	insurname1	varchar	20
conflict_fire_repeats	insurname2	varchar	20
conflict_fire_repeats	mcarecompl	varchar	50
conflict_fire_repeats	medicaidno	varchar	25
conflict_fire_repeats	medicareno	varchar	25
conflict_fire_repeats	MSrepl_create_time	datetime	
conflict_fire_repeats	name_seq	numeric	

conflict_fire_repeats	origin_datasource	nvarchar	255
conflict_fire_repeats	ppmniseq	numeric	
conflict_fire_repeats	pubid	uniqueidentifier	
conflict_fire_repeats	r_relation	char	20
conflict_fire_repeats	reason_code	int	
conflict_fire_repeats	reason_text	nvarchar	720
conflict_fire_repeats	rep_seq	numeric	
conflict_fire_repeats	resourceno	varchar	25
conflict_fire_repeats	rmniseq	numeric	
conflict_fire_repeats	rowguid	uniqueidentifier	
conflict_fire_repeats	signonfile	bit	
conflict_fire_repeats	subscriber	bit	
conflict_fire_repeats	subsnumber	char	15
conflict_fire_riders	comment	varchar	100
conflict_fire_riders	conflict_type	int	
conflict_fire_riders	ems_seq	numeric	
conflict_fire_riders	firstname	varchar	20
conflict_fire_riders	lastname	varchar	50
conflict_fire_riders	middle	varchar	15
conflict_fire_riders	mni_seq	numeric	
conflict_fire_riders	MSrepl_create_time	datetime	
conflict_fire_riders	origin_datasource	nvarchar	255
conflict_fire_riders	prefix	char	20
conflict_fire_riders	pubid	uniqueidentifier	
conflict_fire_riders	reason_code	int	
conflict_fire_riders	reason_text	nvarchar	720
conflict_fire_riders	rider_seq	numeric	
conflict_fire_riders	rowguid	uniqueidentifier	
conflict_fire_riders	suffix	char	5
conflict_fire_riders	unitcode	char	10
conflict_fire_rmed	conflict_type	int	
conflict_fire_rmed	dose	char	10
conflict_fire_rmed	dtverified	datetime	
conflict_fire_rmed	immunddate	datetime	
conflict_fire_rmed	MSrepl_create_time	datetime	
conflict_fire_rmed	origin_datasource	nvarchar	255
conflict_fire_rmed	pubid	uniqueidentifier	
conflict_fire_rmed	reason_code	int	
conflict_fire_rmed	reason_text	nvarchar	720
conflict_fire_rmed	rep_seq	int	
conflict_fire_rmed	repcode	char	50
conflict_fire_rmed	reptext	varchar	255
conflict_fire_rmed	rmed_seq	int	
conflict_fire_rmed	rmed_type	char	15
conflict_fire_rmed	route	char	10
conflict_fire_rmed	rowguid	uniqueidentifier	
conflict_fire_rmed	units	char	10
conflict_fire_rosteffect	com_seq	int	
conflict_fire_rosteffect	conflict_type	int	
conflict_fire_rosteffect	effect_seq	int	
conflict_fire_rosteffect	emp_seq	int	
conflict_fire_rosteffect	kg_seq	int	
conflict_fire_rosteffect	MSrepl_create_time	datetime	
conflict_fire_rosteffect	origin_datasource	nvarchar	255
conflict_fire_rosteffect	pubid	uniqueidentifier	

conflict_fire_rosteffect	rank_seq	int	
conflict_fire_rosteffect	reason_code	int	
conflict_fire_rosteffect	reason_text	nvarchar	720
conflict_fire_rosteffect	rowguid	uniqueidentifier	
conflict_fire_rosteffect	seq	int	
conflict_fire_rosteffect	shift_seq	int	
conflict_fire_rosteffect	t_start	datetime	
conflict_fire_rosteffect	t_stop	datetime	
conflict_fire_roster	addtime	datetime	
conflict_fire_roster	adduser	char	11
conflict_fire_roster	conflict_type	int	
conflict_fire_roster	dept_seq	numeric	
conflict_fire_roster	displaylength	int	
conflict_fire_roster	displayunit	char	1
conflict_fire_roster	duty	char	3
conflict_fire_roster	length	int	
conflict_fire_roster	MSrepl_create_time	datetime	
conflict_fire_roster	origin_datasource	nvarchar	255
conflict_fire_roster	proof_by	int	
conflict_fire_roster	proof_date	datetime	
conflict_fire_roster	proof_user	char	11
conflict_fire_roster	pubid	uniqueidentifier	
conflict_fire_roster	reason_code	int	
conflict_fire_roster	reason_text	nvarchar	720
conflict_fire_roster	roster_seq	numeric	
conflict_fire_roster	rowguid	uniqueidentifier	
conflict_fire_roster	sched_seq	numeric	
conflict_fire_roster	shift	char	1
conflict_fire_roster	shift_seq	numeric	
conflict_fire_roster	t_start	datetime	
conflict_fire_roster	t_stop	datetime	
conflict_fire_rplglvl	conflict_type	int	
conflict_fire_rplglvl	defa_lvl	bit	
conflict_fire_rplglvl	log_rpt	bit	
conflict_fire_rplglvl	lvlname	char	15
conflict_fire_rplglvl	MSrepl_create_time	datetime	
conflict_fire_rplglvl	origin_datasource	nvarchar	255
conflict_fire_rplglvl	pubid	uniqueidentifier	
conflict_fire_rplglvl	reason_code	int	
conflict_fire_rplglvl	reason_text	nvarchar	720
conflict_fire_rplglvl	req_pw	bit	
conflict_fire_rplglvl	rowguid	uniqueidentifier	
conflict_fire_rplglvl	rplglvlseq	numeric	
conflict_fire_rplglvl	srt_order	int	
conflict_fire_rplog	conflict_type	int	
conflict_fire_rplog	department	char	15
conflict_fire_rplog	dept_seq	numeric	
conflict_fire_rplog	emp_num	char	10
conflict_fire_rplog	firstname	char	20
conflict_fire_rplog	item_seq	numeric	
conflict_fire_rplog	itemdesc	varchar	50
conflict_fire_rplog	lastname	char	20
conflict_fire_rplog	lvlname	char	10
conflict_fire_rplog	middlei	char	2
conflict_fire_rplog	mode	varchar	30

conflict_fire_rplog	MSrepl_create_time	datetime	
conflict_fire_rplog	origin_datasource	nvarchar	255
conflict_fire_rplog	printby	char	10
conflict_fire_rplog	printdt	datetime	
conflict_fire_rplog	printfrom	char	10
conflict_fire_rplog	printreason	varchar	254
conflict_fire_rplog	pubid	uniqueidentifier	
conflict_fire_rplog	reason_code	int	
conflict_fire_rplog	reason_text	nvarchar	720
conflict_fire_rplog	rowguid	uniqueidentifier	
conflict_fire_rplog	rplglvlseq	numeric	
conflict_fire_rplog	rplgseq	numeric	
conflict_fire_rplog	rpname	varchar	254
conflict_fire_rplog	rppath	varchar	254
conflict_fire_rplog	srep_seq	numeric	
conflict_fire_rplog	userid	varchar	100
conflict_fire_rplog	winlogin	char	25
conflict_fire_safeteyeq	conflict_type	int	
conflict_fire_safeteyeq	ems_seq	numeric	
conflict_fire_safeteyeq	equip	varchar	50
conflict_fire_safeteyeq	equipco	varchar	10
conflict_fire_safeteyeq	equiplvl	char	10
conflict_fire_safeteyeq	equipused	bit	
conflict_fire_safeteyeq	MSrepl_create_time	datetime	
conflict_fire_safeteyeq	origin_datasource	nvarchar	255
conflict_fire_safeteyeq	pubid	uniqueidentifier	
conflict_fire_safeteyeq	reason_code	int	
conflict_fire_safeteyeq	reason_text	nvarchar	720
conflict_fire_safeteyeq	rowguid	uniqueidentifier	
conflict_fire_safeteyeq	safeeq_seq	numeric	
conflict_fire_safeteyeq	storder	int	
conflict_fire_schedule	conflict_type	int	
conflict_fire_schedule	dept_seq	numeric	
conflict_fire_schedule	MSrepl_create_time	datetime	
conflict_fire_schedule	origin_datasource	nvarchar	255
conflict_fire_schedule	pubid	uniqueidentifier	
conflict_fire_schedule	reason_code	int	
conflict_fire_schedule	reason_text	nvarchar	720
conflict_fire_schedule	rowguid	uniqueidentifier	
conflict_fire_schedule	sched_desc	varchar	30
conflict_fire_schedule	sched_seq	numeric	
conflict_fire_scripts	addmark	int	
conflict_fire_scripts	conflict_type	int	
conflict_fire_scripts	dept_seq	numeric	
conflict_fire_scripts	descxrip	text	2147483647
conflict_fire_scripts	fx	varchar	100
conflict_fire_scripts	interval	int	
conflict_fire_scripts	lastrun	datetime	
conflict_fire_scripts	MSrepl_create_time	datetime	
conflict_fire_scripts	name	varchar	25
conflict_fire_scripts	origin_datasource	nvarchar	255
conflict_fire_scripts	pubid	uniqueidentifier	
conflict_fire_scripts	reason_code	int	
conflict_fire_scripts	reason_text	nvarchar	720
conflict_fire_scripts	rowguid	uniqueidentifier	

conflict_fire_scripts	scr_seq	numeric	
conflict_fire_scripts	script	text	2147483647
conflict_fire_service	conflict_type	int	
conflict_fire_service	defect	char	4
conflict_fire_service	first	char	20
conflict_fire_service	flushed	bit	
conflict_fire_service	hyd_seq	numeric	
conflict_fire_service	inspect	bit	
conflict_fire_service	last	char	30
conflict_fire_service	middle	char	15
conflict_fire_service	mniseq	numeric	
conflict_fire_service	MSrepl_create_time	datetime	
conflict_fire_service	notes	text	2147483647
conflict_fire_service	origin_datasource	nvarchar	255
conflict_fire_service	oth_serv	char	4
conflict_fire_service	painted	bit	
conflict_fire_service	pubid	uniqueidentifier	
conflict_fire_service	reason_code	int	
conflict_fire_service	reason_text	nvarchar	720
conflict_fire_service	rep_reqd	bit	
conflict_fire_service	repaired	bit	
conflict_fire_service	rowguid	uniqueidentifier	
conflict_fire_service	serv_by	char	15
conflict_fire_service	serv_by_seq	numeric	
conflict_fire_service	serv_date	datetime	
conflict_fire_service	serv_seq	numeric	
conflict_fire_service	serv_time	char	5
conflict_fire_service	served	bit	
conflict_fire_service	suff	char	5
conflict_fire_service	title	char	30
conflict_fire_service	tot_time	char	5
conflict_fire_shift	color	int	
conflict_fire_shift	conflict_type	int	
conflict_fire_shift	dept_seq	numeric	
conflict_fire_shift	displaylength	int	
conflict_fire_shift	displayunit	char	1
conflict_fire_shift	length	int	
conflict_fire_shift	MSrepl_create_time	datetime	
conflict_fire_shift	name	char	1
conflict_fire_shift	origin_datasource	nvarchar	255
conflict_fire_shift	pubid	uniqueidentifier	
conflict_fire_shift	reason_code	int	
conflict_fire_shift	reason_text	nvarchar	720
conflict_fire_shift	rowguid	uniqueidentifier	
conflict_fire_shift	sched_seq	numeric	
conflict_fire_shift	shift_seq	numeric	
conflict_fire_shutoff	conflict_type	int	
conflict_fire_shutoff	location	varchar	40
conflict_fire_shutoff	MSrepl_create_time	datetime	
conflict_fire_shutoff	notes	text	2147483647
conflict_fire_shutoff	origin_datasource	nvarchar	255
conflict_fire_shutoff	pubid	uniqueidentifier	
conflict_fire_shutoff	reason_code	int	
conflict_fire_shutoff	reason_text	nvarchar	720
conflict_fire_shutoff	rowguid	uniqueidentifier	

conflict_fire_shutoff	shut_seq	numeric	
conflict_fire_shutoff	shut_type	varchar	20
conflict_fire_shutoff	site_seq	numeric	
conflict_fire_sig_pdf	conflict_type	int	
conflict_fire_sig_pdf	create_dt	datetime	
conflict_fire_sig_pdf	ikey	image	2147483647
conflict_fire_sig_pdf	ipdf	image	2147483647
conflict_fire_sig_pdf	item_seq	numeric	
conflict_fire_sig_pdf	lnktable	char	10
conflict_fire_sig_pdf	MSrepl_create_time	datetime	
conflict_fire_sig_pdf	origin_datasource	nvarchar	255
conflict_fire_sig_pdf	pubid	uniqueidentifier	
conflict_fire_sig_pdf	reason_code	int	
conflict_fire_sig_pdf	reason_text	nvarchar	720
conflict_fire_sig_pdf	rowguid	uniqueidentifier	
conflict_fire_sig_pdf	sdoc_seq	numeric	
conflict_fire_sig_pdf	srep_seq	numeric	
conflict_fire_sig_roles	conflict_type	int	
conflict_fire_sig_roles	descr	char	50
conflict_fire_sig_roles	MSrepl_create_time	datetime	
conflict_fire_sig_roles	origin_datasource	nvarchar	255
conflict_fire_sig_roles	pubid	uniqueidentifier	
conflict_fire_sig_roles	reason_code	int	
conflict_fire_sig_roles	reason_text	nvarchar	720
conflict_fire_sig_roles	rowguid	uniqueidentifier	
conflict_fire_sig_roles	srole_seq	numeric	
conflict_fire_signature	conflict_type	int	
conflict_fire_signature	fname	char	25
conflict_fire_signature	isig	image	2147483647
conflict_fire_signature	isiggif	image	2147483647
conflict_fire_signature	lname	char	25
conflict_fire_signature	mname	char	25
conflict_fire_signature	MSrepl_create_time	datetime	
conflict_fire_signature	origin_datasource	nvarchar	255
conflict_fire_signature	pubid	uniqueidentifier	
conflict_fire_signature	reason_code	int	
conflict_fire_signature	reason_text	nvarchar	720
conflict_fire_signature	rowguid	uniqueidentifier	
conflict_fire_signature	sdoc_seq	numeric	
conflict_fire_signature	sig_seq	numeric	
conflict_fire_signature	signdate	datetime	
conflict_fire_signature	sreprolseq	numeric	
conflict_fire_signature	suffix	char	3
conflict_fire_signsymp	conflict_type	int	
conflict_fire_signsymp	ems_seq	numeric	
conflict_fire_signsymp	icd9	char	10
conflict_fire_signsymp	MSrepl_create_time	datetime	
conflict_fire_signsymp	origin_datasource	nvarchar	255
conflict_fire_signsymp	pubid	uniqueidentifier	
conflict_fire_signsymp	reason_code	int	
conflict_fire_signsymp	reason_text	nvarchar	720
conflict_fire_signsymp	rowguid	uniqueidentifier	
conflict_fire_signsymp	sign_seq	numeric	
conflict_fire_signsymp	symp	varchar	40
conflict_fire_signsymp	sympco	char	6

conflict_fire_sigreprole	allowmult	bit	
conflict_fire_sigreprole	allowquicksig	bit	
conflict_fire_sigreprole	conflict_type	int	
conflict_fire_sigreprole	MSrepl_create_time	datetime	
conflict_fire_sigreprole	origin_datasource	nvarchar	255
conflict_fire_sigreprole	pubid	uniqueidentifier	
conflict_fire_sigreprole	reason_code	int	
conflict_fire_sigreprole	reason_text	nvarchar	720
conflict_fire_sigreprole	rowguid	uniqueidentifier	
conflict_fire_sigreprole	srep_seq	numeric	
conflict_fire_sigreprole	sreproseq	numeric	
conflict_fire_sigreprole	srole_seq	char	10
conflict_fire_site2hyd	callorder	float	
conflict_fire_site2hyd	conflict_type	int	
conflict_fire_site2hyd	distance	char	5
conflict_fire_site2hyd	hyd_seq	numeric	
conflict_fire_site2hyd	MSrepl_create_time	datetime	
conflict_fire_site2hyd	origin_datasource	nvarchar	255
conflict_fire_site2hyd	pubid	uniqueidentifier	
conflict_fire_site2hyd	reason_code	int	
conflict_fire_site2hyd	reason_text	nvarchar	720
conflict_fire_site2hyd	rowguid	uniqueidentifier	
conflict_fire_site2hyd	s2h_seq	numeric	
conflict_fire_site2hyd	site_seq	numeric	
conflict_fire_sites	addmark	char	11
conflict_fire_sites	address1	char	60
conflict_fire_sites	address2	char	60
conflict_fire_sites	addtime	datetime	
conflict_fire_sites	adduser	varchar	100
conflict_fire_sites	air_cond	varchar	20
conflict_fire_sites	attic_use	char	15
conflict_fire_sites	b_sq_feet	float	
conflict_fire_sites	baseflow	char	5
conflict_fire_sites	basmt_lvls	float	
conflict_fire_sites	basmt_use	char	15
conflict_fire_sites	bld_height	float	
conflict_fire_sites	bld_keys_c	bit	
conflict_fire_sites	bld_status	char	10
conflict_fire_sites	buscomres	char	1
conflict_fire_sites	busi_type	char	4
conflict_fire_sites	city	varchar	20
conflict_fire_sites	co_date	datetime	
conflict_fire_sites	co_log	bit	
conflict_fire_sites	co_notes	text	2147483647
conflict_fire_sites	comm_name	varchar	40
conflict_fire_sites	comp_due	datetime	
conflict_fire_sites	con_fax	varchar	24
conflict_fire_sites	con_first	varchar	20
conflict_fire_sites	con_fone	varchar	24
conflict_fire_sites	con_name	varchar	24
conflict_fire_sites	conflict_type	int	
conflict_fire_sites	cons_iso	char	4
conflict_fire_sites	cons_type	char	4
conflict_fire_sites	country	char	15
conflict_fire_sites	cross_st	varchar	35

conflict_fire_sites	dept_seq	numeric	
conflict_fire_sites	em_lit_log	bit	
conflict_fire_sites	em_lit_num	float	
conflict_fire_sites	f_alarm_log	bit	
conflict_fire_sites	f_alarm_typ	char	15
conflict_fire_sites	f_door_log	bit	
conflict_fire_sites	f_door_typ	char	15
conflict_fire_sites	f_exit_log	bit	
conflict_fire_sites	faclroutid	char	10
conflict_fire_sites	fire_comp	char	10
conflict_fire_sites	fire_dist	char	15
conflict_fire_sites	fire_stat	char	10
conflict_fire_sites	firefilt	char	1
conflict_fire_sites	fireflow_ci	char	5
conflict_fire_sites	fireflow_co	char	3
conflict_fire_sites	fireflow_oi	char	4
conflict_fire_sites	fireflow_si	char	4
conflict_fire_sites	fireflow_xi	char	4
conflict_fire_sites	fireload	char	10
conflict_fire_sites	frresp	char	4
conflict_fire_sites	fw_log	bit	
conflict_fire_sites	fw_notes	text	2147483647
conflict_fire_sites	geotime	datetime	
conflict_fire_sites	geouser	char	11
conflict_fire_sites	has_access	float	
conflict_fire_sites	has_alarms	float	
conflict_fire_sites	has_extingui	float	
conflict_fire_sites	has_hazards	float	
conflict_fire_sites	has_hazmat	float	
conflict_fire_sites	has_hydrants	float	
conflict_fire_sites	has_images	float	
conflict_fire_sites	has_names	float	
conflict_fire_sites	has_newcon	bit	
conflict_fire_sites	has_pplans	float	
conflict_fire_sites	has_review	bit	
conflict_fire_sites	has_shutof	float	
conflict_fire_sites	has_tanks	float	
conflict_fire_sites	heat_sys	varchar	20
conflict_fire_sites	insp_due	datetime	
conflict_fire_sites	insp_freq	float	
conflict_fire_sites	insp_type	char	20
conflict_fire_sites	inspdist	char	10
conflict_fire_sites	insurcont	float	
conflict_fire_sites	insurstru	float	
conflict_fire_sites	is_part_of	int	
conflict_fire_sites	keys_loc	varchar	30
conflict_fire_sites	knox_loc	varchar	30
conflict_fire_sites	knox_log	bit	
conflict_fire_sites	lactive	bit	
conflict_fire_sites	last_insp	datetime	
conflict_fire_sites	lat_deg	char	12
conflict_fire_sites	latitude	char	12
conflict_fire_sites	Inoncomply	bit	
conflict_fire_sites	loc_seq	numeric	
conflict_fire_sites	locc_class	char	10

conflict_fire_sites	long_deg	char	13
conflict_fire_sites	longitude	char	13
conflict_fire_sites	m_address1	varchar	60
conflict_fire_sites	m_address2	varchar	60
conflict_fire_sites	m_city	varchar	20
conflict_fire_sites	m_name	varchar	40
conflict_fire_sites	m_state	char	2
conflict_fire_sites	m_stname	varchar	50
conflict_fire_sites	m_stprefix	char	3
conflict_fire_sites	m_street_num	char	10
conflict_fire_sites	m_stsuffix	char	3
conflict_fire_sites	m_sttype	char	4
conflict_fire_sites	m_zip	char	10
conflict_fire_sites	mailmlifk	numeric	
conflict_fire_sites	modmark	char	10
conflict_fire_sites	MSrepl_create_time	datetime	
conflict_fire_sites	multiproj	bit	
conflict_fire_sites	nconstat	float	
conflict_fire_sites	nfpa_occ	char	15
conflict_fire_sites	nfpa_use	char	15
conflict_fire_sites	notes	text	2147483647
conflict_fire_sites	num_rooms	float	
conflict_fire_sites	num_storys	float	
conflict_fire_sites	occ_detail	text	2147483647
conflict_fire_sites	occ_load	float	
conflict_fire_sites	origin_datasource	nvarchar	255
conflict_fire_sites	oth_seq	numeric	
conflict_fire_sites	oth_water	text	2147483647
conflict_fire_sites	permit_comm	text	2147483647
conflict_fire_sites	permit_num	char	10
conflict_fire_sites	permit_rej	bit	
conflict_fire_sites	permit_req	bit	
conflict_fire_sites	ppreview	datetime	
conflict_fire_sites	ppreviewer	varchar	20
conflict_fire_sites	pubid	uniqueidentifier	
conflict_fire_sites	reason_code	int	
conflict_fire_sites	reason_text	nvarchar	720
conflict_fire_sites	roof_type	varchar	20
conflict_fire_sites	rowguid	uniqueidentifier	
conflict_fire_sites	s_detc_log	bit	
conflict_fire_sites	sector	char	10
conflict_fire_sites	secu_type	varchar	20
conflict_fire_sites	sing_mult	char	10
conflict_fire_sites	site_name	char	80
conflict_fire_sites	site_seq	numeric	
conflict_fire_sites	site_stat	char	15
conflict_fire_sites	site_type	char	30
conflict_fire_sites	state	char	2
conflict_fire_sites	state_occ	char	10
conflict_fire_sites	stinter	bit	
conflict_fire_sites	stname	varchar	50
conflict_fire_sites	stock	char	10
conflict_fire_sites	stprefix	char	3
conflict_fire_sites	street_num	char	10
conflict_fire_sites	stru_add	text	2147483647

conflict_fire_sites	stsuffix	char	3
conflict_fire_sites	sttype	char	4
conflict_fire_sites	supp_notes	text	2147483647
conflict_fire_sites	t_sq_feet	float	
conflict_fire_sites	taxmap_num	varchar	20
conflict_fire_sites	totflow	char	5
conflict_fire_sites	uniqdesc	text	2147483647
conflict_fire_sites	usersiteid	varchar	50
conflict_fire_sites	verloc	bit	
conflict_fire_sites	xc	float	
conflict_fire_sites	yc	float	
conflict_fire_sites	year_bilt	int	
conflict_fire_sites	zip	char	10
conflict_fire_skills	conflict_type	int	
conflict_fire_skills	desc_	varchar	30
conflict_fire_skills	effdate	datetime	
conflict_fire_skills	emp_seq	numeric	
conflict_fire_skills	MSrepl_create_time	datetime	
conflict_fire_skills	notes	text	2147483647
conflict_fire_skills	origin_datasource	nvarchar	255
conflict_fire_skills	prim_seq	numeric	
conflict_fire_skills	pubid	uniqueidentifier	
conflict_fire_skills	reason_code	int	
conflict_fire_skills	reason_text	nvarchar	720
conflict_fire_skills	rowguid	uniqueidentifier	
conflict_fire_skills	skillcode	char	10
conflict_fire_sprinkl	conflict_type	int	
conflict_fire_sprinkl	installdt	datetime	
conflict_fire_sprinkl	MSrepl_create_time	datetime	
conflict_fire_sprinkl	origin_datasource	nvarchar	255
conflict_fire_sprinkl	pubid	uniqueidentifier	
conflict_fire_sprinkl	reason_code	int	
conflict_fire_sprinkl	reason_text	nvarchar	720
conflict_fire_sprinkl	riserloc	varchar	50
conflict_fire_sprinkl	rowguid	uniqueidentifier	
conflict_fire_sprinkl	site_seq	numeric	
conflict_fire_sprinkl	spr_seq	numeric	
conflict_fire_sprinkl	sprarea	varchar	50
conflict_fire_sprinkl	sprdesign	varchar	20
conflict_fire_sprinkl	sprnotes	text	2147483647
conflict_fire_sprinkl	sprtype	varchar	30
conflict_fire_sprinklflw	conflict_type	int	
conflict_fire_sprinklflw	flowby	int	
conflict_fire_sprinklflw	flowbyname	varchar	50
conflict_fire_sprinklflw	flowdate	datetime	
conflict_fire_sprinklflw	flowpsi	numeric	
conflict_fire_sprinklflw	flwrate	numeric	
conflict_fire_sprinklflw	fname	varchar	50
conflict_fire_sprinklflw	installdt	datetime	
conflict_fire_sprinklflw	lname	varchar	50
conflict_fire_sprinklflw	midi	char	1
conflict_fire_sprinklflw	MSrepl_create_time	datetime	
conflict_fire_sprinklflw	origin_datasource	nvarchar	255
conflict_fire_sprinklflw	pubid	uniqueidentifier	
conflict_fire_sprinklflw	reason_code	int	

conflict_fire_sprinklflw	reason_text	nvarchar	720
conflict_fire_sprinklflw	rowguid	uniqueidentifier	
conflict_fire_sprinklflw	spr_seq	int	
conflict_fire_sprinklflw	sprfl_seq	int	
conflict_fire_sprinklflw	suffix	varchar	5
conflict_fire_sprinklflw	units	char	10
conflict_fire_sprinklflw	username	bit	
conflict_fire_sqlauditlog2_flat	application	varchar	50
conflict_fire_sqlauditlog2_flat	appname	varchar	50
conflict_fire_sqlauditlog2_flat	conflict_type	int	
conflict_fire_sqlauditlog2_flat	hostname	varchar	50
conflict_fire_sqlauditlog2_flat	logcolumn	varchar	50
conflict_fire_sqlauditlog2_flat	logdatabase	varchar	50
conflict_fire_sqlauditlog2_flat	logdate	datetime	
conflict_fire_sqlauditlog2_flat	logempid	nchar	10
conflict_fire_sqlauditlog2_flat	logid	uniqueidentifier	
conflict_fire_sqlauditlog2_flat	logkey	varchar	20
conflict_fire_sqlauditlog2_flat	logmodulekey	varchar	20
conflict_fire_sqlauditlog2_flat	logrecord	varchar	100
conflict_fire_sqlauditlog2_flat	logserver	varchar	100
conflict_fire_sqlauditlog2_flat	logtable	varchar	100
conflict_fire_sqlauditlog2_flat	logtype	nchar	1
conflict_fire_sqlauditlog2_flat	loguser	varchar	20
conflict_fire_sqlauditlog2_flat	logwinuser	varchar	50
conflict_fire_sqlauditlog2_flat	MSrepl_create_time	datetime	
conflict_fire_sqlauditlog2_flat	oldtdata	varchar	3600
conflict_fire_sqlauditlog2_flat	origin_datasource	nvarchar	255
conflict_fire_sqlauditlog2_flat	pubid	uniqueidentifier	
conflict_fire_sqlauditlog2_flat	reason_code	int	
conflict_fire_sqlauditlog2_flat	reason_text	nvarchar	720
conflict_fire_sqlauditlog2_flat	rowguid	uniqueidentifier	
conflict_fire_sqlauditlog2_flat	tdata	varchar	3600
conflict_fire_sqlauditlog2_flat	tranid	uniqueidentifier	
conflict_fire_sqlauditlog2_flat	username	varchar	20
conflict_fire_sqlauditlog2_flat	workstation	varchar	50
conflict_fire_sqlauditlog2text	conflict_type	int	
conflict_fire_sqlauditlog2text	logdate	datetime	
conflict_fire_sqlauditlog2text	logkey	nvarchar	255
conflict_fire_sqlauditlog2text	logtable	nvarchar	255
conflict_fire_sqlauditlog2text	logtype	char	1
conflict_fire_sqlauditlog2text	loguser	nvarchar	255
conflict_fire_sqlauditlog2text	MSrepl_create_time	datetime	
conflict_fire_sqlauditlog2text	newid	uniqueidentifier	
conflict_fire_sqlauditlog2text	ntextcontent_after	ntext	1073741823
conflict_fire_sqlauditlog2text	ntextcontent_before	ntext	1073741823
conflict_fire_sqlauditlog2text	origin_datasource	nvarchar	255
conflict_fire_sqlauditlog2text	pubid	uniqueidentifier	
conflict_fire_sqlauditlog2text	reason_code	int	
conflict_fire_sqlauditlog2text	reason_text	nvarchar	720
conflict_fire_sqlauditlog2text	rowguid	uniqueidentifier	
conflict_fire_sqlauditlog2text	textcolumnname	nvarchar	255
conflict_fire_sqlauditlog2text	textcontent_after	text	2147483647
conflict_fire_sqlauditlog2text	textcontent_before	text	2147483647
conflict_fire_sqlauditlog2text	tranid	uniqueidentifier	
conflict_fire_sqlstmnt	autoprimar	bit	

conflict_fire_sqlstmnt	cachable	bit	
conflict_fire_sqlstmnt	conflict_type	int	
conflict_fire_sqlstmnt	conn_name	char	15
conflict_fire_sqlstmnt	MSrepl_create_time	datetime	
conflict_fire_sqlstmnt	named_flds	text	2147483647
conflict_fire_sqlstmnt	noup_flds	text	2147483647
conflict_fire_sqlstmnt	origin_datasource	nvarchar	255
conflict_fire_sqlstmnt	primarykey	varchar	100
conflict_fire_sqlstmnt	pubid	uniqueidentifier	
conflict_fire_sqlstmnt	queryname	char	25
conflict_fire_sqlstmnt	reason_code	int	
conflict_fire_sqlstmnt	reason_text	nvarchar	720
conflict_fire_sqlstmnt	rowguid	uniqueidentifier	
conflict_fire_sqlstmnt	sql_from	text	2147483647
conflict_fire_sqlstmnt	sql_group	text	2147483647
conflict_fire_sqlstmnt	sql_having	text	2147483647
conflict_fire_sqlstmnt	sql_main	text	2147483647
conflict_fire_sqlstmnt	sql_order	text	2147483647
conflict_fire_sqlstmnt	sql_seq	numeric	
conflict_fire_sqlstmnt	sql_where	text	2147483647
conflict_fire_sqlstmnt	tablename	varchar	100
conflict_fire_sqlstmnt	timestamp_column	binary	8
conflict_fire_srchpref	conflict_type	int	
conflict_fire_srchpref	isshared	bit	
conflict_fire_srchpref	module_	char	10
conflict_fire_srchpref	MSrepl_create_time	datetime	
conflict_fire_srchpref	operator	char	10
conflict_fire_srchpref	origin_datasource	nvarchar	255
conflict_fire_srchpref	prim_seq	numeric	
conflict_fire_srchpref	profile	varchar	60
conflict_fire_srchpref	pubid	uniqueidentifier	
conflict_fire_srchpref	reason_code	int	
conflict_fire_srchpref	reason_text	nvarchar	720
conflict_fire_srchpref	rowguid	uniqueidentifier	
conflict_fire_srchpref	search	text	2147483647
conflict_fire_srchpref	seq	int	
conflict_fire_srchpref	userid	varchar	100
conflict_fire_srchpref	value1	varchar	30
conflict_fire_srchpref	value2	varchar	30
conflict_fire_srchpref	wherestr	text	2147483647
conflict_fire_srchtmpl	boundcol	int	
conflict_fire_srchtmpl	caption	varchar	50
conflict_fire_srchtmpl	ccode	varchar	50
conflict_fire_srchtmpl	colwidths	varchar	20
conflict_fire_srchtmpl	comment	text	2147483647
conflict_fire_srchtmpl	conflict_type	int	
conflict_fire_srchtmpl	ctablename	varchar	50
conflict_fire_srchtmpl	datatype	char	2
conflict_fire_srchtmpl	defval2	varchar	50
conflict_fire_srchtmpl	enableexpr	varchar	50
conflict_fire_srchtmpl	format	varchar	20
conflict_fire_srchtmpl	inputmask	varchar	20
conflict_fire_srchtmpl	keyboard	bit	
conflict_fire_srchtmpl	module_	char	10
conflict_fire_srchtmpl	MSrepl_create_time	datetime	

conflict_fire_srchtmpl	origin_datasource	nvarchar	255
conflict_fire_srchtmpl	prim_seq	numeric	
conflict_fire_srchtmpl	pubid	uniqueidentifier	
conflict_fire_srchtmpl	reason_code	int	
conflict_fire_srchtmpl	reason_text	nvarchar	720
conflict_fire_srchtmpl	rowguid	uniqueidentifier	
conflict_fire_srchtmpl	rowsource	text	2147483647
conflict_fire_srchtmpl	search	text	2147483647
conflict_fire_srchtmpl	seq	int	
conflict_fire_srchtmpl	serveralias	char	20
conflict_fire_srchtmpl	serverconn	varchar	20
conflict_fire_srchtmpl	serversql	text	2147483647
conflict_fire_sscheck	app	char	10
conflict_fire_sscheck	condition	text	2147483647
conflict_fire_sscheck	conflict_type	int	
conflict_fire_sscheck	edit_block	char	2
conflict_fire_sscheck	edit_field	varchar	25
conflict_fire_sscheck	edit_level	char	1
conflict_fire_sscheck	edit_no	char	4
conflict_fire_sscheck	edit_order	int	
conflict_fire_sscheck	edit_text	text	2147483647
conflict_fire_sscheck	error_seq	numeric	
conflict_fire_sscheck	errmsg	varchar	254
conflict_fire_sscheck	focus	varchar	50
conflict_fire_sscheck	module_	char	10
conflict_fire_sscheck	MSrepl_create_time	datetime	
conflict_fire_sscheck	origin_datasource	nvarchar	255
conflict_fire_sscheck	pubid	uniqueidentifier	
conflict_fire_sscheck	reason_code	int	
conflict_fire_sscheck	reason_text	nvarchar	720
conflict_fire_sscheck	rowguid	uniqueidentifier	
conflict_fire_ssemploy	address1	varchar	30
conflict_fire_ssemploy	address2	varchar	30
conflict_fire_ssemploy	addtime	datetime	
conflict_fire_ssemploy	adduser	varchar	100
conflict_fire_ssemploy	batt_seq	numeric	
conflict_fire_ssemploy	benfile	char	10
conflict_fire_ssemploy	benonfile	bit	
conflict_fire_ssemploy	billcode	varchar	30
conflict_fire_ssemploy	bloodtype	char	10
conflict_fire_ssemploy	career	char	1
conflict_fire_ssemploy	chief_seq	numeric	
conflict_fire_ssemploy	city	varchar	20
conflict_fire_ssemploy	com_seq	numeric	
conflict_fire_ssemploy	conflict_type	int	
conflict_fire_ssemploy	contacts	bit	
conflict_fire_ssemploy	curstatus	float	
conflict_fire_ssemploy	dept_seq	numeric	
conflict_fire_ssemploy	div_seq	numeric	
conflict_fire_ssemploy	division	char	15
conflict_fire_ssemploy	dob	datetime	
conflict_fire_ssemploy	doc_mni	int	
conflict_fire_ssemploy	docevephone	char	20
conflict_fire_ssemploy	doclast	char	20
conflict_fire_ssemploy	docmid	char	2

conflict_fire_ssemploy	docsuffix	char	3
conflict_fire_ssemploy	doctorfone	varchar	24
conflict_fire_ssemploy	doctorname	varchar	25
conflict_fire_ssemploy	egeotime	datetime	
conflict_fire_ssemploy	egeouser	char	12
conflict_fire_ssemploy	emaddr2	varchar	25
conflict_fire_ssemploy	email	varchar	200
conflict_fire_ssemploy	emcity	varchar	20
conflict_fire_ssemploy	emfirst	char	15
conflict_fire_ssemploy	emlast	char	15
conflict_fire_ssemploy	emli_seq	numeric	
conflict_fire_ssemploy	emmiddle	char	2
conflict_fire_ssemploy	emni_seq	numeric	
conflict_fire_ssemploy	emp_num	char	10
conflict_fire_ssemploy	emp_seq	numeric	
conflict_fire_ssemploy	emphoneh	varchar	24
conflict_fire_ssemploy	emphonew	varchar	24
conflict_fire_ssemploy	emrelation	char	10
conflict_fire_ssemploy	emsid	varchar	30
conflict_fire_ssemploy	emslst	bit	
conflict_fire_ssemploy	emstate	char	2
conflict_fire_ssemploy	emstname	varchar	25
conflict_fire_ssemploy	emstnum	char	10
conflict_fire_ssemploy	emzip	char	9
conflict_fire_ssemploy	errors	text	2147483647
conflict_fire_ssemploy	estprefix	char	3
conflict_fire_ssemploy	estsuffix	char	3
conflict_fire_ssemploy	esttype	char	3
conflict_fire_ssemploy	ethncode	char	10
conflict_fire_ssemploy	ethnicity	varchar	30
conflict_fire_ssemploy	filename	varchar	50
conflict_fire_ssemploy	firelist	bit	
conflict_fire_ssemploy	firstname	varchar	20
conflict_fire_ssemploy	geotime	datetime	
conflict_fire_ssemploy	geouser	char	12
conflict_fire_ssemploy	homephone	varchar	24
conflict_fire_ssemploy	hospital	varchar	50
conflict_fire_ssemploy	hospitalseq	int	
conflict_fire_ssemploy	initdate	datetime	
conflict_fire_ssemploy	insplst	bit	
conflict_fire_ssemploy	isuser	bit	
conflict_fire_ssemploy	kg_seq	numeric	
conflict_fire_ssemploy	lastname	char	20
conflict_fire_ssemploy	married	char	4
conflict_fire_ssemploy	medicalert	bit	
conflict_fire_ssemploy	medicdesc	text	2147483647
conflict_fire_ssemploy	medlevel	char	15
conflict_fire_ssemploy	middlei	char	2
conflict_fire_ssemploy	mli_seq	numeric	
conflict_fire_ssemploy	mni_seq	numeric	
conflict_fire_ssemploy	mobile	varchar	20
conflict_fire_ssemploy	MSrepl_create_time	datetime	
conflict_fire_ssemploy	notes	text	2147483647
conflict_fire_ssemploy	officephone	varchar	24
conflict_fire_ssemploy	oncall	bit	

conflict_fire_ssemploy	origin_datasource	nvarchar	255
conflict_fire_ssemploy	pager	varchar	20
conflict_fire_ssemploy	prov_name	varchar	40
conflict_fire_ssemploy	prov_num	char	10
conflict_fire_ssemploy	pubid	uniqueidentifier	
conflict_fire_ssemploy	race	varchar	42
conflict_fire_ssemploy	racecode	char	10
conflict_fire_ssemploy	radioid	varchar	20
conflict_fire_ssemploy	reason_code	int	
conflict_fire_ssemploy	reason_text	nvarchar	720
conflict_fire_ssemploy	rowguid	uniqueidentifier	
conflict_fire_ssemploy	servtime	float	
conflict_fire_ssemploy	sex	char	1
conflict_fire_ssemploy	shield	char	30
conflict_fire_ssemploy	shift	char	10
conflict_fire_ssemploy	shift_seq	numeric	
conflict_fire_ssemploy	sickleave	char	10
conflict_fire_ssemploy	ssn	char	9
conflict_fire_ssemploy	sta_seq	numeric	
conflict_fire_ssemploy	state	char	2
conflict_fire_ssemploy	stprefix	char	3
conflict_fire_ssemploy	street_num	char	10
conflict_fire_ssemploy	stsuffix	char	3
conflict_fire_ssemploy	sttype	char	5
conflict_fire_ssemploy	suffix	char	3
conflict_fire_ssemploy	supervisor	bit	
conflict_fire_ssemploy	title_seq	numeric	
conflict_fire_ssemploy	unlisted	bit	
conflict_fire_ssemploy	userid	varchar	100
conflict_fire_ssemploy	zip	char	10
conflict_fire_ssinvloc	chem_seq	numeric	
conflict_fire_ssinvloc	chemid	char	5
conflict_fire_ssinvloc	confidentl	char	1
conflict_fire_ssinvloc	conflict_type	int	
conflict_fire_ssinvloc	faclroutid	char	5
conflict_fire_ssinvloc	loc_seq	numeric	
conflict_fire_ssinvloc	MSrepl_create_time	datetime	
conflict_fire_ssinvloc	origin_datasource	nvarchar	255
conflict_fire_ssinvloc	pubid	uniqueidentifier	
conflict_fire_ssinvloc	reason_code	int	
conflict_fire_ssinvloc	reason_text	nvarchar	720
conflict_fire_ssinvloc	rowguid	uniqueidentifier	
conflict_fire_ssinvloc	site_seq	numeric	
conflict_fire_ssinvloc	storge_loc	varchar	70
conflict_fire_ssinvloc	storge_prs	char	1
conflict_fire_ssinvloc	storge_tmp	char	1
conflict_fire_ssinvloc	storge_typ	char	1
conflict_fire_ssinvloc	update_	datetime	
conflict_fire_ssinvsyn	chem_seq	numeric	
conflict_fire_ssinvsyn	conflict_type	int	
conflict_fire_ssinvsyn	MSrepl_create_time	datetime	
conflict_fire_ssinvsyn	origin_datasource	nvarchar	255
conflict_fire_ssinvsyn	pubid	uniqueidentifier	
conflict_fire_ssinvsyn	reason_code	int	
conflict_fire_ssinvsyn	reason_text	nvarchar	720

conflict_fire_ssinvsyn	rowguid	uniqueidentifier	
conflict_fire_ssinvsyn	site_seq	numeric	
conflict_fire_ssinvsyn	syn	varchar	100
conflict_fire_ssinvsyn	syn_seq	numeric	
conflict_fire_ssinvtrn	acute	char	1
conflict_fire_ssinvtrn	amb_state	char	1
conflict_fire_ssinvtrn	ave_amt	char	2
conflict_fire_ssinvtrn	cas	char	11
conflict_fire_ssinvtrn	chem_name	varchar	60
conflict_fire_ssinvtrn	chem_seq	numeric	
conflict_fire_ssinvtrn	chemid	char	5
conflict_fire_ssinvtrn	chronic	char	1
conflict_fire_ssinvtrn	conflict_type	int	
conflict_fire_ssinvtrn	days	char	3
conflict_fire_ssinvtrn	entered	datetime	
conflict_fire_ssinvtrn	faci_name	varchar	45
conflict_fire_ssinvtrn	faci_routid	char	5
conflict_fire_ssinvtrn	fire	char	1
conflict_fire_ssinvtrn	formula	varchar	21
conflict_fire_ssinvtrn	gas	char	1
conflict_fire_ssinvtrn	hazlab	varchar	30
conflict_fire_ssinvtrn	lfad	char	10
conflict_fire_ssinvtrn	lfbd	char	10
conflict_fire_ssinvtrn	lfm	char	10
conflict_fire_ssinvtrn	liquid	char	1
conflict_fire_ssinvtrn	loc	float	
conflict_fire_ssinvtrn	max_amt	char	2
conflict_fire_ssinvtrn	mix	char	1
conflict_fire_ssinvtrn	mixture	bit	
conflict_fire_ssinvtrn	MSrepl_create_time	datetime	
conflict_fire_ssinvtrn	nfpa_f	char	1
conflict_fire_ssinvtrn	nfpa_h	char	1
conflict_fire_ssinvtrn	nfpa_r	char	1
conflict_fire_ssinvtrn	nfpa_s	char	18
conflict_fire_ssinvtrn	noaano	char	4
conflict_fire_ssinvtrn	origin_datasource	nvarchar	255
conflict_fire_ssinvtrn	pressure	char	1
conflict_fire_ssinvtrn	pubid	uniqueidentifier	
conflict_fire_ssinvtrn	pure	char	1
conflict_fire_ssinvtrn	rcra	char	4
conflict_fire_ssinvtrn	reactive	char	1
conflict_fire_ssinvtrn	reason_code	int	
conflict_fire_ssinvtrn	reason_text	nvarchar	720
conflict_fire_ssinvtrn	received	datetime	
conflict_fire_ssinvtrn	rowguid	uniqueidentifier	
conflict_fire_ssinvtrn	rq	float	
conflict_fire_ssinvtrn	rtecs	varchar	30
conflict_fire_ssinvtrn	secret	char	1
conflict_fire_ssinvtrn	signed	datetime	
conflict_fire_ssinvtrn	site_seq	numeric	
conflict_fire_ssinvtrn	solid	char	1
conflict_fire_ssinvtrn	stcc	char	7
conflict_fire_ssinvtrn	tpq	char	10
conflict_fire_ssinvtrn	unno	char	4
conflict_fire_ssinvtrn	update_	datetime	

conflict_fire_ssinvtrn	year_	char	2
conflict_fire_ssinvtrn	yn_313	char	1
conflict_fire_ssinvtrn	yn_cercla	char	1
conflict_fire_ssinvtrn	yn_ehs	char	1
conflict_fire_ssrepts	allrpts	bit	
conflict_fire_ssrepts	code	char	3
conflict_fire_ssrepts	conflict_type	int	
conflict_fire_ssrepts	inactive	bit	
conflict_fire_ssrepts	lvlseq	numeric	
conflict_fire_ssrepts	MSrepl_create_time	datetime	
conflict_fire_ssrepts	origin_datasource	nvarchar	255
conflict_fire_ssrepts	pkvar	varchar	50
conflict_fire_ssrepts	ptable	varchar	10
conflict_fire_ssrepts	pubid	uniqueidentifier	
conflict_fire_ssrepts	reason_code	int	
conflict_fire_ssrepts	reason_text	nvarchar	720
conflict_fire_ssrepts	rowguid	uniqueidentifier	
conflict_fire_ssrepts	seq	int	
conflict_fire_ssrepts	srep_seq	numeric	
conflict_fire_ssrepts	value1	varchar	254
conflict_fire_ssrepts	value2	varchar	2000
conflict_fire_ssupdate	conflict_type	int	
conflict_fire_ssupdate	groupcode	char	10
conflict_fire_ssupdate	MSrepl_create_time	datetime	
conflict_fire_ssupdate	origin_datasource	nvarchar	255
conflict_fire_ssupdate	pubid	uniqueidentifier	
conflict_fire_ssupdate	reason_code	int	
conflict_fire_ssupdate	reason_text	nvarchar	720
conflict_fire_ssupdate	rowguid	uniqueidentifier	
conflict_fire_ssupdate	ssup_seq	numeric	
conflict_fire_ssupdate	tablename	varchar	20
conflict_fire_ssysvars	cfield	char	1
conflict_fire_ssysvars	comment	varchar	125
conflict_fire_ssysvars	config_caption	varchar	25
conflict_fire_ssysvars	config_control	varchar	25
conflict_fire_ssysvars	config_values	varchar	100
conflict_fire_ssysvars	conflict_type	int	
conflict_fire_ssysvars	dept_config	bit	
conflict_fire_ssysvars	dept_restrict	bit	
conflict_fire_ssysvars	dept_seq	numeric	
conflict_fire_ssysvars	MSrepl_create_time	datetime	
conflict_fire_ssysvars	origin_datasource	nvarchar	255
conflict_fire_ssysvars	pubid	uniqueidentifier	
conflict_fire_ssysvars	reason_code	int	
conflict_fire_ssysvars	reason_text	nvarchar	720
conflict_fire_ssysvars	rowguid	uniqueidentifier	
conflict_fire_ssysvars	svar_seq	numeric	
conflict_fire_ssysvars	userid	varchar	100
conflict_fire_ssysvars	value1	varchar	225
conflict_fire_ssysvars	value2	float	
conflict_fire_ssysvars	value3	bit	
conflict_fire_ssysvars	value4	text	2147483647
conflict_fire_ssysvars	varname	char	25
conflict_fire_stations	address1	varchar	60
conflict_fire_stations	address2	varchar	60

conflict_fire_stations	batt_seq	numeric	
conflict_fire_stations	city	varchar	20
conflict_fire_stations	conflict_type	int	
conflict_fire_stations	dept_seq	numeric	
conflict_fire_stations	loc_seq	numeric	
conflict_fire_stations	mainfone	varchar	25
conflict_fire_stations	MSrepl_create_time	datetime	
conflict_fire_stations	origin_datasource	nvarchar	255
conflict_fire_stations	pubid	uniqueidentifier	
conflict_fire_stations	reason_code	int	
conflict_fire_stations	reason_text	nvarchar	720
conflict_fire_stations	rowguid	uniqueidentifier	
conflict_fire_stations	sta_seq	numeric	
conflict_fire_stations	staname	varchar	40
conflict_fire_stations	state	char	2
conflict_fire_stations	stationgps	varchar	15
conflict_fire_stations	stationgpsx	varchar	15
conflict_fire_stations	stationgpsy	varchar	15
conflict_fire_stations	stationid	char	10
conflict_fire_stations	stationzone	varchar	15
conflict_fire_stations	stprefix	char	3
conflict_fire_stations	street_num	char	10
conflict_fire_stations	stsuffix	char	3
conflict_fire_stations	sttype	char	5
conflict_fire_stations	zip	char	10
conflict_fire_stcont	addmark	char	11
conflict_fire_stcont	address1	varchar	60
conflict_fire_stcont	address2	char	50
conflict_fire_stcont	addtime	datetime	
conflict_fire_stcont	adduser	varchar	100
conflict_fire_stcont	agency	char	15
conflict_fire_stcont	alcont	bit	
conflict_fire_stcont	callorder	float	
conflict_fire_stcont	city	char	60
conflict_fire_stcont	conflict_type	int	
conflict_fire_stcont	emailname	varchar	40
conflict_fire_stcont	fire_dist	char	15
conflict_fire_stcont	firstname	char	20
conflict_fire_stcont	geotime	datetime	
conflict_fire_stcont	geouser	char	12
conflict_fire_stcont	geover	bit	
conflict_fire_stcont	hphone	varchar	24
conflict_fire_stcont	isprime	bit	
conflict_fire_stcont	lastname	char	30
conflict_fire_stcont	loc_seq	numeric	
conflict_fire_stcont	mailto	bit	
conflict_fire_stcont	middle	char	10
conflict_fire_stcont	mphone	varchar	24
conflict_fire_stcont	MSrepl_create_time	datetime	
conflict_fire_stcont	name_seq	numeric	
conflict_fire_stcont	name_type	varchar	20
conflict_fire_stcont	note	varchar	200
conflict_fire_stcont	notes	varchar	200
conflict_fire_stcont	origin_datasource	nvarchar	255
conflict_fire_stcont	oth_seq	numeric	

conflict_fire_stcont	pager	varchar	24
conflict_fire_stcont	prefix	char	20
conflict_fire_stcont	pubid	uniqueidentifier	
conflict_fire_stcont	reason_code	int	
conflict_fire_stcont	reason_text	nvarchar	720
conflict_fire_stcont	role	char	20
conflict_fire_stcont	rowguid	uniqueidentifier	
conflict_fire_stcont	site_seq	numeric	
conflict_fire_stcont	state	char	2
conflict_fire_stcont	stcont_seq	numeric	
conflict_fire_stcont	stname	varchar	50
conflict_fire_stcont	stnumber	char	8
conflict_fire_stcont	stprefix	char	3
conflict_fire_stcont	stsuffix	char	3
conflict_fire_stcont	sttype	char	4
conflict_fire_stcont	suffix	char	10
conflict_fire_stcont	title	char	30
conflict_fire_stcont	wphone	varchar	24
conflict_fire_stcont	zip	char	10
conflict_fire_stpipe	conflict_type	int	
conflict_fire_stpipe	cvalveloc	varchar	50
conflict_fire_stpipe	fdloc	varchar	50
conflict_fire_stpipe	MSrepl_create_time	datetime	
conflict_fire_stpipe	origin_datasource	nvarchar	255
conflict_fire_stpipe	pip_seq	numeric	
conflict_fire_stpipe	pubid	uniqueidentifier	
conflict_fire_stpipe	reason_code	int	
conflict_fire_stpipe	reason_text	nvarchar	720
conflict_fire_stpipe	rowguid	uniqueidentifier	
conflict_fire_stpipe	site_seq	numeric	
conflict_fire_stpipe	spipeclass	char	10
conflict_fire_stpipe	spipenote	text	2147483647
conflict_fire_stpipe	spipesize	float	
conflict_fire_stpipe	spipetype	varchar	20
conflict_fire_stpipe	spipezone	varchar	50
conflict_fire_students	carvol	char	10
conflict_fire_students	ceu	char	10
conflict_fire_students	cirr_seq	numeric	
conflict_fire_students	conflict_type	int	
conflict_fire_students	countcertf	bit	
conflict_fire_students	course_seq	numeric	
conflict_fire_students	coursedate	datetime	
conflict_fire_students	coursedesc	varchar	40
conflict_fire_students	coursehour	float	
conflict_fire_students	courseid	char	10
conflict_fire_students	emp_seq	numeric	
conflict_fire_students	MSrepl_create_time	datetime	
conflict_fire_students	name_seq	numeric	
conflict_fire_students	notes	text	2147483647
conflict_fire_students	origin_datasource	nvarchar	255
conflict_fire_students	passfail	bit	
conflict_fire_students	points	char	10
conflict_fire_students	prim_seq	numeric	
conflict_fire_students	pubid	uniqueidentifier	
conflict_fire_students	reason_code	int	

conflict_fire_students	reason_text	nvarchar	720
conflict_fire_students	role	char	1
conflict_fire_students	rowguid	uniqueidentifier	
conflict_fire_students	score1	char	5
conflict_fire_students	score2	char	5
conflict_fire_students	statecerti	bit	
conflict_fire_sysflows	conflict_type	int	
conflict_fire_sysflows	fh1_coeff	char	4
conflict_fire_sysflows	fh1_factor	char	4
conflict_fire_sysflows	fh1_gpm	char	5
conflict_fire_sysflows	fh1_id	varchar	20
conflict_fire_sysflows	fh1_outlet	char	4
conflict_fire_sysflows	fh1_pitot	char	5
conflict_fire_sysflows	fh2_coeff	char	4
conflict_fire_sysflows	fh2_factor	char	4
conflict_fire_sysflows	fh2_gpm	char	5
conflict_fire_sysflows	fh2_id	varchar	20
conflict_fire_sysflows	fh2_outlet	char	4
conflict_fire_sysflows	fh2_pitot	char	5
conflict_fire_sysflows	fh3_coeff	char	4
conflict_fire_sysflows	fh3_factor	char	4
conflict_fire_sysflows	fh3_gpm	char	5
conflict_fire_sysflows	fh3_id	varchar	20
conflict_fire_sysflows	fh3_outlet	char	4
conflict_fire_sysflows	fh3_pitot	char	5
conflict_fire_sysflows	fh4_coeff	char	4
conflict_fire_sysflows	fh4_factor	char	4
conflict_fire_sysflows	fh4_gpm	char	5
conflict_fire_sysflows	fh4_id	varchar	20
conflict_fire_sysflows	fh4_outlet	char	4
conflict_fire_sysflows	fh4_pitot	char	5
conflict_fire_sysflows	fire_dist	char	10
conflict_fire_sysflows	first	char	20
conflict_fire_sysflows	gpmat0	char	5
conflict_fire_sysflows	gpmat10	char	5
conflict_fire_sysflows	gpmat20	char	5
conflict_fire_sysflows	gpmatx	char	6
conflict_fire_sysflows	hyd_seq	numeric	
conflict_fire_sysflows	last	char	30
conflict_fire_sysflows	middle	char	15
conflict_fire_sysflows	mniseq	numeric	
conflict_fire_sysflows	MSrepl_create_time	datetime	
conflict_fire_sysflows	origin_datasource	nvarchar	255
conflict_fire_sysflows	pubid	uniqueidentifier	
conflict_fire_sysflows	reason_code	int	
conflict_fire_sysflows	reason_text	nvarchar	720
conflict_fire_sysflows	resid_psi	char	3
conflict_fire_sysflows	rowguid	uniqueidentifier	
conflict_fire_sysflows	sflo_seq	numeric	
conflict_fire_sysflows	stat_psi	char	3
conflict_fire_sysflows	suff	char	5
conflict_fire_sysflows	test_by	char	11
conflict_fire_sysflows	test_seq	numeric	
conflict_fire_sysflows	testdate	datetime	
conflict_fire_sysflows	testtime	char	5

conflict_fire_sysflows	title	char	30
conflict_fire_sysflows	tot_gpm	char	6
conflict_fire_sysflows	totttime	char	4
conflict_fire_sysflows	user_psi	float	
conflict_fire_system0	conflict_type	int	
conflict_fire_system0	fld1	char	5
conflict_fire_system0	fld2	varchar	60
conflict_fire_system0	MSrepl_create_time	datetime	
conflict_fire_system0	origin_datasource	nvarchar	255
conflict_fire_system0	pubid	uniqueidentifier	
conflict_fire_system0	reason_code	int	
conflict_fire_system0	reason_text	nvarchar	720
conflict_fire_system0	rowguid	uniqueidentifier	
conflict_fire_system1	accdisable	bit	
conflict_fire_system1	accendtime	char	5
conflict_fire_system1	access	char	15
conflict_fire_system1	accexpdate	datetime	
conflict_fire_system1	accpicklst	bit	
conflict_fire_system1	accstarttm	char	5
conflict_fire_system1	agency	char	4
conflict_fire_system1	colorpref	char	10
conflict_fire_system1	conflict_type	int	
conflict_fire_system1	dept_seq	numeric	
conflict_fire_system1	emp_seq	numeric	
conflict_fire_system1	firstname	varchar	30
conflict_fire_system1	formpref	char	10
conflict_fire_system1	logintime	datetime	
conflict_fire_system1	mobdate	datetime	
conflict_fire_system1	mobstatus	float	
conflict_fire_system1	MSrepl_create_time	datetime	
conflict_fire_system1	origin_datasource	nvarchar	255
conflict_fire_system1	pubid	uniqueidentifier	
conflict_fire_system1	reason_code	int	
conflict_fire_system1	reason_text	nvarchar	720
conflict_fire_system1	rowguid	uniqueidentifier	
conflict_fire_system1	sqlid	char	15
conflict_fire_system1	sqlpswd	char	15
conflict_fire_system1	suppgroup	varchar	20
conflict_fire_system1	sysid	numeric	
conflict_fire_system1	sysprivilg	char	10
conflict_fire_system1	userid	varchar	100
conflict_fire_system1	username	varchar	30
conflict_fire_system1	usertype	char	1
conflict_fire_system2	accright	char	4
conflict_fire_system2	conflict_type	int	
conflict_fire_system2	gaid	int	
conflict_fire_system2	moduser	varchar	100
conflict_fire_system2	MSrepl_create_time	datetime	
conflict_fire_system2	origin_datasource	nvarchar	255
conflict_fire_system2	pubid	uniqueidentifier	
conflict_fire_system2	reason_code	int	
conflict_fire_system2	reason_text	nvarchar	720
conflict_fire_system2	rowguid	uniqueidentifier	
conflict_fire_system2	sysid	numeric	
conflict_fire_system2	windows	char	15

conflict_fire_system3	available	float	
conflict_fire_system3	comment	text	2147483647
conflict_fire_system3	comments	text	2147483647
conflict_fire_system3	conflict_type	int	
conflict_fire_system3	descriptn	varchar	50
conflict_fire_system3	key_field	char	30
conflict_fire_system3	MSrepl_create_time	datetime	
conflict_fire_system3	orderid	char	1
conflict_fire_system3	orderjail	char	1
conflict_fire_system3	orderlegal	char	1
conflict_fire_system3	origin_datasource	nvarchar	255
conflict_fire_system3	pubid	uniqueidentifier	
conflict_fire_system3	reason_code	int	
conflict_fire_system3	reason_text	nvarchar	720
conflict_fire_system3	rowguid	uniqueidentifier	
conflict_fire_system3	system3id	numeric	
conflict_fire_system3	windows	char	15
conflict_fire_system3	winid	char	2
conflict_fire_system4	conflict_type	int	
conflict_fire_system4	gaid	int	
conflict_fire_system4	grouptype	char	1
conflict_fire_system4	MSrepl_create_time	datetime	
conflict_fire_system4	origin_datasource	nvarchar	255
conflict_fire_system4	pubid	uniqueidentifier	
conflict_fire_system4	reason_code	int	
conflict_fire_system4	reason_text	nvarchar	720
conflict_fire_system4	rowguid	uniqueidentifier	
conflict_fire_system4	sysid	numeric	
conflict_fire_system4	uaid	int	
conflict_fire_system5	accdisable	bit	
conflict_fire_system5	accendtime	char	5
conflict_fire_system5	accexpdate	datetime	
conflict_fire_system5	accstarttm	char	5
conflict_fire_system5	acctype	char	1
conflict_fire_system5	agency	char	4
conflict_fire_system5	conflict_type	int	
conflict_fire_system5	consoleid	char	10
conflict_fire_system5	descriptn	varchar	30
conflict_fire_system5	loginid	char	15
conflict_fire_system5	logintime	datetime	
conflict_fire_system5	MSrepl_create_time	datetime	
conflict_fire_system5	origin_datasource	nvarchar	255
conflict_fire_system5	pubid	uniqueidentifier	
conflict_fire_system5	reason_code	int	
conflict_fire_system5	reason_text	nvarchar	720
conflict_fire_system5	rowguid	uniqueidentifier	
conflict_fire_system5	sysid	numeric	
conflict_fire_system6	client	char	20
conflict_fire_system6	conflict_type	int	
conflict_fire_system6	MSrepl_create_time	datetime	
conflict_fire_system6	origin_datasource	nvarchar	255
conflict_fire_system6	pubid	uniqueidentifier	
conflict_fire_system6	reason_code	int	
conflict_fire_system6	reason_text	nvarchar	720
conflict_fire_system6	rowguid	uniqueidentifier	

conflict_fire_system6	usr	char	10
conflict_fire_tanks	capacity	char	15
conflict_fire_tanks	coating	varchar	20
conflict_fire_tanks	conflict_type	int	
conflict_fire_tanks	covrdeep	varchar	20
conflict_fire_tanks	covrtype	varchar	20
conflict_fire_tanks	dateinst	datetime	
conflict_fire_tanks	dateremv	datetime	
conflict_fire_tanks	dimensions	varchar	30
conflict_fire_tanks	fill_open	float	
conflict_fire_tanks	installby	varchar	20
conflict_fire_tanks	lastupdate	datetime	
conflict_fire_tanks	leak_dect	bit	
conflict_fire_tanks	leak_desc	varchar	20
conflict_fire_tanks	location	varchar	80
conflict_fire_tanks	manuf_id	char	10
conflict_fire_tanks	manufac	varchar	20
conflict_fire_tanks	mont_wells	bit	
conflict_fire_tanks	MSrepl_create_time	datetime	
conflict_fire_tanks	notes	text	2147483647
conflict_fire_tanks	origin_datasource	nvarchar	255
conflict_fire_tanks	over_flow	bit	
conflict_fire_tanks	product_co	varchar	20
conflict_fire_tanks	pubid	uniqueidentifier	
conflict_fire_tanks	pump_type	char	15
conflict_fire_tanks	pumping	bit	
conflict_fire_tanks	reason_code	int	
conflict_fire_tanks	reason_text	nvarchar	720
conflict_fire_tanks	remv_by	varchar	20
conflict_fire_tanks	retnsize	float	
conflict_fire_tanks	rowguid	uniqueidentifier	
conflict_fire_tanks	site_seq	numeric	
conflict_fire_tanks	state	varchar	20
conflict_fire_tanks	status	char	15
conflict_fire_tanks	tank_cons	varchar	20
conflict_fire_tanks	tank_gage	varchar	20
conflict_fire_tanks	tank_seq	numeric	
conflict_fire_tanks	tank_type	varchar	20
conflict_fire_tanks	ul_number	char	15
conflict_fire_tanks	vap_recov	bit	
conflict_fire_tanks	vented	bit	
conflict_fire_tanks	ventloc	varchar	20
conflict_fire_tanks	ventsize	float	
conflict_fire_terms	conflict_type	int	
conflict_fire_terms	descrip	varchar	50
conflict_fire_terms	MSrepl_create_time	datetime	
conflict_fire_terms	origin_datasource	nvarchar	255
conflict_fire_terms	pubid	uniqueidentifier	
conflict_fire_terms	reason_code	int	
conflict_fire_terms	reason_text	nvarchar	720
conflict_fire_terms	rowguid	uniqueidentifier	
conflict_fire_terms	term	varchar	50
conflict_fire_terms	termname	varchar	50
conflict_fire_terms	termnum	int	
conflict_fire_timezone	code	varchar	10

conflict_fire_timezone	conflict_type	int	
conflict_fire_timezone	descr	varchar	30
conflict_fire_timezone	MSrepl_create_time	datetime	
conflict_fire_timezone	origin_datasource	nvarchar	255
conflict_fire_timezone	pubid	uniqueidentifier	
conflict_fire_timezone	reason_code	int	
conflict_fire_timezone	reason_text	nvarchar	720
conflict_fire_timezone	rowguid	uniqueidentifier	
conflict_fire_timezone	timezoneseq	int	
conflict_fire_titlereq	cert_seq	numeric	
conflict_fire_titlereq	conflict_type	int	
conflict_fire_titlereq	MSrepl_create_time	datetime	
conflict_fire_titlereq	origin_datasource	nvarchar	255
conflict_fire_titlereq	pubid	uniqueidentifier	
conflict_fire_titlereq	reason_code	int	
conflict_fire_titlereq	reason_text	nvarchar	720
conflict_fire_titlereq	rowguid	uniqueidentifier	
conflict_fire_titlereq	title_seq	numeric	
conflict_fire_titlereq	treq_seq	numeric	
conflict_fire_titles	conflict_type	int	
conflict_fire_titles	dept_seq	numeric	
conflict_fire_titles	f_dist	char	15
conflict_fire_titles	high_pay	float	
conflict_fire_titles	level_	char	10
conflict_fire_titles	low_pay	float	
conflict_fire_titles	MSrepl_create_time	datetime	
conflict_fire_titles	officer	bit	
conflict_fire_titles	origin_datasource	nvarchar	255
conflict_fire_titles	payperiod	char	10
conflict_fire_titles	pubid	uniqueidentifier	
conflict_fire_titles	reason_code	int	
conflict_fire_titles	reason_text	nvarchar	720
conflict_fire_titles	rowguid	uniqueidentifier	
conflict_fire_titles	title	varchar	40
conflict_fire_titles	title_seq	numeric	
conflict_fire_titles	titlecode	char	6
conflict_fire_tmpltcycle	conflict_type	int	
conflict_fire_tmpltcycle	MSrepl_create_time	datetime	
conflict_fire_tmpltcycle	name	char	10
conflict_fire_tmpltcycle	note	varchar	100
conflict_fire_tmpltcycle	origin_datasource	nvarchar	255
conflict_fire_tmpltcycle	permanent_	bit	
conflict_fire_tmpltcycle	pubid	uniqueidentifier	
conflict_fire_tmpltcycle	reason_code	int	
conflict_fire_tmpltcycle	reason_text	nvarchar	720
conflict_fire_tmpltcycle	rowguid	uniqueidentifier	
conflict_fire_tmpltcycle	tc_seq	numeric	
conflict_fire_tmpltshift	conflict_type	int	
conflict_fire_tmpltshift	MSrepl_create_time	datetime	
conflict_fire_tmpltshift	origin_datasource	nvarchar	255
conflict_fire_tmpltshift	pubid	uniqueidentifier	
conflict_fire_tmpltshift	reason_code	int	
conflict_fire_tmpltshift	reason_text	nvarchar	720
conflict_fire_tmpltshift	rowguid	uniqueidentifier	
conflict_fire_tmpltshift	tc_seq	numeric	

conflict_fire_tmpltshift	ts_order	float	
conflict_fire_tmpltshift	ts_seq	numeric	
conflict_fire_tmplttour	conflict_type	int	
conflict_fire_tmplttour	displaylen	int	
conflict_fire_tmplttour	displayunit	char	1
conflict_fire_tmplttour	duty	char	10
conflict_fire_tmplttour	length	int	
conflict_fire_tmplttour	MSrepl_create_time	datetime	
conflict_fire_tmplttour	origin_datasource	nvarchar	255
conflict_fire_tmplttour	pubid	uniqueidentifier	
conflict_fire_tmplttour	reason_code	int	
conflict_fire_tmplttour	reason_text	nvarchar	720
conflict_fire_tmplttour	rowguid	uniqueidentifier	
conflict_fire_tmplttour	ts_seq	numeric	
conflict_fire_tmplttour	tt_seq	numeric	
conflict_fire_tour	conflict_type	int	
conflict_fire_tour	displaylength	int	
conflict_fire_tour	displayunit	char	1
conflict_fire_tour	duty	char	10
conflict_fire_tour	length	int	
conflict_fire_tour	MSrepl_create_time	datetime	
conflict_fire_tour	origin_datasource	nvarchar	255
conflict_fire_tour	pubid	uniqueidentifier	
conflict_fire_tour	reason_code	int	
conflict_fire_tour	reason_text	nvarchar	720
conflict_fire_tour	rowguid	uniqueidentifier	
conflict_fire_tour	shift	char	1
conflict_fire_tour	shift_seq	numeric	
conflict_fire_tour	tour_seq	numeric	
conflict_fire_transbill	addxportfname	varchar	50
conflict_fire_transbill	addxportfseq	numeric	
conflict_fire_transbill	amtpaid	float	
conflict_fire_transbill	basefee	float	
conflict_fire_transbill	bedconfa	bit	
conflict_fire_transbill	bedconfb	bit	
conflict_fire_transbill	cob	varchar	105
conflict_fire_transbill	cobco	varchar	50
conflict_fire_transbill	conflict_type	int	
conflict_fire_transbill	destdtrm	varchar	50
conflict_fire_transbill	destdtrmco	char	3
conflict_fire_transbill	desttype	varchar	30
conflict_fire_transbill	desttypeco	char	2
conflict_fire_transbill	dispfrmseq	numeric	
conflict_fire_transbill	dispfromtx	varchar	50
conflict_fire_transbill	dstmileage	float	
conflict_fire_transbill	ems_seq	numeric	
conflict_fire_transbill	endmileage	float	
conflict_fire_transbill	feecode	char	15
conflict_fire_transbill	flatdest	char	15
conflict_fire_transbill	flatrate	float	
conflict_fire_transbill	heldisp	varchar	50
conflict_fire_transbill	heloff	varchar	50
conflict_fire_transbill	helpad	varchar	50
conflict_fire_transbill	helpick	varchar	50
conflict_fire_transbill	helptloc	varchar	50

conflict_fire_transbill	helreq	varchar	50
conflict_fire_transbill	heltype	varchar	50
conflict_fire_transbill	hipaafile	bit	
conflict_fire_transbill	hospadmit	bit	
conflict_fire_transbill	lightsfrom	varchar	50
conflict_fire_transbill	lightsto	varchar	50
conflict_fire_transbill	lodmileage	float	
conflict_fire_transbill	lodmilefee	float	
conflict_fire_transbill	lodtotfee	float	
conflict_fire_transbill	mednec	bit	
conflict_fire_transbill	milefee	float	
conflict_fire_transbill	milerate	float	
conflict_fire_transbill	milesbey	float	
conflict_fire_transbill	movefrunit	varchar	50
conflict_fire_transbill	movetounit	varchar	50
conflict_fire_transbill	movstre	bit	
conflict_fire_transbill	MSrepl_create_time	datetime	
conflict_fire_transbill	numpass	varchar	50
conflict_fire_transbill	origin_datasource	nvarchar	255
conflict_fire_transbill	patadmit	bit	
conflict_fire_transbill	patdead	bit	
conflict_fire_transbill	patdisch	bit	
conflict_fire_transbill	paymethod	char	15
conflict_fire_transbill	physrestr	bit	
conflict_fire_transbill	posdest	varchar	50
conflict_fire_transbill	postrans	varchar	50
conflict_fire_transbill	pubid	uniqueidentifier	
conflict_fire_transbill	reason_code	int	
conflict_fire_transbill	reason_text	nvarchar	720
conflict_fire_transbill	respurg	varchar	50
conflict_fire_transbill	roundreas	varchar	50
conflict_fire_transbill	rowguid	uniqueidentifier	
conflict_fire_transbill	scnmileage	float	
conflict_fire_transbill	secondtrip	bit	
conflict_fire_transbill	srvcavl	bit	
conflict_fire_transbill	stmileage	float	
conflict_fire_transbill	strechreas	varchar	50
conflict_fire_transbill	strecthbe	varchar	30
conflict_fire_transbill	strecthby	varchar	30
conflict_fire_transbill	totalfee	float	
conflict_fire_transbill	totmileage	float	
conflict_fire_transbill	trans_seq	numeric	
conflict_fire_transbill	transby	varchar	50
conflict_fire_transbill	transveh	varchar	50
conflict_fire_transbill	trantype	varchar	105
conflict_fire_transbill	trantypeco	varchar	50
conflict_fire_transbill	uncshock	bit	
conflict_fire_transbill	vehiclegpsx	varchar	15
conflict_fire_transbill	vehiclegpsy	varchar	15
conflict_fire_transbill	vishem	bit	
conflict_fire_transbill	waitfee	float	
conflict_fire_transbill	waittime	char	15
conflict_fire_transbill	xport2code	char	10
conflict_fire_transbill	xport2name	varchar	50
conflict_fire_transbill	xport2seq	numeric	

conflict_fire_transbill	xportasco	char	2
conflict_fire_transbill	xportastx	varchar	40
conflict_fire_transbill	xportfname	varchar	50
conflict_fire_transbill	xportfseq	numeric	
conflict_fire_transbill	xportother	varchar	20
conflict_fire_transbill	xportsec	varchar	20
conflict_fire_userhist	actdate	datetime	
conflict_fire_userhist	action	varchar	100
conflict_fire_userhist	comment	varchar	1024
conflict_fire_userhist	conflict_type	int	
conflict_fire_userhist	hist_seq	numeric	
conflict_fire_userhist	item	varchar	100
conflict_fire_userhist	item_seq	numeric	
conflict_fire_userhist	lnktble	varchar	25
conflict_fire_userhist	MSrepl_create_time	datetime	
conflict_fire_userhist	origin_datasource	nvarchar	255
conflict_fire_userhist	pubid	uniqueidentifier	
conflict_fire_userhist	reason_code	int	
conflict_fire_userhist	reason_text	nvarchar	720
conflict_fire_userhist	rowguid	uniqueidentifier	
conflict_fire_userhist	success	bit	
conflict_fire_userhist	userid	varchar	100
conflict_fire_userpref	bool_val	float	
conflict_fire_userpref	complytime	float	
conflict_fire_userpref	conflict_type	int	
conflict_fire_userpref	def_city	varchar	20
conflict_fire_userpref	def_st	char	2
conflict_fire_userpref	def_zip	char	10
conflict_fire_userpref	f_dist	varchar	25
conflict_fire_userpref	fdhome	char	15
conflict_fire_userpref	fdid	varchar	25
conflict_fire_userpref	fdrestrict	bit	
conflict_fire_userpref	firefilt	bit	
conflict_fire_userpref	followtime	float	
conflict_fire_userpref	gridrowhi	bit	
conflict_fire_userpref	imageed	varchar	80
conflict_fire_userpref	insp_due	float	
conflict_fire_userpref	insp_type	varchar	80
conflict_fire_userpref	lcas_rep	bit	
conflict_fire_userpref	lfidid	bit	
conflict_fire_userpref	lfire_dist	bit	
conflict_fire_userpref	lhaz_rep	bit	
conflict_fire_userpref	linsp_due	bit	
conflict_fire_userpref	linsp_type	bit	
conflict_fire_userpref	linv_rep	bit	
conflict_fire_userpref	lsector	bit	
conflict_fire_userpref	lsite_stat	bit	
conflict_fire_userpref	lsite_type	bit	
conflict_fire_userpref	lsittypeco	bit	
conflict_fire_userpref	lxmit	bit	
conflict_fire_userpref	MSrepl_create_time	datetime	
conflict_fire_userpref	newcons	bit	
conflict_fire_userpref	opmode	float	
conflict_fire_userpref	origin_datasource	nvarchar	255
conflict_fire_userpref	pmt_boolval	int	

conflict_fire_userpref	pmt_fdist	char	15
conflict_fire_userpref	pmt_lfdist	bit	
conflict_fire_userpref	pmt_lsector	bit	
conflict_fire_userpref	pmt_lstatus	bit	
conflict_fire_userpref	pmt_ltrantype	bit	
conflict_fire_userpref	pmt_ltype	bit	
conflict_fire_userpref	pmt_sector	char	10
conflict_fire_userpref	pmt_status	int	
conflict_fire_userpref	pmt_trantype	char	10
conflict_fire_userpref	pmt_type	varchar	20
conflict_fire_userpref	pubid	uniqueidentifier	
conflict_fire_userpref	reason_code	int	
conflict_fire_userpref	reason_text	nvarchar	720
conflict_fire_userpref	review	bit	
conflict_fire_userpref	rowguid	uniqueidentifier	
conflict_fire_userpref	sector	varchar	25
conflict_fire_userpref	showhighlt	bit	
conflict_fire_userpref	showsplash	bit	
conflict_fire_userpref	site_stat	varchar	80
conflict_fire_userpref	site_type	varchar	80
conflict_fire_userpref	sittypeco	char	2
conflict_fire_userpref	upref_seq	numeric	
conflict_fire_userpref	userid	varchar	100
conflict_fire_userpref	videoplay	varchar	80
conflict_fire_userpref	wordversion	char	3
conflict_fire_userpref	xmit	float	
conflict_fire_usrcontrl	baseclass	char	15
conflict_fire_usrcontrl	caption	varchar	50
conflict_fire_usrcontrl	conflict_type	int	
conflict_fire_usrcontrl	contname	text	2147483647
conflict_fire_usrcontrl	dept_seq	numeric	
conflict_fire_usrcontrl	height	int	
conflict_fire_usrcontrl	highcolor	int	
conflict_fire_usrcontrl	left_	int	
conflict_fire_usrcontrl	message	varchar	50
conflict_fire_usrcontrl	MSrepl_create_time	datetime	
conflict_fire_usrcontrl	origin_datasource	nvarchar	255
conflict_fire_usrcontrl	prim_seq	numeric	
conflict_fire_usrcontrl	pubid	uniqueidentifier	
conflict_fire_usrcontrl	reason_code	int	
conflict_fire_usrcontrl	reason_text	nvarchar	720
conflict_fire_usrcontrl	required	bit	
conflict_fire_usrcontrl	rowguid	uniqueidentifier	
conflict_fire_usrcontrl	scxname	char	15
conflict_fire_usrcontrl	taborder	int	
conflict_fire_usrcontrl	top_	int	
conflict_fire_usrcontrl	visible	bit	
conflict_fire_usrcontrl	width	int	
conflict_fire_usrlabel	agency	char	15
conflict_fire_usrlabel	caption	varchar	50
conflict_fire_usrlabel	code	char	3
conflict_fire_usrlabel	conflict_type	int	
conflict_fire_usrlabel	MSrepl_create_time	datetime	
conflict_fire_usrlabel	origin_datasource	nvarchar	255
conflict_fire_usrlabel	pubid	uniqueidentifier	

conflict_fire_usrlabel	reason_code	int	
conflict_fire_usrlabel	reason_text	nvarchar	720
conflict_fire_usrlabel	rowguid	uniqueidentifier	
conflict_fire_usrlabel	usr_seq	numeric	
conflict_fire_vendors	add_user	char	11
conflict_fire_vendors	addmark	float	
conflict_fire_vendors	address2	char	10
conflict_fire_vendors	addtime	datetime	
conflict_fire_vendors	cemail	varchar	80
conflict_fire_vendors	cfirst	char	20
conflict_fire_vendors	city	varchar	20
conflict_fire_vendors	clast	char	30
conflict_fire_vendors	cmiddle	char	15
conflict_fire_vendors	cmniseq	numeric	
conflict_fire_vendors	conflict_type	int	
conflict_fire_vendors	contact	varchar	25
conflict_fire_vendors	county	varchar	50
conflict_fire_vendors	countyfips	varchar	5
conflict_fire_vendors	csuff	char	30
conflict_fire_vendors	fax1	varchar	24
conflict_fire_vendors	fedtaxid	char	15
conflict_fire_vendors	lat	varchar	30
conflict_fire_vendors	loc_seq	numeric	
conflict_fire_vendors	long	varchar	30
conflict_fire_vendors	modmark	float	
conflict_fire_vendors	modtime	datetime	
conflict_fire_vendors	moduser	varchar	100
conflict_fire_vendors	MSrepl_create_time	datetime	
conflict_fire_vendors	name	varchar	50
conflict_fire_vendors	notes	varchar	255
conflict_fire_vendors	origin_datasource	nvarchar	255
conflict_fire_vendors	phone1	varchar	24
conflict_fire_vendors	phone2	varchar	24
conflict_fire_vendors	pubid	uniqueidentifier	
conflict_fire_vendors	reason_code	int	
conflict_fire_vendors	reason_text	nvarchar	720
conflict_fire_vendors	rowguid	uniqueidentifier	
conflict_fire_vendors	smliseq	numeric	
conflict_fire_vendors	spref	char	4
conflict_fire_vendors	ssuff	char	4
conflict_fire_vendors	st	char	2
conflict_fire_vendors	st_num	char	10
conflict_fire_vendors	stateid	char	15
conflict_fire_vendors	status	char	3
conflict_fire_vendors	stprefix	char	3
conflict_fire_vendors	street	varchar	30
conflict_fire_vendors	stsuffix	char	3
conflict_fire_vendors	sttype	char	4
conflict_fire_vendors	stype	char	4
conflict_fire_vendors	ven_class	char	4
conflict_fire_vendors	ven_code	char	4
conflict_fire_vendors	ven_seq	numeric	
conflict_fire_vendors	xcoord	numeric	
conflict_fire_vendors	ycoord	numeric	
conflict_fire_vendors	zip	char	10

conflict_fire_vendors	zone	varchar	50
conflict_fire_venlist	conflict_type	int	
conflict_fire_venlist	list_seq	numeric	
conflict_fire_venlist	listname	varchar	50
conflict_fire_venlist	MSrepl_create_time	datetime	
conflict_fire_venlist	origin_datasource	nvarchar	255
conflict_fire_venlist	pubid	uniqueidentifier	
conflict_fire_venlist	reason_code	int	
conflict_fire_venlist	reason_text	nvarchar	720
conflict_fire_venlist	rowguid	uniqueidentifier	
conflict_fire_venlist	ven_seq	numeric	
conflict_fire_venlist	venlist_seq	numeric	
conflict_fire_vfi_version	conflict_type	int	
conflict_fire_vfi_version	MSrepl_create_time	datetime	
conflict_fire_vfi_version	origin_datasource	nvarchar	255
conflict_fire_vfi_version	pubid	uniqueidentifier	
conflict_fire_vfi_version	reason_code	int	
conflict_fire_vfi_version	reason_text	nvarchar	720
conflict_fire_vfi_version	rowguid	uniqueidentifier	
conflict_fire_vfi_version	rundt	datetime	
conflict_fire_vfi_version	version_number	varchar	100
conflict_fire_vfi_version	version_seq	int	
conflict_fire_violate	ac_cp_date	datetime	
conflict_fire_violate	cit_iss	bit	
conflict_fire_violate	cleared_by	char	10
conflict_fire_violate	clremp_seq	numeric	
conflict_fire_violate	clrfirst	char	20
conflict_fire_violate	clrlast	char	30
conflict_fire_violate	clrmid	char	15
conflict_fire_violate	clrmniseq	numeric	
conflict_fire_violate	clrsuf	char	5
conflict_fire_violate	comp_seq	numeric	
conflict_fire_violate	conflict_type	int	
conflict_fire_violate	fire_dist	char	15
conflict_fire_violate	in_seq	numeric	
conflict_fire_violate	insp_by	char	10
conflict_fire_violate	MSrepl_create_time	datetime	
conflict_fire_violate	non_vercp	bit	
conflict_fire_violate	notes	text	2147483647
conflict_fire_violate	origin_datasource	nvarchar	255
conflict_fire_violate	pubid	uniqueidentifier	
conflict_fire_violate	reason_code	int	
conflict_fire_violate	reason_text	nvarchar	720
conflict_fire_violate	rowguid	uniqueidentifier	
conflict_fire_violate	rq_cp_date	datetime	
conflict_fire_violate	site_seq	int	
conflict_fire_violate	vio_category	char	15
conflict_fire_violate	vio_code	varchar	100
conflict_fire_violate	vio_date	datetime	
conflict_fire_violate	vio_descri	text	2147483647
conflict_fire_violate	vio_floor	float	
conflict_fire_violate	vio_locat	varchar	40
conflict_fire_violate	vio_seq	numeric	
conflict_fire_vitals	addtime	datetime	
conflict_fire_vitals	agency	char	15

conflict_fire_vitals	beforeunit	varchar	30
conflict_fire_vitals	brcode	char	15
conflict_fire_vitals	broselow	char	10
conflict_fire_vitals	ccseyes	char	3
conflict_fire_vitals	ccsmotor	char	3
conflict_fire_vitals	ccstotal	char	3
conflict_fire_vitals	ccsverbal	char	3
conflict_fire_vitals	conflict_type	int	
conflict_fire_vitals	diastolic	char	3
conflict_fire_vitals	ecgco	char	2
conflict_fire_vitals	ecgrhythm	varchar	50
conflict_fire_vitals	ems_seq	numeric	
conflict_fire_vitals	entco2	char	3
conflict_fire_vitals	fire_dist	char	15
conflict_fire_vitals	gcseyes	char	3
conflict_fire_vitals	gcsmotor	char	3
conflict_fire_vitals	gcsqual	varchar	100
conflict_fire_vitals	gcstotal	char	3
conflict_fire_vitals	gcstotals	char	2
conflict_fire_vitals	gcsverbal	char	3
conflict_fire_vitals	glucose1	char	3
conflict_fire_vitals	glucose2	char	3
conflict_fire_vitals	levelcon	varchar	5
conflict_fire_vitals	mechpulse	numeric	
conflict_fire_vitals	medic1seq	numeric	
conflict_fire_vitals	medic2	char	10
conflict_fire_vitals	medic2seq	numeric	
conflict_fire_vitals	medic3	char	10
conflict_fire_vitals	medic3seq	numeric	
conflict_fire_vitals	medic4	char	10
conflict_fire_vitals	medic4seq	numeric	
conflict_fire_vitals	medicsid	char	10
conflict_fire_vitals	MSrepl_create_time	datetime	
conflict_fire_vitals	notes	varchar	100
conflict_fire_vitals	origin_datasource	nvarchar	255
conflict_fire_vitals	ox1	char	3
conflict_fire_vitals	ox2	char	3
conflict_fire_vitals	pain	char	3
conflict_fire_vitals	pubid	uniqueidentifier	
conflict_fire_vitals	pulsedev	char	10
conflict_fire_vitals	pulsequa	varchar	40
conflict_fire_vitals	pulserate	char	3
conflict_fire_vitals	reason_code	int	
conflict_fire_vitals	reason_text	nvarchar	720
conflict_fire_vitals	respqual	varchar	40
conflict_fire_vitals	respqualco	char	2
conflict_fire_vitals	resprate	char	3
conflict_fire_vitals	rowguid	uniqueidentifier	
conflict_fire_vitals	stroke	varchar	50
conflict_fire_vitals	systolic	char	3
conflict_fire_vitals	temp	char	5
conflict_fire_vitals	tempmethod	char	30
conflict_fire_vitals	tempunit	char	3
conflict_fire_vitals	thrombo	char	50
conflict_fire_vitals	time_	datetime	

conflict_fire_vitals	tsa_capr	char	3
conflict_fire_vitals	tsa_resp	char	3
conflict_fire_vitals	tsa_rexp	char	3
conflict_fire_vitals	tsa_sybp	char	3
conflict_fire_vitals	tsa_total	varchar	30
conflict_fire_vitals	tsp_airw	char	3
conflict_fire_vitals	tsp_cns	char	3
conflict_fire_vitals	tsp_size	char	3
conflict_fire_vitals	tsp_skel	char	3
conflict_fire_vitals	tsp_sybp	char	3
conflict_fire_vitals	tsp_total	char	3
conflict_fire_vitals	tsp_wound	char	3
conflict_fire_vitals	vit_seq	numeric	
conflict_fire_zip	city	char	28
conflict_fire_zip	conflict_type	int	
conflict_fire_zip	MSrepl_create_time	datetime	
conflict_fire_zip	origin_datasource	nvarchar	255
conflict_fire_zip	pubid	uniqueidentifier	
conflict_fire_zip	reason_code	int	
conflict_fire_zip	reason_text	nvarchar	720
conflict_fire_zip	rowguid	uniqueidentifier	
conflict_fire_zip	state	char	2
conflict_fire_zip	zipcode	char	5
conflict_fire_zonelookup	code	char	10
conflict_fire_zonelookup	conflict_type	int	
conflict_fire_zonelookup	descr	varchar	30
conflict_fire_zonelookup	MSrepl_create_time	datetime	
conflict_fire_zonelookup	origin_datasource	nvarchar	255
conflict_fire_zonelookup	pubid	uniqueidentifier	
conflict_fire_zonelookup	reason_code	int	
conflict_fire_zonelookup	reason_text	nvarchar	720
conflict_fire_zonelookup	rowguid	uniqueidentifier	
conflict_fire_zonelookup	zonelookupseq	int	
conflict_fire_zones	code	char	10
conflict_fire_zones	conflict_type	int	
conflict_fire_zones	descr	varchar	30
conflict_fire_zones	MSrepl_create_time	datetime	
conflict_fire_zones	origin_datasource	nvarchar	255
conflict_fire_zones	pubid	uniqueidentifier	
conflict_fire_zones	reason_code	int	
conflict_fire_zones	reason_text	nvarchar	720
conflict_fire_zones	rowguid	uniqueidentifier	
conflict_fire_zones	zoneseq	int	
courses	addtime	datetime	
courses	ceu	char	10
courses	cirr_seq	numeric	
courses	countcertf	bit	
courses	course_seq	numeric	
courses	coursedate	datetime	
courses	coursedesc	char	40
courses	coursehour	float	
courses	courseid	char	10
courses	coursenum	char	10
courses	crsdate2	datetime	
courses	dept_seq	numeric	

courses	indoor	bit	
courses	inst_num	char	10
courses	inst_out	bit	
courses	inst_seq	numeric	
courses	instfirst	varchar	20
courses	instlast	char	20
courses	instmidl	char	2
courses	instmniseq	numeric	
courses	instsuff	char	15
courses	isocomp	varchar	20
courses	location	char	30
courses	lodge	money	
courses	material	money	
courses	mealexp	money	
courses	miscexp	money	
courses	night	bit	
courses	notes	text	2147483647
courses	perstdcost	money	
courses	points	char	10
courses	rowguid	uniqueidentifier	
courses	statecertf	bit	
courses	testscore	bit	
courses	trcategory	char	4
courses	trmethod	char	4
courses	tution	money	
dailyact	act_seq	numeric	
dailyact	addtime	datetime	
dailyact	audcount	float	
dailyact	certcode	char	10
dailyact	code	char	10
dailyact	countcertf	bit	
dailyact	days_seq	numeric	
dailyact	location	text	2147483647
dailyact	points	char	10
dailyact	rowguid	uniqueidentifier	
dailyact	time_	float	
daysact	addtime	datetime	
daysact	comptime	float	
daysact	date_	datetime	
daysact	days_seq	numeric	
daysact	dept_seq	numeric	
daysact	emp_seq	numeric	
daysact	mileage	float	
daysact	rowguid	uniqueidentifier	
daysact	shift_seq	numeric	
depts	address1	varchar	60
depts	address2	varchar	60
depts	agency	char	15
depts	autoemsbill_exp	bit	
depts	autostate_exp	bit	
depts	city	varchar	20
depts	countyname	varchar	25
depts	countynum	char	5
depts	dept_seq	numeric	
depts	deptcode	char	10

depts	deptname	varchar	60
depts	emp_seq	int	
depts	f_dist	char	15
depts	fdid	char	10
depts	loc_seq	numeric	
depts	mainfone	varchar	25
depts	mgr_seq	int	
depts	prov_name	varchar	40
depts	prov_num	char	10
depts	rowguid	uniqueidentifier	
depts	state	char	2
depts	staterep	bit	
depts	station	varchar	20
depts	stprefix	char	3
depts	street_num	char	10
depts	stsuffix	char	3
depts	sttype	char	4
depts	zip	char	10
detectr	addtime	datetime	
detectr	detect_seq	numeric	
detectr	detect_typ	varchar	20
detectr	location	varchar	30
detectr	notes	text	2147483647
detectr	number	int	
detectr	rowguid	uniqueidentifier	
detectr	site_seq	numeric	
device	addtime	datetime	
device	adduser	varchar	100
device	co2	numeric	
device	device_seq	numeric	
device	diabp	numeric	
device	dmode	char	30
device	dtime	datetime	
device	ecgint	char	30
device	ecglead	char	30
device	ems_seq	numeric	
device	ename	char	30
device	energy	char	30
device	hrate	numeric	
device	invpressm	numeric	
device	pacerate	char	30
device	pox	numeric	
device	prate	numeric	
device	resprate	numeric	
device	rowguid	uniqueidentifier	
device	shockcnt	char	30
device	shocktype	char	30
device	sysbp	numeric	
device	units	char	30
division	dept_seq	numeric	
division	div_seq	numeric	
division	name	char	20
division	rowguid	uniqueidentifier	
drugsusd	addtime	datetime	
drugsusd	auth	varchar	40

drugsusd	authphys	varchar	20
drugsusd	authsuff	char	15
drugsusd	beforeunit	varchar	30
drugsusd	compli	varchar	30
drugsusd	data1	varchar	100
drugsusd	data10	varchar	100
drugsusd	data11	varchar	100
drugsusd	data12	varchar	100
drugsusd	data13	varchar	100
drugsusd	data14	varchar	100
drugsusd	data15	varchar	100
drugsusd	data2	varchar	100
drugsusd	data3	varchar	100
drugsusd	data4	varchar	100
drugsusd	data5	varchar	100
drugsusd	data6	varchar	100
drugsusd	data7	varchar	100
drugsusd	data8	varchar	100
drugsusd	data9	varchar	100
drugsusd	dose	varchar	20
drugsusd	doseunits	char	10
drugsusd	dru_seq	numeric	
drugsusd	ems_seq	numeric	
drugsusd	label1	varchar	50
drugsusd	label10	varchar	50
drugsusd	label11	varchar	50
drugsusd	label12	varchar	50
drugsusd	label13	varchar	50
drugsusd	label14	varchar	50
drugsusd	label15	varchar	50
drugsusd	label2	varchar	50
drugsusd	label3	varchar	50
drugsusd	label4	varchar	50
drugsusd	label5	varchar	50
drugsusd	label6	varchar	50
drugsusd	label7	varchar	50
drugsusd	label8	varchar	50
drugsusd	label9	varchar	50
drugsusd	medic1	varchar	30
drugsusd	medic1seq	numeric	
drugsusd	medic2	char	10
drugsusd	medic2seq	numeric	
drugsusd	medic3	char	10
drugsusd	medic3seq	numeric	
drugsusd	medic4	char	10
drugsusd	medic4seq	numeric	
drugsusd	medication	varchar	30
drugsusd	mediccode	char	11
drugsusd	medicsid	char	10
drugsusd	notes	varchar	100
drugsusd	phys_seq	numeric	
drugsusd	physfirst	varchar	20
drugsusd	physmid	varchar	15
drugsusd	physsuff	char	15
drugsusd	response	varchar	30

drugsusd	route	varchar	40
drugsusd	rowguid	uniqueidentifier	
drugsusd	timestamp_	datetime	
dtproperties	id	int	
dtproperties	lvalue	image	2147483647
dtproperties	objectid	int	
dtproperties	property	varchar	64
dtproperties	uvalue	nvarchar	255
dtproperties	value	varchar	255
dtproperties	version	int	
eagency	addtime	datetime	
eagency	adduser	varchar	100
eagency	agency	varchar	100
eagency	agencycode	varchar	30
eagency	arrival	datetime	
eagency	atype	varchar	30
eagency	atypecode	varchar	30
eagency	eagency_seq	numeric	
eagency	ems_seq	numeric	
eagency	note	varchar	100
eagency	rowguid	uniqueidentifier	
eid	addtime	datetime	
eid	adduser	varchar	100
eid	aid	varchar	100
eid	aidby	varchar	30
eid	aidcode	varchar	30
eid	aidwhen	datetime	
eid	bycode	varchar	30
eid	eid_seq	numeric	
eid	ems_seq	numeric	
eid	note	varchar	100
eid	result	varchar	30
eid	resultcode	varchar	30
eid	rowguid	uniqueidentifier	
educate	degree	char	10
educate	edu_seq	numeric	
educate	emp_seq	numeric	
educate	ged	bit	
educate	graduated	bit	
educate	major	varchar	20
educate	notes	text	2147483647
educate	rowguid	uniqueidentifier	
educate	school	varchar	25
educate	typedegree	char	15
educate	yeargrad	char	4
eexpos	addtime	datetime	
eexpos	adduser	varchar	100
eexpos	date	datetime	
eexpos	eexpos_seq	numeric	
eexpos	ems_seq	numeric	
eexpos	note	varchar	100
eexpos	role	varchar	30
eexpos	roleco	char	10
eexpos	rowguid	uniqueidentifier	
eexpos	typeco	varchar	50

eexpos	yn	bit	
eimages	addmark	float	
eimages	addtime	datetime	
eimages	adduser	char	11
eimages	agency	char	15
eimages	bin_seq	numeric	
eimages	date_taken	datetime	
eimages	ems_seq	int	
eimages	filename	varchar	50
eimages	fire_dist	char	15
eimages	imag_name	varchar	30
eimages	image	varchar	40
eimages	image_cat	varchar	20
eimages	image_type	varchar	20
eimages	img_seq	numeric	
eimages	modmark	float	
eimages	modtime	datetime	
eimages	moduser	char	11
eimages	notes	text	2147483647
eimages	rowguid	uniqueidentifier	
eimages	taken_by	varchar	20
eimmun	addtime	datetime	
eimmun	adduser	varchar	100
eimmun	comment	varchar	1024
eimmun	dtverified	datetime	
eimmun	eimmun_seq	numeric	
eimmun	ems_seq	numeric	
eimmun	immun	varchar	30
eimmun	immunocode	varchar	30
eimmun	immundate	datetime	
eimmun	rowguid	uniqueidentifier	
einsur	addtime	datetime	
einsur	adduser	varchar	100
einsur	comp_seq	numeric	
einsur	company	varchar	50
einsur	einsur_seq	numeric	
einsur	ems_seq	numeric	
einsur	igroup	varchar	50
einsur	itype	varchar	50
einsur	policy	varchar	50
einsur	priority	varchar	20
einsur	rowguid	uniqueidentifier	
ems	addtime	datetime	
ems	adduser	varchar	100
ems	alcdrug	varchar	50
ems	alcdrugco	varchar	10
ems	allergies	text	2147483647
ems	allerrors	text	2147483647
ems	appcausco	varchar	100
ems	appcaustx	varchar	75
ems	arrivedest	datetime	
ems	assbyair	bit	
ems	assbyby	bit	
ems	assbyfire	bit	
ems	assbyfr	bit	

ems	assbyid	char	5
ems	assbyle	bit	
ems	assbymd	bit	
ems	assbyoth	bit	
ems	assbyres	bit	
ems	atpatient	datetime	
ems	cad_id	char	14
ems	callcanc	datetime	
ems	callcompl	datetime	
ems	calloutcod	char	2
ems	calloutcom	varchar	200
ems	callrecd	datetime	
ems	callsign	varchar	30
ems	calltime	char	4
ems	callupdown	varchar	50
ems	case_num	varchar	30
ems	chfcomp	text	2147483647
ems	chfdur	varchar	30
ems	chfunt	varchar	30
ems	cmnonfile	bit	
ems	comploc	varchar	30
ems	comporgan	varchar	30
ems	condcode	varchar	75
ems	conddest	varchar	50
ems	condmod	varchar	70
ems	crossst	varchar	50
ems	delay_co	char	2
ems	delay_tx	varchar	25
ems	dept_seq	numeric	
ems	destptnum	char	30
ems	directive	varchar	75
ems	disaster	varchar	50
ems	disasterco	varchar	200
ems	disp_as	varchar	75
ems	disp_co	char	2
ems	disp_tx	varchar	75
ems	dispatch	datetime	
ems	dispdelay	varchar	50
ems	dispdelayc	varchar	10
ems	dispfrom	char	15
ems	disptid	datetime	
ems	dispzone	varchar	30
ems	dtbillexp	datetime	
ems	dtcomplete	datetime	
ems	emd	varchar	50
ems	emdnum	varchar	15
ems	emerdisp	varchar	50
ems	eminform	varchar	30
ems	ems_date	datetime	
ems	ems_seq	numeric	
ems	emsdup_seq	numeric	
ems	enroute	datetime	
ems	errors	text	2147483647
ems	exposure	varchar	30
ems	expreport	varchar	30

ems	exptype	varchar	30
ems	facaffca	varchar	50
ems	facaffcaco	char	2
ems	frarrive	datetime	
ems	fromgrid	char	10
ems	fstals	datetime	
ems	fstarrive	datetime	
ems	fstbls	datetime	
ems	geotime	datetime	
ems	geouser	char	11
ems	geover	bit	
ems	geoxcoord	numeric	
ems	geoycoord	numeric	
ems	gpal_a	float	
ems	gpal_g	float	
ems	gpal_l	float	
ems	gpal_p	float	
ems	has_adden	float	
ems	has_als	float	
ems	has_apgar	float	
ems	has_assmt	float	
ems	has_bls	float	
ems	has_cardi	float	
ems	has_drugs	float	
ems	has_excond	float	
ems	has_img	float	
ems	has_injlst	float	
ems	has_medics	float	
ems	has_meds	float	
ems	has_prop	float	
ems	has_vid	float	
ems	has_vital	float	
ems	helocall	datetime	
ems	heloclear	datetime	
ems	helodest	datetime	
ems	helolift	datetime	
ems	helopad	datetime	
ems	heloquart	datetime	
ems	hospdisp	varchar	50
ems	iaddress2	char	15
ems	icd9	varchar	30
ems	icity	varchar	25
ems	icityfips	char	5
ems	icityfipsco	varchar	200
ems	icntyfips	char	5
ems	icntyfipsco	varchar	200
ems	inc_locco	varchar	10
ems	inc_loctx	varchar	30
ems	inc_num	char	14
ems	inci_seq	int	
ems	injpresent	varchar	10
ems	inoutcity	char	10
ems	inservice	datetime	
ems	invoiceno	varchar	20
ems	iscomplete	bit	

ems	isfinal	bit	
ems	istafips	char	5
ems	istate	char	2
ems	istprefix	char	2
ems	istreet	char	30
ems	istreetnum	char	8
ems	istsuffix	char	2
ems	isttype	char	4
ems	izip	char	10
ems	latitude	char	13
ems	leftdest	datetime	
ems	leftscene	datetime	
ems	loc_seq	numeric	
ems	longitude	char	13
ems	lvicare	varchar	30
ems	mapzone	varchar	50
ems	massinc	varchar	100
ems	massincco	varchar	200
ems	medprior	char	10
ems	narcotics	bit	
ems	narrative	text	2147483647
ems	narratvnum	char	10
ems	nfirsexp	varchar	30
ems	nfirsno	varchar	30
ems	nkda	bit	
ems	numofpat	int	
ems	onset	datetime	
ems	origptnum	char	30
ems	pat_trans	bit	
ems	pat_type	varchar	30
ems	patientcnt	int	
ems	patientnum	char	3
ems	pcomplco	varchar	5
ems	pcompltx	varchar	75
ems	policeno	varchar	30
ems	preg	varchar	30
ems	primagrav	bit	
ems	primsymp	varchar	60
ems	priorv	varchar	30
ems	protocols	text	2147483647
ems	prov_name	varchar	80
ems	prov_num	char	10
ems	prov2imp	varchar	75
ems	prov2impco	varchar	6
ems	provimp	varchar	75
ems	provimpco	varchar	6
ems	ptfound	varchar	30
ems	pulsearriv	bit	
ems	regcand	varchar	50
ems	rept_type	float	
ems	resourceno	varchar	25
ems	rev_date	datetime	
ems	rev_id	char	12
ems	rev_seq	numeric	
ems	review	text	2147483647

ems	revreq	varchar	50
ems	rework	bit	
ems	rowguid	uniqueidentifier	
ems	scene_as	varchar	200
ems	scene_co	char	2
ems	scene_tx	varchar	75
ems	scomplco	varchar	5
ems	scompltx	varchar	75
ems	sdelay_co	char	2
ems	sdelay_tx	varchar	25
ems	seccomp	text	2147483647
ems	secdur	varchar	30
ems	secunt	varchar	30
ems	sent2bill	bit	
ems	sentnemsis	datetime	
ems	servtype	varchar	30
ems	servtypeco	char	4
ems	shift	char	2
ems	signonfile	bit	
ems	statenum	varchar	50
ems	subscriber	bit	
ems	subsnumber	char	15
ems	tdelay_co	varchar	30
ems	tdelay_txt	varchar	30
ems	togrid	char	10
ems	transcare	datetime	
ems	trdelay_co	varchar	30
ems	trdelay_txt	varchar	50
ems	unit	char	10
ems	unitarriv	datetime	
ems	unitrespno	varchar	30
ems	unitrole	varchar	30
ems	xagency	varchar	30
ems	xcoord	numeric	
ems	ycoord	numeric	
ems	zonetype	varchar	30
emscheck	condition	text	2147483647
emscheck	cust	varchar	30
emscheck	dept_seq	numeric	
emscheck	edit_block	char	2
emscheck	edit_field	varchar	25
emscheck	edit_level	char	1
emscheck	edit_no	char	4
emscheck	edit_order	int	
emscheck	edit_text	text	2147483647
emscheck	error_seq	numeric	
emscheck	errmsgsg	varchar	254
emscheck	focus	varchar	200
emscheck	group_	char	10
emscheck	level_	char	10
emscheck	module_	char	15
emscheck	rowguid	uniqueidentifier	
emscheck	scancursor	char	15
emscheck	state	char	2
emscombo	cmb_seq	numeric	

emscombo	code	char	3
emscombo	dept_seq	numeric	
emscombo	inactive	bit	
emscombo	rowguid	uniqueidentifier	
emscombo	seq	int	
emscombo	sweetcode	char	10
emscombo	value1	varchar	100
emscombo	value2	varchar	200
emsunit	alarm	datetime	
emsunit	arrive	datetime	
emsunit	arrivedest	datetime	
emsunit	cancel	datetime	
emsunit	clear	datetime	
emsunit	completed	datetime	
emsunit	deptcode	char	10
emsunit	dispatch	datetime	
emsunit	ems_seq	numeric	
emsunit	enroute	datetime	
emsunit	eunit_seq	numeric	
emsunit	inservice	datetime	
emsunit	leftdest	datetime	
emsunit	leftscene	datetime	
emsunit	returned	datetime	
emsunit	role	varchar	20
emsunit	rowguid	uniqueidentifier	
emsunit	unitcode	char	10
eqclass	agency	char	10
eqclass	cla_code	char	4
eqclass	cla_desc	varchar	30
eqclass	cla_seq	numeric	
eqclass	comment	varchar	50
eqclass	dept_seq	numeric	
eqclass	rowguid	uniqueidentifier	
eqmaint	addtime	datetime	
eqmaint	agency	char	10
eqmaint	date_	datetime	
eqmaint	emp_id	char	10
eqmaint	emp_seq	numeric	
eqmaint	eq_seq	numeric	
eqmaint	eqm_seq	numeric	
eqmaint	first	char	20
eqmaint	hours	float	
eqmaint	hrs_down	float	
eqmaint	hrs_used	float	
eqmaint	inhouse	bit	
eqmaint	int_units	char	3
eqmaint	interval_	float	
eqmaint	laborcost	float	
eqmaint	last	char	30
eqmaint	middle	char	15
eqmaint	mileage	float	
eqmaint	mniseq	numeric	
eqmaint	notes	text	2147483647
eqmaint	partscost	float	
eqmaint	passfail	char	4

eqmaint	rowguid	uniqueidentifier	
eqmaint	suff	char	5
eqmaint	taskcode	char	10
eqmaint	taskname	varchar	30
eqmaint	testscore	char	10
eqmaint	title	char	30
eqmaint	totalcost	float	
eqmaint	ven_seq	numeric	
eqmaint	vendor	varchar	50
eqmaint	workorder	char	10
eqstaff	cert_seq	numeric	
eqstaff	eq_seq	numeric	
eqstaff	quantity	smallint	
eqstaff	rowguid	uniqueidentifier	
eqstaff	staff_seq	numeric	
eqtype	agency	char	10
eqtype	assn_type	char	4
eqtype	cla_code	char	4
eqtype	comment	varchar	50
eqtype	dept_seq	numeric	
eqtype	eqt_seq	numeric	
eqtype	eqt_type	char	4
eqtype	rowguid	uniqueidentifier	
eqtype	size_	char	10
eqtype	sizeunits	char	10
eqtype	type_desc	varchar	30
equcombo	code	char	3
equcombo	com_seq	numeric	
equcombo	dept_seq	numeric	
equcombo	inactive	bit	
equcombo	rowguid	uniqueidentifier	
equcombo	seq	int	
equcombo	type	char	4
equcombo	value1	varchar	50
equcombo	value2	varchar	100
equip	addtime	datetime	
equip	adduser	varchar	100
equip	agency	char	10
equip	ambulance	bit	
equip	annualhours	int	
equip	annualmiles	int	
equip	assn_seq	numeric	
equip	assn_to	char	10
equip	assnfirst	char	20
equip	assnlast	char	30
equip	assnmid	char	15
equip	assnmniseq	numeric	
equip	assnsuff	char	5
equip	billcode	varchar	30
equip	color	char	10
equip	com_seq	numeric	
equip	compartment	char	10
equip	cost_new	float	
equip	cost_repl	float	
equip	date_repl	datetime	

equip	dept_seq	numeric	
equip	desc_	varchar	40
equip	diameter	char	10
equip	eq_class	char	4
equip	eq_num	char	10
equip	eq_seq	numeric	
equip	eq_type	char	4
equip	expires	datetime	
equip	inactive	bit	
equip	last_hour	float	
equip	last_mile	float	
equip	license	char	10
equip	location	char	15
equip	make	char	15
equip	mileyear	int	
equip	model	char	10
equip	nextmcode	char	4
equip	nextmdue	datetime	
equip	notes	text	2147483647
equip	orig_hours	float	
equip	orig_miles	float	
equip	purchased	datetime	
equip	rowguid	uniqueidentifier	
equip	serial	varchar	25
equip	size_	char	10
equip	sold_price	float	
equip	sta_seq	numeric	
equip	statenum	varchar	50
equip	status	char	10
equip	unit_num	char	10
equip	unittype	char	3
equip	ven_name	varchar	50
equip	ven_seq	numeric	
equip	vendor	char	4
equip	year_	char	4
equusr	eq_seq	numeric	
equusr	rowguid	uniqueidentifier	
equusr	usr_seq	numeric	
equusr	usr1	varchar	25
equusr	usr10	varchar	25
equusr	usr2	varchar	25
equusr	usr3	varchar	25
equusr	usr4	varchar	25
equusr	usr5	varchar	25
equusr	usr6	varchar	25
equusr	usr7	varchar	25
equusr	usr8	varchar	25
equusr	usr9	varchar	25
equusr	usrmemo	text	2147483647
errorlog	action_	varchar	25
errorlog	control	varchar	150
errorlog	counter	int	
errorlog	error	int	
errorlog	error_seq	numeric	
errorlog	errordata	text	2147483647

errorlog	errormsg	char	200
errorlog	lasttime	datetime	
errorlog	line	int	
errorlog	linecode	char	200
errorlog	method	varchar	150
errorlog	rowguid	uniqueidentifier	
errorlog	userid	varchar	100
esafeq	addtime	datetime	
esafeq	adduser	varchar	100
esafeq	ems_seq	numeric	
esafeq	equip	varchar	30
esafeq	equipcnt	numeric	
esafeq	equipco	char	10
esafeq	equiplvl	char	10
esafeq	equipused	bit	
esafeq	esafeq_seq	numeric	
esafeq	rowguid	uniqueidentifier	
euser	addtime	datetime	
euser	adduser	varchar	100
euser	ems_seq	numeric	
euser	euser_seq	numeric	
euser	note1	text	2147483647
euser	rowguid	uniqueidentifier	
euser	user1	varchar	50
euser	user10	varchar	50
euser	user11	varchar	50
euser	user12	varchar	50
euser	user13	varchar	50
euser	user14	varchar	50
euser	user15	varchar	50
euser	user16	varchar	50
euser	user17	varchar	50
euser	user18	varchar	50
euser	user19	varchar	50
euser	user2	varchar	50
euser	user20	varchar	50
euser	user3	varchar	50
euser	user4	varchar	50
euser	user5	varchar	50
euser	user6	varchar	50
euser	user7	varchar	50
euser	user8	varchar	50
euser	user9	varchar	50
exceptn	apply2holidays	bit	
exceptn	duty	bit	
exceptn	ex_desc	varchar	20
exceptn	except_seq	numeric	
exceptn	paid	bit	
exceptn	rate	smallmoney	
exceptn	rowguid	uniqueidentifier	
exconds	condco	char	3
exconds	condition	varchar	30
exconds	dtverified	datetime	
exconds	ems_seq	numeric	
exconds	exc_seq	numeric	

exconds	rowguid	uniqueidentifier	
expaddend	add_seq	numeric	
expaddend	addendum	text	2147483647
expaddend	addtime	datetime	
expaddend	adduser	varchar	100
expaddend	exp_seq	numeric	
expaddend	rowguid	uniqueidentifier	
expexam	addtime	datetime	
expexam	adduser	varchar	100
expexam	exam_date	datetime	
expexam	exam_next	datetime	
expexam	exam_seq	numeric	
expexam	exam_type	char	20
expexam	exp_seq	numeric	
expexam	facility	char	50
expexam	facmliseq	numeric	
expexam	nurse_fname	char	20
expexam	nurse_lname	char	30
expexam	nurse_mname	char	15
expexam	nurse_mni_seq	numeric	
expexam	nurse_suffix	char	5
expexam	phys_fname	char	20
expexam	phys_lname	char	30
expexam	phys_mname	char	15
expexam	phys_mni_seq	numeric	
expexam	phys_suffix	char	5
expexam	recommend	text	2147483647
expexam	rowguid	uniqueidentifier	
expexam	trans_code	char	3
expexam	trans_desc	char	50
explab	addtime	datetime	
explab	adduser	varchar	100
explab	exam_seq	numeric	
explab	exp_seq	numeric	
explab	lab_result	char	10
explab	lab_seq	numeric	
explab	lab_type	char	10
explab	rowguid	uniqueidentifier	
exposure	addtime	datetime	
exposure	adduser	varchar	100
exposure	allerrors	text	2147483647
exposure	call_type	char	20
exposure	comments	text	2147483647
exposure	dept_seq	numeric	
exposure	details	text	2147483647
exposure	emp_fname	char	20
exposure	emp_lname	char	30
exposure	emp_mname	char	15
exposure	emp_mni_seq	numeric	
exposure	emp_seq	numeric	
exposure	emp_suffix	char	5
exposure	errors	text	2147483647
exposure	exp_seq	numeric	
exposure	exp_status	char	20
exposure	exp_time	datetime	

exposure	file_closed	datetime	
exposure	inj_code	char	3
exposure	inj_desc	varchar	50
exposure	iscomplete	bit	
exposure	isreviewed	bit	
exposure	link_exp	char	3
exposure	link_id	char	25
exposure	link_key	numeric	
exposure	loc_address2	char	30
exposure	loc_city	char	20
exposure	loc_geotime	datetime	
exposure	loc_geouser	char	11
exposure	loc_geover	bit	
exposure	loc_postdir	char	2
exposure	loc_predir	char	2
exposure	loc_seq	numeric	
exposure	loc_state	char	2
exposure	loc_stname	char	30
exposure	loc_stnum	char	8
exposure	loc_sttype	char	5
exposure	loc_zip	char	5
exposure	mailed	bit	
exposure	med_attn	bit	
exposure	modtime	datetime	
exposure	moduser	varchar	100
exposure	needle_date	datetime	
exposure	needle_type	char	10
exposure	notify_eco	datetime	
exposure	notify_time	datetime	
exposure	ppe_code	char	3
exposure	ppe_desc	varchar	50
exposure	reject_reason	text	2147483647
exposure	review	text	2147483647
exposure	risk	char	10
exposure	rowguid	uniqueidentifier	
exposure	skin_intact	bit	
exposure	sta_seq	numeric	
exposure	station_id	char	10
exposure	taken_code	char	3
exposure	taken_desc	varchar	50
exposure	valid_casualty	bit	
exposure	valid_link	bit	
exposure	valid_person	bit	
exposure	wc_casenum	char	20
exposure	wc_date	datetime	
exposure	wc_submit	bit	
exposure	xpo_device	varchar	50
exposure	xpo_level	char	10
exposure	xpo_loc	varchar	25
exposure	xpo_task	varchar	50
exposure	xpo_type	varchar	50
expuser	errors	text	2147483647
expuser	exp_seq	numeric	
expuser	prim_seq	numeric	
expuser	rowguid	uniqueidentifier	

expuser	usr1	varchar	20
expuser	usr10	varchar	20
expuser	usr2	varchar	20
expuser	usr3	varchar	20
expuser	usr4	varchar	20
expuser	usr5	varchar	20
expuser	usr6	varchar	20
expuser	usr7	varchar	20
expuser	usr8	varchar	20
expuser	usr9	varchar	20
expuser	usrmemo	text	2147483647
faxcode	descr	varchar	100
faxcode	faxcode	int	
faxcode	faxcodeseq	int	
faxcode	faxcodetyp	int	
faxcode	rowguid	uniqueidentifier	
fees	addtime	datetime	
fees	fee_amt	money	
fees	fee_checkn	char	15
fees	fee_cmnt	text	2147483647
fees	fee_fkcd	char	3
fees	fee_fkseq	numeric	
fees	fee_forward	char	45
fees	fee_paiddt	datetime	
fees	fee_pmethod	char	15
fees	fee_recby	varchar	25
fees	fee_recptn	char	15
fees	fee_seq	numeric	
fees	fee_type	varchar	20
fees	fwdaddr2	varchar	100
fees	fwdcity	char	60
fees	fwdfirst	char	20
fees	fwdlast	char	30
fees	fwdmiddle	char	15
fees	fwdmliseq	numeric	
fees	fwdmni	numeric	
fees	fwdorg	varchar	80
fees	fwdstate	char	2
fees	fwdstname	varchar	50
fees	fwdstnum	char	8
fees	fwdstpref	char	3
fees	fwdstsuff	char	3
fees	fwdsttype	char	4
fees	fwdsuffix	char	15
fees	fwdzip	char	10
fees	recfirst	char	20
fees	reclast	char	30
fees	recmiddle	char	15
fees	recmni	numeric	
fees	recsuffix	char	15
fees	rowguid	uniqueidentifier	
feetypes	rowguid	uniqueidentifier	
feetypes	typ_desc	char	15
feetypes	typ_order	int	
fips	cl	char	2

fips	composite	char	10
fips	countyfips	char	5
fips	countyname	varchar	50
fips	fipsseq	numeric	
fips	placefips	char	5
fips	placename	varchar	50
fips	rowguid	uniqueidentifier	
fips	stateabb	char	2
fips	statefips	char	2
fips	zip	char	5
flexp	p3_airfix	numeric	
flexp	p3_airrot	numeric	
flexp	p3_contact	char	40
flexp	p3_counties	text	2147483647
flexp	p3_email	char	50
flexp	p3_emthrs	numeric	
flexp	p3_fax	char	20
flexp	p3_maddr	char	40
flexp	p3_maddr2	char	40
flexp	p3_mcity	char	40
flexp	p3_mst	char	2
flexp	p3_mzip	char	40
flexp	p3_name	char	40
flexp	p3_new	bit	
flexp	p3_otherhr	numeric	
flexp	p3_parahrs	numeric	
flexp	p3_phone	char	20
flexp	p3_prov	char	40
flexp	p3_ptype	char	40
flexp	p3_update	bit	
flexp	p3_vehals	numeric	
flexp	p3_vehbls	numeric	
flexp	p3_zips	text	2147483647
flexp	provnum	char	12
flexp	q1_na	numeric	
flexp	q1_rendez	numeric	
flexp	q1_scene	numeric	
flexp	q1_scxfer	numeric	
flexp	q1_stand	numeric	
flexp	q1_unk	numeric	
flexp	q1_unxfer	numeric	
flexp	q10_aedems	numeric	
flexp	q10_aedpri	numeric	
flexp	q10_noaed	numeric	
flexp	q10b_rosc	numeric	
flexp	q2_canc	numeric	
flexp	q2_dead	numeric	
flexp	q2_dnro	numeric	
flexp	q2_na	numeric	
flexp	q2_noptf	numeric	
flexp	q2_notrreq	numeric	
flexp	q2_refcare	numeric	
flexp	q2_trgh	numeric	
flexp	q2_trhome	numeric	
flexp	q2_trmoc	numeric	

flexp	q2_trnh	numeric
flexp	q2_trother	numeric
flexp	q2_trpv	numeric
flexp	q2_trreftr	numeric
flexp	q2_trrel	numeric
flexp	q2_trtcal	numeric
flexp	q2_trxfer	numeric
flexp	q2_unk	numeric
flexp	q3_abdom	numeric
flexp	q3_airway	numeric
flexp	q3_allerg	numeric
flexp	q3_altered	numeric
flexp	q3_behav	numeric
flexp	q3_burns	numeric
flexp	q3_cardiac	numeric
flexp	q3_cardnos	numeric
flexp	q3_cardrh	numeric
flexp	q3_chestp	numeric
flexp	q3_conghf	numeric
flexp	q3_dignaus	numeric
flexp	q3_dignos	numeric
flexp	q3_elect	numeric
flexp	q3_flulike	numeric
flexp	q3_genill	numeric
flexp	q3_hemorg	numeric
flexp	q3_hypert	numeric
flexp	q3_hyperth	numeric
flexp	q3_hypogly	numeric
flexp	q3_hypoth	numeric
flexp	q3_hypov	numeric
flexp	q3_inhal	numeric
flexp	q3_medreac	numeric
flexp	q3_nos	numeric
flexp	q3_painnos	numeric
flexp	q3_poison	numeric
flexp	q3_preg	numeric
flexp	q3_resparr	numeric
flexp	q3_respdist	numeric
flexp	q3_respnos	numeric
flexp	q3_seiz	numeric
flexp	q3_sexaslt	numeric
flexp	q3_smoke	numeric
flexp	q3_stings	numeric
flexp	q3_stroke	numeric
flexp	q3_syncope	numeric
flexp	q3_traunos	numeric
flexp	q3_unknown	numeric
flexp	q3_vaghmrg	numeric
flexp	q4_airc	numeric
flexp	q4_animal	numeric
flexp	q4_bicycle	numeric
flexp	q4_burn	numeric
flexp	q4_chemical	numeric
flexp	q4_child	numeric
flexp	q4_cold	numeric

flexp	q4_diving	numeric
flexp	q4_drown	numeric
flexp	q4_drugpoi	numeric
flexp	q4_electro	numeric
flexp	q4_fall	numeric
flexp	q4_fight	numeric
flexp	q4_fire	numeric
flexp	q4_gun	numeric
flexp	q4_heat	numeric
flexp	q4_inhal	numeric
flexp	q4_lightn	numeric
flexp	q4_machin	numeric
flexp	q4_mc	numeric
flexp	q4_mechsuf	numeric
flexp	q4_mvbyc	numeric
flexp	q4_mvfixed	numeric
flexp	q4_mvmc	numeric
flexp	q4_mvmv	numeric
flexp	q4_mvoff	numeric
flexp	q4_mvother	numeric
flexp	q4_mvped	numeric
flexp	q4_mvtrain	numeric
flexp	q4_na	numeric
flexp	q4_other	numeric
flexp	q4_radiat	numeric
flexp	q4_rape	numeric
flexp	q4_scuba	numeric
flexp	q4_smoke	numeric
flexp	q4_stab	numeric
flexp	q4_strain	numeric
flexp	q4_struck	numeric
flexp	q4_unk	numeric
flexp	q4_venom	numeric
flexp	q4_waterxp	numeric
flexp	q5a_abdo	numeric
flexp	q5a_ext	numeric
flexp	q5a_face	numeric
flexp	q5a_head	numeric
flexp	q5a_lowext	numeric
flexp	q5a_neck	numeric
flexp	q5a_spine	numeric
flexp	q5a_thorax	numeric
flexp	q5a_unspec	numeric
flexp	q5a_uppext	numeric
flexp	q5b_amp	numeric
flexp	q5b_blunt	numeric
flexp	q5b_burn	numeric
flexp	q5b_crush	numeric
flexp	q5b_disloc	numeric
flexp	q5b_gun	numeric
flexp	q5b_lacer	numeric
flexp	q5b_pain	numeric
flexp	q5b_punct	numeric
flexp	q5b_swell	numeric
flexp	q6_15to54	numeric

flexp	q6_1to4	numeric	
flexp	q6_55to64	numeric	
flexp	q6_5to14	numeric	
flexp	q6_65to74	numeric	
flexp	q6_75to84	numeric	
flexp	q6_85plus	numeric	
flexp	q6_under1	numeric	
flexp	q6_unk	numeric	
flexp	q7_counties	numeric	
flexp	q7_county	char	100
flexp	q8_aeccprl	numeric	
flexp	q8_aedcprp	numeric	
flexp	q8_aedlic	numeric	
flexp	q8_aedpri	numeric	
flexp	q8_bag	numeric	
flexp	q8_chtube	numeric	
flexp	q8_cprlic	numeric	
flexp	q8_cprpri	numeric	
flexp	q8_crico	numeric	
flexp	q8_defib	numeric	
flexp	q8_ecg12	numeric	
flexp	q8_ecg3	numeric	
flexp	q8_gluc	numeric	
flexp	q8_intrao	numeric	
flexp	q8_intub	numeric	
flexp	q8_mastbp	numeric	
flexp	q8_mastfra	numeric	
flexp	q8_naso	numeric	
flexp	q8_needth	numeric	
flexp	q8_obdel	numeric	
flexp	q8_pacing	numeric	
flexp	q8_spinal	numeric	
flexp	q8_volres	numeric	
flexp	q8b_aspcp	numeric	
flexp	q8b_carddru	numeric	
flexp	q8b_medpain	numeric	
flexp	q8b_paratub	numeric	
flexp	q8b_thromb	numeric	
flexp	q8c_cardal	numeric	
flexp	q8c_stroke	numeric	
flexp	q8c_trauma	numeric	
flexp	q9_alsfw	numeric	
flexp	q9_alsgr	numeric	
flexp	q9_alsrc	numeric	
flexp	q9_blsgr	numeric	
flexp	q9_other	numeric	
flexp	quarter	char	12
flexp	rowguid	uniqueidentifier	
flexppro	contact	varchar	50
flexppro	contaddr1	varchar	100
flexppro	contaddr2	varchar	100
flexppro	contaddr3	varchar	100
flexppro	contemail	char	10
flexppro	contfax	varchar	50
flexppro	contph	varchar	50

flexppro	counties	text	2147483647
flexppro	dept_seq	numeric	
flexppro	email	varchar	100
flexppro	emthrs	numeric	
flexppro	flprov_seq	numeric	
flexppro	othhrs	numeric	
flexppro	parahrs	numeric	
flexppro	providerid	varchar	50
flexppro	providertyp	varchar	50
flexppro	rowguid	uniqueidentifier	
flexppro	vehals	numeric	
flexppro	vehbls	numeric	
flexppro	vehfixed	numeric	
flexppro	vehrotor	numeric	
flexppro	zips	text	2147483647
flow	coeffdisc	char	4
flow	corfactor	char	4
flow	fire_dist	char	10
flow	first	char	20
flow	flow_seq	numeric	
flow	flowdate	datetime	
flow	flowedby	char	11
flow	flowedseq	numeric	
flow	flowtime	char	5
flow	gpm	char	5
flow	gpmat0	char	5
flow	gpmat10	char	5
flow	gpmat20	char	5
flow	hyd_seq	numeric	
flow	last	char	30
flow	middle	char	15
flow	mniseq	numeric	
flow	notes	text	2147483647
flow	orafice	char	4
flow	pitot	char	5
flow	resid	char	3
flow	rowguid	uniqueidentifier	
flow	static	char	3
flow	suff	char	5
flow	title	char	30
flow	totttime	char	4
hazards	haz_desc	varchar	30
hazards	haz_loc	varchar	60
hazards	haz_seq	numeric	
hazards	life_haz	bit	
hazards	notes	text	2147483647
hazards	number	int	
hazards	rowguid	uniqueidentifier	
hazards	site_seq	numeric	
hlocmap	descr	varchar	254
hlocmap	emp_seq	numeric	
hlocmap	hlocseq	numeric	
hlocmap	loc_seq	numeric	
hlocmap	rowguid	uniqueidentifier	
hlocmap	staddr	varchar	254

hlocmap	xcoord	char	10
hlocmap	ycoord	char	10
hotlist	agency	char	15
hotlist	code	char	20
hotlist	dept_seq	numeric	
hotlist	descript	text	2147483647
hotlist	hot_seq	numeric	
hotlist	inspname	varchar	20
hotlist	rowguid	uniqueidentifier	
hotlist	type	float	
hotnames	addmark	float	
hotnames	addtime	datetime	
hotnames	adduser	varchar	100
hotnames	hot_addr1	varchar	60
hotnames	hot_addr2	varchar	60
hotnames	hot_city	varchar	20
hotnames	hot_first	varchar	20
hotnames	hot_name	varchar	60
hotnames	hot_seq	numeric	
hotnames	hot_state	char	2
hotnames	hot_type	char	15
hotnames	modmark	float	
hotnames	modtime	datetime	
hotnames	moduser	varchar	100
hotnames	rowguid	uniqueidentifier	
hyd2name	addmark	float	
hyd2name	address2	char	50
hyd2name	addtime	datetime	
hyd2name	addtime1	datetime	
hyd2name	adduser	varchar	100
hyd2name	adduser1	char	11
hyd2name	agency	char	15
hyd2name	alcont	bit	
hyd2name	callorder	float	
hyd2name	city	char	60
hyd2name	emailname	varchar	40
hyd2name	fire_dist	char	15
hyd2name	firstname	char	20
hyd2name	geotime	datetime	
hyd2name	geouser	char	12
hyd2name	geover	bit	
hyd2name	h2n_seq	numeric	
hyd2name	hphone	varchar	24
hyd2name	hyd_seq	numeric	
hyd2name	isprime	bit	
hyd2name	lastname	char	30
hyd2name	loc_seq	numeric	
hyd2name	mail_to	bit	
hyd2name	middle	char	10
hyd2name	modmark	float	
hyd2name	modtime	datetime	
hyd2name	moduser	varchar	100
hyd2name	mphone	varchar	24
hyd2name	name_seq	numeric	
hyd2name	name_type	varchar	20

hyd2name	name_type1	varchar	20
hyd2name	note	varchar	200
hyd2name	notes	varchar	200
hyd2name	oth_seq	int	
hyd2name	oth_seq1	numeric	
hyd2name	pager	varchar	24
hyd2name	prefix	char	20
hyd2name	role	char	20
hyd2name	rowguid	uniqueidentifier	
hyd2name	state	char	2
hyd2name	stname	varchar	50
hyd2name	stnumber	char	8
hyd2name	stprefix	char	3
hyd2name	stsuffix	char	3
hyd2name	sttype	char	4
hyd2name	suffix	char	10
hyd2name	title	char	30
hyd2name	wphone	varchar	24
hyd2name	zip	char	10
hydcomb	code	char	3
hydcomb	dept_seq	numeric	
hydcomb	hc_seq	numeric	
hydcomb	inactive	bit	
hydcomb	rowguid	uniqueidentifier	
hydcomb	seq	int	
hydcomb	value1	varchar	50
hydcomb	value2	varchar	100
hydrants	address2	varchar	40
hydrants	addtime	datetime	
hydrants	adduser	varchar	100
hydrants	agency	char	15
hydrants	barr_len	char	6
hydrants	barr_size	char	6
hydrants	bordr_dist	char	15
hydrants	city	varchar	20
hydrants	class	char	2
hydrants	clr_to_lgo	char	10
hydrants	clr_to_smo	char	10
hydrants	color	char	10
hydrants	colorcode	bit	
hydrants	dept_seq	numeric	
hydrants	disttocurb	float	
hydrants	fire_dist	char	15
hydrants	geotime	datetime	
hydrants	geouser	char	11
hydrants	hyd_crosst	char	60
hydrants	hyd_id	char	15
hydrants	hyd_make	varchar	20
hydrants	hyd_model	char	12
hydrants	hyd_owner	varchar	20
hydrants	hyd_seq	numeric	
hydrants	hyd_stname	char	60
hydrants	hyd_stnum	char	10
hydrants	hyd_type	char	15
hydrants	hyd_vsize	char	5

hydrants	hyd_year	char	4
hydrants	insp_due	datetime	
hydrants	installdt	datetime	
hydrants	intersect_	bit	
hydrants	last_flow	datetime	
hydrants	last_serv	datetime	
hydrants	lastgpm	char	5
hydrants	lastsysflo	datetime	
hydrants	lat_deg	char	12
hydrants	latitude	char	12
hydrants	lead_size	char	5
hydrants	lead_vsize	char	5
hydrants	leadtoctrd	float	
hydrants	loc_seq	numeric	
hydrants	long_deg	char	13
hydrants	longitude	char	13
hydrants	main_id	char	15
hydrants	main_size	char	5
hydrants	main_type	char	4
hydrants	modmark	char	10
hydrants	notes	text	2147483647
hydrants	num_lg_out	float	
hydrants	num_sm_out	float	
hydrants	outservice	bit	
hydrants	private	bit	
hydrants	reflec_mrk	bit	
hydrants	rowguid	uniqueidentifier	
hydrants	sector	char	10
hydrants	serv_req	bit	
hydrants	spref	char	4
hydrants	ssuff	char	4
hydrants	state	char	2
hydrants	strapped	bit	
hydrants	stype	char	4
hydrants	verloc	bit	
hydrants	waterzone	char	10
hydrants	xc	float	
hydrants	yc	float	
hydrants	zip	char	10
icomdata	code	char	3
icomdata	dept_seq	numeric	
icomdata	icmb_seq	numeric	
icomdata	inactive	bit	
icomdata	rowguid	uniqueidentifier	
icomdata	seq	int	
icomdata	value1	varchar	50
icomdata	value2	varchar	100
images	addmark	float	
images	addtime	datetime	
images	adduser	char	11
images	agency	char	15
images	bin_seq	numeric	
images	date_taken	datetime	
images	filename	varchar	50
images	fire_dist	char	15

images	forhazmat	bit	
images	forinves	bit	
images	hyd_seq	numeric	
images	imag_name	varchar	30
images	image	varchar	40
images	image_cat	varchar	20
images	image_seq	numeric	
images	image_type	varchar	20
images	inci_seq	numeric	
images	inves_seq	numeric	
images	modmark	float	
images	modtime	datetime	
images	moduser	char	11
images	notes	text	2147483647
images	rowguid	uniqueidentifier	
images	site_seq	numeric	
images	taken_by	varchar	20
imaster	action_	char	10
imaster	addtime	datetime	
imaster	adduser	varchar	100
imaster	agency	char	40
imaster	binname	varchar	20
imaster	binnum	char	10
imaster	bsi	bit	
imaster	bsi_cont	numeric	
imaster	bsisent	bit	
imaster	comp_visit	float	
imaster	contractor	varchar	30
imaster	date_begun	datetime	
imaster	date_end	datetime	
imaster	daterecd	datetime	
imaster	dept_seq	numeric	
imaster	emp_seq	numeric	
imaster	fire_dist	char	20
imaster	firstname	char	20
imaster	followup	bit	
imaster	freqyr	numeric	
imaster	in_seq	numeric	
imaster	insp_freq	float	
imaster	insp_type	varchar	20
imaster	insp3party	varchar	50
imaster	inspdist	char	10
imaster	inspector	char	15
imaster	isite_name	char	80
imaster	lactive	bit	
imaster	lastname	char	30
imaster	Inoncomply	bit	
imaster	locc_class	char	10
imaster	middle	char	15
imaster	mniseq	numeric	
imaster	nconstat	float	
imaster	next_insp	datetime	
imaster	nextsched	bit	
imaster	notes	text	2147483647
imaster	permitno	char	40

imaster	plan_date	datetime	
imaster	planned	bit	
imaster	proj_name	varchar	40
imaster	proj_seq	int	
imaster	rev_type	varchar	20
imaster	rowguid	uniqueidentifier	
imaster	sector	char	10
imaster	site_seq	numeric	
imaster	status	char	10
imaster	suffix	char	5
imaster	tottime	float	
imaster	travtime	numeric	
imaster	type_seq	numeric	
imaster_071807	action_	char	10
imaster_071807	addtime	datetime	
imaster_071807	adduser	varchar	100
imaster_071807	agency	char	40
imaster_071807	binname	varchar	20
imaster_071807	binnum	char	10
imaster_071807	bsi	bit	
imaster_071807	bsi_cont	decimal	
imaster_071807	bsisent	bit	
imaster_071807	comp_visit	float	
imaster_071807	contractor	varchar	30
imaster_071807	date_begun	datetime	
imaster_071807	date_end	datetime	
imaster_071807	daterecd	datetime	
imaster_071807	dept_seq	decimal	
imaster_071807	emp_seq	decimal	
imaster_071807	fire_dist	char	20
imaster_071807	firstname	char	20
imaster_071807	followup	bit	
imaster_071807	freqyr	decimal	
imaster_071807	in_seq	decimal	
imaster_071807	insp_freq	float	
imaster_071807	insp_type	varchar	20
imaster_071807	insp3party	varchar	50
imaster_071807	inspdist	char	10
imaster_071807	inspector	char	15
imaster_071807	isite_name	char	80
imaster_071807	lactive	bit	
imaster_071807	lastname	char	30
imaster_071807	lnoncomply	bit	
imaster_071807	locc_class	char	10
imaster_071807	middle	char	15
imaster_071807	mniseq	decimal	
imaster_071807	nconstat	float	
imaster_071807	next_insp	datetime	
imaster_071807	nextsched	bit	
imaster_071807	notes	text	2147483647
imaster_071807	permitno	char	40
imaster_071807	plan_date	datetime	
imaster_071807	planned	bit	
imaster_071807	proj_name	varchar	40
imaster_071807	proj_seq	int	

imaster_071807	rev_type	varchar	20
imaster_071807	rowguid	uniqueidentifier	
imaster_071807	rowguid52	uniqueidentifier	
imaster_071807	sector	char	10
imaster_071807	site_seq	decimal	
imaster_071807	status	char	10
imaster_071807	suffix	char	5
imaster_071807	tottime	float	
imaster_071807	travtime	decimal	
imaster_071807	type_seq	decimal	
inexpdtl	datatype	char	2
inexpdtl	detail_seq	numeric	
inexpdtl	element	int	
inexpdtl	expr	text	2147483647
inexpdtl	fixedval	char	10
inexpdtl	maxcnt	float	
inexpdtl	maxlength	char	5
inexpdtl	name	varchar	50
inexpdtl	rowguid	uniqueidentifier	
inexpdtl	timestamp_column	timestamp	8
inexpdtl	tran_seq	numeric	
inexphdr	expr	varchar	200
inexphdr	join_	varchar	50
inexphdr	name	varchar	50
inexphdr	order_	char	10
inexphdr	parent	int	
inexphdr	rowguid	uniqueidentifier	
inexphdr	table_	char	10
inexphdr	tran_seq	numeric	
injdtails	a_bladel	char	10
injdtails	a_blangle	char	10
injdtails	a_caliber	char	10
injdtails	a_distance	char	10
injdtails	a_method	char	15
injdtails	alerttime	char	4
injdtails	b_degree	char	15
injdtails	b_type	char	15
injdtails	bpercent1	char	3
injdtails	bpercent2	char	3
injdtails	bpercent3	char	3
injdtails	carvsped	bit	
injdtails	ccs_crying	char	1
injdtails	ccs_eyes	char	1
injdtails	ccs_motor	char	1
injdtails	ccs_total	char	2
injdtails	ccs_verbal	char	1
injdtails	deccel	bit	
injdtails	e_acdc	float	
injdtails	e_amps	char	10
injdtails	e_duration	varchar	20
injdtails	e_volts	char	10
injdtails	ems_seq	numeric	
injdtails	errors	text	2147483647
injdtails	f_distfell	char	10
injdtails	f_fellfrom	char	10

injdtails	f_surface	varchar	20
injdtails	gcseyes	char	1
injdtails	gcsmotor	char	1
injdtails	gcstime	datetime	
injdtails	gcstotal	char	2
injdtails	gcsverbal	char	1
injdtails	injintent	varchar	40
injdtails	injintentco	char	1
injdtails	injury	varchar	30
injdtails	inl_seq	numeric	
injdtails	is_assult	bit	
injdtails	is_burn	bit	
injdtails	is_elec	bit	
injdtails	is_fall	bit	
injdtails	is_mva	bit	
injdtails	m_abdepl	char	10
injdtails	m_carseat	bit	
injdtails	m_dash	bit	
injdtails	m_doa	bit	
injdtails	m_doasame	bit	
injdtails	m_drvmagf	bit	
injdtails	m_drvmags	bit	
injdtails	m_eject	bit	
injdtails	m_extime	char	10
injdtails	m_fire	bit	
injdtails	m_head_on	bit	
injdtails	m_helmet	bit	
injdtails	m_iarea	char	20
injdtails	m_intrus	bit	
injdtails	m_lateral	bit	
injdtails	m_pasbagf	bit	
injdtails	m_pasbags	bit	
injdtails	m_pos	char	20
injdtails	m_rear	bit	
injdtails	m_rollov	bit	
injdtails	m_rotation	bit	
injdtails	m_row	char	10
injdtails	m_sbels	bit	
injdtails	m_sidept	bit	
injdtails	m_steer	bit	
injdtails	m_unknown	bit	
injdtails	m_vtype	char	15
injdtails	m_windsh	bit	
injdtails	patpos	varchar	20
injdtails	patrow	varchar	20
injdtails	rowguid	uniqueidentifier	
injdtails	sdimpact	bit	
injdtails	t_crit_co	char	2
injdtails	t_crit_tx	varchar	30
injdtails	t_number	char	10
injdtails	t_time	datetime	
injdtails	trcriteria	varchar	20
injdtails	tscap	char	1
injdtails	tscgcs	char	1
injdtails	tscresp	char	1

injdtails	tsa_rexp	char	1
injdtails	tsa_sybp	char	1
injdtails	tsa_total	char	2
injdtails	tsp_airw	char	2
injdtails	tsp_cns	char	2
injdtails	tsp_size	char	2
injdtails	tsp_skel	char	2
injdtails	tsp_sybp	char	2
injdtails	tsp_total	char	2
injdtails	tsp_wound	char	2
injdtails	ttp	char	3
injlist	ems_seq	numeric	
injlist	inj_seq	numeric	
injlist	injmech	varchar	40
injlist	injmechco	char	3
injlist	injsite	varchar	30
injlist	injsiteco	char	2
injlist	injtype	varchar	50
injlist	injtypeco	char	3
injlist	rowguid	uniqueidentifier	
Insp_Rollup	InspDistrict	nvarchar	255
Insp_Rollup	rowguid	uniqueidentifier	
Insp_Rollup	Sector	nvarchar	255
insptype	assigntype	char	1
insptype	bsi	bit	
insptype	dept_seq	numeric	
insptype	frequyr	numeric	
insptype	inspbehav	char	1
insptype	inspdesc	varchar	40
insptype	inspname	varchar	20
insptype	isassign	bit	
insptype	itcost	real	
insptype	ithrs	real	
insptype	itstatus	char	10
insptype	ittravhrs	real	
insptype	rowguid	uniqueidentifier	
insptype	sched	bit	
insptype	schedtype	char	1
insptype	type_seq	numeric	
insptype	windows	char	15
interval	agency	char	10
interval	cla_code	char	4
interval	cla_seq	numeric	
interval	dept_seq	numeric	
interval	eqt_seq	numeric	
interval	int_seq	numeric	
interval	int_units	char	3
interval	interval_	float	
interval	name	varchar	30
interval	namecode	char	4
interval	rowguid	uniqueidentifier	
interval	type	char	4
interval	type_code	char	4
intvcfg	addtime	datetime	
intvcfg	adduser	varchar	100

intvcfg	csource	varchar	50
intvcfg	dept_seq	numeric	
intvcfg	intvcfgseq	numeric	
intvcfg	intvcode	varchar	50
intvcfg	intvvalue1	varchar	100
intvcfg	itemcode	varchar	50
intvcfg	itemkeyb	bit	
intvcfg	itemrowsrc	varchar	512
intvcfg	lbltext	varchar	50
intvcfg	notes	text	2147483647
intvcfg	rowguid	uniqueidentifier	
intvcfg	screenseq	int	
intvcfg	tooltip	varchar	100
ivproced	alsorbls	char	3
ivproced	attempts	float	
ivproced	auth	varchar	40
ivproced	authphys	varchar	20
ivproced	authsuff	char	15
ivproced	beforeunit	varchar	30
ivproced	compli	varchar	40
ivproced	data1	varchar	100
ivproced	data10	varchar	100
ivproced	data11	varchar	100
ivproced	data12	varchar	100
ivproced	data13	varchar	100
ivproced	data14	varchar	100
ivproced	data15	varchar	100
ivproced	data2	varchar	100
ivproced	data3	varchar	100
ivproced	data4	varchar	100
ivproced	data5	varchar	100
ivproced	data6	varchar	100
ivproced	data7	varchar	100
ivproced	data8	varchar	100
ivproced	data9	varchar	100
ivproced	destconf	varchar	6
ivproced	ems_seq	numeric	
ivproced	ivp_seq	numeric	
ivproced	ivsite	varchar	6
ivproced	label1	varchar	50
ivproced	label10	varchar	50
ivproced	label11	varchar	50
ivproced	label12	varchar	50
ivproced	label13	varchar	50
ivproced	label14	varchar	50
ivproced	label15	varchar	50
ivproced	label2	varchar	50
ivproced	label3	varchar	50
ivproced	label4	varchar	50
ivproced	label5	varchar	50
ivproced	label6	varchar	50
ivproced	label7	varchar	50
ivproced	label8	varchar	50
ivproced	label9	varchar	50
ivproced	medic1	char	12

ivproced	medic1seq	numeric	
ivproced	medic2	char	10
ivproced	medic2seq	numeric	
ivproced	medic3	char	10
ivproced	medic3seq	numeric	
ivproced	medic4	char	10
ivproced	medic4seq	numeric	
ivproced	medicsid	char	10
ivproced	notes	varchar	100
ivproced	phys_seq	numeric	
ivproced	physfirst	varchar	20
ivproced	physmid	varchar	15
ivproced	procco	char	15
ivproced	procsite	varchar	20
ivproced	proctype	varchar	50
ivproced	response	varchar	30
ivproced	rowguid	uniqueidentifier	
ivproced	size_	char	10
ivproced	successful	bit	
ivproced	timestamp_	datetime	
ivproced	tubeconf	varchar	6
ivproced	vol_rate	char	10
jobhist	career	char	1
jobhist	deptname	varchar	30
jobhist	emp_seq	numeric	
jobhist	enddate	datetime	
jobhist	endrank	char	15
jobhist	fdid	char	5
jobhist	notes	text	2147483647
jobhist	prim_seq	numeric	
jobhist	rowguid	uniqueidentifier	
jobhist	servtime	float	
jobhist	startdate	datetime	
jobhist	startrank	char	15
kellydetail	iteration	int	
kellydetail	kd_seq	numeric	
kellydetail	kg_seq	numeric	
kellydetail	rowguid	uniqueidentifier	
kellydetail	tour_seq	numeric	
kellygroup	kg_cycles	int	
kellygroup	kg_desc	varchar	30
kellygroup	kg_seed_dt	datetime	
kellygroup	kg_seq	numeric	
kellygroup	rowguid	uniqueidentifier	
kellygroup	shift_seq	numeric	
keys	pkey	numeric	
keys	pkfield	varchar	50
keys	rowguid	uniqueidentifier	
keys	tablename	varchar	50
leave	begindate	datetime	
leave	begintime	char	4
leave	duty	char	3
leave	emp_seq	numeric	
leave	enddate	datetime	
leave	endtime	char	4

leave	ex_desc	varchar	20
leave	except_seq	numeric	
leave	leave_seq	numeric	
leave	length	int	
leave	note	text	2147483647
leave	paid	bit	
leave	rate	smallmoney	
leave	request_dt	datetime	
leave	review_by	int	
leave	review_dt	datetime	
leave	review_note	text	2147483647
leave	rowguid	uniqueidentifier	
leave	status	char	10
leave	t_start	datetime	
leave	t_stop	datetime	
licenses	conditions	text	2147483647
licenses	desc_	varchar	30
licenses	emp_seq	numeric	
licenses	expires	datetime	
licenses	granted	datetime	
licenses	notes	text	2147483647
licenses	number	char	15
licenses	prim_seq	numeric	
licenses	rowguid	uniqueidentifier	
licenses	type	char	15
loc	address2	varchar	50
loc	city	varchar	50
loc	distgrid	varchar	4
loc	fax	varchar	24
loc	geotime	datetime	
loc	geouser	char	11
loc	geover	bit	
loc	gisid	numeric	
loc	idnum	char	20
loc	lat	varchar	30
loc	latitude_deg	char	12
loc	lattitude	char	12
loc	loc_seq	numeric	
loc	loczone	varchar	4
loc	long	varchar	30
loc	longitude	char	13
loc	longitude_deg	char	13
loc	mphone	varchar	24
loc	name	varchar	80
loc	notes	varchar	5000
loc	pager	varchar	24
loc	phone1	varchar	24
loc	phone2	varchar	24
loc	rowguid	uniqueidentifier	
loc	state	char	2
loc	stcross	varchar	50
loc	stinter	bit	
loc	stname	varchar	50
loc	stnumber	char	8
loc	stprefix	char	3

loc	stsuffix	char	3
loc	sttype	char	4
loc	taxid	varchar	20
loc	type	varchar	50
loc	xcoord	numeric	
loc	ycoord	numeric	
loc	zip	char	9
locrole	datefrom	datetime	
locrole	dateto	datetime	
locrole	isprime	bit	
locrole	item_seq	numeric	
locrole	itemdtl	varchar	1024
locrole	lnktble	varchar	128
locrole	locrol_seq	numeric	
locrole	lrclass	char	20
locrole	lrstatus	char	20
locrole	mailto	bit	
locrole	rloc_seq	numeric	
locrole	role	varchar	100
locrole	rolecode	varchar	100
locrole	roledtl	varchar	1024
locrole	roletype	char	10
locrole	rowguid	uniqueidentifier	
losap	cap	numeric	
losap	dept_seq	numeric	
losap	group_seq	numeric	
losap	item	varchar	50
losap	juris_seq	numeric	
losap	losap_seq	numeric	
losap	notes	text	2147483647
losap	parent	varchar	50
losap	parentkey	numeric	
losap	per	numeric	
losap	points	numeric	
losap	refyear	bit	
losap	rowguid	uniqueidentifier	
losap	typecap	numeric	
losap	units	varchar	50
losap	yearfrom	numeric	
losap	yearto	numeric	
mapdata	color	numeric	
mapdata	emp_seq	numeric	
mapdata	imagefile	bit	
mapdata	map_seq	numeric	
mapdata	pointstyle	numeric	
mapdata	polystyle	numeric	
mapdata	psize	numeric	
mapdata	rowguid	uniqueidentifier	
mapdata	show_shp	bit	
mapdata	shpdesc	varchar	50
mapdata	shpfile	varchar	50
mapdata	srtorder	numeric	
mapdata	street	bit	
meddirstcert	meddirstcertlvlseq	int	
meddirstcert	meddirstcertseq	int	

meddirstcert	nemsisdemographseq	int	
meddirstcert	rowguid	uniqueidentifier	
meddirstcertlvl	code	varchar	10
meddirstcertlvl	descr	varchar	30
meddirstcertlvl	meddirstcertlvlseq	int	
meddirstcertlvl	rowguid	uniqueidentifier	
medicate	dose	varchar	30
medicate	dtverified	datetime	
medicate	ems_seq	numeric	
medicate	med_seq	numeric	
medicate	medication	varchar	40
medicate	route	varchar	30
medicate	rowguid	uniqueidentifier	
medicate	testfield1	char	10
medicate	units	varchar	30
medics	chrgmedic	bit	
medics	comment	varchar	100
medics	deptcode	char	10
medics	drvrmedic	bit	
medics	emp_seq	numeric	
medics	ems_seq	numeric	
medics	fullname	varchar	40
medics	med_seq	numeric	
medics	medicsid	char	10
medics	medlevel	char	15
medics	mniseq	numeric	
medics	prim_med	bit	
medics	ptcare	bit	
medics	role	char	30
medics	rowguid	uniqueidentifier	
medics	sec_med	bit	
medics	secondary	bit	
medics	unitcode	char	10
message	app	varchar	30
message	descr	varchar	200
message	from_seq	numeric	
message	item_desc	varchar	200
message	item_seq	numeric	
message	lnktble	char	20
message	msg_seq	numeric	
message	msgtype	varchar	30
message	note	text	2147483647
message	rowguid	uniqueidentifier	
message	sent	datetime	
message	subject	varchar	200
messagefld	folder	varchar	50
messagefld	msgf_seq	numeric	
messagefld	parent	varchar	50
messagefld	rowguid	uniqueidentifier	
messagefld	userid	varchar	100
messengercp	actionreq	char	30
messengercp	extaddress	varchar	200
messengercp	flag	varchar	30
messengercp	folder	varchar	100
messengercp	msg_seq	numeric	

messengercp	msggr_seq	numeric	
messengercp	offered	datetime	
messengercp	opened	datetime	
messengercp	rowguid	uniqueidentifier	
messengercp	status	varchar	30
messengercp	to_seq	numeric	
messengercp	to_type	char	10
mnixref	address2	varchar	50
mnixref	city	varchar	50
mnixref	color_eye	char	10
mnixref	color_hair	char	10
mnixref	dlnumber	varchar	20
mnixref	dlstate	char	2
mnixref	dltype	varchar	20
mnixref	dob	datetime	
mnixref	height	varchar	5
mnixref	juve	bit	
mnixref	mnino	varchar	15
mnixref	name_first	varchar	20
mnixref	name_last	varchar	30
mnixref	name_middle	varchar	15
mnixref	name_seq	numeric	
mnixref	name_suffix	char	5
mnixref	name_title	varchar	20
mnixref	phone	varchar	20
mnixref	race	varchar	30
mnixref	rowguid	uniqueidentifier	
mnixref	sex	char	1
mnixref	ssn	char	9
mnixref	state	char	2
mnixref	stcross	varchar	50
mnixref	stinter	bit	
mnixref	stname	varchar	50
mnixref	stnumber	char	8
mnixref	stprefix	char	3
mnixref	stsuffix	char	3
mnixref	sttype	char	4
mnixref	updatedt	datetime	
mnixref	weight	numeric	
mnixref	xcoord	numeric	
mnixref	ycoord	numeric	
mnixref	zip	char	9
MSdynamicsnapshotjobs	dynamic_filter_hostname	nvarchar	128
MSdynamicsnapshotjobs	dynamic_filter_login	nvarchar	128
MSdynamicsnapshotjobs	dynamic_snapshot_location	nvarchar	255
MSdynamicsnapshotjobs	id	int	
MSdynamicsnapshotjobs	job_id	uniqueidentifier	
MSdynamicsnapshotjobs	name	nvarchar	128
MSdynamicsnapshotjobs	pubid	uniqueidentifier	
MSdynamicsnapshotviews	dynamic_snapshot_view_name	nvarchar	128
MSmerge_altsyncpartners	alternate_subid	uniqueidentifier	
MSmerge_altsyncpartners	description	nvarchar	255
MSmerge_altsyncpartners	subid	uniqueidentifier	
MSmerge_contents	colv1	varbinary	2048
MSmerge_contents	generation	int	

MSmerge_contents	joinchangeegen	int	
MSmerge_contents	lineage	varbinary	249
MSmerge_contents	partchangeegen	int	
MSmerge_contents	rowguid	uniqueidentifier	
MSmerge_contents	tablenick	int	
MSmerge_delete_conflicts	conflict_type	int	
MSmerge_delete_conflicts	create_time	datetime	
MSmerge_delete_conflicts	origin_datasource	nvarchar	255
MSmerge_delete_conflicts	pubid	uniqueidentifier	
MSmerge_delete_conflicts	reason_code	int	
MSmerge_delete_conflicts	reason_text	nvarchar	720
MSmerge_delete_conflicts	rowguid	uniqueidentifier	
MSmerge_delete_conflicts	tablenick	int	
MSmerge_errorlineage	lineage	varbinary	255
MSmerge_errorlineage	rowguid	uniqueidentifier	
MSmerge_errorlineage	tablenick	int	
MSmerge_genhistory	art_nick	int	
MSmerge_genhistory	coldate	datetime	
MSmerge_genhistory	generation	int	
MSmerge_genhistory	guidlocal	uniqueidentifier	
MSmerge_genhistory	guidsrc	uniqueidentifier	
MSmerge_genhistory	nicknames	varbinary	1000
MSmerge_genhistory	pubid	uniqueidentifier	
MSmerge_replinfo	merge_jobid	binary	16
MSmerge_replinfo	recgen	int	
MSmerge_replinfo	recguid	uniqueidentifier	
MSmerge_replinfo	repid	uniqueidentifier	
MSmerge_replinfo	replnickname	int	
MSmerge_replinfo	schemaguid	uniqueidentifier	
MSmerge_replinfo	schemaversion	int	
MSmerge_replinfo	sentgen	int	
MSmerge_replinfo	sentguid	uniqueidentifier	
MSmerge_replinfo	snapshot_jobid	binary	16
MSmerge_tombstone	generation	int	
MSmerge_tombstone	lineage	varbinary	249
MSmerge_tombstone	reason	nvarchar	255
MSmerge_tombstone	rowguid	uniqueidentifier	
MSmerge_tombstone	tablenick	int	
MSmerge_tombstone	type	tinyint	
MSrepl_identity_range	current_max	bigint	
MSrepl_identity_range	max_identity	bigint	
MSrepl_identity_range	next_seed	bigint	
MSrepl_identity_range	objid	int	
MSrepl_identity_range	pub_range	bigint	
MSrepl_identity_range	range	bigint	
MSrepl_identity_range	threshold	int	
n5alfire	acreburned	float	
n5alfire	agefactor	bit	
n5alfire	asleep	bit	
n5alfire	causignit	char	2
n5alfire	confinflag	bit	
n5alfire	eqbrand	varchar	25
n5alfire	eqignition	char	4
n5alfire	eqmodel	varchar	25
n5alfire	eqportab	char	2

n5alfire	eqpower	char	3
n5alfire	eqserial	varchar	25
n5alfire	eqyear	char	4
n5alfire	errors	text	2147483647
n5alfire	estage	char	3
n5alfire	exposflag	bit	
n5alfire	fireorigin	char	3
n5alfire	firstitem	char	3
n5alfire	heatsrce	char	3
n5alfire	igfactor1	char	3
n5alfire	igfactor2	char	3
n5alfire	impaired	bit	
n5alfire	inc_seq	numeric	
n5alfire	matonsite1	char	4
n5alfire	matonsite2	char	4
n5alfire	matonsite3	char	4
n5alfire	matstor1	char	2
n5alfire	matstor2	char	2
n5alfire	matstor3	char	2
n5alfire	mental	bit	
n5alfire	mobicode	char	2
n5alfire	mobilicen	char	10
n5alfire	mobimake	char	3
n5alfire	mobimodel	varchar	25
n5alfire	mobistate	char	3
n5alfire	mobitype	char	3
n5alfire	mobivin	char	17
n5alfire	mobiyear	char	4
n5alfire	multiplep	bit	
n5alfire	nobuldfalg	bit	
n5alfire	noequiflag	bit	
n5alfire	nohumflag	bit	
n5alfire	noigntflag	bit	
n5alfire	nomatflag	bit	
n5alfire	nomobiflag	bit	
n5alfire	none2one	float	
n5alfire	nosuppflag	bit	
n5alfire	numbuldiv	float	
n5alfire	numresunit	float	
n5alfire	physical	bit	
n5alfire	prim_seq	numeric	
n5alfire	reportcode	char	1
n5alfire	residflag	bit	
n5alfire	rowguid	uniqueidentifier	
n5alfire	sexofinv	char	2
n5alfire	suppfact1	char	4
n5alfire	suppfact2	char	4
n5alfire	suppfact3	char	4
n5alfire	typemat	char	3
n5alfire	unattended	bit	
n5apprat	action1	char	3
n5apprat	action2	char	3
n5apprat	action3	char	3
n5apprat	action4	char	3
n5apprat	arrdate	datetime	

n5apprat	arrtime	char	6
n5apprat	cleardate	datetime	
n5apprat	cleartime	char	6
n5apprat	dept_seq	numeric	
n5apprat	deptcode	char	10
n5apprat	dispdate	datetime	
n5apprat	disptime	char	6
n5apprat	enrdate	datetime	
n5apprat	enrtime	char	6
n5apprat	eq_seq	numeric	
n5apprat	errors	text	2147483647
n5apprat	inc_seq	numeric	
n5apprat	numfiremen	char	3
n5apprat	prim_seq	numeric	
n5apprat	reportcode	char	1
n5apprat	rowguid	uniqueidentifier	
n5apprat	unitid	char	5
n5apprat	unittype	char	3
n5apprat	unituse	char	1
n5arson	address2	char	15
n5arson	age	char	6
n5arson	agency_moi_seq	numeric	
n5arson	agencyname	varchar	50
n5arson	city	varchar	20
n5arson	container	char	3
n5arson	delaydev	char	3
n5arson	dispositio	char	2
n5arson	dob	datetime	
n5arson	entrymeth	char	3
n5arson	errors	text	2147483647
n5arson	ethnic	char	2
n5arson	famtype	char	2
n5arson	firstmater	char	2
n5arson	fuel	char	3
n5arson	gender	char	2
n5arson	groupinv1	char	2
n5arson	groupinv2	char	2
n5arson	groupinv3	char	2
n5arson	inc_seq	numeric	
n5arson	initobs1	bit	
n5arson	initobs2	bit	
n5arson	initobs3	bit	
n5arson	initobs4	bit	
n5arson	initobs5	bit	
n5arson	initobs6	bit	
n5arson	initobs7	bit	
n5arson	initobs8	bit	
n5arson	invinfo1	bit	
n5arson	invinfo2	bit	
n5arson	invinfo3	bit	
n5arson	invinfo4	bit	
n5arson	invinfo5	bit	
n5arson	invinfo6	bit	
n5arson	invinfo7	bit	
n5arson	invinfo8	bit	

n5arson	juvfact1	bit	
n5arson	juvfact2	bit	
n5arson	juvfact3	bit	
n5arson	juvfact4	bit	
n5arson	juvfact5	bit	
n5arson	juvfact6	bit	
n5arson	juvfact7	bit	
n5arson	juvfact8	bit	
n5arson	juvremarks	text	2147483647
n5arson	labused1	bit	
n5arson	labused2	bit	
n5arson	labused3	bit	
n5arson	labused4	bit	
n5arson	labused5	bit	
n5arson	labused6	bit	
n5arson	labused7	bit	
n5arson	labused8	bit	
n5arson	motivation1	char	3
n5arson	motivation2	char	3
n5arson	motivation3	char	3
n5arson	onarrival	char	2
n5arson	phone	varchar	24
n5arson	prim_seq	numeric	
n5arson	propowner	char	2
n5arson	race	char	2
n5arson	remarks	text	2147483647
n5arson	reportcode	char	1
n5arson	riskfactor	char	2
n5arson	rowguid	uniqueidentifier	
n5arson	state	char	3
n5arson	status	char	2
n5arson	stname	varchar	30
n5arson	stnumber	char	8
n5arson	stprefix	char	3
n5arson	stsuffix	char	5
n5arson	sttype	char	5
n5arson	subject_number	smallint	
n5arson	theircase	char	12
n5arson	theirfdid	char	5
n5arson	theirfid	char	2
n5arson	theirori	char	5
n5arson	zip	char	9
n5basic	action1	char	3
n5basic	action2	char	3
n5basic	action3	char	3
n5basic	addmark	float	
n5basic	address2	char	15
n5basic	addtime	datetime	
n5basic	adduser	varchar	100
n5basic	agency	char	15
n5basic	aldate	datetime	
n5basic	allerrors	text	2147483647
n5basic	altime	char	6
n5basic	arrdate	datetime	
n5basic	arrdtflag	bit	

n5basic	arrtime	char	6
n5basic	cad_id	char	14
n5basic	cadbusname	char	50
n5basic	cadcalltime	datetime	
n5basic	cadname	varchar	50
n5basic	cadphone	char	20
n5basic	census	char	6
n5basic	cldate	datetime	
n5basic	cldtflag	bit	
n5basic	cltime	char	6
n5basic	codtflag	bit	
n5basic	condate	datetime	
n5basic	contime	char	6
n5basic	contloss	float	
n5basic	crossst	varchar	30
n5basic	dept_seq	numeric	
n5basic	detecflag	char	2
n5basic	district	char	3
n5basic	emsappcnt	char	4
n5basic	emspercmt	char	4
n5basic	errors	text	2147483647
n5basic	exp_num	char	3
n5basic	fdid	char	5
n5basic	fire_dist	char	15
n5basic	fsfatal	char	3
n5basic	fsinjury	char	3
n5basic	geotime	datetime	
n5basic	geouser	char	11
n5basic	geover	bit	
n5basic	geoxcoord	numeric	
n5basic	geoycoord	numeric	
n5basic	hazreleas	char	2
n5basic	icity	varchar	20
n5basic	idate	datetime	
n5basic	inc_num	char	14
n5basic	inc_seq	numeric	
n5basic	incitype	char	4
n5basic	iscomplete	bit	
n5basic	isreviewed	bit	
n5basic	istate	char	3
n5basic	izip	char	9
n5basic	loc_seq	numeric	
n5basic	locatype	char	2
n5basic	memassmnt	char	10
n5basic	memdate	datetime	
n5basic	memfirst	char	15
n5basic	memid	char	9
n5basic	memlast	varchar	25
n5basic	memmiddle	char	1
n5basic	memmni_seq	numeric	
n5basic	memseq	int	
n5basic	memsuff	char	5
n5basic	memtitle	char	40
n5basic	mixeduse	char	3
n5basic	modmark	float	

n5basic	modtime	datetime	
n5basic	moduser	varchar	100
n5basic	mutfdid	char	5
n5basic	mutinc_num	char	7
n5basic	mutstate	char	3
n5basic	mutualaid	char	2
n5basic	n10flag	bit	
n5basic	n11flag	bit	
n5basic	n2flag	bit	
n5basic	n3flag	bit	
n5basic	n4flag	bit	
n5basic	n5flag	bit	
n5basic	n6flag	bit	
n5basic	n7flag	bit	
n5basic	n8flag	bit	
n5basic	n9flag	bit	
n5basic	nocasflag	bit	
n5basic	nocontloss	bit	
n5basic	nocontval	bit	
n5basic	nopppropval	bit	
n5basic	noproploss	bit	
n5basic	numalarms	char	2
n5basic	oicassmnt	char	10
n5basic	oicdate	datetime	
n5basic	oicfirst	char	15
n5basic	oicid	char	9
n5basic	oiclast	varchar	25
n5basic	oicmiddle	char	1
n5basic	oicmni_seq	numeric	
n5basic	oicseq	int	
n5basic	oicsuff	char	5
n5basic	oictitle	char	40
n5basic	othappcnt	char	4
n5basic	othfatal	char	3
n5basic	othinjury	char	3
n5basic	othpercmt	char	4
n5basic	pcontval	float	
n5basic	ppropval	float	
n5basic	proploss	float	
n5basic	propuse	char	4
n5basic	remarks	text	2147483647
n5basic	reportcode	char	1
n5basic	rescntflag	bit	
n5basic	resflag	bit	
n5basic	revdate	datetime	
n5basic	revfirst	char	20
n5basic	revid	char	9
n5basic	review	text	2147483647
n5basic	revlast	char	30
n5basic	revmiddle	char	15
n5basic	revmniseq	numeric	
n5basic	revseq	int	
n5basic	revsuff	char	5
n5basic	revtitle	char	30
n5basic	rowguid	uniqueidentifier	

n5basic	sameoic	bit	
n5basic	sentalive	bit	
n5basic	sentstate	bit	
n5basic	shift	char	1
n5basic	special1	char	5
n5basic	special2	char	5
n5basic	state	char	2
n5basic	station	char	3
n5basic	stname	varchar	30
n5basic	stnumber	char	8
n5basic	stprefix	char	3
n5basic	stsuffix	char	3
n5basic	sttype	char	5
n5basic	supaaacnt	char	4
n5basic	suppercmt	char	4
n5basic	wildelse	bit	
n5check	condition	text	2147483647
n5check	edit_block	char	2
n5check	edit_field	varchar	25
n5check	edit_level	char	1
n5check	edit_no	char	4
n5check	edit_order	int	
n5check	edit_text	text	2147483647
n5check	error_seq	numeric	
n5check	errormsg	varchar	254
n5check	focus	varchar	75
n5check	module_	char	10
n5check	rowguid	uniqueidentifier	
n5chems	casnumber	char	10
n5chems	chemid	char	7
n5chems	chemname	char	50
n5chems	errors	text	2147483647
n5chems	prim_seq	numeric	
n5chems	rowguid	uniqueidentifier	
n5chems	unnumber	char	4
n5civcas	affiliatio	char	2
n5civcas	age	char	6
n5civcas	alcohol	bit	
n5civcas	asleep	bit	
n5civcas	cause	char	2
n5civcas	cfactor1	char	3
n5civcas	cfactor2	char	3
n5civcas	cfactor3	char	3
n5civcas	civcasnum	char	3
n5civcas	date_	datetime	
n5civcas	dispositio	bit	
n5civcas	dob	datetime	
n5civcas	drugs	bit	
n5civcas	errors	text	2147483647
n5civcas	ethnic	char	2
n5civcas	firstname	char	15
n5civcas	gender	char	2
n5civcas	hphone	char	24
n5civcas	inc_seq	numeric	
n5civcas	incilocat	char	2

n5civcas	inciloflag	bit	
n5civcas	incistory	char	3
n5civcas	injactivit	char	2
n5civcas	injlocat	char	2
n5civcas	injloflag	bit	
n5civcas	injstory	char	3
n5civcas	lastname	char	25
n5civcas	mental	bit	
n5civcas	middlein	char	1
n5civcas	monthsflag	bit	
n5civcas	name_seq	numeric	
n5civcas	namesuffix	char	4
n5civcas	noconflag	bit	
n5civcas	nohfacflag	bit	
n5civcas	partinjure	char	2
n5civcas	physical	bit	
n5civcas	prim_seq	numeric	
n5civcas	psymptom	char	3
n5civcas	race	varchar	42
n5civcas	remarks	text	2147483647
n5civcas	reportcode	char	1
n5civcas	restrained	bit	
n5civcas	rowguid	uniqueidentifier	
n5civcas	severity	char	2
n5civcas	speclocat	char	3
n5civcas	time_	char	6
n5civcas	unattended	bit	
n5civcas	unconscio	bit	
n5combo	code	char	6
n5combo	dept_seq	numeric	
n5combo	depthlvl	float	
n5combo	inactive	bit	
n5combo	notes	text	2147483647
n5combo	parent1	char	3
n5combo	parent2	char	3
n5combo	parent3	char	3
n5combo	prim_seq	numeric	
n5combo	rowguid	uniqueidentifier	
n5combo	seq	int	
n5combo	showorder	int	
n5combo	trans_value	varchar	20
n5combo	value1	char	4
n5combo	value2	varchar	75
n5ems	age	char	6
n5ems	alcohol	bit	
n5ems	arrdate	datetime	
n5ems	arrtime	char	6
n5ems	asleep	bit	
n5ems	assessmt	char	3
n5ems	bodysite1	char	2
n5ems	bodysite2	char	2
n5ems	bodysite3	char	2
n5ems	bodysite4	char	2
n5ems	bodysite5	char	2
n5ems	bystancpr	bit	

n5ems	dispositio	char	2
n5ems	dob	datetime	
n5ems	drugs	bit	
n5ems	errors	text	2147483647
n5ems	ethnic	char	2
n5ems	gender	char	2
n5ems	highlevel	char	2
n5ems	inc_seq	numeric	
n5ems	initlevel	char	2
n5ems	injcause	char	3
n5ems	injtype1	char	3
n5ems	injtype2	char	3
n5ems	injtype3	char	3
n5ems	injtype4	char	3
n5ems	injtype5	char	3
n5ems	mental	bit	
n5ems	monthsflag	bit	
n5ems	nohumflag	bit	
n5ems	othfactors	char	2
n5ems	patstatus	char	2
n5ems	physical	bit	
n5ems	postarrest	bit	
n5ems	prearrest	bit	
n5ems	prim_seq	numeric	
n5ems	proc00	bit	
n5ems	proc01	bit	
n5ems	proc02	bit	
n5ems	proc03	bit	
n5ems	proc04	bit	
n5ems	proc05	bit	
n5ems	proc06	bit	
n5ems	proc07	bit	
n5ems	proc08	bit	
n5ems	proc09	bit	
n5ems	proc10	bit	
n5ems	proc11	bit	
n5ems	proc12	bit	
n5ems	proc13	bit	
n5ems	proc14	bit	
n5ems	proc15	bit	
n5ems	proc16	bit	
n5ems	proc17	bit	
n5ems	proc18	bit	
n5ems	proc19	bit	
n5ems	proc20	bit	
n5ems	proc21	bit	
n5ems	proc22	bit	
n5ems	proc23	bit	
n5ems	proc24	bit	
n5ems	procn	bit	
n5ems	pulsetran	bit	
n5ems	race	char	2
n5ems	reportcode	char	1
n5ems	restrained	bit	
n5ems	rhythm	char	2

n5ems	rowguid	uniqueidentifier	
n5ems	saairbag	bit	
n5ems	sachldseat	bit	
n5ems	safloatat	bit	
n5ems	sahelmet	bit	
n5ems	sanone	bit	
n5ems	saother	bit	
n5ems	saprotclot	bit	
n5ems	saseatbelt	bit	
n5ems	saundeterm	bit	
n5ems	trandate	datetime	
n5ems	trantime	char	6
n5ems	unattended	bit	
n5ems	unconscious	bit	
n5ems	witnesflag	bit	
n5eqfail	cas_seq	numeric	
n5eqfail	eqitemtype	char	3
n5eqfail	eqproblem	char	3
n5eqfail	errors	text	2147483647
n5eqfail	inc_seq	numeric	
n5eqfail	itemnum	char	3
n5eqfail	manufact	char	12
n5eqfail	model	char	12
n5eqfail	prim_seq	numeric	
n5eqfail	rowguid	uniqueidentifier	
n5eqfail	serial	char	12
n5expdtl	addrecord	bit	
n5expdtl	datatype	char	2
n5expdtl	detail_seq	numeric	
n5expdtl	element	int	
n5expdtl	expr	text	2147483647
n5expdtl	fieldmap	char	50
n5expdtl	fixedval	char	10
n5expdtl	maxcnt	float	
n5expdtl	maxlength	char	5
n5expdtl	name	varchar	50
n5expdtl	rowguid	uniqueidentifier	
n5expdtl	tran_seq	numeric	
n5exphdr	expr	varchar	200
n5exphdr	join_	varchar	50
n5exphdr	name	varchar	50
n5exphdr	order_	char	10
n5exphdr	parent	int	
n5exphdr	rowguid	uniqueidentifier	
n5exphdr	table_	char	10
n5exphdr	tran_seq	numeric	
n5exptyp	datatype	char	2
n5exptyp	descript	varchar	20
n5exptyp	rowguid	uniqueidentifier	
n5fdrec	address	varchar	25
n5fdrec	city	varchar	20
n5fdrec	county	char	15
n5fdrec	density	char	1
n5fdrec	deptname	varchar	30
n5fdrec	email	varchar	45

n5fdrec	errors	text	2147483647
n5fdrec	fax	varchar	24
n5fdrec	fdid	char	5
n5fdrec	fipscode	char	3
n5fdrec	inc_seq	numeric	
n5fdrec	numstation	char	3
n5fdrec	paid	char	4
n5fdrec	population	char	8
n5fdrec	prim_seq	numeric	
n5fdrec	rowguid	uniqueidentifier	
n5fdrec	sqmiles	char	6
n5fdrec	state	char	2
n5fdrec	statecode	char	2
n5fdrec	telephone	varchar	24
n5fdrec	volnotpaid	char	4
n5fdrec	volpaid	char	4
n5fdrec	zip	char	9
n5fscas	activity	char	3
n5fscas	age	char	3
n5fscas	causeinj	char	2
n5fscas	date_	datetime	
n5fscas	dob	datetime	
n5fscas	eqfailflag	bit	
n5fscas	errors	text	2147483647
n5fscas	factorinj	char	3
n5fscas	firstname	char	15
n5fscas	fscasnum	char	3
n5fscas	fsempid	char	9
n5fscas	fsempseq	int	
n5fscas	fsgender	char	2
n5fscas	inc_seq	numeric	
n5fscas	injstory	char	3
n5fscas	injwhere	char	2
n5fscas	lastname	varchar	25
n5fscas	lostorflag	bit	
n5fscas	middlein	char	1
n5fscas	mniseq	numeric	
n5fscas	namesuffix	char	4
n5fscas	noobjflag	bit	
n5fscas	numresp	char	2
n5fscas	objinvolv	char	3
n5fscas	paidorvol	char	2
n5fscas	partbody	char	3
n5fscas	phycond	char	2
n5fscas	prim_seq	numeric	
n5fscas	remarks	text	2147483647
n5fscas	reportcode	char	1
n5fscas	rowguid	uniqueidentifier	
n5fscas	severity	char	2
n5fscas	speclocat	char	3
n5fscas	symptom	char	3
n5fscas	takento	char	2
n5fscas	time_	char	6
n5fscas	usualassn	char	2
n5fscas	vehictype	char	2

n5hazmat	areaeffect	float	
n5hazmat	areaevac	float	
n5hazmat	areaunits	char	2
n5hazmat	buildsevac	float	
n5hazmat	casnumber	char	10
n5hazmat	causerel	char	2
n5hazmat	cfactor1	char	3
n5hazmat	cfactor2	char	3
n5hazmat	cfactor3	char	3
n5hazmat	chemname	varchar	50
n5hazmat	compacity	float	
n5hazmat	conttype	char	3
n5hazmat	contunits	char	3
n5hazmat	dispositio	char	2
n5hazmat	dotclass	char	3
n5hazmat	eqbrand	varchar	25
n5hazmat	eqinvolve	char	4
n5hazmat	eqmodel	varchar	25
n5hazmat	eqserial	varchar	25
n5hazmat	eqyear	char	4
n5hazmat	errors	text	2147483647
n5hazmat	evacunits	char	2
n5hazmat	hazaction1	char	3
n5hazmat	hazaction2	char	3
n5hazmat	hazaction3	char	3
n5hazmat	hazfatal	char	4
n5hazmat	hazinjurie	char	4
n5hazmat	hazmatid	char	2
n5hazmat	inc_seq	numeric	
n5hazmat	insideflag	bit	
n5hazmat	logradflag	bit	
n5hazmat	mfactor1	char	3
n5hazmat	mfactor2	char	3
n5hazmat	mfactor3	char	3
n5hazmat	mobidotnum	char	17
n5hazmat	mobilicen	char	10
n5hazmat	mobimake	char	3
n5hazmat	mobimodel	varchar	25
n5hazmat	mobistate	char	3
n5hazmat	mobitype	char	3
n5hazmat	mobiyear	char	4
n5hazmat	nobuldevac	bit	
n5hazmat	noeqflag	bit	
n5hazmat	noevacfal	bit	
n5hazmat	nomobiflag	bit	
n5hazmat	nopeopevac	bit	
n5hazmat	orderof	char	2
n5hazmat	outsideflag	bit	
n5hazmat	peopleevac	float	
n5hazmat	phystate	char	2
n5hazmat	popdensity	char	2
n5hazmat	prim_seq	numeric	
n5hazmat	relamount	float	
n5hazmat	relinto	char	2
n5hazmat	relstory	char	3

n5hazmat	relunits	char	3
n5hazmat	reportcode	char	1
n5hazmat	rowguid	uniqueidentifier	
n5hazmat	unnumber	char	4
n5images	addmark	float	
n5images	addtime	datetime	
n5images	adduser	char	11
n5images	agency	char	15
n5images	bin_seq	numeric	
n5images	date_taken	datetime	
n5images	errors	text	2147483647
n5images	filename	varchar	50
n5images	fire_dist	char	15
n5images	forhazmat	bit	
n5images	forinves	bit	
n5images	imag_name	varchar	30
n5images	image	varchar	40
n5images	image_cat	varchar	20
n5images	image_seq	numeric	
n5images	image_type	varchar	20
n5images	inc_seq	numeric	
n5images	modmark	float	
n5images	modtime	datetime	
n5images	moduser	char	11
n5images	notes	text	2147483647
n5images	rowguid	uniqueidentifier	
n5images	taken_by	varchar	20
n5involv	address2	char	15
n5involv	agency	char	10
n5involv	busname	char	25
n5involv	errors	text	2147483647
n5involv	fire_dist	char	10
n5involv	firstname	char	15
n5involv	geotime	datetime	
n5involv	geouser	char	12
n5involv	geover	bit	
n5involv	inc_seq	numeric	
n5involv	lastname	varchar	25
n5involv	loc_seq	numeric	
n5involv	middlein	char	1
n5involv	mrormrs	char	3
n5involv	nacity	varchar	20
n5involv	name_seq	numeric	
n5involv	namesuffix	char	3
n5involv	nastate	char	2
n5involv	nazip	char	9
n5involv	owner	float	
n5involv	phone	varchar	24
n5involv	pobox	char	10
n5involv	prim_seq	numeric	
n5involv	rowguid	uniqueidentifier	
n5involv	sameadflag	bit	
n5involv	stname	varchar	20
n5involv	stnumber	char	8
n5involv	stprefix	char	2

n5involv	stsuffix	char	2
n5involv	sttype	char	4
n5ncres	action1	bit	
n5ncres	action10	bit	
n5ncres	action11	bit	
n5ncres	action2	bit	
n5ncres	action3	bit	
n5ncres	action4	bit	
n5ncres	action5	bit	
n5ncres	action6	bit	
n5ncres	action7	bit	
n5ncres	action8	bit	
n5ncres	action9	bit	
n5ncres	age	char	3
n5ncres	airbag	char	1
n5ncres	airmont	char	1
n5ncres	angle1	bit	
n5ncres	angle2	bit	
n5ncres	angle3	bit	
n5ncres	angle4	bit	
n5ncres	angle5	bit	
n5ncres	angle6	bit	
n5ncres	apartmt	char	4
n5ncres	boats	char	2
n5ncres	cause	char	2
n5ncres	city	varchar	20
n5ncres	complaints	char	1
n5ncres	compother	char	15
n5ncres	depthres	char	2
n5ncres	divers	char	2
n5ncres	equip1	bit	
n5ncres	equip10	bit	
n5ncres	equip11	bit	
n5ncres	equip12	bit	
n5ncres	equip13	bit	
n5ncres	equip14	bit	
n5ncres	equip15	bit	
n5ncres	equip16	bit	
n5ncres	equip17	bit	
n5ncres	equip18	bit	
n5ncres	equip19	bit	
n5ncres	equip2	bit	
n5ncres	equip20	bit	
n5ncres	equip21	bit	
n5ncres	equip3	bit	
n5ncres	equip4	bit	
n5ncres	equip5	bit	
n5ncres	equip6	bit	
n5ncres	equip7	bit	
n5ncres	equip8	bit	
n5ncres	equip9	bit	
n5ncres	errors	text	2147483647
n5ncres	first_	char	10
n5ncres	hoursrec	char	2
n5ncres	inc_seq	numeric	

n5ncres	injurysite	char	1
n5ncres	last_	varchar	20
n5ncres	locrescue	char	2
n5ncres	middlei	char	2
n5ncres	mobitype	char	2
n5ncres	mrmrs	char	2
n5ncres	notes	text	2147483647
n5ncres	notwater	bit	
n5ncres	obcondition	char	1
n5ncres	partremov	char	2
n5ncres	phone	varchar	24
n5ncres	prim_seq	numeric	
n5ncres	propinvol	char	1
n5ncres	rowguid	uniqueidentifier	
n5ncres	scba	char	1
n5ncres	searchsta	char	1
n5ncres	seatbelt	char	1
n5ncres	serachre	char	1
n5ncres	serachvic	char	1
n5ncres	state	char	2
n5ncres	stnum	char	6
n5ncres	stprefix	char	2
n5ncres	street	varchar	22
n5ncres	stsuffix	char	2
n5ncres	sttype	char	4
n5ncres	suffix	char	2
n5ncres	timeinv	char	1
n5ncres	typesit	char	2
n5ncres	ventilate	char	1
n5ncres	victim_num	char	3
n5ncres	zip	char	9
n5people	carvol	char	10
n5people	dept_seq	int	
n5people	deptcode	char	10
n5people	driver	bit	
n5people	emp_seq	numeric	
n5people	empid	char	9
n5people	errors	text	2147483647
n5people	fullname	varchar	36
n5people	inc_seq	numeric	
n5people	mniseq	numeric	
n5people	paction1	char	3
n5people	paction2	char	3
n5people	paction3	char	3
n5people	paction4	char	3
n5people	prim_seq	numeric	
n5people	rowguid	uniqueidentifier	
n5people	title	char	6
n5people	unit_seq	numeric	
n5people	unitid	char	5
n5plus1	code	char	6
n5plus1	notes	text	2147483647
n5plus1	plus1code	char	1
n5plus1	plus1order	int	
n5plus1	plus1value	varchar	50

n5plus1	prim_seq	numeric	
n5plus1	rowguid	uniqueidentifier	
n5plus1	showorder	int	
n5plus1	value1	char	4
n5prefs	bool_op	float	
n5prefs	lsentstate	bit	
n5prefs	lsittypeco	bit	
n5prefs	lstation	bit	
n5prefs	pref_seq	numeric	
n5prefs	repstatus	float	
n5prefs	rowguid	uniqueidentifier	
n5prefs	sentstate	float	
n5prefs	shift	char	10
n5prefs	sittypeco	char	4
n5prefs	station	char	10
n5prefs	userid	varchar	100
n5stfire	aesfail	char	2
n5stfire	aesoperat	char	2
n5stfire	aespresent	char	2
n5stfire	aestype	char	2
n5stfire	belowflag	bit	
n5stfire	deteffect	char	2
n5stfire	detfailoth	char	15
n5stfire	detfailrea	char	2
n5stfire	detoper	char	2
n5stfire	detpower	char	2
n5stfire	detttype	char	2
n5stfire	errors	text	2147483647
n5stfire	firespread	char	2
n5stfire	floororigi	char	3
n5stfire	inc_seq	numeric	
n5stfire	isdetector	char	2
n5stfire	lostories	char	2
n5stfire	mainlength	float	
n5stfire	mainsqft	float	
n5stfire	mainwidth	float	
n5stfire	matitemco	char	3
n5stfire	mattypeco	char	3
n5stfire	nomatflag	bit	
n5stfire	numsprinkl	char	3
n5stfire	prim_seq	numeric	
n5stfire	rowguid	uniqueidentifier	
n5stfire	stordam1	char	3
n5stfire	stordam2	char	3
n5stfire	stordam3	char	3
n5stfire	stordam4	char	3
n5stfire	strucstat	char	2
n5stfire	structype	char	2
n5stfire	totstories	char	3
n5user	errors	text	2147483647
n5user	inc_seq	numeric	
n5user	prim_seq	numeric	
n5user	rowguid	uniqueidentifier	
n5user	usr1	varchar	20
n5user	usr10	varchar	20

n5user	usr2	varchar	20
n5user	usr3	varchar	20
n5user	usr4	varchar	20
n5user	usr5	varchar	20
n5user	usr6	varchar	20
n5user	usr7	varchar	20
n5user	usr8	varchar	20
n5user	usr9	varchar	20
n5user	usrmemo	text	2147483647
n5wildld	age	char	3
n5wildld	agefactor	bit	
n5wildld	areatype	char	2
n5wildld	asleep	bit	
n5wildld	aspect	char	2
n5wildld	buldignite	char	3
n5wildld	buldthreat	char	3
n5wildld	citytown	char	3
n5wildld	county	char	3
n5wildld	cropburn1	varchar	25
n5wildld	cropburn2	varchar	25
n5wildld	cropburn3	varchar	25
n5wildld	dob	datetime	
n5wildld	elevation	char	5
n5wildld	eqinvolve	char	4
n5wildld	errors	text	2147483647
n5wildld	fedagcode	char	5
n5wildld	federal	char	3
n5wildld	firecause	char	2
n5wildld	firedanger	char	2
n5wildld	flamlength	char	2
n5wildld	foreign_	char	3
n5wildld	fuelmoist	char	2
n5wildld	gender	char	2
n5wildld	heatsource	char	3
n5wildld	humidity	char	3
n5wildld	igfactor1	char	3
n5wildld	igfactor2	char	3
n5wildld	impaired	bit	
n5wildld	inc_seq	numeric	
n5wildld	latitude	char	5
n5wildld	longitude	char	6
n5wildld	mental	bit	
n5wildld	meridian	char	3
n5wildld	military	char	3
n5wildld	mobitype	char	3
n5wildld	multiple	bit	
n5wildld	negtemp	bit	
n5wildld	nfdrsmodel	char	3
n5wildld	nobuldflag	bit	
n5wildld	nohumflag	bit	
n5wildld	nontaxpay	char	3
n5wildld	nothreflag	bit	
n5wildld	other	char	3
n5wildld	persactiv	char	3
n5wildld	persresp	char	2

n5wildld	physical	bit	
n5wildld	prim_seq	numeric	
n5wildld	range	char	3
n5wildld	rangedir	char	2
n5wildld	ratespread	char	3
n5wildld	reportcode	char	1
n5wildld	rowdist	char	2
n5wildld	rowguid	uniqueidentifier	
n5wildld	rowtype	char	4
n5wildld	section_	char	2
n5wildld	slope	char	2
n5wildld	state	char	3
n5wildld	subsection	char	5
n5wildld	suppfact1	char	4
n5wildld	suppfact2	char	4
n5wildld	suppfact3	char	4
n5wildld	taxpaying	char	3
n5wildld	temperatur	char	4
n5wildld	totalacres	float	
n5wildld	towndir	char	2
n5wildld	township	char	4
n5wildld	unattended	bit	
n5wildld	undermined	char	3
n5wildld	weathstatn	char	6
n5wildld	weattype	char	3
n5wildld	whoowns	char	2
n5wildld	winddirec	char	2
n5wildld	windspeed	char	3
nameattrot	category	varchar	100
nameattrot	item	varchar	100
nameattrot	itemdesc	varchar	254
nameattrot	name_seq	numeric	
nameattrot	nattro_seq	numeric	
nameattrot	rowguid	uniqueidentifier	
namerole	callorder	varchar	16
namerole	commdis	char	1
namerole	datefrom	datetime	
namerole	dateto	datetime	
namerole	isprime	bit	
namerole	item_seq	numeric	
namerole	itemdtl	varchar	1024
namerole	lnktble	varchar	128
namerole	mailto	bit	
namerole	majordate	datetime	
namerole	minor	char	1
namerole	nrole_seq	numeric	
namerole	rname_seq	numeric	
namerole	role	char	100
namerole	rolecode	varchar	100
namerole	roledtl	varchar	1024
namerole	roletype	char	10
namerole	rowguid	uniqueidentifier	
namerole	sassault	char	1
names	addmark	char	11
names	addr_seq	numeric	

names	address2	varchar	100
names	age	numeric	
names	age_units	char	3
names	attrnotes	varchar	2000
names	bcity	varchar	15
names	bcountry	varchar	15
names	bcounty	varchar	15
names	bstate	varchar	15
names	challment	bit	
names	challphys	bit	
names	citizenof	varchar	25
names	city	char	60
names	country	char	15
names	dateofresd	datetime	
names	dnatest	varchar	20
names	dob	datetime	
names	dod	datetime	
names	drvlic	varchar	30
names	drvlicst	char	2
names	emailname	varchar	40
names	empl_addr	varchar	40
names	employer	varchar	30
names	ethncode	varchar	10
names	ethnicity	varchar	30
names	eyes	varchar	3
names	fbi	varchar	15
names	fbi_nbr	varchar	20
names	fedrlic	varchar	20
names	firstname	varchar	20
names	geotime	datetime	
names	geouser	char	11
names	geover	bit	
names	hair	varchar	3
names	height	numeric	
names	henry_bot	varchar	20
names	henry_top	varchar	20
names	hispanic	char	10
names	hphone	varchar	24
names	hphone_u	bit	
names	immigrtnbr	varchar	10
names	language	varchar	20
names	lastname	varchar	30
names	marital	char	4
names	middle	varchar	15
names	modmark	varchar	10
names	modtime	datetime	
names	mphone	varchar	24
names	name_seq	numeric	
names	ncic_enter	datetime	
names	ncic_fpc	varchar	30
names	ncicfpc	varchar	20
names	note	varchar	4000
names	oca	varchar	15
names	occup	varchar	20
names	occupation	varchar	15

names	offsiteadd	bit	
names	oth_seq	numeric	
names	pager	varchar	24
names	prefix	char	20
names	printcard	datetime	
names	race	varchar	42
names	racecode	char	10
names	religion	varchar	20
names	rowguid	uniqueidentifier	
names	rowguid92	uniqueidentifier	
names	sex	char	1
names	sid	varchar	15
names	soundfirst	char	4
names	soundlast	char	4
names	ssn	char	9
names	state	char	2
names	state_id	varchar	20
names	stcross	varchar	50
names	stinter	bit	
names	stname	varchar	50
names	stnumber	char	8
names	stprefix	char	3
names	street	char	40
names	stsuffix	char	3
names	sttype	char	4
names	suffix	char	5
names	title	varchar	20
names	vehicle	varchar	50
names	violent	bit	
names	weight	numeric	
names	wphone	varchar	24
names	xcoord	numeric	
names	ycoord	numeric	
names	zip	char	10
nemsisdemograph	annualbillcalls	int	
nemsisdemograph	annualcallvol	int	
nemsisdemograph	annualcontactvol	int	
nemsisdemograph	annualdispatchvol	int	
nemsisdemograph	annualtransportvol	int	
nemsisdemograph	billstatuslookupseq	int	
nemsisdemograph	contact_nameseq	numeric	
nemsisdemograph	county	varchar	50
nemsisdemograph	countyfips	text	2147483647
nemsisdemograph	daylightsavings	bit	
nemsisdemograph	deptseq	numeric	
nemsisdemograph	director_nameseq	numeric	
nemsisdemograph	director_spec	varchar	10
nemsisdemograph	director_web	varchar	100
nemsisdemograph	levelserv	varchar	10
nemsisdemograph	meddirspe	varchar	40
nemsisdemograph	nationalproviderid	varchar	30
nemsisdemograph	nemsisdemographseq	int	
nemsisdemograph	orgstat	varchar	10
nemsisdemograph	orgtype	varchar	10
nemsisdemograph	primserv	varchar	10

nemsisdemograph	protocols	text	2147483647
nemsisdemograph	rowguid	uniqueidentifier	
nemsisdemograph	servpopulation	int	
nemsisdemograph	servsizearea	int	
nemsisdemograph	statyear	numeric	
nemsisdemograph	timezoneseq	int	
newcons	chk_seq	numeric	
newcons	date_	datetime	
newcons	emp_seq	numeric	
newcons	firstname	char	20
newcons	in_seq	numeric	
newcons	inittest	bit	
newcons	inspector	char	15
newcons	lastname	char	30
newcons	middle	char	15
newcons	mniseq	numeric	
newcons	notes	text	2147483647
newcons	numfail	int	
newcons	numofdev	int	
newcons	numpass	int	
newcons	proj_name	varchar	40
newcons	rowguid	uniqueidentifier	
newcons	site_seq	numeric	
newcons	suffix	char	5
newcons	testtype	char	15
newcons	tottime	float	
newcons	travtime	numeric	
newcons	tresult	char	10
occupant	invalid	bit	
occupant	invalidnum	float	
occupant	notes	text	2147483647
occupant	num24hrs	float	
occupant	numday	float	
occupant	numevening	float	
occupant	occ_seq	numeric	
occupant	permitnum	float	
occupant	permitreq	bit	
occupant	residnum	float	
occupant	residocc	bit	
occupant	rowguid	uniqueidentifier	
occupant	site_seq	numeric	
patient	age	float	
patient	age_units	varchar	15
patient	allergies	text	2147483647
patient	billsign	bit	
patient	cmnonfile	bit	
patient	country	char	30
patient	countryco	char	10
patient	cresearchc	char	1
patient	dln	varchar	25
patient	dln_state	char	2
patient	dob	datetime	
patient	email	char	100
patient	empl_seq	numeric	
patient	employer	varchar	50

patient	ems_seq	numeric	
patient	ethncode	varchar	10
patient	ethnicity	varchar	30
patient	ga_dob	datetime	
patient	ga_emp	varchar	50
patient	ga_empseq	numeric	
patient	ga_geotime	datetime	
patient	ga_geouser	char	12
patient	ga_geover	bit	
patient	ga_relate	varchar	25
patient	ga_sex	varchar	1
patient	gua_add2	varchar	40
patient	gua_city	varchar	25
patient	gua_first	char	15
patient	gua_last	varchar	20
patient	gua_midin	char	10
patient	gua_phone	varchar	24
patient	gua_phone2	varchar	24
patient	gua_prefix	char	2
patient	gua_sameas	bit	
patient	gua_ssn	char	9
patient	gua_state	char	2
patient	gua_stnum	char	8
patient	gua_street	varchar	40
patient	gua_suff	char	2
patient	gua_type	char	4
patient	gua_zip	char	10
patient	guamliseq	numeric	
patient	guamniseq	numeric	
patient	guasuff	char	5
patient	height	int	
patient	hipaadel	bit	
patient	hipaassign	bit	
patient	hphone	varchar	24
patient	hxfrom	varchar	30
patient	idnumber	varchar	30
patient	industry	char	50
patient	insur_grp1	varchar	30
patient	insur_grp2	char	15
patient	insur_no1	varchar	20
patient	insur_no2	varchar	20
patient	insurcode1	char	11
patient	insurcode2	char	11
patient	insurname1	varchar	20
patient	insurname2	varchar	20
patient	mcarecompl	text	2147483647
patient	medicaidno	varchar	25
patient	medicareno	varchar	25
patient	mphone	varchar	24
patient	narrative	text	2147483647
patient	occ	varchar	60
patient	paddress2	varchar	40
patient	pat_seq	numeric	
patient	paytype	char	4
patient	pcity	varchar	25

patient	pcityfips	varchar	60
patient	pcntyfips	char	5
patient	pfirstname	varchar	30
patient	pgeotime	datetime	
patient	pgeouser	char	12
patient	pgeover	bit	
patient	plastname	varchar	30
patient	pmiddlein	char	2
patient	pmliseq	numeric	
patient	pmniseq	numeric	
patient	ppaddress	varchar	40
patient	ppaddress2	char	50
patient	ppcity	varchar	30
patient	ppfirst	char	30
patient	ppgeotime	datetime	
patient	ppgeouser	char	12
patient	ppgeover	bit	
patient	pphysician	varchar	25
patient	ppmiddle	char	20
patient	ppmliseq	numeric	
patient	ppmniseq	numeric	
patient	ppphone	varchar	24
patient	ppstate	char	2
patient	ppstnum	char	10
patient	ppstpref	char	10
patient	ppstsuff	char	10
patient	ppsttype	char	10
patient	ppsuff	char	10
patient	ppzip	char	10
patient	pstafips	char	5
patient	pstate	char	2
patient	pstprefix	char	2
patient	pstreet	varchar	40
patient	pstreetnum	char	8
patient	pstsuffix	char	2
patient	psttype	char	4
patient	psuffix	char	5
patient	pzip	char	10
patient	r_address	varchar	50
patient	r_address2	char	50
patient	r_mliseq	numeric	
patient	r_relation	varchar	25
patient	r_stnum	char	10
patient	r_stpref	char	3
patient	r_stsuff	char	3
patient	r_sttype	char	4
patient	race	varchar	42
patient	raceco	char	10
patient	rcity	varchar	20
patient	rel_name	varchar	30
patient	relfirst	char	30
patient	relmiddle	char	20
patient	relsuff	char	5
patient	rgeotime	datetime	
patient	rgeouser	char	12

patient	rgeover	bit	
patient	rmniseq	numeric	
patient	rowguid	uniqueidentifier	
patient	rphone	varchar	24
patient	rstate	char	2
patient	rzip	char	10
patient	sex	char	1
patient	signonfile	bit	
patient	ssn	char	9
patient	status	varchar	30
patient	treatauth	varchar	25
patient	treatauthc	char	2
patient	weight	int	
patient	workrel	varchar	100
patient	wphone	varchar	24
period	addtime	datetime	
period	com_seq	numeric	
period	comment	varchar	100
period	company	varchar	40
period	dept_seq	numeric	
period	displaylength	int	
period	displayunit	char	1
period	duty	char	3
period	emp_seq	int	
period	employee	varchar	40
period	eq_seq	numeric	
period	equipment	varchar	20
period	ex_desc	varchar	20
period	except_seq	numeric	
period	l_temp	bit	
period	length	int	
period	paid	bit	
period	period_seq	numeric	
period	rate	smallmoney	
period	roster_key	numeric	
period	roster_seq	numeric	
period	rowguid	uniqueidentifier	
period	sched_seq	numeric	
period	shift	varchar	20
period	shift_seq	numeric	
period	t_start	datetime	
period	t_stop	datetime	
permits	addtime	datetime	
permits	agency	char	50
permits	dept_seq	numeric	
permits	fire_dist	char	10
permits	geotime	datetime	
permits	geouser	char	11
permits	geover	bit	
permits	geoxcoord	numeric	
permits	geoycoord	numeric	
permits	loc_seq	numeric	
permits	mlifk	numeric	
permits	per_appdt	datetime	
permits	per_appnum	char	20

permits	per_effdt	datetime	
permits	per_expdt	datetime	
permits	per_issuedby	char	20
permits	per_noexp	bit	
permits	per_num	char	20
permits	per_plans	bit	
permits	per_reason	text	2147483647
permits	per_seq	numeric	
permits	per_siteadd1	char	60
permits	per_siteadd2	char	60
permits	per_sitearea	text	2147483647
permits	per_sitcity	char	20
permits	per_sitecmnt	text	2147483647
permits	per_sitemap	char	20
permits	per_sitename	char	40
permits	per_siteparcel	char	25
permits	per_sitesector	char	10
permits	per_siteseq	numeric	
permits	per_sitestate	char	2
permits	per_sitestreet	char	10
permits	per_sitezip	char	10
permits	per_status	int	
permits	per_tranby	varchar	20
permits	per_trandt	datetime	
permits	per_trantype	char	10
permits	per_type	varchar	20
permits	per_uselong	text	2147483647
permits	per_useshort	char	60
permits	perstpre	char	4
permits	perstsuff	char	4
permits	persttyp	char	4
permits	rowguid	uniqueidentifier	
permits	tranbytit	varchar	20
permits	tranfirst	char	30
permits	tranlast	char	30
permits	tranmiddle	char	15
permits	tranmniseq	numeric	
permits	transuff	char	10
pernames	busmliseq	numeric	
pernames	busname	varchar	80
pernames	busphone	varchar	24
pernames	busstnum	char	8
pernames	busstpref	char	3
pernames	busstsuff	char	3
pernames	bussttype	char	4
pernames	conmiddle	char	20
pernames	consuffix	char	20
pernames	nam_addr1	varchar	60
pernames	nam_addr2	varchar	60
pernames	nam_bustype	char	60
pernames	nam_city	varchar	20
pernames	nam_contnum	char	60
pernames	nam_first	varchar	20
pernames	nam_name	varchar	60
pernames	nam_perseq	numeric	

pernames	nam_phone	varchar	24
pernames	nam_seq	numeric	
pernames	nam_state	char	2
pernames	nam_type	char	15
pernames	nam_zip	char	10
pernames	nammniseq	numeric	
pernames	rowguid	uniqueidentifier	
persprop	condition	varchar	20
persprop	descript	varchar	60
persprop	ems_seq	numeric	
persprop	errors	text	2147483647
persprop	givento	varchar	30
persprop	item	varchar	20
persprop	per_seq	numeric	
persprop	rowguid	uniqueidentifier	
pevent	act_date	datetime	
pevent	addmark	float	
pevent	addtime	datetime	
pevent	adduser	varchar	100
pevent	agency	char	15
pevent	code	char	15
pevent	descr	varchar	30
pevent	emp_seq	numeric	
pevent	fire_dist	char	15
pevent	freq	int	
pevent	margin1	numeric	
pevent	margin2	numeric	
pevent	modmark	float	
pevent	modtime	datetime	
pevent	moduser	varchar	100
pevent	ndate	datetime	
pevent	notes	text	2147483647
pevent	prim_seq	numeric	
pevent	psize	varchar	5
pevent	pstatus	char	10
pevent	punits	char	15
pevent	refer	bit	
pevent	reoccur	bit	
pevent	rowguid	uniqueidentifier	
pevent	sch_date	datetime	
pevent	value1	varchar	50
pevent	value2	varchar	100
plansbin	agency	char	15
plansbin	bin_seq	numeric	
plansbin	bindesc	varchar	40
plansbin	bindoc	image	2147483647
plansbin	binname	varchar	20
plansbin	rowguid	uniqueidentifier	
plrview	binname	varchar	20
plrview	binnum	char	10
plrview	certocc	bit	
plrview	chk_seq	numeric	
plrview	codate	datetime	
plrview	contractor	varchar	25
plrview	dateexpir	datetime	

plrview	daterecd	datetime	
plrview	daterview	datetime	
plrview	in_seq	numeric	
plrview	notes	text	2147483647
plrview	permitnum	char	10
plrview	rowguid	uniqueidentifier	
plrview	site_seq	numeric	
plrview	tempapp	bit	
plrview	type	varchar	20
preplan	alarm1	varchar	80
preplan	alarm2	varchar	80
preplan	alarm3	varchar	80
preplan	alarm4	varchar	80
preplan	alarm5	varchar	80
preplan	alarm6	varchar	80
preplan	alarm7	varchar	80
preplan	alarm8	varchar	80
preplan	avfireflow	int	
preplan	equip00	text	2147483647
preplan	equip25	text	2147483647
preplan	equip50	text	2147483647
preplan	equip75	text	2147483647
preplan	exposures	text	2147483647
preplan	fireflow00	int	
preplan	fireflow25	int	
preplan	fireflow50	int	
preplan	fireflow75	int	
preplan	notes	text	2147483647
preplan	occupants	text	2147483647
preplan	person00	text	2147483647
preplan	person25	text	2147483647
preplan	person50	text	2147483647
preplan	person75	text	2147483647
preplan	pre_pl_seq	numeric	
preplan	rowguid	uniqueidentifier	
preplan	search00	text	2147483647
preplan	search25	text	2147483647
preplan	search50	text	2147483647
preplan	search75	text	2147483647
preplan	site_seq	numeric	
preplan	stg_areas	text	2147483647
preplan	updated	datetime	
preplan	updatedby	varchar	30
projects	addtime	datetime	
projects	binloc	char	10
projects	binname	varchar	20
projects	contractor	varchar	30
projects	daterecd	datetime	
projects	in_seq	numeric	
projects	notes	text	2147483647
projects	proj_name	varchar	40
projects	proj_seq	numeric	
projects	proj_type	float	
projects	rowguid	uniqueidentifier	
projects	site_seq	numeric	

projects	type	varchar	20
recommd	fire_dist	char	10
recommd	in_seq	numeric	
recommd	notes	text	2147483647
recommd	po_hazard	text	2147483647
recommd	rec_code	char	10
recommd	rec_seq	numeric	
recommd	recommend	text	2147483647
recommd	rowguid	uniqueidentifier	
recommd	site_seq	numeric	
referrl	descript	text	2147483647
referrl	fire_dist	char	10
referrl	firstname	char	20
referrl	in_seq	numeric	
referrl	middle	char	15
referrl	mniseq	numeric	
referrl	notes	text	2147483647
referrl	ref_date	datetime	
referrl	ref_person	varchar	20
referrl	ref_seq	numeric	
referrl	ref_to	varchar	20
referrl	ref_via	varchar	20
referrl	rowguid	uniqueidentifier	
referrl	site_seq	numeric	
referrl	suffix	char	5
repeats	allergies	text	2147483647
repeats	billsign	bit	
repeats	cmnonfile	bit	
repeats	dtverified	datetime	
repeats	employer	char	30
repeats	ga_relate	char	20
repeats	gua_sameas	bit	
repeats	guamniseq	numeric	
repeats	hipaadel	bit	
repeats	hipaassign	bit	
repeats	insur_grp1	char	15
repeats	insur_grp2	char	15
repeats	insur_no1	varchar	20
repeats	insur_no2	varchar	20
repeats	insurname1	varchar	20
repeats	insurname2	varchar	20
repeats	mcarecompl	varchar	50
repeats	medicaidno	varchar	25
repeats	medicareno	varchar	25
repeats	name_seq	numeric	
repeats	ppmniseq	numeric	
repeats	r_relation	char	20
repeats	rep_seq	numeric	
repeats	resourceno	varchar	25
repeats	rmniseq	numeric	
repeats	rowguid	uniqueidentifier	
repeats	signonfile	bit	
repeats	subscriber	bit	
repeats	subsnumber	char	15
riders	comment	varchar	100

riders	ems_seq	numeric	
riders	firstname	varchar	20
riders	lastname	varchar	50
riders	middle	varchar	15
riders	mni_seq	numeric	
riders	prefix	char	20
riders	rider_seq	numeric	
riders	rowguid	uniqueidentifier	
riders	suffix	char	5
riders	unitcode	char	10
rmed	dose	char	10
rmed	dtverified	datetime	
rmed	immunddate	datetime	
rmed	rep_seq	int	
rmed	repcode	char	50
rmed	reptext	varchar	255
rmed	rmed_seq	int	
rmed	rmed_type	char	15
rmed	route	char	10
rmed	rowguid	uniqueidentifier	
rmed	units	char	10
rmedsafe	dose	char	10
rmedsafe	dtverified	datetime	
rmedsafe	immunddate	datetime	
rmedsafe	rep_seq	int	
rmedsafe	repcode	char	50
rmedsafe	reptext	varchar	255
rmedsafe	rmed_seq	int	
rmedsafe	rmed_type	char	15
rmedsafe	route	char	10
rmedsafe	rowguid	uniqueidentifier	
rmedsafe	rowguid12	uniqueidentifier	
rmedsafe	units	char	10
rosteffect	com_seq	int	
rosteffect	effect_seq	int	
rosteffect	emp_seq	int	
rosteffect	kg_seq	int	
rosteffect	rank_seq	int	
rosteffect	rowguid	uniqueidentifier	
rosteffect	seq	int	
rosteffect	shift_seq	int	
rosteffect	t_start	datetime	
rosteffect	t_stop	datetime	
roster	addtime	datetime	
roster	adduser	char	11
roster	dept_seq	numeric	
roster	displaylength	int	
roster	displayunit	char	1
roster	duty	char	3
roster	length	int	
roster	proof_by	int	
roster	proof_date	datetime	
roster	proof_user	char	11
roster	roster_seq	numeric	
roster	rowguid	uniqueidentifier	

roster	sched_seq	numeric	
roster	shift	char	1
roster	shift_seq	numeric	
roster	t_start	datetime	
roster	t_stop	datetime	
rplglvl	defa_lvl	bit	
rplglvl	log_rpt	bit	
rplglvl	lvlname	char	15
rplglvl	req_pw	bit	
rplglvl	rowguid	uniqueidentifier	
rplglvl	rplglvlseq	numeric	
rplglvl	srt_order	int	
rplog	department	char	15
rplog	dept_seq	numeric	
rplog	emp_num	char	10
rplog	firstname	char	20
rplog	item_seq	numeric	
rplog	itemdesc	varchar	50
rplog	lastname	char	20
rplog	lvlname	char	10
rplog	middlei	char	2
rplog	mode	varchar	30
rplog	printby	char	10
rplog	printdt	datetime	
rplog	printfrom	char	10
rplog	printreason	varchar	254
rplog	rowguid	uniqueidentifier	
rplog	rplglvlseq	numeric	
rplog	rplgseq	numeric	
rplog	rpname	varchar	254
rplog	rppath	varchar	254
rplog	srep_seq	numeric	
rplog	userid	varchar	100
rplog	winlogin	char	25
safetyeq	ems_seq	numeric	
safetyeq	equip	varchar	50
safetyeq	equipco	varchar	10
safetyeq	equiplvl	char	10
safetyeq	equipused	bit	
safetyeq	rowguid	uniqueidentifier	
safetyeq	safeeq_seq	numeric	
safetyeq	storder	int	
schedule	dept_seq	numeric	
schedule	rowguid	uniqueidentifier	
schedule	sched_desc	varchar	30
schedule	sched_seq	numeric	
scripts	addmark	int	
scripts	dept_seq	numeric	
scripts	descxrip	text	2147483647
scripts	fx	varchar	100
scripts	interval	int	
scripts	lastrun	datetime	
scripts	name	varchar	25
scripts	rowguid	uniqueidentifier	
scripts	scr_seq	numeric	

scripts	script	text	2147483647
service	defect	char	4
service	first	char	20
service	flushed	bit	
service	hyd_seq	numeric	
service	inspect	bit	
service	last	char	30
service	middle	char	15
service	mniseq	numeric	
service	notes	text	2147483647
service	oth_serv	char	4
service	painted	bit	
service	rep_reqd	bit	
service	repaired	bit	
service	rowguid	uniqueidentifier	
service	serv_by	char	15
service	serv_by_seq	numeric	
service	serv_date	datetime	
service	serv_seq	numeric	
service	serv_time	char	5
service	served	bit	
service	suff	char	5
service	title	char	30
service	tot_time	char	5
shift	color	int	
shift	dept_seq	numeric	
shift	displaylength	int	
shift	displayunit	char	1
shift	length	int	
shift	name	char	1
shift	rowguid	uniqueidentifier	
shift	sched_seq	numeric	
shift	shift_seq	numeric	
shutoff	location	varchar	40
shutoff	notes	text	2147483647
shutoff	rowguid	uniqueidentifier	
shutoff	shut_seq	numeric	
shutoff	shut_type	varchar	20
shutoff	site_seq	numeric	
sig_pdf	create_dt	datetime	
sig_pdf	ikey	image	2147483647
sig_pdf	ipdf	image	2147483647
sig_pdf	item_seq	numeric	
sig_pdf	lnktable	char	10
sig_pdf	rowguid	uniqueidentifier	
sig_pdf	sdoc_seq	numeric	
sig_pdf	srep_seq	numeric	
sig_roles	descr	char	50
sig_roles	rowguid	uniqueidentifier	
sig_roles	srole_seq	numeric	
signature	fname	char	25
signature	isig	image	2147483647
signature	isggif	image	2147483647
signature	lname	char	25
signature	mname	char	25

signature	rowguid	uniqueidentifier	
signature	sdoc_seq	numeric	
signature	sig_seq	numeric	
signature	signdate	datetime	
signature	sreprolseq	numeric	
signature	suffix	char	3
signsymp	ems_seq	numeric	
signsymp	icd9	char	10
signsymp	rowguid	uniqueidentifier	
signsymp	sign_seq	numeric	
signsymp	symp	varchar	40
signsymp	sympco	char	6
sigreprole	allowmult	bit	
sigreprole	allowquicksig	bit	
sigreprole	rowguid	uniqueidentifier	
sigreprole	srep_seq	numeric	
sigreprole	sreprolseq	numeric	
sigreprole	srole_seq	char	10
site2hyd	callorder	float	
site2hyd	distance	char	5
site2hyd	hyd_seq	numeric	
site2hyd	rowguid	uniqueidentifier	
site2hyd	s2h_seq	numeric	
site2hyd	site_seq	numeric	
sites	addmark	float	
sites	address1	char	60
sites	address2	char	60
sites	addtime	datetime	
sites	adduser	varchar	100
sites	air_cond	varchar	20
sites	attic_use	char	15
sites	b_sq_feet	float	
sites	baseflow	char	5
sites	basmt_lvls	float	
sites	basmt_use	char	15
sites	bld_height	float	
sites	bld_keys_c	bit	
sites	bld_status	char	10
sites	buscomres	char	1
sites	busi_type	char	4
sites	city	varchar	20
sites	co_date	datetime	
sites	co_log	bit	
sites	co_notes	text	2147483647
sites	comm_name	varchar	40
sites	comp_due	datetime	
sites	con_fax	varchar	24
sites	con_first	varchar	20
sites	con_fone	varchar	24
sites	con_name	varchar	24
sites	cons_iso	char	4
sites	cons_type	char	4
sites	country	char	15
sites	cross_st	varchar	35
sites	dept_seq	numeric	

sites	em_lit_log	bit	
sites	em_lit_num	float	
sites	f_alarm_log	bit	
sites	f_alarm_typ	char	15
sites	f_door_log	bit	
sites	f_door_typ	char	15
sites	f_exit_log	bit	
sites	faclroutid	char	10
sites	fire_comp	char	10
sites	fire_dist	char	15
sites	fire_stat	char	10
sites	firefilt	char	1
sites	fireflow_ci	char	5
sites	fireflow_co	char	3
sites	fireflow_oi	char	4
sites	fireflow_si	char	4
sites	fireflow_xi	char	4
sites	fireload	char	10
sites	frresp	char	4
sites	fw_log	bit	
sites	fw_notes	text	2147483647
sites	geotime	datetime	
sites	geouser	char	11
sites	has_access	float	
sites	has_alarms	float	
sites	has_extingui	float	
sites	has_hazards	float	
sites	has_hazmat	float	
sites	has_hydrants	float	
sites	has_images	float	
sites	has_names	float	
sites	has_newcon	bit	
sites	has_pplans	float	
sites	has_review	bit	
sites	has_shutof	float	
sites	has_tanks	float	
sites	heat_sys	varchar	20
sites	insp_due	datetime	
sites	insp_freq	float	
sites	insp_type	char	20
sites	inspdist	char	10
sites	insurcont	float	
sites	insurstru	float	
sites	is_part_of	int	
sites	keys_loc	varchar	30
sites	knox_loc	varchar	30
sites	knox_log	bit	
sites	lactive	bit	
sites	last_insp	datetime	
sites	lat_deg	char	12
sites	latitude	char	12
sites	Inoncomply	bit	
sites	loc_seq	numeric	
sites	locc_class	char	10
sites	long_deg	char	13

sites	longitude	char	13
sites	m_address1	varchar	60
sites	m_address2	varchar	60
sites	m_city	varchar	20
sites	m_name	varchar	40
sites	m_state	char	2
sites	m_stname	varchar	50
sites	m_stprefix	char	3
sites	m_street_num	char	10
sites	m_stsuffix	char	3
sites	m_sttype	char	4
sites	m_zip	char	10
sites	mailmlifk	numeric	
sites	modmark	char	10
sites	multiproj	bit	
sites	nconstat	float	
sites	nfpa_occ	char	15
sites	nfpa_use	char	15
sites	notes	text	2147483647
sites	num_rooms	float	
sites	num_storys	float	
sites	occ_detail	text	2147483647
sites	occ_load	float	
sites	oth_seq	numeric	
sites	oth_water	text	2147483647
sites	permit_comm	text	2147483647
sites	permit_num	char	10
sites	permit_rej	bit	
sites	permit_req	bit	
sites	ppreview	datetime	
sites	ppreviewer	varchar	20
sites	roof_type	varchar	20
sites	rowguid	uniqueidentifier	
sites	s_detc_log	bit	
sites	sector	char	10
sites	secu_type	varchar	20
sites	sing_mult	char	10
sites	site_name	char	80
sites	site_seq	numeric	
sites	site_stat	char	15
sites	site_type	char	30
sites	state	char	2
sites	state_occ	char	10
sites	stinter	bit	
sites	stname	varchar	50
sites	stock	char	10
sites	stprefix	char	3
sites	street_num	char	10
sites	stru_add	text	2147483647
sites	stsuffix	char	3
sites	sttype	char	4
sites	supp_notes	text	2147483647
sites	t_sq_feet	float	
sites	taxmap_num	varchar	20
sites	totflow	char	5

sites	uniqudesc	text	2147483647
sites	usersiteid	varchar	50
sites	verloc	bit	
sites	xc	float	
sites	yc	float	
sites	year_bilt	int	
sites	zip	char	10
sites_070407	addmark	char	11
sites_070407	address1	char	60
sites_070407	address2	char	60
sites_070407	addtime	datetime	
sites_070407	adduser	varchar	100
sites_070407	air_cond	varchar	20
sites_070407	attic_use	char	15
sites_070407	b_sq_feet	float	
sites_070407	baseflow	char	5
sites_070407	basmt_lvls	float	
sites_070407	basmt_use	char	15
sites_070407	bld_height	float	
sites_070407	bld_keys_c	bit	
sites_070407	bld_status	char	10
sites_070407	buscomres	char	1
sites_070407	busi_type	char	4
sites_070407	city	varchar	20
sites_070407	co_date	datetime	
sites_070407	co_log	bit	
sites_070407	co_notes	text	2147483647
sites_070407	comm_name	varchar	40
sites_070407	comp_due	datetime	
sites_070407	con_fax	varchar	24
sites_070407	con_first	varchar	20
sites_070407	con_fone	varchar	24
sites_070407	con_name	varchar	24
sites_070407	cons_iso	char	4
sites_070407	cons_type	char	4
sites_070407	country	char	15
sites_070407	cross_st	varchar	35
sites_070407	dept_seq	decimal	
sites_070407	em_lit_log	bit	
sites_070407	em_lit_num	float	
sites_070407	f_alrm_log	bit	
sites_070407	f_alrm_typ	char	15
sites_070407	f_door_log	bit	
sites_070407	f_door_typ	char	15
sites_070407	f_exit_log	bit	
sites_070407	faclroutid	char	10
sites_070407	fire_comp	char	10
sites_070407	fire_dist	char	15
sites_070407	fire_stat	char	10
sites_070407	firefilt	char	1
sites_070407	fireflow_ci	char	5
sites_070407	fireflow_co	char	3
sites_070407	fireflow_oi	char	4
sites_070407	fireflow_si	char	4
sites_070407	fireflow_xi	char	4

sites_070407	fireload	char	10
sites_070407	frresp	char	4
sites_070407	fw_log	bit	
sites_070407	fw_notes	text	2147483647
sites_070407	geotime	datetime	
sites_070407	geouser	char	11
sites_070407	has_access	float	
sites_070407	has_alarms	float	
sites_070407	has_extingui	float	
sites_070407	has_hazards	float	
sites_070407	has_hazmat	float	
sites_070407	has_hydrants	float	
sites_070407	has_images	float	
sites_070407	has_names	float	
sites_070407	has_newcon	bit	
sites_070407	has_pplans	float	
sites_070407	has_review	bit	
sites_070407	has_shutof	float	
sites_070407	has_tanks	float	
sites_070407	heat_sys	varchar	20
sites_070407	insp_due	datetime	
sites_070407	insp_freq	float	
sites_070407	insp_type	char	20
sites_070407	inspdist	char	10
sites_070407	insurcont	float	
sites_070407	insurstru	float	
sites_070407	is_part_of	int	
sites_070407	keys_loc	varchar	30
sites_070407	knox_loc	varchar	30
sites_070407	knox_log	bit	
sites_070407	lactive	bit	
sites_070407	last_insp	datetime	
sites_070407	lat_deg	char	12
sites_070407	latitude	char	12
sites_070407	Inoncomply	bit	
sites_070407	loc_seq	decimal	
sites_070407	locc_class	char	10
sites_070407	long_deg	char	13
sites_070407	longitude	char	13
sites_070407	m_address1	varchar	60
sites_070407	m_address2	varchar	60
sites_070407	m_city	varchar	20
sites_070407	m_name	varchar	40
sites_070407	m_state	char	2
sites_070407	m_stname	varchar	50
sites_070407	m_stprefix	char	3
sites_070407	m_street_num	char	10
sites_070407	m_stsuffix	char	3
sites_070407	m_sttype	char	4
sites_070407	m_zip	char	10
sites_070407	mailmlifk	decimal	
sites_070407	modmark	char	10
sites_070407	multiproj	bit	
sites_070407	nconstat	float	
sites_070407	nfpa_occ	char	15

sites_070407	nfpa_use	char	15
sites_070407	notes	text	2147483647
sites_070407	num_rooms	float	
sites_070407	num_storys	float	
sites_070407	occ_detail	text	2147483647
sites_070407	occ_load	float	
sites_070407	oth_seq	decimal	
sites_070407	oth_water	text	2147483647
sites_070407	permit_comm	text	2147483647
sites_070407	permit_num	char	10
sites_070407	permit_rej	bit	
sites_070407	permit_req	bit	
sites_070407	ppreview	datetime	
sites_070407	ppreviewer	varchar	20
sites_070407	roof_type	varchar	20
sites_070407	rowguid	uniqueidentifier	
sites_070407	rowguid149	uniqueidentifier	
sites_070407	s_detc_log	bit	
sites_070407	sector	char	10
sites_070407	secu_type	varchar	20
sites_070407	sing_mult	char	10
sites_070407	site_name	char	80
sites_070407	site_seq	decimal	
sites_070407	site_stat	char	15
sites_070407	site_type	char	30
sites_070407	state	char	2
sites_070407	state_occ	char	10
sites_070407	stinter	bit	
sites_070407	stname	varchar	50
sites_070407	stock	char	10
sites_070407	stprefix	char	3
sites_070407	street_num	char	10
sites_070407	stru_add	text	2147483647
sites_070407	stsuffix	char	3
sites_070407	sttype	char	4
sites_070407	supp_notes	text	2147483647
sites_070407	t_sq_feet	float	
sites_070407	taxmap_num	varchar	20
sites_070407	totflow	char	5
sites_070407	uniqdesc	text	2147483647
sites_070407	usersiteid	varchar	50
sites_070407	verloc	bit	
sites_070407	xc	float	
sites_070407	yc	float	
sites_070407	year_bilt	int	
sites_070407	zip	char	10
sitesbk	addmark	float	
sitesbk	address1	char	60
sitesbk	address2	char	60
sitesbk	addtime	datetime	
sitesbk	adduser	varchar	100
sitesbk	air_cond	varchar	20
sitesbk	attic_use	char	15
sitesbk	b_sq_feet	float	
sitesbk	baseflow	char	5

sitesbk	basmt_lvls	float	
sitesbk	basmt_use	char	15
sitesbk	bld_height	float	
sitesbk	bld_keys_c	bit	
sitesbk	bld_status	char	10
sitesbk	buscomres	char	1
sitesbk	busi_type	char	4
sitesbk	city	varchar	20
sitesbk	co_date	datetime	
sitesbk	co_log	bit	
sitesbk	co_notes	text	2147483647
sitesbk	comm_name	varchar	40
sitesbk	comp_due	datetime	
sitesbk	con_fax	varchar	24
sitesbk	con_first	varchar	20
sitesbk	con_fone	varchar	24
sitesbk	con_name	varchar	24
sitesbk	cons_iso	char	4
sitesbk	cons_type	char	4
sitesbk	country	char	15
sitesbk	cross_st	varchar	35
sitesbk	dept_seq	numeric	
sitesbk	em_lit_log	bit	
sitesbk	em_lit_num	float	
sitesbk	f_alarm_log	bit	
sitesbk	f_alarm_typ	char	15
sitesbk	f_door_log	bit	
sitesbk	f_door_typ	char	15
sitesbk	f_exit_log	bit	
sitesbk	faclroutid	char	10
sitesbk	fire_comp	char	10
sitesbk	fire_dist	char	15
sitesbk	fire_stat	char	10
sitesbk	firefilt	char	1
sitesbk	fireflow_ci	char	5
sitesbk	fireflow_co	char	3
sitesbk	fireflow_oi	char	4
sitesbk	fireflow_si	char	4
sitesbk	fireflow_xi	char	4
sitesbk	fireload	char	10
sitesbk	frresp	char	4
sitesbk	fw_log	bit	
sitesbk	fw_notes	text	2147483647
sitesbk	geotime	datetime	
sitesbk	geouser	char	11
sitesbk	has_access	float	
sitesbk	has_alarms	float	
sitesbk	has_extingui	float	
sitesbk	has_hazards	float	
sitesbk	has_hazmat	float	
sitesbk	has_hydrants	float	
sitesbk	has_images	float	
sitesbk	has_names	float	
sitesbk	has_newcon	bit	
sitesbk	has_pplans	float	

sitesbk	has_review	bit	
sitesbk	has_shutof	float	
sitesbk	has_tanks	float	
sitesbk	heat_sys	varchar	20
sitesbk	insp_due	datetime	
sitesbk	insp_freq	float	
sitesbk	insp_type	char	20
sitesbk	inspdist	char	10
sitesbk	insurcont	float	
sitesbk	insurstru	float	
sitesbk	is_part_of	int	
sitesbk	keys_loc	varchar	30
sitesbk	knox_loc	varchar	30
sitesbk	knox_log	bit	
sitesbk	lactive	bit	
sitesbk	last_insp	datetime	
sitesbk	lat_deg	char	12
sitesbk	lattitude	char	12
sitesbk	Inoncomply	bit	
sitesbk	loc_seq	numeric	
sitesbk	locc_class	char	10
sitesbk	long_deg	char	13
sitesbk	longitude	char	13
sitesbk	m_address1	varchar	60
sitesbk	m_address2	varchar	60
sitesbk	m_city	varchar	20
sitesbk	m_name	varchar	40
sitesbk	m_state	char	2
sitesbk	m_stname	varchar	50
sitesbk	m_stprefix	char	3
sitesbk	m_street_num	char	10
sitesbk	m_stsuffix	char	3
sitesbk	m_sttype	char	4
sitesbk	m_zip	char	10
sitesbk	mailmlifk	numeric	
sitesbk	modmark	char	10
sitesbk	multiproj	bit	
sitesbk	nconstat	float	
sitesbk	nfpa_occ	char	15
sitesbk	nfpa_use	char	15
sitesbk	notes	text	2147483647
sitesbk	num_rooms	float	
sitesbk	num_storys	float	
sitesbk	occ_detail	text	2147483647
sitesbk	occ_load	float	
sitesbk	oth_seq	numeric	
sitesbk	oth_water	text	2147483647
sitesbk	permit_comm	text	2147483647
sitesbk	permit_num	char	10
sitesbk	permit_rej	bit	
sitesbk	permit_req	bit	
sitesbk	ppreview	datetime	
sitesbk	ppreviewer	varchar	20
sitesbk	roof_type	varchar	20
sitesbk	rowguid	uniqueidentifier	

sitesbk	rowguid149	uniqueidentifier	
sitesbk	s_detc_log	bit	
sitesbk	sector	char	10
sitesbk	secu_type	varchar	20
sitesbk	sing_mult	char	10
sitesbk	site_name	char	80
sitesbk	site_seq	numeric	
sitesbk	site_stat	char	15
sitesbk	site_type	char	30
sitesbk	state	char	2
sitesbk	state_occ	char	10
sitesbk	stinter	bit	
sitesbk	stname	varchar	50
sitesbk	stock	char	10
sitesbk	stprefix	char	3
sitesbk	street_num	char	10
sitesbk	stru_add	text	2147483647
sitesbk	stsuffix	char	3
sitesbk	sttype	char	4
sitesbk	supp_notes	text	2147483647
sitesbk	t_sq_feet	float	
sitesbk	taxmap_num	varchar	20
sitesbk	totflow	char	5
sitesbk	uniqdesc	text	2147483647
sitesbk	usersiteid	varchar	50
sitesbk	verloc	bit	
sitesbk	xc	float	
sitesbk	yc	float	
sitesbk	year_bilt	int	
sitesbk	zip	char	10
skills	desc_	varchar	30
skills	effdate	datetime	
skills	emp_seq	numeric	
skills	notes	text	2147483647
skills	prim_seq	numeric	
skills	rowguid	uniqueidentifier	
skills	skillcode	char	10
sprinkl	installdt	datetime	
sprinkl	riserloc	varchar	50
sprinkl	rowguid	uniqueidentifier	
sprinkl	site_seq	numeric	
sprinkl	spr_seq	numeric	
sprinkl	sprarea	varchar	50
sprinkl	sprdesign	varchar	20
sprinkl	sprnotes	text	2147483647
sprinkl	sprtype	varchar	30
sprinklflw	flowby	int	
sprinklflw	flowbyname	varchar	50
sprinklflw	flowdate	datetime	
sprinklflw	flowpsi	numeric	
sprinklflw	flwrate	numeric	
sprinklflw	fname	varchar	50
sprinklflw	installdt	datetime	
sprinklflw	lname	varchar	50
sprinklflw	midi	char	1

sprinklflw	rowguid	uniqueidentifier	
sprinklflw	spr_seq	int	
sprinklflw	sprfl_seq	int	
sprinklflw	suffix	varchar	5
sprinklflw	units	char	10
sprinklflw	username	bit	
sqlauditlog2_flat	application	varchar	50
sqlauditlog2_flat	appname	varchar	50
sqlauditlog2_flat	hostname	varchar	50
sqlauditlog2_flat	logcolumn	varchar	50
sqlauditlog2_flat	logdatabase	varchar	50
sqlauditlog2_flat	logdate	datetime	
sqlauditlog2_flat	logempid	nchar	10
sqlauditlog2_flat	logid	uniqueidentifier	
sqlauditlog2_flat	logkey	varchar	20
sqlauditlog2_flat	logmodulekey	varchar	20
sqlauditlog2_flat	logrecord	varchar	100
sqlauditlog2_flat	logserver	varchar	100
sqlauditlog2_flat	logtable	varchar	100
sqlauditlog2_flat	logtype	nchar	1
sqlauditlog2_flat	loguser	varchar	20
sqlauditlog2_flat	logwinuser	varchar	50
sqlauditlog2_flat	oldtdata	varchar	3600
sqlauditlog2_flat	rowguid	uniqueidentifier	
sqlauditlog2_flat	tdata	varchar	3600
sqlauditlog2_flat	tranid	uniqueidentifier	
sqlauditlog2_flat	username	varchar	20
sqlauditlog2_flat	workstation	varchar	50
sqlauditlog2_flat_history	application	varchar	50
sqlauditlog2_flat_history	appname	varchar	50
sqlauditlog2_flat_history	hostname	varchar	50
sqlauditlog2_flat_history	logcolumn	varchar	50
sqlauditlog2_flat_history	logdatabase	varchar	50
sqlauditlog2_flat_history	logdate	datetime	
sqlauditlog2_flat_history	logempid	nchar	10
sqlauditlog2_flat_history	logid	uniqueidentifier	
sqlauditlog2_flat_history	logkey	varchar	20
sqlauditlog2_flat_history	logmodulekey	varchar	20
sqlauditlog2_flat_history	logrecord	varchar	100
sqlauditlog2_flat_history	logserver	varchar	100
sqlauditlog2_flat_history	logtable	varchar	100
sqlauditlog2_flat_history	logtype	nchar	1
sqlauditlog2_flat_history	loguser	varchar	20
sqlauditlog2_flat_history	logwinuser	varchar	50
sqlauditlog2_flat_history	oldtdata	varchar	3600
sqlauditlog2_flat_history	tdata	varchar	3600
sqlauditlog2_flat_history	tranid	uniqueidentifier	
sqlauditlog2_flat_history	username	varchar	20
sqlauditlog2_flat_history	workstation	varchar	50
sqlauditlog2text	logdate	datetime	
sqlauditlog2text	logkey	nvarchar	255
sqlauditlog2text	logtable	nvarchar	255
sqlauditlog2text	logtype	char	1
sqlauditlog2text	loguser	nvarchar	255
sqlauditlog2text	newid	uniqueidentifier	

sqlauditlog2text	ntextcontent_after	ntext	1073741823
sqlauditlog2text	ntextcontent_before	ntext	1073741823
sqlauditlog2text	rowguid	uniqueidentifier	
sqlauditlog2text	textcolumnname	nvarchar	255
sqlauditlog2text	textcontent_after	text	2147483647
sqlauditlog2text	textcontent_before	text	2147483647
sqlauditlog2text	tranid	uniqueidentifier	
sqlauditlog2text_history	logdate	datetime	
sqlauditlog2text_history	logkey	nvarchar	255
sqlauditlog2text_history	logtable	nvarchar	255
sqlauditlog2text_history	logtype	char	1
sqlauditlog2text_history	loguser	nvarchar	255
sqlauditlog2text_history	newid	uniqueidentifier	
sqlauditlog2text_history	ntextcontent_after	ntext	1073741823
sqlauditlog2text_history	ntextcontent_before	ntext	1073741823
sqlauditlog2text_history	rowguid	uniqueidentifier	
sqlauditlog2text_history	textcolumnname	nvarchar	255
sqlauditlog2text_history	textcontent_after	text	2147483647
sqlauditlog2text_history	textcontent_before	text	2147483647
sqlauditlog2text_history	tranid	uniqueidentifier	
sqlstmnt	autoprimar	bit	
sqlstmnt	cachable	bit	
sqlstmnt	conn_name	char	15
sqlstmnt	named_flds	text	2147483647
sqlstmnt	noup_flds	text	2147483647
sqlstmnt	primarykey	varchar	100
sqlstmnt	queryname	char	25
sqlstmnt	rowguid	uniqueidentifier	
sqlstmnt	sql_from	text	2147483647
sqlstmnt	sql_group	text	2147483647
sqlstmnt	sql_having	text	2147483647
sqlstmnt	sql_main	text	2147483647
sqlstmnt	sql_order	text	2147483647
sqlstmnt	sql_seq	numeric	
sqlstmnt	sql_where	text	2147483647
sqlstmnt	tablename	varchar	100
sqlstmnt	timestamp_column	binary	8
sqlstmntLOAD	autoprimar	bit	
sqlstmntLOAD	cachable	bit	
sqlstmntLOAD	conn_name	char	15
sqlstmntLOAD	named_flds	text	2147483647
sqlstmntLOAD	noup_flds	text	2147483647
sqlstmntLOAD	primarykey	varchar	100
sqlstmntLOAD	queryname	char	25
sqlstmntLOAD	rowguid	uniqueidentifier	
sqlstmntLOAD	sql_from	text	2147483647
sqlstmntLOAD	sql_group	text	2147483647
sqlstmntLOAD	sql_having	text	2147483647
sqlstmntLOAD	sql_main	text	2147483647
sqlstmntLOAD	sql_order	text	2147483647
sqlstmntLOAD	sql_seq	decimal	
sqlstmntLOAD	sql_where	text	2147483647
sqlstmntLOAD	tablename	varchar	100
sqlstmntLOAD	timestamp_column	binary	8
srchpref	isshared	bit	

srchpref	module_	char	10
srchpref	operator	char	10
srchpref	prim_seq	numeric	
srchpref	profile	varchar	60
srchpref	rowguid	uniqueidentifier	
srchpref	search	text	2147483647
srchpref	seq	int	
srchpref	userid	varchar	100
srchpref	value1	varchar	30
srchpref	value2	varchar	30
srchpref	wherestr	text	2147483647
srchtmpl	boundcol	int	
srchtmpl	caption	varchar	50
srchtmpl	ccode	varchar	50
srchtmpl	colwidths	varchar	20
srchtmpl	comment	text	2147483647
srchtmpl	tablename	varchar	50
srchtmpl	datatype	char	2
srchtmpl	defval2	varchar	50
srchtmpl	enableexpr	varchar	50
srchtmpl	format	varchar	20
srchtmpl	inputmask	varchar	20
srchtmpl	keyboard	bit	
srchtmpl	module_	char	10
srchtmpl	prim_seq	numeric	
srchtmpl	rowguid	uniqueidentifier	
srchtmpl	rowsource	text	2147483647
srchtmpl	search	text	2147483647
srchtmpl	seq	int	
srchtmpl	serveralias	char	20
srchtmpl	serverconn	varchar	20
srchtmpl	serversql	text	2147483647
srchtmpl	usehist	bit	
sscheck	app	char	10
sscheck	condition	text	2147483647
sscheck	edit_block	char	2
sscheck	edit_field	varchar	25
sscheck	edit_level	char	1
sscheck	edit_no	char	4
sscheck	edit_order	int	
sscheck	edit_text	text	2147483647
sscheck	error_seq	numeric	
sscheck	errmsgs	varchar	254
sscheck	focus	varchar	50
sscheck	module_	char	10
sscheck	rowguid	uniqueidentifier	
ssemploy	address1	varchar	30
ssemploy	address2	varchar	30
ssemploy	addtime	datetime	
ssemploy	adduser	varchar	100
ssemploy	batt_seq	numeric	
ssemploy	benfile	char	10
ssemploy	benonfile	bit	
ssemploy	billcode	varchar	30
ssemploy	bloodtype	char	10

ssemploy	career	char	1
ssemploy	chief_seq	numeric	
ssemploy	city	varchar	20
ssemploy	com_seq	numeric	
ssemploy	contacts	bit	
ssemploy	curstatus	float	
ssemploy	dept_seq	numeric	
ssemploy	div_seq	numeric	
ssemploy	division	char	15
ssemploy	dob	datetime	
ssemploy	doc_mni	int	
ssemploy	docevephone	char	20
ssemploy	doclast	char	20
ssemploy	docmid	char	2
ssemploy	docsuffix	char	3
ssemploy	doctorfone	varchar	24
ssemploy	doctorname	varchar	25
ssemploy	egeotime	datetime	
ssemploy	egeouser	char	12
ssemploy	emaddr2	varchar	25
ssemploy	email	varchar	200
ssemploy	emcity	varchar	20
ssemploy	emfirst	char	15
ssemploy	emlast	char	15
ssemploy	emli_seq	numeric	
ssemploy	emmiddle	char	2
ssemploy	emni_seq	numeric	
ssemploy	emp_num	char	10
ssemploy	emp_seq	numeric	
ssemploy	emphoneh	varchar	24
ssemploy	emphonew	varchar	24
ssemploy	emrelation	char	10
ssemploy	emsid	varchar	30
ssemploy	emslist	bit	
ssemploy	emstate	char	2
ssemploy	emstname	varchar	25
ssemploy	emstnum	char	10
ssemploy	emzip	char	9
ssemploy	errors	text	2147483647
ssemploy	estprefix	char	3
ssemploy	estsuffix	char	3
ssemploy	esttype	char	3
ssemploy	ethncode	char	10
ssemploy	ethnicity	varchar	30
ssemploy	filename	varchar	50
ssemploy	firelist	bit	
ssemploy	firstname	varchar	20
ssemploy	geotime	datetime	
ssemploy	geouser	char	12
ssemploy	homephone	varchar	24
ssemploy	hospital	varchar	50
ssemploy	hospitalseq	int	
ssemploy	initdate	datetime	
ssemploy	insplist	bit	
ssemploy	isuser	bit	

ssemploy	kg_seq	numeric	
ssemploy	lastname	char	20
ssemploy	married	char	4
ssemploy	medicalert	bit	
ssemploy	medicdesc	text	2147483647
ssemploy	medlevel	char	15
ssemploy	middlei	char	2
ssemploy	mli_seq	numeric	
ssemploy	mni_seq	numeric	
ssemploy	mobile	varchar	20
ssemploy	notes	text	2147483647
ssemploy	officephone	varchar	24
ssemploy	oncall	bit	
ssemploy	pager	varchar	20
ssemploy	prov_name	varchar	40
ssemploy	prov_num	char	10
ssemploy	race	varchar	42
ssemploy	racecode	char	10
ssemploy	radioid	varchar	20
ssemploy	rowguid	uniqueidentifier	
ssemploy	servtime	float	
ssemploy	sex	char	1
ssemploy	shield	char	30
ssemploy	shift	char	10
ssemploy	shift_seq	numeric	
ssemploy	sickleave	char	10
ssemploy	ssn	char	9
ssemploy	sta_seq	numeric	
ssemploy	state	char	2
ssemploy	stprefix	char	3
ssemploy	street_num	char	10
ssemploy	stsuffix	char	3
ssemploy	sttype	char	5
ssemploy	suffix	char	3
ssemploy	supervisor	bit	
ssemploy	title_seq	numeric	
ssemploy	unlisted	bit	
ssemploy	userid	varchar	100
ssemploy	zip	char	10
ssinvloc	chem_seq	numeric	
ssinvloc	chemid	char	5
ssinvloc	confidentl	char	1
ssinvloc	faclroutid	char	5
ssinvloc	loc_seq	numeric	
ssinvloc	rowguid	uniqueidentifier	
ssinvloc	site_seq	numeric	
ssinvloc	storge_loc	varchar	70
ssinvloc	storge_prs	char	1
ssinvloc	storge_tmp	char	1
ssinvloc	storge_typ	char	1
ssinvloc	update_	datetime	
ssinvsyn	chem_seq	numeric	
ssinvsyn	rowguid	uniqueidentifier	
ssinvsyn	site_seq	numeric	
ssinvsyn	syn	varchar	100

ssinvsyn	syn_seq	numeric	
ssinvtrn	acute	char	1
ssinvtrn	amb_state	char	1
ssinvtrn	ave_amt	char	2
ssinvtrn	cas	char	11
ssinvtrn	chem_name	varchar	60
ssinvtrn	chem_seq	numeric	
ssinvtrn	chemid	char	5
ssinvtrn	chronic	char	1
ssinvtrn	days	char	3
ssinvtrn	entered	datetime	
ssinvtrn	faci_name	varchar	45
ssinvtrn	faci_routid	char	5
ssinvtrn	fire	char	1
ssinvtrn	formula	varchar	21
ssinvtrn	gas	char	1
ssinvtrn	hazlab	varchar	30
ssinvtrn	lfad	char	10
ssinvtrn	lfbid	char	10
ssinvtrn	lfm	char	10
ssinvtrn	liquid	char	1
ssinvtrn	loc	float	
ssinvtrn	max_amt	char	2
ssinvtrn	mix	char	1
ssinvtrn	mixture	bit	
ssinvtrn	nfpa_f	char	1
ssinvtrn	nfpa_h	char	1
ssinvtrn	nfpa_r	char	1
ssinvtrn	nfpa_s	char	18
ssinvtrn	noaano	char	4
ssinvtrn	pressure	char	1
ssinvtrn	pure	char	1
ssinvtrn	rcra	char	4
ssinvtrn	reactive	char	1
ssinvtrn	received	datetime	
ssinvtrn	rowguid	uniqueidentifier	
ssinvtrn	rq	float	
ssinvtrn	rtecs	varchar	30
ssinvtrn	secret	char	1
ssinvtrn	signed	datetime	
ssinvtrn	site_seq	numeric	
ssinvtrn	solid	char	1
ssinvtrn	stcc	char	7
ssinvtrn	tpq	char	10
ssinvtrn	unno	char	4
ssinvtrn	update_	datetime	
ssinvtrn	year_	char	2
ssinvtrn	yn_313	char	1
ssinvtrn	yn_cercla	char	1
ssinvtrn	yn_ehs	char	1
ssrepts	allrpts	bit	
ssrepts	code	char	3
ssrepts	inactive	bit	
ssrepts	lvlseq	numeric	
ssrepts	pkvar	varchar	50

ssrepts	ptable	varchar	10
ssrepts	rowguid	uniqueidentifier	
ssrepts	seq	int	
ssrepts	srep_seq	numeric	
ssrepts	value1	varchar	254
ssrepts	value2	varchar	2000
ssupdate	groupcode	char	10
ssupdate	rowguid	uniqueidentifier	
ssupdate	ssup_seq	numeric	
ssupdate	tablename	varchar	20
ssysvars	cfield	char	1
ssysvars	comment	varchar	125
ssysvars	config_caption	varchar	25
ssysvars	config_control	varchar	25
ssysvars	config_values	varchar	100
ssysvars	dept_config	bit	
ssysvars	dept_restrict	bit	
ssysvars	dept_seq	numeric	
ssysvars	rowguid	uniqueidentifier	
ssysvars	svar_seq	numeric	
ssysvars	userid	varchar	100
ssysvars	value1	varchar	225
ssysvars	value2	float	
ssysvars	value3	bit	
ssysvars	value4	text	2147483647
ssysvars	varname	char	25
ssysvarsSAFE	cfield	char	1
ssysvarsSAFE	comment	varchar	125
ssysvarsSAFE	config_caption	varchar	25
ssysvarsSAFE	config_control	varchar	25
ssysvarsSAFE	config_values	varchar	100
ssysvarsSAFE	dept_config	bit	
ssysvarsSAFE	dept_restrict	bit	
ssysvarsSAFE	dept_seq	numeric	
ssysvarsSAFE	rowguid	uniqueidentifier	
ssysvarsSAFE	svar_seq	numeric	
ssysvarsSAFE	userid	varchar	100
ssysvarsSAFE	value1	varchar	225
ssysvarsSAFE	value2	float	
ssysvarsSAFE	value3	bit	
ssysvarsSAFE	value4	text	2147483647
ssysvarsSAFE	varname	char	25
stations	address1	varchar	60
stations	address2	varchar	60
stations	batt_seq	numeric	
stations	city	varchar	20
stations	dept_seq	numeric	
stations	loc_seq	numeric	
stations	mainfone	varchar	25
stations	rowguid	uniqueidentifier	
stations	sta_seq	numeric	
stations	staname	varchar	40
stations	state	char	2
stations	stationgps	varchar	15
stations	stationgpsx	varchar	15

stations	stationgpsy	varchar	15
stations	stationid	char	10
stations	stationzone	varchar	15
stations	stprefix	char	3
stations	street_num	char	10
stations	stsuffix	char	3
stations	sttype	char	5
stations	zip	char	10
stcont	addmark	float	
stcont	address1	varchar	60
stcont	address2	char	50
stcont	addtime	datetime	
stcont	adduser	varchar	100
stcont	agency	char	15
stcont	alcont	bit	
stcont	callorder	float	
stcont	city	char	60
stcont	emailname	varchar	40
stcont	fire_dist	char	15
stcont	firstname	char	20
stcont	geotime	datetime	
stcont	geouser	char	12
stcont	geover	bit	
stcont	hphone	varchar	24
stcont	isprime	bit	
stcont	lastname	char	30
stcont	loc_seq	numeric	
stcont	mailto	bit	
stcont	middle	char	10
stcont	mphone	varchar	24
stcont	name_seq	numeric	
stcont	name_type	varchar	20
stcont	note	varchar	200
stcont	notes	varchar	200
stcont	oth_seq	numeric	
stcont	pager	varchar	24
stcont	prefix	char	20
stcont	role	char	20
stcont	rowguid	uniqueidentifier	
stcont	site_seq	numeric	
stcont	state	char	2
stcont	stcont_seq	numeric	
stcont	stname	varchar	50
stcont	stnumber	char	8
stcont	stprefix	char	3
stcont	stsuffix	char	3
stcont	sttype	char	4
stcont	suffix	char	10
stcont	title	char	30
stcont	wphone	varchar	24
stcont	zip	char	10
stpipe	cvalveloc	varchar	50
stpipe	fdloc	varchar	50
stpipe	pip_seq	numeric	
stpipe	rowguid	uniqueidentifier	

stpipe	site_seq	numeric	
stpipe	spipeclass	char	10
stpipe	spipenote	text	2147483647
stpipe	spipesize	float	
stpipe	spipetype	varchar	20
stpipe	spipezone	varchar	50
students	carvol	char	10
students	ceu	char	10
students	cirr_seq	numeric	
students	countcertf	bit	
students	course_seq	numeric	
students	coursedate	datetime	
students	coursedesc	varchar	40
students	coursehour	float	
students	courseid	char	10
students	emp_seq	numeric	
students	name_seq	numeric	
students	notes	text	2147483647
students	passfail	bit	
students	points	char	10
students	prim_seq	numeric	
students	role	char	1
students	rowguid	uniqueidentifier	
students	score1	char	5
students	score2	char	5
students	statecerti	bit	
sysflows	fh1_coeff	char	4
sysflows	fh1_factor	char	4
sysflows	fh1_gpm	char	5
sysflows	fh1_id	varchar	20
sysflows	fh1_outlet	char	4
sysflows	fh1_pitot	char	5
sysflows	fh2_coeff	char	4
sysflows	fh2_factor	char	4
sysflows	fh2_gpm	char	5
sysflows	fh2_id	varchar	20
sysflows	fh2_outlet	char	4
sysflows	fh2_pitot	char	5
sysflows	fh3_coeff	char	4
sysflows	fh3_factor	char	4
sysflows	fh3_gpm	char	5
sysflows	fh3_id	varchar	20
sysflows	fh3_outlet	char	4
sysflows	fh3_pitot	char	5
sysflows	fh4_coeff	char	4
sysflows	fh4_factor	char	4
sysflows	fh4_gpm	char	5
sysflows	fh4_id	varchar	20
sysflows	fh4_outlet	char	4
sysflows	fh4_pitot	char	5
sysflows	fire_dist	char	10
sysflows	first	char	20
sysflows	gpmat0	char	5
sysflows	gpmat10	char	5
sysflows	gpmat20	char	5

sysflows	gpmatx	char	6
sysflows	hyd_seq	numeric	
sysflows	last	char	30
sysflows	middle	char	15
sysflows	mniseq	numeric	
sysflows	resid_psi	char	3
sysflows	rowguid	uniqueidentifier	
sysflows	sflo_seq	numeric	
sysflows	stat_psi	char	3
sysflows	suff	char	5
sysflows	test_by	char	11
sysflows	test_seq	numeric	
sysflows	testdate	datetime	
sysflows	testtime	char	5
sysflows	title	char	30
sysflows	tot_gpm	char	6
sysflows	totttime	char	4
sysflows	user_psi	float	
sysmergearticles	allow_interactive_resolver	bit	
sysmergearticles	article_resolver	nvarchar	255
sysmergearticles	artid	uniqueidentifier	
sysmergearticles	before_image_objid	int	
sysmergearticles	before_view_objid	int	
sysmergearticles	check_permissions	int	
sysmergearticles	column_tracking	int	
sysmergearticles	columns	varbinary	128
sysmergearticles	compensate_for_errors	bit	
sysmergearticles	conflict_script	nvarchar	255
sysmergearticles	conflict_table	nvarchar	128
sysmergearticles	creation_script	nvarchar	255
sysmergearticles	description	nvarchar	255
sysmergearticles	destination_object	nvarchar	128
sysmergearticles	destination_owner	nvarchar	128
sysmergearticles	excluded_col_count	int	
sysmergearticles	excluded_cols	varbinary	128
sysmergearticles	fast_multicol_updateproc	bit	
sysmergearticles	gen_cur	int	
sysmergearticles	identity_support	int	
sysmergearticles	ins_conflict_proc	nvarchar	128
sysmergearticles	insert_proc	nvarchar	128
sysmergearticles	maxversion_at_cleanup	int	
sysmergearticles	missing_col_count	int	
sysmergearticles	missing_cols	varbinary	128
sysmergearticles	name	nvarchar	128
sysmergearticles	nickname	int	
sysmergearticles	objid	int	
sysmergearticles	pre_creation_command	tinyint	
sysmergearticles	pubid	uniqueidentifier	
sysmergearticles	published_in_tran_pub	bit	
sysmergearticles	resolver_clsid	nvarchar	50
sysmergearticles	resolver_info	nvarchar	255
sysmergearticles	schema_option	binary	8
sysmergearticles	select_proc	nvarchar	128
sysmergearticles	status	tinyint	
sysmergearticles	subset_filterclause	nvarchar	1000

sysmergearticles	sync_objid	int	
sysmergearticles	type	tinyint	
sysmergearticles	update_proc	nvarchar	128
sysmergearticles	verify_resolver_signature	int	
sysmergearticles	vertical_partition	int	
sysmergearticles	view_sel_proc	nvarchar	290
sysmergearticles	view_type	tinyint	
sysmergepublications	ad_guidname	nvarchar	128
sysmergepublications	allow_anonymous	int	
sysmergepublications	allow_pull	int	
sysmergepublications	allow_push	int	
sysmergepublications	allow_subscription_copy	bit	
sysmergepublications	allow_synctoalternate	bit	
sysmergepublications	alt_snapshot_folder	nvarchar	255
sysmergepublications	backward_comp_level	int	
sysmergepublications	centralized_conflicts	int	
sysmergepublications	compress_snapshot	bit	
sysmergepublications	conflict_retention	int	
sysmergepublications	description	nvarchar	255
sysmergepublications	designmasterid	uniqueidentifier	
sysmergepublications	dynamic_filters	bit	
sysmergepublications	enabled_for_internet	bit	
sysmergepublications	ftp_address	nvarchar	128
sysmergepublications	ftp_login	nvarchar	128
sysmergepublications	ftp_password	nvarchar	524
sysmergepublications	ftp_port	int	
sysmergepublications	ftp_subdirectory	nvarchar	255
sysmergepublications	keep_before_values	int	
sysmergepublications	max_concurrent_dynamic_snapshots	int	
sysmergepublications	max_concurrent_merge	int	
sysmergepublications	name	nvarchar	128
sysmergepublications	parentid	uniqueidentifier	
sysmergepublications	post_snapshot_script	nvarchar	255
sysmergepublications	pre_snapshot_script	nvarchar	255
sysmergepublications	pubid	uniqueidentifier	
sysmergepublications	publication_type	tinyint	
sysmergepublications	publisher	nvarchar	128
sysmergepublications	publisher_db	nvarchar	128
sysmergepublications	retention	int	
sysmergepublications	snapshot_in_defaultfolder	bit	
sysmergepublications	snapshot_ready	tinyint	
sysmergepublications	status	tinyint	
sysmergepublications	sync_mode	tinyint	
sysmergepublications	validate_subscriber_info	nvarchar	500
sysmergeschemaarticles	artid	uniqueidentifier	
sysmergeschemaarticles	creation_script	nvarchar	255
sysmergeschemaarticles	description	nvarchar	255
sysmergeschemaarticles	destination_object	nvarchar	128
sysmergeschemaarticles	destination_owner	nvarchar	128
sysmergeschemaarticles	name	nvarchar	128
sysmergeschemaarticles	objid	int	
sysmergeschemaarticles	pre_creation_command	tinyint	
sysmergeschemaarticles	pubid	uniqueidentifier	
sysmergeschemaarticles	schema_option	binary	8
sysmergeschemaarticles	status	tinyint	

sysmergeschemaarticles	type	tinyint	
sysmergeschemachange	artid	uniqueidentifier	
sysmergeschemachange	pubid	uniqueidentifier	
sysmergeschemachange	schemaguid	uniqueidentifier	
sysmergeschemachange	schematext	nvarchar	2000
sysmergeschemachange	schematype	int	
sysmergeschemachange	schemaversion	int	
sysmergesubscriptions	attempted_validate	datetime	
sysmergesubscriptions	datasource_path	nvarchar	255
sysmergesubscriptions	datasource_type	int	
sysmergesubscriptions	db_name	nvarchar	128
sysmergesubscriptions	description	nvarchar	255
sysmergesubscriptions	distributor	nvarchar	128
sysmergesubscriptions	last_sync_date	datetime	
sysmergesubscriptions	last_sync_status	int	
sysmergesubscriptions	last_sync_summary	nvarchar	128
sysmergesubscriptions	last_validated	datetime	
sysmergesubscriptions	login_name	nvarchar	128
sysmergesubscriptions	partnerid	uniqueidentifier	
sysmergesubscriptions	priority	real	
sysmergesubscriptions	pubid	uniqueidentifier	
sysmergesubscriptions	publication	nvarchar	128
sysmergesubscriptions	resync_gen	int	
sysmergesubscriptions	srvid	int	
sysmergesubscriptions	status	tinyint	
sysmergesubscriptions	subid	uniqueidentifier	
sysmergesubscriptions	subscriber_server	nvarchar	128
sysmergesubscriptions	subscriber_type	int	
sysmergesubscriptions	subscription_type	int	
sysmergesubscriptions	sync_type	tinyint	
sysmergesubscriptions	use_interactive_resolver	bit	
sysmergesubscriptions	validation_level	int	
sysmergesubsetfilters	art_nickname	int	
sysmergesubsetfilters	artid	uniqueidentifier	
sysmergesubsetfilters	expand_proc	nvarchar	128
sysmergesubsetfilters	filtername	nvarchar	128
sysmergesubsetfilters	join_articlename	nvarchar	128
sysmergesubsetfilters	join_filterclause	nvarchar	1000
sysmergesubsetfilters	join_filterid	int	
sysmergesubsetfilters	join_nickname	int	
sysmergesubsetfilters	join_unique_key	int	
sysmergesubsetfilters	pubid	uniqueidentifier	
system0	fld1	char	5
system0	fld2	varchar	60
system0	rowguid	uniqueidentifier	
system1	accdisable	bit	
system1	accendtime	char	5
system1	access	char	15
system1	accexpdate	datetime	
system1	accpicklst	bit	
system1	accstarttm	char	5
system1	agency	char	4
system1	colorpref	char	10
system1	dept_seq	numeric	
system1	emp_seq	numeric	

system1	firstname	varchar	30
system1	formpref	char	10
system1	logintime	datetime	
system1	mobdate	datetime	
system1	mobstatus	float	
system1	rowguid	uniqueidentifier	
system1	sqlid	char	15
system1	sqlpswd	char	15
system1	suppgroup	varchar	20
system1	sysid	numeric	
system1	sysprivilg	char	10
system1	userid	varchar	100
system1	username	varchar	30
system1	usertype	char	1
system2	accright	char	4
system2	gaid	int	
system2	moduser	varchar	100
system2	rowguid	uniqueidentifier	
system2	sysid	numeric	
system2	windows	char	15
system3	available	float	
system3	comment	text	2147483647
system3	comments	text	2147483647
system3	descriptn	varchar	50
system3	key_field	char	30
system3	ordercid	char	1
system3	orderjail	char	1
system3	orderlegal	char	1
system3	rowguid	uniqueidentifier	
system3	system3id	numeric	
system3	windows	char	15
system3	winid	char	2
system3SAFE	available	float	
system3SAFE	comment	text	2147483647
system3SAFE	comments	text	2147483647
system3SAFE	descriptn	varchar	50
system3SAFE	key_field	char	30
system3SAFE	ordercid	char	1
system3SAFE	orderjail	char	1
system3SAFE	orderlegal	char	1
system3SAFE	rowguid	uniqueidentifier	
system3SAFE	system3id	numeric	
system3SAFE	windows	char	15
system3SAFE	winid	char	2
system4	gaid	int	
system4	grouptype	char	1
system4	rowguid	uniqueidentifier	
system4	sysid	numeric	
system4	uaid	int	
system5	accdisable	bit	
system5	accendtime	char	5
system5	accexpdate	datetime	
system5	accstarttm	char	5
system5	acctype	char	1
system5	agency	char	4

system5	consoleid	char	10
system5	descriptn	varchar	30
system5	loginid	char	15
system5	logintime	datetime	
system5	rowguid	uniqueidentifier	
system5	sysid	numeric	
system6	client	char	20
system6	rowguid	uniqueidentifier	
system6	usr	char	10
tanks	capacity	char	15
tanks	coating	varchar	20
tanks	covrdeep	varchar	20
tanks	covrtype	varchar	20
tanks	dateinst	datetime	
tanks	dateremv	datetime	
tanks	dimensions	varchar	30
tanks	fill_open	float	
tanks	installby	varchar	20
tanks	lastupdate	datetime	
tanks	leak_dect	bit	
tanks	leak_desc	varchar	20
tanks	location	varchar	80
tanks	manuf_id	char	10
tanks	manufac	varchar	20
tanks	mont_wells	bit	
tanks	notes	text	2147483647
tanks	over_flow	bit	
tanks	product_co	varchar	20
tanks	pump_type	char	15
tanks	pumping	bit	
tanks	remv_by	varchar	20
tanks	retnsize	float	
tanks	rowguid	uniqueidentifier	
tanks	site_seq	numeric	
tanks	state	varchar	20
tanks	status	char	15
tanks	tank_cons	varchar	20
tanks	tank_gage	varchar	20
tanks	tank_seq	numeric	
tanks	tank_type	varchar	20
tanks	ul_number	char	15
tanks	vap_recov	bit	
tanks	vented	bit	
tanks	ventloc	varchar	20
tanks	ventsize	float	
terms	descrip	varchar	50
terms	rowguid	uniqueidentifier	
terms	term	varchar	50
terms	termname	varchar	50
terms	termnum	int	
timezone	code	varchar	10
timezone	descr	varchar	30
timezone	rowguid	uniqueidentifier	
timezone	timezoneseq	int	
titlereq	cert_seq	numeric	

titlereq	rowguid	uniqueidentifier	
titlereq	title_seq	numeric	
titlereq	treq_seq	numeric	
titles	dept_seq	numeric	
titles	f_dist	char	15
titles	high_pay	float	
titles	level_	char	10
titles	low_pay	float	
titles	officer	bit	
titles	payperiod	char	10
titles	rowguid	uniqueidentifier	
titles	title	varchar	40
titles	title_seq	numeric	
titles	titlecode	char	6
tmpltcycle	name	char	10
tmpltcycle	note	varchar	100
tmpltcycle	permanent_	bit	
tmpltcycle	rowguid	uniqueidentifier	
tmpltcycle	tc_seq	numeric	
tmpltshift	rowguid	uniqueidentifier	
tmpltshift	tc_seq	numeric	
tmpltshift	ts_order	float	
tmpltshift	ts_seq	numeric	
tmplttour	displaylen	int	
tmplttour	displayunit	char	1
tmplttour	duty	char	10
tmplttour	length	int	
tmplttour	rowguid	uniqueidentifier	
tmplttour	ts_seq	numeric	
tmplttour	tt_seq	numeric	
tour	displaylength	int	
tour	displayunit	char	1
tour	duty	char	10
tour	length	int	
tour	rowguid	uniqueidentifier	
tour	shift	char	1
tour	shift_seq	numeric	
tour	tour_seq	numeric	
transbill	addxportfname	varchar	50
transbill	addxportfseq	numeric	
transbill	amtpaid	float	
transbill	basefee	float	
transbill	bedconfa	bit	
transbill	bedconfb	bit	
transbill	cob	varchar	105
transbill	cobco	varchar	50
transbill	destdtrm	varchar	50
transbill	destdtrmco	char	3
transbill	desttype	varchar	30
transbill	desttypeco	char	2
transbill	dispfrmseq	numeric	
transbill	dispfromtx	varchar	50
transbill	dstmileage	float	
transbill	ems_seq	numeric	
transbill	endmileage	float	

transbill	feecode	char	15
transbill	flatdest	char	15
transbill	flatrate	float	
transbill	heldisp	varchar	50
transbill	heloff	varchar	50
transbill	helpad	varchar	50
transbill	helpick	varchar	50
transbill	helptloc	varchar	50
transbill	helreq	varchar	50
transbill	heltype	varchar	50
transbill	hipaafile	bit	
transbill	hospadmit	bit	
transbill	lightsfrom	varchar	50
transbill	lightsto	varchar	50
transbill	lodmileage	float	
transbill	lodmilefee	float	
transbill	lodtotfee	float	
transbill	mednec	bit	
transbill	milefee	float	
transbill	milerate	float	
transbill	milesbey	float	
transbill	movefrunit	varchar	50
transbill	movetounit	varchar	50
transbill	movstre	bit	
transbill	numpass	varchar	50
transbill	patadmit	bit	
transbill	patdead	bit	
transbill	patdisch	bit	
transbill	paymethod	char	15
transbill	physrestr	bit	
transbill	posdest	varchar	50
transbill	postrans	varchar	50
transbill	respurg	varchar	50
transbill	roundreas	varchar	50
transbill	rowguid	uniqueidentifier	
transbill	scnmileage	float	
transbill	secondtrip	bit	
transbill	srvcavl	bit	
transbill	stmileage	float	
transbill	strechreas	varchar	50
transbill	strecthbe	varchar	30
transbill	strecthby	varchar	30
transbill	totalfee	float	
transbill	totmileage	float	
transbill	trans_seq	numeric	
transbill	transby	varchar	50
transbill	transveh	varchar	50
transbill	trantype	varchar	105
transbill	trantypeco	varchar	50
transbill	uncshock	bit	
transbill	vehiclegpsx	varchar	15
transbill	vehiclegpsy	varchar	15
transbill	vishem	bit	
transbill	waitfee	float	
transbill	waittime	char	15

transbill	xport2code	char	10
transbill	xport2name	varchar	50
transbill	xport2seq	numeric	
transbill	xportasco	char	2
transbill	xportastx	varchar	40
transbill	xportfname	varchar	50
transbill	xportfseq	numeric	
transbill	xportother	varchar	20
transbill	xportsec	varchar	20
userhist	actdate	datetime	
userhist	action	varchar	100
userhist	comment	varchar	1024
userhist	hist_seq	numeric	
userhist	item	varchar	100
userhist	item_seq	numeric	
userhist	lnktble	varchar	25
userhist	rowguid	uniqueidentifier	
userhist	success	bit	
userhist	userid	varchar	100
userpref	bool_val	float	
userpref	complytime	float	
userpref	def_city	varchar	20
userpref	def_st	char	2
userpref	def_zip	char	10
userpref	f_dist	varchar	25
userpref	fdhome	char	15
userpref	fdid	varchar	25
userpref	fdrestrict	bit	
userpref	firefilt	bit	
userpref	followtime	float	
userpref	gridrowhi	bit	
userpref	imageed	varchar	80
userpref	insp_due	float	
userpref	insp_type	varchar	80
userpref	lcas_rep	bit	
userpref	lfidid	bit	
userpref	lfire_dist	bit	
userpref	lhaz_rep	bit	
userpref	linsp_due	bit	
userpref	linsp_type	bit	
userpref	linv_rep	bit	
userpref	lsector	bit	
userpref	lsite_stat	bit	
userpref	lsite_type	bit	
userpref	lsittypeco	bit	
userpref	lxmit	bit	
userpref	newcons	bit	
userpref	opmode	float	
userpref	pmt_boolval	int	
userpref	pmt_fdist	char	15
userpref	pmt_lfdist	bit	
userpref	pmt_lsector	bit	
userpref	pmt_lstatus	bit	
userpref	pmt_ltrantype	bit	
userpref	pmt_ltype	bit	

userpref	pmt_sector	char	10
userpref	pmt_status	int	
userpref	pmt_trantype	char	10
userpref	pmt_type	varchar	20
userpref	review	bit	
userpref	rowguid	uniqueidentifier	
userpref	sector	varchar	25
userpref	showhighlt	bit	
userpref	showsplash	bit	
userpref	site_stat	varchar	80
userpref	site_type	varchar	80
userpref	sittypeco	char	2
userpref	upref_seq	numeric	
userpref	userid	varchar	100
userpref	videoplay	varchar	80
userpref	wordversion	char	3
userpref	xmit	float	
usrcontrl	baseclass	char	15
usrcontrl	caption	varchar	50
usrcontrl	contname	text	2147483647
usrcontrl	dept_seq	numeric	
usrcontrl	height	int	
usrcontrl	highcolor	int	
usrcontrl	left_	int	
usrcontrl	message	varchar	50
usrcontrl	prim_seq	numeric	
usrcontrl	required	bit	
usrcontrl	rowguid	uniqueidentifier	
usrcontrl	scxname	char	15
usrcontrl	taborder	int	
usrcontrl	top_	int	
usrcontrl	visible	bit	
usrcontrl	width	int	
usrlabel	agency	char	15
usrlabel	caption	varchar	50
usrlabel	code	char	3
usrlabel	rowguid	uniqueidentifier	
usrlabel	usr_seq	numeric	
vendors	add_user	char	11
vendors	addmark	float	
vendors	address2	char	10
vendors	addtime	datetime	
vendors	cemail	varchar	80
vendors	cfirst	char	20
vendors	city	varchar	20
vendors	clast	char	30
vendors	cmiddle	char	15
vendors	cmniseq	numeric	
vendors	contact	varchar	25
vendors	county	varchar	50
vendors	countyfips	varchar	5
vendors	csuff	char	30
vendors	fax1	varchar	24
vendors	fedtaxid	char	15
vendors	lat	varchar	30

vendors	loc_seq	numeric	
vendors	long	varchar	30
vendors	modmark	float	
vendors	modtime	datetime	
vendors	moduser	varchar	100
vendors	name	varchar	50
vendors	notes	varchar	255
vendors	phone1	varchar	24
vendors	phone2	varchar	24
vendors	rowguid	uniqueidentifier	
vendors	smliseq	numeric	
vendors	spref	char	4
vendors	ssuff	char	4
vendors	st	char	2
vendors	st_num	char	10
vendors	stateid	char	15
vendors	status	char	3
vendors	stprefix	char	3
vendors	street	varchar	30
vendors	stsuffix	char	3
vendors	sttype	char	4
vendors	stype	char	4
vendors	ven_class	char	4
vendors	ven_code	char	4
vendors	ven_seq	numeric	
vendors	xcoord	numeric	
vendors	ycoord	numeric	
vendors	zip	char	10
vendors	zone	varchar	50
venlist	list_seq	numeric	
venlist	listname	varchar	50
venlist	rowguid	uniqueidentifier	
venlist	ven_seq	numeric	
venlist	venlist_seq	numeric	
vfi_version	rowguid	uniqueidentifier	
vfi_version	rundt	datetime	
vfi_version	version_number	varchar	100
vfi_version	version_seq	int	
violate	ac_cp_date	datetime	
violate	cit_iss	bit	
violate	cleared_by	char	10
violate	clremp_seq	numeric	
violate	clrfirst	char	20
violate	clrlast	char	30
violate	clrmid	char	15
violate	clrmniseq	numeric	
violate	clrsuf	char	5
violate	comp_seq	numeric	
violate	fire_dist	char	15
violate	in_seq	numeric	
violate	insp_by	char	10
violate	non_vercp	bit	
violate	notes	text	2147483647
violate	rowguid	uniqueidentifier	
violate	rq_cp_date	datetime	

violate	site_seq	int	
violate	vio_category	char	15
violate	vio_code	varchar	100
violate	vio_date	datetime	
violate	vio_descri	text	2147483647
violate	vio_floor	float	
violate	vio_locat	varchar	40
violate	vio_seq	numeric	
vitals	addtime	datetime	
vitals	agency	char	15
vitals	beforeunit	varchar	30
vitals	bpcode	char	15
vitals	broselow	char	10
vitals	ccseyes	char	3
vitals	ccsmotor	char	3
vitals	ccstotal	char	3
vitals	ccsverbal	char	3
vitals	diastolic	char	3
vitals	ecgco	char	2
vitals	ecgrhythm	varchar	50
vitals	ems_seq	numeric	
vitals	entco2	char	3
vitals	fire_dist	char	15
vitals	gcseyes	char	3
vitals	gcsmotor	char	3
vitals	gcsqual	varchar	100
vitals	gcstotal	char	3
vitals	gcstotals	char	2
vitals	gcsverbal	char	3
vitals	glucose1	char	3
vitals	glucose2	char	3
vitals	levelcon	varchar	5
vitals	mechpulse	numeric	
vitals	medic1seq	numeric	
vitals	medic2	char	10
vitals	medic2seq	numeric	
vitals	medic3	char	10
vitals	medic3seq	numeric	
vitals	medic4	char	10
vitals	medic4seq	numeric	
vitals	medicsid	char	10
vitals	notes	varchar	100
vitals	ox1	char	3
vitals	ox2	char	3
vitals	pain	char	3
vitals	pulsedev	char	10
vitals	pulsequa	varchar	40
vitals	pulserate	char	3
vitals	respqual	varchar	40
vitals	respqualco	char	2
vitals	resprate	char	3
vitals	rowguid	uniqueidentifier	
vitals	stroke	varchar	50
vitals	systolic	char	3
vitals	temp	char	5

vitals	tempmethod	char	30
vitals	tempunit	char	3
vitals	thrombo	char	50
vitals	time_	datetime	
vitals	tsa_capr	char	3
vitals	tsa_resp	char	3
vitals	tsa_rexp	char	3
vitals	tsa_sybp	char	3
vitals	tsa_total	varchar	30
vitals	tsp_airw	char	3
vitals	tsp_cns	char	3
vitals	tsp_size	char	3
vitals	tsp_skel	char	3
vitals	tsp_sybp	char	3
vitals	tsp_total	char	3
vitals	tsp_wound	char	3
vitals	vit_seq	numeric	
zip	city	char	28
zip	rowguid	uniqueidentifier	
zip	state	char	2
zip	zipcode	char	5
zonelookup	code	char	10
zonelookup	descr	varchar	30
zonelookup	rowguid	uniqueidentifier	
zonelookup	zonelookupseq	int	
zones	code	char	10
zones	descr	varchar	30
zones	rowguid	uniqueidentifier	
zones	zonesseq	int	