

<u>Database name:</u>	<u>RMSLIVE</u>	<u>DAILY</u>	<u>DATABASE RESTRICTED</u>
	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u> <u>Size</u>
	CAD_system1_cjis	agency	char 10
	CAD_system1_cjis	firstname	char 30
	CAD_system1_cjis	lastname	char 30
	CAD_system1_cjis	sysid	int
	CAD_system1_cjis	userid	varchar 20
	CAD_system1_cjis	username	varchar 50
	CAD_system1_cjis	usertype	char 1
	CJIS_LC_Folder	Dest_Path	nvarchar 255
	CJIS_LC_Folder	Src_Path	nvarchar 255
	CJIS_LC_Folder_Details	Dest_Path	nvarchar 255
	CJIS_LC_Folder_Details	Src_Path	nvarchar 255
	CJIS_LC_Folder_Details	addtime	smalldatetime
	CJIS_LC_Folder_Details	adduser	nvarchar 11
	CJIS_LC_Folder_Details	descriptn	nvarchar 30
	CJIS_LC_Folder_Details	filename	nvarchar 45
	CJIS_LC_Folder_Details	folderid	int
	CJIS_LC_Folder_Details	lwcaseid	int
	CJIS_LC_Folder_Details	lwmainid	int
	CJIS_LC_Folder_Details	summary	ntext 1073741823
	CJIS_LC_Folder_Details	sys_attid	int
	CJIS_LC_Folder_Details	sysid	int
	CJIS_LC_Folder_Details	syskey	int
	CJIS_SECURUS_AIS	archrgid	int
	CJIS_SECURUS_AIS	bondamt	money
	CJIS_SECURUS_AIS	bondtype	char 4
	CJIS_SECURUS_AIS	book_id	int
	CJIS_SECURUS_AIS	cash_balance	money
	CJIS_SECURUS_AIS	charge_desc	varchar 60
	CJIS_SECURUS_AIS	court	varchar 20
	CJIS_SECURUS_AIS	court_date	datetime
	CJIS_SECURUS_AIS	debt_balance	money
	CJIS_SECURUS_AIS	dob	datetime
	CJIS_SECURUS_AIS	firstname	varchar 20
	CJIS_SECURUS_AIS	inmate_type	char 4
	CJIS_SECURUS_AIS	lastname	varchar 40
	CJIS_SECURUS_AIS	location	char 1
	CJIS_SECURUS_AIS	middlename	varchar 15
	CJIS_SECURUS_AIS	nobnd_flg	int
	CJIS_SECURUS_AIS	projected_release	datetime
	CJIS_SECURUS_AIS	sex	char 1
	CJIS_SECURUS_AIS	statute	char 1
	CJIS_SECURUS_AIS	total_bond	char 1
	CJIS_SECURUS_AIS	visits	int
	CJIS_inmate_assess_xref	assess_id	int
	CJIS_inmate_assess_xref	name_id	int
	CJIS_pretrial_1xoff	cntr	int
	CJIS_pretrial_1xoff	name_id	int
	CJIS_pretrial_jailpop	age	char 2
	CJIS_pretrial_jailpop	attorney	char 1
	CJIS_pretrial_jailpop	bondamt	money
	CJIS_pretrial_jailpop	bondtype	char 4
	CJIS_pretrial_jailpop	book_id	int
	CJIS_pretrial_jailpop	chargetype	varchar 60
	CJIS_pretrial_jailpop	confreason	char 4
	CJIS_pretrial_jailpop	courtdate	datetime
	CJIS_pretrial_jailpop	employer	varchar 30
	CJIS_pretrial_jailpop	fel_misd	char 1
	CJIS_pretrial_jailpop	mentalhealth	char 1
	CJIS_pretrial_jailpop	name_id	int

CJIS_pretrial_jailpop	pretlostay	int	
CJIS_pretrial_jailpop	ptrlsent	char	4
CJIS_pretrial_jailpop	race	char	2
CJIS_pretrial_jailpop	releasedb4crt	char	1
CJIS_pretrial_jailpop	reltype	char	4
CJIS_pretrial_jailpop	sentdays	int	
CJIS_pretrial_jailpop	sentlostay	int	
CJIS_pretrial_jailpop	sex	char	1
CJIS_pretrial_jailpop	wkend	char	1
CJIS_pretrial_repeatoff	name_id	int	
CJIS_pretrial_repeatoff	newid	int	
CJIS_pretrial_repeatoff	repno	int	
CJIS_sys_att_03252010	addtime	datetime	
CJIS_sys_att_03252010	adduser	varchar	11
CJIS_sys_att_03252010	creserve1	char	4
CJIS_sys_att_03252010	descriptn	varchar	30
CJIS_sys_att_03252010	filename	varchar	45
CJIS_sys_att_03252010	folder	varchar	25
CJIS_sys_att_03252010	folderid	int	
CJIS_sys_att_03252010	origvalue	varchar	12
CJIS_sys_att_03252010	sendtopa	char	1
CJIS_sys_att_03252010	summary	text	2147483647
CJIS_sys_att_03252010	sys_attid	int	
CJIS_sys_att_03252010	sysid	int	
CJIS_sys_att_03252010	syskey	char	2
JDLYCNT_BKUP	addtime	datetime	
JDLYCNT_BKUP	adduser	varchar	11
JDLYCNT_BKUP	adultjuv	char	1
JDLYCNT_BKUP	age	char	2
JDLYCNT_BKUP	agency	char	4
JDLYCNT_BKUP	bed	char	6
JDLYCNT_BKUP	birthplace	char	4
JDLYCNT_BKUP	birthstate	char	4
JDLYCNT_BKUP	book_id	int	
JDLYCNT_BKUP	charge	varchar	60
JDLYCNT_BKUP	chargetype	char	1
JDLYCNT_BKUP	confincode	char	4
JDLYCNT_BKUP	creserve1	char	4
JDLYCNT_BKUP	creserve2	char	4
JDLYCNT_BKUP	faci_id	int	
JDLYCNT_BKUP	facility	char	4
JDLYCNT_BKUP	floorflag	char	1
JDLYCNT_BKUP	jailstat	char	4
JDLYCNT_BKUP	jdate	datetime	
JDLYCNT_BKUP	jdlycntid	int	
JDLYCNT_BKUP	jdstat	char	4
JDLYCNT_BKUP	jurisdtype	char	1
JDLYCNT_BKUP	milbranch	char	4
JDLYCNT_BKUP	milstatus	char	4
JDLYCNT_BKUP	name_id	int	
JDLYCNT_BKUP	nreserve1	int	
JDLYCNT_BKUP	race	char	2
JDLYCNT_BKUP	residcode	char	4
JDLYCNT_BKUP	section	char	10
JDLYCNT_BKUP	secuclass	char	4
JDLYCNT_BKUP	sex	char	1
JDLYCNT_BKUP	templocatn	varchar	15
JDLYCNT_BKUP	unit	char	10
JDLYCNT_BKUP	weekender	char	1
JDLYCNT_FIX	addtime	datetime	
JDLYCNT_FIX	adduser	varchar	11

JDLYCNT_FIX	adultjuv	char	1
JDLYCNT_FIX	age	char	2
JDLYCNT_FIX	agency	char	4
JDLYCNT_FIX	bed	char	6
JDLYCNT_FIX	birthplace	char	4
JDLYCNT_FIX	birthstate	char	4
JDLYCNT_FIX	book_id	int	
JDLYCNT_FIX	charge	varchar	60
JDLYCNT_FIX	chargetype	char	1
JDLYCNT_FIX	confincode	char	4
JDLYCNT_FIX	creserve1	char	4
JDLYCNT_FIX	creserve2	char	4
JDLYCNT_FIX	faci_id	int	
JDLYCNT_FIX	facility	char	4
JDLYCNT_FIX	floorflag	char	1
JDLYCNT_FIX	jailstat	char	4
JDLYCNT_FIX	jdate	datetime	
JDLYCNT_FIX	jdlycntid	int	
JDLYCNT_FIX	jdstat	char	4
JDLYCNT_FIX	jurisdtype	char	1
JDLYCNT_FIX	milbranch	char	4
JDLYCNT_FIX	milstatus	char	4
JDLYCNT_FIX	name_id	int	
JDLYCNT_FIX	nreserve1	int	
JDLYCNT_FIX	race	char	2
JDLYCNT_FIX	residcode	char	4
JDLYCNT_FIX	section	char	10
JDLYCNT_FIX	secuclass	char	4
JDLYCNT_FIX	sex	char	1
JDLYCNT_FIX	templocatn	varchar	15
JDLYCNT_FIX	unit	char	10
JDLYCNT_FIX	weekender	char	1
JMMAIN_PAGE3	O_udftext1	varchar	30
JMMAIN_PAGE3	O_udftext2	varchar	30
JMMAIN_PAGE3	O_udftext3	varchar	30
JMMAIN_PAGE3	O_udftext4	varchar	30
JMMAIN_PAGE3	O_udftext5	varchar	30
JMMAIN_PAGE3	O_udftext6	varchar	30
JMMAIN_PAGE3	O_udftext7	varchar	30
JMMAIN_PAGE3	O_udftext8	varchar	30
JMMAIN_PAGE3	O_udftext9	varchar	30
JMMAIN_PAGE3	book_id	int	
JMMAIN_PAGE3	name_id	int	
LORYX_AKA_CJIS	addtime	datetime	
LORYX_AKA_CJIS	dl_state	char	2
LORYX_AKA_CJIS	dob	datetime	
LORYX_AKA_CJIS	dr_lic	varchar	25
LORYX_AKA_CJIS	firstname	varchar	20
LORYX_AKA_CJIS	lastname	varchar	40
LORYX_AKA_CJIS	middlename	varchar	15
LORYX_AKA_CJIS	name_id	int	
LORYX_AKA_CJIS	race	char	2
LORYX_AKA_CJIS	race_desc	varchar	32
LORYX_AKA_CJIS	realname_id	int	
LORYX_AKA_CJIS	ssn	char	9
LORYX_AKA_CJIS	userecord_flag	char	1
LORYX_ARREST_CJIS	addtime	datetime	
LORYX_ARREST_CJIS	armainid	int	
LORYX_ARREST_CJIS	arr_offcr	char	6
LORYX_ARREST_CJIS	arr_offcrnm	varchar	20
LORYX_ARREST_CJIS	arr_type	char	4

LORYX_ARREST_CJIS	arr_type_desc	varchar	16
LORYX_ARREST_CJIS	arrest_agency	char	4
LORYX_ARREST_CJIS	arrloc	varchar	50
LORYX_ARREST_CJIS	book_id	int	
LORYX_ARREST_CJIS	date_arr	datetime	
LORYX_ARREST_CJIS	name_id	int	
LORYX_ARREST_CJIS	time_arr	varchar	8
LORYX_ARREST_CJIS	userecord_flag	char	1
LORYX_ARREST_CJIS	warrant_type	char	4
LORYX_ARR_BOOK_CJIS	addtime	datetime	
LORYX_ARR_BOOK_CJIS	armainid	int	
LORYX_ARR_BOOK_CJIS	arr_offcr	char	6
LORYX_ARR_BOOK_CJIS	arr_offcrnm	varchar	20
LORYX_ARR_BOOK_CJIS	arr_type	char	4
LORYX_ARR_BOOK_CJIS	arr_type_desc	varchar	16
LORYX_ARR_BOOK_CJIS	arrest_agency	char	4
LORYX_ARR_BOOK_CJIS	arrloc	varchar	50
LORYX_ARR_BOOK_CJIS	book_id	int	
LORYX_ARR_BOOK_CJIS	bookdate	datetime	
LORYX_ARR_BOOK_CJIS	booktime	char	5
LORYX_ARR_BOOK_CJIS	confreason	char	4
LORYX_ARR_BOOK_CJIS	date_arr	datetime	
LORYX_ARR_BOOK_CJIS	est_release	datetime	
LORYX_ARR_BOOK_CJIS	facilitysect	varchar	16
LORYX_ARR_BOOK_CJIS	gang	char	1
LORYX_ARR_BOOK_CJIS	hold_note	varchar	60
LORYX_ARR_BOOK_CJIS	medical	char	1
LORYX_ARR_BOOK_CJIS	name_id	int	
LORYX_ARR_BOOK_CJIS	nxt_courtdt	datetime	
LORYX_ARR_BOOK_CJIS	status	varchar	12
LORYX_ARR_BOOK_CJIS	time_arr	varchar	8
LORYX_ARR_BOOK_CJIS	type	varchar	10
LORYX_ARR_BOOK_CJIS	userecord_flag	char	1
LORYX_ARR_BOOK_CJIS	violence	char	1
LORYX_ARR_BOOK_CJIS	warrant_type	char	4
LORYX_BOOKING_CJIS	addtime	datetime	
LORYX_BOOKING_CJIS	book_id	int	
LORYX_BOOKING_CJIS	bookdate	datetime	
LORYX_BOOKING_CJIS	booktime	char	5
LORYX_BOOKING_CJIS	confreason	char	4
LORYX_BOOKING_CJIS	est_release	datetime	
LORYX_BOOKING_CJIS	facilitysect	varchar	16
LORYX_BOOKING_CJIS	gang	char	1
LORYX_BOOKING_CJIS	hold_note	varchar	60
LORYX_BOOKING_CJIS	medical	char	1
LORYX_BOOKING_CJIS	name_id	int	
LORYX_BOOKING_CJIS	nxt_courtdt	datetime	
LORYX_BOOKING_CJIS	status	varchar	12
LORYX_BOOKING_CJIS	type	varchar	10
LORYX_BOOKING_CJIS	userecord_flag	char	1
LORYX_BOOKING_CJIS	violence	char	1
LORYX_CASE_CJIS	actbond	money	
LORYX_CASE_CJIS	addtime	datetime	
LORYX_CASE_CJIS	anynobond	char	4
LORYX_CASE_CJIS	aoccode	char	4
LORYX_CASE_CJIS	archrgid	int	
LORYX_CASE_CJIS	armainid	int	
LORYX_CASE_CJIS	bdstat	char	4
LORYX_CASE_CJIS	bdtype	char	4
LORYX_CASE_CJIS	bond	money	
LORYX_CASE_CJIS	book_id	int	

LORYX_CASE_CJIS	case_notes	varchar	200
LORYX_CASE_CJIS	case_status	varchar	10
LORYX_CASE_CJIS	case_type	varchar	15
LORYX_CASE_CJIS	category	varchar	10
LORYX_CASE_CJIS	chrg_cnt	int	
LORYX_CASE_CJIS	chrg_notes	varchar	60
LORYX_CASE_CJIS	chrg_seq	tinyint	
LORYX_CASE_CJIS	chrgagency	char	4
LORYX_CASE_CJIS	chrgdesc	varchar	60
LORYX_CASE_CJIS	chrgstat	char	4
LORYX_CASE_CJIS	court_desc	varchar	16
LORYX_CASE_CJIS	courtcode	char	4
LORYX_CASE_CJIS	courtdate	datetime	
LORYX_CASE_CJIS	docketno	varchar	20
LORYX_CASE_CJIS	domesticv	char	4
LORYX_CASE_CJIS	estrelease	datetime	
LORYX_CASE_CJIS	fel_misd	char	1
LORYX_CASE_CJIS	jurisdiction	varchar	16
LORYX_CASE_CJIS	nameid	int	
LORYX_CASE_CJIS	nobond	char	4
LORYX_CASE_CJIS	notifyvict	char	4
LORYX_CASE_CJIS	proctype	char	4
LORYX_CASE_CJIS	speccirc_dv	varchar	35
LORYX_CASE_CJIS	statute	varchar	24
LORYX_CASE_CJIS	totactbond	money	
LORYX_CASE_CJIS	totalbond	money	
LORYX_CASE_CJIS	userecord_flag	char	1
LORYX_CASE_CJIS	want_id	int	
LORYX_CASE_EXC_CJIS	addtime	datetime	
LORYX_CASE_EXC_CJIS	aoccode	char	6
LORYX_CASE_EXC_CJIS	arrest_id	int	
LORYX_CASE_EXC_CJIS	book_id	int	
LORYX_CASE_EXC_CJIS	casetype	char	2
LORYX_CASE_EXC_CJIS	charge_id	int	
LORYX_CASE_EXC_CJIS	chrg_notes	varchar	60
LORYX_CASE_EXC_CJIS	chrgagency	char	4
LORYX_CASE_EXC_CJIS	chrgdesc	varchar	60
LORYX_CASE_EXC_CJIS	chrgstat	char	4
LORYX_CASE_EXC_CJIS	courtcode	char	4
LORYX_CASE_EXC_CJIS	courtdate	datetime	
LORYX_CASE_EXC_CJIS	docketno	varchar	20
LORYX_CASE_EXC_CJIS	domesticv	char	4
LORYX_CASE_EXC_CJIS	estrelease	datetime	
LORYX_CASE_EXC_CJIS	fel_misd	char	1
LORYX_CASE_EXC_CJIS	notifyvict	char	4
LORYX_CASE_EXC_CJIS	statute	varchar	25
LORYX_CASE_EXC_CJIS	userecord_flag	char	1
LORYX_CASE_EXC_CJIS	want_id	int	
LORYX_JALERTS_CJIS	alert	char	4
LORYX_JALERTS_CJIS	name_id	int	
LORYX_JALERTS_CJIS	nmalertid	int	
LORYX_JHOLDS_CJIS	book_id	int	
LORYX_JHOLDS_CJIS	hold_id	int	
LORYX_JHOLDS_CJIS	holdagency	char	4
LORYX_JHOLDS_CJIS	name_id	int	
LORYX_MASTERNAME_CJIS	address	varchar	50
LORYX_MASTERNAME_CJIS	addtime	datetime	
LORYX_MASTERNAME_CJIS	apt_flr	char	10
LORYX_MASTERNAME_CJIS	apt_flr_mod	varchar	5
LORYX_MASTERNAME_CJIS	birthcntry	char	2
LORYX_MASTERNAME_CJIS	birthcntry_desc	varchar	18

LORYX_MASTERNAME_CJIS	birthplace	varchar	20
LORYX_MASTERNAME_CJIS	birthstate	char	2
LORYX_MASTERNAME_CJIS	city	varchar	20
LORYX_MASTERNAME_CJIS	dl_state	char	2
LORYX_MASTERNAME_CJIS	dob	datetime	
LORYX_MASTERNAME_CJIS	dr_lic	varchar	25
LORYX_MASTERNAME_CJIS	eaddr	varchar	42
LORYX_MASTERNAME_CJIS	ecity	varchar	32
LORYX_MASTERNAME_CJIS	empl_addr	varchar	100
LORYX_MASTERNAME_CJIS	employer	char	30
LORYX_MASTERNAME_CJIS	estate	varchar	2
LORYX_MASTERNAME_CJIS	ethnic	char	1
LORYX_MASTERNAME_CJIS	ethnic_desc	varchar	22
LORYX_MASTERNAME_CJIS	eye	char	4
LORYX_MASTERNAME_CJIS	eye_desc	varchar	12
LORYX_MASTERNAME_CJIS	ezip	varchar	10
LORYX_MASTERNAME_CJIS	firstname	varchar	20
LORYX_MASTERNAME_CJIS	hair	char	4
LORYX_MASTERNAME_CJIS	hair_desc	varchar	12
LORYX_MASTERNAME_CJIS	height	char	4
LORYX_MASTERNAME_CJIS	hphone	char	10
LORYX_MASTERNAME_CJIS	lastname	varchar	40
LORYX_MASTERNAME_CJIS	marital	char	1
LORYX_MASTERNAME_CJIS	marital_desc	varchar	12
LORYX_MASTERNAME_CJIS	middlename	varchar	15
LORYX_MASTERNAME_CJIS	name_id	int	
LORYX_MASTERNAME_CJIS	occupation	varchar	15
LORYX_MASTERNAME_CJIS	race	char	2
LORYX_MASTERNAME_CJIS	race_desc	varchar	32
LORYX_MASTERNAME_CJIS	sex	char	1
LORYX_MASTERNAME_CJIS	skintone	char	6
LORYX_MASTERNAME_CJIS	skintone_desc	varchar	12
LORYX_MASTERNAME_CJIS	ssn	char	9
LORYX_MASTERNAME_CJIS	state	char	2
LORYX_MASTERNAME_CJIS	userecord_flag	char	1
LORYX_MASTERNAME_CJIS	weight	int	
LORYX_MASTERNAME_CJIS	wphone	char	10
LORYX_MASTERNAME_CJIS	zip	char	10
LORYX_NEWCHARGES_CJIS	addr_csz	varchar	50
LORYX_NEWCHARGES_CJIS	address	varchar	50
LORYX_NEWCHARGES_CJIS	addtime	datetime	
LORYX_NEWCHARGES_CJIS	aocode	char	6
LORYX_NEWCHARGES_CJIS	apt_flr	char	10
LORYX_NEWCHARGES_CJIS	archrgid	int	
LORYX_NEWCHARGES_CJIS	armainid	int	
LORYX_NEWCHARGES_CJIS	birthcntry	char	2
LORYX_NEWCHARGES_CJIS	birthplace	varchar	20
LORYX_NEWCHARGES_CJIS	birthstate	char	2
LORYX_NEWCHARGES_CJIS	bondamt	money	
LORYX_NEWCHARGES_CJIS	bondstatus	char	4
LORYX_NEWCHARGES_CJIS	bondstdate	datetime	
LORYX_NEWCHARGES_CJIS	bondtype	char	4
LORYX_NEWCHARGES_CJIS	book_id	int	
LORYX_NEWCHARGES_CJIS	case_type	char	2
LORYX_NEWCHARGES_CJIS	chrgagency	char	4
LORYX_NEWCHARGES_CJIS	chrgdesc	varchar	20
LORYX_NEWCHARGES_CJIS	chrgstat	char	4
LORYX_NEWCHARGES_CJIS	courtcode	char	4
LORYX_NEWCHARGES_CJIS	courtdate	datetime	
LORYX_NEWCHARGES_CJIS	dob	datetime	
LORYX_NEWCHARGES_CJIS	docketno	varchar	20

LORYX_NEWCHARGES_CJIS	domesticv	char	4
LORYX_NEWCHARGES_CJIS	dr_lic	varchar	25
LORYX_NEWCHARGES_CJIS	dr_state	char	2
LORYX_NEWCHARGES_CJIS	empl_addr	text	2147483647
LORYX_NEWCHARGES_CJIS	employer	char	30
LORYX_NEWCHARGES_CJIS	ethnic	char	1
LORYX_NEWCHARGES_CJIS	eye	char	4
LORYX_NEWCHARGES_CJIS	fel_misd	char	1
LORYX_NEWCHARGES_CJIS	firstname	varchar	20
LORYX_NEWCHARGES_CJIS	hair	char	4
LORYX_NEWCHARGES_CJIS	height	char	4
LORYX_NEWCHARGES_CJIS	hphone	char	10
LORYX_NEWCHARGES_CJIS	lastname	varchar	40
LORYX_NEWCHARGES_CJIS	marital	char	1
LORYX_NEWCHARGES_CJIS	middlename	varchar	15
LORYX_NEWCHARGES_CJIS	name_id	int	
LORYX_NEWCHARGES_CJIS	notifyvict	char	4
LORYX_NEWCHARGES_CJIS	occupation	varchar	15
LORYX_NEWCHARGES_CJIS	race	char	2
LORYX_NEWCHARGES_CJIS	sex	char	1
LORYX_NEWCHARGES_CJIS	skintone	char	6
LORYX_NEWCHARGES_CJIS	ssn	char	9
LORYX_NEWCHARGES_CJIS	statute	varchar	25
LORYX_NEWCHARGES_CJIS	userecord_flag	char	1
LORYX_NEWCHARGES_CJIS	want_id	int	
LORYX_NEWCHARGES_CJIS	weight	int	
LORYX_NEWCHARGES_CJIS	wphone	char	10
LORYX_NMMERGE_CJIS	addtime	datetime	
LORYX_NMMERGE_CJIS	akfname	varchar	20
LORYX_NMMERGE_CJIS	akid	int	
LORYX_NMMERGE_CJIS	aklname	varchar	40
LORYX_NMMERGE_CJIS	akmname	varchar	15
LORYX_NMMERGE_CJIS	hidt	datetime	
LORYX_NMMERGE_CJIS	lowdt	datetime	
LORYX_NMMERGE_CJIS	mstfname	varchar	20
LORYX_NMMERGE_CJIS	mstid	int	
LORYX_NMMERGE_CJIS	mstlname	varchar	40
LORYX_NMMERGE_CJIS	mstmname	varchar	15
LORYX_RUNDATES	BeginDate	datetime	
LORYX_RUNDATES	EndDate	datetime	
LORYX_RUNDATES	Force_Flag	bit	
LORYX_SMT_CJIS	addtime	datetime	
LORYX_SMT_CJIS	bodypart	varchar	50
LORYX_SMT_CJIS	bodypart_desc	varchar	12
LORYX_SMT_CJIS	descriptn	varchar	24
LORYX_SMT_CJIS	location	char	4
LORYX_SMT_CJIS	location_desc	varchar	12
LORYX_SMT_CJIS	name_id	int	
LORYX_SMT_CJIS	nmsmt_id	int	
LORYX_SMT_CJIS	smt_added	datetime	
LORYX_SMT_CJIS	smttype	char	4
LORYX_SMT_CJIS	smttype_desc	varchar	12
LORYX_SMT_CJIS	userecord_flag	char	1
LORYX_STATUTE_CJIS	addtime	datetime	
LORYX_STATUTE_CJIS	chrgdesc	varchar	60
LORYX_STATUTE_CJIS	felonytype	char	1
LORYX_STATUTE_CJIS	ibrgroup	char	2
LORYX_STATUTE_CJIS	mfti	char	1
LORYX_STATUTE_CJIS	statute	varchar	24
LORYX_STATUTE_CJIS	type	varchar	8
LORYX_ossitoloryx_import	Force	bit	

LORYX_ossitoloryx_import	LastTimeRun	datetime	
LORYX_ossitoloryx_import	TimeofExecution	datetime	
MSdynamicsnapshotjobs	agent_id	int	
MSdynamicsnapshotjobs	computed_dynsnap_location	bit	
MSdynamicsnapshotjobs	dynamic_filter_hostname	nvarchar	128
MSdynamicsnapshotjobs	dynamic_filter_login	nvarchar	128
MSdynamicsnapshotjobs	dynamic_snapshot_location	nvarchar	255
MSdynamicsnapshotjobs	id	int	
MSdynamicsnapshotjobs	job_id	uniqueidentifier	
MSdynamicsnapshotjobs	name	nvarchar	128
MSdynamicsnapshotjobs	partition_id	int	
MSdynamicsnapshotjobs	pubid	uniqueidentifier	
MSdynamicsnapshotviews	dynamic_snapshot_view_name	nvarchar	128
MSmerge_agent_parameters	parameter_name	nvarchar	128
MSmerge_agent_parameters	profile_name	nvarchar	128
MSmerge_agent_parameters	value	nvarchar	255
MSmerge_altsyncpartners	alternate_subid	uniqueidentifier	
MSmerge_altsyncpartners	description	nvarchar	255
MSmerge_altsyncpartners	subid	uniqueidentifier	
MSmerge_articlehistory	article_name	nvarchar	128
MSmerge_articlehistory	conflicts	int	
MSmerge_articlehistory	deletes	int	
MSmerge_articlehistory	duration	int	
MSmerge_articlehistory	estimated_changes	int	
MSmerge_articlehistory	inserts	int	
MSmerge_articlehistory	percent_complete	decimal	
MSmerge_articlehistory	phase_id	int	
MSmerge_articlehistory	relative_cost	decimal	
MSmerge_articlehistory	rows_retried	int	
MSmerge_articlehistory	session_id	int	
MSmerge_articlehistory	start_time	datetime	
MSmerge_articlehistory	updates	int	
MSmerge_conflict_emmain_emmain	addrid	int	
MSmerge_conflict_emmain_emmain	addtime	datetime	
MSmerge_conflict_emmain_emmain	adduser	varchar	11
MSmerge_conflict_emmain_emmain	adusername	varchar	100
MSmerge_conflict_emmain_emmain	agency	char	4
MSmerge_conflict_emmain_emmain	agencytype	char	4
MSmerge_conflict_emmain_emmain	apt_flr	char	10
MSmerge_conflict_emmain_emmain	b_timesht	char	1
MSmerge_conflict_emmain_emmain	beat	char	10
MSmerge_conflict_emmain_emmain	blood_type	char	3
MSmerge_conflict_emmain_emmain	c_cad_____	char	1
MSmerge_conflict_emmain_emmain	canine	char	4
MSmerge_conflict_emmain_emmain	car	char	10
MSmerge_conflict_emmain_emmain	cellphone	char	10
MSmerge_conflict_emmain_emmain	city	varchar	20
MSmerge_conflict_emmain_emmain	cnt_cnt	tinyint	
MSmerge_conflict_emmain_emmain	comments	varchar	60
MSmerge_conflict_emmain_emmain	contactlen	char	4
MSmerge_conflict_emmain_emmain	countyid	char	10
MSmerge_conflict_emmain_emmain	courtcivil	char	2
MSmerge_conflict_emmain_emmain	courtraffc	char	2
MSmerge_conflict_emmain_emmain	daysoff	char	7
MSmerge_conflict_emmain_emmain	decalnbr	char	5
MSmerge_conflict_emmain_emmain	doctoraddr	varchar	30
MSmerge_conflict_emmain_emmain	doctorpage	char	10
MSmerge_conflict_emmain_emmain	doctorph_h	char	10
MSmerge_conflict_emmain_emmain	doctorph_w	varchar	15
MSmerge_conflict_emmain_emmain	emage	tinyint	
MSmerge_conflict_emmain_emmain	embudgetno	char	8

MSmerge_conflict_emmain_emmain	emcad_type	char	1
MSmerge_conflict_emmain_emmain	emcar_nbr	char	4
MSmerge_conflict_emmain_emmain	emcomprule	tinyint	
MSmerge_conflict_emmain_emmain	emdatehire	datetime	
MSmerge_conflict_emmain_emmain	emdateswrn	datetime	
MSmerge_conflict_emmain_emmain	emdateterm	datetime	
MSmerge_conflict_emmain_emmain	emdef_hour	decimal	
MSmerge_conflict_emmain_emmain	emdegree	char	3
MSmerge_conflict_emmain_emmain	emdepend	int	
MSmerge_conflict_emmain_emmain	emdept_id	char	10
MSmerge_conflict_emmain_emmain	emdivision	char	4
MSmerge_conflict_emmain_emmain	emdivs_grp	char	1
MSmerge_conflict_emmain_emmain	emdivs_pri	char	1
MSmerge_conflict_emmain_emmain	emdob	datetime	
MSmerge_conflict_emmain_emmain	emdrgexemp	bit	
MSmerge_conflict_emmain_emmain	ememail	text	2147483647
MSmerge_conflict_emmain_emmain	emethnic	char	1
MSmerge_conflict_emmain_emmain	emeye	char	4
MSmerge_conflict_emmain_emmain	emfname	varchar	20
MSmerge_conflict_emmain_emmain	emg_____	char	1
MSmerge_conflict_emmain_emmain	emgaddr1	varchar	30
MSmerge_conflict_emmain_emmain	emgaddr2	varchar	30
MSmerge_conflict_emmain_emmain	emgcontnm1	varchar	25
MSmerge_conflict_emmain_emmain	emgdoctor	varchar	25
MSmerge_conflict_emmain_emmain	emgpager	char	10
MSmerge_conflict_emmain_emmain	emgphn1_h	char	10
MSmerge_conflict_emmain_emmain	emgphn1_w	varchar	15
MSmerge_conflict_emmain_emmain	emgrelatn1	char	10
MSmerge_conflict_emmain_emmain	emhair	char	4
MSmerge_conflict_emmain_emmain	emheight	char	4
MSmerge_conflict_emmain_emmain	emhphone	char	10
MSmerge_conflict_emmain_emmain	emisoncall	bit	
MSmerge_conflict_emmain_emmain	emjobcd	char	6
MSmerge_conflict_emmain_emmain	emjobtitle	varchar	20
MSmerge_conflict_emmain_emmain	emlastgrad	tinyint	
MSmerge_conflict_emmain_emmain	emlname	varchar	25
MSmerge_conflict_emmain_emmain	emloc	char	10
MSmerge_conflict_emmain_emmain	emmarital	char	4
MSmerge_conflict_emmain_emmain	emmbphone	char	10
MSmerge_conflict_emmain_emmain	emmedalt1	char	10
MSmerge_conflict_emmain_emmain	emmname	varchar	15
MSmerge_conflict_emmain_emmain	emnotes	text	2147483647
MSmerge_conflict_emmain_emmain	emoln	varchar	25
MSmerge_conflict_emmain_emmain	emolndate	datetime	
MSmerge_conflict_emmain_emmain	empager	char	10
MSmerge_conflict_emmain_emmain	empagerpin	char	10
MSmerge_conflict_emmain_emmain	emparttime	bit	
MSmerge_conflict_emmain_emmain	emphoto	char	1
MSmerge_conflict_emmain_emmain	empl_id	int	
MSmerge_conflict_emmain_emmain	empl_type	tinyint	
MSmerge_conflict_emmain_emmain	emrace	char	2
MSmerge_conflict_emmain_emmain	emrank	char	10
MSmerge_conflict_emmain_emmain	emrankdate	datetime	
MSmerge_conflict_emmain_emmain	emsalaryty	tinyint	
MSmerge_conflict_emmain_emmain	emsection	char	4
MSmerge_conflict_emmain_emmain	emsecurity	char	1
MSmerge_conflict_emmain_emmain	emsex	char	1
MSmerge_conflict_emmain_emmain	emshift	char	4
MSmerge_conflict_emmain_emmain	emsignatur	bit	
MSmerge_conflict_emmain_emmain	emssn	char	9
MSmerge_conflict_emmain_emmain	emsuffix	char	3

MSmerge_conflict_emmain_emmain	emsupervs	bit	
MSmerge_conflict_emmain_emmain	emtermnote	varchar	15
MSmerge_conflict_emmain_emmain	emtimewrkd	tinyint	
MSmerge_conflict_emmain_emmain	emtype	char	4
MSmerge_conflict_emmain_emmain	emunit	char	4
MSmerge_conflict_emmain_emmain	emunitkey	char	2
MSmerge_conflict_emmain_emmain	emuserid	varchar	11
MSmerge_conflict_emmain_emmain	emweight	int	
MSmerge_conflict_emmain_emmain	emworkweek	varchar	15
MSmerge_conflict_emmain_emmain	emwphone	varchar	15
MSmerge_conflict_emmain_emmain	enddate	datetime	
MSmerge_conflict_emmain_emmain	endtime	char	4
MSmerge_conflict_emmain_emmain	geoother	varchar	15
MSmerge_conflict_emmain_emmain	geox	int	
MSmerge_conflict_emmain_emmain	geoy	int	
MSmerge_conflict_emmain_emmain	histflag	char	5
MSmerge_conflict_emmain_emmain	hospital	varchar	20
MSmerge_conflict_emmain_emmain	idexpdate	datetime	
MSmerge_conflict_emmain_emmain	jailuser1	varchar	65
MSmerge_conflict_emmain_emmain	longvtdate	datetime	
MSmerge_conflict_emmain_emmain	lunch	char	4
MSmerge_conflict_emmain_emmain	med_alert	text	2147483647
MSmerge_conflict_emmain_emmain	mfrreview	varchar	100
MSmerge_conflict_emmain_emmain	modtime	datetime	
MSmerge_conflict_emmain_emmain	moduser	varchar	11
MSmerge_conflict_emmain_emmain	nondepart	char	4
MSmerge_conflict_emmain_emmain	notifyby	int	
MSmerge_conflict_emmain_emmain	offsign	varbinary	50
MSmerge_conflict_emmain_emmain	origin_datasource_id	uniqueidentifier	
MSmerge_conflict_emmain_emmain	phyexamdt	datetime	
MSmerge_conflict_emmain_emmain	posnumber	char	12
MSmerge_conflict_emmain_emmain	radioid	char	10
MSmerge_conflict_emmain_emmain	rowguid	uniqueidentifier	
MSmerge_conflict_emmain_emmain	startdate	datetime	
MSmerge_conflict_emmain_emmain	starttime	char	4
MSmerge_conflict_emmain_emmain	state	char	2
MSmerge_conflict_emmain_emmain	stateid	varchar	20
MSmerge_conflict_emmain_emmain	street	varchar	30
MSmerge_conflict_emmain_emmain	streetdir	char	2
MSmerge_conflict_emmain_emmain	streetnbr	char	5
MSmerge_conflict_emmain_emmain	supervisor	int	
MSmerge_conflict_emmain_emmain	sysflag	char	8
MSmerge_conflict_emmain_emmain	udchkbbox1	bit	
MSmerge_conflict_emmain_emmain	udfield1	char	4
MSmerge_conflict_emmain_emmain	udfield2	char	4
MSmerge_conflict_emmain_emmain	udfield3	char	10
MSmerge_conflict_emmain_emmain	udfield4	char	4
MSmerge_conflict_emmain_emmain	udfield5	char	4
MSmerge_conflict_emmain_emmain	unlisted	bit	
MSmerge_conflict_emmain_emmain	zip	char	10
MSmerge_conflicts_info	MSrepl_create_time	datetime	
MSmerge_conflicts_info	conflict_type	int	
MSmerge_conflicts_info	origin_datasource	nvarchar	255
MSmerge_conflicts_info	origin_datasource_id	uniqueidentifier	
MSmerge_conflicts_info	pubid	uniqueidentifier	
MSmerge_conflicts_info	reason_code	int	
MSmerge_conflicts_info	reason_text	nvarchar	720
MSmerge_conflicts_info	rowguid	uniqueidentifier	
MSmerge_conflicts_info	tablenick	int	
MSmerge_contents	colv1	varbinary	2953
MSmerge_contents	generation	bigint	

MSmerge_contents	lineage	varbinary	311
MSmerge_contents	logical_record_lineage	varbinary	311
MSmerge_contents	logical_record_parent_rowguid	uniqueidentifier	
MSmerge_contents	marker	uniqueidentifier	
MSmerge_contents	partchangegeen	bigint	
MSmerge_contents	rowguid	uniqueidentifier	
MSmerge_contents	tablenick	int	
MSmerge_current_partition_mappings	partition_id	int	
MSmerge_current_partition_mappings	publication_number	smallint	
MSmerge_current_partition_mappings	rowguid	uniqueidentifier	
MSmerge_current_partition_mappings	tablenick	int	
MSmerge_dynamic_snapshots	dynamic_snapshot_location	nvarchar	255
MSmerge_dynamic_snapshots	last_started	datetime	
MSmerge_dynamic_snapshots	last_updated	datetime	
MSmerge_dynamic_snapshots	partition_id	int	
MSmerge_errorlineage	lineage	varbinary	311
MSmerge_errorlineage	rowguid	uniqueidentifier	
MSmerge_errorlineage	tablenick	int	
MSmerge_generation_partition_mappings	changecount	int	
MSmerge_generation_partition_mappings	generation	bigint	
MSmerge_generation_partition_mappings	partition_id	int	
MSmerge_generation_partition_mappings	publication_number	smallint	
MSmerge_genhistory	art_nick	int	
MSmerge_genhistory	changecount	int	
MSmerge_genhistory	coldate	datetime	
MSmerge_genhistory	generation	bigint	
MSmerge_genhistory	genstatus	tinyint	
MSmerge_genhistory	guidsrc	uniqueidentifier	
MSmerge_genhistory	nicknames	varbinary	1001
MSmerge_genhistory	pubid	uniqueidentifier	
MSmerge_genhistory	subscriber_number	int	
MSmerge_history	agent_id	int	
MSmerge_history	comments	nvarchar	1000
MSmerge_history	error_id	int	
MSmerge_history	session_id	int	
MSmerge_history	time	datetime	
MSmerge_history	timestamp	timestamp	
MSmerge_history	updateable_row	bit	
MSmerge_identity_range	artid	uniqueidentifier	
MSmerge_identity_range	is_pub_range	bit	
MSmerge_identity_range	max_used	numeric	
MSmerge_identity_range	next_range_begin	numeric	
MSmerge_identity_range	next_range_end	numeric	
MSmerge_identity_range	range_begin	numeric	
MSmerge_identity_range	range_end	numeric	
MSmerge_identity_range	subid	uniqueidentifier	
MSmerge_log_files	file_name	nvarchar	2000
MSmerge_log_files	id	int	
MSmerge_log_files	log_file	varbinary	-1
MSmerge_log_files	log_file_type	int	
MSmerge_log_files	pubid	uniqueidentifier	
MSmerge_log_files	subid	uniqueidentifier	
MSmerge_log_files	upload_time	datetime	
MSmerge_log_files	web_server	nvarchar	128
MSmerge_metadataaction_request	action	tinyint	
MSmerge_metadataaction_request	changed	int	
MSmerge_metadataaction_request	generation	bigint	
MSmerge_metadataaction_request	rowguid	uniqueidentifier	
MSmerge_metadataaction_request	tablenick	int	
MSmerge_partition_groups	is_partition_active	bit	
MSmerge_partition_groups	maxgen_whenadded	bigint	

MSmerge_partition_groups	partition_id	int	
MSmerge_partition_groups	publication_number	smallint	
MSmerge_partition_groups	using_partition_groups	bit	
MSmerge_past_partition_mappings	generation	bigint	
MSmerge_past_partition_mappings	partition_id	int	
MSmerge_past_partition_mappings	publication_number	smallint	
MSmerge_past_partition_mappings	reason	tinyint	
MSmerge_past_partition_mappings	rowguid	uniqueidentifier	
MSmerge_past_partition_mappings	tablename	int	
MSmerge_replinfo	hostname	nvarchar	128
MSmerge_replinfo	login_name	nvarchar	128
MSmerge_replinfo	merge_jobid	binary	16
MSmerge_replinfo	repid	uniqueidentifier	
MSmerge_replinfo	resync_gen	bigint	
MSmerge_replinfo	sync_info	int	
MSmerge_replinfo	use_interactive_resolver	bit	
MSmerge_replinfo	validation_level	int	
MSmerge_sessions	agent_id	int	
MSmerge_sessions	bulk_inserts	int	
MSmerge_sessions	connection_type	int	
MSmerge_sessions	current_phase_id	int	
MSmerge_sessions	delivery_rate	decimal	
MSmerge_sessions	delivery_time	int	
MSmerge_sessions	download_conflicts	int	
MSmerge_sessions	download_deletes	int	
MSmerge_sessions	download_inserts	int	
MSmerge_sessions	download_rows_retried	int	
MSmerge_sessions	download_time	int	
MSmerge_sessions	download_updates	int	
MSmerge_sessions	duration	int	
MSmerge_sessions	end_time	datetime	
MSmerge_sessions	estimated_download_changes	int	
MSmerge_sessions	estimated_upload_changes	int	
MSmerge_sessions	metadata_rows_cleanedup	int	
MSmerge_sessions	percent_complete	decimal	
MSmerge_sessions	prepare_snapshot_time	int	
MSmerge_sessions	runstatus	int	
MSmerge_sessions	schema_change_time	int	
MSmerge_sessions	schema_changes	int	
MSmerge_sessions	session_id	int	
MSmerge_sessions	spid	smallint	
MSmerge_sessions	spid_login_time	datetime	
MSmerge_sessions	start_time	datetime	
MSmerge_sessions	subid	uniqueidentifier	
MSmerge_sessions	time_remaining	int	
MSmerge_sessions	timestamp	timestamp	
MSmerge_sessions	upload_conflicts	int	
MSmerge_sessions	upload_deletes	int	
MSmerge_sessions	upload_inserts	int	
MSmerge_sessions	upload_rows_retried	int	
MSmerge_sessions	upload_time	int	
MSmerge_sessions	upload_updates	int	
MSmerge_settingshistory	artid	uniqueidentifier	
MSmerge_settingshistory	eventtext	nvarchar	2000
MSmerge_settingshistory	eventtime	datetime	
MSmerge_settingshistory	eventtype	tinyint	
MSmerge_settingshistory	newvalue	nvarchar	128
MSmerge_settingshistory	previousvalue	nvarchar	128
MSmerge_settingshistory	propertyname	nvarchar	128
MSmerge_settingshistory	pubid	uniqueidentifier	
MSmerge_supportability_settings	custom_script	nvarchar	2048

MSmerge_supportability_settings	delete_after_upload	int	
MSmerge_supportability_settings	last_log_upload_time	datetime	
MSmerge_supportability_settings	log_file_name	nvarchar	128
MSmerge_supportability_settings	log_file_path	nvarchar	255
MSmerge_supportability_settings	log_file_size	int	
MSmerge_supportability_settings	log_modules	int	
MSmerge_supportability_settings	log_severity	int	
MSmerge_supportability_settings	message_pattern	nvarchar	2000
MSmerge_supportability_settings	no_of_log_files	int	
MSmerge_supportability_settings	pubid	uniqueidentifier	
MSmerge_supportability_settings	subid	uniqueidentifier	
MSmerge_supportability_settings	support_options	int	
MSmerge_supportability_settings	upload_interval	int	
MSmerge_supportability_settings	web_server	nvarchar	128
MSmerge_tombstone	generation	bigint	
MSmerge_tombstone	lineage	varbinary	311
MSmerge_tombstone	logical_record_lineage	varbinary	311
MSmerge_tombstone	logical_record_parent_rowguid	uniqueidentifier	
MSmerge_tombstone	rowguid	uniqueidentifier	
MSmerge_tombstone	tablenick	int	
MSmerge_tombstone	type	tinyint	
MSrepl_errors	command_id	int	
MSrepl_errors	error_code	nvarchar	128
MSrepl_errors	error_text	ntext	1073741823
MSrepl_errors	error_type_id	int	
MSrepl_errors	id	int	
MSrepl_errors	session_id	int	
MSrepl_errors	source_name	nvarchar	100
MSrepl_errors	source_type_id	int	
MSrepl_errors	time	datetime	
MSrepl_errors	xact_seqno	varbinary	16
MSsnapshotdeliveryprogress	progress_timestamp	datetime	
MSsnapshotdeliveryprogress	progress_token	nvarchar	500
MSsnapshotdeliveryprogress	progress_token_hash	int	
MSsnapshotdeliveryprogress	session_token	nvarchar	260
MSsubscription_properties	alt_snapshot_folder	nvarchar	255
MSsubscription_properties	distributor	nvarchar	128
MSsubscription_properties	distributor_login	nvarchar	128
MSsubscription_properties	distributor_password	nvarchar	524
MSsubscription_properties	distributor_security_mode	int	
MSsubscription_properties	dts_package_location	int	
MSsubscription_properties	dts_package_name	nvarchar	128
MSsubscription_properties	dts_package_password	nvarchar	524
MSsubscription_properties	dynamic_snapshot_location	nvarchar	255
MSsubscription_properties	enabled_for_syncmgr	bit	
MSsubscription_properties	ftp_address	nvarchar	128
MSsubscription_properties	ftp_login	nvarchar	128
MSsubscription_properties	ftp_password	nvarchar	524
MSsubscription_properties	ftp_port	int	
MSsubscription_properties	hostname	nvarchar	128
MSsubscription_properties	internet_login	nvarchar	128
MSsubscription_properties	internet_password	nvarchar	524
MSsubscription_properties	internet_security_mode	int	
MSsubscription_properties	internet_timeout	int	
MSsubscription_properties	internet_url	nvarchar	260
MSsubscription_properties	job_step_uid	uniqueidentifier	
MSsubscription_properties	offload_agent	bit	
MSsubscription_properties	offload_server	nvarchar	128
MSsubscription_properties	publication	nvarchar	128
MSsubscription_properties	publication_type	int	
MSsubscription_properties	publisher	nvarchar	128

MSsubscription_properties	publisher_db	nvarchar	128
MSsubscription_properties	publisher_login	nvarchar	128
MSsubscription_properties	publisher_password	nvarchar	524
MSsubscription_properties	publisher_security_mode	int	
MSsubscription_properties	publisherlink	nvarchar	128
MSsubscription_properties	publisherlinkuser	nvarchar	128
MSsubscription_properties	use_ftp	bit	
MSsubscription_properties	use_web_sync	bit	
MSsubscription_properties	working_directory	nvarchar	255
Results	alert	char	4
Results	name_id	int	
TCNMCONV	alias_id	int	
TCNMCONV	name_id	int	
TCNMCONV	nametype	char	4
_trac_WOPDCONV	actioncode	char	4
_trac_WOPDCONV	addtime	datetime	
_trac_WOPDCONV	adduser	varchar	11
_trac_WOPDCONV	fkeyid	int	
_trac_WOPDCONV	fkeyname	char	2
_trac_WOPDCONV	jurisdcode	char	4
_trac_WOPDCONV	mileage	decimal	
_trac_WOPDCONV	miscdesc	varchar	60
_trac_WOPDCONV	miscfee	float	
_trac_WOPDCONV	papersvc	float	
_trac_WOPDCONV	serviceamt	money	
_trac_WOPDCONV	sys_tracid	int	
_trac_WOPDCONV	track_desc	text	2147483647
_trac_WOPDCONV	track_id	varchar	14
_trac_WOPDCONV	trackamt	money	
_trac_WOPDCONV	trackoffcr	int	
_trac_WOPDCONV	tracktime	datetime	
afacilty	addtime	datetime	
afacilty	adduser	char	10
afacilty	afaciltyid	int	
afacilty	agency	char	4
afacilty	aname	varchar	40
afacilty	anmainid	int	
afacilty	bed	char	6
afacilty	closed	tinyint	
afacilty	facility	char	4
afacilty	section	char	10
afacilty	unit	char	10
afmain	acage	char	4
afmain	acbites	char	1
afmain	acbreed	char	4
afmain	accoat	char	4
afmain	acears	char	4
afmain	achealth	char	4
afmain	acname	varchar	20
afmain	acsize	char	4
afmain	acspecies	char	4
afmain	actail	char	4
afmain	actemper	char	4
afmain	addtime	datetime	
afmain	adduser	varchar	11
afmain	afdate	datetime	
afmain	afmainid	int	
afmain	age	char	2
afmain	agency	char	4
afmain	anstatdt	datetime	
afmain	anstatus	char	4

afmain	apt_flr	char	10
afmain	arealost	text	2147483647
afmain	chipid	varchar	20
afmain	city	varchar	29
afmain	color	char	4
afmain	district	char	4
afmain	dob	datetime	
afmain	emdivision	char	4
afmain	emsection	char	4
afmain	emshift	char	4
afmain	emunit	char	4
afmain	gender	char	1
afmain	geooother	varchar	15
afmain	geox	int	
afmain	geoy	int	
afmain	height	char	3
afmain	markings	text	2147483647
afmain	name_id	int	
afmain	neighborhd	char	4
afmain	officerid	int	
afmain	ownertag	varchar	20
afmain	phone2	char	10
afmain	phonenbr	char	10
afmain	rabiestag	varchar	20
afmain	race	char	2
afmain	remarks	text	2147483647
afmain	reportarea	char	4
afmain	reward	char	1
afmain	sex	char	1
afmain	state	char	2
afmain	street	varchar	40
afmain	streetdir	char	2
afmain	streetnbr	char	8
afmain	subdivisn	char	4
afmain	sysflag	char	8
afmain	tract	char	4
afmain	weight	int	
afmain	zip	char	10
afmain	zone	char	4
alarms	addtime	datetime	
alarms	adduser	varchar	11
alarms	age	char	2
alarms	agency	char	4
alarms	alarmnotes	text	2147483647
alarms	alarmsid	int	
alarms	alarmtype	char	4
alarms	amtowed	money	
alarms	amtpayed	money	
alarms	apt_flr	char	10
alarms	bill_seq	int	
alarms	bphone	char	10
alarms	buscomres	char	1
alarms	business	varchar	30
alarms	cadevent	tinyint	
alarms	callernm	varchar	30
alarms	callerph	char	10
alarms	callrefno	int	
alarms	calltime	datetime	
alarms	case_id	varchar	14
alarms	category1	char	4
alarms	category2	char	4

alarms	causecode	char	4
alarms	citenbr	varchar	12
alarms	city	varchar	20
alarms	closecode	char	4
alarms	closecomm	text	2147483647
alarms	creserve1	char	4
alarms	district	char	4
alarms	emdivision	char	4
alarms	emsection	char	4
alarms	emshift	char	4
alarms	emunit	char	4
alarms	firstarrv	datetime	
alarms	firstdate	datetime	
alarms	inci_id	varchar	14
alarms	modtime	datetime	
alarms	moduser	varchar	11
alarms	name_id	int	
alarms	nature	varchar	30
alarms	neighborhd	char	4
alarms	nreserve1	int	
alarms	offcr_desc	varchar	40
alarms	offcr_id	int	
alarms	race	char	2
alarms	reportarea	char	4
alarms	sex	char	1
alarms	site_seq	int	
alarms	state	char	2
alarms	statuscode	char	4
alarms	statusdate	datetime	
alarms	street	varchar	40
alarms	streetdir	char	2
alarms	streetnbr	char	8
alarms	subdivisn	char	4
alarms	sysflag	char	8
alarms	tract	char	4
alarms	validalarm	char	1
alarms	zip	char	10
alarms	zone	char	4
altempl	altemplid	int	
altempl	altheadid	int	
altempl	emexpire	datetime	
altempl	employeeid	int	
altempl	emuserid	varchar	11
altempl	lemail	bit	
altempl	lnotify	bit	
altempl	lpager	bit	
althead	addtime	datetime	
althead	adduser	varchar	11
althead	agency	char	4
althead	altheadid	int	
althead	backcolor	int	
althead	ctitle	varchar	60
althead	dateexpire	datetime	
althead	distflag	char	4
althead	distlevel	char	2
althead	distoptn	varchar	100
althead	ruleid	int	
althead	rulekey	char	8
althead	ruletype	char	3
altlist	addtime	datetime	
altlist	alertdesc	varchar	254

altlist	altheadid	int	
altlist	altlistid	int	
altlist	alttodoid	int	
altlist	backcolor	int	
altlist	cemail	char	1
altlist	cflag	char	1
altlist	cnotify	char	1
altlist	cpager	char	1
altlist	ctitle	varchar	60
altlist	dateemail	datetime	
altlist	datenotify	datetime	
altlist	datepager	datetime	
altlist	employeeid	int	
altlist	otherrules	varchar	100
altlist	pkeyvalue	int	
altlist	tablename	char	8
altrule	altheadid	int	
altrule	altruleid	int	
altrule	coperator	char	1
altrule	fielddesc	varchar	30
altrule	fieldname	char	10
altrule	fieldtype	char	1
altrule	fieldvalue	varchar	50
altrule	tablename	char	8
altdodo	addnotes	varchar	254
altdodo	addtime	datetime	
altdodo	adduser	varchar	11
altdodo	agency	char	4
altdodo	alttodoid	int	
altdodo	caction	char	1
altdodo	cprocess	char	1
altdodo	emplid	int	
altdodo	fieldname	char	10
altdodo	pkeyvalue	int	
altdodo	postvalue	varchar	50
altdodo	prevalue	varchar	50
altdodo	rulelist	varchar	200
altdodo	tablename	char	8
anadopt	addtime	datetime	
anadopt	adduser	varchar	11
anadopt	adoptdate	datetime	
anadopt	adoptfee	decimal	
anadopt	age	char	2
anadopt	anadoptid	int	
anadopt	anmainid	int	
anadopt	comments	text	2147483647
anadopt	contrctnbr	varchar	12
anadopt	name_id	int	
anadopt	officerid	int	
anadopt	race	char	2
anadopt	sex	char	1
anmain	acacquire	char	4
anmain	acage	char	4
anmain	acappdate	datetime	
anmain	acbites	char	1
anmain	acbreed	char	4
anmain	acbreedtp	char	4
anmain	accoat	char	4
anmain	acdate	datetime	
anmain	acears	char	4
anmain	aceyes	char	4

anmain	achealth	char	4
anmain	achousebr	char	1
anmain	ackids	char	1
anmain	acname	varchar	30
anmain	acreason	char	4
anmain	acsize	char	4
anmain	acspecies	char	4
anmain	actail	char	4
anmain	actemper	char	4
anmain	actime	char	4
anmain	addconsole	char	8
anmain	addtime	datetime	
anmain	adduser	varchar	11
anmain	adoptelig	datetime	
anmain	afaci_id	int	
anmain	age	char	2
anmain	agency	char	4
anmain	anadopt	char	1
anmain	analertdt	datetime	
anmain	anmainid	int	
anmain	anmeds	char	1
anmain	annotes	text	2147483647
anmain	anphoto	char	1
anmain	anreclaim	char	1
anmain	anstatdt	datetime	
anmain	anstatus	char	4
anmain	apt_flr	char	10
anmain	bitedate	datetime	
anmain	bitenotes	text	2147483647
anmain	biterptdt	datetime	
anmain	biterpttm	char	4
anmain	bitetime	char	4
anmain	bitevict	int	
anmain	case_id	varchar	12
anmain	chipid	varchar	30
anmain	chipscan	char	1
anmain	city	varchar	20
anmain	color	char	4
anmain	confloca	varchar	30
anmain	county	varchar	20
anmain	district	char	4
anmain	dob	datetime	
anmain	dod	datetime	
anmain	emdivision	char	4
anmain	emsection	char	4
anmain	emshift	char	4
anmain	emunit	char	4
anmain	fivedchk	datetime	
anmain	gender	char	4
anmain	geoother	varchar	15
anmain	geox	int	
anmain	geoy	int	
anmain	height	char	3
anmain	impage	char	2
anmain	impdate	datetime	
anmain	impnameid	int	
anmain	imprnotes	text	2147483647
anmain	imprace	char	2
anmain	impsex	char	1
anmain	labresult	text	2147483647
anmain	lwmainid	int	

anmain	medaid	char	1
anmain	medfacil	varchar	30
anmain	mobilepkey	varchar	20
anmain	name_id	int	
anmain	neighborhd	char	4
anmain	officerid	int	
anmain	otherreasn	text	2147483647
anmain	othersigns	text	2147483647
anmain	ownertag	varchar	20
anmain	p2cnotes	text	2147483647
anmain	provoked	char	4
anmain	ptselig	datetime	
anmain	quantity	int	
anmain	rabiestag	varchar	20
anmain	rabshpdate	datetime	
anmain	race	char	2
anmain	recblock	char	10
anmain	reportarea	char	4
anmain	reptmeth	char	4
anmain	reviewdate	datetime	
anmain	reviewid	int	
anmain	sex	char	1
anmain	sheltstat	char	4
anmain	shotdate	datetime	
anmain	shotdesc	varchar	100
anmain	state	char	2
anmain	stateshot	datetime	
anmain	street	varchar	40
anmain	streetdir	char	2
anmain	streetnbr	char	8
anmain	subdivisn	char	4
anmain	sysflag	char	8
anmain	tendchk	datetime	
anmain	tract	char	4
anmain	vacdate	datetime	
anmain	vacexpdt	datetime	
anmain	vet	varchar	30
anmain	victage	char	2
anmain	victrace	char	2
anmain	victsex	char	1
anmain	weight	int	
anmain	zip	char	10
anmain	zone	char	4
anmeds	addtime	datetime	
anmeds	adduser	varchar	11
anmeds	anmainid	int	
anmeds	anmedsid	int	
anmeds	duedate	datetime	
anmeds	medwork	text	2147483647
anmeds	rabiestag	varchar	20
anmeds	servcosts	decimal	
anmeds	servdate	datetime	
anmeds	servtype	char	4
anmeds	vacdate	datetime	
anmeds	vacexpdt	datetime	
anmeds	vettech	char	4
anphys	addtime	datetime	
anphys	adduser	varchar	11
anphys	anmainid	int	
anphys	anphysid	int	
anphys	descdetl	char	4

anphys	detldesc	varchar	30
anphys	idtype	char	4
anphys	item	char	4
anphys	itemdesc	varchar	20
anreclm	addtime	datetime	
anreclm	adduser	varchar	11
anreclm	age	char	2
anreclm	anmainid	int	
anreclm	anreclmid	int	
anreclm	basefee	decimal	
anreclm	comments	text	2147483647
anreclm	impdayfee	decimal	
anreclm	impdays	int	
anreclm	name_id	int	
anreclm	officerid	int	
anreclm	race	char	2
anreclm	reclaimdt	datetime	
anreclm	sex	char	1
anreclm	subtotal	decimal	
anreclm	totalfee	decimal	
apdfix_lwcase	addconsole	char	8
apdfix_lwcase	addtime	datetime	
apdfix_lwcase	adduser	varchar	11
apdfix_lwcase	agency	char	4
apdfix_lwcase	assgndvsn	char	4
apdfix_lwcase	assgnunit	char	4
apdfix_lwcase	assignedby	int	
apdfix_lwcase	asst_offcr	int	
apdfix_lwcase	case_id	varchar	12
apdfix_lwcase	caseclass	char	4
apdfix_lwcase	casedesc	varchar	60
apdfix_lwcase	casestatus	char	4
apdfix_lwcase	cleardvsn	char	4
apdfix_lwcase	clearedby	int	
apdfix_lwcase	clearunit	char	4
apdfix_lwcase	countflag	char	6
apdfix_lwcase	date_assg	datetime	
apdfix_lwcase	date_due	datetime	
apdfix_lwcase	dispdte	datetime	
apdfix_lwcase	dispositn	char	4
apdfix_lwcase	fplifted	int	
apdfix_lwcase	investigtr	int	
apdfix_lwcase	invst_type	char	4
apdfix_lwcase	lwcaseid	int	
apdfix_lwcase	lwmainid	int	
apdfix_lwcase	name_id	int	
apdfix_lwcase	offns_type	char	1
apdfix_lwcase	physevid	int	
apdfix_lwcase	reviewdate	datetime	
apdfix_lwcase	secullevel	char	1
apdfix_lwcase	solv1	int	
apdfix_lwcase	solv2	int	
apdfix_lwcase	solv3	int	
apdfix_lwcase	solv4	int	
apdfix_lwcase	solv5	int	
apdfix_lwcase	sovindex	int	
apdfix_lwcase	statusdate	datetime	
apdfix_lwcase	stolenprop	int	
apdfix_lwcase	susidentf	int	
apdfix_lwcase	susnamed	int	
apdfix_lwcase	susvehicle	int	

apdfix_lwcase	sysflag	char	8
apdfix_lwcase	wit2offns	int	
apdfix_lwcasest	addtime	datetime	
apdfix_lwcasest	adduser	varchar	11
apdfix_lwcasest	cleardvsn	char	4
apdfix_lwcasest	clearedby	int	
apdfix_lwcasest	clearunit	char	4
apdfix_lwcasest	lwcaseid	int	
apdfix_lwcasest	lwcasestid	int	
apdfix_lwcasest	status2	char	4
apdfix_lwcasest	stdat2	datetime	
apdfix_lwcasest	stnotes	text	2147483647
arcase	addtime	datetime	
arcase	adduser	varchar	11
arcase	agency	char	4
arcase	arcaseid	int	
arcase	armainid	int	
arcase	arr_chrg	varchar	25
arcase	case_id	varchar	12
arcase	chargetype	char	1
arcase	chrg_cnt	int	
arcase	chrgdesc	varchar	60
arcase	fel_misd	char	1
arcase	lwmainid	int	
arcase	ucr_code	char	4
archrg	achdispost	char	4
archrg	achstatus	char	3
archrg	addtime	datetime	
archrg	adduser	varchar	11
archrg	agency2	char	4
archrg	aocode	char	6
archrg	archrgid	int	
archrg	armainid	int	
archrg	arr_chrg	varchar	25
archrg	atm_comp	char	3
archrg	attorney	varchar	30
archrg	bckey	char	4
archrg	bnsttdat	datetime	
archrg	bondamt	money	
archrg	bondby	int	
archrg	bondnbr	varchar	15
archrg	bondnote	text	2147483647
archrg	bondsman	varchar	20
archrg	bondstatus	char	4
archrg	bondtype	char	4
archrg	book_id	int	
archrg	case_id2	varchar	12
archrg	chargetype	char	2
archrg	chrg_cnt	int	
archrg	chrg_seq	tinyint	
archrg	chrgdesc	varchar	60
archrg	chrgjurisd	char	4
archrg	chrgtrknbr	char	10
archrg	consecutiv	char	1
archrg	convctdate	datetime	
archrg	courtcode	char	4
archrg	courtcomm	varchar	20
archrg	courtcost	money	
archrg	courtdate	datetime	
archrg	courtfinl	char	1
archrg	courtjtype	char	4

archrg	courtjuris	char	4
archrg	courtres	text	2147483647
archrg	daprinted	datetime	
archrg	date_disp	datetime	
archrg	distatty	varchar	30
archrg	docketno	varchar	20
archrg	domesticcv	char	4
archrg	fbiid	int	
archrg	fel_misd	char	1
archrg	fines	money	
archrg	gciccode	char	4
archrg	goc	char	4
archrg	goccode	char	4
archrg	ibr_code	char	4
archrg	ibr_date	datetime	
archrg	ibr_resend	float	
archrg	jailstatus	char	4
archrg	jdstatus	char	4
archrg	larctype	char	4
archrg	localid	char	10
archrg	localid2	int	
archrg	localidpos	char	1
archrg	localidpre	char	1
archrg	lwmainid2	int	
archrg	magistrate	char	10
archrg	mobilepkey	varchar	20
archrg	notifyvict	char	1
archrg	offn_date	datetime	
archrg	offnscode	char	4
archrg	offntcknbr	varchar	15
archrg	origcita	varchar	20
archrg	otherjurcd	char	4
archrg	otherjursd	varchar	15
archrg	othragcy	varchar	20
archrg	penaltycls	char	4
archrg	premise1	char	2
archrg	prostatute	varchar	25
archrg	relsorder	text	2147483647
archrg	relsordgrp	int	
archrg	sentcdttm	varchar	12
archrg	sentcjudge	char	10
archrg	sentcnote	varchar	15
archrg	sentday	tinyint	
archrg	sentenctyp	char	4
archrg	senthour	tinyint	
archrg	sentmonth	tinyint	
archrg	sentyear	tinyint	
archrg	statecode	char	10
archrg	stateid	int	
archrg	trans_seq	int	
archrg	trkmoddate	datetime	
archrg	ubscharge	int	
archrg	ucr_code	char	4
archrg	want_id	int	
archrg	warrdate	datetime	
archrg	wckey	int	
archrg_WOPDCONV	achdispost	char	4
archrg_WOPDCONV	achstatus	char	3
archrg_WOPDCONV	addtime	datetime	
archrg_WOPDCONV	adduser	varchar	11
archrg_WOPDCONV	agency2	char	4

archrg_WOPDCONV	aocode	char	6
archrg_WOPDCONV	archrgid	int	
archrg_WOPDCONV	armainid	int	
archrg_WOPDCONV	arr_chrg	varchar	25
archrg_WOPDCONV	attm_comp	char	3
archrg_WOPDCONV	attorney	varchar	30
archrg_WOPDCONV	bckey	char	4
archrg_WOPDCONV	bnsttdate	datetime	
archrg_WOPDCONV	bondamt	money	
archrg_WOPDCONV	bondby	int	
archrg_WOPDCONV	bondnbr	varchar	15
archrg_WOPDCONV	bondnote	text	2147483647
archrg_WOPDCONV	bondsman	varchar	20
archrg_WOPDCONV	bondstatus	char	4
archrg_WOPDCONV	bondtype	char	4
archrg_WOPDCONV	book_id	int	
archrg_WOPDCONV	case_id2	varchar	12
archrg_WOPDCONV	chargetype	char	2
archrg_WOPDCONV	chrg_cnt	int	
archrg_WOPDCONV	chrg_seq	tinyint	
archrg_WOPDCONV	chrgdesc	varchar	60
archrg_WOPDCONV	chrgjurisd	char	4
archrg_WOPDCONV	chrgtrknbr	char	10
archrg_WOPDCONV	consecutiv	char	1
archrg_WOPDCONV	convctdate	datetime	
archrg_WOPDCONV	courtcode	char	4
archrg_WOPDCONV	courtcomm	varchar	20
archrg_WOPDCONV	courtcost	money	
archrg_WOPDCONV	courtdate	datetime	
archrg_WOPDCONV	courtfinl	char	1
archrg_WOPDCONV	courtjtype	char	4
archrg_WOPDCONV	courtjuris	char	4
archrg_WOPDCONV	courtres	text	2147483647
archrg_WOPDCONV	daprinted	datetime	
archrg_WOPDCONV	date_disp	datetime	
archrg_WOPDCONV	distatty	varchar	30
archrg_WOPDCONV	docketno	varchar	20
archrg_WOPDCONV	domesticv	char	4
archrg_WOPDCONV	fbiid	int	
archrg_WOPDCONV	fel_misd	char	1
archrg_WOPDCONV	finer	money	
archrg_WOPDCONV	gciccode	char	4
archrg_WOPDCONV	goccode	char	4
archrg_WOPDCONV	ibr_code	char	4
archrg_WOPDCONV	ibr_date	datetime	
archrg_WOPDCONV	ibr_resend	float	
archrg_WOPDCONV	jailstatus	char	4
archrg_WOPDCONV	jdstatus	char	4
archrg_WOPDCONV	larctype	char	4
archrg_WOPDCONV	localid	char	10
archrg_WOPDCONV	localid2	int	
archrg_WOPDCONV	localidpos	char	1
archrg_WOPDCONV	localidpre	char	1
archrg_WOPDCONV	lwmainid2	int	
archrg_WOPDCONV	magistrate	char	10
archrg_WOPDCONV	mobilepkey	varchar	20
archrg_WOPDCONV	notifyvict	char	1
archrg_WOPDCONV	offn_date	datetime	
archrg_WOPDCONV	offnscode	char	4
archrg_WOPDCONV	offntcknbr	varchar	15
archrg_WOPDCONV	origcita	varchar	20

archrg_WOPDCONV	otherjurcd	char	4
archrg_WOPDCONV	otherjursd	varchar	15
archrg_WOPDCONV	penaltycls	char	4
archrg_WOPDCONV	premise1	char	2
archrg_WOPDCONV	prostatute	varchar	25
archrg_WOPDCONV	relsorder	text	2147483647
archrg_WOPDCONV	relsordgrp	int	
archrg_WOPDCONV	sentcdttm	varchar	12
archrg_WOPDCONV	sentcjudge	char	10
archrg_WOPDCONV	sentcnote	varchar	15
archrg_WOPDCONV	sentday	tinyint	
archrg_WOPDCONV	sententtyp	char	4
archrg_WOPDCONV	senthour	tinyint	
archrg_WOPDCONV	sentmonth	tinyint	
archrg_WOPDCONV	sentyear	tinyint	
archrg_WOPDCONV	statecode	char	10
archrg_WOPDCONV	stateid	int	
archrg_WOPDCONV	trans_seq	int	
archrg_WOPDCONV	trkmoddate	datetime	
archrg_WOPDCONV	ubscharge	int	
archrg_WOPDCONV	ucr_code	char	4
archrg_WOPDCONV	want_id	int	
archrg_WOPDCONV	warrdate	datetime	
archrg_WOPDCONV	wckey	int	
arjuven	addrchange	char	1
arjuven	addrnotes	varchar	20
arjuven	addrprovby	char	10
arjuven	addtime	datetime	
arjuven	adduser	varchar	11
arjuven	age	char	2
arjuven	arjuvenid	int	
arjuven	armainid	int	
arjuven	creserve1	char	10
arjuven	grades	char	10
arjuven	livewith	char	4
arjuven	mobilepkey	varchar	20
arjuven	name1	varchar	60
arjuven	name2	varchar	60
arjuven	name2addr	varchar	60
arjuven	name3	varchar	60
arjuven	name3addr	varchar	60
arjuven	name4	varchar	60
arjuven	name4addr	varchar	60
arjuven	name_id	int	
arjuven	nameaddr	varchar	60
arjuven	namerelatn	varchar	15
arjuven	notbydate	datetime	
arjuven	notbyfirst	varchar	20
arjuven	notbylast	varchar	30
arjuven	nreserve1	int	
arjuven	race	char	2
arjuven	relsdate	datetime	
arjuven	relsfirst	varchar	20
arjuven	relslast	varchar	30
arjuven	relsrelat	char	10
arjuven	schoolinfo	varchar	20
arjuven	sex	char	1
armain	acresult	char	10
armain	addconsole	char	8
armain	addtime	datetime	
armain	adduser	varchar	11

armain	adltforce	char	1
armain	age	char	2
armain	agency	char	4
armain	alcohol	char	1
armain	apt_flr	char	10
armain	araptflr	char	10
armain	arcity	varchar	20
armain	argrant	char	4
armain	arlevel	char	4
armain	armainid	int	
armain	arnameflag	char	1
armain	arr_type	char	2
armain	arre_id	varchar	12
armain	arre_narr	text	2147483647
armain	arre_offcr	int	
armain	arrestloca	varchar	40
armain	arrofficer	varchar	30
armain	arstatus	char	2
armain	arstrtnbr	char	8
armain	arzip	char	10
armain	asst_offcr	smallint	
armain	baseoffdt	datetime	
armain	bldexttime	datetime	
armain	bloodext	char	4
armain	bond_amt	money	
armain	bond_per	char	1
armain	book_id	int	
armain	case_id	varchar	12
armain	category1	char	4
armain	category2	char	4
armain	charge	varchar	60
armain	chargetype	varchar	12
armain	chrtypeoth	char	10
armain	city	varchar	20
armain	city_crt	varchar	15
armain	cleryloc	char	4
armain	commveh	char	1
armain	conf_place	varchar	20
armain	conf_time	datetime	
armain	convkey	varchar	40
armain	county	varchar	20
armain	court	char	4
armain	crashinv	char	4
armain	crelative	varchar	60
armain	creserve1	char	4
armain	date_arr	datetime	
armain	dispostn	char	4
armain	district	char	4
armain	docketno	varchar	20
armain	domestic	char	4
armain	drug_alcoh	char	1
armain	emdivision	char	4
armain	emsection	char	4
armain	emshift	char	4
armain	emunit	char	4
armain	ethnicity	char	1
armain	famviol	char	1
armain	fp_card	char	7
armain	fp_photo	char	1
armain	fpdate	datetime	
armain	gangrelat	char	4

armain	geoother	varchar	15
armain	geox	int	
armain	geoy	int	
armain	hazmat	char	1
armain	ibr_date	datetime	
armain	ibr_resend	tinyint	
armain	jdispostn	char	1
armain	jurisdictn	char	4
armain	juvforce	char	4
armain	local_nbr	char	10
armain	localid2	int	
armain	localidpos	char	1
armain	localidpre	char	1
armain	lwmainid	int	
armain	magistrate	char	10
armain	mgarrestid	int	
armain	milibranch	char	4
armain	milistatus	char	4
armain	mobilepkey	varchar	20
armain	monthstamp	tinyint	
armain	multclear	char	2
armain	name_id	int	
armain	neighborhd	char	4
armain	nmchkbox1	bit	
armain	notfyoffcr	int	
armain	nreserve1	int	
armain	offntcknbr	varchar	15
armain	origcharge	text	2147483647
armain	origkey	varchar	15
armain	orignameid	int	
armain	othagency	char	4
armain	pgnotfdt	datetime	
armain	pgnotify	varchar	40
armain	pgrelatn	char	4
armain	photodate	datetime	
armain	photonbr	varchar	15
armain	pptycrime	bit	
armain	pptydesc	varchar	40
armain	pptyvalue	money	
armain	priorrec	varchar	25
armain	race	char	2
armain	recblock	char	10
armain	recreview	char	4
armain	reg_date	datetime	
armain	reg_date2	datetime	
armain	reg_resend	tinyint	
armain	regresend2	float	
armain	relsd_by	int	
armain	relsd_time	datetime	
armain	repeatdwi	char	4
armain	reportarea	char	4
armain	residence	char	2
armain	reviewdate	datetime	
armain	reviewid	int	
armain	rollcall	bit	
armain	schoolroff	char	4
armain	seculevel	char	1
armain	sex	char	1
armain	state	char	2
armain	statear1	char	10
armain	statear2	char	10

armain	street	varchar	40
armain	streetdir	char	2
armain	streetnbr	char	8
armain	subdivisn	char	4
armain	subm_time	datetime	
armain	supervisor	int	
armain	sysflag	char	8
armain	time_arr	char	4
armain	tract	char	4
armain	transoffcr	int	
armain	trial_date	datetime	
armain	typebond	char	4
armain	udftext1	varchar	30
armain	warragency	char	4
armain	warrobtain	char	4
armain	warroffcr	int	
armain	warrsought	char	4
armain	weapon	char	4
armain	weapon2	char	4
armain	weaponaut2	char	1
armain	weaponauto	char	1
armain	yearstamp	int	
armain	zip	char	10
armain	zone	char	4
armain_WOPDCONV	acresult	char	10
armain_WOPDCONV	addconsole	char	8
armain_WOPDCONV	addtime	datetime	
armain_WOPDCONV	adduser	varchar	11
armain_WOPDCONV	adltforce	char	1
armain_WOPDCONV	age	char	2
armain_WOPDCONV	agency	char	4
armain_WOPDCONV	alcohol	char	1
armain_WOPDCONV	apt_flr	char	10
armain_WOPDCONV	argrant	char	4
armain_WOPDCONV	arlevel	char	4
armain_WOPDCONV	armainid	int	
armain_WOPDCONV	arnameflag	char	1
armain_WOPDCONV	arr_type	char	2
armain_WOPDCONV	arre_id	varchar	12
armain_WOPDCONV	arre_narr	text	2147483647
armain_WOPDCONV	arre_offcr	int	
armain_WOPDCONV	arrestloca	varchar	40
armain_WOPDCONV	arrofficer	varchar	30
armain_WOPDCONV	arstatus	char	2
armain_WOPDCONV	asst_offcr	smallint	
armain_WOPDCONV	baseoffdt	datetime	
armain_WOPDCONV	bldexttime	datetime	
armain_WOPDCONV	bloodext	char	4
armain_WOPDCONV	bond_amt	money	
armain_WOPDCONV	bond_per	char	1
armain_WOPDCONV	book_id	int	
armain_WOPDCONV	case_id	varchar	12
armain_WOPDCONV	category1	char	4
armain_WOPDCONV	category2	char	4
armain_WOPDCONV	charge	varchar	60
armain_WOPDCONV	chargetype	varchar	12
armain_WOPDCONV	chrtypeoth	char	10
armain_WOPDCONV	city	varchar	20
armain_WOPDCONV	city_crt	varchar	15
armain_WOPDCONV	cleryloc	char	4
armain_WOPDCONV	conf_place	varchar	20

armain_WOPDCONV	conf_time	datetime	
armain_WOPDCONV	convkey	varchar	40
armain_WOPDCONV	court	char	4
armain_WOPDCONV	crashinv	char	4
armain_WOPDCONV	crelative	varchar	60
armain_WOPDCONV	creserve1	char	4
armain_WOPDCONV	date_arr	datetime	
armain_WOPDCONV	dispostn	char	4
armain_WOPDCONV	district	char	4
armain_WOPDCONV	docketno	varchar	20
armain_WOPDCONV	domestic	char	4
armain_WOPDCONV	drug_alcoh	char	1
armain_WOPDCONV	emdivision	char	4
armain_WOPDCONV	emsection	char	4
armain_WOPDCONV	emshift	char	4
armain_WOPDCONV	emunit	char	4
armain_WOPDCONV	ethnicity	char	1
armain_WOPDCONV	fp_card	char	7
armain_WOPDCONV	fp_photo	char	1
armain_WOPDCONV	fpdate	datetime	
armain_WOPDCONV	gangrelat	char	4
armain_WOPDCONV	geoother	varchar	15
armain_WOPDCONV	geox	int	
armain_WOPDCONV	geoy	int	
armain_WOPDCONV	ibr_date	datetime	
armain_WOPDCONV	ibr_resend	tinyint	
armain_WOPDCONV	jdispostn	char	1
armain_WOPDCONV	jurisdictn	char	4
armain_WOPDCONV	juvforce	char	4
armain_WOPDCONV	local_nbr	char	10
armain_WOPDCONV	localid2	int	
armain_WOPDCONV	localidpos	char	1
armain_WOPDCONV	localidpre	char	1
armain_WOPDCONV	lwmainid	int	
armain_WOPDCONV	magistrate	char	10
armain_WOPDCONV	mgarrestid	int	
armain_WOPDCONV	milibranch	char	4
armain_WOPDCONV	milistatus	char	4
armain_WOPDCONV	mobilepkey	varchar	20
armain_WOPDCONV	monthstamp	tinyint	
armain_WOPDCONV	multclear	char	2
armain_WOPDCONV	name_id	int	
armain_WOPDCONV	neighborhd	char	4
armain_WOPDCONV	nmchkbox1	bit	
armain_WOPDCONV	nreserve1	int	
armain_WOPDCONV	offntcknbr	varchar	15
armain_WOPDCONV	origkey	varchar	15
armain_WOPDCONV	orignameid	int	
armain_WOPDCONV	othagency	char	4
armain_WOPDCONV	photodate	datetime	
armain_WOPDCONV	photonbr	varchar	15
armain_WOPDCONV	pptycrime	bit	
armain_WOPDCONV	pptydesc	varchar	40
armain_WOPDCONV	pptyvalue	money	
armain_WOPDCONV	race	char	2
armain_WOPDCONV	recblock	char	10
armain_WOPDCONV	recreview	char	4
armain_WOPDCONV	reg_date	datetime	
armain_WOPDCONV	reg_date2	datetime	
armain_WOPDCONV	reg_resend	tinyint	
armain_WOPDCONV	regresend2	float	

armain_WOPDCONV	relsd_by	int	
armain_WOPDCONV	relsd_time	datetime	
armain_WOPDCONV	repeatdwi	char	4
armain_WOPDCONV	reportarea	char	4
armain_WOPDCONV	residence	char	1
armain_WOPDCONV	reviewdate	datetime	
armain_WOPDCONV	reviewid	int	
armain_WOPDCONV	rollcall	bit	
armain_WOPDCONV	schoolroff	char	4
armain_WOPDCONV	secullevel	char	1
armain_WOPDCONV	sex	char	1
armain_WOPDCONV	state	char	2
armain_WOPDCONV	statear1	char	10
armain_WOPDCONV	statear2	char	10
armain_WOPDCONV	street	varchar	40
armain_WOPDCONV	streetdir	char	2
armain_WOPDCONV	streetnbr	char	8
armain_WOPDCONV	subdivisn	char	4
armain_WOPDCONV	subm_time	datetime	
armain_WOPDCONV	supervisor	int	
armain_WOPDCONV	sysflag	char	8
armain_WOPDCONV	time_arr	char	4
armain_WOPDCONV	tract	char	4
armain_WOPDCONV	trial_date	datetime	
armain_WOPDCONV	typebond	char	4
armain_WOPDCONV	udftext1	varchar	30
armain_WOPDCONV	warragency	char	4
armain_WOPDCONV	warrobtain	char	4
armain_WOPDCONV	warroffcr	int	
armain_WOPDCONV	warrsought	char	4
armain_WOPDCONV	weapon	char	4
armain_WOPDCONV	weapon2	char	4
armain_WOPDCONV	weaponaut2	char	1
armain_WOPDCONV	weaponauto	char	1
armain_WOPDCONV	yearstamp	int	
armain_WOPDCONV	zip	char	10
armain_WOPDCONV	zone	char	4
arprop	addtime	datetime	
arprop	adduser	varchar	11
arprop	armainid	int	
arprop	arpropid	int	
arprop	dispdata	datetime	
arprop	dispostn	char	4
arprop	intakedt	datetime	
arprop	notes	text	2147483647
arprop	prdesc	varchar	35
arprop	prvalue	money	
arprop	quantity	decimal	
arprop	recvoofcr	int	
arprop	retunote	text	2147483647
arprop	retuofcr	int	
asmain	addconsole	char	8
asmain	addtime	datetime	
asmain	adduser	varchar	11
asmain	agency	char	4
asmain	asgrant	char	4
asmain	asmainid	int	
asmain	assgnpersn	int	
asmain	budgetcode	varchar	12
asmain	building	char	4
asmain	category	char	4

asmain	color1	char	4
asmain	color2	char	4
asmain	creserve1	char	4
asmain	department	char	4
asmain	dispdate	datetime	
asmain	dispostn	char	4
asmain	dispostnby	int	
asmain	emdivision	char	4
asmain	emsection	char	4
asmain	emshift	char	4
asmain	emunit	char	4
asmain	juriscode	varchar	20
asmain	make	char	4
asmain	model	varchar	25
asmain	notes	text	2147483647
asmain	nreserve1	int	
asmain	propcode	char	4
asmain	propdesc	varchar	60
asmain	purchamt	money	
asmain	purchdate	datetime	
asmain	purchfrom	varchar	50
asmain	quantity	int	
asmain	room	varchar	30
asmain	serialnbr	varchar	30
asmain	sysflag	char	8
asmaint	addtime	datetime	
asmaint	adduser	varchar	11
asmaint	asmainid	int	
asmaint	asmaintid	int	
asmaint	critical	bit	
asmaint	downhrs	decimal	
asmaint	eqstatus	char	4
asmaint	laborcost	money	
asmaint	milage	decimal	
asmaint	notes	text	2147483647
asmaint	partcost	money	
asmaint	repair	bit	
asmaint	requestby	int	
asmaint	requestdt	datetime	
asmaint	scheduled	bit	
asmaint	servecode	char	4
asmaint	servicehrs	decimal	
asmaint	workdt	datetime	
atmain	addtime	datetime	
atmain	adduser	varchar	11
atmain	age	char	2
atmain	agency	char	4
atmain	apt_flr	char	10
atmain	atdlexpire	datetime	
atmain	atlocation	varchar	50
atmain	atmainid	int	
atmain	atpuaddr	varchar	50
atmain	atreqdate	datetime	
atmain	atstatdt	datetime	
atmain	atstatus	char	4
atmain	atype	char	4
atmain	case_id	varchar	12
atmain	city	varchar	29
atmain	district	char	4
atmain	emdivision	char	4
atmain	emsection	char	4

atmain	emshift	char	4
atmain	emunit	char	4
atmain	geooother	varchar	15
atmain	geox	int	
atmain	geoy	int	
atmain	lwmainid	int	
atmain	name_id	int	
atmain	neighborhd	char	4
atmain	officerid	int	
atmain	race	char	2
atmain	remarks	text	2147483647
atmain	reportarea	char	4
atmain	retuoffcr	int	
atmain	sex	char	1
atmain	state	char	2
atmain	street	varchar	40
atmain	streetdir	char	2
atmain	streetnbr	char	8
atmain	subdivisn	char	4
atmain	sysflag	char	8
atmain	tract	char	4
atmain	trapdue	datetime	
atmain	trapid	char	4
atmain	trapin	datetime	
atmain	trapout	datetime	
atmain	traptype	char	4
atmain	zip	char	10
atmain	zone	char	4
autonumb	active	bit	
autonumb	addtime	datetime	
autonumb	adduser	varchar	11
autonumb	agency	char	4
autonumb	alpha	char	10
autonumb	autonumbid	int	
autonumb	beginno	char	10
autonumb	blocksof	int	
autonumb	courtdate	datetime	
autonumb	currno	char	10
autonumb	endno	char	10
autonumb	locked	bit	
autonumb	maxlength	int	
autonumb	numformat	varchar	12
autonumb	officerid	int	
autonumb	type	char	2
autonumb	zeropad	bit	
bakCPInvlv	agencyid	char	4
bakCPInvlv	date_inv	datetime	
bakCPInvlv	innameflag	char	1
bakCPInvlv	inv_desc	varchar	40
bakCPInvlv	inv_status	char	6
bakCPInvlv	modtime	datetime	
bakCPInvlv	moduser	varchar	11
bakCPInvlv	rec_id	int	
bakCPInvlv	rec_key	char	2
bakCPInvlv	relatnship	varchar	15
bakCPInvlv	relrec_id	int	
bakCPInvlv	relrec_key	char	2
bakCPInvlv	syinvlid	int	
bakCPInvlv	sysgen	char	1
bkmain	addtime	datetime	
bkmain	adduser	varchar	11

bkmain	age	char	2
bkmain	agency	char	4
bkmain	bike_id	int	
bkmain	bikesex	char	1
bkmain	bikesize	char	4
bkmain	bknotes	text	2147483647
bkmain	color1	char	4
bkmain	color2	char	4
bkmain	expirdate	datetime	
bkmain	make	char	4
bkmain	model	varchar	20
bkmain	name_addr	text	2147483647
bkmain	name_desc	text	2147483647
bkmain	name_id	int	
bkmain	name_phone	char	10
bkmain	oan	varchar	12
bkmain	officerid	int	
bkmain	race	char	2
bkmain	reg_date	datetime	
bkmain	regnbr	varchar	12
bkmain	serialnbr	varchar	20
bkmain	sex	char	1
bkmain	sysflag	char	8
business	apt_flr	char	10
business	buscode	char	6
business	busdesc	varchar	30
business	businessid	int	
business	bustype	char	4
business	city	varchar	20
business	contfirst	varchar	20
business	contlast	varchar	40
business	notes	text	2147483647
business	otphone	varchar	14
business	state	char	2
business	street	varchar	40
business	streetdir	char	2
business	streetnbr	char	8
business	wphone	varchar	14
business	zip	char	9
cfmain	addconsole	char	8
cfmain	addtime	datetime	
cfmain	adduser	varchar	11
cfmain	agency	char	4
cfmain	attorney	varchar	30
cfmain	bagcount	int	
cfmain	bankacnt	varchar	15
cfmain	bankamt	money	
cfmain	bankname	varchar	20
cfmain	boxnbr	char	8
cfmain	case_id	varchar	12
cfmain	cfcasenbr	varchar	12
cfmain	cfgroup	char	4
cfmain	cfmainid	int	
cfmain	cfnotes	text	2147483647
cfmain	cntrfamt	money	
cfmain	compdmeth	char	1
cfmain	courtcase	varchar	15
cfmain	diffamt	money	
cfmain	dpstddate	datetime	
cfmain	finldisp	datetime	
cfmain	fundavail	money	

cfmain	fundseized	money	
cfmain	initialamt	money	
cfmain	intrrate	decimal	
cfmain	intrreal	money	
cfmain	lwmainid	int	
cfmain	officerid	int	
cfmain	onhand	money	
cfmain	payback	money	
cfmain	payments	money	
cfmain	remainamt	money	
cfmain	remitamt	money	
cfmain	remitdate	datetime	
cfmain	seizdate	datetime	
cfmain	seizedamt	money	
cfmain	sysflag	char	8
cfmain	udf_c1	char	10
cfmain	udf_n1	decimal	
cfpropty	addtime	datetime	
cfpropty	adduser	varchar	11
cfpropty	cfmainid	int	
cfpropty	cfproptyid	int	
cfpropty	creserv1	char	4
cfpropty	itemtype	char	4
cfpropty	lienamount	money	
cfpropty	lienholder	varchar	20
cfpropty	make	varchar	20
cfpropty	model	varchar	20
cfpropty	notes	text	2147483647
cfpropty	nreserv1	tinyint	
cfpropty	state	char	2
cfpropty	tagnumber	char	10
cfpropty	value	money	
cfpropty	vin	varchar	30
cfpyment	addtime	datetime	
cfpyment	adduser	varchar	11
cfpyment	cfmainid	int	
cfpyment	cfpymentid	int	
cfpyment	checknbr	char	10
cfpyment	creserv1	char	4
cfpyment	notes	text	2147483647
cfpyment	nreserv1	int	
cfpyment	officerid	int	
cfpyment	paidddate	datetime	
cfpyment	paidto	varchar	20
cfpyment	payagency	char	4
cfpyment	paymethod	tinyint	
cfpyment	paypct	decimal	
cfpyment	paytype	tinyint	
cfpyment	recptdate	datetime	
cfpyment	totalpaid	money	
cfpyment	trandesc	varchar	40
cfpyment	transtype	char	4
cfsxfer	actdate	datetime	
cfsxfer	actnote	text	2147483647
cfsxfer	acttime	char	4
cfsxfer	addtime	datetime	
cfsxfer	agency	char	4
cfsxfer	apt_flr	char	10
cfsxfer	call_id	varchar	12
cfsxfer	capriority	char	1
cfsxfer	case_id	varchar	12

cfsxfer	cfsxferid	int	
cfsxfer	city	varchar	20
cfsxfer	csdisposit	char	5
cfsxfer	date_fnd	datetime	
cfsxfer	dispdsc	varchar	45
cfsxfer	district	char	4
cfsxfer	emdept_id	char	10
cfsxfer	geox	int	
cfsxfer	geoy	int	
cfsxfer	hour_fnd	char	4
cfsxfer	hour_occu	char	4
cfsxfer	hour_rept	char	4
cfsxfer	howreceive	char	4
cfsxfer	locdesc	varchar	25
cfsxfer	name_addr	text	2147483647
cfsxfer	name_desc	text	2147483647
cfsxfer	name_phone	char	10
cfsxfer	naturecode	char	6
cfsxfer	ncodedesc	varchar	45
cfsxfer	neighborhd	char	4
cfsxfer	occu_date	datetime	
cfsxfer	officerid	char	10
cfsxfer	processed	datetime	
cfsxfer	recvprsn	char	10
cfsxfer	reportarea	char	4
cfsxfer	reportedas	varchar	15
cfsxfer	rept_date	datetime	
cfsxfer	reviewid	int	
cfsxfer	state	char	2
cfsxfer	street	varchar	40
cfsxfer	streetdir	char	2
cfsxfer	streetnbr	char	8
cfsxfer	subdivisn	char	4
cfsxfer	submitdate	datetime	
cfsxfer	timearrive	char	4
cfsxfer	timeclear	char	4
cfsxfer	timedisp	char	4
cfsxfer	zip	char	10
cfsxfer	zone	char	4
changes	addtime	datetime	
changes	adduser	varchar	11
changes	agencyname	varchar	60
changes	category	varchar	12
changes	change	text	2147483647
changes	changedate	datetime	
changes	changeid	int	
changes	document	int	
changes	mailflag	char	1
changes	modkey	varchar	35
changes	product	char	4
changes	report	varchar	45
changes	state	char	2
changes	testtrack	varchar	45
changes	version	char	10
cjis_inmate_SAP_followup	book_id	int	
cjis_inmate_SAP_followup	name_id	int	
clmain	addtime	datetime	
clmain	adduser	varchar	11
clmain	agency	char	4
clmain	alertoff	int	
clmain	assignedto	int	

clmain	case_id	varchar	12
clmain	caseoffcr	int	
clmain	clmainid	int	
clmain	emdivision	char	4
clmain	emsection	char	4
clmain	emshift	char	4
clmain	emunit	char	4
clmain	labnotes	text	2147483647
clmain	labstatus	char	4
clmain	lwmainid	int	
clmain	reqdate	datetime	
clmain	statusdt	datetime	
clmain	sysflag	char	8
cltests	acstatus	char	4
cltests	actionby	char	4
cltests	acttime	datetime	
cltests	addtime	datetime	
cltests	adduser	varchar	11
cltests	alertdate	datetime	
cltests	clmainid	int	
cltests	cltestsid	int	
cltests	compdate	datetime	
cltests	duedate	datetime	
cltests	labnotes	text	2147483647
cltests	labprocess	char	4
cltests	labresult	text	2147483647
cltests	labstatus	char	4
cltests	offcr_id	int	
cltests	pemainid	int	
cltests	pevouchid	int	
cltests	priority	char	10
cltests	statusdt	datetime	
cltests	sysflag	char	8
cpexcrd	cpexcrdid	int	
cpexcrd	creditamt	decimal	
cpexcrd	creditdate	datetime	
cpexcrd	creditfkey	int	
cpexcrd	paidby	varchar	30
cpexcrd	principal	tinyint	
cpexcrd	setcnt	int	
cpexecut	attorneyfee	money	
cpexecut	balreturn	money	
cpexecut	collected	money	
cpexecut	commissn	money	
cpexecut	courtcost	money	
cpexecut	cpexecutid	int	
cpexecut	cpmainid	int	
cpexecut	credits	tinyint	
cpexecut	dateexec	datetime	
cpexecut	datefigto	datetime	
cpexecut	daterecv	datetime	
cpexecut	dateretn	datetime	
cpexecut	duedate	datetime	
cpexecut	feepaid	money	
cpexecut	feepaidby	char	10
cpexecut	grandtotal	money	
cpexecut	interest	money	
cpexecut	intratedue	decimal	
cpexecut	intratejud	decimal	
cpexecut	judgdate	datetime	
cpexecut	notes	text	2147483647

cpexecut	notsvcd	tinyint	
cpexecut	officerid	int	
cpexecut	otherfee	money	
cpexecut	principal1	money	
cpexecut	principal2	money	
cpexecut	retcommiss	money	
cpexecut	retexpens	money	
cpexecut	setcnt	tinyint	
cpexecut	setttotal	money	
cpexecut	svctype	tinyint	
cpexecut	tot____	char	1
cpmain	addconsole	char	8
cpmain	addtime	datetime	
cpmain	adduser	varchar	11
cpmain	age	char	2
cpmain	agency	char	4
cpmain	apt_flr	char	10
cpmain	attorney	varchar	30
cpmain	billto	code	4
cpmain	category1	char	4
cpmain	category2	char	4
cpmain	category3	char	4
cpmain	checknbr	char	10
cpmain	city	varchar	20
cpmain	cmatter	varchar	50
cpmain	convkey	varchar	40
cpmain	court	char	4
cpmain	courtdate	datetime	
cpmain	cpmainid	int	
cpmain	cvnotes	text	2147483647
cpmain	cvpaper	char	4
cpmain	defendant	varchar	30
cpmain	disbursdt	datetime	
cpmain	dispcode	char	4
cpmain	dispdate	datetime	
cpmain	district	char	4
cpmain	docketnbr	varchar	20
cpmain	dtudftext1	datetime	
cpmain	dtudftext2	datetime	
cpmain	dtudftext3	datetime	
cpmain	emdivision	char	4
cpmain	emsection	char	4
cpmain	emshift	char	4
cpmain	emunit	char	4
cpmain	expirdate	datetime	
cpmain	geooother	varchar	15
cpmain	geox	int	
cpmain	geoy	int	
cpmain	inci_id	varchar	12
cpmain	issuedate	datetime	
cpmain	issuedby	char	4
cpmain	legaldept	bit	
cpmain	local_nbr	varchar	15
cpmain	localflag1	char	4
cpmain	localid	varchar	12
cpmain	lwmainid	int	
cpmain	monthstamp	tinyint	
cpmain	name_desc	varchar	50
cpmain	name_id	int	
cpmain	name_type	char	2
cpmain	neighborhd	char	4

cpmain	officerid	int	
cpmain	paidby	varchar	30
cpmain	paperloctn	varchar	15
cpmain	papertype	char	4
cpmain	paymenttype	char	1
cpmain	plaintaddr	text	2147483647
cpmain	plaintiff	varchar	50
cpmain	race	char	2
cpmain	recedate	datetime	
cpmain	reportarea	char	4
cpmain	servicefee	money	
cpmain	sex	char	1
cpmain	state	char	2
cpmain	street	varchar	40
cpmain	streetdir	char	2
cpmain	streetnbr	char	8
cpmain	subdivisn	char	4
cpmain	svcdistric	char	4
cpmain	sysflag	char	8
cpmain	totjdgpaid	money	
cpmain	totjudgmnt	money	
cpmain	tract	char	4
cpmain	udftext1	varchar	30
cpmain	udftext2	varchar	30
cpmain	udftext3	varchar	30
cpmain	yearstamp	int	
cpmain	zip	char	10
cpmain	zone	char	4
csmain	actdate	datetime	
csmain	actnote	text	2147483647
csmain	acttime	char	4
csmain	addconsole	char	8
csmain	addtime	datetime	
csmain	adduser	varchar	11
csmain	age	char	2
csmain	agency	char	4
csmain	apt_flr	char	10
csmain	asst_offcr	char	1
csmain	call_id	varchar	12
csmain	callbackno	char	10
csmain	callclass	char	4
csmain	calltype	char	4
csmain	capriority	char	1
csmain	case_id	varchar	12
csmain	city	varchar	20
csmain	convkey	varchar	40
csmain	csdisposit	char	4
csmain	csmainid	int	
csmain	csnametype	char	4
csmain	dispdesc	varchar	45
csmain	district	char	4
csmain	downldby	varchar	20
csmain	downldtime	datetime	
csmain	dowstamp	char	2
csmain	emdivision	char	4
csmain	emsection	char	4
csmain	emshift	char	4
csmain	emunit	char	4
csmain	geooother	varchar	15
csmain	geox	int	
csmain	geoy	int	

csmain	hourstamp	tinyint	
csmain	howreceive	char	4
csmain	locdesc	varchar	25
csmain	mobilepkey	varchar	20
csmain	monthstamp	tinyint	
csmain	name_addr	text	2147483647
csmain	name_desc	text	2147483647
csmain	name_id	int	
csmain	name_phone	char	10
csmain	naturecode	char	4
csmain	ncodedesc	varchar	20
csmain	neighborhd	char	4
csmain	officerid	int	
csmain	race	char	2
csmain	recvprsn	int	
csmain	reportarea	char	4
csmain	reviewdate	datetime	
csmain	reviewid	int	
csmain	rollcall	bit	
csmain	sex	char	1
csmain	state	char	2
csmain	street	varchar	40
csmain	streetdir	char	2
csmain	streetnbr	char	8
csmain	subdivisn	char	4
csmain	submitdate	datetime	
csmain	supervisor	int	
csmain	sysflag	char	8
csmain	timearrive	char	4
csmain	timeclear	char	4
csmain	timedisp	char	4
csmain	tract	char	4
csmain	ts_hour	tinyint	
csmain	ts_minute	tinyint	
csmain	yearstamp	int	
csmain	zip	char	6
csmain	zone	char	4
cwmain	addtime	datetime	
cwmain	adduser	varchar	11
cwmain	age	char	2
cwmain	agency	char	4
cwmain	cwdeny	char	4
cwmain	cwmainid	int	
cwmain	cwnotes	text	2147483647
cwmain	cwreason	char	4
cwmain	cwstatus	char	4
cwmain	cwstatusdt	datetime	
cwmain	cwtype	char	4
cwmain	daterec	datetime	
cwmain	dateretn	datetime	
cwmain	datetofbi	datetime	
cwmain	datetosbi	datetime	
cwmain	dupldate	datetime	
cwmain	duplicatby	int	
cwmain	emdivision	char	4
cwmain	emsection	char	4
cwmain	emshift	char	4
cwmain	emunit	char	4
cwmain	fingerpnt	bit	
cwmain	firearmtrn	bit	
cwmain	fpdaterec	datetime	

cwmain	fpdateretu	datetime	
cwmain	fpdatesent	datetime	
cwmain	medhist	bit	
cwmain	name_id	int	
cwmain	officerid	int	
cwmain	permitdate	datetime	
cwmain	permitexp	datetime	
cwmain	permitno	varchar	12
cwmain	race	char	2
cwmain	sex	char	1
cwmain	sysflag	char	8
cwmain	uscitizen	bit	
cwmedfm	cwmainid	int	
cwmedfm	cwmedfmid	int	
cwmedfm	provdaddr	varchar	50
cwmedfm	provdname	varchar	30
dbmain	addtime	datetime	
dbmain	adduser	varchar	11
dbmain	age	char	2
dbmain	agency	char	4
dbmain	apt_flr	char	10
dbmain	case_id	varchar	12
dbmain	city	varchar	20
dbmain	dbdate	datetime	
dbmain	dbmainid	int	
dbmain	dbnotes	text	2147483647
dbmain	dbtime	char	4
dbmain	dbtype	char	4
dbmain	district	char	4
dbmain	emdivision	char	4
dbmain	emsection	char	4
dbmain	emshift	char	4
dbmain	emunit	char	4
dbmain	geooother	varchar	15
dbmain	geox	int	
dbmain	geoy	int	
dbmain	lwmainid	int	
dbmain	name_id	int	
dbmain	neighborhd	char	4
dbmain	officer	int	
dbmain	race	char	2
dbmain	reportarea	char	4
dbmain	sex	char	1
dbmain	state	char	2
dbmain	street	varchar	40
dbmain	streetdir	char	2
dbmain	streetnbr	char	8
dbmain	subdivisn	char	4
dbmain	tract	char	4
dbmain	zip	char	10
dbmain	zone	char	4
dexport	addconsole	char	8
dexport	addtime	datetime	
dexport	adduser	varchar	11
dexport	column1	varchar	16
dexport	dexportid	int	
dexport	fkey	varchar	14
dexport	proctime	datetime	
dexport	response	text	2147483647
dexport	rstatus	int	
dexport	rtype	char	1

dexport	submitdata	text	2147483647
dexport	syskey	int	
dexport	table1	varchar	16
dexport	tablekey	int	
dmupload	addtime	datetime	
dmupload	adduser	varchar	11
dmupload	disabled	char	1
dmupload	dmuploadid	int	
dmupload	idnbr	int	
dmupload	name_id	int	
dmupload	tasknbr	int	
dmupload	uploaded	char	1
dmupload	uploadtime	datetime	
dmuplog	dmuplogid	int	
dmuplog	notes	varchar	200
dmuplog	uploadinfo	varchar	120
dmuplog	uploadtime	datetime	
dtproperties	id	int	
dtproperties	lvalue	image	2147483647
dtproperties	objectid	int	
dtproperties	property	varchar	64
dtproperties	uvalue	nvarchar	255
dtproperties	value	varchar	255
dtproperties	version	int	
emaction	actiondate	datetime	
emaction	actiondesc	varchar	30
emaction	actionnote	text	2147483647
emaction	addtime	datetime	
emaction	adduser	varchar	11
emaction	emactionid	int	
emaction	emdivision	char	4
emaction	empl_id	int	
emaction	emsection	char	4
emaction	emshift	char	4
emaction	emunit	char	4
emaction	modtime	datetime	
emaction	moduser	varchar	11
emaction	payrate	char	4
emaction	promfrom	char	20
emaction	promto	char	20
emaction	rowguid	uniqueidentifier	
emaction	salarybon	float	
emcert	addtime	datetime	
emcert	adduser	varchar	11
emcert	cert_cmmnt	varchar	20
emcert	certexpire	datetime	
emcert	certtype	varchar	30
emcert	emcertid	int	
emcert	emdate	datetime	
emcert	empl_id	int	
emcert	issueagent	varchar	20
emcert	modtime	datetime	
emcert	moduser	varchar	11
emcert	rowguid	uniqueidentifier	
emcert	trcertid	int	
emcertif	addtime	datetime	
emcertif	adduser	varchar	11
emcertif	certdesc	varchar	40
emcertif	certnotes	varchar	30
emcertif	earnhours	float	
emcertif	emcertifid	int	

emcertif	empl_id	int	
emcertif	expdate	datetime	
emcertif	expdate2	datetime	
emcertif	issueagent	char	4
emcertif	issuedate	datetime	
emcertif	lastctdate	datetime	
emcertif	modtime	datetime	
emcertif	moduser	varchar	11
emcertif	recertify	tinyint	
emcertif	reqhours	float	
emcertif	rowguid	uniqueidentifier	
emcertif	termmonth	int	
emcertif	titlegen	bit	
emcertif	trcertifid	int	
emcont	address	text	2147483647
emcont	addtime	datetime	
emcont	adduser	varchar	11
emcont	contnotes	text	2147483647
emcont	emcontid	int	
emcont	empl_id	int	
emcont	fullname	varchar	30
emcont	hphone	char	10
emcont	medalert	char	10
emcont	modtime	datetime	
emcont	moduser	varchar	11
emcont	relation	char	10
emcont	rowguid	uniqueidentifier	
emcont	wphone	varchar	15
emeduc	addtime	datetime	
emeduc	adduser	varchar	11
emeduc	educdegree	char	4
emeduc	educgrade	varchar	15
emeduc	educnote	varchar	30
emeduc	emdate	datetime	
emeduc	emeducid	int	
emeduc	empl_id	int	
emeduc	institute	varchar	30
emeduc	modtime	datetime	
emeduc	moduser	varchar	11
emeduc	rowguid	uniqueidentifier	
emempl	addtime	datetime	
emempl	adduser	varchar	11
emempl	buscode	char	6
emempl	denied	bit	
emempl	duedate	datetime	
emempl	ememplid	int	
emempl	empl_id	int	
emempl	emptytype	char	4
emempl	jobcode	char	4
emempl	notes	text	2147483647
emempl	onetime	bit	
emempl	related	bit	
emempl	renewdate	datetime	
emempl	reqdate	datetime	
emempl	rowguid	uniqueidentifier	
emempl	termdate	datetime	
emempl	uniform	bit	
emempl	vehicle	bit	
emequip	addtime	datetime	
emequip	adduser	varchar	11
emequip	citafrom	varchar	12

emequip	citato	varchar	12
emequip	citatto	varchar	12
emequip	dateissued	datetime	
emequip	datereturn	datetime	
emequip	emequipid	int	
emequip	empl_id	int	
emequip	eqgrant	char	4
emequip	eqlocalno	char	10
emequip	eqmake	varchar	20
emequip	eqmodel	varchar	20
emequip	eqnotes	text	2147483647
emequip	eqquantity	float	
emequip	eqserialno	varchar	15
emequip	eqtype	char	10
emequip	modtime	datetime	
emequip	moduser	varchar	11
emequip	reserve1	char	4
emequip	returnqnty	float	
emequip	rowguid	uniqueidentifier	
emexpung	addtime	datetime	
emexpung	adduser	varchar	11
emexpung	agencies	varchar	30
emexpung	emexpungid	int	
emexpung	empl_id	int	
emexpung	module	varchar	20
emfaqual	activity	char	4
emfaqual	activtype	char	4
emfaqual	addtime	datetime	
emfaqual	adduser	varchar	11
emfaqual	caliber	char	4
emfaqual	comments	text	2147483647
emfaqual	emfaqualid	int	
emfaqual	empl_id	int	
emfaqual	instruct1	int	
emfaqual	instruct2	int	
emfaqual	instruct3	int	
emfaqual	offduty	char	2
emfaqual	passfail	char	2
emfaqual	qualdate	datetime	
emfaqual	qualdate2	datetime	
emfaqual	rounds	int	
emfaqual	rowguid	uniqueidentifier	
emfaqual	score	char	5
emfaqual	serialno	varchar	25
emfaqual	timespent	decimal	
emfaqual	weapmake	char	4
emfaqual	weapmodl	varchar	20
emfaqual	weaptype	char	4
eminspec	addtime	datetime	
eminspec	adduser	varchar	11
eminspec	creserve1	char	10
eminspec	creserve2	char	4
eminspec	eminspecid	int	
eminspec	empl_id	int	
eminspec	inspdate	datetime	
eminspec	inspnotes	text	2147483647
eminspec	insptype	char	4
eminspec	nextinsp	datetime	
eminspec	nreserve1	int	
eminspec	nreserve2	int	
eminspec	passfail	char	1

eminspec	rowguid	uniqueidentifier	
eminspec	supervisor	int	
emloca	addtime	datetime	
emloca	adduser	varchar	11
emloca	emloc	char	10
emloca	emlocaid	int	
emloca	emlocdesc	varchar	30
emmain	addrid	int	
emmain	addtime	datetime	
emmain	adduser	varchar	11
emmain	adusername	varchar	100
emmain	agency	char	4
emmain	agencytype	char	4
emmain	apt_flr	char	10
emmain	b_timesht_	char	1
emmain	beat	char	10
emmain	blood_type	char	3
emmain	c_cad_____	char	1
emmain	canine	char	4
emmain	car	char	10
emmain	cellphone	char	10
emmain	city	varchar	20
emmain	cnt_cnt	tinyint	
emmain	comments	varchar	60
emmain	contactlen	char	4
emmain	countyid	char	10
emmain	courtcivil	char	2
emmain	courtraffc	char	2
emmain	daysoff	char	7
emmain	decalnbr	char	5
emmain	doctoraddr	varchar	30
emmain	doctorpage	char	10
emmain	doctorph_h	char	10
emmain	doctorph_w	varchar	15
emmain	emage	tinyint	
emmain	embudgetno	char	8
emmain	emcad_type	char	1
emmain	emcar_nbr	char	4
emmain	emcomprule	tinyint	
emmain	emdatehire	datetime	
emmain	emdateswrn	datetime	
emmain	emdateterm	datetime	
emmain	emdef_hour	decimal	
emmain	emdegree	char	3
emmain	emdepend	int	
emmain	emdept_id	char	10
emmain	emdivision	char	4
emmain	emdivs_grp	char	1
emmain	emdivs_pri	char	1
emmain	emdob	datetime	
emmain	emdrdexemp	bit	
emmain	ememail	text	2147483647
emmain	emethnic	char	1
emmain	emeye	char	4
emmain	emfname	varchar	20
emmain	emg_____	char	1
emmain	emgaddr1	varchar	30
emmain	emgaddr2	varchar	30
emmain	emgcontnm1	varchar	25
emmain	emgdoctor	varchar	25
emmain	emgpager	char	10

emmain	emgphn1_h	char	10
emmain	emgphn1_w	varchar	15
emmain	emgrelatn1	char	10
emmain	emhair	char	4
emmain	emheight	char	4
emmain	emhphone	char	10
emmain	emisoncall	bit	
emmain	emjobcd	char	6
emmain	emjobtitle	varchar	20
emmain	emlastgrad	tinyint	
emmain	emlname	varchar	25
emmain	emloc	char	10
emmain	emmarital	char	4
emmain	emmbphone	char	10
emmain	emmedalt1	char	10
emmain	emmname	varchar	15
emmain	emnotes	text	2147483647
emmain	emoln	varchar	25
emmain	emolndate	datetime	
emmain	empager	char	10
emmain	empagerpin	char	10
emmain	emparttime	bit	
emmain	emphoto	char	1
emmain	empl_id	int	
emmain	empl_type	tinyint	
emmain	emrace	char	2
emmain	emrank	char	10
emmain	emrankdate	datetime	
emmain	emsalaryty	tinyint	
emmain	emsection	char	4
emmain	emsecurity	char	1
emmain	emsex	char	1
emmain	emshift	char	4
emmain	emsignatur	bit	
emmain	emssn	char	9
emmain	emsuffix	char	3
emmain	emsupervs	bit	
emmain	emtermnote	varchar	15
emmain	emtimewrkd	tinyint	
emmain	emtype	char	4
emmain	emunit	char	4
emmain	emunitkey	char	2
emmain	emuserid	varchar	11
emmain	emweight	int	
emmain	emworkweek	varchar	15
emmain	emwphone	varchar	15
emmain	enddate	datetime	
emmain	endtime	char	4
emmain	geoother	varchar	15
emmain	geox	int	
emmain	geoy	int	
emmain	histflag	char	5
emmain	hospital	varchar	20
emmain	idexpdate	datetime	
emmain	jailuser1	varchar	65
emmain	longvtdate	datetime	
emmain	lunch	char	4
emmain	med_alert	text	2147483647
emmain	mfrreview	varchar	100
emmain	modtime	datetime	
emmain	moduser	varchar	11

emmain	nondepart	char	4
emmain	notifyby	int	
emmain	offsign	varbinary	50
emmain	phyexamdt	datetime	
emmain	posnumber	char	12
emmain	radioid	char	10
emmain	rowguid	uniqueidentifier	
emmain	startdate	datetime	
emmain	starttime	char	4
emmain	state	char	2
emmain	stateid	varchar	20
emmain	street	varchar	30
emmain	streetdir	char	2
emmain	streetnbr	char	5
emmain	supervisor	int	
emmain	sysflag	char	8
emmain	udchkbox1	bit	
emmain	udfield1	char	4
emmain	udfield2	char	4
emmain	udfield3	char	10
emmain	udfield4	char	4
emmain	udfield5	char	4
emmain	unlisted	bit	
emmain	zip	char	10
emmain_WOPDCONV	addrid	int	
emmain_WOPDCONV	addtime	datetime	
emmain_WOPDCONV	adduser	varchar	11
emmain_WOPDCONV	agency	char	4
emmain_WOPDCONV	agencytype	char	4
emmain_WOPDCONV	apt_flr	char	10
emmain_WOPDCONV	b_timesht	char	1
emmain_WOPDCONV	beat	char	10
emmain_WOPDCONV	blood_type	char	3
emmain_WOPDCONV	c_cad_____	char	1
emmain_WOPDCONV	canine	char	4
emmain_WOPDCONV	car	char	10
emmain_WOPDCONV	city	varchar	20
emmain_WOPDCONV	cnt_cnt	tinyint	
emmain_WOPDCONV	comments	varchar	60
emmain_WOPDCONV	contactlen	char	4
emmain_WOPDCONV	courtcivil	char	2
emmain_WOPDCONV	courtraffc	char	2
emmain_WOPDCONV	daysoff	char	7
emmain_WOPDCONV	decalnbr	char	5
emmain_WOPDCONV	doctoraddr	varchar	30
emmain_WOPDCONV	doctorpage	char	10
emmain_WOPDCONV	doctorph_h	char	10
emmain_WOPDCONV	doctorph_w	varchar	15
emmain_WOPDCONV	emage	tinyint	
emmain_WOPDCONV	embudgetno	char	8
emmain_WOPDCONV	emcad_type	char	1
emmain_WOPDCONV	emcar_nbr	char	4
emmain_WOPDCONV	emcomprule	tinyint	
emmain_WOPDCONV	emdatehire	datetime	
emmain_WOPDCONV	emdateswrn	datetime	
emmain_WOPDCONV	emdateterm	datetime	
emmain_WOPDCONV	emdef_hour	decimal	
emmain_WOPDCONV	emdegree	char	3
emmain_WOPDCONV	emdepend	int	
emmain_WOPDCONV	emdept_id	char	10
emmain_WOPDCONV	emdivision	char	4

emmain_WOPDCONV	emdivs_grp	char	1
emmain_WOPDCONV	emdivs_pri	char	1
emmain_WOPDCONV	emdob	datetime	
emmain_WOPDCONV	emdrdexemp	bit	
emmain_WOPDCONV	ememail	text	2147483647
emmain_WOPDCONV	emethnic	char	1
emmain_WOPDCONV	emeye	char	4
emmain_WOPDCONV	emfname	varchar	20
emmain_WOPDCONV	emg_____	char	1
emmain_WOPDCONV	emgaddr1	varchar	30
emmain_WOPDCONV	emgaddr2	varchar	30
emmain_WOPDCONV	emgcontnm1	varchar	25
emmain_WOPDCONV	emgdoctor	varchar	25
emmain_WOPDCONV	emgpager	char	10
emmain_WOPDCONV	emgphn1_h	char	10
emmain_WOPDCONV	emgphn1_w	varchar	15
emmain_WOPDCONV	emgrelatn1	char	10
emmain_WOPDCONV	emhair	char	4
emmain_WOPDCONV	emheight	char	4
emmain_WOPDCONV	emhphone	char	10
emmain_WOPDCONV	emisoncall	bit	
emmain_WOPDCONV	emjobtitle	varchar	20
emmain_WOPDCONV	emlastgrad	tinyint	
emmain_WOPDCONV	emlname	varchar	25
emmain_WOPDCONV	emmarital	char	4
emmain_WOPDCONV	emmbphone	char	10
emmain_WOPDCONV	emmedalt1	char	10
emmain_WOPDCONV	emmname	varchar	15
emmain_WOPDCONV	emnotes	text	2147483647
emmain_WOPDCONV	emoln	varchar	25
emmain_WOPDCONV	emolndate	datetime	
emmain_WOPDCONV	empager	char	10
emmain_WOPDCONV	empagerpin	char	10
emmain_WOPDCONV	emparttime	bit	
emmain_WOPDCONV	emphoto	char	1
emmain_WOPDCONV	empl_id	int	
emmain_WOPDCONV	empl_type	tinyint	
emmain_WOPDCONV	emrace	char	2
emmain_WOPDCONV	emrank	char	10
emmain_WOPDCONV	emrankdate	datetime	
emmain_WOPDCONV	emsalaryty	tinyint	
emmain_WOPDCONV	emsection	char	4
emmain_WOPDCONV	emsecurity	char	1
emmain_WOPDCONV	emsex	char	1
emmain_WOPDCONV	emshift	char	4
emmain_WOPDCONV	emsignatur	bit	
emmain_WOPDCONV	emssn	char	9
emmain_WOPDCONV	emsuffix	char	3
emmain_WOPDCONV	emsupervs	bit	
emmain_WOPDCONV	emtermnote	varchar	15
emmain_WOPDCONV	emtimewrkd	tinyint	
emmain_WOPDCONV	emtype	char	4
emmain_WOPDCONV	emunit	char	4
emmain_WOPDCONV	emunitkey	char	2
emmain_WOPDCONV	emuserid	varchar	11
emmain_WOPDCONV	emweight	int	
emmain_WOPDCONV	emworkweek	varchar	15
emmain_WOPDCONV	emwphone	varchar	15
emmain_WOPDCONV	enddate	datetime	
emmain_WOPDCONV	endtime	char	4
emmain_WOPDCONV	geoother	varchar	15

emmain_WOPDCONV	geox	int	
emmain_WOPDCONV	geoy	int	
emmain_WOPDCONV	histflag	char	5
emmain_WOPDCONV	hospital	varchar	20
emmain_WOPDCONV	idexpdate	datetime	
emmain_WOPDCONV	jailuser1	varchar	65
emmain_WOPDCONV	longvtdate	datetime	
emmain_WOPDCONV	lunch	char	4
emmain_WOPDCONV	med_alert	text	2147483647
emmain_WOPDCONV	mfrreview	varchar	100
emmain_WOPDCONV	modtime	datetime	
emmain_WOPDCONV	moduser	varchar	11
emmain_WOPDCONV	nondepart	char	4
emmain_WOPDCONV	notifyby	int	
emmain_WOPDCONV	phyexamdt	datetime	
emmain_WOPDCONV	posnumber	char	12
emmain_WOPDCONV	radioid	char	10
emmain_WOPDCONV	rowguid	uniqueidentifier	
emmain_WOPDCONV	startdate	datetime	
emmain_WOPDCONV	starttime	char	4
emmain_WOPDCONV	state	char	2
emmain_WOPDCONV	street	varchar	30
emmain_WOPDCONV	streetdir	char	2
emmain_WOPDCONV	streetnbr	char	5
emmain_WOPDCONV	supervisor	int	
emmain_WOPDCONV	sysflag	char	8
emmain_WOPDCONV	udchkbox1	bit	
emmain_WOPDCONV	udfield1	char	4
emmain_WOPDCONV	udfield2	char	4
emmain_WOPDCONV	udfield3	char	10
emmain_WOPDCONV	udfield4	char	4
emmain_WOPDCONV	udfield5	char	4
emmain_WOPDCONV	unlisted	bit	
emmain_WOPDCONV	zip	char	10
emmainx	emdate	datetime	
emmainx	emhourate	float	
emmainx	emmainxid	int	
emmainx	emovtmrate	float	
emmainx	empayrange	char	4
emmainx	empaystep	char	4
emmainx	empl_id	char	9
emmainx	emsalary	float	
emmainx	emxnotes	text	2147483647
emmainx	modtime	datetime	
emmainx	moduser	varchar	11
emmainx	rowguid	uniqueidentifier	
emother	emotherid	int	
emother	empl_id	int	
emother	rowguid	uniqueidentifier	
emother	zone	char	4
empos	addtime	datetime	
empos	adduser	varchar	100
empos	agency	char	4
empos	descriptn	text	2147483647
empos	effdate	datetime	
empos	emposid	int	
empos	empstat	char	1
empos	filledby	int	
empos	grade	char	4
empos	jclassnbr	char	6
empos	notes	text	2147483647

empos	originb	char	6
empos	payrang1	money	
empos	payrang2	money	
empos	posnbr	char	10
empos	reason	char	4
empos	seqnbr	char	4
empos	status	varchar	15
empos	title	char	4
emposhis	addtime	datetime	
emposhis	adduser	varchar	100
emposhis	agency	char	4
emposhis	empl_id	int	
emposhis	emposhisid	int	
emposhis	emposid	int	
emposhis	enddate	datetime	
emposhis	posnbr	char	10
emposhis	strtdat	datetime	
emprom	emdate	datetime	
emprom	empl_id	int	
emprom	empromid	int	
emprom	modtime	datetime	
emprom	moduser	varchar	11
emprom	prom_cmmnt	varchar	30
emprom	prom_from	varchar	15
emprom	prom_to	varchar	15
emprom	rowguid	uniqueidentifier	
emsecux	addtime	datetime	
emsecux	adduser	varchar	11
emsecux	agencies	varchar	40
emsecux	empl_id	int	
emsecux	emsecuxid	int	
emsecux	modules	varchar	20
emskill	addtime	datetime	
emskill	adduser	varchar	11
emskill	empl_id	int	
emskill	emskillid	int	
emskill	modtime	datetime	
emskill	moduser	varchar	11
emskill	rowguid	uniqueidentifier	
emskill	skillcode	char	4
emskill	skilldate	datetime	
emskill	skilldesc	varchar	40
emskill_cjis_recstodel	addtime	datetime	
emskill_cjis_recstodel	adduser	varchar	11
emskill_cjis_recstodel	empl_id	int	
emskill_cjis_recstodel	emskillid	int	
emskill_cjis_recstodel	modtime	datetime	
emskill_cjis_recstodel	moduser	varchar	11
emskill_cjis_recstodel	rowguid	uniqueidentifier	
emskill_cjis_recstodel	skillcode	char	4
emskill_cjis_recstodel	skilldate	datetime	
emskill_cjis_recstodel	skilldesc	varchar	40
emtitle	addtime	datetime	
emtitle	adduser	varchar	11
emtitle	empl_id	int	
emtitle	emtitleid	int	
emtitle	modtime	datetime	
emtitle	moduser	varchar	11
emtitle	rowguid	uniqueidentifier	
emtitle	titledesc	varchar	30
emtitle	titleid	char	10

emtrain1	addtime	datetime	
emtrain1	adduser	varchar	11
emtrain1	crsdesc	varchar	40
emtrain1	crshours	float	
emtrain1	crslocatn	varchar	40
emtrain1	crstitle	char	10
emtrain1	emdate	datetime	
emtrain1	empl_id	int	
emtrain1	emtrain1id	int	
emtrain1	instructor	varchar	20
emtrain1	lodgeexp	float	
emtrain1	materlexp	float	
emtrain1	mealexp	float	
emtrain1	miscexp	float	
emtrain1	postscore	char	3
emtrain1	prescore	char	3
emtrain1	reserve1	char	4
emtrain1	rowguid	uniqueidentifier	
emtrain1	source	char	4
emtrain1	tuitionexp	float	
equivcod	addtime	datetime	
equivcod	adduser	varchar	11
equivcod	agency	char	4
equivcod	citanbr	int	
equivcod	citapoint	int	
equivcod	equivcode	varchar	25
equivcod	equivcodid	int	
equivcod	equivdesc	varchar	60
equivcod	penclass	char	4
equivcod	titlea	text	2147483647
equivcod	ucr2stid	int	
expaudit	addcrit	varchar	50
expaudit	childtable	varchar	12
expaudit	expauditid	int	
expaudit	tablename	varchar	12
expindex	agency	char	4
expindex	cflag	char	1
expindex	coperation	char	1
expindex	editfield	char	10
expindex	editflag	char	4
expindex	expindexid	int	
expindex	indexkey	char	2
expindex	modtime	datetime	
expindex	nkey	int	
expindex	pkeyfld	char	10
expindex	tabname	char	8
fcmain	addconsole	char	8
fcmain	addtime	datetime	
fcmain	adduser	varchar	11
fcmain	admitnote	text	2147483647
fcmain	admitrec	bit	
fcmain	age	char	2
fcmain	agency	char	4
fcmain	apt_flr	char	10
fcmain	canotes	text	2147483647
fcmain	case_id	varchar	12
fcmain	category1	char	4
fcmain	category2	char	4
fcmain	city	varchar	20
fcmain	convkey	varchar	40
fcmain	dirtravel	char	4

fcmain	dispositn	varchar	20
fcmain	district	char	4
fcmain	emdivision	char	4
fcmain	emsection	char	4
fcmain	emshift	char	4
fcmain	emunit	char	4
fcmain	fcdate	datetime	
fcmain	fctime	char	4
fcmain	fldc_id	int	
fcmain	geoother	varchar	15
fcmain	geox	int	
fcmain	geoy	int	
fcmain	lwmainid	int	
fcmain	mobilepkey	varchar	20
fcmain	name_id	int	
fcmain	neighborhd	char	4
fcmain	officerid	int	
fcmain	personcnt	int	
fcmain	propcode	char	4
fcmain	propdesc	varchar	30
fcmain	race	char	2
fcmain	reasoncode	char	4
fcmain	remarks	text	2147483647
fcmain	reportarea	char	4
fcmain	reviewdate	datetime	
fcmain	reviewid	int	
fcmain	rollcall	bit	
fcmain	sex	char	1
fcmain	sitename	varchar	30
fcmain	state	char	2
fcmain	street	varchar	40
fcmain	streetdir	char	2
fcmain	streetnbr	char	8
fcmain	subdivisn	char	4
fcmain	supervisor	int	
fcmain	sysflag	char	8
fcmain	tract	char	4
fcmain	vhcolor1	char	4
fcmain	vhcolor2	char	4
fcmain	vhlicense	char	10
fcmain	vhlicstate	char	2
fcmain	vhmake	char	4
fcmain	vhmodel	varchar	15
fcmain	vhstyle	char	4
fcmain	vhyear	int	
fcmain	weaponcode	char	4
fcmain	weapondesc	varchar	30
fcmain	zip	char	10
fcmain	zone	char	4
fpregstr	fpregstrid	int	
fpregstr	fptemplate	image	2147483647
fpregstr	fpctype	char	1
fpregstr	parentid	int	
frchrg	addtime	datetime	
frchrg	adduser	varchar	11
frchrg	arr_chrg	varchar	18
frchrg	chrg_seq	int	
frchrg	chrgcnt	int	
frchrg	chrgdesc	varchar	60
frchrg	city	varchar	25
frchrg	convdate	datetime	

frchrg	convplace	text	2147483647
frchrg	county	varchar	25
frchrg	frchrgid	int	
frchrg	frmainid	int	
frchrg	offnsdate	datetime	
frchrg	state	char	2
frchrg	ucr_code	char	4
frmain	ackn_type	tinyint	
frmain	addtime	datetime	
frmain	adduser	varchar	11
frmain	age	char	2
frmain	agency	char	4
frmain	apt_flr	char	10
frmain	cchistory	char	1
frmain	charge	varchar	60
frmain	city	varchar	20
frmain	comments	text	2147483647
frmain	convdate	datetime	
frmain	convname	text	2147483647
frmain	convplace	text	2147483647
frmain	datesigntr	datetime	
frmain	datewitns	datetime	
frmain	district	char	4
frmain	employed	tinyint	
frmain	frmainid	int	
frmain	geoothor	varchar	15
frmain	geox	int	
frmain	geoy	int	
frmain	name_id	int	
frmain	neighborhd	char	4
frmain	offenseloc	text	2147483647
frmain	offenses	text	2147483647
frmain	officerid	int	
frmain	penalinst	text	2147483647
frmain	race	char	2
frmain	regdate	datetime	
frmain	regstatus	char	4
frmain	regtype	char	4
frmain	relationsh	char	4
frmain	relatives	text	2147483647
frmain	relphone	char	10
frmain	reportarea	char	4
frmain	sex	char	1
frmain	spousename	text	2147483647
frmain	state	char	2
frmain	street	varchar	40
frmain	streetdir	char	2
frmain	streetnbr	char	8
frmain	stt_date	datetime	
frmain	stt_resend	tinyint	
frmain	subdivisn	char	4
frmain	sysflag	char	8
frmain	tract	char	4
frmain	victimtype	tinyint	
frmain	warrcheck	char	1
frmain	witness	text	2147483647
frmain	zip	char	10
frmain	zone	char	4
ftpcfg	agency	char	4
ftpcfg	code_key	char	4
ftpcfg	descriptn	varchar	30

ftpcfg	ftpaddress	varchar	30
ftpcfg	ftpcfgid	int	
ftpcfg	ftppw	char	10
ftpcfg	ftpuserid	varchar	20
fvinsp	addtime	datetime	
fvinsp	adduser	varchar	11
fvinsp	bear	bit	
fvinsp	blanket	bit	
fvinsp	bluealtsys	bit	
fvinsp	brasstags	int	
fvinsp	broom	bit	
fvinsp	chemicals	bit	
fvinsp	curmiles	decimal	
fvinsp	fireext	bit	
fvinsp	firstaid	bit	
fvinsp	flares	bit	
fvinsp	flexcuffs	bit	
fvinsp	fvinspid	int	
fvinsp	fvmainid	int	
fvinsp	ickit	bit	
fvinsp	inspectdt	datetime	
fvinsp	inspector	int	
fvinsp	interior	char	4
fvinsp	jacklug	bit	
fvinsp	keys	int	
fvinsp	lftire	char	1
fvinsp	linetape	bit	
fvinsp	lrtire	char	1
fvinsp	mdtmdc	bit	
fvinsp	notes	text	2147483647
fvinsp	occsolution	bit	
fvinsp	rftire	char	1
fvinsp	rolltape	bit	
fvinsp	rrtire	char	1
fvinsp	shield	bit	
fvinsp	sparetire	bit	
fvinsp	spitsock	bit	
fvinsp	spotlight	bit	
fvitems	addtime	datetime	
fvitems	adduser	varchar	11
fvitems	descriptn	varchar	40
fvitems	fvitemsid	int	
fvitems	fvmainid	int	
fvitems	itemcode	char	4
fvmain	addtime	datetime	
fvmain	adduser	varchar	11
fvmain	agency	char	4
fvmain	assetnumb	varchar	15
fvmain	assgtype	char	4
fvmain	color1	char	4
fvmain	cost	money	
fvmain	dispodate	datetime	
fvmain	dispoval	money	
fvmain	emdivision	char	4
fvmain	empl_id	int	
fvmain	emsection	char	4
fvmain	emshift	char	4
fvmain	emunit	char	4
fvmain	eqmainid	int	
fvmain	equip_id	varchar	12
fvmain	equiyear	int	

fvmain	fvmainid	int	
fvmain	histflag	char	10
fvmain	inspectdt	datetime	
fvmain	inspector	int	
fvmain	licpl_no	char	10
fvmain	maintdt	datetime	
fvmain	make	char	4
fvmain	marked	bit	
fvmain	mdtserial	varchar	18
fvmain	mdttype	char	4
fvmain	model	varchar	12
fvmain	notes	text	2147483647
fvmain	officerid	int	
fvmain	parkloc	varchar	30
fvmain	purchasedt	datetime	
fvmain	radioser	varchar	15
fvmain	repairdt	datetime	
fvmain	serialnumb	varchar	20
fvmain	sysflag	char	8
fvmain	totcost	money	
fvmain	totmiles	decimal	
fvmain	tract	char	4
fvmain	typecode	char	4
fvmain	vendcode	char	4
fvmaint	addtime	datetime	
fvmaint	adduser	varchar	11
fvmaint	cost	decimal	
fvmaint	curmiles	decimal	
fvmaint	fvmainid	int	
fvmaint	fvmaintid	int	
fvmaint	maintby	varchar	60
fvmaint	maintdt	datetime	
fvmaint	mainttyp	varchar	60
fvmaint	modtime	datetime	
fvmaint	moduser	varchar	11
fvmaint	nextmaint	datetime	
fvmaint	notes	text	2147483647
gaactnm	addtime	datetime	
gaactnm	adduser	varchar	11
gaactnm	age	char	2
gaactnm	dob	datetime	
gaactnm	ethnicity	char	1
gaactnm	gaactnmid	int	
gaactnm	gaactyid	int	
gaactnm	gamainid	int	
gaactnm	injury	char	6
gaactnm	name_code	char	2
gaactnm	name_id	int	
gaactnm	name_type	char	1
gaactnm	nc_seq	int	
gaactnm	race	char	2
gaactnm	reference	char	4
gaactnm	remarks	text	2147483647
gaactnm	residence	char	1
gaactnm	restrictnm	bit	
gaactnm	sex	char	1
gaactnm	weapon	char	4
gaacty	addconsole	char	8
gaacty	addtime	datetime	
gaacty	adduser	varchar	11
gaacty	agency	char	4

gaacty	apt_flr	char	10
gaacty	assgndvsn	char	4
gaacty	assgnunit	char	4
gaacty	assignedby	int	
gaacty	asst_offcr	int	
gaacty	case_id	varchar	12
gaacty	casestatus	char	4
gaacty	category1	char	4
gaacty	category2	char	4
gaacty	city	varchar	20
gaacty	cleardvsn	char	4
gaacty	clearedby	int	
gaacty	clearunit	char	4
gaacty	countflag	char	6
gaacty	date_assg	datetime	
gaacty	dispdte	datetime	
gaacty	dispositn	char	4
gaacty	district	char	4
gaacty	emdivision	char	4
gaacty	emsection	char	4
gaacty	emshift	char	4
gaacty	emunit	char	4
gaacty	gaactyid	int	
gaacty	gadate	datetime	
gaacty	gatime	char	4
gaacty	geoother	varchar	15
gaacty	geox	int	
gaacty	geoy	int	
gaacty	investigtr	int	
gaacty	lwmainid	int	
gaacty	neighborhd	char	4
gaacty	officerid	int	
gaacty	reasoncode	char	4
gaacty	remarks	text	2147483647
gaacty	reportarea	char	4
gaacty	reviewdate	datetime	
gaacty	reviewid	int	
gaacty	state	char	2
gaacty	statusdate	datetime	
gaacty	street	varchar	40
gaacty	streetdir	char	2
gaacty	streetnbr	char	8
gaacty	subdivisn	char	4
gaacty	suppcnt	int	
gaacty	sysflag	char	8
gaacty	tract	char	4
gaacty	zip	char	10
gaacty	zone	char	4
gacaseas	addtime	datetime	
gacaseas	adduser	varchar	11
gacaseas	assgndvsn2	char	4
gacaseas	assgnote	text	2147483647
gacaseas	assgnunit2	char	4
gacaseas	assignid2	int	
gacaseas	date_assg2	datetime	
gacaseas	date_due2	datetime	
gacaseas	gaactyid	int	
gacaseas	gacaseasid	int	
gacaseas	investigt2	int	
gacasest	addtime	datetime	
gacasest	adduser	varchar	11

gacasest	cleardvsn	char	4
gacasest	clearedby	int	
gacasest	clearunit	char	4
gacasest	gaactyid	int	
gacasest	gacasestid	int	
gacasest	status2	char	4
gacasest	stdate2	datetime	
gacasest	stnotes	text	2147483647
gamain	activatedate	datetime	
gamain	addconsole	char	8
gamain	addtime	datetime	
gamain	adduser	varchar	11
gamain	agency	char	4
gamain	apt_flr	char	10
gamain	category1	char	4
gamain	category2	char	4
gamain	city	varchar	20
gamain	date_assg	datetime	
gamain	district	char	10
gamain	emdivision	char	4
gamain	emsection	char	4
gamain	emshift	char	4
gamain	emunit	char	4
gamain	federalid	varchar	20
gamain	gafileno	varchar	15
gamain	gamainid	int	
gamain	gamodopid	varchar	20
gamain	gangname	varchar	30
gamain	gangstatus	char	4
gamain	geooother	varchar	15
gamain	geox	int	
gamain	geoy	int	
gamain	histflag	char	10
gamain	investigtr	int	
gamain	neighborhd	char	4
gamain	remarks	text	2147483647
gamain	reportarea	char	4
gamain	state	char	2
gamain	stateid	varchar	20
gamain	statusdate	datetime	
gamain	street	varchar	40
gamain	streetdir	char	2
gamain	streetnbr	char	8
gamain	subdivisn	char	4
gamain	sysflag	char	8
gamain	territory	varchar	20
gamain	tract	char	4
gamain	zip	char	10
gamain	zone	char	4
gamodop	addtime	datetime	
gamodop	adduser	varchar	11
gamodop	gamodopid	int	
gamodop	groupdesc	varchar	20
gamodop	itemdesc	varchar	30
gamodop	mobilepkey	varchar	20
gamodop	modopkey	char	2
gamodop	mogroup	char	4
gamodop	moitem	char	4
gamodop	primekey	int	
ganames	activatedate	datetime	
ganames	addtime	datetime	

ganames	adduser	varchar	11
ganames	age	char	2
ganames	ethnicity	char	1
ganames	gamainid	int	
ganames	ganamesid	int	
ganames	gangstatus	char	4
ganames	injury	char	6
ganames	name_id	int	
ganames	race	char	2
ganames	reference	char	4
ganames	remarks	text	2147483647
ganames	residence	char	1
ganames	restrictnm	bit	
ganames	sex	char	1
ganames	statusdt	datetime	
ganames	weapon	char	4
garelate	addtime	datetime	
garelate	adduser	varchar	11
garelate	gangname	varchar	30
garelate	garelateid	int	
garelate	garelkey	varchar	15
garelate	primekey	int	
garelate	relatedate	datetime	
garelate	relatedgid	int	
garelate	relatekey	char	2
garelate	relatnship	char	4
garelate	remarks	text	2147483647
gastatus	addtime	datetime	
gastatus	adduser	varchar	11
gastatus	gaactyid	int	
gastatus	gastatusid	int	
gastatus	statusdate	datetime	
gastatus	statusold	char	1
gasupp	actvttime	datetime	
gasupp	addconsole	char	8
gasupp	addtime	datetime	
gasupp	adduser	varchar	11
gasupp	age	char	2
gasupp	agency	char	4
gasupp	amtttime	int	
gasupp	gaactyid	int	
gasupp	gasuppid	int	
gasupp	inci_id	varchar	12
gasupp	investg_id	int	
gasupp	mobilepkey	varchar	20
gasupp	name_id	int	
gasupp	race	char	2
gasupp	reviewdate	datetime	
gasupp	reviewid	int	
gasupp	sex	char	1
gasupp	supervisor	int	
gasupp	supplenote	text	2147483647
gasupp	supptype	char	4
gasupp	supprevw	datetime	
gasupp	sysflag	char	8
gpissue	addtime	datetime	
gpissue	adduser	varchar	11
gpissue	emdivision	char	4
gpissue	emsection	char	4
gpissue	emshift	char	4
gpissue	emunit	char	4

gpissue	gpissueid	int	
gpissue	gpmainid	int	
gpissue	issuedate	datetime	
gpissue	officerid	int	
gpissue	paid	bit	
gpissue	permitno	int	
gpmain	addtime	datetime	
gpmain	adduser	varchar	11
gpmain	age	char	2
gpmain	agency	char	4
gpmain	approvedby	int	
gpmain	daterec	datetime	
gpmain	denyreason	char	4
gpmain	dob	datetime	
gpmain	emdivision	char	4
gpmain	emsection	char	4
gpmain	emshift	char	4
gpmain	emunit	char	4
gpmain	gpmainid	int	
gpmain	gpnotes	text	2147483647
gpmain	gpreason	char	4
gpmain	gpstatus	char	4
gpmain	gpstatusdt	datetime	
gpmain	idnumber	varchar	25
gpmain	idstate	char	2
gpmain	idtype	char	4
gpmain	name_id	int	
gpmain	ntn	char	7
gpmain	officerid	int	
gpmain	permitcoun	int	
gpmain	race	char	2
gpmain	reserve1	char	4
gpmain	sex	char	1
gpmain	sysflag	char	8
gpmain	township	char	4
iaacc	accause	char	4
iaacc	addtime	datetime	
iaacc	adduser	varchar	11
iaacc	carid1	char	10
iaacc	carid2	char	10
iaacc	emergresp	tinyint	
iaacc	iaaccid	int	
iaacc	iamainid	int	
iaacc	maneuver	char	4
iaacc	marked1	tinyint	
iaacc	marked2	tinyint	
iaacc	odamage	decimal	
iaacc	officer_id	int	
iaacc	pddamage	decimal	
iaacc	preventabl	bit	
iaacc	pursuit	tinyint	
iaacc	weather	char	4
iacodes	addtime	datetime	
iacodes	adduser	varchar	11
iacodes	appid	int	
iacodes	appkey	char	4
iacodes	groupcode	char	4
iacodes	groupdesc	varchar	30
iacodes	itemcode	char	4
iacodes	itemdesc	varchar	30
iacodes	mobilepkey	varchar	20

iacodes	sys_codeid	int	
iahist	addtime	datetime	
iahist	adduser	varchar	11
iahist	dateinfo	datetime	
iahist	enteredby	char	10
iahist	histinfo	varchar	80
iahist	histkey	varchar	14
iahist	iahistid	int	
iahist	keytype	char	2
iahist	reason	varchar	80
iahist	sysid	char	2
iahist	syskey	int	
iamain	accident	bit	
iamain	addconsole	char	8
iamain	addtime	datetime	
iamain	adduser	varchar	11
iamain	agency	char	4
iamain	apt_flr	char	10
iamain	case_id	varchar	12
iamain	casstatus	char	4
iamain	city	varchar	20
iamain	compnature	char	4
iamain	comptype	varchar	12
iamain	csstatusdt	datetime	
iamain	csummary	text	2147483647
iamain	date_occu	datetime	
iamain	date_rept	datetime	
iamain	datechain	datetime	
iamain	datecl	datetime	
iamain	dateclia	datetime	
iamain	dateia	datetime	
iamain	datetchief	datetime	
iamain	discfire	bit	
iamain	district	char	4
iamain	dow1	char	2
iamain	expired	datetime	
iamain	geoother	varchar	15
iamain	geox	int	
iamain	geoy	int	
iamain	hour_occu	char	4
iamain	hour_rept	char	4
iamain	iaclasscod	char	4
iamain	iaclassdes	varchar	20
iamain	iafileno	varchar	12
iamain	iafiles	char	10
iamain	iamainid	int	
iamain	iatype	char	10
iamain	injury	bit	
iamain	inquiry	bit	
iamain	investigtr	int	
iamain	keywords	varchar	80
iamain	lwmainid	int	
iamain	narrative1	text	2147483647
iamain	neighborhd	char	4
iamain	pursuit	bit	
iamain	reportarea	char	4
iamain	state	char	2
iamain	street	varchar	40
iamain	streetdir	char	2
iamain	streetnbr	char	8
iamain	subdivisn	char	4

iamain	sysflag	char	8
iamain	tract	char	4
iamain	uof	bit	
iamain	zip	char	10
iamain	zone	char	4
ianames	aacircum1	char	2
ianames	aacircum2	char	2
ianames	action	varchar	30
ianames	addconsole	char	8
ianames	addtime	datetime	
ianames	adduser	varchar	11
ianames	age	char	2
ianames	age2	char	2
ianames	animal	char	4
ianames	desanimal	bit	
ianames	drugtest	bit	
ianames	emdivision	char	4
ianames	employee	char	1
ianames	emsection	char	4
ianames	emshift	char	4
ianames	emunit	char	4
ianames	ethnicity	char	1
ianames	grevfinal	datetime	
ianames	grievance	bit	
ianames	iamainid	int	
ianames	ianamesid	int	
ianames	ibrsuspect	bit	
ianames	injury1	char	4
ianames	injury2	char	4
ianames	injury3	char	4
ianames	name_id	int	
ianames	name_type	char	2
ianames	nc_seq	int	
ianames	offduty	bit	
ianames	oldnameid	char	6
ianames	race	char	2
ianames	restrictnm	bit	
ianames	rulecount	int	
ianames	seculevel	char	1
ianames	severity	char	8
ianames	sex	char	1
ianames	shift	char	1
ianames	situation	char	4
ianames	subcircum2	char	1
ianames	subcircums	char	1
ianames	supervisor	int	
ianames	suspdetail	bit	
ianames	treatmt	char	4
ianames	weap1cnt	tinyint	
ianames	weap1eff	bit	
ianames	weap2cnt	tinyint	
ianames	weap2eff	bit	
ianames	weap3cnt	tinyint	
ianames	weap3eff	bit	
ianames	weapon1	char	4
ianames	weapon2	char	4
ianames	weapon3	char	4
iapursu	accident	bit	
iapursu	acctype	char	4
iapursu	addconsole	char	8
iapursu	addtime	datetime	

iapursu	adduser	varchar	11
iapursu	airunit	bit	
iapursu	area	char	4
iapursu	arrests	bit	
iapursu	cartype	char	4
iapursu	distance	decimal	
iapursu	effective	bit	
iapursu	endloc	varchar	40
iapursu	fatal	bit	
iapursu	gorder	bit	
iapursu	hispeed	bit	
iapursu	iamainid	int	
iapursu	iapursuid	int	
iapursu	injurye	bit	
iapursu	injuryo	bit	
iapursu	injurys	bit	
iapursu	juvenile	bit	
iapursu	officer	char	5
iapursu	othoff	tinyint	
iapursu	propdam	decimal	
iapursu	purdate	datetime	
iapursu	rdblock	bit	
iapursu	reason	char	4
iapursu	sectorend	char	3
iapursu	sectorst	char	3
iapursu	startloc	varchar	40
iapursu	stopstick	bit	
iapursu	susvehtype	char	4
iapursu	termby	char	4
iapursu	timebegin	char	4
iapursu	timeend	char	4
iapursu	topspeed	int	
iapursu	vehdam	decimal	
iapursu	video	bit	
iarules	addconsole	char	8
iarules	addtime	datetime	
iarules	adduser	varchar	11
iarules	agency	char	4
iarules	closecode	char	4
iarules	closure	varchar	30
iarules	gorder	char	10
iarules	histflag	char	10
iarules	iamainid	int	
iarules	ianamesid	int	
iarules	iarulesid	int	
iarules	name_id	int	
iarules	reserve2	char	4
iarules	ruleaction	varchar	50
iarules	rulecode	char	4
iarules	ruledesc	varchar	30
iasupp	actvttime	datetime	
iasupp	addconsole	char	8
iasupp	addtime	datetime	
iasupp	adduser	varchar	11
iasupp	age	char	2
iasupp	agency	char	4
iasupp	iafileno	varchar	12
iasupp	iamainid	int	
iasupp	iasuppid	int	
iasupp	investg_id	int	
iasupp	juvenlcont	bit	

iasupp	mediatype	char	4
iasupp	mobilepkey	varchar	20
iasupp	name_id	int	
iasupp	notprossum	bit	
iasupp	race	char	2
iasupp	sex	char	1
iasupp	supervisor	int	
iasupp	suppfile	varchar	15
iasupp	supplenote	text	2147483647
iasupp	supptype	char	4
iasupp	supvrevw	datetime	
iasupp	sysflag	char	8
iasupp	tracknbr	char	10
ibrdata	addtime	datetime	
ibrdata	agency	char	4
ibrdata	altkey	varchar	15
ibrdata	datastring	varchar	200
ibrdata	ibr_date	datetime	
ibrdata	ibrdataid	int	
ibrdata	reverted	datetime	
ibrdata	rkey	int	
ibrdata	rtype	char	8
ibrdel	agency	char	4
ibrdel	appdate	datetime	
ibrdel	appkey	int	
ibrdel	applid	varchar	12
ibrdel	deldate	datetime	
ibrdel	deluser	varchar	11
ibrdel	filetype	char	1
ibrdel	ibrdate	datetime	
ibrdel	ibrdelid	int	
ibrdel	procdatetime	datetime	
ibrdel	processed	int	
icmain	add_invstg	bit	
icmain	addconsole	char	8
icmain	addtime	datetime	
icmain	adduser	varchar	11
icmain	age	char	2
icmain	agency	char	4
icmain	apt_flr	char	10
icmain	attendhear	char	1
icmain	case_id	varchar	12
icmain	city	varchar	20
icmain	compdate	datetime	
icmain	compnarr	text	2147483647
icmain	compnature	char	4
icmain	comptime	char	4
icmain	comptype	char	4
icmain	district	char	4
icmain	geoothor	varchar	15
icmain	geox	int	
icmain	geoy	int	
icmain	howrecvd	char	4
icmain	ia_apprby	int	
icmain	ia_asgndat	datetime	
icmain	ia_comptyp	char	4
icmain	ia_ctrlnum	varchar	15
icmain	ia_filedat	datetime	
icmain	ia_filenam	varchar	50
icmain	ia_invstgr	int	
icmain	ia_pd82dat	datetime	

icmain	iamainid	int	
icmain	icmainid	int	
icmain	icstatus	char	4
icmain	icstatusdt	datetime	
icmain	inci_date	datetime	
icmain	inci_time	char	4
icmain	lwmainid	int	
icmain	name_id	int	
icmain	neighborhd	char	4
icmain	officr_cnt	int	
icmain	race	char	2
icmain	reportarea	char	4
icmain	satisfied	bit	
icmain	sex	char	1
icmain	state	char	2
icmain	street	varchar	40
icmain	streetdir	char	2
icmain	streetnbr	char	8
icmain	subdivisn	char	4
icmain	supervisor	int	
icmain	supv_actn	text	2147483647
icmain	supv_date	datetime	
icmain	supv_recom	text	2147483647
icmain	sysflag	char	8
icmain	tract	char	4
icmain	zip	char	10
icmain	zone	char	4
icofficr	addtime	datetime	
icofficr	adduser	varchar	11
icofficr	emdept_id	char	10
icofficr	icmainid	int	
icofficr	icofficrid	int	
icofficr	involvement	text	2147483647
icofficr	name_code	char	2
icofficr	nc_seq	int	
icofficr	officer_id	int	
icofficr	ruledesc	text	2147483647
icofficr	ruleviolat	char	1
icofficr	subcompl	char	1
icofficr	supervisor	int	
idmain	activity	char	4
idmain	addtime	datetime	
idmain	adduser	varchar	12
idmain	btresult	char	2
idmain	dowstamp	char	2
idmain	duration	decimal	
idmain	emdivision	char	4
idmain	emsection	char	4
idmain	emshift	char	1
idmain	emunit	char	4
idmain	idactivity	char	6
idmain	idagency	char	4
idmain	iddate	datetime	
idmain	idmainid	int	
idmain	idno	decimal	
idmain	idshift	char	1
idmain	idsquad	char	1
idmain	idtype	char	1
idmain	inci_id	varchar	12
idmain	lwmainid	int	
idmain	offense	char	4

idmain	officerid	int	
ifaction	addtime	datetime	
ifaction	adduser	varchar	11
ifaction	ifactionid	int	
ifaction	ifmainid	int	
ifaction	offcomm1	varchar	100
ifaction	offcomm2	varchar	100
ifaction	offcomm3	varchar	100
ifaction	offcomm4	varchar	100
ifaction	offcomm5	varchar	100
ifaction	offlev1	int	
ifaction	offlev2	int	
ifaction	offlev3	int	
ifaction	offlev4	int	
ifaction	offlev5	int	
ifaction	offlevel	int	
ifaction	sublev1	int	
ifaction	sublev2	int	
ifaction	sublev3	int	
ifaction	sublev4	int	
ifaction	sublev5	int	
ifaction	sublevel	int	
ifmain	action	varchar	30
ifmain	actionapp	char	1
ifmain	addconsole	char	8
ifmain	addtime	datetime	
ifmain	adduser	varchar	11
ifmain	age	char	2
ifmain	age2	char	2
ifmain	agency	char	4
ifmain	altforce	char	4
ifmain	apt_flr	char	10
ifmain	arrested	char	4
ifmain	asst_offcr	char	1
ifmain	capexpla	text	2147483647
ifmain	captrevdt	datetime	
ifmain	case_id	varchar	12
ifmain	charges	varchar	100
ifmain	city	varchar	20
ifmain	commander	int	
ifmain	compinj	char	4
ifmain	concur	char	4
ifmain	csummary	text	2147483647
ifmain	date_occu	datetime	
ifmain	district	char	4
ifmain	divcapt	int	
ifmain	doctor	varchar	20
ifmain	emdivision	char	4
ifmain	emsection	char	4
ifmain	emshift	char	4
ifmain	emunit	char	4
ifmain	ethnicity	char	1
ifmain	geoothor	varchar	15
ifmain	geox	int	
ifmain	geoy	int	
ifmain	guideline	char	4
ifmain	hour_occu	char	10
ifmain	ifmainid	int	
ifmain	ifstatus	char	4
ifmain	ifstatusdt	datetime	
ifmain	incsuper	int	

ifmain	influence	char	4
ifmain	injury1	char	4
ifmain	injury2	char	4
ifmain	injury3	char	4
ifmain	lwmainid	int	
ifmain	neighborhd	char	4
ifmain	nophotres	varchar	100
ifmain	offduty	bit	
ifmain	offhosp	char	4
ifmain	officer_id	int	
ifmain	officerin	varchar	12
ifmain	offinj	char	4
ifmain	offinjury	char	4
ifmain	offtreat	char	4
ifmain	othweapon	varchar	100
ifmain	photoinj	char	4
ifmain	race	char	2
ifmain	recclass	char	4
ifmain	recreason	text	2147483647
ifmain	reltime	datetime	
ifmain	reportarea	char	4
ifmain	restrictnm	bit	
ifmain	secullevel	char	1
ifmain	severity	char	8
ifmain	sex	char	1
ifmain	shift	char	1
ifmain	situation	char	4
ifmain	state	char	2
ifmain	street	varchar	40
ifmain	streetdir	char	2
ifmain	streetnbr	char	8
ifmain	subdivisn	char	4
ifmain	subhosp	char	4
ifmain	subinjury	char	4
ifmain	subject	int	
ifmain	subtransp	char	4
ifmain	subtreat	char	4
ifmain	subtreatdt	datetime	
ifmain	supappdt	datetime	
ifmain	supervisor	int	
ifmain	sysflag	char	8
ifmain	tract	char	4
ifmain	treatmt	char	4
ifmain	trnfollow	char	4
ifmain	visinjury	char	4
ifmain	weap1cnt	tinyint	
ifmain	weap1eff	bit	
ifmain	weap2cnt	tinyint	
ifmain	weap2eff	bit	
ifmain	weap3cnt	tinyint	
ifmain	weap3eff	bit	
ifmain	weapon1	char	4
ifmain	weapon2	char	4
ifmain	weapon3	char	4
ifmain	zip	char	10
ifmain	zone	char	4
ifreview	addtime	datetime	
ifreview	adduser	varchar	11
ifreview	concur	char	4
ifreview	ifmainid	int	
ifreview	ifreviewid	int	

ifreview	reviewby	int	
ifreview	reviewdt	datetime	
ifreview	revnotes	text	2147483647
ijmain	action	varchar	30
ijmain	addconsole	char	8
ijmain	addtime	datetime	
ijmain	adduser	varchar	11
ijmain	age	char	2
ijmain	age2	char	2
ijmain	agency	char	4
ijmain	apt_flr	char	10
ijmain	case_id	varchar	12
ijmain	city	varchar	20
ijmain	csummary	text	2147483647
ijmain	date_occu	datetime	
ijmain	district	char	4
ijmain	emdivision	char	4
ijmain	employee	char	1
ijmain	emsection	char	4
ijmain	emshift	char	4
ijmain	emunit	char	4
ijmain	ethnicity	char	1
ijmain	geoother	varchar	15
ijmain	geox	int	
ijmain	geoy	int	
ijmain	hour_occu	char	4
ijmain	ijmainid	int	
ijmain	ijstatus	char	4
ijmain	ijstatusdt	datetime	
ijmain	injury1	char	4
ijmain	injury2	char	4
ijmain	injury3	char	4
ijmain	lwmainid	int	
ijmain	name_id	int	
ijmain	name_type	char	2
ijmain	neighborhd	char	4
ijmain	offduty	bit	
ijmain	race	char	2
ijmain	reportarea	char	4
ijmain	restrictnm	bit	
ijmain	secullevel	char	1
ijmain	severity	char	8
ijmain	sex	char	1
ijmain	shift	char	1
ijmain	situation	char	4
ijmain	state	char	2
ijmain	street	varchar	40
ijmain	streetdir	char	2
ijmain	streetnbr	char	8
ijmain	subdivisn	char	4
ijmain	supervisor	int	
ijmain	sysflag	char	8
ijmain	tract	char	4
ijmain	treatmt	char	4
ijmain	zip	char	10
ijmain	zone	char	4
ipmain	acci_id	varchar	12
ipmain	accident	bit	
ipmain	acctype	char	4
ipmain	actionapp	char	1
ipmain	addconsole	char	8

ipmain	addtime	datetime	
ipmain	adduser	varchar	11
ipmain	admindate	datetime	
ipmain	agency	char	4
ipmain	airrespond	bit	
ipmain	airunit	bit	
ipmain	area	char	4
ipmain	arrests	bit	
ipmain	asst_offcr	char	1
ipmain	cartype	char	4
ipmain	case_id	varchar	12
ipmain	commander	int	
ipmain	csummary	text	2147483647
ipmain	deptvehs	float	
ipmain	distance	decimal	
ipmain	district	char	4
ipmain	dow1	char	2
ipmain	drvage	char	2
ipmain	drvothcond	text	2147483647
ipmain	drvrace	char	2
ipmain	drvsex	char	1
ipmain	effective	bit	
ipmain	emdivision	char	4
ipmain	emsection	char	4
ipmain	emshift	char	4
ipmain	emunit	char	4
ipmain	endloc	varchar	40
ipmain	fatal	bit	
ipmain	forceauth	int	
ipmain	forcedstop	char	1
ipmain	geoother	varchar	15
ipmain	geox	int	
ipmain	geoy	int	
ipmain	gorder	bit	
ipmain	gordrexpl	text	2147483647
ipmain	howended	char	4
ipmain	howendoth	varchar	50
ipmain	iamainid	int	
ipmain	ianamesid	int	
ipmain	incsuper	int	
ipmain	initby	char	4
ipmain	injurye	bit	
ipmain	injuryo	bit	
ipmain	injurys	bit	
ipmain	ipmainid	int	
ipmain	ipstatus	char	4
ipmain	ipstatusdt	datetime	
ipmain	juvenile	bit	
ipmain	lwmainid	int	
ipmain	neighborhd	char	4
ipmain	nonagypers	text	2147483647
ipmain	occadults	int	
ipmain	occjuvens	int	
ipmain	occunkn	int	
ipmain	occupants	int	
ipmain	officer_id	int	
ipmain	othoff	tinyint	
ipmain	othpropdam	char	1
ipmain	passarrest	char	1
ipmain	passchgcnt	int	
ipmain	passchrgs	text	2147483647

ipmain	passflee	char	1
ipmain	passwarrst	varchar	50
ipmain	pd35	char	1
ipmain	propdam	decimal	
ipmain	purdate	datetime	
ipmain	purschan	bit	
ipmain	pursrole	char	4
ipmain	pursroute	text	2147483647
ipmain	pursuittyp	char	4
ipmain	rdblock	bit	
ipmain	reason	char	4
ipmain	relatedinc	char	1
ipmain	relcaseid	varchar	12
ipmain	reportarea	char	4
ipmain	review1dat	datetime	
ipmain	review1id	int	
ipmain	review1ok	char	1
ipmain	review2dat	datetime	
ipmain	review2id	int	
ipmain	review2ok	char	1
ipmain	review3dat	datetime	
ipmain	review3id	int	
ipmain	review3ok	char	1
ipmain	sectorend	char	4
ipmain	sectorst	char	4
ipmain	sigevent	text	2147483647
ipmain	speedlimit	int	
ipmain	startloc	varchar	40
ipmain	stopstick	bit	
ipmain	stopstkeff	bit	
ipmain	stopstkwho	char	4
ipmain	stopstkwhr	char	10
ipmain	subdivisn	char	4
ipmain	supervisor	int	
ipmain	supvexpln	text	2147483647
ipmain	supvterm	char	1
ipmain	susparrest	char	1
ipmain	suspchgcnt	int	
ipmain	suspchrgs	text	2147483647
ipmain	suspflee	char	1
ipmain	suspreason	text	2147483647
ipmain	suspwarrst	varchar	50
ipmain	susvehinfo	text	2147483647
ipmain	susvehinfo	char	4
ipmain	sysflag	char	8
ipmain	termby	char	4
ipmain	termreason	char	4
ipmain	timebegin	char	4
ipmain	timeend	char	4
ipmain	timespent	int	
ipmain	topspeed	int	
ipmain	tract	char	4
ipmain	traffic	char	4
ipmain	useforce	char	1
ipmain	useforcexp	text	2147483647
ipmain	vehdam	decimal	
ipmain	video	bit	
ipmain	weather	char	4
ipmain	zone	char	4
ivmain	accause	char	4
ivmain	acci_id	varchar	12

ivmain	addtime	datetime	
ivmain	adduser	varchar	11
ivmain	agency	char	4
ivmain	apt_flr	char	10
ivmain	carid1	varchar	15
ivmain	carid2	varchar	15
ivmain	case_id	varchar	12
ivmain	city	varchar	20
ivmain	date_occu	datetime	
ivmain	district	char	4
ivmain	emdivision	char	6
ivmain	emergresp	int	
ivmain	emsection	char	6
ivmain	emshift	char	6
ivmain	emunit	char	6
ivmain	geoother	varchar	15
ivmain	geox	int	
ivmain	geoy	int	
ivmain	hour_occu	char	4
ivmain	inpolicy	char	4
ivmain	investby	char	4
ivmain	ivmainid	int	
ivmain	ivstatus	char	4
ivmain	ivstatusdt	datetime	
ivmain	lfskid	int	
ivmain	locunit1	varchar	12
ivmain	lrskid	int	
ivmain	lwmainid	int	
ivmain	maneuver	char	4
ivmain	marked1	int	
ivmain	marked2	int	
ivmain	mileage	int	
ivmain	neighborhd	char	4
ivmain	notes	text	2147483647
ivmain	odamage	decimal	
ivmain	officer_id	int	
ivmain	ostmnt1	text	2147483647
ivmain	ostmnt2	text	2147483647
ivmain	othmeas	text	2147483647
ivmain	pddamage	decimal	
ivmain	preventabl	bit	
ivmain	pstmnt	text	2147483647
ivmain	pursuit	int	
ivmain	reason	text	2147483647
ivmain	reportarea	char	4
ivmain	reportby	int	
ivmain	reportdate	datetime	
ivmain	rfskid	int	
ivmain	rrskid	int	
ivmain	state	char	2
ivmain	street	varchar	40
ivmain	streetdir	char	2
ivmain	streetnbr	char	8
ivmain	subdivisn	char	4
ivmain	supervisor	int	
ivmain	sysflag	char	8
ivmain	tamainid	int	
ivmain	tract	char	4
ivmain	unitnumber	int	
ivmain	weather	char	4
ivmain	zip	char	10

ivmain	zone	char	4
jaillog	addconsole	char	8
jaillog	addtime	datetime	
jaillog	adduser	varchar	11
jaillog	agency	char	4
jaillog	book_id	int	
jaillog	calcelaps	decimal	
jaillog	credit	decimal	
jaillog	eventdate	datetime	
jaillog	eventtime	char	4
jaillog	eventtype	char	4
jaillog	jaillogid	int	
jaillog	jlognotes	text	2147483647
jaillog	location	varchar	15
jaillog	logcode	char	4
jaillog	name_id	int	
jaillog	officerid	int	
jaillog	other_id	int	
jaillog_DRM_bkup	addconsole	char	8
jaillog_DRM_bkup	addtime	datetime	
jaillog_DRM_bkup	adduser	varchar	11
jaillog_DRM_bkup	agency	char	4
jaillog_DRM_bkup	book_id	int	
jaillog_DRM_bkup	calcelaps	decimal	
jaillog_DRM_bkup	credit	decimal	
jaillog_DRM_bkup	eventdate	datetime	
jaillog_DRM_bkup	eventtime	char	4
jaillog_DRM_bkup	eventtype	char	4
jaillog_DRM_bkup	jaillogid	int	
jaillog_DRM_bkup	jlognotes	text	2147483647
jaillog_DRM_bkup	location	varchar	15
jaillog_DRM_bkup	logcode	char	4
jaillog_DRM_bkup	name_id	int	
jaillog_DRM_bkup	officerid	int	
jaillog_DRM_bkup	other_id	int	
jbillto	addtime	datetime	
jbillto	adduser	varchar	11
jbillto	billdate1	datetime	
jbillto	billdate2	datetime	
jbillto	billto	char	4
jbillto	billtonote	text	2147483647
jbillto	book_id	int	
jbillto	datecommit	datetime	
jbillto	docketno	varchar	20
jbillto	jbilltoid	int	
jbillto	name_id	int	
jcashacc	accttype	char	10
jcashacc	addtime	datetime	
jcashacc	adduser	varchar	11
jcashacc	adjustment	char	1
jcashacc	age	char	2
jcashacc	agency	char	4
jcashacc	book_id	int	
jcashacc	chkdate	datetime	
jcashacc	chknbr	int	
jcashacc	chkprint	int	
jcashacc	cshoutby	int	
jcashacc	cshoutdt	datetime	
jcashacc	jcashaccid	int	
jcashacc	jdeposit	money	
jcashacc	jwithdraw	money	

jcashacc	madeby	int	
jcashacc	name_id	int	
jcashacc	officerid	int	
jcashacc	payeeage	char	2
jcashacc	payeeid	int	
jcashacc	payeerace	char	2
jcashacc	payeesex	char	1
jcashacc	paymnttype	char	4
jcashacc	race	char	2
jcashacc	reasoncode	char	4
jcashacc	sex	char	1
jcashacc	statusby	varchar	11
jcashacc	statusdate	datetime	
jcashacc	transdate	datetime	
jcashacc	transnotes	text	2147483647
jcashacc	transtatus	char	1
jcashacc	transtime	char	4
jcashacc	transtype	char	4
jcashacc	vendornbr	varchar	15
jcdetail	addconsole	char	8
jcdetail	addtime	datetime	
jcdetail	adduser	varchar	11
jcdetail	extprice	money	
jcdetail	jcdetailid	int	
jcdetail	jcitem	char	10
jcdetail	jcmainid	int	
jcdetail	price	money	
jcdetail	quantity	decimal	
jcdetail	taxrate	decimal	
jchrgcrd	addtime	datetime	
jchrgcrd	adduser	varchar	11
jchrgcrd	archrgid	int	
jchrgcrd	book_id	int	
jchrgcrd	dayscredit	int	
jchrgcrd	enddate	datetime	
jchrgcrd	jchrgcrdid	int	
jchrgcrd	notes	varchar	30
jchrgcrd	startdate	datetime	
jcinv	agency	char	4
jcinv	avgcost	money	
jcinv	contrcost	money	
jcinv	denyitem	int	
jcinv	descriptn	varchar	30
jcinv	indigent	char	1
jcinv	invtype	char	4
jcinv	itemcode	char	10
jcinv	jailname	varchar	15
jcinv	jcinv	int	
jcinv	lastcost	money	
jcinv	maxoh	int	
jcinv	mkup	decimal	
jcinv	notes	text	2147483647
jcinv	onhand	int	
jcinv	price	money	
jcinv	purchlimit	decimal	
jcinv	reonotes	text	2147483647
jcinv	reopoint	int	
jcinv	reportcode	char	4
jcinv	sexrestrc	char	1
jcinv	storageloc	varchar	15
jcinv	taxrate	decimal	

jcinv	umsales	varchar	15
jcinv	upccode	varchar	15
jcinv	vendor1	int	
jcinv	vendor2	int	
jclass	addtime	datetime	
jclass	book_id	int	
jclass	classifict	char	4
jclass	clsnote	text	2147483647
jclass	clssofficr	int	
jclass	jclassid	int	
jclass	name_id	int	
jclasses	addconsole	varchar	15
jclasses	addtime	datetime	
jclasses	adduser	varchar	11
jclasses	agency	char	4
jclasses	begintime	char	4
jclasses	book_id	int	
jclasses	classdt	datetime	
jclasses	coursedesc	varchar	40
jclasses	courseid	varchar	12
jclasses	endtime	char	4
jclasses	jclassesid	int	
jclasses	jcrsschlid	int	
jclasses	location	varchar	40
jclasses	maxprtcpnt	int	
jclasses	notes	text	2147483647
jclasses	provider	varchar	40
jcmain	addconsole	char	8
jcmain	addtime	datetime	
jcmain	adduser	varchar	11
jcmain	age	char	2
jcmain	agency	char	4
jcmain	book_id	int	
jcmain	indigent	bit	
jcmain	jcmainid	int	
jcmain	name_id	int	
jcmain	officerid	int	
jcmain	orderdate	datetime	
jcmain	ordertime	char	4
jcmain	ordtotal	money	
jcmain	origkey	varchar	15
jcmain	race	char	2
jcmain	sex	char	1
jcmain	subtotal	money	
jcmain	sysflag	char	8
jcmain	taxtotal	money	
jcmain	timefilled	datetime	
jcmain	timeprint	datetime	
jcouse	addconsole	varchar	15
jcouse	addtime	datetime	
jcouse	adduser	varchar	11
jcouse	agency	char	4
jcouse	category	char	4
jcouse	coursedesc	varchar	40
jcouse	courseid	char	4
jcouse	hours	decimal	
jcouse	jcouseid	int	
jcouse	location	varchar	40
jcouse	notes	text	2147483647
jcouse	provider	varchar	40
jcourt	addtime	datetime	

jcourt	adduser	char	10
jcourt	archrgid	int	
jcourt	book_id	int	
jcourt	courtdate	datetime	
jcourt	courttype	char	4
jcourt	docketno	varchar	20
jcourt	finaldispo	tinyint	
jcourt	floorroom	varchar	15
jcourt	jcourtid	int	
jcourt	location	varchar	25
jcourt	results	text	2147483647
jcrsschl	addconsole	varchar	15
jcrsschl	addtime	datetime	
jcrsschl	adduser	varchar	11
jcrsschl	agency	char	4
jcrsschl	begindt	datetime	
jcrsschl	coursedesc	varchar	40
jcrsschl	courseid	varchar	12
jcrsschl	enddt	datetime	
jcrsschl	hours	decimal	
jcrsschl	jclassesid	int	
jcrsschl	jcouseid	int	
jcrsschl	jcrsschlid	int	
jcrsschl	location	varchar	40
jcrsschl	maxprtcpnt	int	
jcrsschl	notes	text	2147483647
jcrsschl	provider	varchar	40
jcrsschl	recurrence	varchar	200
jrtord	addconsole	varchar	15
jrtord	addtime	datetime	
jrtord	adduser	varchar	11
jrtord	agency	char	4
jrtord	book_id	int	
jrtord	completed	datetime	
jrtord	coursedesc	varchar	40
jrtord	courseid	char	4
jrtord	jrtordid	int	
jrtord	jsentencid	int	
jrtord	name_id	int	
jrtord	notes	text	2147483647
jrtord	schedflg	bit	
jcvendor	addconsole	char	8
jcvendor	addtime	datetime	
jcvendor	adduser	varchar	11
jcvendor	city	varchar	25
jcvendor	comments	text	2147483647
jcvendor	contactnam	varchar	40
jcvendor	contaddr	varchar	40
jcvendor	contcity	varchar	25
jcvendor	contemail	text	2147483647
jcvendor	contexpdte	datetime	
jcvendor	contfax	varchar	15
jcvendor	contphone	varchar	15
jcvendor	contprice	money	
jcvendor	contract	varchar	25
jcvendor	contstate	char	2
jcvendor	contzip	char	10
jcvendor	instructs	text	2147483647
jcvendor	jcvendorid	int	
jcvendor	leadtime	char	10
jcvendor	orderhist	text	2147483647

jcvendor	state	char	2
jcvendor	street	varchar	40
jcvendor	streetdir	char	2
jcvendor	streetnbr	char	8
jcvendor	vendorname	varchar	40
jcvendor	vfax	varchar	15
jcvendor	vphone	varchar	15
jcvendor	zip	char	10
jdlycnt	addtime	datetime	
jdlycnt	adduser	varchar	11
jdlycnt	adultjuv	char	1
jdlycnt	age	char	2
jdlycnt	agency	char	4
jdlycnt	bed	char	6
jdlycnt	birthplace	char	4
jdlycnt	birthstate	char	4
jdlycnt	book_id	int	
jdlycnt	charge	varchar	60
jdlycnt	chargetype	char	1
jdlycnt	confincode	char	4
jdlycnt	creserve1	char	4
jdlycnt	creserve2	char	4
jdlycnt	faci_id	int	
jdlycnt	facility	char	4
jdlycnt	floorflag	char	1
jdlycnt	jailstat	char	4
jdlycnt	jdate	datetime	
jdlycnt	jdlycntid	int	
jdlycnt	jdstat	char	4
jdlycnt	jurisdtype	char	1
jdlycnt	milbranch	char	4
jdlycnt	milstatus	char	4
jdlycnt	name_id	int	
jdlycnt	nreserve1	int	
jdlycnt	race	char	2
jdlycnt	residcode	char	4
jdlycnt	section	char	10
jdlycnt	secuclass	char	4
jdlycnt	sex	char	1
jdlycnt	templocatn	varchar	15
jdlycnt	unit	char	10
jdlycnt	weekender	char	1
jdlyfacilitycnts_CJIS	comb_feml_cnt	int	
jdlyfacilitycnts_CJIS	comb_male_cnt	int	
jdlyfacilitycnts_CJIS	comb_tot_cnt	int	
jdlyfacilitycnts_CJIS	date_dd	int	
jdlyfacilitycnts_CJIS	date_hh	int	
jdlyfacilitycnts_CJIS	date_mdy	datetime	
jdlyfacilitycnts_CJIS	date_mdym	datetime	
jdlyfacilitycnts_CJIS	date_mm	int	
jdlyfacilitycnts_CJIS	date_wk	int	
jdlyfacilitycnts_CJIS	date_yy	int	
jdlyfacilitycnts_CJIS	dlyfcltycnts_id	int	
jdlyfacilitycnts_CJIS	feml_cnt	int	
jdlyfacilitycnts_CJIS	male_cnt	int	
jdlyfacilitycnts_CJIS	total_cnt	int	
jdlyfacilitycnts_CJIS	we_feml_cnt	int	
jdlyfacilitycnts_CJIS	we_male_cnt	int	
jdlyfacilitycnts_CJIS	we_total_cnt	int	
jdlyfacilitywrk_CJIS	bkhour	int	
jdlyfacilitywrk_CJIS	bkmdy	datetime	

jdlyfaciltywrk_CJIS	book_id	int	
jdlyfaciltywrk_CJIS	booktime	datetime	
jdlyfaciltywrk_CJIS	hr00	int	
jdlyfaciltywrk_CJIS	hr01	int	
jdlyfaciltywrk_CJIS	hr02	int	
jdlyfaciltywrk_CJIS	hr03	int	
jdlyfaciltywrk_CJIS	hr04	int	
jdlyfaciltywrk_CJIS	hr05	int	
jdlyfaciltywrk_CJIS	hr06	int	
jdlyfaciltywrk_CJIS	hr07	int	
jdlyfaciltywrk_CJIS	hr08	int	
jdlyfaciltywrk_CJIS	hr09	int	
jdlyfaciltywrk_CJIS	hr10	int	
jdlyfaciltywrk_CJIS	hr11	int	
jdlyfaciltywrk_CJIS	hr12	int	
jdlyfaciltywrk_CJIS	hr13	int	
jdlyfaciltywrk_CJIS	hr14	int	
jdlyfaciltywrk_CJIS	hr15	int	
jdlyfaciltywrk_CJIS	hr16	int	
jdlyfaciltywrk_CJIS	hr17	int	
jdlyfaciltywrk_CJIS	hr18	int	
jdlyfaciltywrk_CJIS	hr19	int	
jdlyfaciltywrk_CJIS	hr20	int	
jdlyfaciltywrk_CJIS	hr21	int	
jdlyfaciltywrk_CJIS	hr22	int	
jdlyfaciltywrk_CJIS	hr23	int	
jdlyfaciltywrk_CJIS	releasetime	datetime	
jdlyfaciltywrk_CJIS	relsnote	text	2147483647
jdlyfaciltywrk_CJIS	relsreason	char	4
jdlyfaciltywrk_CJIS	rlhour	int	
jdlyfaciltywrk_CJIS	rlmdy	datetime	
jdlyfaciltywrk_CJIS	sex	char	1
jdlyfaciltywrk_CJIS	update_flag	char	1
jdlyfaciltywrk_CJIS	wkend	char	1
jdlyfaciltywrk_CJIS	wrkdate	datetime	
jdlyfaciltywrk_we_CJIS	book_id	int	
jdlyfaciltywrk_we_CJIS	hr00	int	
jdlyfaciltywrk_we_CJIS	hr01	int	
jdlyfaciltywrk_we_CJIS	hr02	int	
jdlyfaciltywrk_we_CJIS	hr03	int	
jdlyfaciltywrk_we_CJIS	hr04	int	
jdlyfaciltywrk_we_CJIS	hr05	int	
jdlyfaciltywrk_we_CJIS	hr06	int	
jdlyfaciltywrk_we_CJIS	hr07	int	
jdlyfaciltywrk_we_CJIS	hr08	int	
jdlyfaciltywrk_we_CJIS	hr09	int	
jdlyfaciltywrk_we_CJIS	hr10	int	
jdlyfaciltywrk_we_CJIS	hr11	int	
jdlyfaciltywrk_we_CJIS	hr12	int	
jdlyfaciltywrk_we_CJIS	hr13	int	
jdlyfaciltywrk_we_CJIS	hr14	int	
jdlyfaciltywrk_we_CJIS	hr15	int	
jdlyfaciltywrk_we_CJIS	hr16	int	
jdlyfaciltywrk_we_CJIS	hr17	int	
jdlyfaciltywrk_we_CJIS	hr18	int	
jdlyfaciltywrk_we_CJIS	hr19	int	
jdlyfaciltywrk_we_CJIS	hr20	int	
jdlyfaciltywrk_we_CJIS	hr21	int	
jdlyfaciltywrk_we_CJIS	hr22	int	
jdlyfaciltywrk_we_CJIS	hr23	int	
jdlyfaciltywrk_we_CJIS	sdatein	datetime	

jdlyfaciltywrk_we_CJIS	sdateout	datetime	
jdlyfaciltywrk_we_CJIS	sdinhour	int	
jdlyfaciltywrk_we_CJIS	sdinmdy	datetime	
jdlyfaciltywrk_we_CJIS	sdothour	int	
jdlyfaciltywrk_we_CJIS	sdotmdy	datetime	
jdlyfaciltywrk_we_CJIS	sex	char	1
jdlyfaciltywrk_we_CJIS	wkend	char	1
jdlyfaciltywrk_we_CJIS	wrkdate	datetime	
jdug	addtime	datetime	
jdug	adduser	varchar	11
jdug	agency	char	4
jdug	begindate	datetime	
jdug	book_id	int	
jdug	dailysch	tinyint	
jdug	dateorder	datetime	
jdug	doctor	varchar	30
jdug	dosage	char	4
jdug	drunit	char	4
jdug	expdate	datetime	
jdug	filldate	datetime	
jdug	frequency	tinyint	
jdug	hour	tinyint	
jdug	inclonlst	tinyint	
jdug	inmatefee	money	
jdug	insnbr	varchar	15
jdug	instructns	varchar	40
jdug	jcost	money	
jdug	jnotes	text	2147483647
jdug	jdugid	int	
jdug	jmedicalid	int	
jdug	localcode	char	4
jdug	medication	varchar	30
jdug	name_id	int	
jdug	nbrdays	tinyint	
jdug	norefills	char	3
jdug	qtyrefill	char	3
jdug	schtime	char	5
jdug	time1	char	5
jdug	time2	char	5
jdug	time3	char	5
jduglog	addtime	datetime	
jduglog	adduser	varchar	11
jduglog	batchid	char	10
jduglog	disptime	datetime	
jduglog	jdugid	int	
jduglog	jduglogid	int	
jduglog	localcode	char	4
jduglog	lognotes	text	2147483647
jduglog	officerid	int	
jduglog	refusedeny	char	5
jduglog	schtime	datetime	
jenemy	addtime	datetime	
jenemy	adduser	char	10
jenemy	age	char	3
jenemy	book_id	int	
jenemy	book_id2	int	
jenemy	inmate_id	int	
jenemy	jenemyid	int	
jenemy	jreason	text	2147483647
jenemy	name_id	int	
jenemy	race	char	2

jenemy	sex	char	1
jfachist	addconsole	char	8
jfachist	addtime	datetime	
jfachist	adduser	varchar	11
jfachist	agency	char	4
jfachist	bed	char	6
jfachist	book_id	int	
jfachist	direction	char	3
jfachist	eventdate	datetime	
jfachist	eventtype	varchar	20
jfachist	facility	char	4
jfachist	jfachistid	int	
jfachist	jfaciltyid	int	
jfachist	jlognotes	text	2147483647
jfachist	name_id	int	
jfachist	section	char	10
jfachist	unit	char	10
jfachist_DRM_bkup	addconsole	char	8
jfachist_DRM_bkup	addtime	datetime	
jfachist_DRM_bkup	adduser	varchar	11
jfachist_DRM_bkup	agency	char	4
jfachist_DRM_bkup	bed	char	6
jfachist_DRM_bkup	book_id	int	
jfachist_DRM_bkup	direction	char	3
jfachist_DRM_bkup	eventdate	datetime	
jfachist_DRM_bkup	eventtype	varchar	20
jfachist_DRM_bkup	facility	char	4
jfachist_DRM_bkup	jfachistid	int	
jfachist_DRM_bkup	jfaciltyid	int	
jfachist_DRM_bkup	jlognotes	text	2147483647
jfachist_DRM_bkup	name_id	int	
jfachist_DRM_bkup	section	char	10
jfachist_DRM_bkup	unit	char	10
jfacilty	addtime	datetime	
jfacilty	adduser	char	10
jfacilty	agency	char	4
jfacilty	bed	char	6
jfacilty	bedtype	char	4
jfacilty	book_id	int	
jfacilty	closed	float	
jfacilty	facility	char	4
jfacilty	floorflag	char	1
jfacilty	jfaciltyid	int	
jfacilty	jfflag	char	4
jfacilty	jfname	varchar	40
jfacilty	jjuvenile	char	1
jfacilty	jsecurity	char	4
jfacilty	jsex	char	1
jfacilty	name_id	int	
jfacilty	section	char	10
jfacilty	staterpt	bit	
jfacilty	templocatn	varchar	15
jfacilty	unit	char	10
jgmain	addconsole	char	8
jgmain	addtime	datetime	
jgmain	adduser	varchar	11
jgmain	age	char	2
jgmain	agency	char	4
jgmain	book_id	int	
jgmain	category1	char	4
jgmain	cmmappeal	char	4

jgmain	cmmdate	datetime	
jgmain	cmmdoffcr	int	
jgmain	cmnotes	text	2147483647
jgmain	datedispos	datetime	
jgmain	dirappeal	char	4
jgmain	directdate	datetime	
jgmain	directnote	text	2147483647
jgmain	directorid	int	
jgmain	dispostn	char	4
jgmain	faci_id	int	
jgmain	facility	char	4
jgmain	grdate	datetime	
jgmain	grlevel	char	10
jgmain	grnotes	text	2147483647
jgmain	grtime	char	4
jgmain	grtype	char	4
jgmain	investigtr	int	
jgmain	invstdate	datetime	
jgmain	jgmainid	int	
jgmain	name_id	int	
jgmain	offcrdate	char	4
jgmain	officerid	int	
jgmain	race	char	2
jgmain	rcvdate	datetime	
jgmain	rescode	char	4
jgmain	resolnotes	text	2147483647
jgmain	respnnotes	text	2147483647
jgmain	sex	char	1
jgmain	sysflag	char	8
jhold	addtime	datetime	
jhold	adduser	char	10
jhold	book_id	int	
jhold	clearby	int	
jhold	cleardate	datetime	
jhold	clearnote	text	2147483647
jhold	holdagency	char	4
jhold	holdby	int	
jhold	holdclear	bit	
jhold	holdnote	text	2147483647
jhold	jailnbr	char	4
jhold	jholdid	int	
jhold	name_id	int	
jhold_WOPDCONV	addtime	datetime	
jhold_WOPDCONV	adduser	char	10
jhold_WOPDCONV	book_id	int	
jhold_WOPDCONV	clearby	int	
jhold_WOPDCONV	cleardate	datetime	
jhold_WOPDCONV	clearnote	text	2147483647
jhold_WOPDCONV	holdagency	char	4
jhold_WOPDCONV	holdby	int	
jhold_WOPDCONV	holdclear	bit	
jhold_WOPDCONV	holdnote	text	2147483647
jhold_WOPDCONV	jailnbr	char	4
jhold_WOPDCONV	jholdid	int	
jhold_WOPDCONV	name_id	int	
jiassist	addtime	datetime	
jiassist	adduser	varchar	11
jiassist	assist_id	varchar	14
jiassist	assistid	int	
jiassist	assistkey	char	2
jiassist	jiassistid	int	

jiassist	officer_id	int	
jidisc	acdc	char	4
jidisc	addtime	datetime	
jidisc	adduser	varchar	11
jidisc	age	char	2
jidisc	book_id	int	
jidisc	category1	char	4
jidisc	comments	text	2147483647
jidisc	commfindng	char	10
jidisc	comnddate	datetime	
jidisc	comndnote	varchar	15
jidisc	comndract	char	10
jidisc	comndrid	int	
jidisc	credit_ac	char	1
jidisc	dispdata	datetime	
jidisc	dispositn	varchar	15
jidisc	exclbgindt	datetime	
jidisc	exclenddt	datetime	
jidisc	findngnote	text	2147483647
jidisc	heardate	datetime	
jidisc	hearlocatn	varchar	30
jidisc	hearproc	char	1
jidisc	inmplea	varchar	15
jidisc	jidiscid	int	
jidisc	jinamesid	int	
jidisc	name_id	int	
jidisc	noticedate	datetime	
jidisc	officerid1	int	
jidisc	officerid2	int	
jidisc	race	char	2
jidisc	recsanctn	text	2147483647
jidisc	relsdate	datetime	
jidisc	relsreason	varchar	20
jidisc	sancbegin	datetime	
jidisc	sancend	datetime	
jidisc	sanctlen	varchar	15
jidisc	sex	char	1
jidisc	supervisor	int	
jimain	addconsole	char	8
jimain	addtime	datetime	
jimain	adduser	varchar	11
jimain	agency	char	4
jimain	asst_offcr	char	1
jimain	caseid	varchar	12
jimain	category1	char	4
jimain	category2	char	4
jimain	reserve1	char	4
jimain	csstatus	char	4
jimain	csstatusdt	datetime	
jimain	datedispos	datetime	
jimain	dispostn	char	4
jimain	dow1	char	2
jimain	facility	char	4
jimain	hatebias	char	4
jimain	incdate	datetime	
jimain	inctime	char	4
jimain	inctype	char	4
jimain	injnotes	text	2147483647
jimain	jimainid	int	
jimain	location	varchar	30
jimain	locationcd	varchar	15

jimain	mednotes	text	2147483647
jimain	notes1	text	2147483647
jimain	notes2	text	2147483647
jimain	nreserve1	int	
jimain	offcrmedic	int	
jimain	officerid	int	
jimain	origkey	varchar	15
jimain	post	char	4
jimain	recreview	char	4
jimain	reportdate	datetime	
jimain	reviewedby	int	
jimain	reviewtime	datetime	
jimain	shift	char	4
jimain	supervisor	int	
jimain	supvsdate	datetime	
jimain	sysflag	char	8
jimain	weapon	char	4
jinames	addtime	datetime	
jinames	adduser	varchar	11
jinames	age	char	2
jinames	book_id	int	
jinames	category1	char	4
jinames	disciplinh	bit	
jinames	ethnicity	char	1
jinames	faci_id	int	
jinames	hearingreq	int	
jinames	investigtr	int	
jinames	investnote	text	2147483647
jinames	investtime	datetime	
jinames	jimainid	int	
jinames	jinamesid	int	
jinames	mednote	text	2147483647
jinames	minorinfra	char	1
jinames	name_code	char	2
jinames	name_id	int	
jinames	nc_seq	int	
jinames	offcrrept	int	
jinames	race	char	2
jinames	repttime	datetime	
jinames	reviewedby	int	
jinames	reviewtime	datetime	
jinames	sex	char	1
jinames	statefacts	text	2147483647
jinames	violation	char	10
jinames	violation2	char	10
jinames	violtn des2	varchar	30
jinames	violtn desc	varchar	30
jinvent	addconsole	char	8
jinvent	addtime	datetime	
jinvent	adduser	varchar	11
jinvent	agency	char	4
jinvent	book_id	int	
jinvent	dateissue	datetime	
jinvent	datereturn	datetime	
jinvent	issueby	int	
jinvent	issusignid	int	
jinvent	itemcode	char	10
jinvent	jinventid	int	
jinvent	name_id	int	
jinvent	numissue	int	
jinvent	returnby	int	

jinvent	rtnsignid	int	
jinvent	stdissue	int	
jinvitem	addconsole	char	8
jinvitem	addtime	datetime	
jinvitem	adduser	varchar	11
jinvitem	agency	char	4
jinvitem	altvencost	money	
jinvitem	altvendor	int	
jinvitem	category	char	10
jinvitem	descriptn	varchar	30
jinvitem	facilty	char	4
jinvitem	hide	int	
jinvitem	itemcode	char	10
jinvitem	jinvitemid	int	
jinvitem	locatn	char	4
jinvitem	maxoh	int	
jinvitem	notes	text	2147483647
jinvitem	onhand	int	
jinvitem	permark	int	
jinvitem	price	money	
jinvitem	reonotes	text	2147483647
jinvitem	reopoint	int	
jinvitem	reusable	char	1
jinvitem	room	char	4
jinvitem	sexrest	char	1
jinvitem	stdissue	int	
jinvitem	taxrate	decimal	
jinvitem	vencost	money	
jinvitem	vendor	int	
jisupp	actvttime	datetime	
jisupp	addconsole	char	8
jisupp	addtime	datetime	
jisupp	adduser	varchar	11
jisupp	age	char	2
jisupp	agency	char	4
jisupp	caseid	varchar	12
jisupp	jimainid	int	
jisupp	jisuppid	int	
jisupp	name_id	int	
jisupp	officerid	int	
jisupp	race	char	2
jisupp	sex	char	1
jisupp	supervisor	int	
jisupp	supplenote	text	2147483647
jisupp	supptype	char	4
jisupp	supvrevw	datetime	
jisupp	sysflag	char	8
jiviol	addtime	datetime	
jiviol	adduser	varchar	11
jiviol	book_id	int	
jiviol	heardisp	varchar	15
jiviol	inmplea	varchar	15
jiviol	jidiscid	int	
jiviol	jimainid	int	
jiviol	jinamesid	int	
jiviol	jiviolid	int	
jiviol	minorinf	char	1
jiviol	name_id	int	
jiviol	noticedate	datetime	
jiviol	rulepara	char	10
jiviol	rulesec	varchar	15

jviol	violcode	char	4
jviol	violdesc	varchar	80
jviol	violnotes	text	2147483647
jkiosk	a_amount	money	
jkiosk	addtime	datetime	
jkiosk	adduser	varchar	11
jkiosk	bcodekey	varchar	50
jkiosk	book_id	int	
jkiosk	jcashwthd	int	
jkiosk	jkioskid	int	
jkiosk	kioskid	char	5
jkiosk	kioskip	varchar	25
jkiosk	name_id	int	
jkiosk	r_amount	money	
jkiosk	status	char	10
jkiosk	status_dt	datetime	
jlids	book_id	int	
jlids	jreload	char	1
jlids	reload	char	1
jlids	sreload	char	1
jlids	transdate	datetime	
jlids	uplddate	datetime	
jlids	vreload	char	1
jlidslog	action	char	4
jlidslog	jlidslogid	int	
jlidslog	startdate	datetime	
jlidslog	stopdate	datetime	
jmbook	addconsole	char	8
jmbook	addtime	datetime	
jmbook	adduser	varchar	11
jmbook	agency	char	4
jmbook	armainid	int	
jmbook	bkfacility	char	4
jmbook	bkofficer	int	
jmbook	bkstatus	char	1
jmbook	book_id	int	
jmbook	bookdate	datetime	
jmbook	category1	char	4
jmbook	category2	char	4
jmbook	compstatus	char	4
jmbook	confreason	char	4
jmbook	countyjail	tinyint	
jmbook	dangerous	tinyint	
jmbook	deformaty	tinyint	
jmbook	escaperisk	tinyint	
jmbook	explain	varchar	40
jmbook	fbiresp	tinyint	
jmbook	fpcardid	char	10
jmbook	fpofficer	int	
jmbook	holdfor	varchar	25
jmbook	housstatus	char	4
jmbook	injury	tinyint	
jmbook	jaildate	datetime	
jmbook	jailflag	varchar	15
jmbook	jmbookid	int	
jmbook	medication	tinyint	
jmbook	mental	tinyint	
jmbook	mentallhth	tinyint	
jmbook	mobilepkey	varchar	20
jmbook	other2	tinyint	
jmbook	phototaken	char	1

jmbook	phsycond	varchar	50
jmbook	pptyrecdb	varchar	20
jmbook	pptyrelsby	varchar	20
jmbook	pptyrelsto	varchar	20
jmbook	presbond	tinyint	
jmbook	probviol	tinyint	
jmbook	releasedor	tinyint	
jmbook	relsparent	tinyint	
jmbook	resistarr	tinyint	
jmbook	schofficer	int	
jmbook	secrtyclas	char	4
jmbook	ssbenefit	tinyint	
jmbook	suicidal	tinyint	
jmbook	transagcy	varchar	25
jmbook	transdate	datetime	
jmbook	transfby	char	10
jmbook	transoffcr	varchar	25
jmbook	transoffid	char	6
jmbook	transother	varchar	30
jmbook	transptby	varchar	20
jmbook	trustee	tinyint	
jmbook	vehlocatn	varchar	25
jmedexp	addtime	datetime	
jmedexp	adduser	varchar	11
jmedexp	adjacct	char	1
jmedexp	agency	char	4
jmedexp	book_id	int	
jmedexp	cost	decimal	
jmedexp	datetreat	datetime	
jmedexp	emergency	char	1
jmedexp	inmatefee	decimal	
jmedexp	jmedexpid	int	
jmedexp	medexpnote	text	2147483647
jmedexp	name_id	int	
jmedexp	nurse_id	int	
jmedexp	providercd	char	4
jmedexp	timetreat	char	4
jmedexp	treatment	char	4
jmedexp	weight	int	
jmedical	addtime	datetime	
jmedical	adduser	char	10
jmedical	agency	char	4
jmedical	book_id	int	
jmedical	jmedicalid	int	
jmedical	jmnotes	text	2147483647
jmedical	localcode	char	4
jmedical	meddate	datetime	
jmedical	medtime	char	4
jmedical	name_id	int	
jmedical	nurse_id	int	
jmmain	addconsole	char	8
jmmain	addtime	datetime	
jmmain	adduser	varchar	11
jmmain	age	char	2
jmmain	agency	char	4
jmmain	bkfacility	char	4
jmmain	bkofficer	int	
jmmain	bkstatus	char	1
jmmain	book_id	int	
jmmain	bookdate	datetime	
jmmain	booknotes	text	2147483647

jmmain	booktime	char	4
jmmain	category1	char	4
jmmain	category2	char	4
jmmain	chargehous	char	4
jmmain	chrgdesc	varchar	60
jmmain	classdate	datetime	
jmmain	classlevel	char	4
jmmain	colorcode	char	4
jmmain	commindig	bit	
jmmain	commprivlg	bit	
jmmain	commreinst	datetime	
jmmain	compstatus	char	4
jmmain	confreason	char	4
jmmain	contractin	char	1
jmmain	convkey	varchar	40
jmmain	dietcode	char	4
jmmain	ethnic	char	1
jmmain	faci_id	int	
jmmain	fbiresp	tinyint	
jmmain	fpcardid	varchar	13
jmmain	fpflag	char	1
jmmain	fpofficer	int	
jmmain	housstatus	char	4
jmmain	inmstatus	char	6
jmmain	jailflag	varchar	15
jmmain	jjuvenile	char	1
jmmain	jtemplocat	char	4
jmmain	local_nbr	char	10
jmmain	lockflag	float	
jmmain	locknote	text	2147483647
jmmain	magidate	datetime	
jmmain	monthstamp	tinyint	
jmmain	name_id	int	
jmmain	newfld	char	10
jmmain	nextrevw	datetime	
jmmain	origkey	varchar	15
jmmain	origname	varchar	40
jmmain	orignameid	int	
jmmain	ovrrdnotes	text	2147483647
jmmain	paperdate	datetime	
jmmain	paperready	float	
jmmain	phototaken	char	1
jmmain	probviol	tinyint	
jmmain	race	char	2
jmmain	releaseflg	datetime	
jmmain	releasestn	char	10
jmmain	schofficer	int	
jmmain	secllevel	char	4
jmmain	secrtyclas	char	4
jmmain	sex	char	1
jmmain	ssbenefit	tinyint	
jmmain	sysflag	char	8
jmmain	transfby	char	10
jmmain	trustee	tinyint	
jmmain	udftext1	varchar	30
jmmain	udftext2	varchar	30
jmmain	udftext3	varchar	30
jmmain	udftext4	varchar	30
jmmain	udftext5	varchar	30
jmmain	udftext6	varchar	30
jmmain	udftext7	varchar	30

jmmain	udftext8	varchar	30
jmmain	udftext9	varchar	30
jmmain	vehlocatn	varchar	25
jmmain	visitdate	datetime	
jmmain	visitright	bit	
jmmain	wkend	char	1
jmmain	wkstatus	char	1
jmmain	workrel	tinyint	
jmmain	yearstamp	int	
jpc107	addtime	datetime	
jpc107	adduser	char	10
jpc107	archrgid	int	
jpc107	book_id	int	
jpc107	chrg_seq	int	
jpc107	date_exect	datetime	
jpc107	datecommit	datetime	
jpc107	den_parole	tinyint	
jpc107	docket107	varchar	20
jpc107	jpc107id	int	
jpc107	lastprint	datetime	
jpc107	name_id	int	
jpc107	pc107note	text	2147483647
jpc107	rec_parole	tinyint	
jpis	bdincount	char	3
jpis	bdoutcount	char	3
jpis	bdoutdate	datetime	
jpis	book_id	int	
jpis	cktctprobv	char	1
jpis	distctprob	char	1
jpis	hrsinnonse	int	
jpis	jpisid	int	
jpis	juvstatcod	char	1
jpis	juvwaivdat	datetime	
jpis	priorfeln	int	
jpis	priorfelna	char	1
jpis	priormisd	int	
jpis	priorrecva	int	
jpis	sglrngmax	int	
jpis	sglrngmin	int	
jpropbin	addtime	datetime	
jpropbin	adduser	varchar	11
jpropbin	agency	char	4
jpropbin	bin	char	4
jpropbin	binfac	char	4
jpropbin	binroom	char	4
jpropbin	binshelf	char	4
jpropbin	book_id	int	
jpropbin	code_agcy	char	5
jpropbin	descriptn	varchar	30
jpropbin	jpropbinid	int	
jpropbin	ncomflag	float	
jpropbin	npropflag	tinyint	
jpropbin	propflag	bit	
jpropty	addconsole	char	8
jpropty	addtime	datetime	
jpropty	adduser	char	10
jpropty	binldetail	varchar	20
jpropty	binlocatn	char	5
jpropty	book_id	int	
jpropty	cashacct	char	1
jpropty	dateretu	datetime	

jpropty	datetaken	datetime	
jpropty	jpropbinid	int	
jpropty	jproptyid	int	
jpropty	name_id	int	
jpropty	notes	text	2147483647
jpropty	officerid	int	
jpropty	prdesc	varchar	35
jpropty	pritem	char	4
jpropty	pvalue	money	
jpropty	quantity	decimal	
jpropty	rcvdfrom	varchar	20
jpropty	receiptnbr	char	10
jpropty	releasitem	bit	
jpropty	returnedby	int	
jpropty	returnedto	varchar	30
jprtcpt	addconsole	varchar	15
jprtcpt	addtime	datetime	
jprtcpt	adduser	varchar	11
jprtcpt	agency	char	4
jprtcpt	attended	bit	
jprtcpt	begintime	char	4
jprtcpt	book_id	int	
jprtcpt	classdt	datetime	
jprtcpt	classlen	char	5
jprtcpt	coursedesc	varchar	40
jprtcpt	courseid	char	4
jprtcpt	crtordered	bit	
jprtcpt	employeeid	int	
jprtcpt	endtime	char	4
jprtcpt	exclude	bit	
jprtcpt	jclassesid	int	
jprtcpt	jcouseid	int	
jprtcpt	jcrsschlid	int	
jprtcpt	jprtcptid	int	
jprtcpt	location	varchar	40
jprtcpt	name_id	int	
jprtcpt	namedesc	varchar	50
jprtcpt	nametype	char	1
jprtcpt	notes	text	2147483647
jquestn	agency	char	4
jquestn	default_yn	tinyint	
jquestn	jalert_no	char	4
jquestn	jalert_ref	char	4
jquestn	jalert_yes	char	4
jquestn	jclass_no	char	4
jquestn	jclass_ref	char	4
jquestn	jclass_yes	char	4
jquestn	jno_goto	decimal	
jquestn	jq_nbr	decimal	
jquestn	jqkey	char	4
jquestn	jquestion	text	2147483647
jquestn	jquestion2	varchar	30
jquestn	jquestnid	int	
jquestn	jref_goto	decimal	
jquestn	jyes_goto	decimal	
jquestn	notes_no	tinyint	
jquestn	notes_ref	tinyint	
jquestn	notes_yes	tinyint	
jquestn	yn_answer	char	1
jquestn_BKUP_08162010	agency	char	4
jquestn_BKUP_08162010	default_yn	tinyint	

jquestn_BKUP_08162010	jalert_no	char	4
jquestn_BKUP_08162010	jalert_ref	char	4
jquestn_BKUP_08162010	jalert_yes	char	4
jquestn_BKUP_08162010	jclass_no	char	4
jquestn_BKUP_08162010	jclass_ref	char	4
jquestn_BKUP_08162010	jclass_yes	char	4
jquestn_BKUP_08162010	jno_goto	decimal	
jquestn_BKUP_08162010	jq_nbr	decimal	
jquestn_BKUP_08162010	jqkey	char	4
jquestn_BKUP_08162010	jquestion	text	2147483647
jquestn_BKUP_08162010	jquestion2	varchar	30
jquestn_BKUP_08162010	jquestnid	int	
jquestn_BKUP_08162010	jref_goto	decimal	
jquestn_BKUP_08162010	jyes_goto	decimal	
jquestn_BKUP_08162010	notes_no	tinyint	
jquestn_BKUP_08162010	notes_ref	tinyint	
jquestn_BKUP_08162010	notes_yes	tinyint	
jquestn_BKUP_08162010	yn_answer	char	1
jquestn_CJIS_JQCLBKUP_01042010	agency	char	4
jquestn_CJIS_JQCLBKUP_01042010	default_yn	tinyint	
jquestn_CJIS_JQCLBKUP_01042010	jalert_no	char	4
jquestn_CJIS_JQCLBKUP_01042010	jalert_ref	char	4
jquestn_CJIS_JQCLBKUP_01042010	jalert_yes	char	4
jquestn_CJIS_JQCLBKUP_01042010	jclass_no	char	4
jquestn_CJIS_JQCLBKUP_01042010	jclass_ref	char	4
jquestn_CJIS_JQCLBKUP_01042010	jclass_yes	char	4
jquestn_CJIS_JQCLBKUP_01042010	jno_goto	decimal	
jquestn_CJIS_JQCLBKUP_01042010	jq_nbr	decimal	
jquestn_CJIS_JQCLBKUP_01042010	jqkey	char	4
jquestn_CJIS_JQCLBKUP_01042010	jquestion	text	2147483647
jquestn_CJIS_JQCLBKUP_01042010	jquestion2	varchar	30
jquestn_CJIS_JQCLBKUP_01042010	jquestnid	int	
jquestn_CJIS_JQCLBKUP_01042010	jref_goto	decimal	
jquestn_CJIS_JQCLBKUP_01042010	jyes_goto	decimal	
jquestn_CJIS_JQCLBKUP_01042010	notes_no	tinyint	
jquestn_CJIS_JQCLBKUP_01042010	notes_ref	tinyint	
jquestn_CJIS_JQCLBKUP_01042010	notes_yes	tinyint	
jquestn_CJIS_JQCLBKUP_01042010	yn_answer	char	1
jquestn_CJIS_LVJQCLBKP_03063008	agency	char	4
jquestn_CJIS_LVJQCLBKP_03063008	default_yn	tinyint	
jquestn_CJIS_LVJQCLBKP_03063008	jalert_no	char	4
jquestn_CJIS_LVJQCLBKP_03063008	jalert_ref	char	4
jquestn_CJIS_LVJQCLBKP_03063008	jalert_yes	char	4
jquestn_CJIS_LVJQCLBKP_03063008	jclass_no	char	4
jquestn_CJIS_LVJQCLBKP_03063008	jclass_ref	char	4
jquestn_CJIS_LVJQCLBKP_03063008	jclass_yes	char	4
jquestn_CJIS_LVJQCLBKP_03063008	jno_goto	decimal	
jquestn_CJIS_LVJQCLBKP_03063008	jq_nbr	decimal	
jquestn_CJIS_LVJQCLBKP_03063008	jqkey	char	4
jquestn_CJIS_LVJQCLBKP_03063008	jquestion	text	2147483647
jquestn_CJIS_LVJQCLBKP_03063008	jquestion2	varchar	30
jquestn_CJIS_LVJQCLBKP_03063008	jquestnid	int	
jquestn_CJIS_LVJQCLBKP_03063008	jref_goto	decimal	
jquestn_CJIS_LVJQCLBKP_03063008	jyes_goto	decimal	
jquestn_CJIS_LVJQCLBKP_03063008	notes_no	tinyint	
jquestn_CJIS_LVJQCLBKP_03063008	notes_ref	tinyint	
jquestn_CJIS_LVJQCLBKP_03063008	notes_yes	tinyint	
jquestn_CJIS_LVJQCLBKP_03063008	yn_answer	char	1
jquestn_CJIS_TRNJQCL	agency	char	4
jquestn_CJIS_TRNJQCL	default_yn	tinyint	
jquestn_CJIS_TRNJQCL	jalert_no	char	4

jquestn_CJIS_TRNMQCL	jalert_ref	char	4
jquestn_CJIS_TRNMQCL	jalert_yes	char	4
jquestn_CJIS_TRNMQCL	jclass_no	char	4
jquestn_CJIS_TRNMQCL	jclass_ref	char	4
jquestn_CJIS_TRNMQCL	jclass_yes	char	4
jquestn_CJIS_TRNMQCL	jno_goto	decimal	
jquestn_CJIS_TRNMQCL	jq_nbr	decimal	
jquestn_CJIS_TRNMQCL	jqkey	char	4
jquestn_CJIS_TRNMQCL	jquestion	text	2147483647
jquestn_CJIS_TRNMQCL	jquestion2	varchar	30
jquestn_CJIS_TRNMQCL	jquestnid	int	
jquestn_CJIS_TRNMQCL	jref_goto	decimal	
jquestn_CJIS_TRNMQCL	jyes_goto	decimal	
jquestn_CJIS_TRNMQCL	notes_no	tinyint	
jquestn_CJIS_TRNMQCL	notes_ref	tinyint	
jquestn_CJIS_TRNMQCL	notes_yes	tinyint	
jquestn_CJIS_TRNMQCL	yn_answer	char	1
jccrrnce	cntr	int	
jccrrnce	currweek	int	
jccrrnce	ddays	int	
jccrrnce	dwmy	int	
jccrrnce	enddt	char	10
jccrrnce	endtime	char	4
jccrrnce	frequency	char	5
jccrrnce	friday	varchar	15
jccrrnce	jcrsschlid	int	
jccrrnce	jccrrnceid	int	
jccrrnce	ldlast	char	10
jccrrnce	llast	bit	
jccrrnce	lnoenddt	bit	
jccrrnce	lweekdays	bit	
jccrrnce	lweekend	bit	
jccrrnce	mday	varchar	20
jccrrnce	mmth1	int	
jccrrnce	mmth2	int	
jccrrnce	mnum	int	
jccrrnce	monday	varchar	15
jccrrnce	mposition	varchar	20
jccrrnce	mssg1	int	
jccrrnce	mssg2	int	
jccrrnce	nextdt	varchar	50
jccrrnce	nwwweeks	int	
jccrrnce	nxtmth	int	
jccrrnce	occr	int	
jccrrnce	optnd	int	
jccrrnce	optnm	int	
jccrrnce	optnrange1	int	
jccrrnce	optnrange2	int	
jccrrnce	optnrange3	int	
jccrrnce	optny	int	
jccrrnce	optstring	varchar	200
jccrrnce	saturday	varchar	15
jccrrnce	startdt	char	10
jccrrnce	starttime	char	4
jccrrnce	sunday	varchar	15
jccrrnce	thursday	varchar	15
jccrrnce	tuesday	varchar	15
jccrrnce	wdaystring	varchar	30
jccrrnce	wednesday	varchar	15
jccrrnce	wstring	varchar	100
jccrrnce	yday	varchar	20

jrcrrnce	ymonth1	varchar	20
jrcrrnce	ymonth2	varchar	20
jrcrrnce	ynum	int	
jrcrrnce	yposition	varchar	20
jrelease	addtime	datetime	
jrelease	adduser	char	10
jrelease	book_id	int	
jrelease	jaillogid	int	
jrelease	jailtrans	char	4
jrelease	jreleaseid	int	
jrelease	name_id	int	
jrelease	notifyvictm	text	2147483647
jrelease	officerid	int	
jrelease	releaseto	varchar	30
jrelease	releasetime	datetime	
jrelease	relsnote	text	2147483647
jrelease	relsreason	char	4
jrelease	returnable	datetime	
jrights	addtime	datetime	
jrights	adduser	varchar	11
jrights	attnynname	varchar	30
jrights	attnynotif	datetime	
jrights	book_id	int	
jrights	haddress	varchar	40
jrights	hcsz	varchar	30
jrights	iage	char	2
jrights	iattorney	tinyint	
jrights	iattorney2	tinyint	
jrights	idob	datetime	
jrights	ipubdef	tinyint	
jrights	ipubdef2	tinyint	
jrights	irefused	tinyint	
jrights	iwaive	tinyint	
jrights	iwaived	tinyint	
jrights	jrightsid	int	
jrights	name_id	int	
jrights	officerid	int	
jrights	rtdate	datetime	
jschedl	addconsole	char	8
jschedl	addtime	datetime	
jschedl	adduser	char	10
jschedl	agency	char	4
jschedl	book_id	int	
jschedl	eventdate	datetime	
jschedl	eventtime	char	4
jschedl	eventtype	char	4
jschedl	jeflag	char	1
jschedl	jlognotes	text	2147483647
jschedl	jschedlid	int	
jschedl	location	varchar	15
jschedl	name_id	int	
jschedl	officerid	int	
jscreen	addtime	datetime	
jscreen	adduser	char	10
jscreen	answer	char	1
jscreen	book_id	int	
jscreen	comments	text	2147483647
jscreen	jalert	char	4
jscreen	jclassify	char	4
jscreen	jq_nbr	decimal	
jscreen	jquestion	text	2147483647

jsscreen	jsscreenid	int	
jsscreen	name_id	int	
jsscreen	newclass	char	4
jsscreen	officerid	int	
jsscreen	reviewdate	datetime	
jsscreen	reviewid	int	
jsscreen	scrkey	char	4
jsentadj	addtime	datetime	
jsentadj	adduser	varchar	11
jsentadj	jsentadjid	int	
jsentadj	jsentencid	int	
jsentadj	officerid	int	
jsentadj	transdays	int	
jsentadj	transdesc	char	4
jsentadj	transhrs	int	
jsentenc	addtime	datetime	
jsentenc	adduser	varchar	11
jsentenc	adjtype	char	4
jsentenc	archrgid	int	
jsentenc	book_id	int	
jsentenc	chrg_seq	int	
jsentenc	consecto	varchar	20
jsentenc	creditcrtf	datetime	
jsentenc	creserve1	char	4
jsentenc	creserve2	char	4
jsentenc	dayscredit	int	
jsentenc	disatosent	bit	
jsentenc	inijcredit	int	
jsentenc	jsentencid	int	
jsentenc	name_id	int	
jsentenc	nreserve1	int	
jsentenc	nreserve2	int	
jsentenc	omitrels	bit	
jsentenc	releasetime	datetime	
jsentenc	relsdate	datetime	
jsentenc	rptdate	datetime	
jsentenc	sentdate	datetime	
jsentenc	sentday	int	
jsentenc	senthrs	int	
jsentenc	sentmonth	int	
jsentenc	sentnote	text	2147483647
jsentenc	senttype	char	4
jsentenc	sentyear	int	
jsentenc	statecode	char	10
jskcall	addconsole	char	10
jskcall	addtime	datetime	
jskcall	adduser	varchar	11
jskcall	agency	char	4
jskcall	book_id	int	
jskcall	complaint	varchar	80
jskcall	injury	char	1
jskcall	jskcallid	int	
jskcall	name_id	int	
jskcall	officerid	int	
jskcall	reqdate	datetime	
jskcall	reqtype	char	4
jskcall	skstatus	char	4
jskcall	statusdate	datetime	
jskfee	addtime	datetime	
jskfee	adduser	varchar	11
jskfee	dismreason	char	4

jskfee	feeamt	decimal	
jskfee	feecode	char	4
jskfee	feenotes	text	2147483647
jskfee	finstatus	char	10
jskfee	jcashaccid	int	
jskfee	jskcallid	int	
jskfee	jskfeeid	int	
jskfee	respooffcr	int	
jskfee	servdate	datetime	
jskfee	statusdate	datetime	
jsktrac	addtime	datetime	
jsktrac	adduser	varchar	11
jsktrac	catcode	char	4
jsktrac	compdate	datetime	
jsktrac	complby	int	
jsktrac	followup	char	1
jsktrac	jskcallid	int	
jsktrac	jsktracid	int	
jsktrac	notes	text	2147483647
jsktrac	proscore	char	4
jsktrac	referdate	datetime	
jsktrac	referto	char	4
jsktrac	reviewdate	datetime	
jsktrac	reviewedby	int	
jsktrac	treatby	int	
jsktrac	workinj	char	1
jsplog	batchid	char	10
jsplog	book_id	int	
jsplog	findings	text	2147483647
jsplog	jsplogid	int	
jsplog	jspwatchid	int	
jsplog	name_id	int	
jsplog	obdate	datetime	
jsplog	obofficer	int	
jspwatch	addconsole	char	10
jspwatch	addtime	datetime	
jspwatch	adduser	varchar	11
jspwatch	book_id	int	
jspwatch	clearnotes	text	2147483647
jspwatch	interval	int	
jspwatch	jspwatchid	int	
jspwatch	levelcode	char	4
jspwatch	leveldesc	varchar	30
jspwatch	name_id	int	
jspwatch	notes	text	2147483647
jspwatch	placedate	datetime	
jspwatch	placedby	int	
jspwatch	removedby	int	
jspwatch	removedt	datetime	
jspwatch	watchclear	bit	
jsysrept	addtime	datetime	
jsysrept	adduser	varchar	11
jsysrept	agency	char	4
jsysrept	datatype3	char	1
jsysrept	excludeexp	text	2147483647
jsysrept	fieldtype1	char	1
jsysrept	fieldtype2	char	1
jsysrept	filecnt	int	
jsysrept	fixedrule	text	2147483647
jsysrept	format1	text	2147483647
jsysrept	format2	text	2147483647

jsysrept	graphdbf	char	8
jsysrept	inputmask1	varchar	20
jsysrept	inputmask2	varchar	20
jsysrept	jsysreptid	int	
jsysrept	label1func	varchar	20
jsysrept	label2func	varchar	20
jsysrept	lastselect	char	1
jsysrept	mid_rept	text	2147483647
jsysrept	post_rept	text	2147483647
jsysrept	pre_rept	text	2147483647
jsysrept	printcnt	int	
jsysrept	rdescriptn	varchar	70
jsysrept	reportfile	char	8
jsysrept	reptfilter	text	2147483647
jsysrept	required1	char	1
jsysrept	required2	char	1
jsysrept	required3	char	1
jsysrept	required4	char	10
jsysrept	rfield1	text	2147483647
jsysrept	rfield2	text	2147483647
jsysrept	rfield4	text	2147483647
jsysrept	rkey	char	4
jsysrept	rlabel1	varchar	30
jsysrept	rlabel2	varchar	30
jsysrept	rlabel3	varchar	30
jsysrept	rlabel4	varchar	20
jsysrept	rsearch1	varchar	20
jsysrept	rsearch2	varchar	20
jsysrept	rsearch3	text	2147483647
jsysrept	rsearch4	char	10
jsysrept	rstate	char	2
jsysrept	rstatus	char	1
jsysrept	rstyle	char	1
jsysrept	rtitle1	varchar	60
jsysrept	singlepage	char	1
jsysrept	sql_result	text	2147483647
jsysrept	sqlfrom	varchar	50
jsysrept	sqlordgrp	text	2147483647
jsysrept	sqlselect	text	2147483647
jsysrept	summaryrpt	char	1
jsysrept	sys_use	varchar	20
jsysrept	sysid	int	
jsysrept	titlefunc	varchar	20
jsysrept	valuetype1	char	1
jsysrept	valuetype2	char	1
jsysrept	viewcnt	int	
jtrustee	addtime	datetime	
jtrustee	adduser	varchar	11
jtrustee	book_id	int	
jtrustee	enddate	datetime	
jtrustee	estreldate	datetime	
jtrustee	goodtime	decimal	
jtrustee	jtrusteeid	int	
jtrustee	name_id	int	
jtrustee	officerid	int	
jtrustee	orgreldate	datetime	
jtrustee	revokedays	int	
jtrustee	startdate	datetime	
jtrustee	trustnotes	text	2147483647
jtrustee	trusttype	char	4
jvisit	addconsole	char	8

jvisit	addtime	datetime	
jvisit	adduser	varchar	11
jvisit	age	char	2
jvisit	book_id	int	
jvisit	inmate_id	int	
jvisit	jrelation	varchar	15
jvisit	jvflag	char	2
jvisit	jvisitid	int	
jvisit	jvnotes	text	2147483647
jvisit	name_id	int	
jvisit	race	char	2
jvisit	sex	char	1
jvisit	vallowed	bit	
jvisitck	chkindate	datetime	
jvisitck	chkoutdate	datetime	
jvisitck	jvisitckid	int	
jvisitck	locatn	char	4
jvisitck	name_id	int	
jvisitck	notes	text	2147483647
jvisitck	officerin	int	
jvisitck	officerout	int	
jvisitck	vrestrict	char	4
jvisitck	vstatus	int	
jvisitlg	addtime	datetime	
jvisitlg	adduser	varchar	11
jvisitlg	agency	char	4
jvisitlg	book_id	int	
jvisitlg	chkoutby	varchar	11
jvisitlg	inmateid	int	
jvisitlg	jvcomment	text	2147483647
jvisitlg	jvisitlgid	int	
jvisitlg	officerid	int	
jvisitlg	ref_key	int	
jvisitlg	timein	datetime	
jvisitlg	timeot	datetime	
jvisitlg	visitorid	int	
jvisitlg	vstarea	char	4
jvisitpr	addconsole	char	8
jvisitpr	addtime	datetime	
jvisitpr	adduser	char	10
jvisitpr	agency	char	4
jvisitpr	jvisitprid	int	
jvisitpr	lckdate	datetime	
jvisitpr	lcknotes	text	2147483647
jvisitpr	lckofficer	int	
jvisitpr	name_id	int	
jvisitpr	nlockout	bit	
jvisitpr	notes	text	2147483647
jvisitpr	purpose	char	4
jvisitpr	vstatus	int	
jvstrgt	addtime	datetime	
jvstrgt	adduser	varchar	11
jvstrgt	comments	text	2147483647
jvstrgt	date	datetime	
jvstrgt	inmate_id	int	
jvstrgt	jvstrgtid	int	
jvstrgt	numofdays	decimal	
jvstrgt	officerid	int	
jvstrgt	reason	text	2147483647
jwksched	addtime	datetime	
jwksched	adduser	varchar	11

jwksched	book_id	int	
jwksched	chrg_seq	int	
jwksched	jsentencid	int	
jwksched	jwkschedid	int	
jwksched	name_id	int	
jwksched	scalcelaps	decimal	
jwksched	scredit	decimal	
jwksched	sdatein	datetime	
jwksched	sdateout	datetime	
jwrkrel	addtime	datetime	
jwrkrel	adduser	varchar	11
jwrkrel	altphone	varchar	14
jwrkrel	altsite	varchar	50
jwrkrel	apt_flr	char	10
jwrkrel	book_id	int	
jwrkrel	buscode	char	4
jwrkrel	busdesc	varchar	30
jwrkrel	bustype	char	4
jwrkrel	cellphone	char	10
jwrkrel	city	varchar	20
jwrkrel	contfirst	varchar	20
jwrkrel	contlast	varchar	40
jwrkrel	district	char	4
jwrkrel	emptytype	char	4
jwrkrel	enddate	datetime	
jwrkrel	geoother	varchar	15
jwrkrel	geox	int	
jwrkrel	geoy	int	
jwrkrel	jobcode	char	4
jwrkrel	jwrkrelid	int	
jwrkrel	name_id	int	
jwrkrel	neighborhd	char	4
jwrkrel	notes	text	2147483647
jwrkrel	pager	char	10
jwrkrel	pagerpin	char	10
jwrkrel	reportarea	char	4
jwrkrel	schnotes	text	2147483647
jwrkrel	state	char	2
jwrkrel	stdate	datetime	
jwrkrel	street	varchar	40
jwrkrel	streetdir	char	2
jwrkrel	streetnbr	char	8
jwrkrel	subdivisn	char	4
jwrkrel	tract	char	4
jwrkrel	wphone	varchar	14
jwrkrel	wrstatus	char	4
jwrkrel	zip	char	9
jwrkrel	zone	char	4
k9actvty	actcode	char	4
k9actvty	actcount	int	
k9actvty	actrate	char	4
k9actvty	addconsole	char	8
k9actvty	addtime	datetime	
k9actvty	adduser	varchar	11
k9actvty	amount	decimal	
k9actvty	bitemade	char	1
k9actvty	creserve1	varchar	20
k9actvty	creserve2	varchar	20
k9actvty	decoy	varchar	40
k9actvty	delay	int	
k9actvty	depth	char	4

k9actvty	height	char	4
k9actvty	k9actvtyid	int	
k9actvty	k9mainid	int	
k9actvty	locafnd	varchar	50
k9actvty	mobilepkey	varchar	20
k9actvty	notes	text	2147483647
k9actvty	outcome	char	4
k9actvty	subsfnd	char	4
k9actvty	terrain	char	4
k9actvty	type	char	4
k9actvty	unit	char	4
k9actvty	value	money	
k9main	actdate	datetime	
k9main	acttype	char	4
k9main	addconsole	char	8
k9main	addtime	datetime	
k9main	adduser	varchar	11
k9main	agency	char	4
k9main	apt_flr	char	10
k9main	arrtime	datetime	
k9main	asstoffcr	int	
k9main	calltime	datetime	
k9main	canine	char	4
k9main	case_id	varchar	12
k9main	city	varchar	20
k9main	clrtype	datetime	
k9main	creserve1	varchar	20
k9main	creserve2	varchar	20
k9main	creserve3	char	4
k9main	creserve4	char	4
k9main	csarrcnt	int	
k9main	district	char	4
k9main	dplytime	datetime	
k9main	emdivision	char	4
k9main	emsection	char	4
k9main	emshift	char	4
k9main	emunit	char	4
k9main	evaltype	char	4
k9main	geooother	varchar	15
k9main	geox	int	
k9main	geoy	int	
k9main	humidity	char	4
k9main	k9_notes	text	2147483647
k9main	k9mainid	int	
k9main	lwmainid	int	
k9main	mobilepkey	varchar	20
k9main	neighborhd	char	4
k9main	ocitacnt	int	
k9main	officerid	int	
k9main	otarrcnt	int	
k9main	reportarea	char	4
k9main	reviewdate	datetime	
k9main	reviewid	int	
k9main	rollcall	bit	
k9main	state	char	2
k9main	street	varchar	40
k9main	streetdir	char	2
k9main	streetnbr	char	8
k9main	subdivisn	char	4
k9main	submtime	datetime	
k9main	supervisor	int	

k9main	sysflag	char	8
k9main	tcitacnt	int	
k9main	temperatur	int	
k9main	totaltime	decimal	
k9main	tract	char	4
k9main	udftext1	varchar	30
k9main	udftext2	varchar	30
k9main	udftext3	varchar	30
k9main	udftext4	varchar	30
k9main	uofrept	char	1
k9main	weather	char	4
k9main	windspd	int	
k9main	zip	char	10
k9main	zone	char	4
kbmain	addtime	datetime	
kbmain	adduser	varchar	11
kbmain	agency	char	4
kbmain	applyto	char	4
kbmain	authority	int	
kbmain	category	char	4
kbmain	dateexp	datetime	
kbmain	effdate	datetime	
kbmain	kbmainid	int	
kbmain	product	char	4
kbmain	question	text	2147483647
kbmain	response	text	2147483647
kbmain	saonly	char	4
kbmain	sharecode	char	4
kbmain	sysflag	char	8
lett	agencylist	bit	
lett	calcdte1	varchar	20
lett	content0	text	2147483647
lett	content1	text	2147483647
lett	content2	text	2147483647
lett	date2add	int	
lett	datelabel1	varchar	25
lett	datelabel2	varchar	25
lett	envaddress	bit	
lett	forexpr	text	2147483647
lett	lkey	char	4
lett	lstatus	char	1
lett	ltitle	varchar	50
lett	module	char	10
lett	msglabel1	varchar	30
lett	msglabel2	varchar	30
lett	msgtemp	varchar	20
lett	msgvalue1	varchar	50
lett	msgvalue2	varchar	50
lett	offcrdesc1	varchar	20
lett	reportfile	char	8
lett	syslettid	int	
lett	textmerge	char	1
lettapd	agencylist	bit	
lettapd	calcdte1	varchar	20
lettapd	content0	text	2147483647
lettapd	content1	text	2147483647
lettapd	content2	text	2147483647
lettapd	date2add	int	
lettapd	datelabel1	varchar	25
lettapd	datelabel2	varchar	25
lettapd	envaddress	bit	

lettapd	forexpr	text	2147483647
lettapd	lkey	char	4
lettapd	lstatus	char	1
lettapd	ltitle	varchar	50
lettapd	module	char	10
lettapd	msglabel1	varchar	30
lettapd	msglabel2	varchar	30
lettapd	msgtemp	varchar	20
lettapd	msgvalue1	varchar	50
lettapd	msgvalue2	varchar	50
lettapd	offcrdesc1	varchar	20
lettapd	reportfile	char	8
lettapd	syslettid	int	
lettapd	textmerge	char	1
lettbcsd	agencylist	bit	
lettbcsd	calcddate1	varchar	20
lettbcsd	content0	text	2147483647
lettbcsd	content1	text	2147483647
lettbcsd	content2	text	2147483647
lettbcsd	date2add	int	
lettbcsd	datelabel1	varchar	25
lettbcsd	datelabel2	varchar	25
lettbcsd	envaddress	bit	
lettbcsd	forexpr	text	2147483647
lettbcsd	lkey	char	4
lettbcsd	lstatus	char	1
lettbcsd	ltitle	varchar	50
lettbcsd	module	char	10
lettbcsd	msglabel1	varchar	30
lettbcsd	msglabel2	varchar	30
lettbcsd	msgtemp	varchar	20
lettbcsd	msgvalue1	varchar	50
lettbcsd	msgvalue2	varchar	50
lettbcsd	offcrdesc1	varchar	20
lettbcsd	reportfile	char	8
lettbcsd	syslettid	int	
lettbcsd	textmerge	char	1
lettccbi	agencylist	bit	
lettccbi	calcddate1	varchar	20
lettccbi	content0	text	2147483647
lettccbi	content1	text	2147483647
lettccbi	content2	text	2147483647
lettccbi	date2add	int	
lettccbi	datelabel1	varchar	25
lettccbi	datelabel2	varchar	25
lettccbi	envaddress	bit	
lettccbi	forexpr	text	2147483647
lettccbi	lkey	char	4
lettccbi	lstatus	char	1
lettccbi	ltitle	varchar	50
lettccbi	module	char	10
lettccbi	msglabel1	varchar	30
lettccbi	msglabel2	varchar	30
lettccbi	msgtemp	varchar	20
lettccbi	msgvalue1	varchar	50
lettccbi	msgvalue2	varchar	50
lettccbi	offcrdesc1	varchar	20
lettccbi	reportfile	char	8
lettccbi	syslettid	int	
lettccbi	textmerge	char	1
lettwopd	agencylist	bit	

lettwopd	calcdatetime1	varchar	20
lettwopd	content0	text	2147483647
lettwopd	content1	text	2147483647
lettwopd	content2	text	2147483647
lettwopd	date2add	int	
lettwopd	datelabel1	varchar	25
lettwopd	datelabel2	varchar	25
lettwopd	envaddress	bit	
lettwopd	forexpr	text	2147483647
lettwopd	lkey	char	4
lettwopd	lstatus	char	1
lettwopd	ltitle	varchar	50
lettwopd	module	char	10
lettwopd	msglabel1	varchar	30
lettwopd	msglabel2	varchar	30
lettwopd	msgtemp	varchar	20
lettwopd	msgvalue1	varchar	50
lettwopd	msgvalue2	varchar	50
lettwopd	offcrdesc1	varchar	20
lettwopd	reportfile	char	8
lettwopd	syslettid	int	
lettwopd	textmerge	char	1
locacode	address	varchar	100
locacode	addtime	datetime	
locacode	adduser	varchar	11
locacode	agency	char	4
locacode	locacode	char	4
locacode	locacodeid	int	
locacode	locadesc	varchar	40
locacode	locanote	text	2147483647
locacode	policreg	char	4
locacode	primcont	varchar	40
locacode	primephone	char	10
locacode	princiname	varchar	40
locacode	schregion	char	4
locacode	secphone	char	10
lomain	addtime	datetime	
lomain	adduser	varchar	11
lomain	apt_flr	char	10
lomain	city	varchar	20
lomain	district	char	4
lomain	geoother	varchar	15
lomain	geox	int	
lomain	geoy	int	
lomain	lomainid	int	
lomain	neighborhd	char	4
lomain	reportarea	char	4
lomain	state	char	2
lomain	street	varchar	40
lomain	streetdir	char	2
lomain	streetnbr	char	8
lomain	subdivisn	char	4
lomain	sysflag	char	8
lomain	tract	char	4
lomain	zip	char	10
lomain	zone	char	4
lwaffpc	action1	varchar	30
lwaffpc	action2	varchar	30
lwaffpc	action3	varchar	30
lwaffpc	action4	varchar	30
lwaffpc	action5	varchar	30

lwaffpc	action6	varchar	30
lwaffpc	addconsole	char	8
lwaffpc	addtime	datetime	
lwaffpc	adduser	varchar	11
lwaffpc	affdate	datetime	
lwaffpc	affnotes	text	2147483647
lwaffpc	age	char	2
lwaffpc	agency	char	4
lwaffpc	arr_type	char	1
lwaffpc	case_id	varchar	12
lwaffpc	charge1	varchar	200
lwaffpc	charge2	varchar	50
lwaffpc	charge3	varchar	50
lwaffpc	charge4	varchar	50
lwaffpc	chargetype	varchar	12
lwaffpc	chrtypeoth	char	10
lwaffpc	creserve1	char	4
lwaffpc	defstate	char	5
lwaffpc	domestic	char	1
lwaffpc	emdivision	char	4
lwaffpc	emsection	char	4
lwaffpc	emshift	char	4
lwaffpc	emunit	char	4
lwaffpc	jnameflag	char	1
lwaffpc	lwaffpcid	int	
lwaffpc	lwmainid	int	
lwaffpc	magistrate	char	10
lwaffpc	mobilepkey	varchar	20
lwaffpc	name_id	int	
lwaffpc	nreserve1	int	
lwaffpc	offcrdate	datetime	
lwaffpc	officerid	int	
lwaffpc	otherinfo	varchar	20
lwaffpc	personact1	bit	
lwaffpc	personact2	bit	
lwaffpc	personact3	bit	
lwaffpc	personact4	bit	
lwaffpc	personact5	bit	
lwaffpc	race	char	2
lwaffpc	relation	varchar	15
lwaffpc	sex	char	1
lwaffpc	specnotes	varchar	100
lwaffpc	submittime	datetime	
lwaffpc	supervisor	int	
lwaffpc	vi_seqnbr	char	10
lwaffpc	vic_ids	text	2147483647
lwaffpc	vicstate	char	5
lwaffpc	victimid	int	
lwaffpc	victimnbr	int	
lwaffpc	victims	text	2147483647
lwassist	addtime	datetime	
lwassist	adduser	varchar	11
lwassist	assist_id	varchar	14
lwassist	assistid	int	
lwassist	assistkey	char	2
lwassist	lwassistid	int	
lwassist	mobilepkey	varchar	20
lwassist	officer_id	int	
lwassist_WOPDCONV	addtime	datetime	
lwassist_WOPDCONV	adduser	varchar	11
lwassist_WOPDCONV	assist_id	varchar	14

lwassist_WOPDCONV	assistid	int	
lwassist_WOPDCONV	assistkey	char	2
lwassist_WOPDCONV	lwassistid	int	
lwassist_WOPDCONV	mobilepkey	varchar	20
lwassist_WOPDCONV	officer_id	int	
lwcase	addconsole	char	8
lwcase	addtime	datetime	
lwcase	adduser	varchar	11
lwcase	agency	char	4
lwcase	assgndvsn	char	4
lwcase	assgnunit	char	4
lwcase	assignedby	int	
lwcase	asst_offcr	int	
lwcase	case_id	varchar	12
lwcase	casealias	varchar	60
lwcase	caseclass	char	4
lwcase	casedesc	varchar	60
lwcase	casestatus	char	4
lwcase	cleardvsn	char	4
lwcase	clearedby	int	
lwcase	clearunit	char	4
lwcase	countflag	char	6
lwcase	date_assg	datetime	
lwcase	date_due	datetime	
lwcase	dispdate	datetime	
lwcase	dispositn	char	4
lwcase	fplifted	tinyint	
lwcase	investigtr	int	
lwcase	invst_type	char	4
lwcase	lwcaseid	int	
lwcase	lwmainid	int	
lwcase	name_id	int	
lwcase	offns_type	char	1
lwcase	physevid	tinyint	
lwcase	reviewdate	datetime	
lwcase	seclev2	char	1
lwcase	secullevel	char	1
lwcase	solv1	tinyint	
lwcase	solv2	tinyint	
lwcase	solv3	tinyint	
lwcase	solv4	tinyint	
lwcase	solv5	tinyint	
lwcase	sovindex	tinyint	
lwcase	statusdate	datetime	
lwcase	stolenprop	tinyint	
lwcase	susidentf	tinyint	
lwcase	susnamed	tinyint	
lwcase	susvehicle	tinyint	
lwcase	sysflag	char	8
lwcase	udftext1	varchar	30
lwcase	wit2offns	tinyint	
lwcaseas	addtime	datetime	
lwcaseas	adduser	varchar	11
lwcaseas	assgndvsn2	char	4
lwcaseas	assgnote	text	2147483647
lwcaseas	assgnunit2	char	4
lwcaseas	assignid2	int	
lwcaseas	date_assg2	datetime	
lwcaseas	date_due2	datetime	
lwcaseas	investigt2	int	
lwcaseas	lwcaseasid	int	

lwcaseas	lwcaseid	int	
lwcasest	addtime	datetime	
lwcasest	adduser	varchar	11
lwcasest	cleardvsn	char	4
lwcasest	clearedby	int	
lwcasest	clearunit	char	4
lwcasest	lwcaseid	int	
lwcasest	lwcasestid	int	
lwcasest	status2	char	4
lwcasest	stdate2	datetime	
lwcasest	stnotes	text	2147483647
lwchrg	activity1	char	1
lwchrg	activity2	char	1
lwchrg	activity3	char	1
lwchrg	addtime	datetime	
lwchrg	adduser	varchar	11
lwchrg	arr_chrg	varchar	25
lwchrg	arsoninhab	bit	
lwchrg	attn_comp	char	3
lwchrg	chargemo	char	10
lwchrg	chargetype	char	1
lwchrg	chrgcnt	int	
lwchrg	chrgdesc	varchar	60
lwchrg	circum2	char	2
lwchrg	circum3	char	2
lwchrg	circumstan	char	2
lwchrg	datereport	datetime	
lwchrg	entry1	char	2
lwchrg	entry2	char	2
lwchrg	entrymo	char	4
lwchrg	exit1	char	2
lwchrg	exit2	char	2
lwchrg	forced	bit	
lwchrg	forceentry	char	1
lwchrg	hatebias	char	2
lwchrg	ibr_code	char	4
lwchrg	larctype	char	4
lwchrg	leftscene	char	1
lwchrg	locstatus	char	4
lwchrg	locstdate	datetime	
lwchrg	lwchrgid	int	
lwchrg	lwmainid	int	
lwchrg	mobilepkey	varchar	20
lwchrg	offnstatus	char	1
lwchrg	premise1	char	4
lwchrg	premisenbr	int	
lwchrg	reserve1	char	4
lwchrg	security1	char	1
lwchrg	security2	char	1
lwchrg	statute	varchar	25
lwchrg	sub_circum	char	1
lwchrg	ucr_code	char	4
lwchrg	used1	char	1
lwchrg	used2	char	1
lwchrg	used3	char	1
lwchrg	vicused1	char	1
lwchrg	vicused2	char	1
lwchrg	vicused3	char	1
lwchrg	weapon1	char	4
lwchrg	weapon1a	char	1
lwchrg	weapon2	char	4

lwchrg	weapon2a	char	1
lwchrg	weapon3	char	4
lwchrg	weapon3a	char	1
lwcrimes	assist1	varchar	30
lwcrimes	assist2	varchar	30
lwcrimes	callout	char	1
lwcrimes	casetolab	char	1
lwcrimes	crimescene	char	1
lwcrimes	csdate	datetime	
lwcrimes	csnotes	text	2147483647
lwcrimes	evidence	char	1
lwcrimes	hits	int	
lwcrimes	itemstolab	int	
lwcrimes	labresults	text	2147483647
lwcrimes	latentlift	int	
lwcrimes	latentsval	int	
lwcrimes	lwcrimesid	int	
lwcrimes	lwmainid	int	
lwcrimes	officerid	int	
lwcrimes	photostake	int	
lwcrimes	reportreq	char	1
lwcrimes	reporttype	char	4
lwcrimes	reviewdate	datetime	
lwcfsefrm	addconsole	char	8
lwcfsefrm	addtime	datetime	
lwcfsefrm	adduser	varchar	11
lwcfsefrm	aff_dt	datetime	
lwcfsefrm	affiant	varchar	60
lwcfsefrm	arrstatus	varchar	15
lwcfsefrm	case_id	varchar	15
lwcfsefrm	charge	varchar	20
lwcfsefrm	chargedesc	varchar	200
lwcfsefrm	codeoflaw	varchar	50
lwcfsefrm	defend_id	int	
lwcfsefrm	defendant	varchar	60
lwcfsefrm	fel_misd	char	2
lwcfsefrm	hownotes	varchar	100
lwcfsefrm	lwcfsefrmid	int	
lwcfsefrm	lwmainid	int	
lwcfsefrm	mobilepkey	varchar	20
lwcfsefrm	officerid	int	
lwcfsefrm	prbcnotes	text	2147483647
lwcfsefrm	vi_seqnbr	char	10
lwcfsefrm	vic_ids	text	2147483647
lwcfsefrm	victims	text	2147483647
lwdeath	addtime	datetime	
lwdeath	adduser	varchar	11
lwdeath	age	char	2
lwdeath	arrtime	char	4
lwdeath	autoploc	char	4
lwdeath	autopreq	char	4
lwdeath	bodycndtn	varchar	100
lwdeath	bodycndtn2	char	4
lwdeath	bodyheat	char	10
lwdeath	bodylocatn	varchar	60
lwdeath	bodypositn	varchar	60
lwdeath	bodypostn2	char	4
lwdeath	calleddt	datetime	
lwdeath	chldprsnt	char	1
lwdeath	clothing	varchar	60
lwdeath	clothing2	char	4

lwdeath	reserve1	varchar	20
lwdeath	reserve2	varchar	20
lwdeath	reserve3	varchar	20
lwdeath	reserve4	varchar	100
lwdeath	reserve5	varchar	100
lwdeath	deathplace	varchar	60
lwdeath	decompstn	char	1
lwdeath	detonscn	int	
lwdeath	disptchby	varchar	50
lwdeath	disptime	char	4
lwdeath	doctor	varchar	30
lwdeath	domesticv	char	1
lwdeath	emspsrnl	varchar	100
lwdeath	estdeathdt	varchar	20
lwdeath	evidcollby	int	
lwdeath	firepsrnl	varchar	100
lwdeath	fnddeadby	varchar	100
lwdeath	forced	char	10
lwdeath	forcedby	varchar	30
lwdeath	foundbyid	int	
lwdeath	founddead	datetime	
lwdeath	foundin	char	4
lwdeath	identbyid	int	
lwdeath	identhow	char	4
lwdeath	identified	char	4
lwdeath	identifyby	varchar	100
lwdeath	juvinvl	char	1
lwdeath	kinaddr	varchar	100
lwdeath	kinnotify	datetime	
lwdeath	kinphone	char	10
lwdeath	kinrelatn	varchar	20
lwdeath	lastseendt	datetime	
lwdeath	lastseenid	int	
lwdeath	lividity	char	1
lwdeath	lwdeathid	int	
lwdeath	lwmainid	int	
lwdeath	medate	datetime	
lwdeath	medate2	datetime	
lwdeath	medexam	varchar	50
lwdeath	medhistory	varchar	100
lwdeath	medication	varchar	60
lwdeath	meresults	varchar	100
lwdeath	mobilepkey	varchar	20
lwdeath	name_id	int	
lwdeath	nextofkin	varchar	30
lwdeath	nokid	int	
lwdeath	occuraddr	varchar	60
lwdeath	occurdt	datetime	
lwdeath	officerid	int	
lwdeath	offonscn	int	
lwdeath	othprsn	varchar	100
lwdeath	processdt	datetime	
lwdeath	race	char	2
lwdeath	rmortis	char	1
lwdeath	rpttype	char	2
lwdeath	rscpsrnl	varchar	100
lwdeath	scnprocby	int	
lwdeath	servtime	char	4
lwdeath	sex	char	1
lwdeath	supervisor	int	
lwdeath	takenby	varchar	20

lwdeath	takento	char	4
lwdeath	transdt	datetime	
lwdeath	trauma	char	1
lwdeath	vehloca	varchar	20
lwdeath	victimno	int	
lwdeath	vieweddate	datetime	
lwdeath	weather	char	4
lwdomest	abusetype1	char	2
lwdomest	abusetype2	char	2
lwdomest	abusetype3	char	2
lwdomest	addtime	datetime	
lwdomest	adduser	varchar	11
lwdomest	advremedy	char	1
lwdomest	childinvl	char	1
lwdomest	childpres	char	1
lwdomest	courtorder	char	1
lwdomest	reserve1	char	2
lwdomest	reserve2	char	2
lwdomest	lwdomestid	int	
lwdomest	lwmainid	int	
lwdomest	negrptdate	datetime	
lwdomest	noarrests	char	2
lwdomest	offnddob	char	2
lwdomest	offnddrug	char	1
lwdomest	offndident	char	2
lwdomest	offndrace	char	2
lwdomest	offndsex	char	1
lwdomest	policeact1	char	2
lwdomest	policeact2	char	2
lwdomest	policeact3	char	2
lwdomest	prevcomplt	char	2
lwdomest	relationship	char	2
lwdomest	substabuse	char	1
lwdomest	victimdob	char	2
lwdomest	victimdrug	char	1
lwdomest	victimrace	char	2
lwdomest	victimsex	char	1
lwdrlabs	addtime	datetime	
lwdrlabs	adduser	varchar	11
lwdrlabs	drugtype	char	4
lwdrlabs	drugtype2	char	4
lwdrlabs	lwdrlabsid	int	
lwdrlabs	lwmainid	int	
lwdrlabs	mobilepkey	varchar	20
lwdrlabs	premeas1	char	4
lwdrlabs	premeas2	char	4
lwdrlabs	premeas3	char	4
lwdrlabs	premeas4	char	4
lwdrlabs	premeas5	char	4
lwdrlabs	premeas6	char	4
lwdrlabs	prequan1	int	
lwdrlabs	prequan2	int	
lwdrlabs	prequan3	int	
lwdrlabs	prequan4	int	
lwdrlabs	prequan5	int	
lwdrlabs	prequan6	int	
lwflacts	actdate	datetime	
lwflacts	acttype	char	1
lwflacts	addtime	datetime	
lwflacts	adduser	varchar	11
lwflacts	age	char	2

lwflacts	caredec	text	2147483647
lwflacts	charges	char	1
lwflacts	check1	bit	
lwflacts	check10	bit	
lwflacts	check11	bit	
lwflacts	check2	bit	
lwflacts	check3	bit	
lwflacts	check4	bit	
lwflacts	check5	bit	
lwflacts	check6	bit	
lwflacts	check7	bit	
lwflacts	check8	bit	
lwflacts	check9	bit	
lwflacts	chrgdesc	varchar	20
lwflacts	circumst	text	2147483647
lwflacts	creserve1	varchar	20
lwflacts	creserve2	varchar	20
lwflacts	custcirc	text	2147483647
lwflacts	custodydt	datetime	
lwflacts	deliverto	varchar	30
lwflacts	exparte	bit	
lwflacts	famknow	text	2147483647
lwflacts	grdname	varchar	30
lwflacts	guardian	char	1
lwflacts	impreasn	text	2147483647
lwflacts	leorpt	bit	
lwflacts	locafnd	varchar	30
lwflacts	locafnd2	varchar	30
lwflacts	lwflactsid	int	
lwflacts	lwmainid	int	
lwflacts	mobilepkey	varchar	20
lwflacts	mtsrep	varchar	30
lwflacts	mtsserv	varchar	30
lwflacts	name_id	int	
lwflacts	officerid	int	
lwflacts	physharm	text	2147483647
lwflacts	profcert	bit	
lwflacts	prvdtran	char	10
lwflacts	race	char	2
lwflacts	recfcity	varchar	30
lwflacts	safedesc	varchar	60
lwflacts	selfcntrl	text	2147483647
lwflacts	sex	char	1
lwflacts	takento	varchar	30
lwflacts	transco	varchar	30
lwflacts	violdesc	varchar	20
lwflacts	violence	char	1
lwflacts	weapdesc	varchar	20
lwflacts	weapon	char	1
lwlasslt	addtime	datetime	
lwlasslt	adduser	varchar	11
lwlasslt	agency	char	4
lwlasslt	awareweap	char	3
lwlasslt	bodyarmor	char	2
lwlasslt	case_id	varchar	12
lwlasslt	cleared	char	1
lwlasslt	distance	int	
lwlasslt	inctime	char	4
lwlasslt	inctype	char	2
lwlasslt	injuries	char	10
lwlasslt	killedflag	char	1

lwlasslt	lwlassltid	int	
lwlasslt	lwnamesid	int	
lwlasslt	mobilepkey	varchar	20
lwlasslt	offactvty	char	2
lwlasslt	offcrage	char	2
lwlasslt	offcrexp	int	
lwlasslt	offcrrace	char	2
lwlasslt	offcrsex	char	1
lwlasslt	offdischrg	char	2
lwlasslt	offndage	char	2
lwlasslt	offndinjur	char	1
lwlasslt	offndrace	char	2
lwlasslt	offndsex	char	1
lwlasslt	offuseweap	char	2
lwlasslt	ofndischrg	char	2
lwlasslt	preventinj	char	3
lwlasslt	typeassign	char	1
lwlasslt	weapontype	char	2
lwkilld	accomplice	char	2
lwkilld	additnotes	text	2147483647
lwkilld	addtime	datetime	
lwkilld	adduser	varchar	11
lwkilld	agency	char	4
lwkilld	answercall	char	1
lwkilld	arrested1	char	1
lwkilld	arrested2	char	1
lwkilld	arrested3	char	1
lwkilld	arrested4	char	1
lwkilld	case_id	varchar	12
lwkilld	currunit	varchar	20
lwkilld	deathcause	char	10
lwkilld	deathdt	datetime	
lwkilld	fbi1	varchar	12
lwkilld	fbi2	varchar	12
lwkilld	fbi3	varchar	12
lwkilld	fbi4	varchar	12
lwkilld	killed1	char	1
lwkilld	killed2	char	1
lwkilld	killed3	char	1
lwkilld	killed4	char	1
lwkilld	killeddt	datetime	
lwkilld	lwlassltid	int	
lwkilld	lwkilldid	int	
lwkilld	name1	text	2147483647
lwkilld	name2	text	2147483647
lwkilld	name3	text	2147483647
lwkilld	name4	text	2147483647
lwkilld	notes	text	2147483647
lwkilld	obtsnbr	char	10
lwkilld	offcrage	char	2
lwkilld	offcrrace	char	2
lwkilld	offcrsex	char	1
lwkilld	offender	text	2147483647
lwkilld	officerid	int	
lwkilld	offndage	char	2
lwkilld	offndarrdt	datetime	
lwkilld	offndarrst	char	1
lwkilld	offndfbino	varchar	12
lwkilld	offndkilld	char	1
lwkilld	offndrace	char	2
lwkilld	offndsbito	varchar	12

lwkilld	offndsex	char	1
lwkilld	onduty	char	1
lwkilld	prevunit	varchar	30
lwkilld	sbi1	varchar	12
lwkilld	sbi2	varchar	12
lwkilld	sbi3	varchar	12
lwkilld	sbi4	varchar	12
lwkilld	survivedby	text	2147483647
lwkilld	yearagency	char	2
lwlock	addtime	datetime	
lwlock	adduser	varchar	11
lwlock	sysid	int	
lwlock	userid	int	
lwlock	userights	char	4
lwmain	addconsole	char	8
lwmain	addtime	datetime	
lwmain	adduser	varchar	11
lwmain	age	char	2
lwmain	agency	char	4
lwmain	apt_flr	char	10
lwmain	assoccode	char	4
lwmain	asst_offcr	char	1
lwmain	buildarea	char	2
lwmain	category1	char	4
lwmain	category2	char	4
lwmain	city	varchar	20
lwmain	cleryloc	char	4
lwmain	complete	char	4
lwmain	convkey	varchar	40
lwmain	countflag	char	10
lwmain	reserve1	char	4
lwmain	reserve2	char	4
lwmain	reserve3	char	4
lwmain	csstatus	char	2
lwmain	csstatusdt	datetime	
lwmain	date_fnd	datetime	
lwmain	date_occu	datetime	
lwmain	date_rept	datetime	
lwmain	datedispos	datetime	
lwmain	dispostn	char	2
lwmain	district	char	4
lwmain	domestic	char	4
lwmain	dow1	char	2
lwmain	dow2	char	2
lwmain	drugtype	char	1
lwmain	dvinvest	int	
lwmain	dvustatus	char	4
lwmain	dvustdate	datetime	
lwmain	dvusuper	int	
lwmain	eeeorej	char	1
lwmain	eeoadate	datetime	
lwmain	emdivision	char	4
lwmain	emsection	char	4
lwmain	emshift	char	4
lwmain	emunit	char	4
lwmain	exacestm	char	4
lwmain	falsealrm	char	1
lwmain	followup	char	4
lwmain	forcible	char	1
lwmain	gangrelat	char	4
lwmain	geooother	varchar	15

lwmain	geox	int	
lwmain	geoy	int	
lwmain	hatebias	char	4
lwmain	hour_fnd	char	4
lwmain	hour_occu	char	4
lwmain	hour_rept	char	4
lwmain	hrsnotby	int	
lwmain	hrsnotdt	datetime	
lwmain	hrsrept	char	1
lwmain	ibr_date	datetime	
lwmain	ibr_resend	tinyint	
lwmain	inci_id	varchar	12
lwmain	injurdesc	varchar	20
lwmain	investigtr	int	
lwmain	investunit	char	4
lwmain	invststats	char	4
lwmain	labseized	int	
lwmain	latitude	varchar	15
lwmain	lightcond	char	4
lwmain	locacode	char	4
lwmain	locadesc	varchar	25
lwmain	locaphone	char	10
lwmain	locatype	char	1
lwmain	longitude	varchar	15
lwmain	lwcircum	char	4
lwmain	lwgrant	char	4
lwmain	lwmainid	int	
lwmain	lwnameflag	char	1
lwmain	mobilepkey	varchar	20
lwmain	monthstamp	tinyint	
lwmain	name_id	int	
lwmain	narrative1	text	2147483647
lwmain	neighborhd	char	4
lwmain	nreserve1	int	
lwmain	occdtunk	bit	
lwmain	offcr_id	int	
lwmain	offcrasslt	char	1
lwmain	offense	varchar	60
lwmain	oldcasenbr	varchar	12
lwmain	pedinj	char	1
lwmain	perinvrej	char	1
lwmain	persinvst	char	1
lwmain	persuadrej	char	1
lwmain	plantsecu	char	6
lwmain	polijuris	char	4
lwmain	premise	char	4
lwmain	race	char	2
lwmain	recadmrev	char	1
lwmain	recblock	char	10
lwmain	reccheck	char	1
lwmain	recperinvs	char	1
lwmain	recreview	char	4
lwmain	reg_date	datetime	
lwmain	reg_date2	datetime	
lwmain	reg_resend	tinyint	
lwmain	regioncode	char	1
lwmain	regresend2	float	
lwmain	reportarea	char	4
lwmain	reportedas	varchar	15
lwmain	reviewdate	datetime	
lwmain	reviewid	int	

lwmain	rollcall	bit	
lwmain	saorefdate	datetime	
lwmain	schooltyp	char	2
lwmain	schoolyr	char	4
lwmain	secullevel	char	1
lwmain	sex	char	1
lwmain	sparage	char	2
lwmain	sparcaseid	char	10
lwmain	spardate	datetime	
lwmain	sparhrsby	int	
lwmain	sparrace	char	2
lwmain	sparresend	float	
lwmain	sparsex	char	1
lwmain	sparweap	char	4
lwmain	state	char	2
lwmain	storagea	char	8
lwmain	storageb	char	8
lwmain	street	varchar	40
lwmain	streetdir	char	2
lwmain	streetnbr	char	8
lwmain	subdivisn	char	4
lwmain	supervisor	int	
lwmain	supplement	text	2147483647
lwmain	sysflag	char	8
lwmain	tract	char	4
lwmain	truancrel	char	1
lwmain	udfcheck1	bit	
lwmain	udftext1	varchar	30
lwmain	weapon	char	4
lwmain	weaponauto	char	1
lwmain	weather	char	4
lwmain	yearstamp	int	
lwmain	zip	char	10
lwmain	zone	char	4
lwmisper	addconsole	char	8
lwmisper	addtime	datetime	
lwmisper	adduser	varchar	11
lwmisper	age	char	2
lwmisper	casetype	char	4
lwmisper	clothing	text	2147483647
lwmisper	clubgang	varchar	100
lwmisper	cmpdate	datetime	
lwmisper	ddsdoct	varchar	60
lwmisper	dentrecs	char	1
lwmisper	dsscounty	varchar	20
lwmisper	dsscust	char	1
lwmisper	dssphone	char	10
lwmisper	dssworker	varchar	30
lwmisper	healthpr	varchar	100
lwmisper	idtype	char	4
lwmisper	incdesc	char	10
lwmisper	incompany	int	
lwmisper	juvemanc	datetime	
lwmisper	lastfound	varchar	60
lwmisper	lastseen	datetime	
lwmisper	locadest	varchar	60
lwmisper	locafreq	varchar	100
lwmisper	locaseen	varchar	100
lwmisper	lwmainid	int	
lwmisper	lwmisperid	int	
lwmisper	meddoct	varchar	60

lwmsper	medrecs	char	1
lwmsper	miscidnbr	varchar	25
lwmsper	mobilepkey	varchar	20
lwmsper	mobprovid	varchar	60
lwmsper	money	varchar	60
lwmsper	name_id	int	
lwmsper	ncicby	int	
lwmsper	nciccancel	datetime	
lwmsper	ncicdate	datetime	
lwmsper	ncicpack	char	1
lwmsper	ncicpackby	int	
lwmsper	ncicreas	char	4
lwmsper	ncicverby	int	
lwmsper	nicnbr	char	10
lwmsper	photavail	char	1
lwmsper	photdate	datetime	
lwmsper	photdiss	char	1
lwmsper	photokby	varchar	30
lwmsper	pursewal	varchar	60
lwmsper	race	char	2
lwmsper	relatnship	char	4
lwmsper	sex	char	1
lwmsper	timesrun	char	4
lwmsper	travmode	char	4
lwmodop	addtime	datetime	
lwmodop	adduser	varchar	11
lwmodop	groupdesc	varchar	20
lwmodop	itemdesc	varchar	30
lwmodop	lwmainid	int	
lwmodop	lwmodopid	int	
lwmodop	mobilepkey	varchar	20
lwmodop	mogroup	char	4
lwmodop	moitem	char	4
lwmpname	address1	text	2147483647
lwmpname	addtime	datetime	
lwmpname	adduser	varchar	11
lwmpname	age	char	2
lwmpname	city	varchar	20
lwmpname	dob	datetime	
lwmpname	employer	varchar	30
lwmpname	fullname	varchar	30
lwmpname	hphone	char	10
lwmpname	livewith	bit	
lwmpname	lwmsperid	int	
lwmpname	lwmpnameid	int	
lwmpname	mobilepkey	varchar	20
lwmpname	nameseq	int	
lwmpname	race	char	2
lwmpname	relation	char	4
lwmpname	relname_id	int	
lwmpname	sex	char	1
lwmpname	state	char	2
lwmpname	wphone	varchar	15
lwmpname	zip	char	10
lwnames	aacircum1	char	3
lwnames	aacircum2	char	3
lwnames	aacircum3	char	3
lwnames	addtime	datetime	
lwnames	adduser	varchar	11
lwnames	age	char	2
lwnames	age2	char	2

lwnames	alcoholuse	char	1
lwnames	arrested	char	1
lwnames	category1	char	4
lwnames	computer	char	1
lwnames	courtref	char	1
lwnames	drugtype	char	1
lwnames	ethnicity	char	1
lwnames	ganginvl	char	1
lwnames	hatecrime	char	1
lwnames	ibrsuspect	bit	
lwnames	injlevel	char	4
lwnames	injury	char	6
lwnames	leori	char	10
lwnames	locacode	char	4
lwnames	lwisjuveni	bit	
lwnames	lwmainid	int	
lwnames	lwnameflag	char	1
lwnames	lwnamesid	int	
lwnames	milibranch	char	4
lwnames	milistatus	char	4
lwnames	mobilepkey	varchar	20
lwnames	name_code	char	2
lwnames	name_id	int	
lwnames	name_type	char	1
lwnames	nc_seq	smallint	
lwnames	nmchkbox1	bit	
lwnames	nmchkbox2	bit	
lwnames	offa_activ	char	2
lwnames	offa_assig	char	1
lwnames	officerid	int	
lwnames	precipev1	char	4
lwnames	precipev2	char	4
lwnames	precipev3	char	4
lwnames	proffndres	char	1
lwnames	race	char	2
lwnames	rel2offnd	varchar	39
lwnames	relatn1	varchar	15
lwnames	relatn2	varchar	15
lwnames	residence	char	4
lwnames	restrictnm	bit	
lwnames	secullevel	char	1
lwnames	sex	char	1
lwnames	situation	char	4
lwnames	spardate	datetime	
lwnames	sparresend	float	
lwnames	subcircum2	char	1
lwnames	subcircums	char	1
lwnames	suspdetail	bit	
lwnames	usealodrug	char	1
lwnames	vic_crime	varchar	20
lwnames	vicmedtr	char	4
lwnames	vicnoprosc	bit	
lwnames	weapontyp	char	1
lwrlcase	addconsole	char	8
lwrlcase	addtime	datetime	
lwrlcase	adduser	varchar	11
lwrlcase	agency	char	4
lwrlcase	case_id	varchar	12
lwrlcase	descriptn	varchar	70
lwrlcase	lwmainid	int	
lwrlcase	lwrelateid	int	

lwrlcase	lwrlcaseid	int	
lwrlcase	mobilepkey	varchar	20
lwstatus	addtime	datetime	
lwstatus	adduser	varchar	11
lwstatus	lwmainid	int	
lwstatus	lwstatusid	int	
lwstatus	statusdate	datetime	
lwstatus	statusold	char	1
lwsupp	actvttime	datetime	
lwsupp	addconsole	char	8
lwsupp	addtime	datetime	
lwsupp	adduser	varchar	11
lwsupp	age	char	2
lwsupp	agency	char	4
lwsupp	amtime	int	
lwsupp	inci_id	varchar	12
lwsupp	investg_id	int	
lwsupp	juvenlcont	bit	
lwsupp	lwmainid	int	
lwsupp	lwsuppid	int	
lwsupp	mediatype	char	4
lwsupp	mobilepkey	varchar	20
lwsupp	name_id	int	
lwsupp	notprossum	bit	
lwsupp	race	char	2
lwsupp	reviewdate	datetime	
lwsupp	reviewid	int	
lwsupp	seclev2	char	1
lwsupp	sex	char	1
lwsupp	suggstatus	char	4
lwsupp	supervisor	int	
lwsupp	suppfile	varchar	15
lwsupp	supplenote	text	2147483647
lwsupp	supptype	char	4
lwsupp	supprevw	datetime	
lwsupp	sysflag	char	8
lwsupp	tracknbr	char	10
lwsusp	addtime	datetime	
lwsusp	adduser	varchar	11
lwsusp	agency	char	4
lwsusp	case_id	varchar	12
lwsusp	color1	char	4
lwsusp	color2	char	4
lwsusp	dir_travel	varchar	15
lwsusp	doors	char	1
lwsusp	ethnic	char	4
lwsusp	eye	char	4
lwsusp	hair	char	4
lwsusp	height	char	4
lwsusp	height2	char	4
lwsusp	licpl_no	char	10
lwsusp	licpl_st	char	2
lwsusp	licpl_year	int	
lwsusp	lwmainid	int	
lwsusp	lwnamesid	int	
lwsusp	lwsuspid	int	
lwsusp	make	char	4
lwsusp	mobilepkey	varchar	20
lwsusp	mode_travl	varchar	15
lwsusp	model	varchar	12
lwsusp	name_code2	char	2

lwsusp	namex_id	int	
lwsusp	nc_seq2	smallint	
lwsusp	physchar	char	1
lwsusp	race2	char	2
lwsusp	reserve1	char	4
lwsusp	reserve2	char	4
lwsusp	reserve3	char	4
lwsusp	sex2	char	1
lwsusp	skintone	char	4
lwsusp	suage	char	2
lwsusp	suage2	char	2
lwsusp	suspnote	text	2147483647
lwsusp	sysflag	char	8
lwsusp	vehi_id	int	
lwsusp	vehidesc	varchar	30
lwsusp	vehyear	int	
lwsusp	vin	varchar	20
lwsusp	weapon	char	4
lwsusp	weaponcolr	char	4
lwsusp	weaponfeat	char	4
lwsusp	weapongaug	char	4
lwsusp	weaponmake	char	4
lwsusp	weaponmode	char	4
lwsusp	weight	int	
lwsusp	weight2	int	
lwweapon	addtime	datetime	
lwweapon	adduser	varchar	11
lwweapon	automatic	char	1
lwweapon	chrgcnt	tinyint	
lwweapon	lwmainid	int	
lwweapon	lwweaponid	int	
lwweapon	wpdetail	char	4
lwweapon	wpgroup	char	4
mbimage	addtime	datetime	
mbimage	adduser	varchar	11
mbimage	extension	char	4
mbimage	mbimageid	int	
mbimage	mbmainid	int	
mbimage	name_id	int	
mbmain	addtime	datetime	
mbmain	adduser	varchar	11
mbmain	booktitle	varchar	30
mbmain	groupid	int	
mbmain	grouptype	char	2
mbmain	mbmainid	int	
mbmain	officerid	int	
mbmain	sharecode	char	1
mbshare	addtime	datetime	
mbshare	adduser	varchar	11
mbshare	mbmainid	int	
mbshare	mbshareid	int	
mbshare	userid	int	
mbshare	userights	char	4
mdssinci	actioncode	char	4
mdssinci	alcorelat	char	1
mdssinci	amntlost	decimal	
mdssinci	amntrecov	decimal	
mdssinci	approvby	char	6
mdssinci	approvdt	datetime	
mdssinci	assgoffcr	char	6
mdssinci	assoccode	char	4

mdssinci	buildarea	char	2
mdssinci	caseid	varchar	12
mdssinci	casestatus	char	4
mdssinci	crimstopp	char	1
mdssinci	date_rept	datetime	
mdssinci	dateoccu	datetime	
mdssinci	drugtype	char	1
mdssinci	eeeorej	char	1
mdssinci	eeoadate	datetime	
mdssinci	falsealrm	char	1
mdssinci	gangrelat	char	1
mdssinci	haterelat	char	1
mdssinci	hour_rept	char	4
mdssinci	hrsnotby	char	10
mdssinci	hrsnotdt	datetime	
mdssinci	hrsnottime	char	4
mdssinci	hrsrept	char	1
mdssinci	inci_id	char	10
mdssinci	injurdesc	varchar	20
mdssinci	locaaddr	varchar	30
mdssinci	locaaddr2	varchar	30
mdssinci	locacode	char	4
mdssinci	locadesc	varchar	25
mdssinci	locaphone	char	10
mdssinci	locatype	char	1
mdssinci	mdssinciid	int	
mdssinci	narrative	text	2147483647
mdssinci	offcraslt	char	1
mdssinci	offnscode	char	3
mdssinci	perinvrej	char	1
mdssinci	persaudrej	char	1
mdssinci	persinvst	char	1
mdssinci	plantsecu	char	6
mdssinci	polijuris	char	4
mdssinci	processed	datetime	
mdssinci	recadmrev	char	1
mdssinci	reccheck	char	1
mdssinci	recperinvs	char	1
mdssinci	regioncode	char	1
mdssinci	reportby	char	6
mdssinci	reportbynm	varchar	35
mdssinci	reptassgdt	datetime	
mdssinci	reptbyph	char	10
mdssinci	reptbytlt	varchar	20
mdssinci	saorefdate	datetime	
mdssinci	schooltyp	char	2
mdssinci	schoolyr	char	4
mdssinci	sparcaseid	char	10
mdssinci	statusdt	datetime	
mdssinci	timeoccu	char	4
mdssinci	truancrel	char	1
mdssinci	weapon	char	2
mdssinvl	actioncode	char	4
mdssinvl	address1	varchar	43
mdssinvl	age	char	2
mdssinvl	alcoholuse	char	1
mdssinvl	arrested	char	1
mdssinvl	city	varchar	15
mdssinvl	courtref	char	1
mdssinvl	dob	datetime	
mdssinvl	drugtype	char	1

mdssinvl	firstname	varchar	15
mdssinvl	ganginvl	char	1
mdssinvl	hatecrime	char	1
mdssinvl	hphone	char	10
mdssinvl	juvenile	char	1
mdssinvl	lastname	varchar	20
mdssinvl	locacode	char	4
mdssinvl	mdssinvlid	int	
mdssinvl	middlelname	varchar	12
mdssinvl	processed	datetime	
mdssinvl	race	char	1
mdssinvl	schoolyr	char	4
mdssinvl	sex	char	1
mdssinvl	spar_id	char	10
mdssinvl	sparcaseid	char	10
mdssinvl	spartype	char	4
mdssinvl	state	char	2
mdssinvl	subdtype	char	1
mdssinvl	suffix	char	5
mdssinvl	weapontyp	char	1
mdssinvl	wphone	char	10
mdssinvl	wphoneext	char	5
mdssinvl	zip	char	9
mdssloca	actioncode	char	4
mdssloca	address	varchar	100
mdssloca	locacode	char	4
mdssloca	locadesc	varchar	40
mdssloca	mdsslocaid	int	
mdssloca	policreg	char	4
mdssloca	primcont	varchar	40
mdssloca	primephone	char	10
mdssloca	princiname	varchar	40
mdssloca	processed	datetime	
mdssloca	schregion	char	4
mdssloca	secphone	char	10
mdssper	actioncode	char	4
mdssper	apt_flr	char	10
mdssper	assumednm	varchar	40
mdssper	city	varchar	20
mdssper	dob	datetime	
mdssper	firstname	varchar	20
mdssper	grade	char	2
mdssper	lastname	varchar	40
mdssper	locacode	char	4
mdssper	mdssperid	int	
mdssper	middlelname	varchar	15
mdssper	processed	datetime	
mdssper	race	char	2
mdssper	sex	char	1
mdssper	spar_id	char	10
mdssper	spartype	char	4
mdssper	ssn	char	9
mdssper	state	char	2
mdssper	street	varchar	40
mdssper	streetnbr	char	8
mdssper	suffix	char	5
mdssper	zip	char	10
mdssscyr	addtime	datetime	
mdssscyr	adduser	varchar	11
mdssscyr	enddate	datetime	
mdssscyr	mdssscyrid	int	

mdssscyr	schyear	char	4
mdssscyr	startdate	datetime	
mdssscyr	yearlett	char	2
mgarchrg	achdispost	char	4
mgarchrg	achstatus	char	3
mgarchrg	addtime	datetime	
mgarchrg	adduser	varchar	11
mgarchrg	agency2	char	4
mgarchrg	aocode	char	6
mgarchrg	archrgid	int	
mgarchrg	arr_chrg	varchar	25
mgarchrg	attorney	varchar	30
mgarchrg	bnsttdate	datetime	
mgarchrg	bondamt	money	
mgarchrg	bondnbr	varchar	15
mgarchrg	bondnote	text	2147483647
mgarchrg	bondsman	varchar	20
mgarchrg	bondstatus	char	4
mgarchrg	bondtype	char	4
mgarchrg	book_id	int	
mgarchrg	case_id2	varchar	12
mgarchrg	chargetype	char	1
mgarchrg	chrg_cnt	int	
mgarchrg	chrg_seq	int	
mgarchrg	chrgdesc	varchar	60
mgarchrg	chrgjurisd	char	4
mgarchrg	consecutiv	char	1
mgarchrg	convctdate	datetime	
mgarchrg	courtcode	char	4
mgarchrg	courtcomm	varchar	20
mgarchrg	courtcost	money	
mgarchrg	courtdate	datetime	
mgarchrg	courtfinl	char	1
mgarchrg	courtjtype	char	4
mgarchrg	courtjuris	char	4
mgarchrg	courtres	text	2147483647
mgarchrg	date_disp	datetime	
mgarchrg	docketno	varchar	20
mgarchrg	domesticv	char	1
mgarchrg	fbiid	int	
mgarchrg	fel_misd	char	1
mgarchrg	finest	money	
mgarchrg	ibr_code	char	4
mgarchrg	jailstatus	char	4
mgarchrg	jdstatus	char	4
mgarchrg	localid	char	10
mgarchrg	localid2	int	
mgarchrg	localidpos	char	1
mgarchrg	localidpre	char	1
mgarchrg	lwmainid2	int	
mgarchrg	magistrate	char	10
mgarchrg	mgarchrgid	int	
mgarchrg	mgarrestid	int	
mgarchrg	mobilepkey	varchar	20
mgarchrg	offnscode	char	4
mgarchrg	offntcknbr	varchar	15
mgarchrg	otherjurcd	char	4
mgarchrg	otherjursd	varchar	15
mgarchrg	penaltycls	char	4
mgarchrg	premise1	char	2
mgarchrg	prostatute	varchar	25

mgarchrg	relsorder	varchar	150
mgarchrg	sentcdttm	varchar	12
mgarchrg	sentcjudge	char	10
mgarchrg	sentcnote	varchar	15
mgarchrg	sentday	int	
mgarchrg	sentenctyp	char	4
mgarchrg	senthour	int	
mgarchrg	sentmonth	int	
mgarchrg	sentyear	int	
mgarchrg	statecode	char	10
mgarchrg	stateid	int	
mgarchrg	ucr_code	char	4
mgarchrg	want_id	int	
mgarchrg	warrdate	datetime	
mgarrest	addconsole	char	8
mgarrest	addtime	datetime	
mgarrest	adduser	varchar	11
mgarrest	age	char	2
mgarrest	agency	char	4
mgarrest	alcohol	char	1
mgarrest	apt_flr	char	10
mgarrest	argrant	char	4
mgarrest	armainid	int	
mgarrest	arnameflag	char	1
mgarrest	arr_type	char	1
mgarrest	arre_id	varchar	12
mgarrest	arre_narr	text	2147483647
mgarrest	arre_offcr	int	
mgarrest	arrestloca	varchar	40
mgarrest	arrstatus	char	1
mgarrest	arstatus	char	1
mgarrest	asst_offcr	int	
mgarrest	case_id	varchar	12
mgarrest	category1	char	4
mgarrest	category2	char	4
mgarrest	charge	varchar	60
mgarrest	chargetype	varchar	12
mgarrest	chrtypeoth	char	10
mgarrest	city	varchar	20
mgarrest	creserve1	char	4
mgarrest	date_arr	datetime	
mgarrest	dispostn	char	4
mgarrest	district	char	4
mgarrest	domestic	char	4
mgarrest	drug_alcoh	char	1
mgarrest	emdivision	char	4
mgarrest	emsection	char	4
mgarrest	emshift	char	4
mgarrest	emunit	char	4
mgarrest	ethnicity	char	1
mgarrest	fp_card	char	7
mgarrest	fp_photo	char	1
mgarrest	fpdate	datetime	
mgarrest	geoothcr	varchar	15
mgarrest	geox	int	
mgarrest	geoy	int	
mgarrest	jdispostn	char	1
mgarrest	jurisdictn	char	4
mgarrest	local_nbr	char	10
mgarrest	lwmainid	int	
mgarrest	magistrate	char	10

mgarrest	mgarrestid	int	
mgarrest	monthstamp	tinyint	
mgarrest	multclear	char	2
mgarrest	name_id	int	
mgarrest	neighborhd	char	4
mgarrest	nmchkbbox1	bit	
mgarrest	nreserve1	int	
mgarrest	origkey	varchar	15
mgarrest	orignameid	int	
mgarrest	othagency	char	4
mgarrest	photonbr	char	10
mgarrest	race	char	2
mgarrest	reportarea	char	4
mgarrest	residence	char	1
mgarrest	sex	char	1
mgarrest	state	char	2
mgarrest	statusdate	datetime	
mgarrest	street	varchar	40
mgarrest	streetdir	char	2
mgarrest	streetnbr	char	8
mgarrest	subdivisn	char	4
mgarrest	subm_time	datetime	
mgarrest	supervisor	int	
mgarrest	sysflag	char	8
mgarrest	time_arr	char	4
mgarrest	tract	char	4
mgarrest	warragency	char	4
mgarrest	warroffcr	int	
mgarrest	weapon	char	4
mgarrest	weapon2	char	4
mgarrest	weaponaut2	char	1
mgarrest	weaponauto	char	1
mgarrest	yearstamp	int	
mgarrest	zip	char	10
mgarrest	zone	char	4
mgarrest_WOPDCONV	addconsole	char	8
mgarrest_WOPDCONV	addtime	datetime	
mgarrest_WOPDCONV	adduser	varchar	11
mgarrest_WOPDCONV	age	char	2
mgarrest_WOPDCONV	agency	char	4
mgarrest_WOPDCONV	alcohol	char	1
mgarrest_WOPDCONV	apt_flr	char	10
mgarrest_WOPDCONV	argrant	char	4
mgarrest_WOPDCONV	armainid	int	
mgarrest_WOPDCONV	arnameflag	char	1
mgarrest_WOPDCONV	arr_type	char	1
mgarrest_WOPDCONV	arre_id	varchar	12
mgarrest_WOPDCONV	arre_narr	text	2147483647
mgarrest_WOPDCONV	arre_offcr	int	
mgarrest_WOPDCONV	arrestloca	varchar	40
mgarrest_WOPDCONV	arrstatus	char	1
mgarrest_WOPDCONV	arstatus	char	1
mgarrest_WOPDCONV	asst_offcr	int	
mgarrest_WOPDCONV	case_id	varchar	12
mgarrest_WOPDCONV	category1	char	4
mgarrest_WOPDCONV	category2	char	4
mgarrest_WOPDCONV	charge	varchar	60
mgarrest_WOPDCONV	chargetype	varchar	12
mgarrest_WOPDCONV	chrtypeoth	char	10
mgarrest_WOPDCONV	city	varchar	20
mgarrest_WOPDCONV	creserve1	char	4

mgarrest_WOPDCONV	date_arr	datetime	
mgarrest_WOPDCONV	dispostn	char	4
mgarrest_WOPDCONV	district	char	4
mgarrest_WOPDCONV	domestic	char	4
mgarrest_WOPDCONV	drug_alcoh	char	1
mgarrest_WOPDCONV	emdivision	char	4
mgarrest_WOPDCONV	emsection	char	4
mgarrest_WOPDCONV	emshift	char	4
mgarrest_WOPDCONV	emunit	char	4
mgarrest_WOPDCONV	ethnicity	char	1
mgarrest_WOPDCONV	fp_card	char	7
mgarrest_WOPDCONV	fp_photo	char	1
mgarrest_WOPDCONV	fpdate	datetime	
mgarrest_WOPDCONV	geoother	varchar	15
mgarrest_WOPDCONV	geox	int	
mgarrest_WOPDCONV	geoy	int	
mgarrest_WOPDCONV	jdispostn	char	1
mgarrest_WOPDCONV	jurisdictn	char	4
mgarrest_WOPDCONV	local_nbr	char	10
mgarrest_WOPDCONV	lwmainid	int	
mgarrest_WOPDCONV	magistrate	char	10
mgarrest_WOPDCONV	mgarrestid	int	
mgarrest_WOPDCONV	monthstamp	tinyint	
mgarrest_WOPDCONV	multclear	char	2
mgarrest_WOPDCONV	name_id	int	
mgarrest_WOPDCONV	neighborhd	char	4
mgarrest_WOPDCONV	nmchkbox1	bit	
mgarrest_WOPDCONV	nreserve1	int	
mgarrest_WOPDCONV	origkey	varchar	15
mgarrest_WOPDCONV	orignameid	int	
mgarrest_WOPDCONV	othagency	char	4
mgarrest_WOPDCONV	photonbr	char	10
mgarrest_WOPDCONV	race	char	2
mgarrest_WOPDCONV	reportarea	char	4
mgarrest_WOPDCONV	residence	char	1
mgarrest_WOPDCONV	sex	char	1
mgarrest_WOPDCONV	state	char	2
mgarrest_WOPDCONV	statusdate	datetime	
mgarrest_WOPDCONV	street	varchar	40
mgarrest_WOPDCONV	streetdir	char	2
mgarrest_WOPDCONV	streetnbr	char	8
mgarrest_WOPDCONV	subdivisn	char	4
mgarrest_WOPDCONV	subm_time	datetime	
mgarrest_WOPDCONV	supervisor	int	
mgarrest_WOPDCONV	sysflag	char	8
mgarrest_WOPDCONV	time_arr	char	4
mgarrest_WOPDCONV	tract	char	4
mgarrest_WOPDCONV	warragency	char	4
mgarrest_WOPDCONV	warroffcr	int	
mgarrest_WOPDCONV	weapon	char	4
mgarrest_WOPDCONV	weapon2	char	4
mgarrest_WOPDCONV	weaponaut2	char	1
mgarrest_WOPDCONV	weaponauto	char	1
mgarrest_WOPDCONV	yearstamp	int	
mgarrest_WOPDCONV	zip	char	10
mgarrest_WOPDCONV	zone	char	4
mgchrg	addtime	datetime	
mgchrg	adduser	varchar	11
mgchrg	aocode	char	6
mgchrg	chrg_seq	int	
mgchrg	domesticv	char	4

mgchrg	mgchrgid	int	
mgchrg	mgmainid	int	
mgchrg	notifyvict	char	1
mgchrg	ucr2stid	int	
mgmain	addtime	datetime	
mgmain	adduser	varchar	11
mgmain	age	char	2
mgmain	age2	char	2
mgmain	appdate	datetime	
mgmain	appstatus	char	4
mgmain	authagency	char	4
mgmain	case_id	varchar	12
mgmain	citanbr	varchar	12
mgmain	compl_id	int	
mgmain	completeby	int	
mgmain	complname	varchar	40
mgmain	complnote	text	2147483647
mgmain	countyagy	int	
mgmain	defendant	varchar	40
mgmain	deniedby	int	
mgmain	denycode	char	4
mgmain	denyreason	text	2147483647
mgmain	domesticv	char	1
mgmain	lwmainid	int	
mgmain	magistrate	int	
mgmain	mgmainid	int	
mgmain	name_id	int	
mgmain	nbrdefendt	int	
mgmain	nbrvictim	int	
mgmain	notifyvict	char	1
mgmain	offnsdate	datetime	
mgmain	race	char	2
mgmain	race2	char	2
mgmain	sex	char	1
mgmain	sex2	char	1
mgmain	statusdate	datetime	
mgmain	svcagency	char	4
mgmain_WOPDCONV	addtime	datetime	
mgmain_WOPDCONV	adduser	varchar	11
mgmain_WOPDCONV	age	char	2
mgmain_WOPDCONV	age2	char	2
mgmain_WOPDCONV	appdate	datetime	
mgmain_WOPDCONV	appstatus	char	4
mgmain_WOPDCONV	authagency	char	4
mgmain_WOPDCONV	case_id	varchar	12
mgmain_WOPDCONV	citanbr	varchar	12
mgmain_WOPDCONV	compl_id	int	
mgmain_WOPDCONV	completeby	int	
mgmain_WOPDCONV	complname	varchar	40
mgmain_WOPDCONV	complnote	text	2147483647
mgmain_WOPDCONV	countyagy	int	
mgmain_WOPDCONV	defendant	varchar	40
mgmain_WOPDCONV	deniedby	int	
mgmain_WOPDCONV	denycode	char	4
mgmain_WOPDCONV	denyreason	text	2147483647
mgmain_WOPDCONV	domesticv	char	1
mgmain_WOPDCONV	lwmainid	int	
mgmain_WOPDCONV	magistrate	int	
mgmain_WOPDCONV	mgmainid	int	
mgmain_WOPDCONV	name_id	int	
mgmain_WOPDCONV	nbrdefendt	int	

mgmain_WOPDCONV	nbrvictim	int	
mgmain_WOPDCONV	notifyvict	char	1
mgmain_WOPDCONV	offnsdate	datetime	
mgmain_WOPDCONV	race	char	2
mgmain_WOPDCONV	race2	char	2
mgmain_WOPDCONV	sex	char	1
mgmain_WOPDCONV	sex2	char	1
mgmain_WOPDCONV	statusdate	datetime	
mgmain_WOPDCONV	svcagency	char	4
naassist	addtime	datetime	
naassist	adduser	varchar	11
naassist	assist_id	varchar	14
naassist	assistid	int	
naassist	assistkey	char	2
naassist	mobilepkey	varchar	20
naassist	naassistid	int	
naassist	officer_id	int	
namain	acttype	char	4
namain	addconsole	char	8
namain	addtime	datetime	
namain	adduser	varchar	11
namain	agency	char	4
namain	apt_flr	char	10
namain	assistoff	int	
namain	case_id	varchar	12
namain	casenum	varchar	12
namain	ci	varchar	15
namain	city	varchar	50
namain	district	char	10
namain	emdivision	char	4
namain	emsection	char	4
namain	emshift	char	4
namain	emunit	char	4
namain	geoother	varchar	15
namain	geox	int	
namain	geoy	int	
namain	namainid	int	
namain	narritive	text	2147483647
namain	neighborhd	char	4
namain	nimainid	int	
namain	prepdate	datetime	
namain	primaryoff	int	
namain	reportarea	char	4
namain	state	char	2
namain	status1	char	4
namain	statusdt	datetime	
namain	street	varchar	40
namain	streetdir	char	2
namain	streetnbr	char	8
namain	subdivisn	char	4
namain	sysflag	char	8
namain	tract	char	4
namain	zip	char	10
namain	zone	char	4
naphone	addconsole	char	8
naphone	addtime	datetime	
naphone	adduser	varchar	11
naphone	age	char	2
naphone	agency	char	4
naphone	apt_flr	char	10
naphone	carrier	char	4

naphone	city	varchar	20
naphone	district	char	10
naphone	extension	char	5
naphone	geooother	varchar	15
naphone	geox	int	
naphone	geoy	int	
naphone	modtime	datetime	
naphone	moduser	varchar	11
naphone	namainid	int	
naphone	name_id	int	
naphone	naphoneid	int	
naphone	neighborhd	char	4
naphone	notes	text	2147483647
naphone	phmainid	int	
naphone	phone	char	10
naphone	phsource	char	4
naphone	race	char	2
naphone	reportarea	char	4
naphone	sex	char	1
naphone	state	char	2
naphone	statusdate	datetime	
naphone	street	varchar	40
naphone	streetdir	char	2
naphone	streetnbr	char	8
naphone	subdivisn	char	4
naphone	sysflag	char	8
naphone	tract	char	4
naphone	type1	char	1
naphone	zip	char	10
naphone	zone	char	4
naprop	addtime	datetime	
naprop	adduser	varchar	11
naprop	age	char	2
naprop	caliber	varchar	15
naprop	category	char	4
naprop	color1	char	4
naprop	color2	char	4
naprop	comments	text	2147483647
naprop	federalnbr	varchar	15
naprop	locstatus	char	4
naprop	make	varchar	30
naprop	model	varchar	30
naprop	namainid	int	
naprop	name_id	int	
naprop	napropid	int	
naprop	notes	text	2147483647
naprop	officerid	int	
naprop	propcode	char	4
naprop	propdesc	varchar	30
naprop	prqnty	money	
naprop	prunit	char	4
naprop	prvalue	money	
naprop	race	char	2
naprop	serialno	varchar	30
naprop	sex	char	1
naprop	statenbr	varchar	15
naprop	statusdt	datetime	
nicaseas	addtime	datetime	
nicaseas	adduser	varchar	11
nicaseas	assgnote	text	2147483647
nicaseas	assignby	int	

nicaseas	assignto	int	
nicaseas	dateassg	datetime	
nicaseas	datedue	datetime	
nicaseas	nicaseasid	int	
nicaseas	nimainid	int	
nicasest	addtime	datetime	
nicasest	adduser	varchar	11
nicasest	clearby	int	
nicasest	cleardate	datetime	
nicasest	nicasestid	int	
nicasest	nimainid	int	
nicasest	snotes	text	2147483647
nicasest	status1	char	4
nicasest	statusdate	datetime	
nifactor	addtime	datetime	
nifactor	adduser	varchar	11
nifactor	groupdesc	varchar	20
nifactor	itemdesc	varchar	30
nifactor	mobilepkey	varchar	20
nifactor	namainid	int	
nifactor	nifactorid	int	
nifactor	nigroup	char	4
nifactor	niitem	char	4
nimain	addconsole	char	8
nimain	addtime	datetime	
nimain	adduser	varchar	11
nimain	age	char	2
nimain	agency	char	4
nimain	apt_flr	char	10
nimain	assignby	int	
nimain	assigndate	datetime	
nimain	assignto	int	
nimain	casenum	varchar	12
nimain	category1	char	4
nimain	category2	char	4
nimain	city	varchar	20
nimain	clearby	int	
nimain	descriptn	varchar	85
nimain	district	char	10
nimain	emdivision	char	4
nimain	emsection	char	4
nimain	emshift	char	4
nimain	emunit	char	4
nimain	geoother	varchar	15
nimain	geox	int	
nimain	geoy	int	
nimain	invtype	char	4
nimain	modtime	datetime	
nimain	moduser	varchar	11
nimain	name_id	int	
nimain	narritive	text	2147483647
nimain	neighborhd	char	4
nimain	nimainid	int	
nimain	race	char	2
nimain	relateflag	char	10
nimain	reportarea	char	4
nimain	rptype	char	4
nimain	sex	char	1
nimain	state	char	2
nimain	status	char	4
nimain	statusdate	datetime	

nimain	street	varchar	40
nimain	streetdir	char	2
nimain	streetnbr	char	8
nimain	subdivisn	char	4
nimain	sysflag	char	8
nimain	tract	char	4
nimain	zip	char	10
nimain	zone	char	4
nmaddr	addconsole	char	8
nmaddr	addrnotes	text	2147483647
nmaddr	addrtype	char	4
nmaddr	addtime	datetime	
nmaddr	adduser	varchar	11
nmaddr	apt_flr	char	10
nmaddr	city	varchar	20
nmaddr	district	char	4
nmaddr	geoother	varchar	15
nmaddr	geox	int	
nmaddr	geoy	int	
nmaddr	mobilepkey	varchar	20
nmaddr	name_id	int	
nmaddr	neighborhd	char	4
nmaddr	nmaddrid	int	
nmaddr	phone	varchar	15
nmaddr	reportarea	char	4
nmaddr	state	char	2
nmaddr	street	varchar	40
nmaddr	streetdir	char	2
nmaddr	streetnbr	char	8
nmaddr	subdivisn	char	4
nmaddr	tract	char	4
nmaddr	zip	char	10
nmaddr	zone	char	4
nmalert	activdate	datetime	
nmalert	addtime	datetime	
nmalert	adduser	varchar	11
nmalert	alert	char	4
nmalert	alerttype	char	1
nmalert	comments	text	2147483647
nmalert	descriptn	varchar	30
nmalert	expires	datetime	
nmalert	mobilepkey	varchar	20
nmalert	name_id	int	
nmalert	nmalertid	int	
nmalert	norder	int	
nmalert	source	varchar	30
nmalert	supervisor	int	
nmalert_BKUP10142010_4FIX	activdate	datetime	
nmalert_BKUP10142010_4FIX	addtime	datetime	
nmalert_BKUP10142010_4FIX	adduser	varchar	11
nmalert_BKUP10142010_4FIX	alert	char	4
nmalert_BKUP10142010_4FIX	alerttype	char	1
nmalert_BKUP10142010_4FIX	comments	text	2147483647
nmalert_BKUP10142010_4FIX	descriptn	varchar	30
nmalert_BKUP10142010_4FIX	expires	datetime	
nmalert_BKUP10142010_4FIX	mobilepkey	varchar	20
nmalert_BKUP10142010_4FIX	name_id	int	
nmalert_BKUP10142010_4FIX	nmalertid	int	
nmalert_BKUP10142010_4FIX	norder	int	
nmalert_BKUP10142010_4FIX	source	varchar	30
nmalert_BKUP10142010_4FIX	supervisor	int	

nmcases	addtime	datetime	
nmcases	adduser	varchar	11
nmcases	case_id	varchar	12
nmcases	comments	text	2147483647
nmcases	lwmainid	int	
nmcases	name_code	char	4
nmcases	name_id	int	
nmcases	nmcasesid	int	
nmhist	age	char	2
nmhist	apt_flr	varchar	10
nmhist	birthplace	varchar	20
nmhist	category1	char	4
nmhist	citizenshp	char	4
nmhist	city	varchar	20
nmhist	dl_state	char	2
nmhist	dob	datetime	
nmhist	dr_lic	varchar	25
nmhist	empl_addr	text	2147483647
nmhist	employer	varchar	30
nmhist	ethnic	char	1
nmhist	eye	char	4
nmhist	hair	char	4
nmhist	height	char	4
nmhist	hphone	varchar	10
nmhist	name_id	int	
nmhist	nameaka	varchar	30
nmhist	names	varchar	100
nmhist	namesmt	varchar	30
nmhist	nmhistid	int	
nmhist	occupation	varchar	15
nmhist	race	char	2
nmhist	res_status	char	2
nmhist	sex	char	1
nmhist	skintone	char	6
nmhist	ssn	char	9
nmhist	state	char	2
nmhist	street	varchar	40
nmhist	streetdir	char	2
nmhist	streetnbr	char	8
nmhist	syskey	int	
nmhist	syspkey	int	
nmhist	systype	char	2
nmhist	weight	int	
nmhist	wphone	varchar	15
nmhist	zip	varchar	10
nmlocid	addtime	datetime	
nmlocid	adduser	varchar	11
nmlocid	agency	char	4
nmlocid	local_id	char	10
nmlocid	name_id	int	
nmlocid	nmlocidid	int	
nmmain	addconsole	char	8
nmmain	addmodule	char	8
nmmain	addrsource	varchar	30
nmmain	addtime	datetime	
nmmain	adduser	varchar	11
nmmain	age	char	2
nmmain	age2	char	2
nmmain	alias_id	int	
nmmain	apt_flr	char	10
nmmain	attnyphone	varchar	15

nmmain	attorney	varchar	30
nmmain	birthcntry	char	2
nmmain	birthplace	varchar	20
nmmain	birthstate	char	2
nmmain	bloodtyp	char	10
nmmain	business	char	1
nmmain	category1	char	4
nmmain	category2	char	4
nmmain	citizenshp	char	4
nmmain	city	varchar	20
nmmain	cnt_cnt	char	4
nmmain	convkey	varchar	40
nmmain	creserve1	char	4
nmmain	creserve2	char	10
nmmain	datehired	datetime	
nmmain	dateofresd	datetime	
nmmain	dependants	int	
nmmain	district	char	4
nmmain	dl_cdl	char	1
nmmain	dl_class	char	4
nmmain	dl_state	char	2
nmmain	dnadate	datetime	
nmmain	dnatest	char	10
nmmain	dob	datetime	
nmmain	doc_nbr	varchar	12
nmmain	dod	datetime	
nmmain	dr_lic	varchar	25
nmmain	dv_of	int	
nmmain	dv_vict	int	
nmmain	education	char	4
nmmain	emailaddr	text	2147483647
nmmain	empl_addr	text	2147483647
nmmain	employer	varchar	30
nmmain	ethnic	char	1
nmmain	eye	char	4
nmmain	eye2	char	4
nmmain	fbi_nbr	varchar	12
nmmain	fedrlic	char	10
nmmain	firstname	varchar	20
nmmain	fpflag	char	1
nmmain	geoother	varchar	15
nmmain	geox	int	
nmmain	geoy	int	
nmmain	grade	char	2
nmmain	hair	char	4
nmmain	height	char	4
nmmain	height2	char	4
nmmain	henry1	varchar	19
nmmain	henry11	char	5
nmmain	henry2	varchar	19
nmmain	henry21	char	5
nmmain	histflag	char	10
nmmain	hphone	char	10
nmmain	immigrtnbr	char	10
nmmain	insur_nbr	varchar	20
nmmain	insurance	varchar	30
nmmain	language	char	4
nmmain	lastname	varchar	40
nmmain	locacode	char	4
nmmain	local_id	char	10
nmmain	local_id2	int	

nmmain	marital	char	1
nmmain	middlename	varchar	15
nmmain	milibranch	char	4
nmmain	milistatus	char	4
nmmain	mobilekey	varchar	20
nmmain	mobnamad	varchar	11
nmmain	mphone	char	10
nmmain	name_id	int	
nmmain	nametype	char	4
nmmain	ncffinpr	varchar	30
nmmain	ncicfpc	varchar	20
nmmain	neighborhd	char	4
nmmain	nm_narr	text	2147483647
nmmain	nmchkbox1	bit	
nmmain	nmchkbox2	bit	
nmmain	nmimage	char	1
nmmain	nmquality	char	1
nmmain	noanadopt	char	4
nmmain	nreserve1	int	
nmmain	ntn	char	7
nmmain	occupation	varchar	15
nmmain	occupclass	char	4
nmmain	pager	char	10
nmmain	race	char	2
nmmain	recblock	char	10
nmmain	religion	char	10
nmmain	reportarea	char	4
nmmain	res_status	char	2
nmmain	residcode	char	4
nmmain	residdesc	varchar	20
nmmain	restrictnm	bit	
nmmain	school	varchar	30
nmmain	sex	char	1
nmmain	shoesize	char	4
nmmain	skintone	char	6
nmmain	soundfirst	char	4
nmmain	soundlast	char	4
nmmain	spar_id	char	10
nmmain	spartype	char	4
nmmain	ssn	char	9
nmmain	state	char	2
nmmain	state_id	varchar	12
nmmain	street	varchar	40
nmmain	streetdir	char	2
nmmain	streetnbr	char	8
nmmain	subdivisn	char	4
nmmain	suffix	char	5
nmmain	sysflag	char	8
nmmain	tract	char	4
nmmain	twin	char	1
nmmain	warnflag	varchar	12
nmmain	weight	int	
nmmain	weight2	int	
nmmain	wphone	varchar	15
nmmain	zip	char	10
nmmain	zone	char	4
nmmerge	addtime	datetime	
nmmerge	adduser	varchar	11
nmmerge	tablename	char	8
nmmerge	namefield	char	10
nmmerge	nmmergeid	int	

nmmerge	orignameid	int	
nmmerge	relreckey	int	
nmmodop	addtime	datetime	
nmmodop	adduser	varchar	11
nmmodop	groupdesc	varchar	20
nmmodop	itemdesc	varchar	30
nmmodop	mobilepkey	varchar	20
nmmodop	mogroup	char	4
nmmodop	moitem	char	4
nmmodop	name_id	int	
nmmodop	nmmodopid	int	
nmphys	addtime	datetime	
nmphys	adduser	varchar	11
nmphys	descdetl	char	4
nmphys	detldesc	varchar	30
nmphys	idtype	char	4
nmphys	item	char	4
nmphys	itemdesc	varchar	20
nmphys	mobilepkey	varchar	20
nmphys	name_id	int	
nmphys	nmphysid	int	
nmrelat	address1	text	2147483647
nmrelat	addtime	datetime	
nmrelat	adduser	varchar	11
nmrelat	age	char	2
nmrelat	city	varchar	20
nmrelat	dob	datetime	
nmrelat	employer	varchar	30
nmrelat	fullname	varchar	30
nmrelat	hphone	char	10
nmrelat	livewith	bit	
nmrelat	mobilepkey	varchar	20
nmrelat	name_id	int	
nmrelat	nameseq	tinyint	
nmrelat	nmrelatid	int	
nmrelat	race	char	2
nmrelat	relation	char	4
nmrelat	relname_id	int	
nmrelat	sex	char	1
nmrelat	state	char	2
nmrelat	wphone	varchar	15
nmrelat	zip	char	10
nmsmt	addtime	datetime	
nmsmt	adduser	varchar	11
nmsmt	bodypart	varchar	15
nmsmt	descriptn	varchar	25
nmsmt	idtype	char	2
nmsmt	location	char	4
nmsmt	mobilepkey	varchar	20
nmsmt	name_id	int	
nmsmt	nmsmtid	int	
nmsmt	smtcode	char	4
nmsmt	smttype	char	4
opmain	addconsole	char	8
opmain	addtime	datetime	
opmain	adduser	varchar	11
opmain	age	char	2
opmain	agency	char	4
opmain	apt_flr	char	10
opmain	area	char	4
opmain	city	varchar	20

opmain	dispositn	varchar	20
opmain	district	char	4
opmain	duedate	datetime	
opmain	emdivision	char	4
opmain	emsection	char	4
opmain	emshift	char	4
opmain	emunit	char	4
opmain	geoother	varchar	15
opmain	geox	int	
opmain	geoy	int	
opmain	mobilepkey	varchar	20
opmain	name_id	int	
opmain	neighborhd	char	4
opmain	officerid	int	
opmain	opmainid	int	
opmain	optype	char	4
opmain	popdate	datetime	
opmain	poptime	char	4
opmain	race	char	2
opmain	remarks	text	2147483647
opmain	reportarea	char	4
opmain	reserve1	char	4
opmain	reserve2	char	10
opmain	reserve3	char	10
opmain	reviewdate	datetime	
opmain	reviewid	int	
opmain	sex	char	1
opmain	state	char	2
opmain	status	char	4
opmain	statusdt	datetime	
opmain	street	varchar	40
opmain	streetdir	char	2
opmain	streetnbr	char	8
opmain	subdivisn	char	4
opmain	supervisor	int	
opmain	sysflag	char	8
opmain	tract	char	4
opmain	zip	char	10
opmain	zone	char	4
ormain	accident	char	4
ormain	acrefused	char	1
ormain	acresult	char	5
ormain	actested	char	1
ormain	activity	char	3
ormain	addconsole	char	8
ormain	addtime	datetime	
ormain	adduser	varchar	11
ormain	adminonly	bit	
ormain	age	char	2
ormain	agency	char	4
ormain	apt_flr	char	10
ormain	area	char	4
ormain	arr_chrg	varchar	25
ormain	arrestdate	datetime	
ormain	arrestloc	text	2147483647
ormain	arresttype	char	4
ormain	avoidcourt	bit	
ormain	case_id	varchar	12
ormain	category1	char	4
ormain	category2	char	4
ormain	charge	varchar	60

ormain	checkbox1	bit	
ormain	checkbox2	bit	
ormain	chemanalys	varchar	15
ormain	city	varchar	20
ormain	court	char	4
ormain	courtdate	datetime	
ormain	courtjuris	char	4
ormain	courtloca	text	2147483647
ormain	courttime	char	4
ormain	creserve1	char	4
ormain	disposdate	datetime	
ormain	dispositn	char	4
ormain	district	char	4
ormain	emdivision	char	4
ormain	emsection	char	4
ormain	emshift	char	4
ormain	emunit	char	4
ormain	ethnicity	char	1
ormain	fee	money	
ormain	geoothor	varchar	15
ormain	geox	int	
ormain	geoy	int	
ormain	hazmat	bit	
ormain	jrelation	char	4
ormain	jreldate	datetime	
ormain	juvrelease	varchar	40
ormain	licenstype	char	4
ormain	lwmainid	int	
ormain	mailaddr	bit	
ormain	mailaddrss	text	2147483647
ormain	monthstamp	tinyint	
ormain	name_id	int	
ormain	neighborhd	char	4
ormain	nreserve1	int	
ormain	offcr_id	int	
ormain	offnsjuris	char	4
ormain	or_cdImv	bit	
ormain	or_class	char	4
ormain	or_date	datetime	
ormain	or_dow	char	2
ormain	or_id	varchar	12
ormain	or_notes	text	2147483647
ormain	or_time	char	4
ormain	or_type	char	4
ormain	orgrant	char	4
ormain	ormainid	int	
ormain	paydate	datetime	
ormain	propposs	bit	
ormain	race	char	2
ormain	recidjuris	char	4
ormain	reportarea	char	4
ormain	residence	char	1
ormain	rollcall	bit	
ormain	sex	char	1
ormain	speed	int	
ormain	speedchrg	int	
ormain	speedcode	char	4
ormain	speedzone	int	
ormain	state	char	2
ormain	street	varchar	40
ormain	streetdir	char	2

ormain	streetnbr	char	8
ormain	subdivisn	char	4
ormain	sysflag	char	8
ormain	tract	char	4
ormain	traffic	char	4
ormain	ucr_code	char	4
ormain	vehi_id	int	
ormain	visibility	char	4
ormain	weapon	char	4
ormain	weather	char	4
ormain	yearstamp	int	
ormain	zip	char	10
ormain	zone	char	4
p2plog	agencyid	char	6
p2plog	command	char	10
p2plog	description	char	50
p2plog	fromuser	char	15
p2plog	query	text	2147483647
p2plog	queryid	int	
p2plog	querytime	datetime	
p2plog	remote_addr	char	20
p2plog	remote_host	char	20
p2plog	response	char	50
p2pv2log	addtime	datetime	
p2pv2log	agencyid	char	10
p2pv2log	commandcod	int	
p2pv2log	logdetail	varchar	800
p2pv2log	logid	int	
p2pv2log	lognote	varchar	30
p2pv2log	logtype	int	
p2pv2log	statuscode	int	
p2pv2log	userid	char	20
pamain	addconsole	char	8
pamain	addtime	datetime	
pamain	adduser	varchar	11
pamain	age	char	2
pamain	agency	char	4
pamain	apt_flr	char	10
pamain	articletyp	char	4
pamain	buypawn	char	1
pamain	city	varchar	20
pamain	color1	char	4
pamain	convkey	varchar	40
pamain	county	char	4
pamain	creserve1	char	4
pamain	district	char	4
pamain	dob	datetime	
pamain	eyes	char	4
pamain	firstname	varchar	15
pamain	geoother	varchar	15
pamain	geox	int	
pamain	geoy	int	
pamain	guncal	char	4
pamain	hair	char	4
pamain	height	char	4
pamain	idnumber	varchar	25
pamain	idstate	char	2
pamain	idtype	char	4
pamain	investigtd	bit	
pamain	itemdesc	varchar	80
pamain	lastname	varchar	20

pamain	make	varchar	15
pamain	midinitial	char	10
pamain	modelnbr	varchar	20
pamain	name_id	int	
pamain	nciccode	char	7
pamain	neighborhd	char	4
pamain	nreserve1	int	
pamain	pawn_id	int	
pamain	pawnshop	char	4
pamain	phone	varchar	14
pamain	propcode	char	4
pamain	race	char	1
pamain	remarks	text	2147483647
pamain	reportarea	char	4
pamain	serialnbr	varchar	25
pamain	sex	char	1
pamain	ssn	char	9
pamain	state	char	2
pamain	street	varchar	40
pamain	streetdir	char	2
pamain	streetnbr	char	8
pamain	subdivisn	char	4
pamain	suffix	char	5
pamain	sysflag	char	8
pamain	ticketdate	datetime	
pamain	ticketnbr	char	10
pamain	ticketseq	int	
pamain	tract	char	4
pamain	weight	int	
pamain	zip	char	10
pamain	zone	char	4
pamatch	addtime	datetime	
pamatch	adduser	varchar	11
pamatch	matchid	int	
pamatch	matchtype	char	2
pamatch	pamatchid	int	
pamatch	pawn_id	int	
pawatch	addconsole	char	8
pawatch	addtime	datetime	
pawatch	adduser	varchar	11
pawatch	case_id	varchar	12
pawatch	expdate	datetime	
pawatch	firstname	varchar	15
pawatch	idnumber	varchar	25
pawatch	idtype	char	4
pawatch	itemdesc	varchar	40
pawatch	lastname	varchar	20
pawatch	make	varchar	15
pawatch	midinitial	char	1
pawatch	notes	text	2147483647
pawatch	officer	int	
pawatch	serialnbr	varchar	25
pawatch	srch_____	char	1
pawatch	sttdate	datetime	
pawatch	totalhits	int	
pawatch	watchid	int	
pecash	addtime	datetime	
pecash	adduser	varchar	11
pecash	cashcolnbr	int	
pecash	checknbr	int	
pecash	filename	char	8

pecash	officerid	int	
pecash	pecashid	int	
pecash	pemainid	int	
pecash	releasedto	varchar	30
pecash	reqchknbr	int	
pecash	transamt	money	
pecash	transnotes	varchar	30
pecash	transtime	datetime	
pecust	addtime	datetime	
pecust	adduser	varchar	11
pecust	ccinout	char	1
pecust	cctime	datetime	
pecust	custgrp	int	
pecust	filename	char	8
pecust	pecustid	int	
pecust	pemainid	int	
pecust	purposeof	char	4
pecust	releasedby	varchar	30
pecust	releasedto	varchar	30
pemain	addconsole	char	8
pemain	addtime	datetime	
pemain	adduser	varchar	11
pemain	age	char	2
pemain	agency	char	4
pemain	articletyp	char	4
pemain	biohazard	char	1
pemain	caliber	char	5
pemain	case_id	varchar	12
pemain	caseoffcr	int	
pemain	cashbalanc	money	
pemain	ccbi	char	4
pemain	cctime	datetime	
pemain	checknbr	int	
pemain	classcode	char	4
pemain	color1	char	4
pemain	color2	char	4
pemain	convkey	varchar	40
pemain	creserve1	char	4
pemain	ctrlnbr	int	
pemain	displocatn	char	4
pemain	dispnos	varchar	20
pemain	dispsoffcr	int	
pemain	dispstcode	char	4
pemain	dispstdate	datetime	
pemain	dispvalue	money	
pemain	drugtest	char	4
pemain	emdivision	char	4
pemain	emsection	char	4
pemain	emshift	char	4
pemain	emunit	char	4
pemain	estvalue	money	
pemain	expdate	datetime	
pemain	expresend	float	
pemain	feddate1	datetime	
pemain	feddate2	datetime	
pemain	federalnbr	varchar	15
pemain	licensenbr	char	10
pemain	licenstate	char	2
pemain	locstatus	char	4
pemain	lwmainid	int	
pemain	make	varchar	15

pemain	model	varchar	15
pemain	name_id	int	
pemain	nciccode	char	7
pemain	nxtactdate	datetime	
pemain	nxtacttype	char	4
pemain	offnscode	char	4
pemain	otherjuri	char	10
pemain	outlocatn	char	4
pemain	ownernbr	varchar	20
pemain	pectgr	char	4
pemain	peflags	char	5
pemain	pemainid	int	
pemain	penotes	text	2147483647
pemain	pephoto	char	1
pemain	pevitemid	int	
pemain	pevouchid	int	
pemain	pptgrp	int	
pemain	pptseq	int	
pemain	propcode	char	4
pemain	propdesc	varchar	40
pemain	propertkey	char	2
pemain	propertyid	int	
pemain	proptype	char	1
pemain	prqnty	decimal	
pemain	prunit	char	2
pemain	pryear	int	
pemain	race	char	2
pemain	reasoncode	char	4
pemain	recvoffcr	int	
pemain	recvtime	datetime	
pemain	relsbthchid	int	
pemain	relsidnbr	varchar	15
pemain	relsidtype	char	4
pemain	relnameid	int	
pemain	seizage	char	2
pemain	seiznameid	int	
pemain	seizrace	char	2
pemain	seizsex	char	1
pemain	serialno	varchar	25
pemain	sex	char	1
pemain	statedate1	datetime	
pemain	statedate2	datetime	
pemain	statenbr	char	10
pemain	statustime	datetime	
pemain	storebin	char	4
pemain	storebuild	char	4
pemain	storeroom	char	4
pemain	sysflag	char	8
pemain	witnoffcr	int	
pevitem	addconsole	char	8
pevitem	addtime	datetime	
pevitem	adduser	varchar	11
pevitem	age	char	2
pevitem	articletyp	char	4
pevitem	biohazard	char	1
pevitem	caliber	char	5
pevitem	ccbi	char	4
pevitem	classcode	char	4
pevitem	color1	char	4
pevitem	color2	char	4
pevitem	ctrlnbr	int	

pevitem	drugtest	char	4
pevitem	estvalue	money	
pevitem	federalnbr	varchar	15
pevitem	labnotes	text	2147483647
pevitem	labprocess	char	4
pevitem	licensenbr	char	10
pevitem	licenstate	char	2
pevitem	locstatus	char	4
pevitem	make	varchar	15
pevitem	model	varchar	15
pevitem	name_id	int	
pevitem	nciccode	char	7
pevitem	offappnbr	char	10
pevitem	offapptime	datetime	
pevitem	ownernbr	varchar	20
pevitem	penotes	text	2147483647
pevitem	pevitemid	int	
pevitem	pevouchid	int	
pevitem	pptgrp	int	
pevitem	pptseq	int	
pevitem	propcode	char	4
pevitem	propdesc	varchar	40
pevitem	propertykey	char	1
pevitem	propertyid	int	
pevitem	prqnty	decimal	
pevitem	prunit	char	2
pevitem	pryear	int	
pevitem	race	char	2
pevitem	seizage	char	2
pevitem	seiznameid	int	
pevitem	seizrace	char	1
pevitem	seizsex	char	2
pevitem	serialno	varchar	25
pevitem	sex	char	1
pevitem	statenbr	char	10
pevitem	stolprop	char	4
pevouch	addconsole	char	8
pevouch	addtime	datetime	
pevouch	adduser	varchar	11
pevouch	age	char	2
pevouch	agency	char	4
pevouch	case_id	varchar	12
pevouch	caseoffcr	int	
pevouch	emdivision	char	4
pevouch	emsection	char	4
pevouch	emshift	char	4
pevouch	emunit	char	4
pevouch	locstatus	char	4
pevouch	lwmainid	int	
pevouch	name_id	int	
pevouch	offnscode	char	4
pevouch	otherjuri	char	10
pevouch	outlocatn	char	4
pevouch	ownernbr	varchar	20
pevouch	pectgr	char	4
pevouch	peflags	char	5
pevouch	penotes	text	2147483647
pevouch	pephoto	char	1
pevouch	pevouchid	int	
pevouch	race	char	2
pevouch	remvlocker	char	6

pevouch	remvoffcr	int	
pevouch	remvtime	datetime	
pevouch	seizage	char	2
pevouch	seizedfrom	varchar	30
pevouch	seizedloc	varchar	40
pevouch	seizedtime	datetime	
pevouch	seizeoffcr	int	
pevouch	seiznameid	int	
pevouch	seizrace	char	2
pevouch	seizsex	char	1
pevouch	sex	char	1
pevouch	statustime	datetime	
pevouch	storebin	char	4
pevouch	storebuild	char	4
pevouch	storeoffcr	int	
pevouch	storeroom	char	4
pevouch	storetime	datetime	
pevouch	sysflag	char	8
pevouch	vchstatus	char	4
pevouch	verifoffcr	int	
peweapon	addtime	datetime	
peweapon	adduser	varchar	11
peweapon	auibistest	char	1
peweapon	authoffcr	int	
peweapon	caliber	char	5
peweapon	ibisdate	datetime	
peweapon	ibisoffcr	int	
peweapon	ifnoreason	varchar	20
peweapon	pemainid	int	
peweapon	peweaponid	int	
peweapon	rndfired	int	
peweapon	rndunfired	int	
peweapon	sfibistest	char	1
peweapon	wpnotes	text	2147483647
phdir	address1	varchar	30
phdir	address2	varchar	30
phdir	addtime	datetime	
phdir	adduser	varchar	12
phdir	category	varchar	15
phdir	city	varchar	20
phdir	contname	varchar	30
phdir	department	varchar	20
phdir	emailaddr	varchar	60
phdir	fax	varchar	20
phdir	first	varchar	20
phdir	homeph	varchar	20
phdir	last	varchar	40
phdir	mobileph	varchar	20
phdir	notes	text	2147483647
phdir	pagerph	varchar	20
phdir	phdirid	int	
phdir	state	char	2
phdir	workph	varchar	20
phdir	zip	char	10
phmain	addconsole	char	8
phmain	addtime	datetime	
phmain	adduser	varchar	11
phmain	extension	char	6
phmain	modtime	datetime	
phmain	moduser	varchar	11
phmain	notes	text	2147483647

phmain	phmainid	int	
phmain	phone	char	10
phmain	sysflag	char	8
phmain	type1	char	1
pkchrg	addtime	datetime	
pkchrg	adduser	varchar	11
pkchrg	amt_paid	money	
pkchrg	chargeamt	money	
pkchrg	chargecode	char	4
pkchrg	chrg_seq	tinyint	
pkchrg	chrgtype	char	4
pkchrg	late_code	char	4
pkchrg	mobilepkey	varchar	20
pkchrg	pkchrgid	int	
pkchrg	pkmainid	int	
pkchrg	revenucode	char	4
pkchrg	violtype	char	4
pkfee	chargecode	char	4
pkfee	chrgtype	char	4
pkfee	late_code	char	4
pkfee	pkfeeid	int	
pkfee	pkmainid	int	
pkfine	amt_paid	money	
pkfine	chargecode	char	4
pkfine	chrgtype	char	4
pkfine	fineamt	money	
pkfine	late_code	char	4
pkfine	pkfineid	int	
pkfine	pkmainid	int	
pkfine	revenucode	char	4
pkmain	addtime	datetime	
pkmain	adduser	varchar	11
pkmain	age	char	2
pkmain	agency	char	4
pkmain	amountdue	money	
pkmain	chalktime	datetime	
pkmain	chrgdesc	varchar	60
pkmain	chrgtype	char	4
pkmain	city	varchar	20
pkmain	color1	char	4
pkmain	color2	char	4
pkmain	costatus	char	4
pkmain	costatusdt	datetime	
pkmain	district	char	4
pkmain	emdivision	char	4
pkmain	emsection	char	4
pkmain	emshift	char	4
pkmain	emunit	char	4
pkmain	genletter	bit	
pkmain	geoother	varchar	15
pkmain	geox	int	
pkmain	geoy	int	
pkmain	issuedate	datetime	
pkmain	issuetime	char	4
pkmain	late_code	char	4
pkmain	make	char	10
pkmain	meterno	char	10
pkmain	mobilepkey	varchar	20
pkmain	model	varchar	12
pkmain	name_id	int	
pkmain	neighborhd	char	4

pkmain	officerid	int	
pkmain	park_id	varchar	12
pkmain	pkmainid	int	
pkmain	pkstatus	char	4
pkmain	pkstatusdt	datetime	
pkmain	pv_note	text	2147483647
pkmain	race	char	2
pkmain	reg_date	datetime	
pkmain	reg_resend	float	
pkmain	reportarea	char	4
pkmain	sex	char	1
pkmain	state	char	2
pkmain	street	varchar	40
pkmain	streetdir	char	2
pkmain	streetnbr	char	8
pkmain	subdivisn	char	4
pkmain	sysflag	char	8
pkmain	tot_amt	money	
pkmain	tot_paid	money	
pkmain	tract	char	4
pkmain	vehi_id	int	
pkmain	vehiclewas	char	4
pkmain	vehyear	int	
pkmain	vhlicense	char	10
pkmain	vhlicstate	char	2
pkmain	violcnt	decimal	
pkmain	zip	char	10
pkmain	zone	char	4
pldetail	addtime	datetime	
pldetail	adduser	varchar	11
pldetail	crimstat	varchar	100
pldetail	cycles	int	
pldetail	datetorms	datetime	
pldetail	durations	text	2147483647
pldetail	endtime	datetime	
pldetail	imgresp	text	2147483647
pldetail	langpref	char	10
pldetail	locashown	varchar	100
pldetail	multyes	char	1
pldetail	nbrselect	int	
pldetail	othpersons	varchar	100
pldetail	pldetailid	int	
pldetail	plineupid	int	
pldetail	shownby	varchar	40
pldetail	starttime	datetime	
pldetail	timeshown	datetime	
pldetail	viewedby	varchar	50
plineup	addtime	datetime	
plineup	adduser	varchar	11
plineup	agency	char	4
plineup	case_id	varchar	12
plineup	datetorms	datetime	
plineup	descriptn	varchar	60
plineup	downldby	varchar	11
plineup	downldtime	datetime	
plineup	downldws	varchar	20
plineup	imagefile1	char	5
plineup	imagefile2	char	5
plineup	imagefile3	char	5
plineup	imagefile4	char	5
plineup	imagefile5	char	5

plineup	imagefile6	char	5
plineup	imagefile7	char	5
plineup	imagefile8	char	5
plineup	investigtr	varchar	50
plineup	nameid1	int	
plineup	nameid2	int	
plineup	nameid3	int	
plineup	nameid4	int	
plineup	nameid5	int	
plineup	nameid6	int	
plineup	nameid7	int	
plineup	nameid8	int	
plineup	plineupid	int	
plineup	remotavail	char	1
plineup	siximgtp	char	1
plineup	sourceid	int	
plineup	supervisor	int	
plineup	supvrevw	datetime	
plineup	susimageid	varchar	12
plineup	suspnameid	int	
plineup	sysflag	char	8
plineup	totalhit	int	
plineup	viewedby	varchar	50
pmmain	addconsole	char	10
pmmain	addtime	datetime	
pmmain	adduser	varchar	11
pmmain	age	char	2
pmmain	agency	char	4
pmmain	alertdate	datetime	
pmmain	approvedby	int	
pmmain	apprvdate	datetime	
pmmain	apt_flr	char	10
pmmain	city	varchar	20
pmmain	denyreason	varchar	30
pmmain	district	char	4
pmmain	emdivision	char	4
pmmain	emsection	char	4
pmmain	emshift	char	4
pmmain	emunit	char	4
pmmain	ethnicity	char	1
pmmain	expiredate	datetime	
pmmain	geoother	varchar	15
pmmain	geox	int	
pmmain	geoy	int	
pmmain	name_id	int	
pmmain	neighborhd	char	4
pmmain	notes	text	2147483647
pmmain	officerid	int	
pmmain	permit_id	varchar	12
pmmain	permitttype	char	4
pmmain	pmmainid	int	
pmmain	pmstatus	char	4
pmmain	pmstatusdt	datetime	
pmmain	race	char	2
pmmain	recvdate	datetime	
pmmain	renew	tinyint	
pmmain	reportarea	char	4
pmmain	residence	char	1
pmmain	sex	char	1
pmmain	state	char	2
pmmain	street	varchar	40

pmmain	streetdir	char	2
pmmain	streetnbr	char	8
pmmain	subdivisn	char	4
pmmain	sysflag	char	8
pmmain	tract	char	4
pmmain	zip	char	10
pmmain	zone	char	4
ppmain	addtime	datetime	
ppmain	adduser	varchar	11
ppmain	age	char	2
ppmain	agency	char	4
ppmain	case_id	varchar	12
ppmain	caseorigin	char	4
ppmain	casestatus	char	4
ppmain	comments	text	2147483647
ppmain	controlnum	varchar	12
ppmain	department	char	4
ppmain	district	char	4
ppmain	drugalco	char	4
ppmain	emdivision	char	4
ppmain	emsection	char	4
ppmain	emshift	char	4
ppmain	emunit	char	4
ppmain	enddate	datetime	
ppmain	geoother	varchar	15
ppmain	geox	int	
ppmain	geoy	int	
ppmain	lwmainid	int	
ppmain	name_id	int	
ppmain	neighborhd	char	4
ppmain	officerid	int	
ppmain	ppmainid	int	
ppmain	progtype	char	4
ppmain	race	char	2
ppmain	relcharge	text	2147483647
ppmain	reportarea	char	4
ppmain	restreq	char	4
ppmain	sex	char	1
ppmain	startdate	datetime	
ppmain	subdivisn	char	4
ppmain	sysflag	char	8
ppmain	tract	char	4
ppmain	zone	char	4
prmain	addconsole	char	8
prmain	addtime	datetime	
prmain	adduser	varchar	11
prmain	age	char	2
prmain	agency	char	4
prmain	caliber	char	5
prmain	case_id	varchar	12
prmain	color1	char	4
prmain	color2	char	4
prmain	convkey	varchar	40
prmain	date_recvd	datetime	
prmain	donotprint	bit	
prmain	evidence	bit	
prmain	feddate1	datetime	
prmain	feddate2	datetime	
prmain	federalnbr	varchar	15
prmain	localid	char	10
prmain	locstatus	char	4

prmain	make	varchar	15
prmain	mobilepkey	varchar	20
prmain	model	varchar	15
prmain	notes	text	2147483647
prmain	otherjuri	char	10
prmain	owner_id	int	
prmain	ownernbr	varchar	20
prmain	prnotes2	text	2147483647
prmain	prop_id	int	
prmain	propcode	char	4
prmain	propdesc	varchar	40
prmain	proptype	char	1
prmain	prqnty	money	
prmain	prstatus	char	4
prmain	prunit	char	2
prmain	prvalue	money	
prmain	race	char	2
prmain	reg_date	datetime	
prmain	reg_resend	int	
prmain	respoffcr	int	
prmain	serialno	varchar	25
prmain	sex	char	1
prmain	statedate1	datetime	
prmain	statedate2	datetime	
prmain	statenbr	varchar	15
prmain	statustime	datetime	
prmain	sysflag	char	8
prmain	victim_no	tinyint	
prstatus	activity	char	3
prstatus	addtime	datetime	
prstatus	adduser	varchar	11
prstatus	agency	char	4
prstatus	drugsorc	char	4
prstatus	location	varchar	40
prstatus	mobilepkey	varchar	20
prstatus	numbmarij	int	
prstatus	offenscode	char	4
prstatus	officerid	int	
prstatus	otherjuri	char	10
prstatus	prnote	text	2147483647
prstatus	prop_id2	int	
prstatus	propcode2	char	4
prstatus	propcode2	char	4
prstatus	propertkey	varchar	14
prstatus	prqnty2	money	
prstatus	prstatus	char	4
prstatus	prstatusfd	char	4
prstatus	prstatusid	int	
prstatus	prstatusst	char	4
prstatus	prunit2	char	2
prstatus	prvalue2	money	
prstatus	reserved1	char	4
prstatus	statustime	datetime	
prstatus	typemarij	char	4
prstatus	victim_no	tinyint	
prstatus	vouchuse	char	1
prtlSentSPSStemp	book_id	int	
prtlSentSPSStemp	prtlSent	char	4
ptboard	addconsole	char	8
ptboard	addtime	datetime	
ptboard	adduser	varchar	11

ptboard	amtapp	money	
ptboard	amtrec	money	
ptboard	arrfel	int	
ptboard	arrmisd	int	
ptboard	caseclrd	int	
ptboard	chknum	char	4
ptboard	datepaid	datetime	
ptboard	mtgdate	datetime	
ptboard	notes	text	2147483647
ptboard	paid_by	varchar	30
ptboard	persons	int	
ptboard	ptboardid	int	
ptboard	ptmainid	int	
ptboard	seizedval	money	
ptboard	valdrug	money	
ptboard	valprop	money	
ptmain	addconsole	char	8
ptmain	addtime	datetime	
ptmain	adduser	varchar	11
ptmain	agency	char	4
ptmain	amtappvd	money	
ptmain	amtrecmd	money	
ptmain	apt_flr	char	10
ptmain	arrestfel	int	
ptmain	arrestmisd	int	
ptmain	callerid	varchar	12
ptmain	case_id	varchar	12
ptmain	caseclrd	int	
ptmain	chknum	char	10
ptmain	city	varchar	20
ptmain	classific	char	4
ptmain	date_rept	datetime	
ptmain	datepaid	datetime	
ptmain	details	text	2147483647
ptmain	dispdte	datetime	
ptmain	dispositn	char	4
ptmain	district	char	4
ptmain	drugval	money	
ptmain	geooother	varchar	15
ptmain	geox	int	
ptmain	geoy	int	
ptmain	lwmainid	int	
ptmain	meetgdate	datetime	
ptmain	naturecall	char	4
ptmain	neighborhd	char	4
ptmain	page2	char	1
ptmain	paid_by	varchar	30
ptmain	person	varchar	40
ptmain	persons	int	
ptmain	processed	int	
ptmain	propval	money	
ptmain	ptmainid	int	
ptmain	ptnotes	text	2147483647
ptmain	reportarea	char	4
ptmain	seizedval	money	
ptmain	state	char	2
ptmain	street	varchar	40
ptmain	streetdir	char	2
ptmain	streetnbr	char	8
ptmain	subdivisn	char	4
ptmain	sysflag	char	8

ptmain	takenby	char	8
ptmain	tract	char	4
ptmain	unitref	char	4
ptmain	zip	char	10
ptmain	zone	char	4
ptnames	addtime	datetime	
ptnames	adduser	varchar	11
ptnames	age	char	2
ptnames	age2	char	2
ptnames	category1	char	4
ptnames	ethnicity	char	1
ptnames	name_code	char	2
ptnames	name_id	int	
ptnames	name_type	char	1
ptnames	nc_seq	int	
ptnames	nmchkbox1	bit	
ptnames	nmchkbox2	bit	
ptnames	ptmainid	int	
ptnames	ptnamesid	int	
ptnames	race	char	2
ptnames	restrictnm	bit	
ptnames	secullevel	char	1
ptnames	sex	char	1
ptnames	suspdetail	bit	
ptwatch	addconsole	char	8
ptwatch	addtime	datetime	
ptwatch	adduser	varchar	11
ptwatch	case_id	varchar	12
ptwatch	expdate	datetime	
ptwatch	firstname	varchar	15
ptwatch	idnumber	varchar	25
ptwatch	keyword	varchar	25
ptwatch	lastname	varchar	20
ptwatch	make	char	4
ptwatch	midinitial	char	1
ptwatch	model	char	5
ptwatch	notes	text	2147483647
ptwatch	officerid	int	
ptwatch	ptwatchid	int	
ptwatch	sttdate	datetime	
ptwatch	totalhits	int	
qmhist	addtime	datetime	
qmhist	adduser	varchar	11
qmhist	issueby	int	
qmhist	issuedt	datetime	
qmhist	issuedto	int	
qmhist	notes	text	2147483647
qmhist	qmhistid	int	
qmhist	qminvenid	int	
qmhist	qmserinvid	int	
qmhist	returndt	datetime	
qmhist	returnto	int	
qminspot	addtime	datetime	
qminspot	adduser	varchar	11
qminspot	agency	char	4
qminspot	batchid	char	10
qminspot	category	char	4
qminspot	counted	int	
qminspot	descriptn	varchar	80
qminspot	itemcode	varchar	20
qminspot	onhand	int	

qminspot	qminspotid	int	
qminspot	qminvenid	int	
qminspot	rpttimekey	varchar	30
qminspot	storagef	char	4
qminspot	storagel	char	4
qminven	account	char	6
qminven	addtime	datetime	
qminven	adduser	varchar	11
qminven	agency	char	4
qminven	caliber	char	4
qminven	category	char	4
qminven	color	char	4
qminven	creserve1	varchar	20
qminven	creserve2	varchar	20
qminven	descriptn	varchar	80
qminven	expires	datetime	
qminven	gender	char	1
qminven	itemcode	varchar	20
qminven	leadtime	int	
qminven	make	char	4
qminven	maxoh	int	
qminven	model	varchar	20
qminven	notes	text	2147483647
qminven	nreserve1	int	
qminven	onhand	int	
qminven	ordlimdays	int	
qminven	ordlimit	int	
qminven	qklstitm	bit	
qminven	qmgrant	char	4
qminven	qminvenid	int	
qminven	qmunit	char	4
qminven	reonotes	text	2147483647
qminven	reopoint	int	
qminven	seritem	bit	
qminven	size	char	5
qminven	size1	varchar	90
qminven	size2	varchar	90
qminven	storage2	char	4
qminven	storage3	char	4
qminven	storage4	char	4
qminven	storagef	char	4
qminven	storagel	char	4
qminven	sysflag	char	8
qminven	um	char	4
qminven	unitprice	float	
qminven	vendor1	int	
qminven	vendor2	int	
qmissue	account	char	6
qmissue	activityid	char	4
qmissue	addtime	datetime	
qmissue	adduser	varchar	11
qmissue	caliber	char	4
qmissue	category	char	4
qmissue	descriptn	varchar	80
qmissue	embudgetno	char	8
qmissue	expires	datetime	
qmissue	fundcode	char	4
qmissue	issueby	int	
qmissue	issuedt	datetime	
qmissue	issuedto	int	
qmissue	itemcode	varchar	20

qmissue	localnbr	varchar	15
qmissue	locatid	char	10
qmissue	make	char	4
qmissue	model	varchar	20
qmissue	notes	text	2147483647
qmissue	product	char	4
qmissue	progcode	char	4
qmissue	projectid	char	4
qmissue	qminvenid	int	
qmissue	qmissueid	int	
qmissue	qmorderid	int	
qmissue	qmserinvid	int	
qmissue	quantity	int	
qmissue	rescatgry	char	4
qmissue	restype	char	4
qmissue	returndt	datetime	
qmissue	returnqty	int	
qmissue	returnto	int	
qmissue	serialnbr	varchar	30
qmissue	size1	varchar	90
qmissue	size2	varchar	90
qmissue	status	varchar	30
qmissue	unitprice	float	
qmissue	useditem	bit	
qmmaint	addtime	datetime	
qmmaint	adduser	varchar	11
qmmaint	critical	bit	
qmmaint	downhrs	decimal	
qmmaint	equipcond	char	4
qmmaint	expbknsrv	datetime	
qmmaint	expiredate	datetime	
qmmaint	laborcost	money	
qmmaint	maintby	int	
qmmaint	maintlocat	varchar	30
qmmaint	milage	decimal	
qmmaint	notes	text	2147483647
qmmaint	nxtschdmnt	datetime	
qmmaint	partcost	money	
qmmaint	qmmaintid	int	
qmmaint	qmserinvid	int	
qmmaint	repair	bit	
qmmaint	repaircost	float	
qmmaint	repairresn	char	4
qmmaint	requestby	int	
qmmaint	requestdt	datetime	
qmmaint	scheduled	bit	
qmmaint	servicehrs	decimal	
qmmaint	status	char	4
qmmaint	workdt	datetime	
qmorder	agency	char	4
qmorder	itemcnt	int	
qmorder	notes	text	2147483647
qmorder	orderby	int	
qmorder	orderdt	datetime	
qmorder	ordstatus	varchar	20
qmorder	processby	int	
qmorder	processdt	datetime	
qmorder	qmorderid	int	
qmorditm	activityid	char	4
qmorditm	addtime	datetime	
qmorditm	adduser	varchar	11

qmorditm	available	char	1
qmorditm	caliber	char	4
qmorditm	category	char	4
qmorditm	color	char	4
qmorditm	descriptn	varchar	80
qmorditm	embudget	char	8
qmorditm	expires	datetime	
qmorditm	fillqty	int	
qmorditm	fundcode	char	4
qmorditm	gender	char	1
qmorditm	invacct	char	6
qmorditm	itemcode	varchar	20
qmorditm	localnbr	varchar	15
qmorditm	locatid	char	10
qmorditm	make	char	4
qmorditm	model	varchar	20
qmorditm	notes	text	2147483647
qmorditm	processed	char	1
qmorditm	product	char	4
qmorditm	progcode	char	4
qmorditm	projectid	char	4
qmorditm	qminvenid	int	
qmorditm	qmorderid	int	
qmorditm	qmorditm	int	
qmorditm	qmserinvid	int	
qmorditm	quantity	int	
qmorditm	reason	varchar	20
qmorditm	rescatgry	char	4
qmorditm	restype	char	4
qmorditm	serialnbr	varchar	30
qmorditm	size1	varchar	90
qmorditm	size2	varchar	90
qmorditm	unitprice	float	
qmorditm	useditem	bit	
qmserinv	addtime	datetime	
qmserinv	adduser	varchar	11
qmserinv	caliber	char	4
qmserinv	descriptn	varchar	80
qmserinv	expires	datetime	
qmserinv	gender	char	1
qmserinv	invstatus	varchar	30
qmserinv	issueby	int	
qmserinv	issuedt	datetime	
qmserinv	issuedto	int	
qmserinv	itemcode	varchar	20
qmserinv	localnbr	varchar	15
qmserinv	make	char	4
qmserinv	model	varchar	20
qmserinv	notes	text	2147483647
qmserinv	pending	char	1
qmserinv	qminvenid	int	
qmserinv	qmserinvid	int	
qmserinv	returndt	datetime	
qmserinv	returnto	int	
qmserinv	serialnbr	varchar	30
qmserinv	statusdt	datetime	
qmserinv	useditem	bit	
qmvendor	addconsole	char	8
qmvendor	addtime	datetime	
qmvendor	adduser	varchar	11
qmvendor	agency	char	4

qmvendor	city	varchar	25
qmvendor	comments	text	2147483647
qmvendor	contactnam	varchar	40
qmvendor	contaddr	varchar	40
qmvendor	contcity	varchar	25
qmvendor	contemail	text	2147483647
qmvendor	contexpdte	datetime	
qmvendor	contfax	varchar	15
qmvendor	contmobile	char	10
qmvendor	contphone	varchar	15
qmvendor	contprice	money	
qmvendor	contract	varchar	25
qmvendor	contstate	char	2
qmvendor	contzip	char	10
qmvendor	instructs	text	2147483647
qmvendor	leadtime	char	10
qmvendor	orderhist	text	2147483647
qmvendor	qmvendorid	int	
qmvendor	state	char	2
qmvendor	street	varchar	40
qmvendor	streetdir	char	2
qmvendor	streetnbr	char	8
qmvendor	sysflag	char	8
qmvendor	vendornam	varchar	40
qmvendor	vfax	varchar	15
qmvendor	vphone	varchar	15
qmvendor	vwebaddr	varchar	60
qmvendor	zip	char	10
romain	addconsole	char	8
romain	addtime	datetime	
romain	adduser	varchar	11
romain	age	char	2
romain	comments	text	2147483647
romain	convdate	datetime	
romain	convhf	char	1
romain	drugct	char	1
romain	emdivision	char	4
romain	emsection	char	4
romain	emshift	char	4
romain	emunit	char	4
romain	felon	char	1
romain	felonyrev	char	1
romain	hfelon	char	1
romain	mostw	char	1
romain	mwdate	datetime	
romain	name_id	int	
romain	nextashf	char	1
romain	officerid	int	
romain	proshf	char	1
romain	race	char	2
romain	removdate	datetime	
romain	roaction	char	4
romain	roflag	char	1
romain	romainid	int	
romain	roreason	char	4
romain	rostatus	char	4
romain	sex	char	1
rpmain	a_gallon	decimal	
rpmain	a_pints	decimal	
rpmain	addconsole	char	8
rpmain	addtime	datetime	

rpmain	adduser	varchar	11
rpmain	age	char	2
rpmain	agency	char	4
rpmain	apt_flr	char	10
rpmain	c_alc	tinyint	
rpmain	c_drugs	tinyint	
rpmain	c_money	tinyint	
rpmain	c_none	tinyint	
rpmain	c_other	tinyint	
rpmain	c_weap	tinyint	
rpmain	cadcallid	varchar	14
rpmain	case_id	varchar	12
rpmain	category1	char	4
rpmain	category2	char	4
rpmain	city	varchar	20
rpmain	conttype	char	4
rpmain	d_dose	decimal	
rpmain	d_grams	float	
rpmain	d_kilos	float	
rpmain	d_ounces	decimal	
rpmain	d_pounds	decimal	
rpmain	district	char	4
rpmain	dr_arrest	tinyint	
rpmain	emdivision	char	4
rpmain	emsection	char	4
rpmain	emshift	char	4
rpmain	emunit	char	4
rpmain	enfaction	char	4
rpmain	ethnic	char	1
rpmain	geoothor	varchar	15
rpmain	geox	int	
rpmain	geoy	int	
rpmain	ibr_date	datetime	
rpmain	ibr_resend	tinyint	
rpmain	location	varchar	100
rpmain	lwmainid	int	
rpmain	m_amt	money	
rpmain	mobilepkey	varchar	20
rpmain	name_id	int	
rpmain	neighborhd	char	4
rpmain	o_amt	money	
rpmain	officerid	int	
rpmain	p_arrest	tinyint	
rpmain	p_other	tinyint	
rpmain	p_person	tinyint	
rpmain	p_vehicle	tinyint	
rpmain	pr1	tinyint	
rpmain	pr2	tinyint	
rpmain	pr3	tinyint	
rpmain	pr4	tinyint	
rpmain	pr5	tinyint	
rpmain	pvsearch1	tinyint	
rpmain	pvsearch2	tinyint	
rpmain	pvsearch3	tinyint	
rpmain	pvsearch4	tinyint	
rpmain	race	char	2
rpmain	reportarea	char	4
rpmain	rp_notes	text	2147483647
rpmain	rpgrant	char	4
rpmain	rpmainid	int	
rpmain	search	tinyint	

rpmain	sex	char	1
rpmain	shpdist	char	4
rpmain	srchbas1	tinyint	
rpmain	srchbas2	tinyint	
rpmain	srchbas3	tinyint	
rpmain	srchbas4	tinyint	
rpmain	srchbas5	tinyint	
rpmain	srchbas6	tinyint	
rpmain	srchtyp1	tinyint	
rpmain	srchtyp2	tinyint	
rpmain	srchtyp3	tinyint	
rpmain	srchtyp4	tinyint	
rpmain	srchtyp5	tinyint	
rpmain	state	char	2
rpmain	statepid	char	10
rpmain	stopdate	datetime	
rpmain	stoptime	char	4
rpmain	street	varchar	40
rpmain	streetdir	char	2
rpmain	streetnbr	char	8
rpmain	subdivisn	char	4
rpmain	suppfact	varchar	100
rpmain	sysflag	char	8
rpmain	tract	char	4
rpmain	vehmake	char	4
rpmain	vehyear	int	
rpmain	vhlicense	char	10
rpmain	vhlicstate	char	2
rpmain	violation	char	4
rpmain	w_num	decimal	
rpmain	zip	char	10
rpmain	zone	char	4
rpmain_bu	a_gallon	decimal	
rpmain_bu	a_pints	decimal	
rpmain_bu	addconsole	char	8
rpmain_bu	addtime	datetime	
rpmain_bu	adduser	varchar	11
rpmain_bu	agency	char	4
rpmain_bu	apt_flr	char	10
rpmain_bu	c_alc	tinyint	
rpmain_bu	c_drugs	tinyint	
rpmain_bu	c_money	tinyint	
rpmain_bu	c_none	tinyint	
rpmain_bu	c_other	tinyint	
rpmain_bu	c_weap	tinyint	
rpmain_bu	cadcallid	varchar	14
rpmain_bu	case_id	varchar	12
rpmain_bu	category1	char	4
rpmain_bu	category2	char	4
rpmain_bu	city	varchar	20
rpmain_bu	conttype	char	4
rpmain_bu	d_dose	decimal	
rpmain_bu	d_ounces	decimal	
rpmain_bu	d_pounds	decimal	
rpmain_bu	district	char	4
rpmain_bu	dr_arrest	tinyint	
rpmain_bu	emdivision	char	4
rpmain_bu	emsection	char	4
rpmain_bu	emshift	char	4
rpmain_bu	emunit	char	4
rpmain_bu	enfaction	char	4

rpmain_bu	ethnic	char	1
rpmain_bu	geoother	varchar	15
rpmain_bu	geox	int	
rpmain_bu	geoy	int	
rpmain_bu	ibr_date	datetime	
rpmain_bu	ibr_resend	tinyint	
rpmain_bu	location	varchar	100
rpmain_bu	lwmainid	int	
rpmain_bu	m_amt	money	
rpmain_bu	mobilepkey	varchar	20
rpmain_bu	neighborhd	char	4
rpmain_bu	o_amt	money	
rpmain_bu	officerid	int	
rpmain_bu	p_arrest	tinyint	
rpmain_bu	p_other	tinyint	
rpmain_bu	p_person	tinyint	
rpmain_bu	p_vehicle	tinyint	
rpmain_bu	pr1	tinyint	
rpmain_bu	pr2	tinyint	
rpmain_bu	pr3	tinyint	
rpmain_bu	pr4	tinyint	
rpmain_bu	pr5	tinyint	
rpmain_bu	pvsearch1	tinyint	
rpmain_bu	pvsearch2	tinyint	
rpmain_bu	pvsearch3	tinyint	
rpmain_bu	pvsearch4	tinyint	
rpmain_bu	race	char	2
rpmain_bu	reportarea	char	4
rpmain_bu	rp_notes	text	2147483647
rpmain_bu	rpgrant	char	4
rpmain_bu	rpmainid	int	
rpmain_bu	search	tinyint	
rpmain_bu	sex	char	1
rpmain_bu	shpdist	char	4
rpmain_bu	srchbas1	tinyint	
rpmain_bu	srchbas2	tinyint	
rpmain_bu	srchbas3	tinyint	
rpmain_bu	srchbas4	tinyint	
rpmain_bu	srchbas5	tinyint	
rpmain_bu	srchbas6	tinyint	
rpmain_bu	srchtyp1	tinyint	
rpmain_bu	srchtyp2	tinyint	
rpmain_bu	srchtyp3	tinyint	
rpmain_bu	srchtyp4	tinyint	
rpmain_bu	srchtyp5	tinyint	
rpmain_bu	state	char	2
rpmain_bu	statepid	char	10
rpmain_bu	stopdate	datetime	
rpmain_bu	stoptime	char	4
rpmain_bu	street	varchar	40
rpmain_bu	streetdir	char	2
rpmain_bu	streetnbr	char	8
rpmain_bu	subdivisn	char	4
rpmain_bu	suppfact	varchar	100
rpmain_bu	sysflag	char	8
rpmain_bu	tract	char	4
rpmain_bu	violation	char	4
rpmain_bu	w_num	decimal	
rpmain_bu	zip	char	10
rpmain_bu	zone	char	4
rpnames	addconsole	char	8

rpnames	addtime	datetime	
rpnames	adduser	varchar	11
rpnames	age	char	2
rpnames	ethnic	char	1
rpnames	mobilepkey	varchar	20
rpnames	nametype	char	4
rpnames	race	char	2
rpnames	rpmainid	int	
rpnames	rpnamesid	int	
rpnames	sex	char	1
rpnames	typeseq	tinyint	
scmain	addtime	datetime	
scmain	adduser	varchar	11
scmain	age	char	2
scmain	agency	char	4
scmain	alarm	bit	
scmain	alarmco	text	2147483647
scmain	animal	varchar	30
scmain	apt_flr	char	10
scmain	authperson	text	2147483647
scmain	cars	text	2147483647
scmain	city	varchar	20
scmain	comments	text	2147483647
scmain	contacts	text	2147483647
scmain	creserve1	char	4
scmain	creserve2	char	4
scmain	creserve3	char	4
scmain	creserve4	char	4
scmain	district	char	4
scmain	emdivision	char	4
scmain	emphone	varchar	15
scmain	emsection	char	4
scmain	emshift	char	4
scmain	emunit	char	4
scmain	enddate	datetime	
scmain	geoother	varchar	15
scmain	geox	int	
scmain	geoy	int	
scmain	hphone	char	10
scmain	lighttimer	bit	
scmain	name_id	int	
scmain	neighborhd	char	4
scmain	officerid	int	
scmain	race	char	2
scmain	reportarea	char	4
scmain	scmainid	int	
scmain	secudate	datetime	
scmain	securityid	int	
scmain	sex	char	1
scmain	startdate	datetime	
scmain	state	char	2
scmain	street	varchar	40
scmain	streetdir	char	2
scmain	streetnbr	char	8
scmain	subdivisn	char	4
scmain	sysflag	char	8
scmain	tract	char	4
scmain	udftext1	varchar	30
scmain	udftext2	varchar	30
scmain	udftext3	varchar	30
scmain	zip	char	10

scmain	zone	char	4
somain	addconsole	char	8
somain	addtime	datetime	
somain	adduser	varchar	11
somain	age	char	2
somain	agency	char	4
somain	apt_flr	char	10
somain	campusaddr	varchar	80
somain	campusagy	varchar	80
somain	campuscd	char	4
somain	case_id	varchar	12
somain	city	varchar	20
somain	comments	text	2147483647
somain	confine	char	4
somain	convstate	varchar	30
somain	dischdate	datetime	
somain	dischgaddr	varchar	80
somain	dispdate	datetime	
somain	district	char	4
somain	dutyexpire	datetime	
somain	dutylength	varchar	15
somain	emdivision	char	4
somain	emsection	char	4
somain	emshift	char	4
somain	emunit	char	4
somain	fedconv	bit	
somain	geooother	varchar	15
somain	geox	int	
somain	geoy	int	
somain	judgorddat	datetime	
somain	lastverif	datetime	
somain	lwmainid	int	
somain	miliconv	bit	
somain	name_id	int	
somain	neighborhd	char	4
somain	nextverdt1	datetime	
somain	nextverdt2	datetime	
somain	occuauth	varchar	20
somain	occulicen	varchar	15
somain	offenses	varchar	60
somain	officerid	int	
somain	officerver	int	
somain	outstconv	float	
somain	proboffcr	varchar	30
somain	proboffph	char	10
somain	race	char	2
somain	recblock	char	10
somain	regdate	datetime	
somain	regstatus	char	4
somain	regstdate	datetime	
somain	reportarea	char	4
somain	risklevel	char	4
somain	sentence	varchar	15
somain	sentense	char	4
somain	sex	char	1
somain	somainid	int	
somain	state	char	2
somain	status_dt	datetime	
somain	status_reg	char	4
somain	street	varchar	40
somain	streetdir	char	2

somain	streetnbr	char	8
somain	subdivisn	char	4
somain	sysflag	char	8
somain	tract	char	4
somain	urbanrur	char	4
somain	verifintrv	char	4
somain	vhcolor1	char	4
somain	vhcolor2	char	4
somain	vhlicense	char	10
somain	vhlicstate	char	2
somain	vhmake	char	4
somain	vhmodel	varchar	15
somain	vhyear	int	
somain	victimeage	char	2
somain	victimrace	char	2
somain	victimsex	char	1
somain	weapontool	char	4
somain	wrkstudnt	char	4
somain	zip	char	10
somain	zone	char	4
sooffens	addtime	datetime	
sooffens	adduser	varchar	11
sooffens	att_com	char	4
sooffens	causeno	varchar	15
sooffens	chrg_seq	int	
sooffens	confdays	decimal	
sooffens	confmmonth	tinyint	
sooffens	confyyears	decimal	
sooffens	discharged	datetime	
sooffens	dispdate	datetime	
sooffens	fedconv	bit	
sooffens	miliconv	bit	
sooffens	notes	text	2147483647
sooffens	off_code	char	10
sooffens	offncnty	varchar	20
sooffens	offstatus	char	4
sooffens	probdays	decimal	
sooffens	probmonth	tinyint	
sooffens	probyears	decimal	
sooffens	relatnshp	char	4
sooffens	somainid	int	
sooffens	sooffensid	int	
sooffens	victage	char	2
sooffens	victrace	char	4
sooffens	victsex	char	4
sooffens	weaponuse	char	4
sooffens	weaptype	char	4
soverify	addtime	datetime	
soverify	adduser	varchar	11
soverify	amendprob	varchar	20
soverify	dateverify	datetime	
soverify	exempt	bit	
soverify	expired	bit	
soverify	namechange	char	10
soverify	nextverdt1	datetime	
soverify	nextverdt2	datetime	
soverify	notes	text	2147483647
soverify	officerid	int	
soverify	reason	char	4
soverify	sigrefuse	bit	
soverify	sigunable	bit	

soverify	somainid	int	
soverify	soverifyid	int	
spancont	employeeid	int	
spancont	spancontid	int	
spancont	superim	int	
spancont	superof	int	
spancont	suplevel	int	
srchgrid	fieldlist	text	2147483647
srchgrid	grstatus	int	
srchgrid	srchgridid	int	
srchgrid	tabname	char	10
srchgrid	widthlist	text	2147483647
syinvl	agencyid	char	4
syinvl	date_inv	datetime	
syinvl	innameflag	char	1
syinvl	inv_desc	varchar	40
syinvl	inv_status	char	6
syinvl	modtime	datetime	
syinvl	moduser	varchar	11
syinvl	rec_id	int	
syinvl	rec_key	char	2
syinvl	relatnship	varchar	15
syinvl	relrec_id	int	
syinvl	relrec_key	char	2
syinvl	syinvlid	int	
syinvl	sysgen	char	1
syinvl_WOPDCONV	agencyid	char	4
syinvl_WOPDCONV	date_inv	datetime	
syinvl_WOPDCONV	innameflag	char	1
syinvl_WOPDCONV	inv_desc	varchar	40
syinvl_WOPDCONV	inv_status	char	6
syinvl_WOPDCONV	modtime	datetime	
syinvl_WOPDCONV	moduser	varchar	11
syinvl_WOPDCONV	rec_id	int	
syinvl_WOPDCONV	rec_key	char	2
syinvl_WOPDCONV	relatnship	varchar	15
syinvl_WOPDCONV	relrec_id	int	
syinvl_WOPDCONV	relrec_key	char	2
syinvl_WOPDCONV	syinvlid	int	
syinvl_WOPDCONV	sysgen	char	1
sys_arch	addtime	datetime	
sys_arch	adduser	varchar	11
sys_arch	cfield	varchar	20
sys_arch	cmode	char	1
sys_arch	cvalue	text	2147483647
sys_arch	pkeyvalue	int	
sys_arch	savecond	varchar	40
sys_arch	sys_archid	int	
sys_arch	tabname	varchar	12
sys_att	addtime	datetime	
sys_att	adduser	varchar	11
sys_att	creserve1	char	4
sys_att	descriptn	varchar	30
sys_att	filename	varchar	45
sys_att	folder	varchar	25
sys_att	folderid	int	
sys_att	origvalue	varchar	12
sys_att	sendtopa	char	1
sys_att	summary	text	2147483647
sys_att	sys_attid	int	
sys_att	sysid	int	

sys_att	syskey	char	2
sys_audt	addconsole	varchar	15
sys_audt	addtime	datetime	
sys_audt	adduser	varchar	11
sys_audt	agency	char	4
sys_audt	auditttype	char	2
sys_audt	fieldname	char	10
sys_audt	postvalue	text	2147483647
sys_audt	prevalue	text	2147483647
sys_audt	primkey	int	
sys_audt	primtabkey	int	
sys_audt	sys_audtid	int	
sys_audt	tablename	char	8
sys_audt	windowname	char	8
sys_cdmi	addtime	datetime	
sys_cdmi	adduser	varchar	11
sys_cdmi	age	char	2
sys_cdmi	appid	int	
sys_cdmi	appkey	char	4
sys_cdmi	apt_flr	char	10
sys_cdmi	case_id	varchar	12
sys_cdmi	ccode1	char	4
sys_cdmi	ccode2	char	4
sys_cdmi	ccode3	char	4
sys_cdmi	ccode4	char	4
sys_cdmi	charge	varchar	60
sys_cdmi	childhome	text	2147483647
sys_cdmi	city	varchar	20
sys_cdmi	county	varchar	20
sys_cdmi	court1	char	4
sys_cdmi	court2	char	4
sys_cdmi	court3	char	4
sys_cdmi	court4	char	4
sys_cdmi	ctext1	varchar	20
sys_cdmi	ctext2	varchar	20
sys_cdmi	ctext3	varchar	20
sys_cdmi	ctext4	varchar	20
sys_cdmi	date_occu	datetime	
sys_cdmi	district	char	4
sys_cdmi	dvhistnote	text	2147483647
sys_cdmi	dvnotes	text	2147483647
sys_cdmi	dvstattm	datetime	
sys_cdmi	dvstatus	char	4
sys_cdmi	dvsuper	int	
sys_cdmi	geooother	varchar	15
sys_cdmi	geox	int	
sys_cdmi	geoy	int	
sys_cdmi	holdloca	varchar	20
sys_cdmi	investigtr	int	
sys_cdmi	lettsent	datetime	
sys_cdmi	llogic1	bit	
sys_cdmi	llogic2	bit	
sys_cdmi	llogic3	bit	
sys_cdmi	llogic4	bit	
sys_cdmi	llogic5	bit	
sys_cdmi	llogic6	bit	
sys_cdmi	llogic7	bit	
sys_cdmi	llogic8	bit	
sys_cdmi	mobilepkey	varchar	20
sys_cdmi	months	tinyint	
sys_cdmi	neighborhd	char	4

sys_cdmi	ofage	char	2
sys_cdmi	offender	int	
sys_cdmi	officerid	int	
sys_cdmi	ofrace	char	2
sys_cdmi	ofsex	char	1
sys_cdmi	othrdesc1	varchar	20
sys_cdmi	othrdesc2	varchar	20
sys_cdmi	othrdesc3	varchar	20
sys_cdmi	othrdesc4	varchar	20
sys_cdmi	othrdesc5	varchar	20
sys_cdmi	picdate	datetime	
sys_cdmi	pictures	char	5
sys_cdmi	race	char	2
sys_cdmi	relation1	char	4
sys_cdmi	relation2	char	4
sys_cdmi	reportarea	char	4
sys_cdmi	reptdate	datetime	
sys_cdmi	sadmit	bit	
sys_cdmi	salcohol	bit	
sys_cdmi	sdrug	bit	
sys_cdmi	sex	char	1
sys_cdmi	sinterpr	bit	
sys_cdmi	slanguage	char	10
sys_cdmi	smedtreat	char	4
sys_cdmi	sphone	varchar	15
sys_cdmi	srelease	bit	
sys_cdmi	stakenby	varchar	30
sys_cdmi	stakento	varchar	30
sys_cdmi	state	char	2
sys_cdmi	street	varchar	40
sys_cdmi	streetdir	char	2
sys_cdmi	streetnbr	char	8
sys_cdmi	strtmntby	varchar	60
sys_cdmi	subdivisn	char	4
sys_cdmi	suspthreat	varchar	30
sys_cdmi	sys_cdmiid	int	
sys_cdmi	township	varchar	20
sys_cdmi	tract	char	4
sys_cdmi	vadmit	bit	
sys_cdmi	valcohol	bit	
sys_cdmi	vanotes	text	2147483647
sys_cdmi	vdrug	bit	
sys_cdmi	victim_id	int	
sys_cdmi	victimno	int	
sys_cdmi	vinterpr	bit	
sys_cdmi	vlanguage	char	10
sys_cdmi	vmedtreat	char	4
sys_cdmi	vphone	varchar	15
sys_cdmi	vrelease	bit	
sys_cdmi	vtakenby	varchar	30
sys_cdmi	vtakento	varchar	30
sys_cdmi	vtrtmntby	varchar	60
sys_cdmi	weapon	char	4
sys_cdmi	weaprec	bit	
sys_cdmi	years	tinyint	
sys_cdmi	zip	char	10
sys_cdmi	zone	char	4
sys_cfg	agency	char	4
sys_cfg	defamemo	text	2147483647
sys_cfg	defasize	int	
sys_cfg	defavalue	varchar	100

sys_cfg	notes	varchar	200
sys_cfg	optname	varchar	15
sys_cfg	optvalue	varchar	40
sys_cfg	state	char	4
sys_cfg	sys_cfgid	int	
sys_cfg	sysname	varchar	30
sys_code	addtime	datetime	
sys_code	adduser	varchar	11
sys_code	appid	int	
sys_code	appkey	char	4
sys_code	groupcode	char	4
sys_code	groupdesc	varchar	30
sys_code	itemcode	char	4
sys_code	itemdesc	varchar	30
sys_code	mobilepkey	varchar	20
sys_code	sys_codeid	int	
sys_hist	addtime	datetime	
sys_hist	adduser	varchar	11
sys_hist	dateinfo	datetime	
sys_hist	enteredby	char	10
sys_hist	histinfo	varchar	80
sys_hist	histkey	varchar	14
sys_hist	keytype	char	2
sys_hist	sys_histid	int	
sys_hist	sysid	char	2
sys_hist	syskey	int	
sys_img	addtime	datetime	
sys_img	adduser	varchar	11
sys_img	ext1	char	4
sys_img	ext2	char	1
sys_img	oklineup	char	1
sys_img	reg_date	datetime	
sys_img	sys_imgid	int	
sys_img	sysid	int	
sys_img	syskey	char	1
sys_img2	imgfile	varchar	15
sys_img2	imgtype	char	10
sys_img2	name_id	int	
sys_img2	sys_img2id	int	
sys_img2_671526	EXPR1	int	
sys_img2_671526	imgfile	varchar	15
sys_img2_671526	imgtype	char	10
sys_img2_671526	name_id	int	
sys_img2_671526	sys_img2id	int	
sys_img_671526	addtime	datetime	
sys_img_671526	adduser	varchar	11
sys_img_671526	ext1	char	4
sys_img_671526	ext2	char	1
sys_img_671526	oklineup	char	1
sys_img_671526	reg_date	datetime	
sys_img_671526	sys_imgid	int	
sys_img_671526	sysid	int	
sys_img_671526	syskey	char	1
sys_log	actcode	char	4
sys_log	actcode2	char	4
sys_log	actdesc	varchar	200
sys_log	cconsole	varchar	15
sys_log	cuser	char	11
sys_log	sessionid	char	8
sys_log	sys_logid	int	
sys_log	tdate	datetime	

sys_name	addtime	datetime	
sys_name	adduser	varchar	11
sys_name	age	char	2
sys_name	creserve1	char	10
sys_name	creserve2	char	10
sys_name	creserve3	char	10
sys_name	creserve4	varchar	40
sys_name	creserve5	varchar	40
sys_name	fkeyid	int	
sys_name	fkeyname	char	2
sys_name	mobilepkey	varchar	20
sys_name	name_id	int	
sys_name	namecode	char	2
sys_name	nameflag	char	1
sys_name	names_key	varchar	14
sys_name	nametype	char	1
sys_name	nmcode_seq	decimal	
sys_name	nmnotes	text	2147483647
sys_name	race	char	2
sys_name	reference	varchar	20
sys_name	reserve1	char	4
sys_name	sex	char	1
sys_name	sys_nameid	int	
sys_nmx	addtime	datetime	
sys_nmx	adduser	varchar	11
sys_nmx	apt_flr	char	10
sys_nmx	city	varchar	20
sys_nmx	district	char	4
sys_nmx	employer	varchar	30
sys_nmx	fkeyid	int	
sys_nmx	fkeyname	char	2
sys_nmx	geooother	varchar	15
sys_nmx	geox	int	
sys_nmx	geoy	int	
sys_nmx	namecode	char	2
sys_nmx	namedesc	varchar	50
sys_nmx	names_key	varchar	14
sys_nmx	neighborhd	char	4
sys_nmx	reference	varchar	30
sys_nmx	reportarea	char	4
sys_nmx	state	char	2
sys_nmx	street	varchar	40
sys_nmx	streetdir	char	2
sys_nmx	streetnbr	char	8
sys_nmx	subdivisn	char	4
sys_nmx	sys_nmxid	int	
sys_nmx	tract	char	4
sys_nmx	zip	char	10
sys_nmx	zone	char	4
sys_recip	accttype	char	10
sys_recip	addtime	datetime	
sys_recip	adduser	varchar	11
sys_recip	agency	char	4
sys_recip	billdate	datetime	
sys_recip	billtocode	char	4
sys_recip	checknbr	char	10
sys_recip	creserv1	char	4
sys_recip	emdivision	char	4
sys_recip	emsection	char	4
sys_recip	emshift	char	4
sys_recip	emunit	char	4

sys_recp	fkeyid	int	
sys_recp	fkeyname	char	2
sys_recp	forcepay	bit	
sys_recp	notes	text	2147483647
sys_recp	nreserv1	int	
sys_recp	officerid	int	
sys_recp	paidby	varchar	30
sys_recp	paidddate	datetime	
sys_recp	paymethod	char	4
sys_recp	quantity	decimal	
sys_recp	recptdate	datetime	
sys_recp	recptkey	varchar	14
sys_recp	recptno	int	
sys_recp	revenucode	char	4
sys_recp	sys_recpid	int	
sys_recp	totalpaid	money	
sys_recp	trandesc	varchar	40
sys_recp	transtype	char	4
sys_recp	unitprice	money	
sys_recp	voidid	int	
sys_scan	addtime	datetime	
sys_scan	adduser	varchar	11
sys_scan	scancount	int	
sys_scan	scanid	int	
sys_scan	scankey	char	2
sys_scan	sys_scanid	int	
sys_sign	addtime	datetime	
sys_sign	adduser	varchar	11
sys_sign	signcount	int	
sys_sign	signid	int	
sys_sign	signidptr	int	
sys_sign	signkey	char	4
sys_sign	sys_signid	int	
sys_trac	actioncode	char	4
sys_trac	addtime	datetime	
sys_trac	adduser	varchar	11
sys_trac	fkeyid	int	
sys_trac	fkeyname	char	2
sys_trac	jurisdcode	char	4
sys_trac	mileage	decimal	
sys_trac	miscdesc	varchar	60
sys_trac	miscfee	float	
sys_trac	papersvc	float	
sys_trac	serviceamt	money	
sys_trac	sys_tracid	int	
sys_trac	track_desc	text	2147483647
sys_trac	track_id	varchar	14
sys_trac	trackamt	money	
sys_trac	trackoffcr	int	
sys_trac	tracktime	datetime	
sysacces	agency	char	4
sysacces	appconsole	varchar	20
sysacces	appemplid	int	
sysacces	appid	char	10
sysacces	appusernam	varchar	15
sysacces	logintime	datetime	
sysacces	logouttime	datetime	
sysacces	moduleid	char	10
sysacces	ntcompname	varchar	25
sysacces	ntusername	varchar	20
sysacces	sysaccesid	int	

sysacces	systemos	varchar	20
sysattx	addtime	datetime	
sysattx	adduser	varchar	11
sysattx	empl_id	int	
sysattx	sysattxid	int	
sysattx	sysid	int	
sysattx	userights	char	4
sysdiag	addtime	datetime	
sysdiag	adduser	varchar	11
sysdiag	case_id	varchar	15
sysdiag	diagdesc	varchar	50
sysdiag	empl_id	int	
sysdiag	gmlstring	text	2147483647
sysdiag	sysdiagid	int	
sysdiag2	addtime	datetime	
sysdiag2	adduser	varchar	12
sysdiag2	empl_id	int	
sysdiag2	sysdiag2id	int	
sysdiag2	sysdiagid	int	
syskey	addtime	datetime	
syskey	dbfname	char	8
syskey	descriptn	varchar	30
syskey	disppict	varchar	20
syskey	keyfield	char	10
syskey	lastcskey	varchar	15
syskey	lastkey	int	
syskey	picture	varchar	15
syskey	prevkey	int	
syskey	syskeyid	int	
syslett	agencylist	bit	
syslett	calcdte1	varchar	20
syslett	content0	text	2147483647
syslett	content1	text	2147483647
syslett	content2	text	2147483647
syslett	date2add	int	
syslett	datelabel1	varchar	25
syslett	datelabel2	varchar	25
syslett	envaddress	bit	
syslett	forexpr	text	2147483647
syslett	lkey	char	4
syslett	lstatus	char	1
syslett	ltitle	varchar	50
syslett	module	char	10
syslett	msglabel1	varchar	30
syslett	msglabel2	varchar	30
syslett	msgtemp	varchar	20
syslett	msgvalue1	varchar	50
syslett	msgvalue2	varchar	50
syslett	offcrdesc1	varchar	20
syslett	reportfile	char	8
syslett	syslettid	int	
syslett	textmerge	char	1
sysmergearticles	allow_interactive_resolver	bit	
sysmergearticles	article_resolver	nvarchar	255
sysmergearticles	artid	uniqueidentifier	
sysmergearticles	before_image_objid	int	
sysmergearticles	before_upd_view_objid	int	
sysmergearticles	before_view_objid	int	
sysmergearticles	check_permissions	int	
sysmergearticles	column_tracking	int	
sysmergearticles	columns	varbinary	128

sysmergearticles	compensate_for_errors	bit	
sysmergearticles	conflict_script	nvarchar	255
sysmergearticles	conflict_table	nvarchar	128
sysmergearticles	creation_script	nvarchar	255
sysmergearticles	delete_proc	nvarchar	128
sysmergearticles	delete_tracking	bit	
sysmergearticles	deleted_cols	varbinary	128
sysmergearticles	description	nvarchar	255
sysmergearticles	destination_object	nvarchar	128
sysmergearticles	destination_owner	nvarchar	128
sysmergearticles	excluded_col_count	int	
sysmergearticles	excluded_cols	varbinary	128
sysmergearticles	fast_multicol_updateproc	bit	
sysmergearticles	gen_cur	bigint	
sysmergearticles	identity_support	int	
sysmergearticles	ins_conflict_proc	nvarchar	128
sysmergearticles	insert_proc	nvarchar	128
sysmergearticles	lightweight	bit	
sysmergearticles	maxversion_at_cleanup	int	
sysmergearticles	metadata_select_proc	nvarchar	128
sysmergearticles	missing_col_count	int	
sysmergearticles	missing_cols	varbinary	128
sysmergearticles	name	nvarchar	128
sysmergearticles	nickname	int	
sysmergearticles	objid	int	
sysmergearticles	pre_creation_command	tinyint	
sysmergearticles	preserve_rowguidcol	bit	
sysmergearticles	processing_order	int	
sysmergearticles	procname_postfix	nchar	32
sysmergearticles	pub_range	bigint	
sysmergearticles	pubid	uniqueidentifier	
sysmergearticles	published_in_tran_pub	bit	
sysmergearticles	range	bigint	
sysmergearticles	resolver_clsid	nvarchar	50
sysmergearticles	resolver_info	nvarchar	517
sysmergearticles	schema_option	binary	8
sysmergearticles	select_proc	nvarchar	128
sysmergearticles	status	tinyint	
sysmergearticles	stream_blob_columns	bit	
sysmergearticles	subset_filterclause	nvarchar	1000
sysmergearticles	sync_objid	int	
sysmergearticles	threshold	int	
sysmergearticles	type	tinyint	
sysmergearticles	update_proc	nvarchar	128
sysmergearticles	upload_options	tinyint	
sysmergearticles	verify_resolver_signature	int	
sysmergearticles	vertical_partition	int	
sysmergearticles	view_sel_proc	nvarchar	290
sysmergearticles	view_type	tinyint	
sysmergearticles	well_partitioned_lightweight	bit	
sysmergepartitioninfo	artid	uniqueidentifier	
sysmergepartitioninfo	column_list	nvarchar	-1
sysmergepartitioninfo	column_list_blob	nvarchar	-1
sysmergepartitioninfo	expand_proc	nvarchar	128
sysmergepartitioninfo	logical_record_deleted_view_rule	nvarchar	-1
sysmergepartitioninfo	logical_record_level_conflict_detection	bit	
sysmergepartitioninfo	logical_record_level_conflict_resolution	bit	
sysmergepartitioninfo	logical_record_parent_nickname	int	
sysmergepartitioninfo	logical_record_view	int	
sysmergepartitioninfo	membership_eval_proc_name	nvarchar	128
sysmergepartitioninfo	partition_deleted_view_rule	nvarchar	-1

sysmergepartitioninfo	partition_inserted_view_rule	nvarchar	-1
sysmergepartitioninfo	partition_options	tinyint	
sysmergepartitioninfo	partition_view_id	int	
sysmergepartitioninfo	pubid	uniqueidentifier	
sysmergepartitioninfo	repl_view_id	int	
sysmergepublications	ad_guidname	nvarchar	128
sysmergepublications	allow_anonymous	int	
sysmergepublications	allow_partition_realignment	bit	
sysmergepublications	allow_pull	int	
sysmergepublications	allow_push	int	
sysmergepublications	allow_subscriber_initiated_snapshot	bit	
sysmergepublications	allow_subscription_copy	bit	
sysmergepublications	allow_synctoalternate	bit	
sysmergepublications	allow_web_synchronization	bit	
sysmergepublications	alt_snapshot_folder	nvarchar	255
sysmergepublications	automatic_reinitialization_policy	bit	
sysmergepublications	backward_comp_level	int	
sysmergepublications	centralized_conflicts	int	
sysmergepublications	compress_snapshot	bit	
sysmergepublications	conflict_retention	int	
sysmergepublications	decentralized_conflicts	int	
sysmergepublications	description	nvarchar	255
sysmergepublications	designmasterid	uniqueidentifier	
sysmergepublications	distributor	nvarchar	128
sysmergepublications	dynamic_filters	bit	
sysmergepublications	dynamic_filters_function_list	nvarchar	500
sysmergepublications	enabled_for_internet	bit	
sysmergepublications	ftp_address	nvarchar	128
sysmergepublications	ftp_login	nvarchar	128
sysmergepublications	ftp_password	nvarchar	524
sysmergepublications	ftp_port	int	
sysmergepublications	ftp_subdirectory	nvarchar	255
sysmergepublications	generation_leveling_threshold	int	
sysmergepublications	keep_before_values	int	
sysmergepublications	max_concurrent_dynamic_snapshots	int	
sysmergepublications	max_concurrent_merge	int	
sysmergepublications	name	nvarchar	128
sysmergepublications	parentid	uniqueidentifier	
sysmergepublications	partition_id_eval_proc	nvarchar	128
sysmergepublications	post_snapshot_script	nvarchar	255
sysmergepublications	pre_snapshot_script	nvarchar	255
sysmergepublications	pubid	uniqueidentifier	
sysmergepublications	publication_number	smallint	
sysmergepublications	publication_type	tinyint	
sysmergepublications	publisher	nvarchar	128
sysmergepublications	publisher_db	nvarchar	128
sysmergepublications	replicate_ddl	int	
sysmergepublications	retention	int	
sysmergepublications	retention_period_unit	tinyint	
sysmergepublications	snapshot_in_defaultfolder	bit	
sysmergepublications	snapshot_jobid	binary	16
sysmergepublications	snapshot_ready	tinyint	
sysmergepublications	status	tinyint	
sysmergepublications	sync_mode	tinyint	
sysmergepublications	use_partition_groups	smallint	
sysmergepublications	validate_subscriber_info	nvarchar	500
sysmergepublications	web_synchronization_url	nvarchar	500
sysmergeschemaarticles	artid	uniqueidentifier	
sysmergeschemaarticles	creation_script	nvarchar	255
sysmergeschemaarticles	description	nvarchar	255
sysmergeschemaarticles	destination_object	nvarchar	128

sysmergeschemaarticles	destination_owner	nvarchar	128
sysmergeschemaarticles	name	nvarchar	128
sysmergeschemaarticles	objid	int	
sysmergeschemaarticles	pre_creation_command	tinyint	
sysmergeschemaarticles	processing_order	int	
sysmergeschemaarticles	pubid	uniqueidentifier	
sysmergeschemaarticles	schema_option	binary	8
sysmergeschemaarticles	status	tinyint	
sysmergeschemaarticles	type	tinyint	
sysmergeschemachange	artid	uniqueidentifier	
sysmergeschemachange	pubid	uniqueidentifier	
sysmergeschemachange	schemaguid	uniqueidentifier	
sysmergeschemachange	schemastatus	tinyint	
sysmergeschemachange	schemasubtype	int	
sysmergeschemachange	schematext	nvarchar	-1
sysmergeschemachange	schematype	int	
sysmergeschemachange	schemaversion	int	
sysmergesubscriptions	application_name	nvarchar	128
sysmergesubscriptions	attempted_validate	datetime	
sysmergesubscriptions	cleanedup_unsent_changes	bit	
sysmergesubscriptions	datasource_type	int	
sysmergesubscriptions	db_name	nvarchar	128
sysmergesubscriptions	description	nvarchar	255
sysmergesubscriptions	last_makegeneration_datetime	datetime	
sysmergesubscriptions	last_sync_date	datetime	
sysmergesubscriptions	last_sync_status	int	
sysmergesubscriptions	last_sync_summary	nvarchar	128
sysmergesubscriptions	last_validated	datetime	
sysmergesubscriptions	metadatacleanupuptime	datetime	
sysmergesubscriptions	partition_id	int	
sysmergesubscriptions	priority	real	
sysmergesubscriptions	pubid	uniqueidentifier	
sysmergesubscriptions	recgen	bigint	
sysmergesubscriptions	recguid	uniqueidentifier	
sysmergesubscriptions	replica_version	int	
sysmergesubscriptions	replicastate	uniqueidentifier	
sysmergesubscriptions	replnickname	binary	6
sysmergesubscriptions	schemaguid	uniqueidentifier	
sysmergesubscriptions	schemaversion	int	
sysmergesubscriptions	sentgen	bigint	
sysmergesubscriptions	sentguid	uniqueidentifier	
sysmergesubscriptions	status	tinyint	
sysmergesubscriptions	subid	uniqueidentifier	
sysmergesubscriptions	subscriber_number	int	
sysmergesubscriptions	subscriber_server	nvarchar	128
sysmergesubscriptions	subscriber_type	int	
sysmergesubscriptions	subscription_type	int	
sysmergesubscriptions	supportability_mode	int	
sysmergesubscriptions	sync_type	tinyint	
sysmergesubsetfilters	art_nickname	int	
sysmergesubsetfilters	artid	uniqueidentifier	
sysmergesubsetfilters	expand_proc	nvarchar	128
sysmergesubsetfilters	filter_type	tinyint	
sysmergesubsetfilters	filtername	nvarchar	128
sysmergesubsetfilters	join_articlename	nvarchar	128
sysmergesubsetfilters	join_filterclause	nvarchar	1000
sysmergesubsetfilters	join_filterid	int	
sysmergesubsetfilters	join_nickname	int	
sysmergesubsetfilters	join_unique_key	int	
sysmergesubsetfilters	pubid	uniqueidentifier	
sysnarr	addtime	datetime	

sysnarr	adduser	varchar	11
sysnarr	consoleid	varchar	20
sysnarr	empl_id	int	
sysnarr	fieldname	varchar	12
sysnarr	ntuserid	varchar	20
sysnarr	prikeyval	int	
sysnarr	sysnarrid	int	
sysnarr	tablename	varchar	12
sysprof1	agencyid	char	4
sysprof1	backcolor	int	
sysprof1	cflag	char	4
sysprof1	codekey	char	4
sysprof1	creserve1	char	10
sysprof1	formname	char	10
sysprof1	methods	text	2147483647
sysprof1	modtime	datetime	
sysprof1	nreserve1	int	
sysprof1	profdesc	varchar	50
sysprof1	reserve1	text	2147483647
sysprof1	sharecode	char	1
sysprof1	sysprof1id	int	
sysprof1	userid	varchar	11
sysprof2	addtime	datetime	
sysprof2	adduser	varchar	11
sysprof2	agencyid	char	4
sysprof2	creserve1	char	10
sysprof2	geoother	varchar	15
sysprof2	geox	int	
sysprof2	geoy	int	
sysprof2	mainflag	char	1
sysprof2	recdate	datetime	
sysprof2	recdesc	varchar	100
sysprof2	recid	int	
sysprof2	reckey	char	2
sysprof2	recstatus	char	6
sysprof2	sysprof1id	int	
sysprof2	sysprof2id	int	
sysrept	addtime	datetime	
sysrept	adduser	varchar	11
sysrept	agency	char	4
sysrept	datatype3	char	1
sysrept	excludeexp	text	2147483647
sysrept	fieldtype1	char	1
sysrept	fieldtype2	char	1
sysrept	filecnt	int	
sysrept	fixedrule	text	2147483647
sysrept	format1	text	2147483647
sysrept	format2	text	2147483647
sysrept	graphdbf	char	8
sysrept	inputmask1	varchar	20
sysrept	inputmask2	varchar	20
sysrept	label1func	varchar	20
sysrept	label2func	varchar	20
sysrept	lastselect	char	1
sysrept	mid_rept	text	2147483647
sysrept	post_rept	text	2147483647
sysrept	pre_rept	text	2147483647
sysrept	printcnt	int	
sysrept	rdescriptn	varchar	70
sysrept	reportfile	char	8
sysrept	reptfilter	text	2147483647

sysrept	required1	char	1
sysrept	required2	char	1
sysrept	required3	char	1
sysrept	required4	char	10
sysrept	rfield1	text	2147483647
sysrept	rfield2	text	2147483647
sysrept	rfield4	text	2147483647
sysrept	rkey	char	4
sysrept	rlabel1	varchar	30
sysrept	rlabel2	varchar	30
sysrept	rlabel3	varchar	30
sysrept	rlabel4	varchar	20
sysrept	rsearch1	varchar	20
sysrept	rsearch2	varchar	20
sysrept	rsearch3	text	2147483647
sysrept	rsearch4	char	10
sysrept	rstate	char	2
sysrept	rstatus	char	1
sysrept	rstyle	char	1
sysrept	rtitle1	varchar	60
sysrept	singlepage	char	1
sysrept	sql_result	text	2147483647
sysrept	sqlfrom	varchar	50
sysrept	sqlordgrp	text	2147483647
sysrept	sqlselect	text	2147483647
sysrept	summaryrpt	char	1
sysrept	sys_use	varchar	20
sysrept	sysid	int	
sysrept	sysreptid	int	
sysrept	titlefunc	varchar	20
sysrept	valuetype1	char	1
sysrept	valuetype2	char	1
sysrept	viewcnt	int	
systab0	addfld1	char	10
systab0	addfld2	char	10
systab0	addval1	varchar	15
systab0	addval2	varchar	15
systab0	caption	varchar	40
systab0	fieldlist	text	2147483647
systab0	filter	varchar	50
systab0	form	char	10
systab0	formfld	varchar	15
systab0	gridwidth	decimal	
systab0	grouptable	char	8
systab0	grouptfld	varchar	21
systab0	grpfilter	varchar	60
systab0	more	varchar	50
systab0	moremsg	varchar	50
systab0	moretype	char	1
systab0	nleft	decimal	
systab0	notes	varchar	40
systab0	ntop	decimal	
systab0	numcols	tinyint	
systab0	pick2fld	char	10
systab0	pickptr	char	10
systab0	picktable	varchar	12
systab0	picktfld	varchar	35
systab0	props	text	2147483647
systab0	reserved1	int	
systab0	reserved2	char	10
systab0	savefld1	varchar	50

systab0	savefld2	varchar	50
systab0	savefld3	varchar	40
systab0	savefld4	varchar	30
systab0	savemacro	varchar	40
systab0	savemodes	char	4
systab0	saveval1	varchar	80
systab0	saveval2	varchar	30
systab0	saveval3	varchar	30
systab0	saveval4	varchar	20
systab0	systab0id	int	
systab0	val2retrn	char	10
systab1	code_agcy	char	4
systab1	code_fbi	char	4
systab1	code_key	char	4
systab1	code_sbi	char	4
systab1	descriptn	varchar	55
systab1	internal	int	
systab1	notes	text	2147483647
systab1	sys_msg	varchar	40
systab1	sys_use	varchar	30
systab1	systab1id	int	
systab2	code_agcy	char	4
systab2	code_fbi	char	4
systab2	code_key	char	4
systab2	code_sbi	char	4
systab2	codenote	varchar	20
systab2	descriptn	varchar	45
systab2	grp_code	char	4
systab2	internal	int	
systab2	systab2id	int	
systab2	updatecd2	char	4
systab2	updatecode	char	4
systab3	cflag1	char	1
systab3	cflag2	char	4
systab3	code_agcy	varchar	15
systab3	code_key	char	4
systab3	descriptn	varchar	55
systab3	narrtext	text	2147483647
systab3	nflag1	int	
systab3	nflag2	int	
systab3	quickkey	char	3
systab3	rate1	decimal	
systab3	rate2	decimal	
systab3	rate3	decimal	
systab3	sys_msg	varchar	30
systab3	sys_use	varchar	30
systab3	systab3id	int	
systab4	code_agcy	varchar	12
systab4	code_fbi	char	4
systab4	code_key	char	4
systab4	code_sbi	varchar	12
systab4	codenote	varchar	20
systab4	descriptn	varchar	45
systab4	grp_code	char	5
systab4	ibrcode	char	4
systab4	internal	int	
systab4	state	char	2
systab4	systab4id	int	
systab4	updatecd2	char	4
systab4	updatecode	char	4
systab5	agency	char	4

systab5	code_agcy	char	4
systab5	code_fbi	char	4
systab5	code_key	char	4
systab5	code_sbi	char	4
systab5	descriptn	varchar	55
systab5	internal	int	
systab5	notes	text	2147483647
systab5	notes2	text	2147483647
systab5	sys_msg	varchar	40
systab5	sys_use	varchar	30
systab5	systab5id	int	
system1	accdisable	bit	
system1	accendtime	char	4
system1	access	varchar	15
system1	accexpdate	datetime	
system1	accpicklst	bit	
system1	accstarttm	char	4
system1	agency	char	4
system1	agency2	char	4
system1	casesecu	char	1
system1	colorpref	char	10
system1	formpref	char	10
system1	logintime	datetime	
system1	pwexpdays	int	
system1	pwforce	bit	
system1	pwupdated	datetime	
system1	sqlid	varchar	15
system1	sqlpswd	varchar	15
system1	suppgroup	varchar	20
system1	sysid	int	
system1	sysprivlg	char	10
system1	systemlog	bit	
system1	userid	varchar	12
system1	username	varchar	30
system1	usertype	char	1
system2	accright	char	4
system2	gaid	int	
system2	sysid	int	
system2	windows	varchar	15
system3	available	tinyint	
system3	butcaption	varchar	12
system3	butcaptn2	varchar	12
system3	buttform	char	8
system3	buttonbmp	varchar	12
system3	buttonid	int	
system3	buttstate	char	10
system3	cmodule	varchar	12
system3	descriptn	varchar	35
system3	key_field	varchar	30
system3	objectflag	char	10
system3	objectset	text	2147483647
system3	orderid	char	1
system3	orderjail	char	1
system3	orderlegal	char	1
system3	system3id	int	
system3	windows	varchar	15
system3	winid	char	2
system4	gaid	int	
system4	grouptype	char	1
system4	sysid	int	
system4	uaid	int	

system5	accdisable	bit	
system5	accendtime	char	5
system5	accexpdate	datetime	
system5	accstarttm	char	5
system5	acctype	char	1
system5	agency	char	4
system5	cadgroup1	varchar	20
system5	consoleid	char	10
system5	creserve1	char	10
system5	creserve2	char	4
system5	creserve3	char	4
system5	descriptn	varchar	30
system5	loginid	varchar	15
system5	logintime	datetime	
system5	nreserve1	int	
system5	nreserve2	int	
system5	nreserve3	int	
system5	sysid	int	
system6	codevalue	char	2
system6	descriptn	varchar	30
system6	sysid	int	
system7	buttleft	int	
system7	buttonid	int	
system7	butttop	int	
system7	system7id	int	
system7	udcaption	varchar	12
system7	userid	int	
tachrg	addtime	datetime	
tachrg	adduser	varchar	11
tachrg	arr_chrg	varchar	25
tachrg	chrg_cnt	int	
tachrg	chrg_seq	int	
tachrg	chrgdesc	varchar	60
tachrg	mobilepkey	varchar	20
tachrg	tachrgid	int	
tachrg	tamainid	int	
tachrg	tanamesid	int	
tachrg	trci_id	varchar	12
tachrg	ucr_code	char	4
tachrgs	addtime	datetime	
tachrgs	adduser	varchar	11
tachrgs	arr_chrg	varchar	25
tachrgs	chrg_cnt	int	
tachrgs	chrg_seq	int	
tachrgs	chrgdesc	varchar	60
tachrgs	mobilepkey	varchar	20
tachrgs	persontype	char	4
tachrgs	tachrgsid	int	
tachrgs	tacpkey	varchar	20
tachrgs	tanpkey	varchar	20
tachrgs	tasuppid	int	
tachrgs	trci_id	varchar	12
tachrgs	ucr_code	char	4
tachrgs	unitnumber	int	
tamain	acci_id	varchar	12
tamain	accimage	char	1
tamain	addconsole	char	8
tamain	addtime	datetime	
tamain	adduser	varchar	11
tamain	agency	char	4
tamain	aggdrive	char	4

tamain	altitude	varchar	15
tamain	ambarrived	char	4
tamain	ambrequest	char	4
tamain	apt_flr	char	10
tamain	arr_ampm	bit	
tamain	arr_date	datetime	
tamain	arr_time	char	4
tamain	ass1offagy	char	4
tamain	ass1offid	char	10
tamain	ass1offnm	varchar	30
tamain	ass2offagy	char	4
tamain	ass2offid	char	10
tamain	ass2offnm	varchar	30
tamain	asst_offcr	int	
tamain	atfrom	char	4
tamain	atintrsctn	bit	
tamain	case_id	varchar	12
tamain	category1	char	4
tamain	category2	char	4
tamain	checkbox1	bit	
tamain	checkbox2	bit	
tamain	city	varchar	20
tamain	conrcir1	char	4
tamain	conrcir2	char	4
tamain	conrcir3	char	4
tamain	conrcir4	char	4
tamain	convkey	varchar	40
tamain	county	varchar	20
tamain	crashloca	char	4
tamain	creserve1	varchar	20
tamain	creserve2	varchar	20
tamain	devlptype	char	4
tamain	directfrom	char	2
tamain	directout	char	2
tamain	directtowa	char	2
tamain	district	char	4
tamain	dnr	bit	
tamain	driverrpt1	bit	
tamain	driverrpt2	bit	
tamain	emdivision	char	4
tamain	emsarrtime	char	4
tamain	emsection	char	4
tamain	emshift	char	4
tamain	emsinfo	text	2147483647
tamain	emsntftime	char	4
tamain	emunit	char	4
tamain	estdamage	money	
tamain	fatality	int	
tamain	feetfrom	char	5
tamain	formtype	char	5
tamain	fromhway	varchar	30
tamain	geoothor	varchar	15
tamain	geox	int	
tamain	geoy	int	
tamain	harmevent	char	4
tamain	hazmatinvl	bit	
tamain	hitrun	bit	
tamain	incapaci	int	
tamain	injtakento	varchar	35
tamain	innear	char	1
tamain	interramp	bit	

tamain	investloca	varchar	20
tamain	latitude	varchar	15
tamain	lightcond	char	4
tamain	locality	char	4
tamain	longitude	varchar	15
tamain	lwmainid	int	
tamain	milesfrom	char	5
tamain	milesout	char	5
tamain	mobilepkey	varchar	20
tamain	municip	varchar	20
tamain	neighborhd	char	4
tamain	noincapaci	int	
tamain	noinjury	int	
tamain	note_date	datetime	
tamain	note_time	char	4
tamain	noti_ampm	bit	
tamain	novisible	int	
tamain	nreserve1	int	
tamain	nreserve2	int	
tamain	ntfatality	int	
tamain	numbrlanes	int	
tamain	numunits	int	
tamain	officedpid	char	10
tamain	officerid	int	
tamain	offncharge	varchar	60
tamain	onhway	varchar	30
tamain	operating	char	4
tamain	other	bit	
tamain	patrolarea	char	4
tamain	pestractrl	bit	
tamain	phototake	bit	
tamain	possblinj	int	
tamain	preserve1	char	4
tamain	preserve2	char	4
tamain	preserve3	char	4
tamain	preserve4	char	4
tamain	privprop	bit	
tamain	rdcharacter	char	4
tamain	rdclass	char	4
tamain	rdconditon	char	4
tamain	rdconfigur	char	4
tamain	rdconstrut	bit	
tamain	rddefects	char	4
tamain	rdfeature	char	4
tamain	rdlightcam	bit	
tamain	rdsurface	char	4
tamain	recblock	char	10
tamain	receivdate	datetime	
tamain	reg_date	datetime	
tamain	reg_resend	float	
tamain	relroadway	char	4
tamain	reportarea	char	4
tamain	reportdate	datetime	
tamain	reviewdate	datetime	
tamain	reviewid	int	
tamain	rollcall	bit	
tamain	rrcross	varchar	15
tamain	schzone	bit	
tamain	servedby	char	4
tamain	state	char	2
tamain	stdesc1	varchar	30

tamain	stdesc2	varchar	30
tamain	street	varchar	40
tamain	streetdir	char	2
tamain	streetnbr	char	8
tamain	subdivisn	char	4
tamain	supervisor	int	
tamain	supprept	bit	
tamain	sysflag	char	8
tamain	ta_date	datetime	
tamain	ta_dow	char	3
tamain	ta_notes	text	2147483647
tamain	ta_time	char	4
tamain	tagrant	char	4
tamain	tamainid	int	
tamain	time_ampm	bit	
tamain	tollroad	bit	
tamain	totdamage	money	
tamain	towardhway	varchar	30
tamain	township	varchar	20
tamain	tracsdate	datetime	
tamain	tracssubm	bit	
tamain	tract	char	4
tamain	trafcontrl	char	4
tamain	visible	char	4
tamain	weather	char	4
tamain	workact	char	4
tamain	workarea	char	4
tamain	workmark	char	4
tamain	xintersect	char	4
tamain	xmlretrn	varchar	20
tamain	zip	char	10
tamain	zone	char	4
tanames	action1	char	4
tanames	action2	char	4
tanames	addtime	datetime	
tanames	adduser	varchar	11
tanames	age	char	2
tanames	alcdrgsusp	char	4
tanames	alcdrgtest	char	4
tanames	alcoholuse	bit	
tanames	arr_chrg	varchar	25
tanames	arr_chrg2	varchar	25
tanames	belthelmet	char	4
tanames	charges	varchar	60
tanames	charges2	varchar	60
tanames	chrg_cnt	int	
tanames	contrcirc1	char	4
tanames	contrcirc2	char	4
tanames	creserve1	varchar	20
tanames	creserve2	varchar	20
tanames	deathdate	datetime	
tanames	druguse	bit	
tanames	emsnbr	varchar	60
tanames	ethnic	char	4
tanames	excsafsped	bit	
tanames	excspdlmt	bit	
tanames	failrdcspd	bit	
tanames	foltoclose	bit	
tanames	iccode	varchar	20
tanames	impbcking	bit	
tanames	implanechg	bit	

tanames	imprnosignl	bit	
tanames	impprking	bit	
tanames	impropturn	bit	
tanames	impveheqp	bit	
tanames	injclass	char	4
tanames	injtakento	char	4
tanames	intoxicatn	char	4
tanames	lftofcentr	bit	
tanames	licensenbr	varchar	25
tanames	licenseress	char	10
tanames	licensestt	char	2
tanames	licensetyp	char	4
tanames	location	varchar	35
tanames	locsevinju	char	4
tanames	mobilepkey	varchar	20
tanames	name_id	int	
tanames	nreserve1	int	
tanames	other	bit	
tanames	othrdescp	text	2147483647
tanames	othrimppas	bit	
tanames	passoncurv	bit	
tanames	passonhill	bit	
tanames	persontype	char	4
tanames	physcond	char	4
tanames	preserve1	char	4
tanames	preserve2	char	4
tanames	preserve3	char	4
tanames	preserve4	char	4
tanames	pstpschbus	bit	
tanames	race	char	2
tanames	restrctons	tinyint	
tanames	rgtturnred	bit	
tanames	safmovviol	bit	
tanames	sameadd_dl	bit	
tanames	seatlocatn	char	4
tanames	sectionnbr	int	
tanames	sex	char	1
tanames	stopsign	bit	
tanames	tamainid	int	
tanames	tanamesid	int	
tanames	taunitid	int	
tanames	testgiven	char	4
tanames	testresult	varchar	15
tanames	trafsignal	bit	
tanames	trci_id	varchar	12
tanames	trci_id2	varchar	12
tanames	typegiven	char	4
tanames	typeseq	int	
tanames	unabltoadm	bit	
tanames	unitnumber	int	
tanames	useimplane	bit	
tanames	vicinjstat	char	4
tanames	visonobstr	char	4
tanames	vmanpedact	tinyint	
tanames	yield	bit	
tanmuns	action1	char	4
tanmuns	action2	char	4
tanmuns	addtime	datetime	
tanmuns	adduser	varchar	11
tanmuns	age	char	2
tanmuns	airbagdply	char	2

tanmuns	alcdrgsusp	char	2
tanmuns	alcdrgtest	char	2
tanmuns	alcoholuse	bit	
tanmuns	arr_chrg	varchar	25
tanmuns	arr_chrg2	varchar	25
tanmuns	authority	varchar	15
tanmuns	axletotnbr	int	
tanmuns	belthelmet	char	2
tanmuns	cargobody	char	4
tanmuns	carryaddr	varchar	60
tanmuns	carrycity	varchar	20
tanmuns	carryname	varchar	30
tanmuns	carryst	char	2
tanmuns	carryzip	char	10
tanmuns	caryhazmat	bit	
tanmuns	charges	varchar	60
tanmuns	charges2	varchar	60
tanmuns	chrg_cnt	int	
tanmuns	commveh	char	2
tanmuns	contrcirc1	char	2
tanmuns	contrcirc2	char	2
tanmuns	creserve1	varchar	20
tanmuns	creserve2	varchar	20
tanmuns	creserve3	varchar	20
tanmuns	creserve4	char	10
tanmuns	creserve5	char	10
tanmuns	creserve6	char	10
tanmuns	creserve7	char	10
tanmuns	crssmedan	char	2
tanmuns	d_aptfldr	char	10
tanmuns	d_city	varchar	20
tanmuns	d_dob	datetime	
tanmuns	d_fname	varchar	20
tanmuns	d_lname	varchar	40
tanmuns	d_mname	varchar	15
tanmuns	d_phone	char	10
tanmuns	d_state	char	2
tanmuns	d_street	varchar	40
tanmuns	d_strno	char	8
tanmuns	d_suffix	char	5
tanmuns	d_zip	char	10
tanmuns	deathdate	datetime	
tanmuns	descrip	char	10
tanmuns	diamondnbr	char	1
tanmuns	dirctooftrv	char	2
tanmuns	distrvlaft	decimal	
tanmuns	disttoobjt	char	2
tanmuns	dmgpoints	varchar	60
tanmuns	drawobject	char	4
tanmuns	driver	bit	
tanmuns	druguse	bit	
tanmuns	emrgvehuse	char	2
tanmuns	emsnbr	char	4
tanmuns	estdamage	money	
tanmuns	estimptspd	int	
tanmuns	esttrldmg1	money	
tanmuns	esttrldmg2	money	
tanmuns	esttrvlspd	int	
tanmuns	excsafsped	bit	
tanmuns	excspdlmt	bit	
tanmuns	failrdcspd	bit	

tanmuns	feinbr	char	10
tanmuns	foltoclose	bit	
tanmuns	fsthmfent	char	2
tanmuns	gvwr	decimal	
tanmuns	hazardcrgo	char	2
tanmuns	hazcargo	bit	
tanmuns	hazmatplac	bit	
tanmuns	iccmcnbr	char	10
tanmuns	iccode	varchar	20
tanmuns	iftanbr	char	10
tanmuns	impbcking	bit	
tanmuns	implanechg	bit	
tanmuns	imynosignl	bit	
tanmuns	impprking	bit	
tanmuns	impropturn	bit	
tanmuns	impveheqp	bit	
tanmuns	injclass	char	2
tanmuns	injtakento	char	4
tanmuns	insurance	varchar	35
tanmuns	intcont2	tinyint	
tanmuns	intcont3	tinyint	
tanmuns	intoxicatn	char	1
tanmuns	length1	decimal	
tanmuns	length2	decimal	
tanmuns	lftofcentr	bit	
tanmuns	licensenbr	varchar	25
tanmuns	licenseress	char	10
tanmuns	licensestt	char	2
tanmuns	licensetyp	char	2
tanmuns	location	varchar	35
tanmuns	locsevinju	char	2
tanmuns	mobilepkey	varchar	20
tanmuns	motorcycle	varchar	40
tanmuns	msthmfent	char	2
tanmuns	npreserve1	char	4
tanmuns	npreserve2	char	4
tanmuns	npreserve3	char	4
tanmuns	npreserve4	char	4
tanmuns	nreserve1	int	
tanmuns	numaxles1	int	
tanmuns	numaxles2	int	
tanmuns	numinjured	int	
tanmuns	numocupnts	int	
tanmuns	o_aptfir	char	10
tanmuns	o_city	varchar	20
tanmuns	o_dob	datetime	
tanmuns	o_fname	varchar	20
tanmuns	o_lname	varchar	40
tanmuns	o_mname	varchar	15
tanmuns	o_race	char	2
tanmuns	o_sex	char	1
tanmuns	o_state	char	2
tanmuns	o_street	varchar	40
tanmuns	o_strno	char	8
tanmuns	o_suffix	char	5
tanmuns	o_zip	char	10
tanmuns	objtstruck	char	2
tanmuns	onroad	varchar	20
tanmuns	other	bit	
tanmuns	othrdescp	text	2147483647
tanmuns	othrimppas	bit	

tanmuns	overwidth1	varchar	12
tanmuns	overwidth2	varchar	12
tanmuns	parkfacing	bit	
tanmuns	passenger	char	2
tanmuns	passoncurv	bit	
tanmuns	passonhill	bit	
tanmuns	pedalcycle	varchar	40
tanmuns	pedlocatn	char	4
tanmuns	persontype	char	4
tanmuns	physcond	char	2
tanmuns	pimpact	char	2
tanmuns	placardnbr	char	4
tanmuns	plate_nbr	char	10
tanmuns	plate_st	char	2
tanmuns	ptintcont	int	
tanmuns	policy_num	varchar	25
tanmuns	protection	varchar	40
tanmuns	pstcrshfir	char	2
tanmuns	pstpschbus	bit	
tanmuns	race	char	2
tanmuns	removedby	varchar	30
tanmuns	removedto	varchar	30
tanmuns	restrctons	tinyint	
tanmuns	rgtturned	bit	
tanmuns	rollover	char	2
tanmuns	safmovviol	bit	
tanmuns	sameadd_dl	bit	
tanmuns	sameaddr	bit	
tanmuns	samedriver	bit	
tanmuns	seatlocatn	char	2
tanmuns	sectionnbr	int	
tanmuns	sex	char	1
tanmuns	shippapers	bit	
tanmuns	speedlimit	int	
tanmuns	spilled	char	2
tanmuns	stopsign	bit	
tanmuns	t_aptfldr	char	10
tanmuns	t_city	varchar	20
tanmuns	t_fname	varchar	20
tanmuns	t_lname	varchar	40
tanmuns	t_make1	char	4
tanmuns	t_make2	char	4
tanmuns	t_mname	varchar	15
tanmuns	t_pltnbr1	char	10
tanmuns	t_pltnbr2	char	10
tanmuns	t_pltst1	char	2
tanmuns	t_pltst2	char	2
tanmuns	t_state	char	2
tanmuns	t_street	varchar	40
tanmuns	t_strno	char	8
tanmuns	t_suffix	char	5
tanmuns	t_type1	char	4
tanmuns	t_type2	char	4
tanmuns	t_vin1	varchar	30
tanmuns	t_vin2	varchar	30
tanmuns	t_year1	int	
tanmuns	t_year2	int	
tanmuns	t_zip	char	10
tanmuns	tad	varchar	20
tanmuns	tanmunsid	int	
tanmuns	tasuppid	int	

tanmuns	testgiven	char	2
tanmuns	testresult	varchar	15
tanmuns	tireimpres	decimal	
tanmuns	trafsignal	bit	
tanmuns	traveling	bit	
tanmuns	trci_id	varchar	12
tanmuns	trci_id2	varchar	15
tanmuns	trlrtpcde	char	2
tanmuns	truck	bit	
tanmuns	typegiven	char	2
tanmuns	typeseq	int	
tanmuns	unablto dtm	bit	
tanmuns	unitnumber	int	
tanmuns	unittype	char	4
tanmuns	unittype2	char	4
tanmuns	upreserve1	char	4
tanmuns	upreserve2	char	4
tanmuns	upreserve3	char	4
tanmuns	upreserve4	char	4
tanmuns	usdotnbr	char	10
tanmuns	useimplane	bit	
tanmuns	v_color1	char	4
tanmuns	v_color2	char	4
tanmuns	v_make	char	4
tanmuns	v_model	varchar	12
tanmuns	v_pltnbr	char	10
tanmuns	v_pltst	char	2
tanmuns	v_type	char	4
tanmuns	v_vin	varchar	30
tanmuns	v_year	int	
tanmuns	vehdefects	char	2
tanmuns	vehdriable	bit	
tanmuns	vehdrvable	char	2
tanmuns	vehtypcode	char	4
tanmuns	vicinjstat	char	2
tanmuns	visonobstr	char	2
tanmuns	vmanpedac1	char	2
tanmuns	vmanpedact	char	2
tanmuns	width1	decimal	
tanmuns	width2	decimal	
tanmuns	workarea	char	2
tanmuns	yield	bit	
taprop	addtime	datetime	
taprop	adduser	varchar	11
taprop	advsdtime	datetime	
taprop	age	char	2
taprop	apt_flr	char	10
taprop	city	varchar	20
taprop	damageest	char	2
taprop	dob	datetime	
taprop	estdamage	money	
taprop	mobilepkey	varchar	20
taprop	name_id	int	
taprop	personadv	varchar	30
taprop	propdamage	varchar	30
taprop	race	char	2
taprop	sectionnbr	int	
taprop	sex	char	1
taprop	state	char	2
taprop	stateprop	bit	
taprop	street	varchar	40

taprop	streetdir	char	2
taprop	streetnbr	char	8
taprop	tamainid	int	
taprop	tapropid	int	
taprop	typeseq	int	
taprop	unitnumber	int	
taprop	zip	char	10
taprops	addtime	datetime	
taprops	adduser	varchar	11
taprops	advsdtime	datetime	
taprops	age	char	2
taprops	apt_flr	char	10
taprops	city	varchar	20
taprops	damageest	char	2
taprops	dob	datetime	
taprops	estdamage	money	
taprops	firstname	varchar	20
taprops	lastname	varchar	40
taprops	middlename	varchar	15
taprops	mobilepkey	varchar	20
taprops	name_id	int	
taprops	personadv	varchar	30
taprops	propdamage	varchar	30
taprops	race	char	2
taprops	sectionnbr	int	
taprops	sex	char	1
taprops	state	char	2
taprops	stateprop	bit	
taprops	street	varchar	40
taprops	streetdir	char	2
taprops	streetnbr	char	8
taprops	suffix	char	5
taprops	tapropsid	int	
taprops	tasuppid	int	
taprops	typeseq	int	
taprops	unitnumber	int	
taprops	zip	char	10
tasupp	acci_id	varchar	12
tasupp	accimage	char	1
tasupp	addconsole	char	8
tasupp	addtime	datetime	
tasupp	adduser	varchar	11
tasupp	agency	char	4
tasupp	aggdrive	char	4
tasupp	altitude	varchar	15
tasupp	ambarrived	char	4
tasupp	ambrequest	char	1
tasupp	apt_flr	char	10
tasupp	arr_ampm	bit	
tasupp	arr_time	char	4
tasupp	ass1offagy	char	4
tasupp	ass1offid	char	10
tasupp	ass1offnm	varchar	30
tasupp	ass2offagy	char	4
tasupp	ass2offid	char	10
tasupp	ass2offnm	varchar	30
tasupp	asst_offcr	int	
tasupp	atfrom	char	4
tasupp	case_id	varchar	12
tasupp	city	varchar	20
tasupp	contrcir1	char	2

tasupp	contrcir2	char	2
tasupp	contrcir3	char	2
tasupp	contrcir4	char	2
tasupp	county	varchar	20
tasupp	crashloca	char	2
tasupp	creserve1	varchar	20
tasupp	creserve2	varchar	20
tasupp	devlptype	char	2
tasupp	directfrom	char	2
tasupp	directout	char	2
tasupp	directtowa	char	2
tasupp	district	char	4
tasupp	dnr	bit	
tasupp	driverrpt1	bit	
tasupp	driverrpt2	bit	
tasupp	emdivision	char	4
tasupp	emsarrtime	char	4
tasupp	emsection	char	4
tasupp	emshift	char	4
tasupp	emsntftime	char	4
tasupp	emunit	char	4
tasupp	estdamage	money	
tasupp	fatality	int	
tasupp	feetfrom	char	5
tasupp	formtype	char	5
tasupp	fromhway	varchar	30
tasupp	geoothor	varchar	15
tasupp	geox	int	
tasupp	geoy	int	
tasupp	harmevent	char	4
tasupp	hazmatinvl	bit	
tasupp	hitrun	bit	
tasupp	incapaci	int	
tasupp	injtakento	varchar	35
tasupp	innear	char	1
tasupp	interramp	bit	
tasupp	investloca	varchar	20
tasupp	latitude	varchar	15
tasupp	lightcond	char	2
tasupp	locality	char	2
tasupp	longitude	varchar	15
tasupp	lwmainid	int	
tasupp	milesfrom	char	5
tasupp	milesout	char	5
tasupp	mobilepkey	varchar	20
tasupp	municip	varchar	20
tasupp	neighborhd	char	4
tasupp	noincapaci	int	
tasupp	noinjury	int	
tasupp	note_time	char	4
tasupp	noti_ampm	bit	
tasupp	novisible	int	
tasupp	ntfatality	int	
tasupp	numbrlanes	int	
tasupp	numunits	int	
tasupp	officedpid	char	10
tasupp	officerid	int	
tasupp	offncharge	varchar	60
tasupp	onhway	varchar	30
tasupp	operating	char	2
tasupp	other	bit	

tasupp	patrolarea	char	4
tasupp	pestractrl	bit	
tasupp	phototake	bit	
tasupp	possblinj	int	
tasupp	preserve1	char	4
tasupp	preserve2	char	4
tasupp	preserve3	char	4
tasupp	preserve4	char	4
tasupp	privprop	bit	
tasupp	rdcharacter	char	2
tasupp	rdclass	char	2
tasupp	rdconditon	char	2
tasupp	rdconfigur	char	2
tasupp	rdconstrut	bit	
tasupp	rddefects	char	2
tasupp	rdfeature	char	2
tasupp	rdsurface	char	2
tasupp	receivdate	datetime	
tasupp	relroadway	char	2
tasupp	reportarea	char	4
tasupp	reportdate	datetime	
tasupp	rollcall	bit	
tasupp	rrcross	varchar	15
tasupp	servicedby	char	4
tasupp	state	char	2
tasupp	street	varchar	40
tasupp	streetdir	char	2
tasupp	streetnbr	char	8
tasupp	subdivisn	char	4
tasupp	supervisor	int	
tasupp	supprept	bit	
tasupp	sysflag	char	8
tasupp	ta_date	datetime	
tasupp	ta_dow	char	3
tasupp	ta_notes	text	2147483647
tasupp	ta_time	char	4
tasupp	tagrant	char	4
tasupp	tamainid	int	
tasupp	tasuppid	int	
tasupp	time_ampm	bit	
tasupp	totdamage	money	
tasupp	towardhway	varchar	30
tasupp	township	varchar	20
tasupp	tract	char	4
tasupp	trafcontrl	char	2
tasupp	visable	char	2
tasupp	weather	char	2
tasupp	workact	char	2
tasupp	workarea	char	2
tasupp	workmark	char	2
tasupp	xintersect	char	4
tasupp	zip	char	10
tasupp	zone	char	4
taunits	addtime	datetime	
taunits	adduser	varchar	11
taunits	age	char	2
taunits	airbagdply	char	4
taunits	authority	varchar	15
taunits	axletotnbr	int	
taunits	cargobody	char	4
taunits	carryaddr	varchar	60

taunits	carrycity	varchar	20
taunits	carryname	varchar	30
taunits	carryst	char	2
taunits	carryzip	char	10
taunits	caryhazmat	bit	
taunits	commveh	char	4
taunits	creserve1	varchar	20
taunits	creserve2	varchar	20
taunits	creserve3	varchar	20
taunits	creserve4	char	10
taunits	creserve5	char	10
taunits	creserve6	char	10
taunits	creserve7	char	10
taunits	crssmedan	char	4
taunits	descrip	char	10
taunits	diamondnbr	char	1
taunits	dirctoftrv	char	2
taunits	distrvlaft	decimal	
taunits	disttoobjt	char	4
taunits	dmgpoints	varchar	60
taunits	drawobject	char	4
taunits	driver	bit	
taunits	emrgvehuse	char	4
taunits	estdamage	money	
taunits	estimptspd	int	
taunits	esttrvlspd	int	
taunits	feinbr	char	10
taunits	fsthmflemt	char	4
taunits	gvwr	decimal	
taunits	hazardcrgo	char	4
taunits	hazcargo	bit	
taunits	hazmatplac	bit	
taunits	iccmcnbr	char	10
taunits	iftanbr	char	10
taunits	insurance	varchar	35
taunits	intcont2	tinyint	
taunits	intcont3	tinyint	
taunits	length1	decimal	
taunits	length2	decimal	
taunits	mobilepkey	varchar	20
taunits	motorcycle	varchar	40
taunits	msthmflemt	char	4
taunits	name_id	int	
taunits	numaxles1	int	
taunits	numaxles2	int	
taunits	numinjured	int	
taunits	numocupnts	int	
taunits	objtstruck	char	4
taunits	onroad	varchar	20
taunits	overwidth1	varchar	12
taunits	overwidth2	varchar	12
taunits	parkfacing	bit	
taunits	passenger	char	4
taunits	pedalcycle	varchar	40
taunits	pedlocatn	char	4
taunits	persontype	char	4
taunits	pimpact	char	4
taunits	placardnbr	char	4
taunits	plate_nbr	char	10
taunits	plate_st	char	2
taunits	pntintcont	int	

taunits	policy_num	varchar	25
taunits	preserve1	char	4
taunits	preserve2	char	4
taunits	preserve3	char	4
taunits	preserve4	char	4
taunits	protection	varchar	40
taunits	pstcrshfir	char	4
taunits	race	char	2
taunits	removedby	varchar	60
taunits	removedto	varchar	60
taunits	rollover	char	4
taunits	sameaddr	bit	
taunits	samedriver	bit	
taunits	sectionnbr	int	
taunits	sex	char	1
taunits	shippapers	bit	
taunits	speedlimit	int	
taunits	spilled	char	4
taunits	tad	varchar	20
taunits	tamainid	int	
taunits	taunitsid	int	
taunits	tireimpres	decimal	
taunits	traveling	bit	
taunits	trlrtpcde	char	4
taunits	truck	bit	
taunits	typeseq	int	
taunits	unitnumber	int	
taunits	unittype	char	4
taunits	unittype2	char	4
taunits	usdotnbr	char	10
taunits	vehdefects	char	4
taunits	vehdriable	bit	
taunits	vehdrvable	char	4
taunits	vehi_id	int	
taunits	vehtypcode	char	4
taunits	vmanpedact	char	4
taunits	width1	decimal	
taunits	width2	decimal	
taunits	workarea	char	4
tcchrg	addtime	datetime	
tcchrg	adduser	varchar	11
tcchrg	aoccode	char	6
tcchrg	arr_chrg	varchar	25
tcchrg	chrg_cnt	tinyint	
tcchrg	chrg_seq	tinyint	
tcchrg	chrgdesc	varchar	60
tcchrg	chrgtype	char	4
tcchrg	daprinted	datetime	
tcchrg	date_disp	datetime	
tcchrg	dispositn	char	4
tcchrg	fel_misd	char	1
tcchrg	mobilepkey	varchar	20
tcchrg	pty_seq	int	
tcchrg	szcharge	int	
tcchrg	tcchrgid	int	
tcchrg	tcmainid	int	
tcchrg	ucr_code	char	4
tcdispos	addtime	datetime	
tcdispos	adduser	varchar	11
tcdispos	case_id	varchar	20
tcdispos	casenbr	varchar	25

tcdispos	chrgcode	varchar	20
tcdispos	chrgdesc	varchar	80
tcdispos	citanbr	varchar	20
tcdispos	dispcode	char	4
tcdispos	dispdate	datetime	
tcdispos	judgedesc	varchar	60
tcdispos	offseqnbr	int	
tcdispos	pty_seq	int	
tcdispos	tcchrgid	int	
tcdispos	tcdisposid	int	
tcmain	acblood	tinyint	
tcmain	acbreath	tinyint	
tcmain	accident	char	4
tcmain	acrefused	char	1
tcmain	acresult	char	10
tcmain	actested	char	1
tcmain	activity	char	3
tcmain	actype	char	4
tcmain	acurine	tinyint	
tcmain	addconsole	char	8
tcmain	addtime	datetime	
tcmain	adduser	varchar	11
tcmain	age	char	2
tcmain	agency	char	4
tcmain	apt_flr	char	10
tcmain	area	char	4
tcmain	arr_chrg	varchar	25
tcmain	arrestdate	datetime	
tcmain	arrestloc	text	2147483647
tcmain	arresttype	char	4
tcmain	avoidcourt	bit	
tcmain	calibdate	datetime	
tcmain	case_id	varchar	12
tcmain	category1	char	4
tcmain	category2	char	4
tcmain	charge	varchar	60
tcmain	checkbox1	bit	
tcmain	checkbox2	bit	
tcmain	chemanalys	varchar	100
tcmain	citapoint	int	
tcmain	city	varchar	20
tcmain	cleryloc	char	4
tcmain	commveh1	varchar	100
tcmain	commveh2	varchar	100
tcmain	commveh3	varchar	60
tcmain	commveh4	varchar	60
tcmain	commveh5	varchar	200
tcmain	commveh6	varchar	200
tcmain	convkey	varchar	40
tcmain	court	char	4
tcmain	courtjuris	char	4
tcmain	courtloca	text	2147483647
tcmain	courttime	datetime	
tcmain	creserve1	char	4
tcmain	crtcase	varchar	20
tcmain	depositamt	money	
tcmain	depositype	char	2
tcmain	diffaddr	char	1
tcmain	direction	char	2
tcmain	disposdate	datetime	
tcmain	dispositn	char	4

tcmain	distance	char	5
tcmain	district	char	4
tcmain	docketnbr	varchar	20
tcmain	dotno	varchar	12
tcmain	drugtype	char	4
tcmain	emdivision	char	4
tcmain	emsection	char	4
tcmain	emshift	char	4
tcmain	emunit	char	4
tcmain	endorsemnt	char	4
tcmain	estpoint	char	4
tcmain	ethnicity	char	1
tcmain	fatality	bit	
tcmain	feetmile	char	4
tcmain	financial	char	1
tcmain	fineamt	money	
tcmain	fromat	char	2
tcmain	fromhwy	varchar	40
tcmain	geooother	varchar	15
tcmain	geox	int	
tcmain	geoy	int	
tcmain	hazmat	bit	
tcmain	hazmatno	int	
tcmain	hwylanes	char	2
tcmain	hwytype	char	4
tcmain	ibr_date	datetime	
tcmain	ibr_resend	tinyint	
tcmain	is_acciden	bit	
tcmain	jdispostn	char	4
tcmain	licenstype	char	4
tcmain	licexpdob	datetime	
tcmain	licheld	tinyint	
tcmain	licssdate	datetime	
tcmain	licssmon	tinyint	
tcmain	licisstate	char	2
tcmain	licissyr	int	
tcmain	licstatus	char	4
tcmain	licstnote	varchar	15
tcmain	lwmainid	int	
tcmain	mailaddr	bit	
tcmain	mailaddrss	text	2147483647
tcmain	mgappear	char	1
tcmain	mobilepkey	varchar	20
tcmain	monthstamp	tinyint	
tcmain	multclear	char	1
tcmain	name_id	int	
tcmain	neighborhd	char	4
tcmain	nreserve1	int	
tcmain	offcr_id	int	
tcmain	offcr_id2	int	
tcmain	offcrsig	text	2147483647
tcmain	offnsjuris	char	4
tcmain	onhighway	varchar	20
tcmain	onview	float	
tcmain	pavement	char	4
tcmain	plearesult	char	4
tcmain	printdate	datetime	
tcmain	race	char	2
tcmain	rdlightcam	bit	
tcmain	recidjuris	char	4
tcmain	reg_date	datetime	

tcmain	reg_resend	tinyint	
tcmain	reportarea	char	4
tcmain	residence	char	1
tcmain	reviewdate	datetime	
tcmain	reviewid	int	
tcmain	roadsurf	char	4
tcmain	rollcall	bit	
tcmain	schoolzone	bit	
tcmain	sex	char	1
tcmain	signature	text	2147483647
tcmain	spdoverlmt	int	
tcmain	speed	int	
tcmain	speedchrg	int	
tcmain	speedcode	char	4
tcmain	speedoth	float	
tcmain	speedzone	int	
tcmain	spneeds	char	4
tcmain	state	char	2
tcmain	statecode	char	10
tcmain	street	varchar	40
tcmain	streetdir	char	2
tcmain	streetnbr	char	8
tcmain	subdivisn	char	4
tcmain	sysflag	char	8
tcmain	tc_cdImv	bit	
tcmain	tc_class	char	2
tcmain	tc_date	datetime	
tcmain	tc_dow	char	2
tcmain	tc_notes	text	2147483647
tcmain	tc_time	char	4
tcmain	tc_type	char	4
tcmain	tcgrant	char	4
tcmain	tcmainid	int	
tcmain	tcnamehist	text	2147483647
tcmain	tracsdate	datetime	
tcmain	tracssubm	bit	
tcmain	tract	char	4
tcmain	traffic	char	10
tcmain	trci_id	varchar	12
tcmain	ucr_code	char	4
tcmain	visibility	char	4
tcmain	voidsumm	bit	
tcmain	warnonly	bit	
tcmain	weapon	char	4
tcmain	weaponauto	char	1
tcmain	weather	char	10
tcmain	witness	char	1
tcmain	yearstamp	int	
tcmain	zip	char	10
tcmain	zone	char	4
tcmain_WOPDCONV	acblood	tinyint	
tcmain_WOPDCONV	acbreath	tinyint	
tcmain_WOPDCONV	accident	char	4
tcmain_WOPDCONV	acrefused	char	1
tcmain_WOPDCONV	acresult	char	10
tcmain_WOPDCONV	actested	char	1
tcmain_WOPDCONV	activity	char	3
tcmain_WOPDCONV	actype	char	4
tcmain_WOPDCONV	acurine	tinyint	
tcmain_WOPDCONV	addconsole	char	8
tcmain_WOPDCONV	addtime	datetime	

tcmain_WOPDCONV	adduser	varchar	11
tcmain_WOPDCONV	age	char	2
tcmain_WOPDCONV	agency	char	4
tcmain_WOPDCONV	apt_flr	char	10
tcmain_WOPDCONV	area	char	4
tcmain_WOPDCONV	arr_chrg	varchar	25
tcmain_WOPDCONV	arrestdate	datetime	
tcmain_WOPDCONV	arrestloc	text	2147483647
tcmain_WOPDCONV	arresttype	char	4
tcmain_WOPDCONV	avoidcourt	bit	
tcmain_WOPDCONV	calibdate	datetime	
tcmain_WOPDCONV	case_id	varchar	12
tcmain_WOPDCONV	category1	char	4
tcmain_WOPDCONV	category2	char	4
tcmain_WOPDCONV	charge	varchar	60
tcmain_WOPDCONV	checkbox1	bit	
tcmain_WOPDCONV	checkbox2	bit	
tcmain_WOPDCONV	chemanalys	varchar	100
tcmain_WOPDCONV	citapoint	int	
tcmain_WOPDCONV	city	varchar	20
tcmain_WOPDCONV	cleryloc	char	4
tcmain_WOPDCONV	commveh1	varchar	100
tcmain_WOPDCONV	commveh2	varchar	100
tcmain_WOPDCONV	commveh3	varchar	60
tcmain_WOPDCONV	commveh4	varchar	60
tcmain_WOPDCONV	convkey	varchar	40
tcmain_WOPDCONV	court	char	4
tcmain_WOPDCONV	courtjuris	char	4
tcmain_WOPDCONV	courtloca	text	2147483647
tcmain_WOPDCONV	courttime	datetime	
tcmain_WOPDCONV	creserve1	char	4
tcmain_WOPDCONV	crtcase	varchar	20
tcmain_WOPDCONV	depositamt	money	
tcmain_WOPDCONV	depositype	char	2
tcmain_WOPDCONV	diffaddr	char	1
tcmain_WOPDCONV	direction	char	2
tcmain_WOPDCONV	disposdate	datetime	
tcmain_WOPDCONV	dispositn	char	4
tcmain_WOPDCONV	distance	char	5
tcmain_WOPDCONV	district	char	4
tcmain_WOPDCONV	docketnbr	varchar	20
tcmain_WOPDCONV	dotno	varchar	12
tcmain_WOPDCONV	drugtype	char	4
tcmain_WOPDCONV	emdivision	char	4
tcmain_WOPDCONV	emsection	char	4
tcmain_WOPDCONV	emshift	char	4
tcmain_WOPDCONV	emunit	char	4
tcmain_WOPDCONV	endorsemnt	char	4
tcmain_WOPDCONV	estpoint	char	4
tcmain_WOPDCONV	ethnicity	char	1
tcmain_WOPDCONV	fatality	bit	
tcmain_WOPDCONV	feetmile	char	4
tcmain_WOPDCONV	financial	char	1
tcmain_WOPDCONV	fineamt	money	
tcmain_WOPDCONV	fromat	char	2
tcmain_WOPDCONV	fromhwy	varchar	40
tcmain_WOPDCONV	geoothor	varchar	15
tcmain_WOPDCONV	geox	int	
tcmain_WOPDCONV	geoy	int	
tcmain_WOPDCONV	hazmat	bit	
tcmain_WOPDCONV	hazmatno	int	

tcmain_WOPDCONV	hwylanes	char	2
tcmain_WOPDCONV	hwytype	char	4
tcmain_WOPDCONV	ibr_date	datetime	
tcmain_WOPDCONV	ibr_resend	tinyint	
tcmain_WOPDCONV	is_acciden	bit	
tcmain_WOPDCONV	jdispostn	char	4
tcmain_WOPDCONV	licenstype	char	4
tcmain_WOPDCONV	licexpdob	datetime	
tcmain_WOPDCONV	licheld	tinyint	
tcmain_WOPDCONV	licissdate	datetime	
tcmain_WOPDCONV	licissmon	tinyint	
tcmain_WOPDCONV	licisstate	char	2
tcmain_WOPDCONV	licissyr	int	
tcmain_WOPDCONV	licstatus	char	4
tcmain_WOPDCONV	licstnote	varchar	15
tcmain_WOPDCONV	lwmainid	int	
tcmain_WOPDCONV	mailaddr	bit	
tcmain_WOPDCONV	mailaddrss	text	2147483647
tcmain_WOPDCONV	mobilekey	varchar	20
tcmain_WOPDCONV	monthstamp	tinyint	
tcmain_WOPDCONV	multclear	char	1
tcmain_WOPDCONV	name_id	int	
tcmain_WOPDCONV	neighborhd	char	4
tcmain_WOPDCONV	nreserve1	int	
tcmain_WOPDCONV	offcr_id	int	
tcmain_WOPDCONV	offcr_id2	int	
tcmain_WOPDCONV	offcrsig	text	2147483647
tcmain_WOPDCONV	offnsjuris	char	4
tcmain_WOPDCONV	onhighway	varchar	20
tcmain_WOPDCONV	onview	float	
tcmain_WOPDCONV	pavement	char	4
tcmain_WOPDCONV	plearesult	char	4
tcmain_WOPDCONV	printdate	datetime	
tcmain_WOPDCONV	race	char	2
tcmain_WOPDCONV	recidjuris	char	4
tcmain_WOPDCONV	reg_date	datetime	
tcmain_WOPDCONV	reg_resend	tinyint	
tcmain_WOPDCONV	reportarea	char	4
tcmain_WOPDCONV	residence	char	1
tcmain_WOPDCONV	reviewdate	datetime	
tcmain_WOPDCONV	reviewid	int	
tcmain_WOPDCONV	roadsurf	char	4
tcmain_WOPDCONV	rollcall	bit	
tcmain_WOPDCONV	schoolzone	bit	
tcmain_WOPDCONV	sex	char	1
tcmain_WOPDCONV	signature	text	2147483647
tcmain_WOPDCONV	spdoverlmt	int	
tcmain_WOPDCONV	speed	int	
tcmain_WOPDCONV	speedchrg	int	
tcmain_WOPDCONV	speedcode	char	4
tcmain_WOPDCONV	speedoth	float	
tcmain_WOPDCONV	speedzone	int	
tcmain_WOPDCONV	state	char	2
tcmain_WOPDCONV	statecode	char	10
tcmain_WOPDCONV	street	varchar	40
tcmain_WOPDCONV	streetdir	char	2
tcmain_WOPDCONV	streetnbr	char	8
tcmain_WOPDCONV	subdivisn	char	4
tcmain_WOPDCONV	sysflag	char	8
tcmain_WOPDCONV	tc_cdlmv	bit	
tcmain_WOPDCONV	tc_class	char	2

tcmain_WOPDCONV	tc_date	datetime	
tcmain_WOPDCONV	tc_dow	char	2
tcmain_WOPDCONV	tc_notes	text	2147483647
tcmain_WOPDCONV	tc_time	char	4
tcmain_WOPDCONV	tc_type	char	4
tcmain_WOPDCONV	tcgrant	char	4
tcmain_WOPDCONV	tcmainid	int	
tcmain_WOPDCONV	tcnamehist	text	2147483647
tcmain_WOPDCONV	tract	char	4
tcmain_WOPDCONV	traffic	char	10
tcmain_WOPDCONV	trci_id	varchar	12
tcmain_WOPDCONV	ucr_code	char	4
tcmain_WOPDCONV	visibility	char	4
tcmain_WOPDCONV	voidsumm	bit	
tcmain_WOPDCONV	warnonly	bit	
tcmain_WOPDCONV	weapon	char	4
tcmain_WOPDCONV	weaponauto	char	1
tcmain_WOPDCONV	weather	char	10
tcmain_WOPDCONV	witness	char	1
tcmain_WOPDCONV	yearstamp	int	
tcmain_WOPDCONV	zip	char	10
tcmain_WOPDCONV	zone	char	4
tempuserid	empid	int	
tempuserid	userid	varchar	11
trcertcs	addtime	datetime	
trcertcs	adduser	varchar	11
trcertcs	certdesc	varchar	40
trcertcs	courseid	varchar	12
trcertcs	trcertcsid	int	
trcertcs	trcertifid	int	
trcertcs	trcourseid	int	
trcertif	addtime	datetime	
trcertif	adduser	varchar	11
trcertif	agency	char	4
trcertif	certdesc	varchar	40
trcertif	inithours	int	
trcertif	notes	text	2147483647
trcertif	recertify	tinyint	
trcertif	reqhours	decimal	
trcertif	sysflag	char	8
trcertif	termmonth	int	
trcertif	trcertifid	int	
trchours	addtime	datetime	
trchours	adduser	varchar	11
trchours	category	char	4
trchours	hours	decimal	
trchours	trchoursid	int	
trchours	trcourseid	int	
trcourse	address	varchar	60
trcourse	addtime	datetime	
trcourse	adduser	varchar	11
trcourse	agency	char	4
trcourse	countcertf	bit	
trcourse	coursedesc	varchar	40
trcourse	courseid	varchar	12
trcourse	estcost	money	
trcourse	hours	decimal	
trcourse	indoor	bit	
trcourse	location	varchar	40
trcourse	notes	text	2147483647
trcourse	provider	varchar	40

trcourse	salreimbur	bit	
trcourse	sysflag	char	8
trcourse	testscore	bit	
trcourse	trcategory	char	4
trcourse	trcourseid	int	
trcourse	trmethod	char	4
trrecord	address	varchar	60
trrecord	addtime	datetime	
trrecord	adduser	varchar	11
trrecord	agency	char	4
trrecord	countcertf	bit	
trrecord	coursedate	datetime	
trrecord	coursedesc	varchar	40
trrecord	coursehour	decimal	
trrecord	courseid	varchar	12
trrecord	crsdate2	datetime	
trrecord	indoor	bit	
trrecord	location	varchar	40
trrecord	lodge	money	
trrecord	material	money	
trrecord	mealexp	money	
trrecord	miscexp	money	
trrecord	notes	text	2147483647
trrecord	perstdcost	money	
trrecord	provider	varchar	40
trrecord	reserve1	bit	
trrecord	salreimbur	bit	
trrecord	statecertf	bit	
trrecord	sysflag	char	8
trrecord	testscore	bit	
trrecord	trcategory	char	4
trrecord	trmethod	char	4
trrecord	trrecordid	int	
trrecord	tuition	money	
trrhours	addtime	datetime	
trrhours	adduser	varchar	11
trrhours	category	char	4
trrhours	hours	decimal	
trrhours	trrecordid	int	
trrhours	trrhoursid	int	
trstudnt	addtime	datetime	
trstudnt	adduser	varchar	11
trstudnt	agency	char	4
trstudnt	attended	bit	
trstudnt	countcertf	bit	
trstudnt	coursedate	datetime	
trstudnt	coursedesc	varchar	40
trstudnt	coursehour	decimal	
trstudnt	courseid	varchar	12
trstudnt	emdivision	char	4
trstudnt	employeeid	int	
trstudnt	emsection	char	4
trstudnt	emshift	char	4
trstudnt	emunit	char	4
trstudnt	namedesc	varchar	30
trstudnt	nametype	char	1
trstudnt	passfail	bit	
trstudnt	score1	char	5
trstudnt	score2	char	5
trstudnt	statecerti	bit	
trstudnt	trrecordid	int	

trstudnt	trstudntid	int	
trstudnt	yearstamp	int	
trtitcrt	addtime	datetime	
trtitcrt	adduser	varchar	11
trtitcrt	agency	char	4
trtitcrt	certdesc	varchar	40
trtitcrt	sysflag	char	8
trtitcrt	titledesc	varchar	40
trtitcrt	titleid	char	10
trtitcrt	trcertifid	int	
trtitcrt	trtitcrtid	int	
twchrg	addtime	datetime	
twchrg	adduser	varchar	11
twchrg	arr_chrg	varchar	25
twchrg	chrg_cnt	int	
twchrg	chrg_seq	int	
twchrg	chrgdesc	varchar	60
twchrg	date_disp	datetime	
twchrg	dispositn	char	4
twchrg	mobilepkey	varchar	20
twchrg	twchrgid	int	
twchrg	twmainid	int	
twchrg	ucr_code	char	4
twmain	addtime	datetime	
twmain	adduser	varchar	11
twmain	age	char	2
twmain	agency	char	4
twmain	apt_flr	char	10
twmain	charge	varchar	60
twmain	city	varchar	20
twmain	color1	char	4
twmain	color2	char	4
twmain	creserve1	char	4
twmain	dispcode	char	4
twmain	dispdate	datetime	
twmain	district	char	4
twmain	emdivision	char	4
twmain	emsection	char	4
twmain	emshift	char	4
twmain	emunit	char	4
twmain	geoother	varchar	15
twmain	geox	int	
twmain	geoy	int	
twmain	grantcode	char	4
twmain	issuedate	datetime	
twmain	issuetime	char	4
twmain	make	char	10
twmain	model	varchar	12
twmain	name_id	int	
twmain	neighborhd	char	4
twmain	notes	text	2147483647
twmain	officerid	int	
twmain	race	char	2
twmain	reportarea	char	4
twmain	sex	char	1
twmain	speed	int	
twmain	speedtype	char	4
twmain	speedzone	int	
twmain	state	char	2
twmain	street	varchar	40
twmain	streetdir	char	2

twmain	streetnbr	char	8
twmain	subdivisn	char	4
twmain	tract	char	4
twmain	twmainid	int	
twmain	vehi_id	int	
twmain	vehyear	int	
twmain	vhlicense	char	10
twmain	vhlicstate	char	2
twmain	vhlicyear	int	
twmain	warnid	int	
twmain	warntype	char	4
twmain	zip	char	10
twmain	zone	char	4
ubsstat	bond_amt	varchar	50
ubsstat	change_dt	datetime	
ubsstat	charge_pk	int	
ubsstat	code_value	varchar	50
ubsstat	deg	varchar	50
ubsstat	descriptn	varchar	120
ubsstat	effective	datetime	
ubsstat	fcic	varchar	50
ubsstat	fdle_rec	varchar	50
ubsstat	groupstype	varchar	50
ubsstat	juv	varchar	50
ubsstat	lev	varchar	50
ubsstat	repealdate	datetime	
ubsstat	risk	varchar	50
ubsstat	source	varchar	50
ubsstat	statute	varchar	50
ubsstat	subsec	varchar	50
ubsstat	ubsstatid	int	
ucr2st	addtime	datetime	
ucr2st	adduser	varchar	11
ucr2st	agyfilt	char	4
ucr2st	altartext	varchar	25
ucr2st	aoccode	char	6
ucr2st	arrestcode	char	1
ucr2st	bondamt	float	
ucr2st	chargetext	text	2147483647
ucr2st	chargetype	char	1
ucr2st	citanbr	int	
ucr2st	citapoint	int	
ucr2st	code_agcy	char	8
ucr2st	court	char	4
ucr2st	courtst1	varchar	25
ucr2st	courtst2	varchar	25
ucr2st	courttime	char	4
ucr2st	creserve1	varchar	30
ucr2st	domesticv	char	1
ucr2st	enactdate	datetime	
ucr2st	equivcode	varchar	25
ucr2st	equivdesc	varchar	60
ucr2st	fel_misd	char	1
ucr2st	fineamt	money	
ucr2st	fineschdl	int	
ucr2st	ibrcode	char	4
ucr2st	ibrdesc	varchar	50
ucr2st	ibrflag	char	1
ucr2st	ibrgroup	char	2
ucr2st	ibrgrpdesc	varchar	60
ucr2st	invst_type	char	4

ucr2st	lsnosend	int	
ucr2st	modtime	datetime	
ucr2st	moduser	varchar	11
ucr2st	nciccode	char	4
ucr2st	ncicdesc	varchar	50
ucr2st	notifyvict	char	1
ucr2st	penclass	char	4
ucr2st	repealdate	datetime	
ucr2st	shortdesc	varchar	15
ucr2st	speedchrg	bit	
ucr2st	statutdesc	varchar	60
ucr2st	statute	varchar	25
ucr2st	titlea	text	2147483647
ucr2st	ucr2stid	int	
ucr2st	ucr_code	char	4
ucr2st	ucr_desc	varchar	55
ucr2st	ucr_grp	char	4
ucr2st	ucrgrpdesc	varchar	60
ucr2st	udftext1	varchar	30
ucr2st	wcoffense	char	1
vhfeat	addtime	datetime	
vhfeat	adduser	varchar	11
vhfeat	groupdesc	varchar	20
vhfeat	itemdesc	varchar	30
vhfeat	mobilepkey	varchar	20
vhfeat	mogroup	char	4
vhfeat	moitem	char	4
vhfeat	vehi_id	int	
vhfeat	vhfeatid	int	
vhmain	addconsole	char	8
vhmain	addtime	datetime	
vhmain	adduser	varchar	11
vhmain	age	char	2
vhmain	agency	char	4
vhmain	color1	char	4
vhmain	color2	char	4
vhmain	convkey	varchar	40
vhmain	date_recvd	char	10
vhmain	doors	char	1
vhmain	feddate1	datetime	
vhmain	feddate2	datetime	
vhmain	federalnbr	varchar	15
vhmain	histflag	char	10
vhmain	licpl_no	char	10
vhmain	licpl_st	char	2
vhmain	licpl_type	char	4
vhmain	licpl_year	int	
vhmain	localid	char	8
vhmain	locstatus	char	4
vhmain	make	char	4
vhmain	mobilepkey	varchar	20
vhmain	model	varchar	12
vhmain	otherjuri	char	10
vhmain	owner_id	int	
vhmain	race	char	2
vhmain	rcv_condtn	varchar	20
vhmain	reg_date	datetime	
vhmain	reg_resend	int	
vhmain	respoffcr	int	
vhmain	sex	char	1
vhmain	statedate1	datetime	

vhmain	statedate2	datetime	
vhmain	statenbr	char	10
vhmain	statustime	datetime	
vhmain	sysflag	char	8
vhmain	towedby	char	4
vhmain	towimpd	char	1
vhmain	trailertag	varchar	15
vhmain	udfield1	char	4
vhmain	vehi_id	int	
vhmain	vehstyle	char	4
vhmain	vehtype	char	4
vhmain	vehyear	int	
vhmain	vhfeature	text	2147483647
vhmain	vhnotes	text	2147483647
vhmain	vhnotes2	text	2147483647
vhmain	vhstatus	char	4
vhmain	vhvalue	money	
vhmain	vin	varchar	30
vhmain	wantedveh	char	4
vhmodop	addtime	datetime	
vhmodop	adduser	varchar	11
vhmodop	groupdesc	varchar	20
vhmodop	itemdesc	varchar	30
vhmodop	mobilepkey	varchar	20
vhmodop	mogroup	char	4
vhmodop	moitem	char	4
vhmodop	vehi_id	int	
vhmodop	vhmodopid	int	
vhrels	addtime	datetime	
vhrels	adduser	varchar	11
vhrels	adminfee	money	
vhrels	adminwaive	char	1
vhrels	cashcolnbr	int	
vhrels	checknbr	int	
vhrels	classcode	char	4
vhrels	collected	money	
vhrels	datepaid	datetime	
vhrels	deposdate	datetime	
vhrels	dollyfee	money	
vhrels	dollywaive	char	1
vhrels	invoicenbr	int	
vhrels	keys	char	4
vhrels	otherfee	money	
vhrels	otherwaive	char	1
vhrels	prprofee	money	
vhrels	prprowaive	char	1
vhrels	receiptnbr	int	
vhrels	relsdate	datetime	
vhrels	relsnotes	text	2147483647
vhrels	relsoffcr	int	
vhrels	storefee	money	
vhrels	storewaive	char	1
vhrels	towbill	money	
vhrels	towbwaive	char	1
vhrels	vehiclekey	varchar	14
vhrels	vhbin	char	4
vhrels	vhid	int	
vhrels	vhkey	char	2
vhrels	vhrelsid	int	
vhrels	vhroom	char	4
vhrels	vhtowimpid	int	

vhstatus	addtime	datetime	
vhstatus	adduser	varchar	11
vhstatus	agency	char	4
vhstatus	apt_flr	char	10
vhstatus	city	varchar	20
vhstatus	condition	varchar	20
vhstatus	district	char	4
vhstatus	geooother	varchar	15
vhstatus	geox	int	
vhstatus	geoy	int	
vhstatus	mobilepkey	varchar	20
vhstatus	neighborhd	char	4
vhstatus	offenscode	char	4
vhstatus	officerid	int	
vhstatus	otherjursd	varchar	20
vhstatus	owner_id2	int	
vhstatus	reportarea	char	4
vhstatus	reserved1	char	4
vhstatus	state	char	2
vhstatus	statustime	datetime	
vhstatus	street	varchar	40
vhstatus	streetdir	char	2
vhstatus	streetnbr	char	8
vhstatus	subdivisn	char	4
vhstatus	tract	char	4
vhstatus	vehi_id2	int	
vhstatus	vehiclekey	varchar	14
vhstatus	vehtype	char	4
vhstatus	vhcolor1	char	4
vhstatus	vhcolor2	char	4
vhstatus	vhhistory	text	2147483647
vhstatus	vhlpnbr	char	10
vhstatus	vhlpst	char	2
vhstatus	vhlpstype	char	4
vhstatus	vhlpyear	int	
vhstatus	vhnote	text	2147483647
vhstatus	vhstatus	char	4
vhstatus	vhstatusfd	char	4
vhstatus	vhstatusid	int	
vhstatus	vhstatusst	char	4
vhstatus	vhvalue	money	
vhstatus	zip	char	10
vhstatus	zone	char	4
vhtowimp	addtime	datetime	
vhtowimp	adduser	varchar	11
vhtowimp	age	char	2
vhtowimp	agency	char	4
vhtowimp	apt_flr	char	10
vhtowimp	case_id	varchar	12
vhtowimp	city	varchar	20
vhtowimp	creserve1	varchar	15
vhtowimp	creserve2	varchar	15
vhtowimp	creserve3	varchar	15
vhtowimp	district	char	4
vhtowimp	geooother	varchar	15
vhtowimp	geox	int	
vhtowimp	geoy	int	
vhtowimp	hold	char	1
vhtowimp	inventfile	char	1
vhtowimp	lienhold	varchar	20
vhtowimp	lienphone	varchar	15

vhtowimp	lwmainid	int	
vhtowimp	mobilepkey	varchar	20
vhtowimp	name_id	int	
vhtowimp	neighborhd	char	4
vhtowimp	race	char	2
vhtowimp	reason	char	4
vhtowimp	releaseby	varchar	15
vhtowimp	releasetime	datetime	
vhtowimp	relsnote	text	2147483647
vhtowimp	relsrelatn	char	10
vhtowimp	reportarea	char	4
vhtowimp	sex	char	1
vhtowimp	state	char	2
vhtowimp	statusdate	datetime	
vhtowimp	statustime	char	4
vhtowimp	street	varchar	40
vhtowimp	streetdir	char	2
vhtowimp	streetnbr	char	8
vhtowimp	subdivisn	char	4
vhtowimp	ti_officer	int	
vhtowimp	tiaddress	varchar	40
vhtowimp	ticompany	varchar	60
vhtowimp	tinote	text	2147483647
vhtowimp	tiphone	char	10
vhtowimp	towimpnd	char	1
vhtowimp	tract	char	4
vhtowimp	vehi_id	int	
vhtowimp	vehiclekey	varchar	14
vhtowimp	vhtowimpid	int	
vhtowimp	wrck_id	int	
vhtowimp	wreckarr	datetime	
vhtowimp	wreckreq	datetime	
vhtowimp	zip	char	10
vhtowimp	zone	char	4
wachrg	addtime	datetime	
wachrg	adduser	varchar	11
wachrg	arr_chrg	varchar	25
wachrg	bondamt	float	
wachrg	chrg_cnt	int	
wachrg	chrg_seq	int	
wachrg	chrgdesc	varchar	60
wachrg	docketnbr	varchar	20
wachrg	fel_misd	char	1
wachrg	ucr_code	char	4
wachrg	wachrgid	int	
wachrg	want_id	int	
wamain	addconsole	char	8
wamain	addtime	datetime	
wamain	adduser	varchar	11
wamain	age	char	2
wamain	agency	char	4
wamain	apt_flr	char	10
wamain	arr_chrg	varchar	25
wamain	arr_chrg2	varchar	25
wamain	bondamt	money	
wamain	bondtype	char	4
wamain	chargetext	text	2147483647
wamain	chargetxt2	text	2147483647
wamain	chrg_cnt	tinyint	
wamain	chrg_cnt2	tinyint	
wamain	citanbr	varchar	12

wamain	city	varchar	20
wamain	cofa	char	1
wamain	convkey	varchar	40
wamain	countyagy	int	
wamain	court	char	4
wamain	courtwakey	varchar	15
wamain	dispcode	char	4
wamain	dispdate	datetime	
wamain	district	char	4
wamain	docketnbr	varchar	20
wamain	docketpf	char	4
wamain	dockettype	char	1
wamain	domestic	char	4
wamain	emdivision	char	4
wamain	emsection	char	4
wamain	emshift	char	4
wamain	emunit	char	4
wamain	expidate	datetime	
wamain	extraditn	varchar	15
wamain	extwakey	int	
wamain	fel_misd	char	1
wamain	fel_misd2	char	1
wamain	forwardto	char	4
wamain	geooother	varchar	15
wamain	geox	int	
wamain	geoy	int	
wamain	histflag	char	10
wamain	inci_id	varchar	12
wamain	issudate	datetime	
wamain	issueagcy	varchar	15
wamain	judge	varchar	15
wamain	localid1	varchar	15
wamain	localid2	varchar	15
wamain	lwmainid	int	
wamain	magistrate	int	
wamain	mgmainid	int	
wamain	monthstamp	tinyint	
wamain	name_id	int	
wamain	namedesc	varchar	40
wamain	ncic_nbr	varchar	15
wamain	nciccode	char	6
wamain	nciccode2	char	6
wamain	neighborhd	char	4
wamain	nightsvc	bit	
wamain	notifyvict	char	1
wamain	offcrobtn	int	
wamain	officerid	int	
wamain	offntcknbr	varchar	15
wamain	offsedate	datetime	
wamain	origcharge	text	2147483647
wamain	origcita	varchar	20
wamain	origkey	varchar	15
wamain	paperloctn	varchar	15
wamain	penaltycls	char	4
wamain	proctype	char	4
wamain	race	char	2
wamain	recblock	char	10
wamain	recedate	datetime	
wamain	reg_date	datetime	
wamain	reg_resend	tinyint	
wamain	reportarea	char	4

wamain	restrictnm	bit	
wamain	sex	char	1
wamain	sortorder	varchar	15
wamain	state	char	2
wamain	state_nbr	varchar	15
wamain	statecode	char	10
wamain	street	varchar	40
wamain	streetdir	char	2
wamain	streetnbr	char	8
wamain	subdivisn	char	4
wamain	svcagency	char	4
wamain	svcdistric	char	4
wamain	svcunit	char	4
wamain	sysflag	char	8
wamain	totalchrg	tinyint	
wamain	tract	char	4
wamain	ucr_code	char	4
wamain	ucr_code2	char	4
wamain	udftext1	varchar	30
wamain	wa_chrg	varchar	60
wamain	wa_chrg2	varchar	60
wamain	wanameflag	char	1
wamain	want_id	int	
wamain	want_id2	int	
wamain	wantnote	text	2147483647
wamain	warrkey	varchar	40
wamain	wcamount	money	
wamain	wcgroup	int	
wamain	wcnumber	char	10
wamain	wcoffense	char	1
wamain	yearstamp	int	
wamain	zip	char	10
wamain	zone	char	4
wamain_WOPDCONV	addconsole	char	8
wamain_WOPDCONV	addtime	datetime	
wamain_WOPDCONV	adduser	varchar	11
wamain_WOPDCONV	age	char	2
wamain_WOPDCONV	agency	char	4
wamain_WOPDCONV	apt_flr	char	10
wamain_WOPDCONV	arr_chrg	varchar	25
wamain_WOPDCONV	arr_chrg2	varchar	25
wamain_WOPDCONV	bondamt	money	
wamain_WOPDCONV	bondtype	char	4
wamain_WOPDCONV	chargetext	text	2147483647
wamain_WOPDCONV	chargetxt2	text	2147483647
wamain_WOPDCONV	chrg_cnt	tinyint	
wamain_WOPDCONV	chrg_cnt2	tinyint	
wamain_WOPDCONV	citanbr	varchar	12
wamain_WOPDCONV	city	varchar	20
wamain_WOPDCONV	cofa	char	1
wamain_WOPDCONV	convkey	varchar	15
wamain_WOPDCONV	countyagy	int	
wamain_WOPDCONV	court	char	4
wamain_WOPDCONV	dispcode	char	4
wamain_WOPDCONV	dispdata	datetime	
wamain_WOPDCONV	district	char	4
wamain_WOPDCONV	docketnbr	varchar	20
wamain_WOPDCONV	docketpf	char	4
wamain_WOPDCONV	dockettype	char	1
wamain_WOPDCONV	domestic	char	4
wamain_WOPDCONV	emdivision	char	4

wamain_WOPDCONV	emsection	char	4
wamain_WOPDCONV	emshift	char	4
wamain_WOPDCONV	emunit	char	4
wamain_WOPDCONV	expidate	datetime	
wamain_WOPDCONV	extraditn	varchar	15
wamain_WOPDCONV	extwakey	int	
wamain_WOPDCONV	fel_misd	char	1
wamain_WOPDCONV	fel_misd2	char	1
wamain_WOPDCONV	forwardto	char	4
wamain_WOPDCONV	geooother	varchar	15
wamain_WOPDCONV	geox	int	
wamain_WOPDCONV	geoy	int	
wamain_WOPDCONV	inci_id	varchar	12
wamain_WOPDCONV	issudate	datetime	
wamain_WOPDCONV	issueagcy	varchar	15
wamain_WOPDCONV	judge	varchar	15
wamain_WOPDCONV	localid1	varchar	15
wamain_WOPDCONV	localid2	varchar	15
wamain_WOPDCONV	lwmainid	int	
wamain_WOPDCONV	magistrate	int	
wamain_WOPDCONV	mgmainid	int	
wamain_WOPDCONV	monthstamp	tinyint	
wamain_WOPDCONV	name_id	int	
wamain_WOPDCONV	namedesc	varchar	40
wamain_WOPDCONV	ncic_nbr	varchar	15
wamain_WOPDCONV	nciccode	char	6
wamain_WOPDCONV	nciccode2	char	6
wamain_WOPDCONV	neighborhd	char	4
wamain_WOPDCONV	nightsvc	bit	
wamain_WOPDCONV	notifyvict	char	1
wamain_WOPDCONV	offcrobtn	int	
wamain_WOPDCONV	officerid	int	
wamain_WOPDCONV	offntcknbr	varchar	15
wamain_WOPDCONV	offsedate	datetime	
wamain_WOPDCONV	origcita	varchar	20
wamain_WOPDCONV	origkey	varchar	15
wamain_WOPDCONV	paperloctn	varchar	15
wamain_WOPDCONV	penaltycls	char	4
wamain_WOPDCONV	proctype	char	4
wamain_WOPDCONV	race	char	2
wamain_WOPDCONV	recblock	char	10
wamain_WOPDCONV	recedate	datetime	
wamain_WOPDCONV	reg_date	datetime	
wamain_WOPDCONV	reg_resend	tinyint	
wamain_WOPDCONV	reportarea	char	4
wamain_WOPDCONV	restrictnm	bit	
wamain_WOPDCONV	sex	char	1
wamain_WOPDCONV	sortorder	varchar	15
wamain_WOPDCONV	state	char	2
wamain_WOPDCONV	state_nbr	varchar	15
wamain_WOPDCONV	statecode	char	10
wamain_WOPDCONV	street	varchar	40
wamain_WOPDCONV	streetdir	char	2
wamain_WOPDCONV	streetnbr	char	8
wamain_WOPDCONV	subdivisn	char	4
wamain_WOPDCONV	svcagency	char	4
wamain_WOPDCONV	svcdistric	char	4
wamain_WOPDCONV	svcunit	char	4
wamain_WOPDCONV	sysflag	char	8
wamain_WOPDCONV	totalchrg	tinyint	
wamain_WOPDCONV	tract	char	4

wamain_WOPDCONV	ucr_code	char	4
wamain_WOPDCONV	ucr_code2	char	4
wamain_WOPDCONV	udftext1	varchar	30
wamain_WOPDCONV	wa_chrg	varchar	60
wamain_WOPDCONV	wa_chrg2	varchar	60
wamain_WOPDCONV	wanameflag	char	1
wamain_WOPDCONV	want_id	int	
wamain_WOPDCONV	want_id2	int	
wamain_WOPDCONV	wantnote	text	2147483647
wamain_WOPDCONV	wcamount	money	
wamain_WOPDCONV	wcgroup	int	
wamain_WOPDCONV	wcnumber	char	10
wamain_WOPDCONV	wcoffense	char	1
wamain_WOPDCONV	yearstamp	int	
wamain_WOPDCONV	zip	char	10
wamain_WOPDCONV	zone	char	4
wapost	addtime	datetime	
wapost	adduser	varchar	11
wapost	aliases	varchar	150
wapost	authority	varchar	50
wapost	case_id	varchar	12
wapost	charges	varchar	100
wapost	misswant	varchar	15
wapost	name_id	int	
wapost	postdate	datetime	
wapost	postimage	varchar	12
wapost	postimage2	varchar	12
wapost	reward	text	2147483647
wapost	smt	varchar	150
wapost	summary	text	2147483647
wapost	vehdesc	varchar	100
wapost	want_id	int	
wapost	wapostid	int	
wrchrg	addtime	datetime	
wrchrg	adduser	varchar	11
wrchrg	arr_chrg	varchar	25
wrchrg	chrg_cnt	int	
wrchrg	chrg_seq	int	
wrchrg	chrgdesc	varchar	60
wrchrg	docketnbr	varchar	20
wrchrg	fel_misd	char	1
wrchrg	ucr_code	char	4
wrchrg	wgreqatmpt	char	3
wrchrg	wrchrgid	int	
wrchrg	wrmainid	int	
wrmain	addconsole	char	8
wrmain	addtime	datetime	
wrmain	adduser	varchar	11
wrmain	age	char	2
wrmain	agency	char	4
wrmain	apt_flr	char	10
wrmain	arr_chrg	varchar	25
wrmain	bondamt	money	
wrmain	bondtype	char	4
wrmain	chrg_cnt	int	
wrmain	city	varchar	20
wrmain	court	char	4
wrmain	district	char	4
wrmain	docketnbr	varchar	20
wrmain	emdivision	char	4
wrmain	emsection	char	4

wrmain	emshift	char	4
wrmain	emunit	char	4
wrmain	extraditn	varchar	15
wrmain	fel_misd	char	1
wrmain	geoothor	varchar	15
wrmain	geox	int	
wrmain	geoy	int	
wrmain	inci_id	varchar	12
wrmain	issueagcy	varchar	15
wrmain	judge	varchar	15
wrmain	lwmainid	int	
wrmain	monthstamp	tinyint	
wrmain	name_id	int	
wrmain	namedesc	varchar	40
wrmain	ncic_nbr	varchar	15
wrmain	nciccode	char	6
wrmain	neighborhd	char	4
wrmain	offcrobtn	int	
wrmain	officerid	int	
wrmain	offsedate	datetime	
wrmain	pdcustody	bit	
wrmain	pdfingprt	bit	
wrmain	pdvehicle	bit	
wrmain	proctype	char	4
wrmain	race	char	2
wrmain	reportarea	char	4
wrmain	reqdate	datetime	
wrmain	reqstatus	char	4
wrmain	restrictnm	bit	
wrmain	sex	char	1
wrmain	state	char	2
wrmain	state_nbr	varchar	15
wrmain	statusdate	datetime	
wrmain	street	varchar	40
wrmain	streetdir	char	2
wrmain	streetnbr	char	8
wrmain	subdivisn	char	4
wrmain	svcdistric	char	4
wrmain	svcunit	char	4
wrmain	sysflag	char	8
wrmain	totalchrg	int	
wrmain	tract	char	4
wrmain	ucr_code	char	4
wrmain	wa_chrg	varchar	60
wrmain	wantnote	text	2147483647
wrmain	wchighvis	bit	
wrmain	wcwait	bit	
wrmain	wdadmit	bit	
wrmain	wdalcdrg	bit	
wrmain	wgreqatmpt	char	3
wrmain	wrmainid	int	
wrmain	yearstamp	int	
wrmain	zip	char	10
wrmain	zone	char	4
wrprchrg	chtitle	varchar	40
wrprchrg	pgblood	char	4
wrprchrg	pgbreath1	char	4
wrprchrg	pgbreath2	char	4
wrprchrg	pgcountof	char	3
wrprchrg	pgdrug	char	3
wrprchrg	pgreqatmpt	char	3

wrprchrg	pgreqcode	varchar	20
wrprchrg	prctn	varchar	12
wrprchrg	wrmainid	int	
wrprchrg	wrprchrgid	int	
wprprmain	pcagency	char	6
wprprmain	pcclass	char	1
wprprmain	pcclassno	char	6
wprprmain	pccompno	varchar	14
wprprmain	pccrimdate	varchar	20
wprprmain	pcdccourt	char	4
wprprmain	pcdv	char	1
wprprmain	pcfixdate	datetime	
wprprmain	pchighvis	char	1
wprprmain	pcloc	char	4
wprprmain	pclocation	varchar	36
wprprmain	pcreqdate	datetime	
wprprmain	pcunit	char	4
wprprmain	pcwait	char	1
wprprmain	pdaddr1	varchar	30
wprprmain	pdaddr2	varchar	30
wprprmain	pdadmit	char	1
wprprmain	pdalcdr	char	1
wprprmain	pdatty	char	6
wprprmain	pdbond	char	10
wprprmain	pdbook	char	10
wprprmain	pdccwp	varchar	12
wprprmain	pdcity	varchar	20
wprprmain	pdcountry	char	3
wprprmain	pdcustody	char	1
wprprmain	pddl	varchar	19
wprprmain	pddob	datetime	
wprprmain	pdfingprt	char	1
wprprmain	pdfname	varchar	25
wprprmain	pdgang	char	4
wprprmain	pdinterp	varchar	12
wprprmain	pdlicstate	char	2
wprprmain	pdlname	varchar	25
wprprmain	pdlpd	char	6
wprprmain	pdphone	varchar	12
wprprmain	pdpositive	char	1
wprprmain	pdprirs	int	
wprprmain	pdprivacy	char	1
wprprmain	pdrace	char	2
wprprmain	pdschool	char	10
wprprmain	pdsex	char	1
wprprmain	pdsid	varchar	11
wprprmain	pdssn	varchar	12
wprprmain	pdtn	varchar	13
wprprmain	pdvehicle	char	1
wprprmain	pdweapon	char	3
wprprmain	pdzip	char	6
wprprmain	pdzipplus4	char	4
wprprmain	praction	char	5
wprprmain	praro	char	9
wprprmain	pratty	char	6
wprprmain	prctn	varchar	12
wprprmain	prdate	datetime	
wprprmain	prname	varchar	50
wprprmain	proca	varchar	14
wprprmain	prother	char	1
wprprmain	prwrrspn	text	2147483647

wrprmain	wrmainid	int	
wrprmain	wrprmainid	int	
wrprwitn	prctn	varchar	12
wrprwitn	pwaddr1	varchar	30
wrprwitn	pwaddr2	varchar	30
wrprwitn	pwagency	char	6
wrprwitn	pwalcdr	char	1
wrprwitn	pwcity	varchar	20
wrprwitn	pwcountry	char	2
wrprwitn	pwdob	datetime	
wrprwitn	pwemail	varchar	50
wrprwitn	pwfax	varchar	12
wrprwitn	pwfname	varchar	25
wrprwitn	pwiniury	char	1
wrprwitn	pwinterp	varchar	12
wrprwitn	pwkey	int	
wrprwitn	pwlname	varchar	25
wrprwitn	pwmedfac	char	6
wrprwitn	pwphone	varchar	12
wrprwitn	pwprevid	char	1
wrprwitn	pwrace	char	2
wrprwitn	pwrelation	char	2
wrprwitn	pwsex	char	1
wrprwitn	pwtestify	varchar	160
wrprwitn	pwtttype	char	2
wrprwitn	pwwkphone	varchar	12
wrprwitn	pwwtkey	int	
wrprwitn	pwzip	char	6
wrprwitn	pwzipplus4	char	4
wrprwitn	wrmainid	int	
wrprwitn	wrprwitnid	int	
wrtrnlog	notes	varchar	250
wrtrnlog	transinfo	varchar	120
wrtrnlog	transtime	datetime	
wrtrnlog	transtype	char	1
wrtrnlog	wrtrnlogid	int	
wrwitn	addtime	datetime	
wrwitn	adduser	varchar	11
wrwitn	age	char	2
wrwitn	fkeyid	int	
wrwitn	fkeyname	char	2
wrwitn	name_id	int	
wrwitn	namecode	char	2
wrwitn	nameflag	char	1
wrwitn	names_key	varchar	14
wrwitn	nametype	char	1
wrwitn	nmcode_seq	decimal	
wrwitn	nmnotes	text	2147483647
wrwitn	race	char	2
wrwitn	reference	varchar	20
wrwitn	sex	char	1
wrwitn	wrwitnid	int	
wrwitn	wwalcdr	bit	
wrwitn	wwiniury	bit	
wrwitn	wwinterp	varchar	12
wrwitn	wwkey	int	
wrwitn	wwprevid	bit	
wrwitn	wwtestify	text	2147483647
zccjissystab1	code_agcy	char	4
zccjissystab1	code_fbi	char	4
zccjissystab1	code_key	char	4

zzcjissystab1	code_sbi	char	4
zzcjissystab1	descriptn	varchar	55
zzcjissystab1	internal	int	
zzcjissystab1	notes	text	2147483647
zzcjissystab1	sys_msg	varchar	40
zzcjissystab1	sys_use	varchar	30
zzcjissystab1	systab1id	int	