

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	ACTIONREASON	ACTIONREASON	char		20
trvexp	ACTIONREASON	AUDITLOG	text	2147483647	
trvexp	ACTIONREASON	BUSINESSSUBJECT	char		200
trvexp	ACTIONREASON	CSACTOR	char		30
trvexp	ACTIONREASON	CSTIMESTAMP	datetime		
trvexp	ACTIONREASON	DELETEFLAG	binary		16
trvexp	ACTIONREASON	DESCRIPTION	varchar		100
trvexp	ACTIONREASON	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	ACTIONREASON	REASONSTATUS	tinyint		
trvexp	ACTIONREASON	UNIQUEID	binary		16
trvexp	ACTIONREASON	USACTOR	char		30
trvexp	ACTIONREASON	USTIMESTAMP	datetime		
trvexp	ACTIONREQUEST	ACTIONREQUEST	binary		16
trvexp	ACTIONREQUEST	AUDITLOG	text	2147483647	
trvexp	ACTIONREQUEST	BORBUSINESSCLASSNAME	char		200
trvexp	ACTIONREQUEST	BORBUSINESSOBJECTKEY	binary		16
trvexp	ACTIONREQUEST	BUSINESSACTION	char		200
trvexp	ACTIONREQUEST	BUSINESSCLASS	char		200
trvexp	ACTIONREQUEST	CSACTOR	char		30
trvexp	ACTIONREQUEST	CSTIMESTAMP	datetime		
trvexp	ACTIONREQUEST	DELETEFLAG	binary		16
trvexp	ACTIONREQUEST	FINALIZEDSTAMP	datetime		
trvexp	ACTIONREQUEST	HASWORKUNIT	char		1
trvexp	ACTIONREQUEST	PARAMETERVIEW	text	2147483647	
trvexp	ACTIONREQUEST	PROCESSNAME	char		50
trvexp	ACTIONREQUEST	STATUS	tinyint		
trvexp	ACTIONREQUEST	TITLE	char		50
trvexp	ACTIONREQUEST	USACTOR	char		30
trvexp	ACTIONREQUEST	USRABYCOMPLETE_SS_SW	char		1
trvexp	ACTIONREQUEST	USTIMESTAMP	datetime		
trvexp	ACTIONREQUEST	WORKUNIT	decimal		
trvexp	ACTIONREQUESTFIELD	ACTIONREQUEST	binary		16
trvexp	ACTIONREQUESTFIELD	ATTRIBUTES	decimal		
trvexp	ACTIONREQUESTFIELD	BINARYDOCUMENT	image	2147483647	
trvexp	ACTIONREQUESTFIELD	BINARYOBJECT	image	2147483647	
trvexp	ACTIONREQUESTFIELD	FIELDNAME	char		200
trvexp	ACTIONREQUESTFIELD	TYPE	smallint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	ACTIONREQUESTFIELD	UNIQUEID	binary		16
trvexp	ACTORAPPINTERFACEPREFERENCE	ACTOR	char		30
trvexp	ACTORAPPINTERFACEPREFERENCE	ACTORAPPINTERFACEPREFERENCE	char		30
trvexp	ACTORAPPINTERFACEPREFERENCE	AUDITLOG	text	2147483647	
trvexp	ACTORAPPINTERFACEPREFERENCE	CSACTOR	char		30
trvexp	ACTORAPPINTERFACEPREFERENCE	CSTIMESTAMP	datetime		
trvexp	ACTORAPPINTERFACEPREFERENCE	DELETEFLAG	binary		16
trvexp	ACTORAPPINTERFACEPREFERENCE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	ACTORAPPINTERFACEPREFERENCE	PREFERENCEVALUE	char		100
trvexp	ACTORAPPINTERFACEPREFERENCE	UNIQUEID	binary		16
trvexp	ACTORAPPINTERFACEPREFERENCE	USACTOR	char		30
trvexp	ACTORAPPINTERFACEPREFERENCE	USTIMESTAMP	datetime		
trvexp	ACTORCONTEXT	ACTOR	char		30
trvexp	ACTORCONTEXT	AUDITLOG	text	2147483647	
trvexp	ACTORCONTEXT	CONTEXTPROPERTY	binary		16
trvexp	ACTORCONTEXT	CSACTOR	char		30
trvexp	ACTORCONTEXT	CSTIMESTAMP	datetime		
trvexp	ACTORCONTEXT	DELETEFLAG	binary		16
trvexp	ACTORCONTEXT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	ACTORCONTEXT	UNIQUEID	binary		16
trvexp	ACTORCONTEXT	USACTOR	char		30
trvexp	ACTORCONTEXT	USTIMESTAMP	datetime		
trvexp	ACTORCONTEXT	VALUE	char		255
trvexp	ADVANCEDDETAIL	ADVANCEDDETAIL	decimal		
trvexp	ADVANCEDDETAIL	ATNOBJID	decimal		
trvexp	ADVANCEDDETAIL	AUDITLOG	text	2147483647	
trvexp	ADVANCEDDETAIL	COMPLETEEXPENSEREQUEST	char		1
trvexp	ADVANCEDDETAIL	CSACTOR	char		30
trvexp	ADVANCEDDETAIL	CSTIMESTAMP	datetime		
trvexp	ADVANCEDDETAIL	CURRENCYEXCHANGEDATE	datetime		
trvexp	ADVANCEDDETAIL	CURRENCYTABLE	char		12
trvexp	ADVANCEDDETAIL	DELETEFLAG	binary		16
trvexp	ADVANCEDDETAIL	EXPENSEGROUP	char		4
trvexp	ADVANCEDDETAIL	EXPENSEREPORT	decimal		
trvexp	ADVANCEDDETAIL	EXPENSEREQUEST	decimal		
trvexp	ADVANCEDDETAIL	GLTOBJID	decimal		
trvexp	ADVANCEDDETAIL	INVOICE	char		30

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	ADVANCEDetail	RAENTEREDCURRENCYAMOUNT	decimal		
trvexp	ADVANCEDetail	RAENTEREDCURRENCYRATE	decimal		
trvexp	ADVANCEDetail	RATOCURRENCY	char		5
trvexp	ADVANCEDetail	RESOURCE	int		
trvexp	ADVANCEDetail	TRANSACTIONAMOUNT	decimal		
trvexp	ADVANCEDetail	TRANSACTIONCURRENCY	char		5
trvexp	ADVANCEDetail	UNIQUEID	binary		16
trvexp	ADVANCEDetail	USACTOR	char		30
trvexp	ADVANCEDetail	USTIMESTAMP	datetime		
trvexp	ADVANCEPAYCODE	AUDITLOG	text	2147483647	
trvexp	ADVANCEPAYCODE	COMPANY	smallint		
trvexp	ADVANCEPAYCODE	CSACTOR	char		30
trvexp	ADVANCEPAYCODE	CSTIMESTAMP	datetime		
trvexp	ADVANCEPAYCODE	DELETEFLAG	binary		16
trvexp	ADVANCEPAYCODE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	ADVANCEPAYCODE	EXPENSEGROUP	char		4
trvexp	ADVANCEPAYCODE	PCJOBCODE	char		9
trvexp	ADVANCEPAYCODE	PCPAYCODE	char		4
trvexp	ADVANCEPAYCODE	PCPROCESSLEVEL	char		5
trvexp	ADVANCEPAYCODE	UNIQUEID	binary		16
trvexp	ADVANCEPAYCODE	USACTOR	char		30
trvexp	ADVANCEPAYCODE	USTIMESTAMP	datetime		
trvexp	AGENT	AGENT	binary		16
trvexp	AGENT	AUDITLOG	text	2147483647	
trvexp	AGENT	BORBUSINESSCLASSNAME	char		200
trvexp	AGENT	BORBUSINESSOBJECTKEY	binary		16
trvexp	AGENT	CSACTOR	char		30
trvexp	AGENT	CSTIMESTAMP	datetime		
trvexp	AGENT	DELETEFLAG	binary		16
trvexp	AGENT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	AGENT	HASPARENT	char		1
trvexp	AGENT	KEYTEXT	char		100
trvexp	AGENT	PARENTAGENT	binary		16
trvexp	AGENT	USACTOR	char		30
trvexp	AGENT	USTIMESTAMP	datetime		
trvexp	ALLOCATION	ACACCTCATEGORY	char		5
trvexp	ALLOCATION	ACCOUNTINGUNIT	char		15

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	ALLOCATION	ACTIVITY	char		15
trvexp	ALLOCATION	ALLOCATION	decimal		
trvexp	ALLOCATION	ALLOCATIONPERCENT	decimal		
trvexp	ALLOCATION	AUDITLOG	text	2147483647	
trvexp	ALLOCATION	BILLABLE	char		1
trvexp	ALLOCATION	CSACTOR	char		30
trvexp	ALLOCATION	CSTIMESTAMP	datetime		
trvexp	ALLOCATION	DELETEDFLAG	binary		16
trvexp	ALLOCATION	EUFEXPENSEUSERFIELD1	char		30
trvexp	ALLOCATION	EXPENSEGROUP	char		4
trvexp	ALLOCATION	EXPENSEREPORT	decimal		
trvexp	ALLOCATION	GLCOMPANY	smallint		
trvexp	ALLOCATION	LOCATION	char		30
trvexp	ALLOCATION	RESOURCE	int		
trvexp	ALLOCATION	RESOURCEACTIVITY	char		15
trvexp	ALLOCATION	UNIQUEID	binary		16
trvexp	ALLOCATION	USACTOR	char		30
trvexp	ALLOCATION	USTIMESTAMP	datetime		
trvexp	AMEXIMPORT	AI_ENCRYPTEDOBJECT_ENCRYPTED	char		1
trvexp	AMEXIMPORT	AMEXDATA	char	1947	
trvexp	AMEXIMPORT	AMEXIMPORT	decimal		
trvexp	AMEXIMPORT	CREDITCARDTYPE	char		10
trvexp	AMEXIMPORT	ENCRYPTEDOBJECT	text	2147483647	
trvexp	AMEXIMPORT	EXPENSEGROUP	char		4
trvexp	AMEXIMPORT	STATUS	smallint		
trvexp	AMEXIMPORT	UNIQUEID	binary		16
trvexp	ATTENDEE	ACTIVESTATUS	tinyint		
trvexp	ATTENDEE	ANAFFIX	varchar		50
trvexp	ATTENDEE	ANALIAS	varchar		60
trvexp	ATTENDEE	ANFAMILYNAME	varchar		50
trvexp	ATTENDEE	ANFAMILYNAMEPREFIX	varchar		20
trvexp	ATTENDEE	ANFORMERNAME	varchar		50
trvexp	ATTENDEE	ANFORMOFADDRESS	varchar		50
trvexp	ATTENDEE	ANGIVENNAME	varchar		50
trvexp	ATTENDEE	ANMAIDENNAME	varchar		50
trvexp	ATTENDEE	ANMIDDLENAME	varchar		50
trvexp	ATTENDEE	ANPREFERREDFAMILYNAME	varchar		50

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	ATTENDEE	ANPREFERREDGIVENNAME	varchar	50	
trvexp	ATTENDEE	ANQUALIFICATION	varchar	50	
trvexp	ATTENDEE	ATTENDEE	decimal		
trvexp	ATTENDEE	ATTENDEERESOURCE	int		
trvexp	ATTENDEE	AUDITLOG	text	2147483647	
trvexp	ATTENDEE	COMPANYNAME	char	75	
trvexp	ATTENDEE	CSACTOR	char	30	
trvexp	ATTENDEE	CSTIMESTAMP	datetime		
trvexp	ATTENDEE	DELETEFLAG	binary	16	
trvexp	ATTENDEE	EXPENSEGROUP	char	4	
trvexp	ATTENDEE	INTERNALATTENDEE	char	1	
trvexp	ATTENDEE	RESOURCE	int		
trvexp	ATTENDEE	TITLE	char	50	
trvexp	ATTENDEE	UNIQUEID	binary	16	
trvexp	ATTENDEE	USACTOR	char	30	
trvexp	ATTENDEE	USTIMESTAMP	datetime		
trvexp	BANKACCOUNTCODE	ACTIVE	char	1	
trvexp	BANKACCOUNTCODE	AUDITLOG	text	2147483647	
trvexp	BANKACCOUNTCODE	CASHCODE	char	4	
trvexp	BANKACCOUNTCODE	CSACTOR	char	30	
trvexp	BANKACCOUNTCODE	CSTIMESTAMP	datetime		
trvexp	BANKACCOUNTCODE	DELETEFLAG	binary	16	
trvexp	BANKACCOUNTCODE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	BANKACCOUNTCODE	UNIQUEID	binary	16	
trvexp	BANKACCOUNTCODE	USACTOR	char	30	
trvexp	BANKACCOUNTCODE	USTIMESTAMP	datetime		
trvexp	BANKSTATEMENT	AUDITLOG	text	2147483647	
trvexp	BANKSTATEMENT	BEGINNINGBALANCE	decimal		
trvexp	BANKSTATEMENT	BSSTMTNBR	decimal		
trvexp	BANKSTATEMENT	BSSTMTSUFFIX	char	5	
trvexp	BANKSTATEMENT	CASHCODE	char	4	
trvexp	BANKSTATEMENT	CSACTOR	char	30	
trvexp	BANKSTATEMENT	CSTIMESTAMP	datetime		
trvexp	BANKSTATEMENT	DELETEFLAG	binary	16	
trvexp	BANKSTATEMENT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	BANKSTATEMENT	ENDINGBALANCE	decimal		
trvexp	BANKSTATEMENT	ENTERPRISEGROUP	char	4	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	BANKSTATEMENT	STATEMENTDATE	datetime		
trvexp	BANKSTATEMENT	UNIQUEID	binary	16	
trvexp	BANKSTATEMENT	USACTOR	char	30	
trvexp	BANKSTATEMENT	USTIMESTAMP	datetime		
trvexp	BANKSTATEMENTLINE	AUDITLOG	text	2147483647	
trvexp	BANKSTATEMENTLINE	BANKINSTCODE	char	3	
trvexp	BANKSTATEMENTLINE	BANKSTATEMENTLINE	int		
trvexp	BANKSTATEMENTLINE	BSSTMTNBR	decimal		
trvexp	BANKSTATEMENTLINE	BSSTMTSUFFIX	char	5	
trvexp	BANKSTATEMENTLINE	CASHCODE	char	4	
trvexp	BANKSTATEMENTLINE	CSACTOR	char	30	
trvexp	BANKSTATEMENTLINE	CSTIMESTAMP	datetime		
trvexp	BANKSTATEMENTLINE	DELETEFLAG	binary	16	
trvexp	BANKSTATEMENTLINE	DESCRIPTION	char	80	
trvexp	BANKSTATEMENTLINE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	BANKSTATEMENTLINE	ENTERPRISEGROUP	char	4	
trvexp	BANKSTATEMENTLINE	LINEAMOUNT	decimal		
trvexp	BANKSTATEMENTLINE	RECONCILED	char	1	
trvexp	BANKSTATEMENTLINE	RECONCILIATIONDATE	datetime		
trvexp	BANKSTATEMENTLINE	TRANSACTIONNUMBER	char	10	
trvexp	BANKSTATEMENTLINE	TRANSACTIONTYPE	tinyint		
trvexp	BANKSTATEMENTLINE	UNIQUEID	binary	16	
trvexp	BANKSTATEMENTLINE	USACTOR	char	30	
trvexp	BANKSTATEMENTLINE	USTIMESTAMP	datetime		
trvexp	BANKSTATEMENTLINESELECT	AUDITLOG	text	2147483647	
trvexp	BANKSTATEMENTLINESELECT	BSLSTRANSACTIONCODE	char	3	
trvexp	BANKSTATEMENTLINESELECT	BSLSTRANSIDENT	decimal		
trvexp	BANKSTATEMENTLINESELECT	CSACTOR	char	30	
trvexp	BANKSTATEMENTLINESELECT	CSLINENBR	int		
trvexp	BANKSTATEMENTLINESELECT	CSSTMTNBR	decimal		
trvexp	BANKSTATEMENTLINESELECT	CSSTMTSUFFIX	char	5	
trvexp	BANKSTATEMENTLINESELECT	CSTIMESTAMP	datetime		
trvexp	BANKSTATEMENTLINESELECT	DELETEFLAG	binary	16	
trvexp	BANKSTATEMENTLINESELECT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	BANKSTATEMENTLINESELECT	QUEUESTATUS	binary	16	
trvexp	BANKSTATEMENTLINESELECT	RECONCILIATIONAMOUNT	decimal		
trvexp	BANKSTATEMENTLINESELECT	UNIQUEID	binary	16	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	BANKSTATEMENTLINESELECT	USACTOR	char		30
trvexp	BANKSTATEMENTLINESELECT	USTIMESTAMP	datetime		
trvexp	BANKTOGLCOMPANYDETAIL	ACCOUNT	int		
trvexp	BANKTOGLCOMPANYDETAIL	ACCOUNTINGUNIT	char		15
trvexp	BANKTOGLCOMPANYDETAIL	AUDITLOG	text	2147483647	
trvexp	BANKTOGLCOMPANYDETAIL	BANKTOGLRECONCILIATION	datetime		
trvexp	BANKTOGLCOMPANYDETAIL	BASECURRENCY	char		5
trvexp	BANKTOGLCOMPANYDETAIL	BTGLCDGLCOMPANY	smallint		
trvexp	BANKTOGLCOMPANYDETAIL	CASHCODE	char		4
trvexp	BANKTOGLCOMPANYDETAIL	CSACTOR	char		30
trvexp	BANKTOGLCOMPANYDETAIL	CSTIMESTAMP	datetime		
trvexp	BANKTOGLCOMPANYDETAIL	CURRENCYADJUSTMENT	decimal		
trvexp	BANKTOGLCOMPANYDETAIL	DELETEFLAG	binary		16
trvexp	BANKTOGLCOMPANYDETAIL	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	BANKTOGLCOMPANYDETAIL	FISCALYEAR	decimal		
trvexp	BANKTOGLCOMPANYDETAIL	RECONCILEDPERIOD	smallint		
trvexp	BANKTOGLCOMPANYDETAIL	SUBACCOUNT	smallint		
trvexp	BANKTOGLCOMPANYDETAIL	UNIQUEID	binary		16
trvexp	BANKTOGLCOMPANYDETAIL	USACTOR	char		30
trvexp	BANKTOGLCOMPANYDETAIL	USTIMESTAMP	datetime		
trvexp	BANKTOGLRECONCILIATION	AUDITLOG	text	2147483647	
trvexp	BANKTOGLRECONCILIATION	BANKTOGLRECONCILIATION	datetime		
trvexp	BANKTOGLRECONCILIATION	CASHCODE	char		4
trvexp	BANKTOGLRECONCILIATION	CSACTOR	char		30
trvexp	BANKTOGLRECONCILIATION	CSTIMESTAMP	datetime		
trvexp	BANKTOGLRECONCILIATION	DELETEFLAG	binary		16
trvexp	BANKTOGLRECONCILIATION	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	BANKTOGLRECONCILIATION	LASTRECONITEMLINENUMBER	int		
trvexp	BANKTOGLRECONCILIATION	STATEMENTBALANCE	decimal		
trvexp	BANKTOGLRECONCILIATION	STATUS	tinyint		
trvexp	BANKTOGLRECONCILIATION	UNIQUEID	binary		16
trvexp	BANKTOGLRECONCILIATION	USACTOR	char		30
trvexp	BANKTOGLRECONCILIATION	USTIMESTAMP	datetime		
trvexp	BANKTOGLRECONITEM	AUDITLOG	text	2147483647	
trvexp	BANKTOGLRECONITEM	BANKTOGLRECONCILIATION	datetime		
trvexp	BANKTOGLRECONITEM	BANKTOGLRECONITEM	int		
trvexp	BANKTOGLRECONITEM	CASHCODE	char		4

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	BANKTOGLRECONITEM	CSACTOR	char	30	
trvexp	BANKTOGLRECONITEM	CSTIMESTAMP	datetime		
trvexp	BANKTOGLRECONITEM	DELETEFLAG	binary	16	
trvexp	BANKTOGLRECONITEM	DESCRIPTION	char	80	
trvexp	BANKTOGLRECONITEM	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	BANKTOGLRECONITEM	GLCOMPANY	smallint		
trvexp	BANKTOGLRECONITEM	ORIGINATINGPERIOD	smallint		
trvexp	BANKTOGLRECONITEM	ORIGINATINGYEAR	decimal		
trvexp	BANKTOGLRECONITEM	RECONCILINGAMOUNT	decimal		
trvexp	BANKTOGLRECONITEM	UNIQUEID	binary	16	
trvexp	BANKTOGLRECONITEM	USACTOR	char	30	
trvexp	BANKTOGLRECONITEM	USTIMESTAMP	datetime		
trvexp	BATCHTASK	AUDITLOG	text	2147483647	
trvexp	BATCHTASK	BATCHTASK	int		
trvexp	BATCHTASK	BUSINESSCLASS	char	200	
trvexp	BATCHTASK	CSACTOR	char	30	
trvexp	BATCHTASK	CSTIMESTAMP	datetime		
trvexp	BATCHTASK	DATA	text	2147483647	
trvexp	BATCHTASK	DELETEFLAG	binary	16	
trvexp	BATCHTASK	DESCRIPTION	char	80	
trvexp	BATCHTASK	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	BATCHTASK	JAVACLASS	char	100	
trvexp	BATCHTASK	JAVADATA	text	2147483647	
trvexp	BATCHTASK	MIMETYPE	char	80	
trvexp	BATCHTASK	NAME	char	80	
trvexp	BATCHTASK	TASKACTION	char	200	
trvexp	BATCHTASK	TASKBYJAVACLASS_SS_SW	char	1	
trvexp	BATCHTASK	TASKBYTASKACTION_SS_SW	char	1	
trvexp	BATCHTASK	TASKBYTASKSTREAM_SS_SW	char	1	
trvexp	BATCHTASK	TYPE	tinyint		
trvexp	BATCHTASK	UNIQUEID	binary	16	
trvexp	BATCHTASK	USACTOR	char	30	
trvexp	BATCHTASK	USTIMESTAMP	datetime		
trvexp	BATCHTASKSTEP	AUDITLOG	text	2147483647	
trvexp	BATCHTASKSTEP	BATCHTASK	int		
trvexp	BATCHTASKSTEP	CSACTOR	char	30	
trvexp	BATCHTASKSTEP	CSTIMESTAMP	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	BATCHTASKSTEP	DELETEFLAG	binary	16	
trvexp	BATCHTASKSTEP	DESCRIPTION	char	80	
trvexp	BATCHTASKSTEP	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	BATCHTASKSTEP	SEQUENCE	int		
trvexp	BATCHTASKSTEP	TASKSTEP	int		
trvexp	BATCHTASKSTEP	UNIQUEID	binary	16	
trvexp	BATCHTASKSTEP	USACTOR	char	30	
trvexp	BATCHTASKSTEP	USTIMESTAMP	datetime		
trvexp	BUSINESSCLASSGROUP	AUDITLOG	text	2147483647	
trvexp	BUSINESSCLASSGROUP	BUSINESSCLASS	char	200	
trvexp	BUSINESSCLASSGROUP	BUSINESSCLASSGROUP	char	25	
trvexp	BUSINESSCLASSGROUP	CONDITION	text	2147483647	
trvexp	BUSINESSCLASSGROUP	CSACTOR	char	30	
trvexp	BUSINESSCLASSGROUP	CSTIMESTAMP	datetime		
trvexp	BUSINESSCLASSGROUP	DELETEFLAG	binary	16	
trvexp	BUSINESSCLASSGROUP	DESCRIPTION	varchar	100	
trvexp	BUSINESSCLASSGROUP	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	BUSINESSCLASSGROUP	UNIQUEID	binary	16	
trvexp	BUSINESSCLASSGROUP	USACTOR	char	30	
trvexp	BUSINESSCLASSGROUP	USTIMESTAMP	datetime		
trvexp	BUSINESSCLASSGROUPSUBJECT	AUDITLOG	text	2147483647	
trvexp	BUSINESSCLASSGROUPSUBJECT	BUSINESSCLASS	char	200	
trvexp	BUSINESSCLASSGROUPSUBJECT	BUSINESSCLASSGROUP	char	25	
trvexp	BUSINESSCLASSGROUPSUBJECT	CSACTOR	char	30	
trvexp	BUSINESSCLASSGROUPSUBJECT	CSTIMESTAMP	datetime		
trvexp	BUSINESSCLASSGROUPSUBJECT	DELETEFLAG	binary	16	
trvexp	BUSINESSCLASSGROUPSUBJECT	DOMAINSUBJECT	char	200	
trvexp	BUSINESSCLASSGROUPSUBJECT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	BUSINESSCLASSGROUPSUBJECT	UNIQUEID	binary	16	
trvexp	BUSINESSCLASSGROUPSUBJECT	USACTOR	char	30	
trvexp	BUSINESSCLASSGROUPSUBJECT	USTIMESTAMP	datetime		
trvexp	CARCONFIGURATION	AUDITLOG	text	2147483647	
trvexp	CARCONFIGURATION	CARCONFIGURATION	decimal		
trvexp	CARCONFIGURATION	COMPLEXCONFIGURATION	char	1	
trvexp	CARCONFIGURATION	CSACTOR	char	30	
trvexp	CARCONFIGURATION	CSTIMESTAMP	datetime		
trvexp	CARCONFIGURATION	CURRENCY	char	5	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	CARCONFIGURATION	DELETEFLAG	binary	16	
trvexp	CARCONFIGURATION	DESCRIPTION	char	60	
trvexp	CARCONFIGURATION	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	CARCONFIGURATION	EXPENSEGROUP	char	4	
trvexp	CARCONFIGURATION	NAME	char	60	
trvexp	CARCONFIGURATION	UNIQUEID	binary	16	
trvexp	CARCONFIGURATION	UNITOFMEASURE	smallint		
trvexp	CARCONFIGURATION	USACTOR	char	30	
trvexp	CARCONFIGURATION	USTIMESTAMP	datetime		
trvexp	CARCONFIGURATIONRATE	AUDITLOG	text	2147483647	
trvexp	CARCONFIGURATIONRATE	BEGINODOMETER	decimal		
trvexp	CARCONFIGURATIONRATE	CARCONFIGURATION	decimal		
trvexp	CARCONFIGURATIONRATE	CARCONFIGURATIONRATE	decimal		
trvexp	CARCONFIGURATIONRATE	CSACTOR	char	30	
trvexp	CARCONFIGURATIONRATE	CSTIMESTAMP	datetime		
trvexp	CARCONFIGURATIONRATE	DELETEFLAG	binary	16	
trvexp	CARCONFIGURATIONRATE	DESCRIPTION	char	60	
trvexp	CARCONFIGURATIONRATE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	CARCONFIGURATIONRATE	EXPENSEGROUP	char	4	
trvexp	CARCONFIGURATIONRATE	RATEEFFECTIVEDATE	datetime		
trvexp	CARCONFIGURATIONRATE	REIMRATEPERPASSENGER	decimal		
trvexp	CARCONFIGURATIONRATE	REIMRATEPERUOM	decimal		
trvexp	CARCONFIGURATIONRATE	UNIQUEID	binary	16	
trvexp	CARCONFIGURATIONRATE	USACTOR	char	30	
trvexp	CARCONFIGURATIONRATE	USTIMESTAMP	datetime		
trvexp	CASHLEDGERCOMPANY	AUDITLOG	text	2147483647	
trvexp	CASHLEDGERCOMPANY	COMPANY	smallint		
trvexp	CASHLEDGERCOMPANY	CSACTOR	char	30	
trvexp	CASHLEDGERCOMPANY	CSTIMESTAMP	datetime		
trvexp	CASHLEDGERCOMPANY	DELETEFLAG	binary	16	
trvexp	CASHLEDGERCOMPANY	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	CASHLEDGERCOMPANY	LASTLOADDATE	datetime		
trvexp	CASHLEDGERCOMPANY	LOADSTATUS	tinyint		
trvexp	CASHLEDGERCOMPANY	SHOWDISCOUNTEDAMOUNT	char	1	
trvexp	CASHLEDGERCOMPANY	UNIQUEID	binary	16	
trvexp	CASHLEDGERCOMPANY	USACTOR	char	30	
trvexp	CASHLEDGERCOMPANY	USTIMESTAMP	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	CHECKDOCUMENTTEMPLATE	ACTIVE	char		1
trvexp	CHECKDOCUMENTTEMPLATE	AUDITLOG	text	2147483647	
trvexp	CHECKDOCUMENTTEMPLATE	CDTGFILE	image	2147483647	
trvexp	CHECKDOCUMENTTEMPLATE	CDTGMIMETYPE	char		80
trvexp	CHECKDOCUMENTTEMPLATE	CDTGTITLE	char		50
trvexp	CHECKDOCUMENTTEMPLATE	CHECKDOCUMENTTEMPLATE	int		
trvexp	CHECKDOCUMENTTEMPLATE	CSACTOR	char		30
trvexp	CHECKDOCUMENTTEMPLATE	CSTIMESTAMP	datetime		
trvexp	CHECKDOCUMENTTEMPLATE	DELETEFLAG	binary		16
trvexp	CHECKDOCUMENTTEMPLATE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	CHECKDOCUMENTTEMPLATE	STUDENTACTIVITYDISTRICT	char		4
trvexp	CHECKDOCUMENTTEMPLATE	UNIQUEID	binary		16
trvexp	CHECKDOCUMENTTEMPLATE	USACTOR	char		30
trvexp	CHECKDOCUMENTTEMPLATE	USTIMESTAMP	datetime		
trvexp	CHECKPOINT	ACTOR	char		30
trvexp	CHECKPOINT	ASYNCACTIONREQUEST	binary		16
trvexp	CHECKPOINT	ASYNCACTIONTRIGGER	int		
trvexp	CHECKPOINT	CPJOBKEYSHASH	char		11
trvexp	CHECKPOINT	CPJOBNAME	char		80
trvexp	CHECKPOINT	CSACTOR	char		30
trvexp	CHECKPOINT	CSTIMESTAMP	datetime		
trvexp	CHECKPOINT	RESTARTINFORMATION	text	2147483647	
trvexp	CHECKPOINT	UNIQUEID	binary		16
trvexp	CHECKPOINT	USACTOR	char		30
trvexp	CHECKPOINT	USTIMESTAMP	datetime		
trvexp	CLOSEDPERIODBYSCHOOLTYPE	AUDITLOG	text	2147483647	
trvexp	CLOSEDPERIODBYSCHOOLTYPE	CSACTOR	char		30
trvexp	CLOSEDPERIODBYSCHOOLTYPE	CSTIMESTAMP	datetime		
trvexp	CLOSEDPERIODBYSCHOOLTYPE	DELETEFLAG	binary		16
trvexp	CLOSEDPERIODBYSCHOOLTYPE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	CLOSEDPERIODBYSCHOOLTYPE	SACPPERIOD	smallint		
trvexp	CLOSEDPERIODBYSCHOOLTYPE	SACPYEAR	decimal		
trvexp	CLOSEDPERIODBYSCHOOLTYPE	STUDENTACTIVITYDISTRICT	char		4
trvexp	CLOSEDPERIODBYSCHOOLTYPE	STUDENTACTIVITYSCHOOLTYPE	char		20
trvexp	CLOSEDPERIODBYSCHOOLTYPE	SYSTEMCALENDAR	char		20
trvexp	CLOSEDPERIODBYSCHOOLTYPE	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	CLOSEDPERIODBYSCHOOLTYPE	UNIQUEID	binary		16

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	CLOSEDPERIODBYSCHOOLTYPE	USACTOR	char		30
trvexp	CLOSEDPERIODBYSCHOOLTYPE	USTIMESTAMP	datetime		
trvexp	CONFIGURATIONPARAMETER	CPCONFIGURATIONID	char		30
trvexp	CONFIGURATIONPARAMETER	CPNAME	varchar		150
trvexp	CONFIGURATIONPARAMETER	LENGTH	int		
trvexp	CONFIGURATIONPARAMETER	PRECISION	tinyint		
trvexp	CONFIGURATIONPARAMETER	TYPE	smallint		
trvexp	CONFIGURATIONPARAMETER	UNIQUEID	binary		16
trvexp	CONFIGURATIONPARAMETER	VALUE	varchar		300
trvexp	CONTEXTPROPERTY	AUDITLOG	text	2147483647	
trvexp	CONTEXTPROPERTY	CONTEXTPROPERTY	binary		16
trvexp	CONTEXTPROPERTY	CSACTOR	char		30
trvexp	CONTEXTPROPERTY	CSTIMESTAMP	datetime		
trvexp	CONTEXTPROPERTY	DATAAREA	char		14
trvexp	CONTEXTPROPERTY	DELETEFLAG	binary		16
trvexp	CONTEXTPROPERTY	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	CONTEXTPROPERTY	ISPERVASIVE	char		1
trvexp	CONTEXTPROPERTY	KEYFIELD	char		200
trvexp	CONTEXTPROPERTY	SERVICENAME	char		30
trvexp	CONTEXTPROPERTY	USACTOR	char		30
trvexp	CONTEXTPROPERTY	USERMODIFIABLE	char		1
trvexp	CONTEXTPROPERTY	USTIMESTAMP	datetime		
trvexp	CREDITCARDAGE	AUDITLOG	text	2147483647	
trvexp	CREDITCARDAGE	CREDITCARDAGE	smallint		
trvexp	CREDITCARDAGE	CSACTOR	char		30
trvexp	CREDITCARDAGE	CSTIMESTAMP	datetime		
trvexp	CREDITCARDAGE	DELETEFLAG	binary		16
trvexp	CREDITCARDAGE	EXPENSEGROUP	char		4
trvexp	CREDITCARDAGE	RESOURCE	int		
trvexp	CREDITCARDAGE	UNIQUEID	binary		16
trvexp	CREDITCARDAGE	USACTOR	char		30
trvexp	CREDITCARDAGE	USTIMESTAMP	datetime		
trvexp	CREDITCARDIMPORT	BILLAMOUNT	decimal		
trvexp	CREDITCARDIMPORT	BILLCURRENCY	char		5
trvexp	CREDITCARDIMPORT	BILLDATE	datetime		
trvexp	CREDITCARDIMPORT	CARDNUMBER	decimal		
trvexp	CREDITCARDIMPORT	CCI_ENCRYPTEDOBJECT_ENCRYPTED	char		1

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	CREDITCARDIMPORT	CCICREDITCARDTYPE	char		10
trvexp	CREDITCARDIMPORT	CCITRANSACTIONNUMBER	char		80
trvexp	CREDITCARDIMPORT	DESCRIPTION	char		60
trvexp	CREDITCARDIMPORT	ENCRYPTEDOBJECT	text	2147483647	
trvexp	CREDITCARDIMPORT	EXCHANGERATE	decimal		
trvexp	CREDITCARDIMPORT	EXPENSEGROUP	char		4
trvexp	CREDITCARDIMPORT	LASTFOURDIGITS	char		4
trvexp	CREDITCARDIMPORT	MERCHANTCATEGORYCODE	decimal		
trvexp	CREDITCARDIMPORT	MERCHANTCITY	char		60
trvexp	CREDITCARDIMPORT	MERCHANTCOUNTRY	char		60
trvexp	CREDITCARDIMPORT	MERCHANTID	decimal		
trvexp	CREDITCARDIMPORT	MERCHANTNAME	char		60
trvexp	CREDITCARDIMPORT	MERCHANTSTATE	char		2
trvexp	CREDITCARDIMPORT	RESOURCE	int		
trvexp	CREDITCARDIMPORT	RESOURCECREDITCARD	decimal		
trvexp	CREDITCARDIMPORT	STATUS	smallint		
trvexp	CREDITCARDIMPORT	TRANSACTIONAMOUNT	decimal		
trvexp	CREDITCARDIMPORT	TRANSACTIONCURRENCY	char		5
trvexp	CREDITCARDIMPORT	TRANSACTIONDATE	datetime		
trvexp	CREDITCARDIMPORT	UNIQUEID	binary		16
trvexp	CREDITCARDIMPORTDETAIL	AUDITLOG	text	2147483647	
trvexp	CREDITCARDIMPORTDETAIL	BILLAMOUNT	decimal		
trvexp	CREDITCARDIMPORTDETAIL	BILLCURRENCY	char		5
trvexp	CREDITCARDIMPORTDETAIL	BILLDATE	datetime		
trvexp	CREDITCARDIMPORTDETAIL	CCICREDITCARDTYPE	char		10
trvexp	CREDITCARDIMPORTDETAIL	CCITRANSACTIONNUMBER	char		80
trvexp	CREDITCARDIMPORTDETAIL	CREDITCARDIMPORTDETAIL	decimal		
trvexp	CREDITCARDIMPORTDETAIL	CSACTOR	char		30
trvexp	CREDITCARDIMPORTDETAIL	CSTIMESTAMP	datetime		
trvexp	CREDITCARDIMPORTDETAIL	DELETEFLAG	binary		16
trvexp	CREDITCARDIMPORTDETAIL	DESCRIPTION	char		60
trvexp	CREDITCARDIMPORTDETAIL	DETAILINFORMATION1	char		250
trvexp	CREDITCARDIMPORTDETAIL	DETAILINFORMATION10	char		250
trvexp	CREDITCARDIMPORTDETAIL	DETAILINFORMATION2	char		250
trvexp	CREDITCARDIMPORTDETAIL	DETAILINFORMATION3	char		250
trvexp	CREDITCARDIMPORTDETAIL	DETAILINFORMATION4	char		250
trvexp	CREDITCARDIMPORTDETAIL	DETAILINFORMATION5	char		250

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	CREDITCARDIMPORTDETAIL	DETAILINFORMATION6	char	250	
trvexp	CREDITCARDIMPORTDETAIL	DETAILINFORMATION7	char	250	
trvexp	CREDITCARDIMPORTDETAIL	DETAILINFORMATION8	char	250	
trvexp	CREDITCARDIMPORTDETAIL	DETAILINFORMATION9	char	250	
trvexp	CREDITCARDIMPORTDETAIL	DETAILTYPE	smallint		
trvexp	CREDITCARDIMPORTDETAIL	EXCHANGERATE	decimal		
trvexp	CREDITCARDIMPORTDETAIL	EXPENSEGROUP	char	4	
trvexp	CREDITCARDIMPORTDETAIL	MERCHANTCATEGORYCODE	decimal		
trvexp	CREDITCARDIMPORTDETAIL	STATUS	smallint		
trvexp	CREDITCARDIMPORTDETAIL	TRANSACTIONAMOUNT	decimal		
trvexp	CREDITCARDIMPORTDETAIL	TRANSACTIONCURRENCY	char	5	
trvexp	CREDITCARDIMPORTDETAIL	TRANSACTIONDATE	datetime		
trvexp	CREDITCARDIMPORTDETAIL	UNIQUEID	binary	16	
trvexp	CREDITCARDIMPORTDETAIL	USACTOR	char	30	
trvexp	CREDITCARDIMPORTDETAIL	USTIMESTAMP	datetime		
trvexp	CREDITCARDITINERARY	AUDITLOG	text	2147483647	
trvexp	CREDITCARDITINERARY	CREDITCARDITINERARY	decimal		
trvexp	CREDITCARDITINERARY	CREDITCARDTRANSACTION	decimal		
trvexp	CREDITCARDITINERARY	CSACTOR	char	30	
trvexp	CREDITCARDITINERARY	CSTIMESTAMP	datetime		
trvexp	CREDITCARDITINERARY	DATAFIELD1	char	26	
trvexp	CREDITCARDITINERARY	DATAFIELD2	char	26	
trvexp	CREDITCARDITINERARY	DATAFIELD3	char	26	
trvexp	CREDITCARDITINERARY	DATAFIELD4	char	26	
trvexp	CREDITCARDITINERARY	DELETEFLAG	binary	16	
trvexp	CREDITCARDITINERARY	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	CREDITCARDITINERARY	EXPENSEGROUP	char	4	
trvexp	CREDITCARDITINERARY	NUMBEROFLEGS	smallint		
trvexp	CREDITCARDITINERARY	PASSENGERNAME	char	20	
trvexp	CREDITCARDITINERARY	PASSENGERSPECIFICDATA	char	50	
trvexp	CREDITCARDITINERARY	POSTINGDATE	char	10	
trvexp	CREDITCARDITINERARY	RESOURCE	int		
trvexp	CREDITCARDITINERARY	SEQUENCENUMBER	decimal		
trvexp	CREDITCARDITINERARY	SUPPLIERNAME	char	26	
trvexp	CREDITCARDITINERARY	TICKETISSUEDATE	char	8	
trvexp	CREDITCARDITINERARY	TICKETNUMBER	char	14	
trvexp	CREDITCARDITINERARY	TRANSACTIONREFERENCENUMBER	char	30	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	CREDITCARDITINERARY	TRAVELAGENCYCODE	char		8
trvexp	CREDITCARDITINERARY	TRAVELAGENCYNAME	char		26
trvexp	CREDITCARDITINERARY	UNIQUEID	binary		16
trvexp	CREDITCARDITINERARY	USACTOR	char		30
trvexp	CREDITCARDITINERARY	USTIMESTAMP	datetime		
trvexp	CREDITCARDITINERARYDETAIL	ARRIVALDATE	char		8
trvexp	CREDITCARDITINERARYDETAIL	ARRIVALTIME	char		4
trvexp	CREDITCARDITINERARYDETAIL	AUDITLOG	text	2147483647	
trvexp	CREDITCARDITINERARYDETAIL	CARRIERCODE	char		4
trvexp	CREDITCARDITINERARYDETAIL	CREDITCARDITINERARYDETAIL	decimal		
trvexp	CREDITCARDITINERARYDETAIL	CREDITCARDTRANSACTION	decimal		
trvexp	CREDITCARDITINERARYDETAIL	CSACTOR	char		30
trvexp	CREDITCARDITINERARYDETAIL	CSTIMESTAMP	datetime		
trvexp	CREDITCARDITINERARYDETAIL	DATAFIELD1	char		26
trvexp	CREDITCARDITINERARYDETAIL	DATAFIELD2	char		26
trvexp	CREDITCARDITINERARYDETAIL	DATAFIELD3	char		26
trvexp	CREDITCARDITINERARYDETAIL	DATAFIELD4	char		26
trvexp	CREDITCARDITINERARYDETAIL	DELETEFLAG	binary		16
trvexp	CREDITCARDITINERARYDETAIL	DEPARTURETIME	char		4
trvexp	CREDITCARDITINERARYDETAIL	DESTINATION	char		4
trvexp	CREDITCARDITINERARYDETAIL	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	CREDITCARDITINERARYDETAIL	EXPENSEGROUP	char		4
trvexp	CREDITCARDITINERARYDETAIL	LEGNUMBER	smallint		
trvexp	CREDITCARDITINERARYDETAIL	ORIGIN	char		4
trvexp	CREDITCARDITINERARYDETAIL	POSTINGDATE	char		10
trvexp	CREDITCARDITINERARYDETAIL	RESOURCE	int		
trvexp	CREDITCARDITINERARYDETAIL	SEQUENCENUMBER	decimal		
trvexp	CREDITCARDITINERARYDETAIL	SERVICECLASS	char		2
trvexp	CREDITCARDITINERARYDETAIL	TICKETNUMBER	char		14
trvexp	CREDITCARDITINERARYDETAIL	TRANSACTIONREFERENCENUMBER	char		30
trvexp	CREDITCARDITINERARYDETAIL	TRAVELDATE	char		8
trvexp	CREDITCARDITINERARYDETAIL	UNIQUEID	binary		16
trvexp	CREDITCARDITINERARYDETAIL	USACTOR	char		30
trvexp	CREDITCARDITINERARYDETAIL	USTIMESTAMP	datetime		
trvexp	CREDITCARDTRANSACTION	ACCOUNTINGUNIT	char		15
trvexp	CREDITCARDTRANSACTION	ADDENDUM	char		400
trvexp	CREDITCARDTRANSACTION	AMEXIMPORT	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	CREDITCARDTRANSACTION	ARRESOURCE	int		
trvexp	CREDITCARDTRANSACTION	AUDITLOG	text	2147483647	
trvexp	CREDITCARDTRANSACTION	BILLAMOUNT	decimal		
trvexp	CREDITCARDTRANSACTION	BILLCURRENCY	char		5
trvexp	CREDITCARDTRANSACTION	BILLDATE	datetime		
trvexp	CREDITCARDTRANSACTION	CCICREDITCARDTYPE	char		10
trvexp	CREDITCARDTRANSACTION	CCITRANSACTIONNUMBER	char		80
trvexp	CREDITCARDTRANSACTION	CREDITCARDTRANSACTION	decimal		
trvexp	CREDITCARDTRANSACTION	CREDITCARDTYPE	char		10
trvexp	CREDITCARDTRANSACTION	CSACTOR	char		30
trvexp	CREDITCARDTRANSACTION	CSTIMESTAMP	datetime		
trvexp	CREDITCARDTRANSACTION	DELETEFLAG	binary		16
trvexp	CREDITCARDTRANSACTION	DEPARTMENT	char		5
trvexp	CREDITCARDTRANSACTION	DESCRIPTION	char		60
trvexp	CREDITCARDTRANSACTION	DRBEGIN	datetime		
trvexp	CREDITCARDTRANSACTION	DREND	datetime		
trvexp	CREDITCARDTRANSACTION	EXCHANGERATE	decimal		
trvexp	CREDITCARDTRANSACTION	EXPENSECODE	char		15
trvexp	CREDITCARDTRANSACTION	EXPENSEDETAIL	decimal		
trvexp	CREDITCARDTRANSACTION	EXPENSEGROUP	char		4
trvexp	CREDITCARDTRANSACTION	EXPENSEREPORT	decimal		
trvexp	CREDITCARDTRANSACTION	EXPORTCODE	char		30
trvexp	CREDITCARDTRANSACTION	FINANCIALCODE	decimal		
trvexp	CREDITCARDTRANSACTION	GEIMPORT	decimal		
trvexp	CREDITCARDTRANSACTION	INDUSTRYCODE	decimal		
trvexp	CREDITCARDTRANSACTION	MERCHANTCITY	char		60
trvexp	CREDITCARDTRANSACTION	MERCHANTCOUNTRY	char		60
trvexp	CREDITCARDTRANSACTION	MERCHANTID	decimal		
trvexp	CREDITCARDTRANSACTION	MERCHANTNAME	char		60
trvexp	CREDITCARDTRANSACTION	MERCHANTSTATE	char		2
trvexp	CREDITCARDTRANSACTION	PROCESSLEVEL	char		5
trvexp	CREDITCARDTRANSACTION	REASONFORCLOSURE	text	2147483647	
trvexp	CREDITCARDTRANSACTION	RESOURCE	int		
trvexp	CREDITCARDTRANSACTION	RESOURCECREDITCARD	decimal		
trvexp	CREDITCARDTRANSACTION	STATUS	smallint		
trvexp	CREDITCARDTRANSACTION	TRANSACTIONAMOUNT	decimal		
trvexp	CREDITCARDTRANSACTION	TRANSACTIONCURRENCY	char		5

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	CREDITCARDTRANSACTION	TRANSACTIONDATE	datetime		
trvexp	CREDITCARDTRANSACTION	TRANSACTIONID	char	30	
trvexp	CREDITCARDTRANSACTION	TRANSACTIONTYPE	decimal		
trvexp	CREDITCARDTRANSACTION	UNIQUEID	binary	16	
trvexp	CREDITCARDTRANSACTION	USACTOR	char	30	
trvexp	CREDITCARDTRANSACTION	USBANKIMPORT	decimal		
trvexp	CREDITCARDTRANSACTION	USTIMESTAMP	datetime		
trvexp	CREDITCARDTRANSACTION	VCFCARDTRANSACTION	decimal		
trvexp	CREDITCARDTRANSACTIONDETAIL	AUDITLOG	text	2147483647	
trvexp	CREDITCARDTRANSACTIONDETAIL	BILLAMOUNT	decimal		
trvexp	CREDITCARDTRANSACTIONDETAIL	BILLCURRENCY	char	5	
trvexp	CREDITCARDTRANSACTIONDETAIL	BILLDATE	datetime		
trvexp	CREDITCARDTRANSACTIONDETAIL	CREDITCARDTRANSACTION	decimal		
trvexp	CREDITCARDTRANSACTIONDETAIL	CREDITCARDTRANSACTIONDETAIL	decimal		
trvexp	CREDITCARDTRANSACTIONDETAIL	CSACTOR	char	30	
trvexp	CREDITCARDTRANSACTIONDETAIL	CSTIMESTAMP	datetime		
trvexp	CREDITCARDTRANSACTIONDETAIL	DELETEFLAG	binary	16	
trvexp	CREDITCARDTRANSACTIONDETAIL	DESCRIPTION	char	60	
trvexp	CREDITCARDTRANSACTIONDETAIL	DETAILINFORMATION1	char	250	
trvexp	CREDITCARDTRANSACTIONDETAIL	DETAILINFORMATION10	char	250	
trvexp	CREDITCARDTRANSACTIONDETAIL	DETAILINFORMATION2	char	250	
trvexp	CREDITCARDTRANSACTIONDETAIL	DETAILINFORMATION3	char	250	
trvexp	CREDITCARDTRANSACTIONDETAIL	DETAILINFORMATION4	char	250	
trvexp	CREDITCARDTRANSACTIONDETAIL	DETAILINFORMATION5	char	250	
trvexp	CREDITCARDTRANSACTIONDETAIL	DETAILINFORMATION6	char	250	
trvexp	CREDITCARDTRANSACTIONDETAIL	DETAILINFORMATION7	char	250	
trvexp	CREDITCARDTRANSACTIONDETAIL	DETAILINFORMATION8	char	250	
trvexp	CREDITCARDTRANSACTIONDETAIL	DETAILINFORMATION9	char	250	
trvexp	CREDITCARDTRANSACTIONDETAIL	EXCHANGERATE	decimal		
trvexp	CREDITCARDTRANSACTIONDETAIL	EXPENSECODE	char	15	
trvexp	CREDITCARDTRANSACTIONDETAIL	EXPENSEGROUP	char	4	
trvexp	CREDITCARDTRANSACTIONDETAIL	RESOURCE	int		
trvexp	CREDITCARDTRANSACTIONDETAIL	TRANSACTIONAMOUNT	decimal		
trvexp	CREDITCARDTRANSACTIONDETAIL	TRANSACTIONCURRENCY	char	5	
trvexp	CREDITCARDTRANSACTIONDETAIL	TRANSACTIONDATE	datetime		
trvexp	CREDITCARDTRANSACTIONDETAIL	UNIQUEID	binary	16	
trvexp	CREDITCARDTRANSACTIONDETAIL	USACTOR	char	30	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	CREDITCARDTRANSACTIONDETAIL	USTIMESTAMP	datetime		
trvexp	CREDITCARDTYPE	APCOMPANY	smallint		
trvexp	CREDITCARDTYPE	APPROCLEV	char	5	
trvexp	CREDITCARDTYPE	AUDITLOG	text	2147483647	
trvexp	CREDITCARDTYPE	CREDITCARDTYPE	char	10	
trvexp	CREDITCARDTYPE	CSACTOR	char	30	
trvexp	CREDITCARDTYPE	CSTIMESTAMP	datetime		
trvexp	CREDITCARDTYPE	DELETEFLAG	binary	16	
trvexp	CREDITCARDTYPE	DESCRIPTION	char	60	
trvexp	CREDITCARDTYPE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	CREDITCARDTYPE	EXPENSEGROUP	char	4	
trvexp	CREDITCARDTYPE	UNIQUEID	binary	16	
trvexp	CREDITCARDTYPE	USACTOR	char	30	
trvexp	CREDITCARDTYPE	USTIMESTAMP	datetime		
trvexp	CREDITCARDTYPE	VENDOR	char	9	
trvexp	CURRENCYSIMULATOR	AUDITLOG	text	2147483647	
trvexp	CURRENCYSIMULATOR	CSACTOR	char	30	
trvexp	CURRENCYSIMULATOR	CSTIMESTAMP	datetime		
trvexp	CURRENCYSIMULATOR	CURRENCYEXCHANGEDATE	datetime		
trvexp	CURRENCYSIMULATOR	CURRENCYSIMULATOR	char	10	
trvexp	CURRENCYSIMULATOR	CURRENCYTABLE	char	12	
trvexp	CURRENCYSIMULATOR	DELETEFLAG	binary	16	
trvexp	CURRENCYSIMULATOR	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	CURRENCYSIMULATOR	ENTERPRISEGROUP	char	4	
trvexp	CURRENCYSIMULATOR	FROMCURRENCY	char	5	
trvexp	CURRENCYSIMULATOR	TCA1ENTEREDCURRENCYAMOUNT	decimal		
trvexp	CURRENCYSIMULATOR	TCA1ENTEREDCURRENCYRATE	decimal		
trvexp	CURRENCYSIMULATOR	TCA1TOCURRENCY	char	5	
trvexp	CURRENCYSIMULATOR	TCA2ENTEREDCURRENCYAMOUNT	decimal		
trvexp	CURRENCYSIMULATOR	TCA2ENTEREDCURRENCYRATE	decimal		
trvexp	CURRENCYSIMULATOR	TCA2TOCURRENCY	char	5	
trvexp	CURRENCYSIMULATOR	TCA3ENTEREDCURRENCYAMOUNT	decimal		
trvexp	CURRENCYSIMULATOR	TCA3ENTEREDCURRENCYRATE	decimal		
trvexp	CURRENCYSIMULATOR	TCA3TOCURRENCY	char	5	
trvexp	CURRENCYSIMULATOR	TRANSACTIONAMOUNT	decimal		
trvexp	CURRENCYSIMULATOR	UNIQUEID	binary	16	
trvexp	CURRENCYSIMULATOR	USACTOR	char	30	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	CURRENCYSIMULATOR	USTIMESTAMP	datetime		
trvexp	EFFECTIVEBINARYOBJECTS	AUDITENTRYID	binary	16	
trvexp	EFFECTIVEBINARYOBJECTS	BORBUSINESSCLASSNAME	char	200	
trvexp	EFFECTIVEBINARYOBJECTS	BORBUSINESSOBJECTKEY	binary	16	
trvexp	EFFECTIVEBINARYOBJECTS	EFFECTIVEBINARYOBJECTS	binary	16	
trvexp	EFFECTIVEBINARYOBJECTS	OBJECT	image	2147483647	
trvexp	EFFECTIVEDATEDENTRY	CSACTOR	char	30	
trvexp	EFFECTIVEDATEDENTRY	CSTIMESTAMP	datetime		
trvexp	EFFECTIVEDATEDENTRY	EFFECTIVEDATEDGROUP	binary	16	
trvexp	EFFECTIVEDATEDENTRY	ENTRYID	binary	16	
trvexp	EFFECTIVEDATEDENTRY	RIDBUSINESSCLASSNAME	char	200	
trvexp	EFFECTIVEDATEDENTRY	RIDBUSINESSOBJECTKEY	binary	16	
trvexp	EFFECTIVEDATEDENTRY	SEQUENCE	int		
trvexp	EFFECTIVEDATEDENTRY	UNIQUEID	binary	16	
trvexp	EFFECTIVEDATEDENTRY	USACTOR	char	30	
trvexp	EFFECTIVEDATEDENTRY	USTIMESTAMP	datetime		
trvexp	EFFECTIVEDATEDGROUP	ASYNCID	binary	16	
trvexp	EFFECTIVEDATEDGROUP	CSACTOR	char	30	
trvexp	EFFECTIVEDATEDGROUP	CSTIMESTAMP	datetime		
trvexp	EFFECTIVEDATEDGROUP	EFFECTIVEDATE	datetime		
trvexp	EFFECTIVEDATEDGROUP	EFFECTIVEDATEDGROUP	binary	16	
trvexp	EFFECTIVEDATEDGROUP	EXECUTETIME	datetime		
trvexp	EFFECTIVEDATEDGROUP	ISCOMPLETE	char	1	
trvexp	EFFECTIVEDATEDGROUP	LASTSEQUENCE	int		
trvexp	EFFECTIVEDATEDGROUP	ROOTACTION	char	200	
trvexp	EFFECTIVEDATEDGROUP	ROOTBUSINESSCLASS	char	200	
trvexp	EFFECTIVEDATEDGROUP	STATUS	tinyint		
trvexp	EFFECTIVEDATEDGROUP	USACTOR	char	30	
trvexp	EFFECTIVEDATEDGROUP	USTIMESTAMP	datetime		
trvexp	EMAILMESSAGEATTACHMENT	ADATTACHMENT	image	2147483647	
trvexp	EMAILMESSAGEATTACHMENT	ADCONTENTTYPE	varchar	100	
trvexp	EMAILMESSAGEATTACHMENT	ADFILENAME	text	2147483647	
trvexp	EMAILMESSAGEATTACHMENT	AUDITLOG	text	2147483647	
trvexp	EMAILMESSAGEATTACHMENT	CSACTOR	char	30	
trvexp	EMAILMESSAGEATTACHMENT	CSTIMESTAMP	datetime		
trvexp	EMAILMESSAGEATTACHMENT	DELETEFLAG	binary	16	
trvexp	EMAILMESSAGEATTACHMENT	EFFECTIVEDATEDLOG	text	2147483647	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EMAILMESSAGEATTACHMENT	EMAILMESSAGEQUEUE	binary		16
trvexp	EMAILMESSAGEATTACHMENT	SEQUENCE	int		
trvexp	EMAILMESSAGEATTACHMENT	UNIQUEID	binary		16
trvexp	EMAILMESSAGEATTACHMENT	USACTOR	char		30
trvexp	EMAILMESSAGEATTACHMENT	USTIMESTAMP	datetime		
trvexp	EMAILMESSAGECONTENT	AUDITLOG	text	2147483647	
trvexp	EMAILMESSAGECONTENT	CDCONTENT	text	2147483647	
trvexp	EMAILMESSAGECONTENT	CDCONTENTTYPE	varchar		100
trvexp	EMAILMESSAGECONTENT	CSACTOR	char		30
trvexp	EMAILMESSAGECONTENT	CSTIMESTAMP	datetime		
trvexp	EMAILMESSAGECONTENT	DELETEFLAG	binary		16
trvexp	EMAILMESSAGECONTENT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EMAILMESSAGECONTENT	EMAILMESSAGEQUEUE	binary		16
trvexp	EMAILMESSAGECONTENT	SEQUENCE	int		
trvexp	EMAILMESSAGECONTENT	UNIQUEID	binary		16
trvexp	EMAILMESSAGECONTENT	USACTOR	char		30
trvexp	EMAILMESSAGECONTENT	USTIMESTAMP	datetime		
trvexp	EMAILMESSAGEQUEUE	ALTERNATIVECONTENT	char		1
trvexp	EMAILMESSAGEQUEUE	AUDITLOG	text	2147483647	
trvexp	EMAILMESSAGEQUEUE	AUTHENTICATEDACTOR	char		30
trvexp	EMAILMESSAGEQUEUE	BCC	text	2147483647	
trvexp	EMAILMESSAGEQUEUE	CC	text	2147483647	
trvexp	EMAILMESSAGEQUEUE	CDCONTENT	text	2147483647	
trvexp	EMAILMESSAGEQUEUE	CDCONTENTTYPE	varchar		100
trvexp	EMAILMESSAGEQUEUE	CSACTOR	char		30
trvexp	EMAILMESSAGEQUEUE	CSTIMESTAMP	datetime		
trvexp	EMAILMESSAGEQUEUE	DELETEFLAG	binary		16
trvexp	EMAILMESSAGEQUEUE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EMAILMESSAGEQUEUE	EMAILMESSAGEQUEUE	binary		16
trvexp	EMAILMESSAGEQUEUE	ERRORMESSAGE	text	2147483647	
trvexp	EMAILMESSAGEQUEUE	EXECUTETIME	datetime		
trvexp	EMAILMESSAGEQUEUE	FAILURECOUNT	int		
trvexp	EMAILMESSAGEQUEUE	FROM	text	2147483647	
trvexp	EMAILMESSAGEQUEUE	ISCOMPLETE	char		1
trvexp	EMAILMESSAGEQUEUE	ISFAILED	char		1
trvexp	EMAILMESSAGEQUEUE	ISNEW	char		1
trvexp	EMAILMESSAGEQUEUE	ISPROXY	char		1

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EMAILMESSAGEQUEUE	ISRESET	char		1
trvexp	EMAILMESSAGEQUEUE	LASTATTACHMENTSEQUENCE	int		
trvexp	EMAILMESSAGEQUEUE	LASTCONTENTSEQUENCE	int		
trvexp	EMAILMESSAGEQUEUE	STATUS	tinyint		
trvexp	EMAILMESSAGEQUEUE	SUBJECT	text	2147483647	
trvexp	EMAILMESSAGEQUEUE	TO	text	2147483647	
trvexp	EMAILMESSAGEQUEUE	USACTOR	char		30
trvexp	EMAILMESSAGEQUEUE	USTIMESTAMP	datetime		
trvexp	ENPPERSONALOBJECT	ALERTNAME	char		100
trvexp	ENPPERSONALOBJECT	ALERTTYPE	char		1
trvexp	ENPPERSONALOBJECT	AUDITLOG	text	2147483647	
trvexp	ENPPERSONALOBJECT	CLIENTXML	text	2147483647	
trvexp	ENPPERSONALOBJECT	CSACTOR	char		30
trvexp	ENPPERSONALOBJECT	CSTIMESTAMP	datetime		
trvexp	ENPPERSONALOBJECT	DELETEFLAG	binary		16
trvexp	ENPPERSONALOBJECT	DESCRIPTION	char		200
trvexp	ENPPERSONALOBJECT	ENABLESTATUS	char		1
trvexp	ENPPERSONALOBJECT	ENDDATETIME	datetime		
trvexp	ENPPERSONALOBJECT	ENPPERSONALOBJECT	char		100
trvexp	ENPPERSONALOBJECT	EPODATASOURCE	char		2
trvexp	ENPPERSONALOBJECT	FORMORIGIN	char		12
trvexp	ENPPERSONALOBJECT	FREQUENCY	char		1
trvexp	ENPPERSONALOBJECT	LASTRUNDATETIME	datetime		
trvexp	ENPPERSONALOBJECT	NEXTPROCESSDATETIME	datetime		
trvexp	ENPPERSONALOBJECT	PROCESSEDCOUNTER	int		
trvexp	ENPPERSONALOBJECT	PROCESSINGDATA	image	2147483647	
trvexp	ENPPERSONALOBJECT	PROCESSINGSTATUS	char		1
trvexp	ENPPERSONALOBJECT	RESPONSEXML	text	2147483647	
trvexp	ENPPERSONALOBJECT	STARTDATETIME	datetime		
trvexp	ENPPERSONALOBJECT	STOPRULE	char		1
trvexp	ENPPERSONALOBJECT	UNIQUEID	binary		16
trvexp	ENPPERSONALOBJECT	USACTOR	char		30
trvexp	ENPPERSONALOBJECT	USERNAME	char		30
trvexp	ENPPERSONALOBJECT	USTIMESTAMP	datetime		
trvexp	ENTERPRISECOMPANY	AUDITLOG	text	2147483647	
trvexp	ENTERPRISECOMPANY	COMPANY	smallint		
trvexp	ENTERPRISECOMPANY	CSACTOR	char		30

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	ENTERPRISECOMPANY	CSTIMESTAMP	datetime		
trvexp	ENTERPRISECOMPANY	DEFAULTCOUNTRY	char		3
trvexp	ENTERPRISECOMPANY	DELETEFLAG	binary		16
trvexp	ENTERPRISECOMPANY	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	ENTERPRISECOMPANY	ENTERPRISEGROUP	char		4
trvexp	ENTERPRISECOMPANY	NAME	char		50
trvexp	ENTERPRISECOMPANY	UNIQUEID	binary		16
trvexp	ENTERPRISECOMPANY	USACTOR	char		30
trvexp	ENTERPRISECOMPANY	USTIMESTAMP	datetime		
trvexp	ENTERPRISEGROUP	AUDITLOG	text	2147483647	
trvexp	ENTERPRISEGROUP	CSACTOR	char		30
trvexp	ENTERPRISEGROUP	CSTIMESTAMP	datetime		
trvexp	ENTERPRISEGROUP	DEFAULTCOUNTRY	char		3
trvexp	ENTERPRISEGROUP	DELETEFLAG	binary		16
trvexp	ENTERPRISEGROUP	DESCRIPTION	char		60
trvexp	ENTERPRISEGROUP	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	ENTERPRISEGROUP	ENTERPRISEGROUP	char		4
trvexp	ENTERPRISEGROUP	UNIQUEID	binary		16
trvexp	ENTERPRISEGROUP	USACTOR	char		30
trvexp	ENTERPRISEGROUP	USTIMESTAMP	datetime		
trvexp	EXPENSEACCRUALCODE	AUDITLOG	text	2147483647	
trvexp	EXPENSEACCRUALCODE	CCOAGLAACCOUNTINGUNIT	char		15
trvexp	EXPENSEACCRUALCODE	CCOAGLACAACCOUNT	int		
trvexp	EXPENSEACCRUALCODE	CCOAGLACASUBACCOUNT	smallint		
trvexp	EXPENSEACCRUALCODE	CCOAGLCOMPANY	smallint		
trvexp	EXPENSEACCRUALCODE	CSACTOR	char		30
trvexp	EXPENSEACCRUALCODE	CSTIMESTAMP	datetime		
trvexp	EXPENSEACCRUALCODE	DELETEFLAG	binary		16
trvexp	EXPENSEACCRUALCODE	EAAACCOUNTINGUNIT	char		15
trvexp	EXPENSEACCRUALCODE	EAACAACCOUNT	int		
trvexp	EXPENSEACCRUALCODE	EAACASUBACCOUNT	smallint		
trvexp	EXPENSEACCRUALCODE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEACCRUALCODE	EOAGLAACCOUNTINGUNIT	char		15
trvexp	EXPENSEACCRUALCODE	EOAGLACAACCOUNT	int		
trvexp	EXPENSEACCRUALCODE	EOAGLACASUBACCOUNT	smallint		
trvexp	EXPENSEACCRUALCODE	EOAGLCOMPANY	smallint		
trvexp	EXPENSEACCRUALCODE	EXPENSEACCRUALCODE	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEACCRUALCODE	EXPENSEGROUP	char		4
trvexp	EXPENSEACCRUALCODE	GLCOMPANY	smallint		
trvexp	EXPENSEACCRUALCODE	UNIQUEID	binary		16
trvexp	EXPENSEACCRUALCODE	USACTOR	char		30
trvexp	EXPENSEACCRUALCODE	USTIMESTAMP	datetime		
trvexp	EXPENSEACCRUALREPORTRPT	AUDITLOG	text	2147483647	
trvexp	EXPENSEACCRUALREPORTRPT	CSACTOR	char		30
trvexp	EXPENSEACCRUALREPORTRPT	CSTIMESTAMP	datetime		
trvexp	EXPENSEACCRUALREPORTRPT	DELETEFLAG	binary		16
trvexp	EXPENSEACCRUALREPORTRPT	EARRBJBATCHJOBNAME	char		60
trvexp	EXPENSEACCRUALREPORTRPT	EARRBJBATCHUSERNAME	char		30
trvexp	EXPENSEACCRUALREPORTRPT	EARRBJRUNDATE	datetime		
trvexp	EXPENSEACCRUALREPORTRPT	EARRBJRUNTIMESTAMP	datetime		
trvexp	EXPENSEACCRUALREPORTRPT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEACCRUALREPORTRPT	EXPENSEGROUP	char		4
trvexp	EXPENSEACCRUALREPORTRPT	LASTLINENUMBER	int		
trvexp	EXPENSEACCRUALREPORTRPT	LATESTRUN	char		1
trvexp	EXPENSEACCRUALREPORTRPT	REPORTCUTOFFDATE	datetime		
trvexp	EXPENSEACCRUALREPORTRPT	RESOURCE	int		
trvexp	EXPENSEACCRUALREPORTRPT	RUNGROUP	char		15
trvexp	EXPENSEACCRUALREPORTRPT	RUNTIME	decimal		
trvexp	EXPENSEACCRUALREPORTRPT	UNIQUEID	binary		16
trvexp	EXPENSEACCRUALREPORTRPT	UPDATEOPTION	char		1
trvexp	EXPENSEACCRUALREPORTRPT	USACTOR	char		30
trvexp	EXPENSEACCRUALREPORTRPT	USTIMESTAMP	datetime		
trvexp	EXPENSEACCRUALREPORTRPTDTL	ADDENDUM	char		400
trvexp	EXPENSEACCRUALREPORTRPTDTL	ADVANCEDATE	datetime		
trvexp	EXPENSEACCRUALREPORTRPTDTL	AMOUNT	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	BALANCE	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	BILLAMOUNT	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	BILLCURRENCY	char		5
trvexp	EXPENSEACCRUALREPORTRPTDTL	BILLDATE	datetime		
trvexp	EXPENSEACCRUALREPORTRPTDTL	CREDITCARDTRANSACTION	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	CREDITCARDTYPE	char		10
trvexp	EXPENSEACCRUALREPORTRPTDTL	CURRENCY	char		5
trvexp	EXPENSEACCRUALREPORTRPTDTL	DESCRIPTION	char		60
trvexp	EXPENSEACCRUALREPORTRPTDTL	DRBEGIN	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEACCRUALREPORTRPTDTL	DREND	datetime		
trvexp	EXPENSEACCRUALREPORTRPTDTL	EARRJBATCHJOBNAME	char	60	
trvexp	EXPENSEACCRUALREPORTRPTDTL	EARRJBATCHUSERNAME	char	30	
trvexp	EXPENSEACCRUALREPORTRPTDTL	EARRJRUNDATE	datetime		
trvexp	EXPENSEACCRUALREPORTRPTDTL	EARRJRUNTIMESTAMP	datetime		
trvexp	EXPENSEACCRUALREPORTRPTDTL	EXCHANGERATE	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	EXPENSEACCRUALREPORTRPTDTL	int		
trvexp	EXPENSEACCRUALREPORTRPTDTL	EXPENSEGROUP	char	4	
trvexp	EXPENSEACCRUALREPORTRPTDTL	EXPENSEREPORT	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	EXPENSEREQUEST	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	EXPENSESTATUS	smallint		
trvexp	EXPENSEACCRUALREPORTRPTDTL	EXPORTCODE	char	30	
trvexp	EXPENSEACCRUALREPORTRPTDTL	FINANCIALCODE	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	INDUSTRYCODE	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	ORIGINTYPE	smallint		
trvexp	EXPENSEACCRUALREPORTRPTDTL	REIMBURSEMENTCURRENCY	char	5	
trvexp	EXPENSEACCRUALREPORTRPTDTL	RESOURCE	int		
trvexp	EXPENSEACCRUALREPORTRPTDTL	RESOURCECREDITCARD	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	STATUS	smallint		
trvexp	EXPENSEACCRUALREPORTRPTDTL	TOTALEMPPAIDAMOUNT	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	TOTALREIMBURSEMENTAMOUNT	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	TRANSACTIONAMOUNT	decimal		
trvexp	EXPENSEACCRUALREPORTRPTDTL	TRANSACTIONCURRENCY	char	5	
trvexp	EXPENSEACCRUALREPORTRPTDTL	TRANSACTIONDATE	datetime		
trvexp	EXPENSEACCRUALREPORTRPTDTL	TRANSACTIONID	char	30	
trvexp	EXPENSEACCRUALREPORTRPTDTL	TRANSACTIONTYPE	decimal		
trvexp	EXPENSEATTENDEE	AUDITLOG	text	2147483647	
trvexp	EXPENSEATTENDEE	CSACTOR	char	30	
trvexp	EXPENSEATTENDEE	CSTIMESTAMP	datetime		
trvexp	EXPENSEATTENDEE	DELETEFLAG	binary	16	
trvexp	EXPENSEATTENDEE	EAATTENDEE	decimal		
trvexp	EXPENSEATTENDEE	EXPENSEDETAIL	decimal		
trvexp	EXPENSEATTENDEE	EXPENSEGROUP	char	4	
trvexp	EXPENSEATTENDEE	EXPENSEREPORT	decimal		
trvexp	EXPENSEATTENDEE	RESOURCE	int		
trvexp	EXPENSEATTENDEE	UNIQUEID	binary	16	
trvexp	EXPENSEATTENDEE	USACTOR	char	30	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEATTENDEE	USTIMESTAMP	datetime		
trvexp	EXPENSECATEGORY	AUDITLOG	text	2147483647	
trvexp	EXPENSECATEGORY	CSACTOR	char	30	
trvexp	EXPENSECATEGORY	CSTIMESTAMP	datetime		
trvexp	EXPENSECATEGORY	DELETEFLAG	binary	16	
trvexp	EXPENSECATEGORY	DESCRIPTION	char	60	
trvexp	EXPENSECATEGORY	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSECATEGORY	EXPENSECATEGORY	char	20	
trvexp	EXPENSECATEGORY	EXPENSEGROUP	char	4	
trvexp	EXPENSECATEGORY	UNIQUEID	binary	16	
trvexp	EXPENSECATEGORY	USACTOR	char	30	
trvexp	EXPENSECATEGORY	USTIMESTAMP	datetime		
trvexp	EXPENSECODE	ACACCTCATEGORY	char	5	
trvexp	EXPENSECODE	ACTIVITYREQUIRED	char	1	
trvexp	EXPENSECODE	ATTENDEEAPPLICABLE	char	1	
trvexp	EXPENSECODE	ATTENDEEREQUIRED	char	1	
trvexp	EXPENSECODE	AUDITLOG	text	2147483647	
trvexp	EXPENSECODE	COMMENTREQUIRED	char	1	
trvexp	EXPENSECODE	CSACTOR	char	30	
trvexp	EXPENSECODE	CSTIMESTAMP	datetime		
trvexp	EXPENSECODE	DELETEFLAG	binary	16	
trvexp	EXPENSECODE	DESCRIPTION	char	60	
trvexp	EXPENSECODE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSECODE	EXPENSECATEGORY	char	20	
trvexp	EXPENSECODE	EXPENSECODE	char	15	
trvexp	EXPENSECODE	EXPENSEGROUP	char	4	
trvexp	EXPENSECODE	PAYMETHODDEFAULT	smallint		
trvexp	EXPENSECODE	PERSONALEXPENSE	char	1	
trvexp	EXPENSECODE	STATUS	smallint		
trvexp	EXPENSECODE	UNIQUEID	binary	16	
trvexp	EXPENSECODE	USACTOR	char	30	
trvexp	EXPENSECODE	USTIMESTAMP	datetime		
trvexp	EXPENSECODE	VALIDFOREXPENSEREPORTS	char	1	
trvexp	EXPENSECODE	VALIDFOREXPENSEREQUESTS	char	1	
trvexp	EXPENSECODE	WIZARDTYPE	smallint		
trvexp	EXPENSECODEACCOUNT	AUDITLOG	text	2147483647	
trvexp	EXPENSECODEACCOUNT	BCAACCOUNT	int		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSECODEACCOUNT	BCASUBACCOUNT	smallint		
trvexp	EXPENSECODEACCOUNT	CSACTOR	char		30
trvexp	EXPENSECODEACCOUNT	CSTIMESTAMP	datetime		
trvexp	EXPENSECODEACCOUNT	DEFAULTACCOUNTINGUNIT	char		15
trvexp	EXPENSECODEACCOUNT	DELETEFLAG	binary		16
trvexp	EXPENSECODEACCOUNT	ECAACCOUNT	int		
trvexp	EXPENSECODEACCOUNT	ECASUBACCOUNT	smallint		
trvexp	EXPENSECODEACCOUNT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSECODEACCOUNT	EXPENSECODE	char		15
trvexp	EXPENSECODEACCOUNT	EXPENSECODEACCOUNT	decimal		
trvexp	EXPENSECODEACCOUNT	EXPENSEGROUP	char		4
trvexp	EXPENSECODEACCOUNT	GLCOMPANY	smallint		
trvexp	EXPENSECODEACCOUNT	UNIQUEID	binary		16
trvexp	EXPENSECODEACCOUNT	USACTOR	char		30
trvexp	EXPENSECODEACCOUNT	USTIMESTAMP	datetime		
trvexp	EXPENSECODEANSWER	AUDITLOG	text	2147483647	
trvexp	EXPENSECODEANSWER	CSACTOR	char		30
trvexp	EXPENSECODEANSWER	CSTIMESTAMP	datetime		
trvexp	EXPENSECODEANSWER	DELETEFLAG	binary		16
trvexp	EXPENSECODEANSWER	ECDTAAMOUNTANSWER	decimal		
trvexp	EXPENSECODEANSWER	ECDTADATEANSWER	datetime		
trvexp	EXPENSECODEANSWER	ECDTAFIVEDECIMALANSWER	decimal		
trvexp	EXPENSECODEANSWER	ECDTAFOURDECIMALANSWER	decimal		
trvexp	EXPENSECODEANSWER	ECDTAINTEGERANSWER	decimal		
trvexp	EXPENSECODEANSWER	ECDTALISTANSWER	decimal		
trvexp	EXPENSECODEANSWER	ECDTALONGTEXTANSWER	char		250
trvexp	EXPENSECODEANSWER	ECDTASHORTTEXTANSWER	char		60
trvexp	EXPENSECODEANSWER	ECDTATABLEANSWER1	char		60
trvexp	EXPENSECODEANSWER	ECDTATABLEANSWER10	char		60
trvexp	EXPENSECODEANSWER	ECDTATABLEANSWER2	char		60
trvexp	EXPENSECODEANSWER	ECDTATABLEANSWER3	char		60
trvexp	EXPENSECODEANSWER	ECDTATABLEANSWER4	char		60
trvexp	EXPENSECODEANSWER	ECDTATABLEANSWER5	char		60
trvexp	EXPENSECODEANSWER	ECDTATABLEANSWER6	char		60
trvexp	EXPENSECODEANSWER	ECDTATABLEANSWER7	char		60
trvexp	EXPENSECODEANSWER	ECDTATABLEANSWER8	char		60
trvexp	EXPENSECODEANSWER	ECDTATABLEANSWER9	char		60

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSECODEANSWER	ECDTATHREEDECIMALANSWER	decimal		
trvexp	EXPENSECODEANSWER	ECDTAYESNOANSWER	tinyint		
trvexp	EXPENSECODEANSWER	EXPENSECODEQUESTION	decimal		
trvexp	EXPENSECODEANSWER	EXPENSEDETAIL	decimal		
trvexp	EXPENSECODEANSWER	EXPENSEGROUP	char		4
trvexp	EXPENSECODEANSWER	EXPENSEREPORT	decimal		
trvexp	EXPENSECODEANSWER	RESOURCE	int		
trvexp	EXPENSECODEANSWER	UNIQUEID	binary		16
trvexp	EXPENSECODEANSWER	USACTOR	char		30
trvexp	EXPENSECODEANSWER	USTIMESTAMP	datetime		
trvexp	EXPENSECODEPAYCODE	AUDITLOG	text	2147483647	
trvexp	EXPENSECODEPAYCODE	BILLABLE	char		1
trvexp	EXPENSECODEPAYCODE	CSACTOR	char		30
trvexp	EXPENSECODEPAYCODE	CSTIMESTAMP	datetime		
trvexp	EXPENSECODEPAYCODE	DELETEFLAG	binary		16
trvexp	EXPENSECODEPAYCODE	ECPCCOMPANY	smallint		
trvexp	EXPENSECODEPAYCODE	ECPCPCJOBCODE	char		9
trvexp	EXPENSECODEPAYCODE	ECPCPCPAYCODE	char		4
trvexp	EXPENSECODEPAYCODE	ECPCPCPROCESSLEVEL	char		5
trvexp	EXPENSECODEPAYCODE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSECODEPAYCODE	EXPENSECODE	char		15
trvexp	EXPENSECODEPAYCODE	EXPENSEGROUP	char		4
trvexp	EXPENSECODEPAYCODE	UNIQUEID	binary		16
trvexp	EXPENSECODEPAYCODE	USACTOR	char		30
trvexp	EXPENSECODEPAYCODE	USTIMESTAMP	datetime		
trvexp	EXPENSECODEQUESTION	AUDITLOG	text	2147483647	
trvexp	EXPENSECODEQUESTION	CSACTOR	char		30
trvexp	EXPENSECODEQUESTION	CSTIMESTAMP	datetime		
trvexp	EXPENSECODEQUESTION	DELETEFLAG	binary		16
trvexp	EXPENSECODEQUESTION	DISPLAYORDER	smallint		
trvexp	EXPENSECODEQUESTION	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSECODEQUESTION	EXPENSECODE	char		15
trvexp	EXPENSECODEQUESTION	EXPENSECODEQUESTION	decimal		
trvexp	EXPENSECODEQUESTION	EXPENSEGROUP	char		4
trvexp	EXPENSECODEQUESTION	ISDISPLAYED	char		1
trvexp	EXPENSECODEQUESTION	QANSWERREQUIRED	char		1
trvexp	EXPENSECODEQUESTION	QDATATYPE	smallint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSECODEQUESTION	QQUESTIONTEXT	char	1000	
trvexp	EXPENSECODEQUESTION	QUESTIONGROUP	char	10	
trvexp	EXPENSECODEQUESTION	QUESTIONGROUP10	char	10	
trvexp	EXPENSECODEQUESTION	QUESTIONGROUP2	char	10	
trvexp	EXPENSECODEQUESTION	QUESTIONGROUP3	char	10	
trvexp	EXPENSECODEQUESTION	QUESTIONGROUP4	char	10	
trvexp	EXPENSECODEQUESTION	QUESTIONGROUP5	char	10	
trvexp	EXPENSECODEQUESTION	QUESTIONGROUP6	char	10	
trvexp	EXPENSECODEQUESTION	QUESTIONGROUP7	char	10	
trvexp	EXPENSECODEQUESTION	QUESTIONGROUP8	char	10	
trvexp	EXPENSECODEQUESTION	QUESTIONGROUP9	char	10	
trvexp	EXPENSECODEQUESTION	UNIQUEID	binary	16	
trvexp	EXPENSECODEQUESTION	USACTOR	char	30	
trvexp	EXPENSECODEQUESTION	USTIMESTAMP	datetime		
trvexp	EXPENSECODEQUESTIONLIST	AUDITLOG	text	2147483647	
trvexp	EXPENSECODEQUESTIONLIST	CSACTOR	char	30	
trvexp	EXPENSECODEQUESTIONLIST	CSTIMESTAMP	datetime		
trvexp	EXPENSECODEQUESTIONLIST	DELETEFLAG	binary	16	
trvexp	EXPENSECODEQUESTIONLIST	DISPLAYVALUE	char	80	
trvexp	EXPENSECODEQUESTIONLIST	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSECODEQUESTIONLIST	EXPENSECODE	char	15	
trvexp	EXPENSECODEQUESTIONLIST	EXPENSECODEQUESTION	decimal		
trvexp	EXPENSECODEQUESTIONLIST	EXPENSECODEQUESTIONLIST	decimal		
trvexp	EXPENSECODEQUESTIONLIST	EXPENSEGROUP	char	4	
trvexp	EXPENSECODEQUESTIONLIST	UNIQUEID	binary	16	
trvexp	EXPENSECODEQUESTIONLIST	USACTOR	char	30	
trvexp	EXPENSECODEQUESTIONLIST	USTIMESTAMP	datetime		
trvexp	EXPENSECODEQUESTIONRULE	ACTIVE	char	1	
trvexp	EXPENSECODEQUESTIONRULE	AUDITLOG	text	2147483647	
trvexp	EXPENSECODEQUESTIONRULE	CSACTOR	char	30	
trvexp	EXPENSECODEQUESTIONRULE	CSTIMESTAMP	datetime		
trvexp	EXPENSECODEQUESTIONRULE	DELETEFLAG	binary	16	
trvexp	EXPENSECODEQUESTIONRULE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSECODEQUESTIONRULE	ERRORTYPE	tinyint		
trvexp	EXPENSECODEQUESTIONRULE	EXPENSECODE	char	15	
trvexp	EXPENSECODEQUESTIONRULE	EXPENSECODEQUESTIONRULE	decimal		
trvexp	EXPENSECODEQUESTIONRULE	EXPENSEGROUP	char	4	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSECODEQUESTIONRULE	RULE	char		25
trvexp	EXPENSECODEQUESTIONRULE	RULEACTION	char		1
trvexp	EXPENSECODEQUESTIONRULE	RULEMESSAGE	char		500
trvexp	EXPENSECODEQUESTIONRULE	UNIQUEID	binary		16
trvexp	EXPENSECODEQUESTIONRULE	USACTOR	char		30
trvexp	EXPENSECODEQUESTIONRULE	USTIMESTAMP	datetime		
trvexp	EXPENSECODEQUESTIONRULE	VALIDATIONTYPE	tinyint		
trvexp	EXPENSEDETAIL	ACACCTCATEGORY	char		5
trvexp	EXPENSEDETAIL	ACCOUNTINGUNIT	char		15
trvexp	EXPENSEDETAIL	ACTIVITY	char		15
trvexp	EXPENSEDETAIL	ANALYSISPERIOD	smallint		
trvexp	EXPENSEDETAIL	ANALYSISYEAR	decimal		
trvexp	EXPENSEDETAIL	ATNOBJID	decimal		
trvexp	EXPENSEDETAIL	AUDITLOG	text	2147483647	
trvexp	EXPENSEDETAIL	BEGINODOMETER	decimal		
trvexp	EXPENSEDETAIL	BILLABLE	char		1
trvexp	EXPENSEDETAIL	CREATINGPARENT	char		1
trvexp	EXPENSEDETAIL	CREDITCARDTRANSACTION	decimal		
trvexp	EXPENSEDETAIL	CREDITCARDTRANSACTIONDETAIL	decimal		
trvexp	EXPENSEDETAIL	CSACTOR	char		30
trvexp	EXPENSEDETAIL	CSTIMESTAMP	datetime		
trvexp	EXPENSEDETAIL	CURRENCYTABLE	char		12
trvexp	EXPENSEDETAIL	DELETEFLAG	binary		16
trvexp	EXPENSEDETAIL	ENCRYPTEDRECEIPTARGUMENTS	char		1000
trvexp	EXPENSEDETAIL	ENDODOMETER	decimal		
trvexp	EXPENSEDETAIL	ERECEIPTATTACHEDARGUMENTS	char		1000
trvexp	EXPENSEDETAIL	EUFEXPENSEUSERFIELD1	char		30
trvexp	EXPENSEDETAIL	EXPENSECODE	char		15
trvexp	EXPENSEDETAIL	EXPENSEDESCRIPTION	char		20
trvexp	EXPENSEDETAIL	EXPENSEDETAIL	decimal		
trvexp	EXPENSEDETAIL	EXPENSEDETAIL_HASNOCHILDREN	char		1
trvexp	EXPENSEDETAIL	EXPENSEGROUP	char		4
trvexp	EXPENSEDETAIL	EXPENSEGROUPCALEDAR	char		20
trvexp	EXPENSEDETAIL	EXPENSEGROUPPERIODGROUP	char		20
trvexp	EXPENSEDETAIL	EXPENSEIMPORT	decimal		
trvexp	EXPENSEDETAIL	EXPENSEREPORT	decimal		
trvexp	EXPENSEDETAIL	EXPENSEREPORTDATE	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEDETAIL	FLAGGED	char		1
trvexp	EXPENSEDETAIL	FLAGGEDMESSAGE	char		60
trvexp	EXPENSEDETAIL	FROMLOCATION	char		60
trvexp	EXPENSEDETAIL	GLCOMPANY	smallint		
trvexp	EXPENSEDETAIL	GLTOBJID	decimal		
trvexp	EXPENSEDETAIL	ITINERARY	decimal		
trvexp	EXPENSEDETAIL	LOCATION	char		30
trvexp	EXPENSEDETAIL	MANUALITEMIZEDEXPENSE	char		1
trvexp	EXPENSEDETAIL	MILES	decimal		
trvexp	EXPENSEDETAIL	MILESRATE	decimal		
trvexp	EXPENSEDETAIL	NOEXPENSECODEVALID	char		1
trvexp	EXPENSEDETAIL	NUMBEROFPASSENGERS	decimal		
trvexp	EXPENSEDETAIL	PARENTEXPENSEDETAIL	decimal		
trvexp	EXPENSEDETAIL	PASSENGERRATE	decimal		
trvexp	EXPENSEDETAIL	PAYMETHOD	smallint		
trvexp	EXPENSEDETAIL	PAYTOCOMPANY	smallint		
trvexp	EXPENSEDETAIL	PAYTOVENDOR	char		9
trvexp	EXPENSEDETAIL	RAENTEREDCURRENCYAMOUNT	decimal		
trvexp	EXPENSEDETAIL	RAENTEREDCURRENCYRATE	decimal		
trvexp	EXPENSEDETAIL	RATOCURRENCY	char		5
trvexp	EXPENSEDETAIL	REASONFORTRAVEL	char		60
trvexp	EXPENSEDETAIL	RECEIPT	tinyint		
trvexp	EXPENSEDETAIL	REIMBURSEMENTCURRENCY	char		5
trvexp	EXPENSEDETAIL	REIMCOMPANYPAIDAMOUNT	decimal		
trvexp	EXPENSEDETAIL	REIMPERSONALAMOUNT	decimal		
trvexp	EXPENSEDETAIL	RESOURCE	int		
trvexp	EXPENSEDETAIL	RESOURCEACTIVITY	char		15
trvexp	EXPENSEDETAIL	STATUS	smallint		
trvexp	EXPENSEDETAIL	TOLOCATION	char		60
trvexp	EXPENSEDETAIL	TRANCOMPANYPAIDAMOUNT	decimal		
trvexp	EXPENSEDETAIL	TRANPERSONALAMOUNT	decimal		
trvexp	EXPENSEDETAIL	TRANSACTIONAMOUNT	decimal		
trvexp	EXPENSEDETAIL	TRANSACTIONCURRENCY	char		5
trvexp	EXPENSEDETAIL	TRANSACTIONDATE	datetime		
trvexp	EXPENSEDETAIL	TRANSGROUPSEQUENCE	int		
trvexp	EXPENSEDETAIL	TRAVELLOCATION	char		30
trvexp	EXPENSEDETAIL	TRAVELTRANSACTION	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEDETAIL	UNIQUEID	binary		16
trvexp	EXPENSEDETAIL	UOM	char		20
trvexp	EXPENSEDETAIL	USACTOR	char		30
trvexp	EXPENSEDETAIL	USTIMESTAMP	datetime		
trvexp	EXPENSEDETAIL	WIZARD	smallint		
trvexp	EXPENSEDETAILCOMMENT	AUDITLOG	text	2147483647	
trvexp	EXPENSEDETAILCOMMENT	COMMENT	char		500
trvexp	EXPENSEDETAILCOMMENT	CSACTOR	char		30
trvexp	EXPENSEDETAILCOMMENT	CSTIMESTAMP	datetime		
trvexp	EXPENSEDETAILCOMMENT	DELETEFLAG	binary		16
trvexp	EXPENSEDETAILCOMMENT	EXPENSEDETAIL	decimal		
trvexp	EXPENSEDETAILCOMMENT	EXPENSEDETAILCOMMENT	decimal		
trvexp	EXPENSEDETAILCOMMENT	EXPENSEGROUP	char		4
trvexp	EXPENSEDETAILCOMMENT	EXPENSEREPORT	decimal		
trvexp	EXPENSEDETAILCOMMENT	RESOURCE	int		
trvexp	EXPENSEDETAILCOMMENT	TYPE	smallint		
trvexp	EXPENSEDETAILCOMMENT	UNIQUEID	binary		16
trvexp	EXPENSEDETAILCOMMENT	USACTOR	char		30
trvexp	EXPENSEDETAILCOMMENT	USTIMESTAMP	datetime		
trvexp	EXPENSEDETAILRECEIPT	AUDITLOG	text	2147483647	
trvexp	EXPENSEDETAILRECEIPT	CSACTOR	char		30
trvexp	EXPENSEDETAILRECEIPT	CSTIMESTAMP	datetime		
trvexp	EXPENSEDETAILRECEIPT	DELETEFLAG	binary		16
trvexp	EXPENSEDETAILRECEIPT	EXPENSEDETAIL	decimal		
trvexp	EXPENSEDETAILRECEIPT	EXPENSEDETAILRECEIPT	decimal		
trvexp	EXPENSEDETAILRECEIPT	EXPENSEGROUP	char		4
trvexp	EXPENSEDETAILRECEIPT	EXPENSEREPORT	decimal		
trvexp	EXPENSEDETAILRECEIPT	RCOMMENT	char		60
trvexp	EXPENSEDETAILRECEIPT	RESOURCE	int		
trvexp	EXPENSEDETAILRECEIPT	RFILE	image	2147483647	
trvexp	EXPENSEDETAILRECEIPT	RFILE_TX_TT	char		5
trvexp	EXPENSEDETAILRECEIPT	RMIMETYPE	char		80
trvexp	EXPENSEDETAILRECEIPT	RRECEIPTURL	char		256
trvexp	EXPENSEDETAILRECEIPT	RTITLE	char		50
trvexp	EXPENSEDETAILRECEIPT	UNIQUEID	binary		16
trvexp	EXPENSEDETAILRECEIPT	USACTOR	char		30
trvexp	EXPENSEDETAILRECEIPT	USTIMESTAMP	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEDISPLAY	ACTIVE	char		1
trvexp	EXPENSEDISPLAY	AUDITLOG	text	2147483647	
trvexp	EXPENSEDISPLAY	CSACTOR	char		30
trvexp	EXPENSEDISPLAY	CSTIMESTAMP	datetime		
trvexp	EXPENSEDISPLAY	DELETEFLAG	binary		16
trvexp	EXPENSEDISPLAY	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEDISPLAY	EXPENSEDISPLAY	char		10
trvexp	EXPENSEDISPLAY	EXPENSEGROUP	char		4
trvexp	EXPENSEDISPLAY	NAME	char		80
trvexp	EXPENSEDISPLAY	PUBLIC	char		1
trvexp	EXPENSEDISPLAY	RESOURCEGROUP	char		10
trvexp	EXPENSEDISPLAY	STATUS	smallint		
trvexp	EXPENSEDISPLAY	UNIQUEID	binary		16
trvexp	EXPENSEDISPLAY	USACTOR	char		30
trvexp	EXPENSEDISPLAY	USTIMESTAMP	datetime		
trvexp	EXPENSEDISPLAYFIELD	AUDITLOG	text	2147483647	
trvexp	EXPENSEDISPLAYFIELD	CSACTOR	char		30
trvexp	EXPENSEDISPLAYFIELD	CSTIMESTAMP	datetime		
trvexp	EXPENSEDISPLAYFIELD	DELETEFLAG	binary		16
trvexp	EXPENSEDISPLAYFIELD	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEDISPLAYFIELD	EXPENSEDISPLAY	char		10
trvexp	EXPENSEDISPLAYFIELD	EXPENSEDISPLAYFIELD	smallint		
trvexp	EXPENSEDISPLAYFIELD	EXPENSEGROUP	char		4
trvexp	EXPENSEDISPLAYFIELD	ISREQUIRED	char		1
trvexp	EXPENSEDISPLAYFIELD	ISVISIBLE	char		1
trvexp	EXPENSEDISPLAYFIELD	OVERRIDE LABEL	char		30
trvexp	EXPENSEDISPLAYFIELD	UNIQUEID	binary		16
trvexp	EXPENSEDISPLAYFIELD	USACTOR	char		30
trvexp	EXPENSEDISPLAYFIELD	USTIMESTAMP	datetime		
trvexp	EXPENSEGROUP	ACCTCATEGORYGROUP	char		15
trvexp	EXPENSEGROUP	ADDALLEXTERNALTRANSACTIONS	char		1
trvexp	EXPENSEGROUP	ADDRECEIPTSWITHINADDEXPENSE	char		1
trvexp	EXPENSEGROUP	ALLOWFINALREVIEWERSTOMODIFY	char		1
trvexp	EXPENSEGROUP	AUDITLOG	text	2147483647	
trvexp	EXPENSEGROUP	AUTOSEQUENCERESOURCES	char		1
trvexp	EXPENSEGROUP	CALLSETEXPENSEREPORTSUBMITTED	char		1
trvexp	EXPENSEGROUP	CCAGEFIVELABEL	char		10

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEGROUP	CCAGEFOUR	smallint		
trvexp	EXPENSEGROUP	CCAGEFOURLABEL	char		10
trvexp	EXPENSEGROUP	CCAGEONE	smallint		
trvexp	EXPENSEGROUP	CCAGEONELABEL	char		10
trvexp	EXPENSEGROUP	CCAGETHREE	smallint		
trvexp	EXPENSEGROUP	CCAGETHREELABEL	char		10
trvexp	EXPENSEGROUP	CCAGETWO	smallint		
trvexp	EXPENSEGROUP	CCAGETWOLABEL	char		10
trvexp	EXPENSEGROUP	CCAGINGSETTINGSUPDATENEED	char		1
trvexp	EXPENSEGROUP	CLOSECREDITCARDTRANSACTIONS	char		1
trvexp	EXPENSEGROUP	CSACTOR	char		30
trvexp	EXPENSEGROUP	CSETEXPENSEREQUESTSUBMITTED	char		1
trvexp	EXPENSEGROUP	CSTIMESTAMP	datetime		
trvexp	EXPENSEGROUP	DEEXPENSESWHENITEMIZING	char		1
trvexp	EXPENSEGROUP	DEFAULTMCC	decimal		
trvexp	EXPENSEGROUP	DELETEFLAG	binary		16
trvexp	EXPENSEGROUP	DESCRIPTION	char		60
trvexp	EXPENSEGROUP	EDETAILCOMMENTRULEMESSAGE	char		500
trvexp	EXPENSEGROUP	EDITRECEIPTSATTACHED	tinyint		
trvexp	EXPENSEGROUP	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEGROUP	EREPORTCOMMENTRULEMESSAGE	char		500
trvexp	EXPENSEGROUP	EREQUESTCOMMENTRULEMESSAGE	char		500
trvexp	EXPENSEGROUP	EXPANDEXPENSEREPORTDATES	char		1
trvexp	EXPENSEGROUP	EXPENSEDETAILCOMMENTRULE	char		25
trvexp	EXPENSEGROUP	EXPENSEDETAILRECEIPT	char		1
trvexp	EXPENSEGROUP	EXPENSEGROUP	char		4
trvexp	EXPENSEGROUP	EXPENSEGROUPCALENDAR	char		20
trvexp	EXPENSEGROUP	EXPENSEGROUPPERIODGROUP	char		20
trvexp	EXPENSEGROUP	EXPENSEREPORTCOMMENTRULE	char		25
trvexp	EXPENSEGROUP	EXPENSEREPORTENDDATE	smallint		
trvexp	EXPENSEGROUP	EXPENSEREQUESTCOMMENTRULE	char		25
trvexp	EXPENSEGROUP	EXPENSEUSERFIELDLABEL	char		60
trvexp	EXPENSEGROUP	FINALREVIEWERAPPROVAL	char		1
trvexp	EXPENSEGROUP	IEXPENSEREPORTNONAPPROVALFLOW	char		1
trvexp	EXPENSEGROUP	INITIALPAYMETHOD	smallint		
trvexp	EXPENSEGROUP	LASTATTENDEE	decimal		
trvexp	EXPENSEGROUP	LASTEXPENSESEQUENCE	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEGROUP	LASTGLSEQUENCE	int		
trvexp	EXPENSEGROUP	LASTGLUPDATEDATE	datetime		
trvexp	EXPENSEGROUP	LASTRESOURCE	decimal		
trvexp	EXPENSEGROUP	MOBILESPACEURL	char	1000	
trvexp	EXPENSEGROUP	OUTOFPOCKETCOMMITMENTSONLY	char		1
trvexp	EXPENSEGROUP	RECEIPTCOMMENTENTRY	char		1
trvexp	EXPENSEGROUP	RECEIPTFILEENTRY	char		1
trvexp	EXPENSEGROUP	RECEIPTURL	char	1000	
trvexp	EXPENSEGROUP	RECEIPTURLENTY	char		1
trvexp	EXPENSEGROUP	SENDEMAILS	char		1
trvexp	EXPENSEGROUP	SHOWACTIONSSTEP	char		1
trvexp	EXPENSEGROUP	SHOWCOMMENTSSTEP	char		1
trvexp	EXPENSEGROUP	SHOWCURRENCYRATESSTEP	char		1
trvexp	EXPENSEGROUP	SHOWDEFAULTSSTEP	char		1
trvexp	EXPENSEGROUP	SHOWRECEIPTSSTEP	char		1
trvexp	EXPENSEGROUP	SHOWTRAVELAGENT	char		1
trvexp	EXPENSEGROUP	SNCREDITCARDTRANSACTIONEMAIL	char		1
trvexp	EXPENSEGROUP	SYSTEMEMAIL	char	1000	
trvexp	EXPENSEGROUP	UNIQUEID	binary		16
trvexp	EXPENSEGROUP	USACTOR	char		30
trvexp	EXPENSEGROUP	USEACTIVITIES	char		1
trvexp	EXPENSEGROUP	USEADHOCEXPENSES	char		1
trvexp	EXPENSEGROUP	USECREDITCARDTRANSACTIONS	char		1
trvexp	EXPENSEGROUP	USEEXPENSEREPORTFLOW	char		1
trvexp	EXPENSEGROUP	USEEXPENSEREQUESTFLOW	char		1
trvexp	EXPENSEGROUP	USEEXPENSEREQUESTS	char		1
trvexp	EXPENSEGROUP	USETRAVELTRANSACTIONS	char		1
trvexp	EXPENSEGROUP	USTIMESTAMP	datetime		
trvexp	EXPENSEGROUP	VALIDATECREDITCARDENTRY	char		1
trvexp	EXPENSEGROUPBULLETIN	ACTIVESTATUS	tinyint		
trvexp	EXPENSEGROUPBULLETIN	AUDITLOG	text	2147483647	
trvexp	EXPENSEGROUPBULLETIN	CSACTOR	char		30
trvexp	EXPENSEGROUPBULLETIN	CSTIMESTAMP	datetime		
trvexp	EXPENSEGROUPBULLETIN	DELETEFLAG	binary		16
trvexp	EXPENSEGROUPBULLETIN	DRBEGIN	datetime		
trvexp	EXPENSEGROUPBULLETIN	DREND	datetime		
trvexp	EXPENSEGROUPBULLETIN	EFFECTIVEDATEDLOG	text	2147483647	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEGROUPBULLETIN	EXPENSEGROUP	char		4
trvexp	EXPENSEGROUPBULLETIN	EXPENSEGROUPBULLETIN	decimal		
trvexp	EXPENSEGROUPBULLETIN	MESSAGE	text	2147483647	
trvexp	EXPENSEGROUPBULLETIN	MESSAGELINK	char		256
trvexp	EXPENSEGROUPBULLETIN	UNIQUEID	binary		16
trvexp	EXPENSEGROUPBULLETIN	USACTOR	char		30
trvexp	EXPENSEGROUPBULLETIN	USTIMESTAMP	datetime		
trvexp	EXPENSEIMPORT	ACCOUNTCATEGORY	char		5
trvexp	EXPENSEIMPORT	ACCOUNTINGUNIT	char		15
trvexp	EXPENSEIMPORT	ACTIVITY	char		15
trvexp	EXPENSEIMPORT	ANAFFIX	varchar		50
trvexp	EXPENSEIMPORT	ANALIAS	varchar		60
trvexp	EXPENSEIMPORT	ANFAMILYNAME	varchar		50
trvexp	EXPENSEIMPORT	ANFAMILYNAMEPREFIX	varchar		20
trvexp	EXPENSEIMPORT	ANFORMERNAME	varchar		50
trvexp	EXPENSEIMPORT	ANFORMOFADDRESS	varchar		50
trvexp	EXPENSEIMPORT	ANGIVENNAME	varchar		50
trvexp	EXPENSEIMPORT	ANMAIDENNAME	varchar		50
trvexp	EXPENSEIMPORT	ANMIDDLENAME	varchar		50
trvexp	EXPENSEIMPORT	ANPREFERREDFAMILYNAME	varchar		50
trvexp	EXPENSEIMPORT	ANPREFERREDGIVENNAME	varchar		50
trvexp	EXPENSEIMPORT	ANQUALIFICATION	varchar		50
trvexp	EXPENSEIMPORT	AUDITLOG	text	2147483647	
trvexp	EXPENSEIMPORT	BILLABLE	char		1
trvexp	EXPENSEIMPORT	COMMENT	text	2147483647	
trvexp	EXPENSEIMPORT	CSACTOR	char		30
trvexp	EXPENSEIMPORT	CSTIMESTAMP	datetime		
trvexp	EXPENSEIMPORT	DELETEFLAG	binary		16
trvexp	EXPENSEIMPORT	EXPENSEDETAIL	decimal		
trvexp	EXPENSEIMPORT	EXPENSEGROUP	char		4
trvexp	EXPENSEIMPORT	EXPENSEIMPORT	decimal		
trvexp	EXPENSEIMPORT	EXPENSEREPORT	decimal		
trvexp	EXPENSEIMPORT	GLCOMPANY	smallint		
trvexp	EXPENSEIMPORT	KEYWORD	char		25
trvexp	EXPENSEIMPORT	LOCATION	char		10
trvexp	EXPENSEIMPORT	MILES	decimal		
trvexp	EXPENSEIMPORT	MOBILEEXPENSECODE	char		15

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEIMPORT	PAYMETHOD	smallint		
trvexp	EXPENSEIMPORT	RCOMMENT	char	60	
trvexp	EXPENSEIMPORT	RECEIPTATTACHED	tinyint		
trvexp	EXPENSEIMPORT	RESOURCE	int		
trvexp	EXPENSEIMPORT	RFILE	image	2147483647	
trvexp	EXPENSEIMPORT	RFILE_TX_TT	char	5	
trvexp	EXPENSEIMPORT	RMIMETYPE	char	80	
trvexp	EXPENSEIMPORT	RRECEIPTURL	char	256	
trvexp	EXPENSEIMPORT	RTITLE	char	50	
trvexp	EXPENSEIMPORT	STATUS	tinyint		
trvexp	EXPENSEIMPORT	TRANSACTIONAMOUNT	decimal		
trvexp	EXPENSEIMPORT	TRANSACTIONCURRENCY	char	5	
trvexp	EXPENSEIMPORT	TRANSACTIONDATE	datetime		
trvexp	EXPENSEIMPORT	TRANSACTIONRATE	decimal		
trvexp	EXPENSEIMPORT	UNIQUEID	binary	16	
trvexp	EXPENSEIMPORT	USACTOR	char	30	
trvexp	EXPENSEIMPORT	USTIMESTAMP	datetime		
trvexp	EXPENSERECEIPT	AUDITLOG	text	2147483647	
trvexp	EXPENSERECEIPT	CSACTOR	char	30	
trvexp	EXPENSERECEIPT	CSTIMESTAMP	datetime		
trvexp	EXPENSERECEIPT	DELETEFLAG	binary	16	
trvexp	EXPENSERECEIPT	EXPENSEGROUP	char	4	
trvexp	EXPENSERECEIPT	EXPENSERECEIPT	decimal		
trvexp	EXPENSERECEIPT	EXPENSEREPORT	decimal		
trvexp	EXPENSERECEIPT	RCOMMENT	char	60	
trvexp	EXPENSERECEIPT	RESOURCE	int		
trvexp	EXPENSERECEIPT	RFILE	image	2147483647	
trvexp	EXPENSERECEIPT	RFILE_TX_TT	char	5	
trvexp	EXPENSERECEIPT	RMIMETYPE	char	80	
trvexp	EXPENSERECEIPT	RRECEIPTURL	char	256	
trvexp	EXPENSERECEIPT	RTITLE	char	50	
trvexp	EXPENSERECEIPT	UNIQUEID	binary	16	
trvexp	EXPENSERECEIPT	USACTOR	char	30	
trvexp	EXPENSERECEIPT	USTIMESTAMP	datetime		
trvexp	EXPENSEREIMBURSEMENT	AUDITLOG	text	2147483647	
trvexp	EXPENSEREIMBURSEMENT	CSACTOR	char	30	
trvexp	EXPENSEREIMBURSEMENT	CSTIMESTAMP	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREIMBURSEMENT	DELETEFLAG	binary		16
trvexp	EXPENSEREIMBURSEMENT	EXPENSEGROUP	char		4
trvexp	EXPENSEREIMBURSEMENT	EXPENSEREIMBURSEMENT	decimal		
trvexp	EXPENSEREIMBURSEMENT	EXPENSEREPORT	decimal		
trvexp	EXPENSEREIMBURSEMENT	EXPENSEREQUEST	decimal		
trvexp	EXPENSEREIMBURSEMENT	PAYMENTAMOUNT	decimal		
trvexp	EXPENSEREIMBURSEMENT	PAYMENTCURRENCY	char		5
trvexp	EXPENSEREIMBURSEMENT	PAYMENTDATE	datetime		
trvexp	EXPENSEREIMBURSEMENT	PAYMENTNUMBER	char		10
trvexp	EXPENSEREIMBURSEMENT	RESOURCE	int		
trvexp	EXPENSEREIMBURSEMENT	UNIQUEID	binary		16
trvexp	EXPENSEREIMBURSEMENT	USACTOR	char		30
trvexp	EXPENSEREIMBURSEMENT	USTIMESTAMP	datetime		
trvexp	EXPENSEREPORT	AADVANCEAMOUNTINREIMCURRENCY	decimal		
trvexp	EXPENSEREPORT	ACACCTCATEGORY	char		5
trvexp	EXPENSEREPORT	ACCOUNTINGUNITDEFAULT	char		15
trvexp	EXPENSEREPORT	ACCTCATEGORYGROUP	char		15
trvexp	EXPENSEREPORT	ACTIVITY	char		15
trvexp	EXPENSEREPORT	ACTIVITYDEFAULT	char		15
trvexp	EXPENSEREPORT	APPROVALSTAGE	char		60
trvexp	EXPENSEREPORT	ARRESOURCE	int		
trvexp	EXPENSEREPORT	AUDITLOG	text	2147483647	
trvexp	EXPENSEREPORT	BACKOFFICEINTERFACEERRORLOG	decimal		
trvexp	EXPENSEREPORT	BILLABLEDEFAULT	char		1
trvexp	EXPENSEREPORT	BUSINESSPURPOSE	char		100
trvexp	EXPENSEREPORT	COPYANSWEREXPENSEDETAIL	decimal		
trvexp	EXPENSEREPORT	COPYEXPENSEDETAIL	decimal		
trvexp	EXPENSEREPORT	CPAIDAMOUNTINREIMCURRENCY	decimal		
trvexp	EXPENSEREPORT	CSACTOR	char		30
trvexp	EXPENSEREPORT	CSTIMESTAMP	datetime		
trvexp	EXPENSEREPORT	DELETEFLAG	binary		16
trvexp	EXPENSEREPORT	DEPARTMENT	char		5
trvexp	EXPENSEREPORT	DESCRIPTION	char		60
trvexp	EXPENSEREPORT	DRBEGIN	datetime		
trvexp	EXPENSEREPORT	DREND	datetime		
trvexp	EXPENSEREPORT	ENCRYPTEDRECEIPTARGUMENTS	char		1000
trvexp	EXPENSEREPORT	ERECEIPTATTACHEDARGUMENTS	char		1000

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREPORT	EUFDEXPENSEUSERFIELD1	char		30
trvexp	EXPENSEREPORT	EXPENSEGROUP	char		4
trvexp	EXPENSEREPORT	EXPENSEREPORT	decimal		
trvexp	EXPENSEREPORT	EXPENSEREPORTDISPLAY	char		10
trvexp	EXPENSEREPORT	FARESOURCE	int		
trvexp	EXPENSEREPORT	GLCOMPANYDEFAULT	smallint		
trvexp	EXPENSEREPORT	HASACTIVITYEXPENSES	char		1
trvexp	EXPENSEREPORT	HASCREDITCARDEXPENSES	char		1
trvexp	EXPENSEREPORT	HASFOREIGNCURRENCYEXPENSES	char		1
trvexp	EXPENSEREPORT	LASTEXPENSEDETAIL	decimal		
trvexp	EXPENSEREPORT	LASTTRANSGROUPSEQUENCE	int		
trvexp	EXPENSEREPORT	LOCATIONDEFAULT	char		30
trvexp	EXPENSEREPORT	NEEDSFINALREVIEW	char		1
trvexp	EXPENSEREPORT	PAINREIMBURSEMENTCURRENCY	decimal		
trvexp	EXPENSEREPORT	PROCESSLEVEL	char		5
trvexp	EXPENSEREPORT	RAMOUNTINREIMCURRENCY	decimal		
trvexp	EXPENSEREPORT	RANDOMNUMBER	smallint		
trvexp	EXPENSEREPORT	RECEIPTDEFAULT	tinyint		
trvexp	EXPENSEREPORT	REIMBURSEMENTCURRENCY	char		5
trvexp	EXPENSEREPORT	RESOURCE	int		
trvexp	EXPENSEREPORT	SARESOURCE	int		
trvexp	EXPENSEREPORT	SENTTOBACKOFFICEDATE	datetime		
trvexp	EXPENSEREPORT	STATUS	smallint		
trvexp	EXPENSEREPORT	THIRDPARTYRECEIPTSATTACHED	char		500
trvexp	EXPENSEREPORT	TRANSACTIONCURRENCYDEFAULT	char		5
trvexp	EXPENSEREPORT	UNIQUEID	binary		16
trvexp	EXPENSEREPORT	USACTOR	char		30
trvexp	EXPENSEREPORT	USTIMESTAMP	datetime		
trvexp	EXPENSEREPORTAPPROVAL	APPROVALSTAGE	char		60
trvexp	EXPENSEREPORTAPPROVAL	ARRESOURCE	int		
trvexp	EXPENSEREPORTAPPROVAL	DESCRIPTION	char		60
trvexp	EXPENSEREPORTAPPROVAL	EXPENSEGROUP	char		4
trvexp	EXPENSEREPORTAPPROVAL	EXPENSEREPORT	decimal		
trvexp	EXPENSEREPORTAPPROVAL	FARESOURCE	int		
trvexp	EXPENSEREPORTAPPROVAL	NEEDSFINALREVIEW	char		1
trvexp	EXPENSEREPORTAPPROVAL	PROCESSLEVEL	char		5
trvexp	EXPENSEREPORTAPPROVAL	REMPLOYEE	int		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREPORTAPPROVAL	RESOURCE	int		
trvexp	EXPENSEREPORTAPPROVAL	SARESOURCE	int		
trvexp	EXPENSEREPORTAPPROVAL	STATUS	smallint		
trvexp	EXPENSEREPORTATTENDEE	ATTENDEE	decimal		
trvexp	EXPENSEREPORTATTENDEE	AUDITLOG	text	2147483647	
trvexp	EXPENSEREPORTATTENDEE	CSACTOR	char	30	
trvexp	EXPENSEREPORTATTENDEE	CSTIMESTAMP	datetime		
trvexp	EXPENSEREPORTATTENDEE	DELETEFLAG	binary	16	
trvexp	EXPENSEREPORTATTENDEE	EXPENSEGROUP	char	4	
trvexp	EXPENSEREPORTATTENDEE	EXPENSEREPORT	decimal		
trvexp	EXPENSEREPORTATTENDEE	RESOURCE	int		
trvexp	EXPENSEREPORTATTENDEE	UNIQUEID	binary	16	
trvexp	EXPENSEREPORTATTENDEE	USACTOR	char	30	
trvexp	EXPENSEREPORTATTENDEE	USTIMESTAMP	datetime		
trvexp	EXPENSEREPORTCOMMENT	AUDITLOG	text	2147483647	
trvexp	EXPENSEREPORTCOMMENT	COMMENT	text	2147483647	
trvexp	EXPENSEREPORTCOMMENT	CSACTOR	char	30	
trvexp	EXPENSEREPORTCOMMENT	CSTIMESTAMP	datetime		
trvexp	EXPENSEREPORTCOMMENT	DELETEFLAG	binary	16	
trvexp	EXPENSEREPORTCOMMENT	EXPENSEGROUP	char	4	
trvexp	EXPENSEREPORTCOMMENT	EXPENSEREPORT	decimal		
trvexp	EXPENSEREPORTCOMMENT	EXPENSEREPORTCOMMENT	decimal		
trvexp	EXPENSEREPORTCOMMENT	RESOURCE	int		
trvexp	EXPENSEREPORTCOMMENT	TYPE	smallint		
trvexp	EXPENSEREPORTCOMMENT	UNIQUEID	binary	16	
trvexp	EXPENSEREPORTCOMMENT	USACTOR	char	30	
trvexp	EXPENSEREPORTCOMMENT	USTIMESTAMP	datetime		
trvexp	EXPENSEREPORTDATE	AUDITLOG	text	2147483647	
trvexp	EXPENSEREPORTDATE	CSACTOR	char	30	
trvexp	EXPENSEREPORTDATE	CSTIMESTAMP	datetime		
trvexp	EXPENSEREPORTDATE	DELETEFLAG	binary	16	
trvexp	EXPENSEREPORTDATE	EXPENSEGROUP	char	4	
trvexp	EXPENSEREPORTDATE	EXPENSEREPORT	decimal		
trvexp	EXPENSEREPORTDATE	EXPENSEREPORTDATE	datetime		
trvexp	EXPENSEREPORTDATE	RESOURCE	int		
trvexp	EXPENSEREPORTDATE	UNIQUEID	binary	16	
trvexp	EXPENSEREPORTDATE	USACTOR	char	30	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREPORTDATE	USTIMESTAMP	datetime		
trvexp	EXPENSEREPORTFINALREVIEWRULE	AUDITLOG	text	2147483647	
trvexp	EXPENSEREPORTFINALREVIEWRULE	CSACTOR	char	30	
trvexp	EXPENSEREPORTFINALREVIEWRULE	CSTIMESTAMP	datetime		
trvexp	EXPENSEREPORTFINALREVIEWRULE	DELETEFLAG	binary	16	
trvexp	EXPENSEREPORTFINALREVIEWRULE	EXPENSEDETAIL	decimal		
trvexp	EXPENSEREPORTFINALREVIEWRULE	EXPENSEGROUP	char	4	
trvexp	EXPENSEREPORTFINALREVIEWRULE	EXPENSEREPORT	decimal		
trvexp	EXPENSEREPORTFINALREVIEWRULE	EXPENSEREPORTFINALREVIEWRULE	decimal		
trvexp	EXPENSEREPORTFINALREVIEWRULE	EXPENSEREPORTREVIEWRULE	decimal		
trvexp	EXPENSEREPORTFINALREVIEWRULE	FINALREVIEWRULE	decimal		
trvexp	EXPENSEREPORTFINALREVIEWRULE	RESOURCE	int		
trvexp	EXPENSEREPORTFINALREVIEWRULE	UNIQUEID	binary	16	
trvexp	EXPENSEREPORTFINALREVIEWRULE	USACTOR	char	30	
trvexp	EXPENSEREPORTFINALREVIEWRULE	USTIMESTAMP	datetime		
trvexp	EXPENSEREPORTREVIEWRULE	ACTIVE	char	1	
trvexp	EXPENSEREPORTREVIEWRULE	AUDITLOG	text	2147483647	
trvexp	EXPENSEREPORTREVIEWRULE	CSACTOR	char	30	
trvexp	EXPENSEREPORTREVIEWRULE	CSTIMESTAMP	datetime		
trvexp	EXPENSEREPORTREVIEWRULE	DELETEFLAG	binary	16	
trvexp	EXPENSEREPORTREVIEWRULE	DESCRIPTION	char	60	
trvexp	EXPENSEREPORTREVIEWRULE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEREPORTREVIEWRULE	EXPENSEGROUP	char	4	
trvexp	EXPENSEREPORTREVIEWRULE	EXPENSEREPORTREVIEWRULE	decimal		
trvexp	EXPENSEREPORTREVIEWRULE	RULE	char	25	
trvexp	EXPENSEREPORTREVIEWRULE	UNIQUEID	binary	16	
trvexp	EXPENSEREPORTREVIEWRULE	USACTOR	char	30	
trvexp	EXPENSEREPORTREVIEWRULE	USTIMESTAMP	datetime		
trvexp	EXPENSEREPORTRULEVIOLATION	AUDITLOG	text	2147483647	
trvexp	EXPENSEREPORTRULEVIOLATION	CSACTOR	char	30	
trvexp	EXPENSEREPORTRULEVIOLATION	CSTIMESTAMP	datetime		
trvexp	EXPENSEREPORTRULEVIOLATION	DELETEFLAG	binary	16	
trvexp	EXPENSEREPORTRULEVIOLATION	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEREPORTRULEVIOLATION	ERROR	text	2147483647	
trvexp	EXPENSEREPORTRULEVIOLATION	EXPENSEGROUP	char	4	
trvexp	EXPENSEREPORTRULEVIOLATION	EXPENSEREPORT	decimal		
trvexp	EXPENSEREPORTRULEVIOLATION	EXPENSEREPORTRULEVIOLATION	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREPORTRULEVIOLATION	RESOURCE	int		
trvexp	EXPENSEREPORTRULEVIOLATION	UNIQUEID	binary	16	
trvexp	EXPENSEREPORTRULEVIOLATION	USACTOR	char	30	
trvexp	EXPENSEREPORTRULEVIOLATION	USTIMESTAMP	datetime		
trvexp	EXPENSEREPORTVALIDATION	ACTIVE	char	1	
trvexp	EXPENSEREPORTVALIDATION	AUDITLOG	text	2147483647	
trvexp	EXPENSEREPORTVALIDATION	CSACTOR	char	30	
trvexp	EXPENSEREPORTVALIDATION	CSTIMESTAMP	datetime		
trvexp	EXPENSEREPORTVALIDATION	DELETEFLAG	binary	16	
trvexp	EXPENSEREPORTVALIDATION	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEREPORTVALIDATION	ERRORTXT	char	500	
trvexp	EXPENSEREPORTVALIDATION	ERRORTYPE	tinyint		
trvexp	EXPENSEREPORTVALIDATION	EXPENSEGROUP	char	4	
trvexp	EXPENSEREPORTVALIDATION	EXPENSEREPORTVALIDATION	decimal		
trvexp	EXPENSEREPORTVALIDATION	RULE	char	25	
trvexp	EXPENSEREPORTVALIDATION	RULEACTION	char	1	
trvexp	EXPENSEREPORTVALIDATION	UNIQUEID	binary	16	
trvexp	EXPENSEREPORTVALIDATION	USACTOR	char	30	
trvexp	EXPENSEREPORTVALIDATION	USTIMESTAMP	datetime		
trvexp	EXPENSEREPORTVALIDATION	VALIDATIONTYPE	tinyint		
trvexp	EXPENSEREQITEMFINALREVIEWRULE	ACTIVE	char	1	
trvexp	EXPENSEREQITEMFINALREVIEWRULE	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQITEMFINALREVIEWRULE	CSACTOR	char	30	
trvexp	EXPENSEREQITEMFINALREVIEWRULE	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQITEMFINALREVIEWRULE	DELETEFLAG	binary	16	
trvexp	EXPENSEREQITEMFINALREVIEWRULE	DESCRIPTION	char	60	
trvexp	EXPENSEREQITEMFINALREVIEWRULE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEREQITEMFINALREVIEWRULE	EXPENSEGROUP	char	4	
trvexp	EXPENSEREQITEMFINALREVIEWRULE	EXPENSEREQITEMFINALREVIEWRULE	decimal		
trvexp	EXPENSEREQITEMFINALREVIEWRULE	RULE	char	25	
trvexp	EXPENSEREQITEMFINALREVIEWRULE	UNIQUEID	binary	16	
trvexp	EXPENSEREQITEMFINALREVIEWRULE	USACTOR	char	30	
trvexp	EXPENSEREQITEMFINALREVIEWRULE	USTIMESTAMP	datetime		
trvexp	EXPENSEREQUEST	ACCOUNTINGUNIT	char	15	
trvexp	EXPENSEREQUEST	ADVANCEDATE	datetime		
trvexp	EXPENSEREQUEST	ADVANCEPAYMENTDATE	datetime		
trvexp	EXPENSEREQUEST	APPROVALDATE	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREQUEST	APPROVALSTAGE	char		60
trvexp	EXPENSEREQUEST	ARRESOURCE	int		
trvexp	EXPENSEREQUEST	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQUEST	BUSINESSPURPOSE	char		100
trvexp	EXPENSEREQUEST	CHECKNUMBER	decimal		
trvexp	EXPENSEREQUEST	CREDITMEMOID	char		20
trvexp	EXPENSEREQUEST	CSACTOR	char		30
trvexp	EXPENSEREQUEST	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQUEST	CURRENCY	char		5
trvexp	EXPENSEREQUEST	CURRENCYEXCHANGEDATE	datetime		
trvexp	EXPENSEREQUEST	DELETEFLAG	binary		16
trvexp	EXPENSEREQUEST	DEPARTMENT	char		5
trvexp	EXPENSEREQUEST	DESCRIPTION	char		60
trvexp	EXPENSEREQUEST	DRBEGIN	datetime		
trvexp	EXPENSEREQUEST	DREND	datetime		
trvexp	EXPENSEREQUEST	ENCRYPTEDRECEIPTARGUMENTS	char		1000
trvexp	EXPENSEREQUEST	EXPENSEGROUP	char		4
trvexp	EXPENSEREQUEST	EXPENSEREPORT	decimal		
trvexp	EXPENSEREQUEST	EXPENSEREQUEST	decimal		
trvexp	EXPENSEREQUEST	EXPENSEREQUESTDISPLAY	char		10
trvexp	EXPENSEREQUEST	FARESOURCE	int		
trvexp	EXPENSEREQUEST	GLCOMPANY	smallint		
trvexp	EXPENSEREQUEST	LASTTRANSGROUPSEQUENCE	int		
trvexp	EXPENSEREQUEST	NEEDSFINALREVIEW	char		1
trvexp	EXPENSEREQUEST	PAYTOCOMPANY	smallint		
trvexp	EXPENSEREQUEST	PAYTOVENDOR	char		9
trvexp	EXPENSEREQUEST	PROCESSLEVEL	char		5
trvexp	EXPENSEREQUEST	RANDOMNUMBER	smallint		
trvexp	EXPENSEREQUEST	RESOURCE	int		
trvexp	EXPENSEREQUEST	SARESOURCE	int		
trvexp	EXPENSEREQUEST	STATUS	smallint		
trvexp	EXPENSEREQUEST	TARESOURCE	int		
trvexp	EXPENSEREQUEST	TRAVELAGENTSTATUS	smallint		
trvexp	EXPENSEREQUEST	UNIQUEID	binary		16
trvexp	EXPENSEREQUEST	USACTOR	char		30
trvexp	EXPENSEREQUEST	USTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTAPPROVAL	APPROVALSTAGE	char		60

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREQUESTAPPROVAL	ARRESOURCE	int		
trvexp	EXPENSEREQUESTAPPROVAL	DESCRIPTION	char	60	
trvexp	EXPENSEREQUESTAPPROVAL	EXPENSEGROUP	char	4	
trvexp	EXPENSEREQUESTAPPROVAL	EXPENSEREQUEST	decimal		
trvexp	EXPENSEREQUESTAPPROVAL	FARESOURCE	int		
trvexp	EXPENSEREQUESTAPPROVAL	NEEDSFINALREVIEW	char	1	
trvexp	EXPENSEREQUESTAPPROVAL	PROCESSLEVEL	char	5	
trvexp	EXPENSEREQUESTAPPROVAL	REMPLOYEE	int		
trvexp	EXPENSEREQUESTAPPROVAL	RESOURCE	int		
trvexp	EXPENSEREQUESTAPPROVAL	SARESOURCE	int		
trvexp	EXPENSEREQUESTAPPROVAL	STATUS	smallint		
trvexp	EXPENSEREQUESTATTACHMENT	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQUESTATTACHMENT	COMMENT	char	60	
trvexp	EXPENSEREQUESTATTACHMENT	CSACTOR	char	30	
trvexp	EXPENSEREQUESTATTACHMENT	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTATTACHMENT	DELETEFLAG	binary	16	
trvexp	EXPENSEREQUESTATTACHMENT	DFILE	image	2147483647	
trvexp	EXPENSEREQUESTATTACHMENT	DFILE_TX_TT	char	5	
trvexp	EXPENSEREQUESTATTACHMENT	DMIMETYPE	char	80	
trvexp	EXPENSEREQUESTATTACHMENT	DOCUMENTURL	char	256	
trvexp	EXPENSEREQUESTATTACHMENT	DTITLE	char	50	
trvexp	EXPENSEREQUESTATTACHMENT	EXPENSEGROUP	char	4	
trvexp	EXPENSEREQUESTATTACHMENT	EXPENSEREQUEST	decimal		
trvexp	EXPENSEREQUESTATTACHMENT	EXPENSEREQUESTATTACHMENT	decimal		
trvexp	EXPENSEREQUESTATTACHMENT	RESOURCE	int		
trvexp	EXPENSEREQUESTATTACHMENT	UNIQUEID	binary	16	
trvexp	EXPENSEREQUESTATTACHMENT	USACTOR	char	30	
trvexp	EXPENSEREQUESTATTACHMENT	USTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTCOMMENT	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQUESTCOMMENT	COMMENT	text	2147483647	
trvexp	EXPENSEREQUESTCOMMENT	CSACTOR	char	30	
trvexp	EXPENSEREQUESTCOMMENT	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTCOMMENT	DELETEFLAG	binary	16	
trvexp	EXPENSEREQUESTCOMMENT	EXPENSEGROUP	char	4	
trvexp	EXPENSEREQUESTCOMMENT	EXPENSEREQUEST	decimal		
trvexp	EXPENSEREQUESTCOMMENT	EXPENSEREQUESTCOMMENT	decimal		
trvexp	EXPENSEREQUESTCOMMENT	RESOURCE	int		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREQUESTCOMMENT	TYPE	smallint		
trvexp	EXPENSEREQUESTCOMMENT	UNIQUEID	binary	16	
trvexp	EXPENSEREQUESTCOMMENT	USACTOR	char	30	
trvexp	EXPENSEREQUESTCOMMENT	USTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTFINALREVIEWRULE	ACTIVE	char	1	
trvexp	EXPENSEREQUESTFINALREVIEWRULE	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQUESTFINALREVIEWRULE	CSACTOR	char	30	
trvexp	EXPENSEREQUESTFINALREVIEWRULE	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTFINALREVIEWRULE	DELETEFLAG	binary	16	
trvexp	EXPENSEREQUESTFINALREVIEWRULE	DESCRIPTION	char	60	
trvexp	EXPENSEREQUESTFINALREVIEWRULE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEREQUESTFINALREVIEWRULE	EXPENSEGROUP	char	4	
trvexp	EXPENSEREQUESTFINALREVIEWRULE	EXPENSEREQUESTFINALREVIEWRULE	decimal		
trvexp	EXPENSEREQUESTFINALREVIEWRULE	RULE	char	25	
trvexp	EXPENSEREQUESTFINALREVIEWRULE	UNIQUEID	binary	16	
trvexp	EXPENSEREQUESTFINALREVIEWRULE	USACTOR	char	30	
trvexp	EXPENSEREQUESTFINALREVIEWRULE	USTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTITEM	ACACCTCATEGORY	char	5	
trvexp	EXPENSEREQUESTITEM	ACCOUNTINGUNIT	char	15	
trvexp	EXPENSEREQUESTITEM	ACCTCATEGORYGROUP	char	15	
trvexp	EXPENSEREQUESTITEM	ACTIVITY	char	15	
trvexp	EXPENSEREQUESTITEM	ADVANCEFUNDS	char	1	
trvexp	EXPENSEREQUESTITEM	AMOUNT	decimal		
trvexp	EXPENSEREQUESTITEM	ANALYSISPERIOD	smallint		
trvexp	EXPENSEREQUESTITEM	ANALYSISYEAR	decimal		
trvexp	EXPENSEREQUESTITEM	ATNOBJID	decimal		
trvexp	EXPENSEREQUESTITEM	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQUESTITEM	BILLABLE	char	1	
trvexp	EXPENSEREQUESTITEM	COMMENT	text	2147483647	
trvexp	EXPENSEREQUESTITEM	CSACTOR	char	30	
trvexp	EXPENSEREQUESTITEM	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTITEM	CURRENCYTABLE	char	12	
trvexp	EXPENSEREQUESTITEM	DELETEFLAG	binary	16	
trvexp	EXPENSEREQUESTITEM	EUFEXPENSEUSERFIELD1	char	30	
trvexp	EXPENSEREQUESTITEM	EXPENSECODE	char	15	
trvexp	EXPENSEREQUESTITEM	EXPENSEGROUP	char	4	
trvexp	EXPENSEREQUESTITEM	EXPENSEGROUPCALENDAR	char	20	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREQUESTITEM	EXPENSEGROUPPERIODGROUP	char		20
trvexp	EXPENSEREQUESTITEM	EXPENSEREQUEST	decimal		
trvexp	EXPENSEREQUESTITEM	EXPENSEREQUESTITEM	decimal		
trvexp	EXPENSEREQUESTITEM	FLAGGED	char		1
trvexp	EXPENSEREQUESTITEM	FLAGGEDMESSAGE	char		60
trvexp	EXPENSEREQUESTITEM	FROMCURRENCY	char		5
trvexp	EXPENSEREQUESTITEM	FROMLOCATION	char		60
trvexp	EXPENSEREQUESTITEM	GLCOMPANY	smallint		
trvexp	EXPENSEREQUESTITEM	GLTOBJID	decimal		
trvexp	EXPENSEREQUESTITEM	ISMILEAGE	char		1
trvexp	EXPENSEREQUESTITEM	ISPERDIEM	char		1
trvexp	EXPENSEREQUESTITEM	ITINERARY	decimal		
trvexp	EXPENSEREQUESTITEM	LOCATION	char		30
trvexp	EXPENSEREQUESTITEM	MILES	decimal		
trvexp	EXPENSEREQUESTITEM	PAYMETHOD	smallint		
trvexp	EXPENSEREQUESTITEM	PAYTOCOMPANY	smallint		
trvexp	EXPENSEREQUESTITEM	PAYTOVENDOR	char		9
trvexp	EXPENSEREQUESTITEM	RAENTEREDCURRENCYAMOUNT	decimal		
trvexp	EXPENSEREQUESTITEM	RAENTEREDCURRENCYRATE	decimal		
trvexp	EXPENSEREQUESTITEM	RATOCURRENCY	char		5
trvexp	EXPENSEREQUESTITEM	REASONFORTRAVEL	char		60
trvexp	EXPENSEREQUESTITEM	RESOURCE	int		
trvexp	EXPENSEREQUESTITEM	RESOURCEACTIVITY	char		15
trvexp	EXPENSEREQUESTITEM	SYSTEMCALCULATED	char		1
trvexp	EXPENSEREQUESTITEM	TOLOCATION	char		60
trvexp	EXPENSEREQUESTITEM	TRANSACTIONCURRENCY	char		5
trvexp	EXPENSEREQUESTITEM	TRANSACTIONDATE	datetime		
trvexp	EXPENSEREQUESTITEM	TRANSGROUPSEQUENCE	int		
trvexp	EXPENSEREQUESTITEM	TRAVELDATE	datetime		
trvexp	EXPENSEREQUESTITEM	UNIQUEID	binary		16
trvexp	EXPENSEREQUESTITEM	USACTOR	char		30
trvexp	EXPENSEREQUESTITEM	USTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTITEMANSWER	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQUESTITEMANSWER	CSACTOR	char		30
trvexp	EXPENSEREQUESTITEMANSWER	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTITEMANSWER	DELETEFLAG	binary		16
trvexp	EXPENSEREQUESTITEMANSWER	ECDTAAMOUNTANSWER	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREQUESTITEMANSWER	ECDTADATEANSWER	datetime		
trvexp	EXPENSEREQUESTITEMANSWER	ECDTAFIVEDECIMALANSWER	decimal		
trvexp	EXPENSEREQUESTITEMANSWER	ECDTAFOURDECIMALANSWER	decimal		
trvexp	EXPENSEREQUESTITEMANSWER	ECDTAINTEGERANSWER	decimal		
trvexp	EXPENSEREQUESTITEMANSWER	ECDTALISTANSWER	decimal		
trvexp	EXPENSEREQUESTITEMANSWER	ECDTALONGTEXTANSWER	char	250	
trvexp	EXPENSEREQUESTITEMANSWER	ECDTASHORTTEXTANSWER	char	60	
trvexp	EXPENSEREQUESTITEMANSWER	ECDTATABLEANSWER1	char	60	
trvexp	EXPENSEREQUESTITEMANSWER	ECDTATABLEANSWER10	char	60	
trvexp	EXPENSEREQUESTITEMANSWER	ECDTATABLEANSWER2	char	60	
trvexp	EXPENSEREQUESTITEMANSWER	ECDTATABLEANSWER3	char	60	
trvexp	EXPENSEREQUESTITEMANSWER	ECDTATABLEANSWER4	char	60	
trvexp	EXPENSEREQUESTITEMANSWER	ECDTATABLEANSWER5	char	60	
trvexp	EXPENSEREQUESTITEMANSWER	ECDTATABLEANSWER6	char	60	
trvexp	EXPENSEREQUESTITEMANSWER	ECDTATABLEANSWER7	char	60	
trvexp	EXPENSEREQUESTITEMANSWER	ECDTATABLEANSWER8	char	60	
trvexp	EXPENSEREQUESTITEMANSWER	ECDTATABLEANSWER9	char	60	
trvexp	EXPENSEREQUESTITEMANSWER	ECDTATHREEDECIMALANSWER	decimal		
trvexp	EXPENSEREQUESTITEMANSWER	ECDTAYESNOANSWER	tinyint		
trvexp	EXPENSEREQUESTITEMANSWER	EXPENSECODEQUESTION	decimal		
trvexp	EXPENSEREQUESTITEMANSWER	EXPENSEGROUP	char	4	
trvexp	EXPENSEREQUESTITEMANSWER	EXPENSEREQUEST	decimal		
trvexp	EXPENSEREQUESTITEMANSWER	EXPENSEREQUESTITEM	decimal		
trvexp	EXPENSEREQUESTITEMANSWER	RESOURCE	int		
trvexp	EXPENSEREQUESTITEMANSWER	UNIQUEID	binary	16	
trvexp	EXPENSEREQUESTITEMANSWER	USACTOR	char	30	
trvexp	EXPENSEREQUESTITEMANSWER	USTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTITEMCOMMENT	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQUESTITEMCOMMENT	COMMENT	char	500	
trvexp	EXPENSEREQUESTITEMCOMMENT	CSACTOR	char	30	
trvexp	EXPENSEREQUESTITEMCOMMENT	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTITEMCOMMENT	DELETEFLAG	binary	16	
trvexp	EXPENSEREQUESTITEMCOMMENT	EXPENSEGROUP	char	4	
trvexp	EXPENSEREQUESTITEMCOMMENT	EXPENSEREQUEST	decimal		
trvexp	EXPENSEREQUESTITEMCOMMENT	EXPENSEREQUESTITEM	decimal		
trvexp	EXPENSEREQUESTITEMCOMMENT	EXPENSEREQUESTITEMCOMMENT	decimal		
trvexp	EXPENSEREQUESTITEMCOMMENT	RESOURCE	int		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREQUESTITEMCOMMENT	UNIQUEID	binary		16
trvexp	EXPENSEREQUESTITEMCOMMENT	USACTOR	char		30
trvexp	EXPENSEREQUESTITEMCOMMENT	USTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	ACTIVE	char		1
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	CSACTOR	char		30
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	DELETEFLAG	binary		16
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	EREQUESTITEMQUESTIONRULE	decimal		
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	ERRORTYPE	tinyint		
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	EXPENSECODE	char		15
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	EXPENSEGROUP	char		4
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	RULE	char		25
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	RULEACTION	char		1
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	RULEMESSAGE	char		500
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	UNIQUEID	binary		16
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	USACTOR	char		30
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	USTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTITEMQUESTIONRULE	VALIDATIONTYPE	tinyint		
trvexp	EXPENSEREQUESTITEMRULE	ACTIVE	char		1
trvexp	EXPENSEREQUESTITEMRULE	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQUESTITEMRULE	CSACTOR	char		30
trvexp	EXPENSEREQUESTITEMRULE	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTITEMRULE	DELETEFLAG	binary		16
trvexp	EXPENSEREQUESTITEMRULE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEREQUESTITEMRULE	ERRORTXT	char		500
trvexp	EXPENSEREQUESTITEMRULE	ERRORTYPE	tinyint		
trvexp	EXPENSEREQUESTITEMRULE	EXPENSEGROUP	char		4
trvexp	EXPENSEREQUESTITEMRULE	EXPENSEREQUESTITEMRULE	decimal		
trvexp	EXPENSEREQUESTITEMRULE	REXPENSEREQUESTITEMCONDITION	char		25
trvexp	EXPENSEREQUESTITEMRULE	RULE	char		25
trvexp	EXPENSEREQUESTITEMRULE	RULEACTION	char		1
trvexp	EXPENSEREQUESTITEMRULE	UNIQUEID	binary		16
trvexp	EXPENSEREQUESTITEMRULE	USACTOR	char		30
trvexp	EXPENSEREQUESTITEMRULE	USTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTITEMRULE	VALIDATIONTYPE	tinyint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREQUESTREVIEWRULE	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQUESTREVIEWRULE	CSACTOR	char	30	
trvexp	EXPENSEREQUESTREVIEWRULE	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTREVIEWRULE	DELETEFLAG	binary	16	
trvexp	EXPENSEREQUESTREVIEWRULE	EXPENSEGROUP	char	4	
trvexp	EXPENSEREQUESTREVIEWRULE	EXPENSEREQITEMFINALREVIEWRULE	decimal		
trvexp	EXPENSEREQUESTREVIEWRULE	EXPENSEREQUEST	decimal		
trvexp	EXPENSEREQUESTREVIEWRULE	EXPENSEREQUESTFINALREVIEWRULE	decimal		
trvexp	EXPENSEREQUESTREVIEWRULE	EXPENSEREQUESTITEM	decimal		
trvexp	EXPENSEREQUESTREVIEWRULE	EXPENSEREQUESTREVIEWRULE	decimal		
trvexp	EXPENSEREQUESTREVIEWRULE	RESOURCE	int		
trvexp	EXPENSEREQUESTREVIEWRULE	UNIQUEID	binary	16	
trvexp	EXPENSEREQUESTREVIEWRULE	USACTOR	char	30	
trvexp	EXPENSEREQUESTREVIEWRULE	USTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTRULE	ACTIVE	char	1	
trvexp	EXPENSEREQUESTRULE	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQUESTRULE	CSACTOR	char	30	
trvexp	EXPENSEREQUESTRULE	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTRULE	DELETEFLAG	binary	16	
trvexp	EXPENSEREQUESTRULE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEREQUESTRULE	ERRORTXT	char	500	
trvexp	EXPENSEREQUESTRULE	ERRORTYPE	tinyint		
trvexp	EXPENSEREQUESTRULE	EXPENSEGROUP	char	4	
trvexp	EXPENSEREQUESTRULE	EXPENSEREQUESTRULE	decimal		
trvexp	EXPENSEREQUESTRULE	RULE	char	25	
trvexp	EXPENSEREQUESTRULE	RULEACTION	char	1	
trvexp	EXPENSEREQUESTRULE	UNIQUEID	binary	16	
trvexp	EXPENSEREQUESTRULE	USACTOR	char	30	
trvexp	EXPENSEREQUESTRULE	USTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTRULE	VALIDATIONTYPE	tinyint		
trvexp	EXPENSEREQUESTRULEVIOLATION	AUDITLOG	text	2147483647	
trvexp	EXPENSEREQUESTRULEVIOLATION	CSACTOR	char	30	
trvexp	EXPENSEREQUESTRULEVIOLATION	CSTIMESTAMP	datetime		
trvexp	EXPENSEREQUESTRULEVIOLATION	DELETEFLAG	binary	16	
trvexp	EXPENSEREQUESTRULEVIOLATION	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEREQUESTRULEVIOLATION	ERROR	text	2147483647	
trvexp	EXPENSEREQUESTRULEVIOLATION	EXPENSEGROUP	char	4	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEREQUESTRULEVIOLATION	EXPENSEREQUEST	decimal		
trvexp	EXPENSEREQUESTRULEVIOLATION	EXPENSEREQUESTRULEVIOLATION	decimal		
trvexp	EXPENSEREQUESTRULEVIOLATION	RESOURCE	int		
trvexp	EXPENSEREQUESTRULEVIOLATION	UNIQUEID	binary		16
trvexp	EXPENSEREQUESTRULEVIOLATION	USACTOR	char		30
trvexp	EXPENSEREQUESTRULEVIOLATION	USTIMESTAMP	datetime		
trvexp	EXPENSETRANSACTIONRATE	AUDITLOG	text	2147483647	
trvexp	EXPENSETRANSACTIONRATE	CSACTOR	char		30
trvexp	EXPENSETRANSACTIONRATE	CSTIMESTAMP	datetime		
trvexp	EXPENSETRANSACTIONRATE	CURRENCYTABLE	char		12
trvexp	EXPENSETRANSACTIONRATE	DELETEFLAG	binary		16
trvexp	EXPENSETRANSACTIONRATE	EFFECTIVEDATE	datetime		
trvexp	EXPENSETRANSACTIONRATE	EXPENSEGROUP	char		4
trvexp	EXPENSETRANSACTIONRATE	EXPENSEREPORT	decimal		
trvexp	EXPENSETRANSACTIONRATE	EXPENSETRANSACTIONRATE	decimal		
trvexp	EXPENSETRANSACTIONRATE	FROMCURRENCY	char		5
trvexp	EXPENSETRANSACTIONRATE	RAENTEREDCURRENCYAMOUNT	decimal		
trvexp	EXPENSETRANSACTIONRATE	RAENTEREDCURRENCYRATE	decimal		
trvexp	EXPENSETRANSACTIONRATE	RATOCURRENCY	char		5
trvexp	EXPENSETRANSACTIONRATE	RESOURCE	int		
trvexp	EXPENSETRANSACTIONRATE	TRANSACTIONAMOUNT	decimal		
trvexp	EXPENSETRANSACTIONRATE	UNIQUEID	binary		16
trvexp	EXPENSETRANSACTIONRATE	USACTOR	char		30
trvexp	EXPENSETRANSACTIONRATE	USTIMESTAMP	datetime		
trvexp	EXPENSEVALIDATION	ACTIVE	char		1
trvexp	EXPENSEVALIDATION	AUDITLOG	text	2147483647	
trvexp	EXPENSEVALIDATION	CSACTOR	char		30
trvexp	EXPENSEVALIDATION	CSTIMESTAMP	datetime		
trvexp	EXPENSEVALIDATION	DELETEFLAG	binary		16
trvexp	EXPENSEVALIDATION	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	EXPENSEVALIDATION	ERRORTYPE	char		500
trvexp	EXPENSEVALIDATION	ERRORTEXT	char		500
trvexp	EXPENSEVALIDATION	ERRORTYPE	tinyint		
trvexp	EXPENSEVALIDATION	EXPENSEGROUP	char		4
trvexp	EXPENSEVALIDATION	EXPENSEVALIDATION	decimal		
trvexp	EXPENSEVALIDATION	RELATEDEXPENSECONDITION	char		25
trvexp	EXPENSEVALIDATION	RULE	char		25
trvexp	EXPENSEVALIDATION	RULEACTION	char		1

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	EXPENSEVALIDATION	UNIQUEID	binary		16
trvexp	EXPENSEVALIDATION	USACTOR	char		30
trvexp	EXPENSEVALIDATION	USTIMESTAMP	datetime		
trvexp	EXPENSEVALIDATION	VALIDATIONTYPE	tinyint		
trvexp	EXPENSEWORKSHEET	AUDITLOG	text	2147483647	
trvexp	EXPENSEWORKSHEET	CSACTOR	char		30
trvexp	EXPENSEWORKSHEET	CSTIMESTAMP	datetime		
trvexp	EXPENSEWORKSHEET	DELETEFLAG	binary		16
trvexp	EXPENSEWORKSHEET	EXPENSECODE	char		15
trvexp	EXPENSEWORKSHEET	EXPENSEGROUP	char		4
trvexp	EXPENSEWORKSHEET	EXPENSEREPORT	decimal		
trvexp	EXPENSEWORKSHEET	EXPENSEREPORTDATE	datetime		
trvexp	EXPENSEWORKSHEET	EXPENSEWORKSHEET	decimal		
trvexp	EXPENSEWORKSHEET	GLCOMPANY	smallint		
trvexp	EXPENSEWORKSHEET	PAYMETHOD	smallint		
trvexp	EXPENSEWORKSHEET	RECEIPT	tinyint		
trvexp	EXPENSEWORKSHEET	RESOURCE	int		
trvexp	EXPENSEWORKSHEET	TRANSACTIONAMOUNT	decimal		
trvexp	EXPENSEWORKSHEET	TRANSACTIONCURRENCY	char		5
trvexp	EXPENSEWORKSHEET	UNIQUEID	binary		16
trvexp	EXPENSEWORKSHEET	USACTOR	char		30
trvexp	EXPENSEWORKSHEET	USTIMESTAMP	datetime		
trvexp	FINALREVIEWRULE	ACTIVE	char		1
trvexp	FINALREVIEWRULE	AUDITLOG	text	2147483647	
trvexp	FINALREVIEWRULE	CSACTOR	char		30
trvexp	FINALREVIEWRULE	CSTIMESTAMP	datetime		
trvexp	FINALREVIEWRULE	DELETEFLAG	binary		16
trvexp	FINALREVIEWRULE	DESCRIPTION	char		60
trvexp	FINALREVIEWRULE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	FINALREVIEWRULE	EXPENSEGROUP	char		4
trvexp	FINALREVIEWRULE	FINALREVIEWRULE	decimal		
trvexp	FINALREVIEWRULE	RULE	char		25
trvexp	FINALREVIEWRULE	UNIQUEID	binary		16
trvexp	FINALREVIEWRULE	USACTOR	char		30
trvexp	FINALREVIEWRULE	USTIMESTAMP	datetime		
trvexp	GEIMPORT	CREDITCARDTYPE	char		10
trvexp	GEIMPORT	ENCRYPTEDOBJECT	text	2147483647	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	GEIMPORT	EXPENSEGROUP	char		4
trvexp	GEIMPORT	GEDATA	char	350	
trvexp	GEIMPORT	GEI_ENCRYPTEDOBJECT_ENCRYPTED	char		1
trvexp	GEIMPORT	GEIMPORT	decimal		
trvexp	GEIMPORT	STATUS	smallint		
trvexp	GEIMPORT	UNIQUEID	binary		16
trvexp	INTERFACEEMPLOYEE	AUDITLOG	text	2147483647	
trvexp	INTERFACEEMPLOYEE	COMPANY	smallint		
trvexp	INTERFACEEMPLOYEE	CSACTOR	char	30	
trvexp	INTERFACEEMPLOYEE	CSTIMESTAMP	datetime		
trvexp	INTERFACEEMPLOYEE	DELETEFLAG	binary		16
trvexp	INTERFACEEMPLOYEE	INTERFACEEMPLOYEE	int		
trvexp	INTERFACEEMPLOYEE	UNIQUEID	binary		16
trvexp	INTERFACEEMPLOYEE	USACTOR	char	30	
trvexp	INTERFACEEMPLOYEE	USTIMESTAMP	datetime		
trvexp	ITINERARY	AUDITLOG	text	2147483647	
trvexp	ITINERARY	BEGIN	datetime		
trvexp	ITINERARY	CSACTOR	char	30	
trvexp	ITINERARY	CSTIMESTAMP	datetime		
trvexp	ITINERARY	DELETEFLAG	binary		16
trvexp	ITINERARY	DESCRIPTION	char	60	
trvexp	ITINERARY	DESTINATION	char	30	
trvexp	ITINERARY	END	datetime		
trvexp	ITINERARY	EXPENSEDETAIL	decimal		
trvexp	ITINERARY	EXPENSEGROUP	char		4
trvexp	ITINERARY	EXPENSEREPORT	decimal		
trvexp	ITINERARY	EXPENSEREQUEST	decimal		
trvexp	ITINERARY	IMPORTFILENAME	char	60	
trvexp	ITINERARY	ISADHOCITINERARY	char		1
trvexp	ITINERARY	ITINERARY	decimal		
trvexp	ITINERARY	RESOURCE	int		
trvexp	ITINERARY	STARTINGLOCATION	char	30	
trvexp	ITINERARY	STATUS	smallint		
trvexp	ITINERARY	UNIQUEID	binary		16
trvexp	ITINERARY	USACTOR	char	30	
trvexp	ITINERARY	USTIMESTAMP	datetime		
trvexp	ITINERARYALLOWANCE	AUDITLOG	text	2147483647	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	ITINERARYALLOWANCE	BREAKFASTBIK	char		1
trvexp	ITINERARYALLOWANCE	CLAIMPERDIEM	char		1
trvexp	ITINERARYALLOWANCE	CSACTOR	char		30
trvexp	ITINERARYALLOWANCE	CSTIMESTAMP	datetime		
trvexp	ITINERARYALLOWANCE	DELETEFLAG	binary		16
trvexp	ITINERARYALLOWANCE	DINNERBIK	char		1
trvexp	ITINERARYALLOWANCE	EXPENSECODE	char		15
trvexp	ITINERARYALLOWANCE	EXPENSEDETAIL	decimal		
trvexp	ITINERARYALLOWANCE	EXPENSEGROUP	char		4
trvexp	ITINERARYALLOWANCE	EXPENSEREPORT	decimal		
trvexp	ITINERARYALLOWANCE	EXPENSEREQUEST	decimal		
trvexp	ITINERARYALLOWANCE	EXPENSEREQUESTITEM	decimal		
trvexp	ITINERARYALLOWANCE	FINISHDAY	char		1
trvexp	ITINERARYALLOWANCE	GLCOMPANY	smallint		
trvexp	ITINERARYALLOWANCE	ITINERARY	decimal		
trvexp	ITINERARYALLOWANCE	ITINERARYALLOWANCE	decimal		
trvexp	ITINERARYALLOWANCE	LOCATION	char		30
trvexp	ITINERARYALLOWANCE	LUNCHBIK	char		1
trvexp	ITINERARYALLOWANCE	RESOURCE	int		
trvexp	ITINERARYALLOWANCE	SEARCHLOCATION	char		30
trvexp	ITINERARYALLOWANCE	STARTDAY	char		1
trvexp	ITINERARYALLOWANCE	TRAVELDATE	datetime		
trvexp	ITINERARYALLOWANCE	TRAVELTIME	decimal		
trvexp	ITINERARYALLOWANCE	UNIQUEID	binary		16
trvexp	ITINERARYALLOWANCE	USACTOR	char		30
trvexp	ITINERARYALLOWANCE	USTIMESTAMP	datetime		
trvexp	ITINERARYDETAIL	ARRIVAL	datetime		
trvexp	ITINERARYDETAIL	ARRIVALLOCATION	char		30
trvexp	ITINERARYDETAIL	ARRIVALTIME	decimal		
trvexp	ITINERARYDETAIL	AUDITLOG	text	2147483647	
trvexp	ITINERARYDETAIL	CSACTOR	char		30
trvexp	ITINERARYDETAIL	CSTIMESTAMP	datetime		
trvexp	ITINERARYDETAIL	DELETEFLAG	binary		16
trvexp	ITINERARYDETAIL	DEPARTURE	datetime		
trvexp	ITINERARYDETAIL	DEPARTURELOCATION	char		30
trvexp	ITINERARYDETAIL	DEPARTURETIME	decimal		
trvexp	ITINERARYDETAIL	EXPENSEGROUP	char		4

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	ITINERARYDETAIL	ITINERARY	decimal		
trvexp	ITINERARYDETAIL	ITINERARYDETAIL	decimal		
trvexp	ITINERARYDETAIL	RESOURCE	int		
trvexp	ITINERARYDETAIL	UNIQUEID	binary	16	
trvexp	ITINERARYDETAIL	USACTOR	char	30	
trvexp	ITINERARYDETAIL	USTIMESTAMP	datetime		
trvexp	LAWSONCLASSICMESSAGE	AUDITLOG	text	2147483647	
trvexp	LAWSONCLASSICMESSAGE	BCBUSINESSCLASSNAME	char	200	
trvexp	LAWSONCLASSICMESSAGE	BCBUSINESSOBJECTKEY	binary	16	
trvexp	LAWSONCLASSICMESSAGE	CSACTOR	char	30	
trvexp	LAWSONCLASSICMESSAGE	CSTIMESTAMP	datetime		
trvexp	LAWSONCLASSICMESSAGE	DATA	text	2147483647	
trvexp	LAWSONCLASSICMESSAGE	DELETEFLAG	binary	16	
trvexp	LAWSONCLASSICMESSAGE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	LAWSONCLASSICMESSAGE	EVENTTYPE	char	3	
trvexp	LAWSONCLASSICMESSAGE	FAILURECOUNT	int		
trvexp	LAWSONCLASSICMESSAGE	FC	char	1	
trvexp	LAWSONCLASSICMESSAGE	ISNEW	char	1	
trvexp	LAWSONCLASSICMESSAGE	LAWSONCLASSICMESSAGEGROUP	binary	16	
trvexp	LAWSONCLASSICMESSAGE	LCTNAME	char	7	
trvexp	LAWSONCLASSICMESSAGE	RESPONSEMESSAGE	text	2147483647	
trvexp	LAWSONCLASSICMESSAGE	SEQUENCE	int		
trvexp	LAWSONCLASSICMESSAGE	STATUS	tinyint		
trvexp	LAWSONCLASSICMESSAGE	TOKEN	char	7	
trvexp	LAWSONCLASSICMESSAGE	UNIQUEID	binary	16	
trvexp	LAWSONCLASSICMESSAGE	USACTOR	char	30	
trvexp	LAWSONCLASSICMESSAGE	USTIMESTAMP	datetime		
trvexp	LAWSONCLASSICMESSAGEGROUP	AUDITLOG	text	2147483647	
trvexp	LAWSONCLASSICMESSAGEGROUP	AUTHENTICATEDACTOR	char	30	
trvexp	LAWSONCLASSICMESSAGEGROUP	CSACTOR	char	30	
trvexp	LAWSONCLASSICMESSAGEGROUP	CSTIMESTAMP	datetime		
trvexp	LAWSONCLASSICMESSAGEGROUP	DELETEFLAG	binary	16	
trvexp	LAWSONCLASSICMESSAGEGROUP	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	LAWSONCLASSICMESSAGEGROUP	EXECUTETIME	datetime		
trvexp	LAWSONCLASSICMESSAGEGROUP	FAILURECOUNT	int		
trvexp	LAWSONCLASSICMESSAGEGROUP	ISCOMPLETE	char	1	
trvexp	LAWSONCLASSICMESSAGEGROUP	ISFAILED	char	1	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	LAWSONCLASSICMESSAGEGROUP	ISHOLD	char		1
trvexp	LAWSONCLASSICMESSAGEGROUP	ISNEW	char		1
trvexp	LAWSONCLASSICMESSAGEGROUP	ISPROXY	char		1
trvexp	LAWSONCLASSICMESSAGEGROUP	ISRESET	char		1
trvexp	LAWSONCLASSICMESSAGEGROUP	LASTSEQUENCE	int		
trvexp	LAWSONCLASSICMESSAGEGROUP	LAWSONCLASSICMESSAGEGROUP	binary		16
trvexp	LAWSONCLASSICMESSAGEGROUP	STATUS	tinyint		
trvexp	LAWSONCLASSICMESSAGEGROUP	USACTOR	char		30
trvexp	LAWSONCLASSICMESSAGEGROUP	USTIMESTAMP	datetime		
trvexp	LAWSONCLASSICMESSAGEREFERENCE	AUDITLOG	text	2147483647	
trvexp	LAWSONCLASSICMESSAGEREFERENCE	CSACTOR	char		30
trvexp	LAWSONCLASSICMESSAGEREFERENCE	CSTIMESTAMP	datetime		
trvexp	LAWSONCLASSICMESSAGEREFERENCE	DELETEFLAG	binary		16
trvexp	LAWSONCLASSICMESSAGEREFERENCE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	LAWSONCLASSICMESSAGEREFERENCE	FIELDNAME	char		200
trvexp	LAWSONCLASSICMESSAGEREFERENCE	LAWSONCLASSICMESSAGEGROUP	binary		16
trvexp	LAWSONCLASSICMESSAGEREFERENCE	PRBUSINESSCLASSNAME	char		200
trvexp	LAWSONCLASSICMESSAGEREFERENCE	PRBUSINESSOBJECTKEY	binary		16
trvexp	LAWSONCLASSICMESSAGEREFERENCE	REFERENCESEQUENCE	int		
trvexp	LAWSONCLASSICMESSAGEREFERENCE	SEQUENCE	int		
trvexp	LAWSONCLASSICMESSAGEREFERENCE	UNIQUEID	binary		16
trvexp	LAWSONCLASSICMESSAGEREFERENCE	USACTOR	char		30
trvexp	LAWSONCLASSICMESSAGEREFERENCE	USTIMESTAMP	datetime		
trvexp	LAWSONCLASSICMESSAGEVARIABLE	AUDITLOG	text	2147483647	
trvexp	LAWSONCLASSICMESSAGEVARIABLE	CLASSICNAME	char		22
trvexp	LAWSONCLASSICMESSAGEVARIABLE	CSACTOR	char		30
trvexp	LAWSONCLASSICMESSAGEVARIABLE	CSTIMESTAMP	datetime		
trvexp	LAWSONCLASSICMESSAGEVARIABLE	DELETEFLAG	binary		16
trvexp	LAWSONCLASSICMESSAGEVARIABLE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	LAWSONCLASSICMESSAGEVARIABLE	LAWSONCLASSICMESSAGEGROUP	binary		16
trvexp	LAWSONCLASSICMESSAGEVARIABLE	SEQUENCE	int		
trvexp	LAWSONCLASSICMESSAGEVARIABLE	UNIQUEID	binary		16
trvexp	LAWSONCLASSICMESSAGEVARIABLE	USACTOR	char		30
trvexp	LAWSONCLASSICMESSAGEVARIABLE	USTIMESTAMP	datetime		
trvexp	LAWSONCLASSICMESSAGEVARIABLE	VALUE	text	2147483647	
trvexp	LAWSONCLASSICMESSAGEVARIABLE	VARIABLENAME	char		30
trvexp	LIQUIDITYBANKBALANCE	AUDITLOG	text	2147483647	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	LIQUIDITYBANKBALANCE	CAENTEREDCURRENCYAMOUNT	decimal		
trvexp	LIQUIDITYBANKBALANCE	CAENTEREDCURRENCYRATE	decimal		
trvexp	LIQUIDITYBANKBALANCE	CASHCODE	char		4
trvexp	LIQUIDITYBANKBALANCE	CASHCODEAMOUNT	decimal		
trvexp	LIQUIDITYBANKBALANCE	CASHCODECURRENCY	char		5
trvexp	LIQUIDITYBANKBALANCE	CATOCURRENCY	char		5
trvexp	LIQUIDITYBANKBALANCE	COMPANY	smallint		
trvexp	LIQUIDITYBANKBALANCE	CSACTOR	char		30
trvexp	LIQUIDITYBANKBALANCE	CSTIMESTAMP	datetime		
trvexp	LIQUIDITYBANKBALANCE	DELETEFLAG	binary		16
trvexp	LIQUIDITYBANKBALANCE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	LIQUIDITYBANKBALANCE	LIQUIDITYBANKBALANCE	datetime		
trvexp	LIQUIDITYBANKBALANCE	LOADDATE	datetime		
trvexp	LIQUIDITYBANKBALANCE	UNIQUEID	binary		16
trvexp	LIQUIDITYBANKBALANCE	USACTOR	char		30
trvexp	LIQUIDITYBANKBALANCE	USTIMESTAMP	datetime		
trvexp	LIQUIDITYDETAIL	AAAENTEREDCURRENCYAMOUNT	decimal		
trvexp	LIQUIDITYDETAIL	AAAENTEREDCURRENCYRATE	decimal		
trvexp	LIQUIDITYDETAIL	AAATOCURRENCY	char		5
trvexp	LIQUIDITYDETAIL	ABAENTEREDCURRENCYAMOUNT	decimal		
trvexp	LIQUIDITYDETAIL	ABAENTEREDCURRENCYRATE	decimal		
trvexp	LIQUIDITYDETAIL	ABATOCURRENCY	char		5
trvexp	LIQUIDITYDETAIL	ATRANSACTIONAMOUNT	decimal		
trvexp	LIQUIDITYDETAIL	AUDITLOG	text	2147483647	
trvexp	LIQUIDITYDETAIL	CASHCODE	char		4
trvexp	LIQUIDITYDETAIL	COMPANY	smallint		
trvexp	LIQUIDITYDETAIL	CSACTOR	char		30
trvexp	LIQUIDITYDETAIL	CSTIMESTAMP	datetime		
trvexp	LIQUIDITYDETAIL	DAAAENTEREDCURRENCYAMOUNT	decimal		
trvexp	LIQUIDITYDETAIL	DAAAENTEREDCURRENCYRATE	decimal		
trvexp	LIQUIDITYDETAIL	DAAATOCURRENCY	char		5
trvexp	LIQUIDITYDETAIL	DABAENTEREDCURRENCYAMOUNT	decimal		
trvexp	LIQUIDITYDETAIL	DABAENTEREDCURRENCYRATE	decimal		
trvexp	LIQUIDITYDETAIL	DABATOCURRENCY	char		5
trvexp	LIQUIDITYDETAIL	DATRANSACTIONAMOUNT	decimal		
trvexp	LIQUIDITYDETAIL	DELETEFLAG	binary		16
trvexp	LIQUIDITYDETAIL	DOCUMENTNUMBER	char		30

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	LIQUIDITYDETAIL	DUEDATE	datetime		
trvexp	LIQUIDITYDETAIL	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	LIQUIDITYDETAIL	LIQUIDITYDETAIL	decimal		
trvexp	LIQUIDITYDETAIL	LOADDATE	datetime		
trvexp	LIQUIDITYDETAIL	PROCESSLEVEL	char		5
trvexp	LIQUIDITYDETAIL	SYSTEMCODE	char		2
trvexp	LIQUIDITYDETAIL	TRANSACTIONCURRENCY	char		5
trvexp	LIQUIDITYDETAIL	UNIQUEID	binary		16
trvexp	LIQUIDITYDETAIL	USACTOR	char		30
trvexp	LIQUIDITYDETAIL	USTIMESTAMP	datetime		
trvexp	LIQUIDITYDETAIL	VENDOR	char		9
trvexp	LIQUIDITYFORECAST	AUDITLOG	text	2147483647	
trvexp	LIQUIDITYFORECAST	CASHCODE	char		4
trvexp	LIQUIDITYFORECAST	CASHLEDGERCOMPANY	smallint		
trvexp	LIQUIDITYFORECAST	CSACTOR	char		30
trvexp	LIQUIDITYFORECAST	CSTIMESTAMP	datetime		
trvexp	LIQUIDITYFORECAST	DELETEFLAG	binary		16
trvexp	LIQUIDITYFORECAST	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	LIQUIDITYFORECAST	ENTERPRISEGROUP	char		4
trvexp	LIQUIDITYFORECAST	FORECASTBY	tinyint		
trvexp	LIQUIDITYFORECAST	FORECASTDATE	datetime		
trvexp	LIQUIDITYFORECAST	INCLUDEPAYABLES	char		1
trvexp	LIQUIDITYFORECAST	INCLUDEPROCUREMENT	char		1
trvexp	LIQUIDITYFORECAST	INCLUDERECEIVABLES	char		1
trvexp	LIQUIDITYFORECAST	LIQUIDITYFORECAST	char		20
trvexp	LIQUIDITYFORECAST	PERIODDAYS1	smallint		
trvexp	LIQUIDITYFORECAST	PERIODDAYS2	smallint		
trvexp	LIQUIDITYFORECAST	PERIODDAYS3	smallint		
trvexp	LIQUIDITYFORECAST	PERIODDAYS4	smallint		
trvexp	LIQUIDITYFORECAST	RANGECOUNT	smallint		
trvexp	LIQUIDITYFORECAST	UNIQUEID	binary		16
trvexp	LIQUIDITYFORECAST	USACTOR	char		30
trvexp	LIQUIDITYFORECAST	USTIMESTAMP	datetime		
trvexp	LIQUIDITYFORECASTPERIOD	AUDITLOG	text	2147483647	
trvexp	LIQUIDITYFORECASTPERIOD	CSACTOR	char		30
trvexp	LIQUIDITYFORECASTPERIOD	CSTIMESTAMP	datetime		
trvexp	LIQUIDITYFORECASTPERIOD	DELETEFLAG	binary		16

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	LIQUIDITYFORECASTPERIOD	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	LIQUIDITYFORECASTPERIOD	ENTERPRISEGROUP	char	4	
trvexp	LIQUIDITYFORECASTPERIOD	LIQUIDITYFORECAST	char	20	
trvexp	LIQUIDITYFORECASTPERIOD	LIQUIDITYFORECASTPERIOD	smallint		
trvexp	LIQUIDITYFORECASTPERIOD	PDRBEGIN	datetime		
trvexp	LIQUIDITYFORECASTPERIOD	PDREND	datetime		
trvexp	LIQUIDITYFORECASTPERIOD	UNIQUEID	binary	16	
trvexp	LIQUIDITYFORECASTPERIOD	USACTOR	char	30	
trvexp	LIQUIDITYFORECASTPERIOD	USTIMESTAMP	datetime		
trvexp	LIQUIDITYSUMMARY	ACCOUNTAMOUNT	decimal		
trvexp	LIQUIDITYSUMMARY	ACCOUNTDISCOUNTAMOUNT	decimal		
trvexp	LIQUIDITYSUMMARY	AUDITLOG	text	2147483647	
trvexp	LIQUIDITYSUMMARY	CASHCODE	char	4	
trvexp	LIQUIDITYSUMMARY	COMPANY	smallint		
trvexp	LIQUIDITYSUMMARY	COMPANYAMOUNT	decimal		
trvexp	LIQUIDITYSUMMARY	COMPANYDISCOUNTAMOUNT	decimal		
trvexp	LIQUIDITYSUMMARY	CSACTOR	char	30	
trvexp	LIQUIDITYSUMMARY	CSTIMESTAMP	datetime		
trvexp	LIQUIDITYSUMMARY	DELETEFLAG	binary	16	
trvexp	LIQUIDITYSUMMARY	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	LIQUIDITYSUMMARY	LIQUIDITYSUMMARY	datetime		
trvexp	LIQUIDITYSUMMARY	SYSTEMCODE	char	2	
trvexp	LIQUIDITYSUMMARY	UNIQUEID	binary	16	
trvexp	LIQUIDITYSUMMARY	USACTOR	char	30	
trvexp	LIQUIDITYSUMMARY	USTIMESTAMP	datetime		
trvexp	LOCATION	AUDITLOG	text	2147483647	
trvexp	LOCATION	CSACTOR	char	30	
trvexp	LOCATION	CSTIMESTAMP	datetime		
trvexp	LOCATION	DELETEFLAG	binary	16	
trvexp	LOCATION	DESCRIPTION	char	60	
trvexp	LOCATION	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	LOCATION	EXPENSEGROUP	char	4	
trvexp	LOCATION	LOCATION	char	30	
trvexp	LOCATION	LOCATION_HASNOCHILDREN	char	1	
trvexp	LOCATION	PARENTLOCATION	char	30	
trvexp	LOCATION	TAXABLE	char	1	
trvexp	LOCATION	UNIQUEID	binary	16	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	LOCATION	USACTOR	char	30	
trvexp	LOCATION	USTIMESTAMP	datetime		
trvexp	M3COMPANY	CENTRALCURRENCY	char	3	
trvexp	M3COMPANY	CENTRALRATETYPE	smallint		
trvexp	M3COMPANY	CHANGEDATE	datetime		
trvexp	M3COMPANY	CHANGEDBY	char	10	
trvexp	M3COMPANY	CHANGENUMBER	smallint		
trvexp	M3COMPANY	COMPANYTYPE	tinyint		
trvexp	M3COMPANY	DATABASE	char	10	
trvexp	M3COMPANY	DECIMALFORMAT	char	1	
trvexp	M3COMPANY	DESCRIPTION	char	40	
trvexp	M3COMPANY	ENTRYDATE	datetime		
trvexp	M3COMPANY	ENTRYTIME	decimal		
trvexp	M3COMPANY	LIBRARY	char	10	
trvexp	M3COMPANY	LIBRARY10	char	10	
trvexp	M3COMPANY	LIBRARY2	char	10	
trvexp	M3COMPANY	LIBRARY3	char	10	
trvexp	M3COMPANY	LIBRARY4	char	10	
trvexp	M3COMPANY	LIBRARY5	char	10	
trvexp	M3COMPANY	LIBRARY6	char	10	
trvexp	M3COMPANY	LIBRARY7	char	10	
trvexp	M3COMPANY	LIBRARY8	char	10	
trvexp	M3COMPANY	LIBRARY9	char	10	
trvexp	M3COMPANY	M3COMPANY	smallint		
trvexp	M3COMPANY	MENUMAINTENANCE	tinyint		
trvexp	M3COMPANY	MENUVERSION	char	10	
trvexp	M3COMPANY	STARTMENU	char	10	
trvexp	M3COMPANY	STATEMENTNUMBER	char	15	
trvexp	M3COMPANY	TEXTIDENTITY	decimal		
trvexp	M3DIVISION	ADDRESSLINE1	char	36 *	
trvexp	M3DIVISION	ADDRESSLINE2	char	36 *	
trvexp	M3DIVISION	ADDRESSLINE3	char	36 *	
trvexp	M3DIVISION	ADDRESSLINE4	char	36 *	
trvexp	M3DIVISION	CHANGEDATE	datetime		
trvexp	M3DIVISION	CHANGEDBY	char	10	
trvexp	M3DIVISION	CHANGENUMBER	smallint		
trvexp	M3DIVISION	CITY	char	20	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	M3DIVISION	COMPANY2	smallint		
trvexp	M3DIVISION	COMPANYNAME	char	36	
trvexp	M3DIVISION	COSTINGDECIMALPLACES	tinyint		
trvexp	M3DIVISION	COUNTRY	char	3	
trvexp	M3DIVISION	CURRENCYCONVERSIONMETHOD	tinyint		
trvexp	M3DIVISION	DATEFORMAT	char	3	
trvexp	M3DIVISION	DECIMALFORMAT	char	1	
trvexp	M3DIVISION	ENTRYDATE	datetime		
trvexp	M3DIVISION	ENTRYTIME	decimal		
trvexp	M3DIVISION	FACILITY	char	3	
trvexp	M3DIVISION	FACSIMILETRANSMISSIONNUMBER	char	16	
trvexp	M3DIVISION	GEOGRAPHICALCODE	int		
trvexp	M3DIVISION	INDUSTRYAPPLICATION1	char	3	
trvexp	M3DIVISION	INDUSTRYAPPLICATION12	char	3	
trvexp	M3DIVISION	INFORMATIONLINE2PANELREPORT	char	17	
trvexp	M3DIVISION	INFORMATIONLINE3PANELREPORT	char	78	
trvexp	M3DIVISION	LIBRARY	char	10	
trvexp	M3DIVISION	LIBRARY10	char	10	
trvexp	M3DIVISION	LIBRARY2	char	10	
trvexp	M3DIVISION	LIBRARY3	char	10	
trvexp	M3DIVISION	LIBRARY4	char	10	
trvexp	M3DIVISION	LIBRARY5	char	10	
trvexp	M3DIVISION	LIBRARY6	char	10	
trvexp	M3DIVISION	LIBRARY7	char	10	
trvexp	M3DIVISION	LIBRARY8	char	10	
trvexp	M3DIVISION	LIBRARY9	char	10	
trvexp	M3DIVISION	LIBRARYLIST	char	10	
trvexp	M3DIVISION	LOCALCURRENCY	char	3	
trvexp	M3DIVISION	M3COMPANY	smallint		
trvexp	M3DIVISION	M3DIVISION	char	3	
trvexp	M3DIVISION	MODULEINSTALLED	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED10	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED11	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED12	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED13	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED14	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED15	tinyint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	M3DIVISION	MODULEINSTALLED16	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED17	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED18	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED19	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED2	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED20	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED21	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED22	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED23	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED24	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED25	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED26	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED27	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED28	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED29	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED3	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED30	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED31	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED32	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED33	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED34	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED35	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED36	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED37	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED38	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED39	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED4	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED40	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED41	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED42	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED43	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED44	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED45	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED46	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED47	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED48	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED49	tinyint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	M3DIVISION	MODULEINSTALLED5	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED50	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED51	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED52	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED53	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED54	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED55	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED56	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED57	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED58	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED59	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED6	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED60	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED61	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED62	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED63	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED64	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED65	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED66	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED67	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED68	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED69	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED7	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED70	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED71	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED72	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED73	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED74	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED75	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED8	tinyint		
trvexp	M3DIVISION	MODULEINSTALLED9	tinyint		
trvexp	M3DIVISION	NAME	char		
trvexp	M3DIVISION	NUMBEROFPERIODSPERIODTYPE1	smallint		
trvexp	M3DIVISION	NUMBEROFPERIODSPERIODTYPE2	smallint		
trvexp	M3DIVISION	NUMBEROFPERIODSPERIODTYPE3	smallint		
trvexp	M3DIVISION	NUMBEROFPERIODSPERIODTYPE4	smallint		
trvexp	M3DIVISION	NUMBEROFPERIODSPERIODTYPE5	smallint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	M3DIVISION	OBJECTACCESSGROUP	char		10
trvexp	M3DIVISION	OURREFERENCE	char		30
trvexp	M3DIVISION	PERIODTYPEFAM	tinyint		
trvexp	M3DIVISION	PERIODTYPEHRM	tinyint		
trvexp	M3DIVISION	PERIODTYPEPMMAI	tinyint		
trvexp	M3DIVISION	PERIODTYPESLS	tinyint		
trvexp	M3DIVISION	PERIODTYPEXXX	tinyint		
trvexp	M3DIVISION	POSTALCODE	char		10
trvexp	M3DIVISION	RESPONSIBLECUSTOMSAUTHORITY	char		2
trvexp	M3DIVISION	RIGHTJUSTIFYEMPLOYEEENUMBER	tinyint		
trvexp	M3DIVISION	RNUMBEREXTRASTATEXTRA	char		7
trvexp	M3DIVISION	SENDERLOCATION	char		1
trvexp	M3DIVISION	SEPARATIONNUMBER	char		3
trvexp	M3DIVISION	STATE	char		2
trvexp	M3DIVISION	TAXDECLARATIONNUMBER	char		16
trvexp	M3DIVISION	TAXMETHOD	tinyint		
trvexp	M3DIVISION	TELEPHONENUMBER1	char		16 *
trvexp	M3DIVISION	TELEPHONENUMBER2	char		16 *
trvexp	M3DIVISION	TELEXNUMBER	char		16
trvexp	M3DIVISION	TEXTIDENTITY	decimal		
trvexp	M3DIVISION	TIMEZONE	char		5
trvexp	M3DIVISION	TRADESTATISTICSTST	tinyint		
trvexp	M3DIVISION	VATDECLARATIONMETHOD	tinyint		
trvexp	M3DIVISION	VATREGISTRATIONNUMBER	char		16
trvexp	M3DIVISION	WAREHOUSE	char		3
trvexp	M3MESSAGE	AUDITLOG	text	2147483647	
trvexp	M3MESSAGE	BCBUSINESSCLASSNAME	char		200
trvexp	M3MESSAGE	BCBUSINESSOBJECTKEY	binary		16
trvexp	M3MESSAGE	CSACTOR	char		30
trvexp	M3MESSAGE	CSTIMESTAMP	datetime		
trvexp	M3MESSAGE	DATA	text	2147483647	
trvexp	M3MESSAGE	DELETEFLAG	binary		16
trvexp	M3MESSAGE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	M3MESSAGE	EVENTTYPE	char		3
trvexp	M3MESSAGE	FAILURECOUNT	int		
trvexp	M3MESSAGE	ISNEW	char		1
trvexp	M3MESSAGE	M3MESSAGEGROUP	binary		16

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	M3MESSAGE	MINAME	char	25	
trvexp	M3MESSAGE	PROGRAM	char	25	
trvexp	M3MESSAGE	RESPONSEMESSAGE	text	2147483647	
trvexp	M3MESSAGE	SEQUENCE	int		
trvexp	M3MESSAGE	STATUS	tinyint		
trvexp	M3MESSAGE	TRANSNAME	char	15	
trvexp	M3MESSAGE	UNIQUEID	binary	16	
trvexp	M3MESSAGE	USACTOR	char	30	
trvexp	M3MESSAGE	USTIMESTAMP	datetime		
trvexp	M3MESSAGEGROUP	AUDITLOG	text	2147483647	
trvexp	M3MESSAGEGROUP	AUTHENTICATEDACTOR	char	30	
trvexp	M3MESSAGEGROUP	CSACTOR	char	30	
trvexp	M3MESSAGEGROUP	CSTIMESTAMP	datetime		
trvexp	M3MESSAGEGROUP	DELETEFLAG	binary	16	
trvexp	M3MESSAGEGROUP	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	M3MESSAGEGROUP	EXECUTETIME	datetime		
trvexp	M3MESSAGEGROUP	FAILURECOUNT	int		
trvexp	M3MESSAGEGROUP	ISCOMPLETE	char	1	
trvexp	M3MESSAGEGROUP	ISFAILED	char	1	
trvexp	M3MESSAGEGROUP	ISHOLD	char	1	
trvexp	M3MESSAGEGROUP	ISNEW	char	1	
trvexp	M3MESSAGEGROUP	ISPROXY	char	1	
trvexp	M3MESSAGEGROUP	ISRESET	char	1	
trvexp	M3MESSAGEGROUP	LASTSEQUENCE	int		
trvexp	M3MESSAGEGROUP	M3MESSAGEGROUP	binary	16	
trvexp	M3MESSAGEGROUP	STATUS	tinyint		
trvexp	M3MESSAGEGROUP	USACTOR	char	30	
trvexp	M3MESSAGEGROUP	USTIMESTAMP	datetime		
trvexp	M3MESSAGEREERENCE	AUDITLOG	text	2147483647	
trvexp	M3MESSAGEREERENCE	CSACTOR	char	30	
trvexp	M3MESSAGEREERENCE	CSTIMESTAMP	datetime		
trvexp	M3MESSAGEREERENCE	DELETEFLAG	binary	16	
trvexp	M3MESSAGEREERENCE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	M3MESSAGEREERENCE	FIELDNAME	char	200	
trvexp	M3MESSAGEREERENCE	M3MESSAGEGROUP	binary	16	
trvexp	M3MESSAGEREERENCE	PRBUSINESSCLASSNAME	char	200	
trvexp	M3MESSAGEREERENCE	PRBUSINESSOBJECTKEY	binary	16	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	M3MESSAGEREERENCE	REFERENCESEQUENCE	int		
trvexp	M3MESSAGEREERENCE	SEQUENCE	int		
trvexp	M3MESSAGEREERENCE	UNIQUEID	binary	16	
trvexp	M3MESSAGEREERENCE	USACTOR	char	30	
trvexp	M3MESSAGEREERENCE	USTIMESTAMP	datetime		
trvexp	M3MESSAGEVARIABLE	AUDITLOG	text	2147483647	
trvexp	M3MESSAGEVARIABLE	CLASSICNAME	char	22	
trvexp	M3MESSAGEVARIABLE	CSACTOR	char	30	
trvexp	M3MESSAGEVARIABLE	CSTIMESTAMP	datetime		
trvexp	M3MESSAGEVARIABLE	DELETEFLAG	binary	16	
trvexp	M3MESSAGEVARIABLE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	M3MESSAGEVARIABLE	M3MESSAGEGROUP	binary	16	
trvexp	M3MESSAGEVARIABLE	SEQUENCE	int		
trvexp	M3MESSAGEVARIABLE	UNIQUEID	binary	16	
trvexp	M3MESSAGEVARIABLE	USACTOR	char	30	
trvexp	M3MESSAGEVARIABLE	USTIMESTAMP	datetime		
trvexp	M3MESSAGEVARIABLE	VALUE	text	2147483647	
trvexp	M3MESSAGEVARIABLE	VARIABLENAME	char	30	
trvexp	MERCHANTCATEGORYCODE	AUDITLOG	text	2147483647	
trvexp	MERCHANTCATEGORYCODE	CSACTOR	char	30	
trvexp	MERCHANTCATEGORYCODE	CSTIMESTAMP	datetime		
trvexp	MERCHANTCATEGORYCODE	DELETEFLAG	binary	16	
trvexp	MERCHANTCATEGORYCODE	DESCRIPTION	char	60	
trvexp	MERCHANTCATEGORYCODE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	MERCHANTCATEGORYCODE	EXPENSECODE	char	15	
trvexp	MERCHANTCATEGORYCODE	EXPENSEGROUP	char	4	
trvexp	MERCHANTCATEGORYCODE	MERCHANTCATEGORYCODE	decimal		
trvexp	MERCHANTCATEGORYCODE	UNIQUEID	binary	16	
trvexp	MERCHANTCATEGORYCODE	USACTOR	char	30	
trvexp	MERCHANTCATEGORYCODE	USTIMESTAMP	datetime		
trvexp	MILEAGE	AUDITLOG	text	2147483647	
trvexp	MILEAGE	BEGINODOMETER	decimal		
trvexp	MILEAGE	CSACTOR	char	30	
trvexp	MILEAGE	CSTIMESTAMP	datetime		
trvexp	MILEAGE	DELETEFLAG	binary	16	
trvexp	MILEAGE	DESTINATION	char	60	
trvexp	MILEAGE	ENDODOMETER	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	MILEAGE	EXPENSECODE	char	15	
trvexp	MILEAGE	EXPENSEGROUP	char	4	
trvexp	MILEAGE	EXPENSEREPORT	decimal		
trvexp	MILEAGE	GLCOMPANY	smallint		
trvexp	MILEAGE	MILEAGE	decimal		
trvexp	MILEAGE	NUMBEROFPASSENGERS	decimal		
trvexp	MILEAGE	REASONFORTRAVEL	char	60	
trvexp	MILEAGE	RESOURCE	int		
trvexp	MILEAGE	TOTALMILES	decimal		
trvexp	MILEAGE	TRAVELDATE	datetime		
trvexp	MILEAGE	TRAVELEDFROM	char	60	
trvexp	MILEAGE	UNIQUEID	binary	16	
trvexp	MILEAGE	USACTOR	char	30	
trvexp	MILEAGE	USTIMESTAMP	datetime		
trvexp	MOBILEEXPENSECODE	AUDITLOG	text	2147483647	
trvexp	MOBILEEXPENSECODE	CSACTOR	char	30	
trvexp	MOBILEEXPENSECODE	CSTIMESTAMP	datetime		
trvexp	MOBILEEXPENSECODE	DELETEFLAG	binary	16	
trvexp	MOBILEEXPENSECODE	EXPENSECODE	char	15	
trvexp	MOBILEEXPENSECODE	EXPENSEGROUP	char	4	
trvexp	MOBILEEXPENSECODE	UNIQUEID	binary	16	
trvexp	MOBILEEXPENSECODE	USACTOR	char	30	
trvexp	MOBILEEXPENSECODE	USTIMESTAMP	datetime		
trvexp	NONEMPLOYEE	ACCOUNTINGUNIT	char	15	
trvexp	NONEMPLOYEE	AUDITLOG	text	2147483647	
trvexp	NONEMPLOYEE	CSACTOR	char	30	
trvexp	NONEMPLOYEE	CSTIMESTAMP	datetime		
trvexp	NONEMPLOYEE	CURRENCYCODE	char	5	
trvexp	NONEMPLOYEE	DELETEFLAG	binary	16	
trvexp	NONEMPLOYEE	DEPARTMENT	char	5	
trvexp	NONEMPLOYEE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	NONEMPLOYEE	EMAIL	char	60	
trvexp	NONEMPLOYEE	EXPENSEGROUP	char	4	
trvexp	NONEMPLOYEE	FIRSTNAME	char	15	
trvexp	NONEMPLOYEE	GLCOMPANY	smallint		
trvexp	NONEMPLOYEE	LASTNAME	char	30	
trvexp	NONEMPLOYEE	NONEMPLOYEE	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	NONEMPLOYEE	PROCESSLEVEL	char		5
trvexp	NONEMPLOYEE	STATUS	smallint		
trvexp	NONEMPLOYEE	SUPERVISOR	int		
trvexp	NONEMPLOYEE	SUPERVISOR2	int		
trvexp	NONEMPLOYEE	TERMINATIONDATE	datetime		
trvexp	NONEMPLOYEE	TRAVELSYSTEMID	char		80
trvexp	NONEMPLOYEE	UNIQUEID	binary		16
trvexp	NONEMPLOYEE	USACTOR	char		30
trvexp	NONEMPLOYEE	USTIMESTAMP	datetime		
trvexp	PARENTAGENT	ACTOR	char		30
trvexp	PARENTAGENT	ACTORENTERED	char		1
trvexp	PARENTAGENT	AUDITLOG	text	2147483647	
trvexp	PARENTAGENT	CSACTOR	char		30
trvexp	PARENTAGENT	CSTIMESTAMP	datetime		
trvexp	PARENTAGENT	DELETEFLAG	binary		16
trvexp	PARENTAGENT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	PARENTAGENT	PARENTAGENT	binary		16
trvexp	PARENTAGENT	USACTOR	char		30
trvexp	PARENTAGENT	USTIMESTAMP	datetime		
trvexp	PERDIEM	AUDITLOG	text	2147483647	
trvexp	PERDIEM	BREAKFASTBIK	decimal		
trvexp	PERDIEM	CSACTOR	char		30
trvexp	PERDIEM	CSTIMESTAMP	datetime		
trvexp	PERDIEM	CURRENCY	char		5
trvexp	PERDIEM	DELETEFLAG	binary		16
trvexp	PERDIEM	DINNERBIK	decimal		
trvexp	PERDIEM	DRBEGIN	datetime		
trvexp	PERDIEM	DREND	datetime		
trvexp	PERDIEM	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	PERDIEM	EXPENSECODE	char		15
trvexp	PERDIEM	EXPENSEGROUP	char		4
trvexp	PERDIEM	LOCATION	char		30
trvexp	PERDIEM	LUNCHBIK	decimal		
trvexp	PERDIEM	PERDIEM	decimal		
trvexp	PERDIEM	PERDIEMSCHEDULE	decimal		
trvexp	PERDIEM	RATE	decimal		
trvexp	PERDIEM	SOURCE	char		40

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PERDIEM	UNIQUEID	binary		16
trvexp	PERDIEM	USACTOR	char		30
trvexp	PERDIEM	USTIMESTAMP	datetime		
trvexp	PERDIEMIMPORT	AUDITLOG	text	2147483647	
trvexp	PERDIEMIMPORT	CSACTOR	char		30
trvexp	PERDIEMIMPORT	CSTIMESTAMP	datetime		
trvexp	PERDIEMIMPORT	CURRENCY	char		5
trvexp	PERDIEMIMPORT	DELETEFLAG	binary		16
trvexp	PERDIEMIMPORT	DRBEGIN	datetime		
trvexp	PERDIEMIMPORT	DREND	datetime		
trvexp	PERDIEMIMPORT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	PERDIEMIMPORT	ERRORMESSAGE1	char		100
trvexp	PERDIEMIMPORT	ERRORMESSAGE2	char		100
trvexp	PERDIEMIMPORT	EXPENSEGROUP	char		4
trvexp	PERDIEMIMPORT	LOCATION1	char		30
trvexp	PERDIEMIMPORT	LOCATION2	char		30
trvexp	PERDIEMIMPORT	LOCATION3	char		30
trvexp	PERDIEMIMPORT	LODGINGRATE	decimal		
trvexp	PERDIEMIMPORT	MEALRATE	decimal		
trvexp	PERDIEMIMPORT	PERDIEMIMPORT	decimal		
trvexp	PERDIEMIMPORT	STATUS	smallint		
trvexp	PERDIEMIMPORT	TAXABLE	char		1
trvexp	PERDIEMIMPORT	UNIQUEID	binary		16
trvexp	PERDIEMIMPORT	USACTOR	char		30
trvexp	PERDIEMIMPORT	USTIMESTAMP	datetime		
trvexp	PERDIEMSCHEDULE	AUDITLOG	text	2147483647	
trvexp	PERDIEMSCHEDULE	CSACTOR	char		30
trvexp	PERDIEMSCHEDULE	CSTIMESTAMP	datetime		
trvexp	PERDIEMSCHEDULE	DEFAULTCURRENCY	char		5
trvexp	PERDIEMSCHEDULE	DELETEFLAG	binary		16
trvexp	PERDIEMSCHEDULE	EFFECTIVEDATE	datetime		
trvexp	PERDIEMSCHEDULE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	PERDIEMSCHEDULE	EXPENSEGROUP	char		4
trvexp	PERDIEMSCHEDULE	NAME	char		30
trvexp	PERDIEMSCHEDULE	PERDIEMSCHEDULE	decimal		
trvexp	PERDIEMSCHEDULE	UNIQUEID	binary		16
trvexp	PERDIEMSCHEDULE	USACTOR	char		30

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PERDIEMSCHEDULE	USTIMESTAMP	datetime		
trvexp	PERDIEMWIZARD	AUDITLOG	text	2147483647	
trvexp	PERDIEMWIZARD	BREAKFASTREDUCTION	decimal		
trvexp	PERDIEMWIZARD	CSACTOR	char	30	
trvexp	PERDIEMWIZARD	CSTIMESTAMP	datetime		
trvexp	PERDIEMWIZARD	DELETEFLAG	binary	16	
trvexp	PERDIEMWIZARD	DINNERREDUCTION	decimal		
trvexp	PERDIEMWIZARD	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	PERDIEMWIZARD	EXPENSECODE1	char	15	
trvexp	PERDIEMWIZARD	EXPENSECODE2	char	15	
trvexp	PERDIEMWIZARD	EXPENSEGROUP	char	4	
trvexp	PERDIEMWIZARD	LUNCHREDUCTION	decimal		
trvexp	PERDIEMWIZARD	NAME	char	30	
trvexp	PERDIEMWIZARD	PERDIEMWIZARD	decimal		
trvexp	PERDIEMWIZARD	SHOWBENEFITINKIND	char	1	
trvexp	PERDIEMWIZARD	TRAVELDAYREDUCTIONPERCENTAGE	decimal		
trvexp	PERDIEMWIZARD	UNIQUEID	binary	16	
trvexp	PERDIEMWIZARD	USACTOR	char	30	
trvexp	PERDIEMWIZARD	USECUTOFFREDUCTIONTIMES	char	1	
trvexp	PERDIEMWIZARD	USTIMESTAMP	datetime		
trvexp	PFIACTIVITY	ACTIVITYNAME	char	20	
trvexp	PFIACTIVITY	ACTIVITYTYPE	char	10	
trvexp	PFIACTIVITY	ACTSTATUS	char	1	
trvexp	PFIACTIVITY	ENDDATE	datetime		
trvexp	PFIACTIVITY	LOG	text	2147483647	
trvexp	PFIACTIVITY	PFIACTIVITY	int		
trvexp	PFIACTIVITY	PFIWORKUNIT	decimal		
trvexp	PFIACTIVITY	STARTDATE	datetime		
trvexp	PFIACTIVITY	UNIQUEID	binary	16	
trvexp	PFIACTIVITYVARIABLE	PFIACTIVITY	int		
trvexp	PFIACTIVITYVARIABLE	PFIACTIVITYVARIABLE	char	100	
trvexp	PFIACTIVITYVARIABLE	PFIWORKUNIT	decimal		
trvexp	PFIACTIVITYVARIABLE	UNIQUEID	binary	16	
trvexp	PFIACTIVITYVARIABLE	VARIABLETYPE	tinyint		
trvexp	PFIACTIVITYVARIABLE	VARIABLEVALUE	char	512	
trvexp	PFIBCIPIINFO	ADDBLANKFLDS	char	1	
trvexp	PFIBCIPIINFO	AGSEVT	char	3	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFIBCIAPIINFO	FORMFC	char		10
trvexp	PFIBCIAPIINFO	KEYFLDNAME	char		250
trvexp	PFIBCIAPIINFO	NUMDETAILS	smallint		
trvexp	PFIBCIAPIINFO	PFIBCIAPIINFO	char		30
trvexp	PFIBCIAPIINFO	PFICCLASSAPPLICATION	char		256
trvexp	PFIBCIAPIINFO	PTFIELDNAME	char		20
trvexp	PFIBCIAPIINFO	SKIPFLDCHAR	char		1
trvexp	PFIBCIAPIINFO	UNIQUEID	binary		16
trvexp	PFICHANNEL	AUTORECONNECTMAXTRIES	smallint		
trvexp	PFICHANNEL	AUTORECONNECTRUNNING	char		1
trvexp	PFICHANNEL	AUTORECONNECTTRYINTERVAL	int		
trvexp	PFICHANNEL	CHANNELTYPE	char		10
trvexp	PFICHANNEL	CONNECTLOSSEMAILCC	text	2147483647	
trvexp	PFICHANNEL	CONNECTLOSSEMAILTO	text	2147483647	
trvexp	PFICHANNEL	DESCRIPTION	char		100
trvexp	PFICHANNEL	FCDIRECTORY	char		256
trvexp	PFICHANNEL	FCERRORFILEDIRECTORY	char		256
trvexp	PFICHANNEL	FCFILEACCESSCHECKTIME	int		
trvexp	PFICHANNEL	FCFILECHANNELTYPE	smallint		
trvexp	PFICHANNEL	FCFILEMATCHCASESENSITIVITY	tinyint		
trvexp	PFICHANNEL	FCLASTFILESCANTIME	datetime		
trvexp	PFICHANNEL	FCPCPHOST	varchar		1000
trvexp	PFICHANNEL	FCPCPPASSWORD	char		188
trvexp	PFICHANNEL	FCPCPPROTOCOL	tinyint		
trvexp	PFICHANNEL	FCPCPUSER	char		100
trvexp	PFICHANNEL	FCPROCESSEDFILEDIRECTORY	char		256
trvexp	PFICHANNEL	ISENABLED	char		1
trvexp	PFICHANNEL	JMSCCONTEXTPROPERTYFILE	char		100
trvexp	PFICHANNEL	JMSCJMSPASSWORD	char		188
trvexp	PFICHANNEL	JMSCJMSUSER	char		100
trvexp	PFICHANNEL	JMSCJNDICONNECTIONFACTORYNAME	char		100
trvexp	PFICHANNEL	JMSCJNDIINITIALFACTORY	char		100
trvexp	PFICHANNEL	JMSCJNDIPASSWORD	char		188
trvexp	PFICHANNEL	JMSCJNDIPROVIDERURL	char		256
trvexp	PFICHANNEL	JMSCJNDISEcurityENABLED	char		1
trvexp	PFICHANNEL	JMSCJNDIUSER	char		100
trvexp	PFICHANNEL	NOTIFYCONNECTLOSS	tinyint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFCHANNEL	PFCHANNEL	char		100
trvexp	PFCHANNEL	RSSCRSSFEED	char		256
trvexp	PFCHANNEL	SCADDRESS	char		100
trvexp	PFCHANNEL	SCPORT	int		
trvexp	PFCHANNEL	SCRETRYINTERVAL	int		
trvexp	PFCHANNEL	SCSOCKETTIMEOUT	int		
trvexp	PFCHANNEL	UNIQUEID	binary		16
trvexp	PFCHANNELFLOWDEFINITION	DESCRIPTION	char		100
trvexp	PFCHANNELFLOWDEFINITION	JAVASCRIPTEXPRESSION	text	2147483647	
trvexp	PFCHANNELFLOWDEFINITION	PFCHANNEL	char		100
trvexp	PFCHANNELFLOWDEFINITION	PFIFLOWDEFINITION	char		100
trvexp	PFCHANNELFLOWDEFINITION	UNIQUEID	binary		16
trvexp	PFCHANNELFLOWDEFINITION	XMLSCHEMADEFINITION	char		100
trvexp	PFCLASSICAPPLICATION	DESCRIPTION	char		100
trvexp	PFCLASSICAPPLICATION	PFCLASSICAPPLICATION	char		256
trvexp	PFCLASSICAPPLICATION	UNIQUEID	binary		16
trvexp	PFCLASSICCONNECTION	DATAAREA	char		14
trvexp	PFCLASSICCONNECTION	PAGESIZE	int		
trvexp	PFCLASSICCONNECTION	PASSWORD	char		188
trvexp	PFCLASSICCONNECTION	PFCONFIGURATION	char		100
trvexp	PFCLASSICCONNECTION	RETRYCOUNT	smallint		
trvexp	PFCLASSICCONNECTION	RETRYPAUSETIME	int		
trvexp	PFCLASSICCONNECTION	TIMEOUT	smallint		
trvexp	PFCLASSICCONNECTION	UNIQUEID	binary		16
trvexp	PFCLASSICCONNECTION	USER	char		100
trvexp	PFCLASSICCONNECTION	WEBROOT	varchar		1000
trvexp	PFCLASSICFIELD	FIELDNAME	char		256
trvexp	PFCLASSICFIELD	FIELD SIZE	smallint		
trvexp	PFCLASSICFIELD	FIELDTYPE	char		1
trvexp	PFCLASSICFIELD	PCFFIELDLEVEL	smallint		
trvexp	PFCLASSICFIELD	PCFFIELDNUMBER	smallint		
trvexp	PFCLASSICFIELD	PFCLASSICAPPLICATION	char		256
trvexp	PFCLASSICFIELD	UNIQUEID	binary		16
trvexp	PFICOMPARISONACTIVITY	ACTOR	char		30
trvexp	PFICOMPARISONACTIVITY	PFI ACTIVITY	int		
trvexp	PFICOMPARISONACTIVITY	PFIWORKUNIT	decimal		
trvexp	PFICOMPARISONACTIVITY	UNIQUEID	binary		16

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFICOMPARISONWORKUNIT	ACTOR	char		30
trvexp	PFICOMPARISONWORKUNIT	PFIWORKUNIT	decimal		
trvexp	PFICOMPARISONWORKUNIT	UNIQUEID	binary		16
trvexp	PFICONFIGURATION	DESCRIPTION	char		100
trvexp	PFICONFIGURATION	PFICONFIGURATION	char		100
trvexp	PFICONFIGURATION	UNIQUEID	binary		16
trvexp	PFICONFIGURATIONPROPERTY	DESCRIPTION	char		100
trvexp	PFICONFIGURATIONPROPERTY	PFICONFIGURATION	char		100
trvexp	PFICONFIGURATIONPROPERTY	PFICONFIGURATIONPROPERTY	char		100
trvexp	PFICONFIGURATIONPROPERTY	UNIQUEID	binary		16
trvexp	PFICONFIGURATIONPROPERTY	VALUE	varchar		1000
trvexp	PFICUSTOMCONNECTION	FIELD1	varchar		1000
trvexp	PFICUSTOMCONNECTION	FIELD2	varchar		1000
trvexp	PFICUSTOMCONNECTION	FIELD3	varchar		1000
trvexp	PFICUSTOMCONNECTION	PASSWORD	char		188
trvexp	PFICUSTOMCONNECTION	PFICONFIGURATION	char		100
trvexp	PFICUSTOMCONNECTION	UNIQUEID	binary		16
trvexp	PFICUSTOMCONNECTION	USER	char		100
trvexp	PFIDOCUMENT	BINARYDATA	image	2147483647	
trvexp	PFIDOCUMENT	CREATEDBY	char		30
trvexp	PFIDOCUMENT	CREATIONDATE	datetime		
trvexp	PFIDOCUMENT	DESCRIPTION	char		100
trvexp	PFIDOCUMENT	PFIDOCUMENT	char		100
trvexp	PFIDOCUMENT	SUBTYPE	tinyint		
trvexp	PFIDOCUMENT	TEXTDATA	text	2147483647	
trvexp	PFIDOCUMENT	TYPE	tinyint		
trvexp	PFIDOCUMENT	UNIQUEID	binary		16
trvexp	PFIERRORMESSAGE	MESSAGE	text	2147483647	
trvexp	PFIERRORMESSAGE	PFIERRORMESSAGE	int		
trvexp	PFIERRORMESSAGE	PFIWORKUNIT	decimal		
trvexp	PFIERRORMESSAGE	STATUS	tinyint		
trvexp	PFIERRORMESSAGE	UNIQUEID	binary		16
trvexp	PFIEVENTSERVER	EVENTSERVERNAME	char		20
trvexp	PFIEVENTSERVER	EVENTTYPE	char		15
trvexp	PFIEVENTSERVER	PESIPADDRESS	char		20
trvexp	PFIEVENTSERVER	PESPORTNUMBER	decimal		
trvexp	PFIEVENTSERVER	POLLINTERVAL	smallint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFIEVENTSERVER	STARTDATE	datetime		
trvexp	PFIEVENTSERVER	STATUS	tinyint		
trvexp	PFIEVENTSERVER	STOPDATE	datetime		
trvexp	PFIEVENTSERVER	UNIQUEID	binary		16
trvexp	PFIFILEACTIVITYCONNECTION	GENDIR	varchar		1000
trvexp	PFIFILEACTIVITYCONNECTION	LAWDIR	varchar		1000
trvexp	PFIFILEACTIVITYCONNECTION	PASSWORD	char		188
trvexp	PFIFILEACTIVITYCONNECTION	PFICONFIGURATION	char		100
trvexp	PFIFILEACTIVITYCONNECTION	REMOTE	char		1
trvexp	PFIFILEACTIVITYCONNECTION	TIMEOUT	int		
trvexp	PFIFILEACTIVITYCONNECTION	UNIQUEID	binary		16
trvexp	PFIFILEACTIVITYCONNECTION	USER	char		100
trvexp	PFIFILEACTIVITYCONNECTION	WEBROOT	varchar		1000
trvexp	PFIFILTERKEY	PFIFILTERKEY	char		100
trvexp	PFIFILTERKEY	UNIQUEID	binary		16
trvexp	PFIFLOWDEFINITION	CURRENTFLOWVERSION	int		
trvexp	PFIFLOWDEFINITION	DESCRIPTION	char		100
trvexp	PFIFLOWDEFINITION	EMAILCC	text	2147483647	
trvexp	PFIFLOWDEFINITION	EMAILMESSAGE	text	2147483647	
trvexp	PFIFLOWDEFINITION	EMAILSUBJECT	text	2147483647	
trvexp	PFIFLOWDEFINITION	EMAILTO	text	2147483647	
trvexp	PFIFLOWDEFINITION	FLOWLOGLEVEL	tinyint		
trvexp	PFIFLOWDEFINITION	FLOWTYPE	tinyint		
trvexp	PFIFLOWDEFINITION	ISACTIVITYNODELOGENABLED	char		1
trvexp	PFIFLOWDEFINITION	ISFLOWENABLED	char		1
trvexp	PFIFLOWDEFINITION	LASTFLOWVERSION	int		
trvexp	PFIFLOWDEFINITION	NOTIFYBYEMAIL	tinyint		
trvexp	PFIFLOWDEFINITION	PFIFLOWDEFINITION	char		100
trvexp	PFIFLOWDEFINITION	UNIQUEID	binary		16
trvexp	PFIFLOWVERSION	COMMENT	char		250
trvexp	PFIFLOWVERSION	FLOWXML	text	2147483647	
trvexp	PFIFLOWVERSION	PFIFLOWDEFINITION	char		100
trvexp	PFIFLOWVERSION	PFIFLOWVERSION	int		
trvexp	PFIFLOWVERSION	UNIQUEID	binary		16
trvexp	PFIFORM	DESCRIPTION	char		100
trvexp	PFIFORM	NUMBEROFKEYFIELDS	smallint		
trvexp	PFIFORM	PFIFORM	char		256

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFIFORM	UNIQUEID	binary	16	
trvexp	PFIFORMFIELD	FORMFLDNAME	char	20	
trvexp	PFIFORMFIELD	FORMFLDSIZE	smallint		
trvexp	PFIFORMFIELD	FORMFLDTYPE	char	1	
trvexp	PFIFORMFIELD	ISKEYFIELD	char	1	
trvexp	PFIFORMFIELD	PFIFORM	char	256	
trvexp	PFIFORMFIELD	PFIFORMFIELD	smallint		
trvexp	PFIFORMFIELD	UNIQUEID	binary	16	
trvexp	PFIFRONTOFFICECONNECTION	PFICONFIGURATION	char	100	
trvexp	PFIFRONTOFFICECONNECTION	TIMEOUT	smallint		
trvexp	PFIFRONTOFFICECONNECTION	UNIQUEID	binary	16	
trvexp	PFIFRONTOFFICECONNECTION	URL	varchar	1000	
trvexp	PFIFTPCONNECTION	PCPHOST	varchar	1000	
trvexp	PFIFTPCONNECTION	PCPPASSWORD	char	188	
trvexp	PFIFTPCONNECTION	PCPPROTOCOL	tinyint		
trvexp	PFIFTPCONNECTION	PCPUSER	char	100	
trvexp	PFIFTPCONNECTION	PFICONFIGURATION	char	100	
trvexp	PFIFTPCONNECTION	UNIQUEID	binary	16	
trvexp	PFIJDBCCONNECTION	DATABASEURL	varchar	1000	
trvexp	PFIJDBCCONNECTION	JDBCDRIVER	varchar	1000	
trvexp	PFIJDBCCONNECTION	PASSWORD	char	188	
trvexp	PFIJDBCCONNECTION	PFICONFIGURATION	char	100	
trvexp	PFIJDBCCONNECTION	UNIQUEID	binary	16	
trvexp	PFIJDBCCONNECTION	USER	char	100	
trvexp	PFIJMSCONNECTION	JMSCCONTEXTPROPERTYFILE	char	100	
trvexp	PFIJMSCONNECTION	JMSCJMSPASSWORD	char	188	
trvexp	PFIJMSCONNECTION	JMSCJMSUSER	char	100	
trvexp	PFIJMSCONNECTION	JMSCJNDICONNECTIONFACTORYNAME	char	100	
trvexp	PFIJMSCONNECTION	JMSCJNDIINITIALFACTORY	char	100	
trvexp	PFIJMSCONNECTION	JMSCJNDIPASSWORD	char	188	
trvexp	PFIJMSCONNECTION	JMSCJNDIPROVIDERURL	char	256	
trvexp	PFIJMSCONNECTION	JMSCJNDISEcurityENABLED	char	1	
trvexp	PFIJMSCONNECTION	JMSCJNDIUSER	char	100	
trvexp	PFIJMSCONNECTION	PFICONFIGURATION	char	100	
trvexp	PFIJMSCONNECTION	UNIQUEID	binary	16	
trvexp	PFILANDMARKCONNECTION	DATAAREA	char	14	
trvexp	PFILANDMARKCONNECTION	EXTERNALCONNECTION	char	1	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFILANDMARKCONNECTION	PASSWORD	char	188	
trvexp	PFILANDMARKCONNECTION	PFICONFIGURATION	char	100	
trvexp	PFILANDMARKCONNECTION	TIMEOUT	smallint		
trvexp	PFILANDMARKCONNECTION	UNIQUEID	binary	16	
trvexp	PFILANDMARKCONNECTION	USER	char	100	
trvexp	PFILANDMARKCONNECTION	WEBROOT	varchar	1000	
trvexp	PFIM3CONNECTION	ENCRYPTIONKEY	varchar	1000	
trvexp	PFIM3CONNECTION	MAXRECORDS	decimal		
trvexp	PFIM3CONNECTION	MIHOST	varchar	1000	
trvexp	PFIM3CONNECTION	MIPORT	int		
trvexp	PFIM3CONNECTION	PASSWORD	char	188	
trvexp	PFIM3CONNECTION	PFICONFIGURATION	char	100	
trvexp	PFIM3CONNECTION	UNIQUEID	binary	16	
trvexp	PFIM3CONNECTION	USEPOOLEDCONNECTION	char	1	
trvexp	PFIM3CONNECTION	USER	char	100	
trvexp	PFIMESSAGE	ATTACHBY	char	30	
trvexp	PFIMESSAGE	ATTACHDATE	datetime		
trvexp	PFIMESSAGE	MESSAGE	text	2147483647	
trvexp	PFIMESSAGE	PFIMESSAGE	smallint		
trvexp	PFIMESSAGE	PFIWORKUNIT	decimal		
trvexp	PFIMESSAGE	SUBJECT	char	256	
trvexp	PFIMESSAGE	UNIQUEID	binary	16	
trvexp	PFIMETRICS	ACTIONDATE	datetime		
trvexp	PFIMETRICS	ACTIONTAKEN	char	100	
trvexp	PFIMETRICS	AUTHENTICATEDACTOR	char	30	
trvexp	PFIMETRICS	COMMENT	char	250	
trvexp	PFIMETRICS	MESSAGE	text	2147483647	
trvexp	PFIMETRICS	PFIACTIVITY	int		
trvexp	PFIMETRICS	PFIQUEUEASSIGNMENT	int		
trvexp	PFIMETRICS	PFIWORKUNIT	decimal		
trvexp	PFIMETRICS	PMPFIUSERPROFILE	char	30	
trvexp	PFIMETRICS	PMPTTASKNAME	char	50	
trvexp	PFIMETRICS	PMPTTASKTYPE	tinyint		
trvexp	PFIMETRICS	UNIQUEID	binary	16	
trvexp	PFIMETRICSSUMMARY	ACTIONTAKEN	char	100	
trvexp	PFIMETRICSSUMMARY	ACTIVITYNAME	char	20	
trvexp	PFIMETRICSSUMMARY	ACTIVITYTYPE	char	10	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFIMETRICSSUMMARY	AUTHENTICATEDACTOR	char		30
trvexp	PFIMETRICSSUMMARY	ENDDATE	datetime		
trvexp	PFIMETRICSSUMMARY	NODECAPTION	char		60
trvexp	PFIMETRICSSUMMARY	PFIACTIVITY	int		
trvexp	PFIMETRICSSUMMARY	PFIUSERPROFILE	char		30
trvexp	PFIMETRICSSUMMARY	PFIWORKUNIT	decimal		
trvexp	PFIMETRICSSUMMARY	PROLOGICTYPE	tinyint		
trvexp	PFIMETRICSSUMMARY	PTTASKNAME	char		50
trvexp	PFIMETRICSSUMMARY	PTTASKTYPE	tinyint		
trvexp	PFIMETRICSSUMMARY	STARTDATE	datetime		
trvexp	PFIMETRICSSUMMARY	UNIQUEID	binary		16
trvexp	PFIMQCONNECTION	EXTERNAL	char		1
trvexp	PFIMQCONNECTION	MQCHANNEL	char		100
trvexp	PFIMQCONNECTION	MQHOST	varchar		1000
trvexp	PFIMQCONNECTION	MQPASSWORD	char		188
trvexp	PFIMQCONNECTION	MQPORT	int		
trvexp	PFIMQCONNECTION	MQUSER	char		100
trvexp	PFIMQCONNECTION	PFICONFIGURATION	char		100
trvexp	PFIMQCONNECTION	SPECIFYUSER	char		1
trvexp	PFIMQCONNECTION	UNIQUEID	binary		16
trvexp	PFIQUEUE	ACTIONTAKEN	char		100
trvexp	PFIQUEUE	ADDNOTIFY1	char		20
trvexp	PFIQUEUE	ADDNOTIFY2	char		20
trvexp	PFIQUEUE	ADDNOTIFYTYPE1	smallint		
trvexp	PFIQUEUE	ADDNOTIFYTYPE2	smallint		
trvexp	PFIQUEUE	APPSDATA	char		512
trvexp	PFIQUEUE	APPSFILTER	char		100
trvexp	PFIQUEUE	CURRENTASSIGNMENT	int		
trvexp	PFIQUEUE	DISPLAYEXEC	text	2147483647	
trvexp	PFIQUEUE	DISPLAYNAME	char		30
trvexp	PFIQUEUE	DISPLAYTYPE	smallint		
trvexp	PFIQUEUE	DISPSTATUS	tinyint		
trvexp	PFIQUEUE	FAILACTION	char		100
trvexp	PFIQUEUE	FILTERVALUE	char		100
trvexp	PFIQUEUE	LASTQUEUEACTION	int		
trvexp	PFIQUEUE	NOTIFYALL1	char		1
trvexp	PFIQUEUE	NOTIFYALL2	char		1

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFIQUEUE	PFIACTIVITY	int		
trvexp	PFIQUEUE	PFIILTERKEY	char	100	
trvexp	PFIQUEUE	PFIWORKUNIT	decimal		
trvexp	PFIQUEUE	PROLOGICTYPE	tinyint		
trvexp	PFIQUEUE	PROLOGICVAL1	char	30	
trvexp	PFIQUEUE	PROLOGICVAL2	char	30	
trvexp	PFIQUEUE	REASSIGNHOURS	smallint		
trvexp	PFIQUEUE	REASSIGNTASK	char	20	
trvexp	PFIQUEUE	REMINDED1	char	1	
trvexp	PFIQUEUE	REMINDED2	char	1	
trvexp	PFIQUEUE	ROUTINGRULE	char	250	
trvexp	PFIQUEUE	SENDNOTIFICATION	char	1	
trvexp	PFIQUEUE	TIMEOUTACTION	char	30	
trvexp	PFIQUEUE	TIMEOUTHOUR	decimal		
trvexp	PFIQUEUE	TIMEOUTTYPE	tinyint		
trvexp	PFIQUEUE	UNIQUEID	binary	16	
trvexp	PFIQUEUE	WAITHOURS1	decimal		
trvexp	PFIQUEUE	WAITHOURS2	decimal		
trvexp	PFIQUEUE	WORKDESCRIPTION	char	100	
trvexp	PFIQUEUEACTION	ACTIONTAKEN	char	100	
trvexp	PFIQUEUEACTION	PFIACTIVITY	int		
trvexp	PFIQUEUEACTION	PFIQUEUEACTION	int		
trvexp	PFIQUEUEACTION	PFIWORKUNIT	decimal		
trvexp	PFIQUEUEACTION	POSTACTION	text	2147483647	
trvexp	PFIQUEUEACTION	UNIQUEID	binary	16	
trvexp	PFIQUEUEASSIGNMENT	PFIACTIVITY	int		
trvexp	PFIQUEUEASSIGNMENT	PFIQUEUEASSIGNMENT	int		
trvexp	PFIQUEUEASSIGNMENT	PFIWORKUNIT	decimal		
trvexp	PFIQUEUEASSIGNMENT	UNIQUEID	binary	16	
trvexp	PFIQUEUEASSIGNMENT	USERACTIONCOUNT	int		
trvexp	PFIQUEUEASSIGNMENT	USERCOUNT	int		
trvexp	PFIQUEUEEREMINDER	BCC	text	2147483647	
trvexp	PFIQUEUEEREMINDER	CC	text	2147483647	
trvexp	PFIQUEUEEREMINDER	FROM	char	256	
trvexp	PFIQUEUEEREMINDER	ISHTML	char	1	
trvexp	PFIQUEUEEREMINDER	MESSAGE	text	2147483647	
trvexp	PFIQUEUEEREMINDER	PFIACTIVITY	int		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFIQUEUEREMINDER	PFIQUEUEREMINDER	tinyint		
trvexp	PFIQUEUEREMINDER	PFIWORKUNIT	decimal		
trvexp	PFIQUEUEREMINDER	SUBJECT	char	256	
trvexp	PFIQUEUEREMINDER	UNIQUEID	binary	16	
trvexp	PFIQUEUETASK	DUEDATE	datetime		
trvexp	PFIQUEUETASK	ICURRENTACTIONWAITINGSNAPSHOT	char	1	
trvexp	PFIQUEUETASK	PFIACTIVITY	int		
trvexp	PFIQUEUETASK	PFIQUEUEASSIGNMENT	int		
trvexp	PFIQUEUETASK	PFIWORKUNIT	decimal		
trvexp	PFIQUEUETASK	PTTASKNAME	char	50	
trvexp	PFIQUEUETASK	PTTASKTYPE	tinyint		
trvexp	PFIQUEUETASK	STARTDATE	datetime		
trvexp	PFIQUEUETASK	STATUS	tinyint		
trvexp	PFIQUEUETASK	UNIQUEID	binary	16	
trvexp	PFIRECEIVER	DESCRIPTION	char	100	
trvexp	PFIRECEIVER	FRDATA	tinyint		
trvexp	PFIRECEIVER	FRFILENAME	char	100	
trvexp	PFIRECEIVER	JMSRACKNOWLEDGEMODE	tinyint		
trvexp	PFIRECEIVER	JMSRDESTINATION	char	100	
trvexp	PFIRECEIVER	JMSRMSGSELECTOR	text	2147483647	
trvexp	PFIRECEIVER	LASTERROR	text	2147483647	
trvexp	PFIRECEIVER	LASTERRORDATE	datetime		
trvexp	PFIRECEIVER	LASTERRORTYPE	tinyint		
trvexp	PFIRECEIVER	LASTMESSAGE RECEIVED TIME	datetime		
trvexp	PFIRECEIVER	PFICHANNEL	char	100	
trvexp	PFIRECEIVER	PFIFLOWDEFINITION	char	100	
trvexp	PFIRECEIVER	PFIRECEIVER	char	20	
trvexp	PFIRECEIVER	RECEIVERTYPE	char	10	
trvexp	PFIRECEIVER	STATUS	smallint		
trvexp	PFIRECEIVER	UNIQUEID	binary	16	
trvexp	PFISERVER	COMPUTERNAME	char	256	
trvexp	PFISERVER	NAME	char	256	
trvexp	PFISERVER	NODEID	decimal		
trvexp	PFISERVER	PFISERVER	char	256	
trvexp	PFISERVER	UNIQUEID	binary	16	
trvexp	PFISERVICEDEFINITION	CRITERIANAMES_01	char	15	
trvexp	PFISERVICEDEFINITION	CRITERIANAMES_02	char	15	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFISERVICEDEFINITION	CRITERIANAMES_03	char		15
trvexp	PFISERVICEDEFINITION	DESCRIPTION	char		100
trvexp	PFISERVICEDEFINITION	ISSERVICEENABLED	char		1
trvexp	PFISERVICEDEFINITION	LASTSERVICEFLOWDEFINITION	decimal		
trvexp	PFISERVICEDEFINITION	PFISD05_SS_SW	char		1
trvexp	PFISERVICEDEFINITION	PFISERVICEDEFINITION	char		50
trvexp	PFISERVICEDEFINITION	UNIQUEID	binary		16
trvexp	PFISERVICEFLOWDEFINITION	CRITERION1	char		40
trvexp	PFISERVICEFLOWDEFINITION	CRITERION2	char		40
trvexp	PFISERVICEFLOWDEFINITION	CRITERION3	char		40
trvexp	PFISERVICEFLOWDEFINITION	EVENTTYPE	char		15
trvexp	PFISERVICEFLOWDEFINITION	FLOWDEFINITION	char		100
trvexp	PFISERVICEFLOWDEFINITION	ISSERVICEFLOWENABLED	char		1
trvexp	PFISERVICEFLOWDEFINITION	PFISERVICEDEFINITION	char		50
trvexp	PFISERVICEFLOWDEFINITION	PFISERVICEFLOWDEFINITION	decimal		
trvexp	PFISERVICEFLOWDEFINITION	PFISF06_SS_SW	char		1
trvexp	PFISERVICEFLOWDEFINITION	TTASKNAME	char		50
trvexp	PFISERVICEFLOWDEFINITION	TTASKTYPE	tinyint		
trvexp	PFISERVICEFLOWDEFINITION	UNIQUEID	binary		16
trvexp	PFISERVICEVARIABLE	PFISERVICEDEFINITION	char		50
trvexp	PFISERVICEVARIABLE	PFISERVICEVARIABLE	char		50
trvexp	PFISERVICEVARIABLE	UNIQUEID	binary		16
trvexp	PFISERVICEVARIABLE	VARIABLETYPE	tinyint		
trvexp	PFISYSTEMCOMMANDCONNECTION	CMDPASSWORD	char		188
trvexp	PFISYSTEMCOMMANDCONNECTION	CMDTIMEOUT	int		
trvexp	PFISYSTEMCOMMANDCONNECTION	CMDUSER	char		100
trvexp	PFISYSTEMCOMMANDCONNECTION	GENDIR	varchar		1000
trvexp	PFISYSTEMCOMMANDCONNECTION	LAWDIR	varchar		1000
trvexp	PFISYSTEMCOMMANDCONNECTION	PASSWORD	char		188
trvexp	PFISYSTEMCOMMANDCONNECTION	PFICONFIGURATION	char		100
trvexp	PFISYSTEMCOMMANDCONNECTION	REMOTE	char		1
trvexp	PFISYSTEMCOMMANDCONNECTION	TIMEOUT	int		
trvexp	PFISYSTEMCOMMANDCONNECTION	UNIQUEID	binary		16
trvexp	PFISYSTEMCOMMANDCONNECTION	USER	char		100
trvexp	PFISYSTEMCOMMANDCONNECTION	WEBROOT	varchar		1000
trvexp	PFITASK	DESCRIPTION	char		100
trvexp	PFITASK	PTTASKNAME	char		50

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFITASK	PTTASKTYPE	tinyint		
trvexp	PFITASK	UNIQUEID	binary	16	
trvexp	PFITRIGGER	APPSKEY	char	100	
trvexp	PFITRIGGER	APPSVALUE	char	256	
trvexp	PFITRIGGER	CRITERIA1	char	40	
trvexp	PFITRIGGER	CRITERIA2	char	40	
trvexp	PFITRIGGER	CRITERIA3	char	40	
trvexp	PFITRIGGER	FILTERVALUE	char	100	
trvexp	PFITRIGGER	FLOWNAME	char	100	
trvexp	PFITRIGGER	LASTTRIGGERFOLDER	int		
trvexp	PFITRIGGER	PFIFILTERKEY	char	100	
trvexp	PFITRIGGER	PFITRIGGER	decimal		
trvexp	PFITRIGGER	SERVICENAME	char	50	
trvexp	PFITRIGGER	UNIQUEID	binary	16	
trvexp	PFITRIGGER	WORKTITLE	char	100	
trvexp	PFITRIGGERFOLDER	ATTACHBY	char	30	
trvexp	PFITRIGGERFOLDER	ATTACHDATE	datetime		
trvexp	PFITRIGGERFOLDER	DOCTYPE	tinyint		
trvexp	PFITRIGGERFOLDER	NAME	char	100	
trvexp	PFITRIGGERFOLDER	PFITRIGGER	decimal		
trvexp	PFITRIGGERFOLDER	PFITRIGGERFOLDER	int		
trvexp	PFITRIGGERFOLDER	UNIQUEID	binary	16	
trvexp	PFITRIGGERFOLDER	VALUE	text	2147483647	
trvexp	PFITRIGGERVARIABLE	PFITRIGGER	decimal		
trvexp	PFITRIGGERVARIABLE	PFITRIGGERVARIABLE	char	100	
trvexp	PFITRIGGERVARIABLE	UNIQUEID	binary	16	
trvexp	PFITRIGGERVARIABLE	VARIABLETYPE	tinyint		
trvexp	PFITRIGGERVARIABLE	VARIABLEVALUE	char	512	
trvexp	PFITXCONNECTION	PFICONFIGURATION	char	100	
trvexp	PFITXCONNECTION	RMIEXTENSION	char	10	
trvexp	PFITXCONNECTION	RMIHOST	varchar	1000	
trvexp	PFITXCONNECTION	RMIPORT	int		
trvexp	PFITXCONNECTION	UNIQUEID	binary	16	
trvexp	PFITXCONNECTION	USERMI	char	1	
trvexp	PFIUSERCATEGORY	PFIFILTERKEY	char	100	
trvexp	PFIUSERCATEGORY	PFIUSERCATEGORY	char	100	
trvexp	PFIUSERCATEGORY	PFIUSERPROFILE	char	30	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFIUSERCATEGORY	PTTASKNAME	char	50	
trvexp	PFIUSERCATEGORY	PTTASKTYPE	tinyint		
trvexp	PFIUSERCATEGORY	UNIQUEID	binary	16	
trvexp	PFIUSERPREFERENCE	DESCRIPTION	char	100	
trvexp	PFIUSERPREFERENCE	FIELDVALUE	char	99	
trvexp	PFIUSERPREFERENCE	PFIUSERPROFILE	char	30	
trvexp	PFIUSERPREFERENCE	PUPFIELDNAME	char	20	
trvexp	PFIUSERPREFERENCE	PUPSYSTEMNAME	char	10	
trvexp	PFIUSERPREFERENCE	UNIQUEID	binary	16	
trvexp	PFIUSERPROFILE	FILTERCATEGORY	char	1	
trvexp	PFIUSERPROFILE	PFIUSERPROFILE	char	30	
trvexp	PFIUSERPROFILE	UNIQUEID	binary	16	
trvexp	PFIUSERTASK	DISPLAYALL	char	1	
trvexp	PFIUSERTASK	FILTERCATEGORY	char	1	
trvexp	PFIUSERTASK	PDRSTARTDATE	datetime		
trvexp	PFIUSERTASK	PDRSTOPDATE	datetime		
trvexp	PFIUSERTASK	PFIUSERPROFILE	char	30	
trvexp	PFIUSERTASK	PTTASKNAME	char	50	
trvexp	PFIUSERTASK	PTTASKTYPE	tinyint		
trvexp	PFIUSERTASK	UNIQUEID	binary	16	
trvexp	PFIWEBRUNCONNECTION	DATAAREA	char	14	
trvexp	PFIWEBRUNCONNECTION	PASSWORD	char	188	
trvexp	PFIWEBRUNCONNECTION	PFICONFIGURATION	char	100	
trvexp	PFIWEBRUNCONNECTION	RETRYCOUNT	smallint		
trvexp	PFIWEBRUNCONNECTION	RETRYPAUSETIME	int		
trvexp	PFIWEBRUNCONNECTION	TIMEOUT	smallint		
trvexp	PFIWEBRUNCONNECTION	UNIQUEID	binary	16	
trvexp	PFIWEBRUNCONNECTION	USER	char	100	
trvexp	PFIWEBRUNCONNECTION	WEBROOT	varchar	1000	
trvexp	PFIWORKUNIT	ACTOR	char	30	
trvexp	PFIWORKUNIT	APPSDATAAREA	char	14	
trvexp	PFIWORKUNIT	APPSKEY	char	100	
trvexp	PFIWORKUNIT	APPSVALUE	char	256	
trvexp	PFIWORKUNIT	ARCHIVED	char	1	
trvexp	PFIWORKUNIT	AUTHENTICATEDACTOR	char	30	
trvexp	PFIWORKUNIT	CLASSICWORKUNIT	decimal		
trvexp	PFIWORKUNIT	CLASSICWORKUNITENTERED	char	1	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFIWORKUNIT	CLOSEDATE	datetime		
trvexp	PFIWORKUNIT	CONFIGURATIONNAME	char	100	
trvexp	PFIWORKUNIT	CRITERION1	char	40	
trvexp	PFIWORKUNIT	CRITERION2	char	40	
trvexp	PFIWORKUNIT	CRITERION3	char	40	
trvexp	PFIWORKUNIT	EVENTTYPE	char	15	
trvexp	PFIWORKUNIT	FILTERVALUE	char	100	
trvexp	PFIWORKUNIT	FLOWDEFINITION	char	100	
trvexp	PFIWORKUNIT	FLOWVERSION	int		
trvexp	PFIWORKUNIT	ISFAILED	char	1	
trvexp	PFIWORKUNIT	ISHISTORY	char	1	
trvexp	PFIWORKUNIT	ISINPROGRESS	char	1	
trvexp	PFIWORKUNIT	ISPROCESS	char	1	
trvexp	PFIWORKUNIT	LASTACTIVITY	int		
trvexp	PFIWORKUNIT	LASTERRORMESSAGE	smallint		
trvexp	PFIWORKUNIT	LASTMESSAGE	smallint		
trvexp	PFIWORKUNIT	LASTVARIABLESEQNBR	int		
trvexp	PFIWORKUNIT	LASTWORKUNITFOLDER	smallint		
trvexp	PFIWORKUNIT	LOG	text	2147483647	
trvexp	PFIWORKUNIT	PARENTWORKUNIT	decimal		
trvexp	PFIWORKUNIT	PFIILTERKEY	char	100	
trvexp	PFIWORKUNIT	PFIWORKUNIT	decimal		
trvexp	PFIWORKUNIT	PFIWU01_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU02_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU03_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU04_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU16_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU17_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU18_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU19_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU20_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU21_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU22_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU23_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU25_SS_SW	char	1	
trvexp	PFIWORKUNIT	PFIWU26_SS_SW	char	1	
trvexp	PFIWORKUNIT	SERVICEDEFINITION	char	50	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PFIWORKUNIT	SOURCE	char	100	
trvexp	PFIWORKUNIT	SOURCETYPE	char	100	
trvexp	PFIWORKUNIT	STARTDATE	datetime		
trvexp	PFIWORKUNIT	STATUS	smallint		
trvexp	PFIWORKUNIT	UNIQUEID	binary	16	
trvexp	PFIWORKUNIT	WORKPRIORITY	smallint		
trvexp	PFIWORKUNIT	WORKTITLE	char	100	
trvexp	PFIWORKUNITFOLDER	ATTACHBY	char	30	
trvexp	PFIWORKUNITFOLDER	ATTACHDATE	datetime		
trvexp	PFIWORKUNITFOLDER	DOCTYPE	tinyint		
trvexp	PFIWORKUNITFOLDER	NAME	char	100	
trvexp	PFIWORKUNITFOLDER	PFIWORKUNIT	decimal		
trvexp	PFIWORKUNITFOLDER	PFIWORKUNITFOLDER	smallint		
trvexp	PFIWORKUNITFOLDER	UNIQUEID	binary	16	
trvexp	PFIWORKUNITFOLDER	VALUE	text	2147483647	
trvexp	PFIWORKUNITINPUTDATA	BINARYDATA	image	2147483647	
trvexp	PFIWORKUNITINPUTDATA	CREATEDBY	char	30	
trvexp	PFIWORKUNITINPUTDATA	CREATIONDATE	datetime		
trvexp	PFIWORKUNITINPUTDATA	DESCRIPTION	char	100	
trvexp	PFIWORKUNITINPUTDATA	PFIWORKUNIT	decimal		
trvexp	PFIWORKUNITINPUTDATA	TEXTDATA	text	2147483647	
trvexp	PFIWORKUNITINPUTDATA	TYPE	tinyint		
trvexp	PFIWORKUNITINPUTDATA	UNIQUEID	binary	16	
trvexp	PFIWORKUNITSTATE	PFIWORKUNITSTATE	smallint		
trvexp	PFIWORKUNITSTATE	UNIQUEID	binary	16	
trvexp	PFIWORKUNITVARIABLE	PFIWORKUNIT	decimal		
trvexp	PFIWORKUNITVARIABLE	PFIWORKUNITVARIABLE	char	100	
trvexp	PFIWORKUNITVARIABLE	SEQNBR	int		
trvexp	PFIWORKUNITVARIABLE	UNIQUEID	binary	16	
trvexp	PFIWORKUNITVARIABLE	VARIABLETYPE	tinyint		
trvexp	PFIWORKUNITVARIABLE	VARIABLEVALUE	char	512	
trvexp	PROCESSFLOWFOLDER	AUDITLOG	text	2147483647	
trvexp	PROCESSFLOWFOLDER	CSACTOR	char	30	
trvexp	PROCESSFLOWFOLDER	CSTIMESTAMP	datetime		
trvexp	PROCESSFLOWFOLDER	DELETEDFLAG	binary	16	
trvexp	PROCESSFLOWFOLDER	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	PROCESSFLOWFOLDER	NAME	char	20	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PROCESSFLOWFOLDER	PROCESSFLOWQUEUE	binary		16
trvexp	PROCESSFLOWFOLDER	SEQUENCE	int		
trvexp	PROCESSFLOWFOLDER	UNIQUEID	binary		16
trvexp	PROCESSFLOWFOLDER	USACTOR	char		30
trvexp	PROCESSFLOWFOLDER	USTIMESTAMP	datetime		
trvexp	PROCESSFLOWFOLDER	VALUE	text	2147483647	
trvexp	PROCESSFLOWQUEUE	ACTIONCOMMENT	text	2147483647	
trvexp	PROCESSFLOWQUEUE	ACTIONREASON	char		20
trvexp	PROCESSFLOWQUEUE	AUDITLOG	text	2147483647	
trvexp	PROCESSFLOWQUEUE	AUTHENTICATEDACTOR	char		30
trvexp	PROCESSFLOWQUEUE	CATEGORYKEY	char		15
trvexp	PROCESSFLOWQUEUE	CATEGORYVALUE	char		20
trvexp	PROCESSFLOWQUEUE	CSACTOR	char		30
trvexp	PROCESSFLOWQUEUE	CSTIMESTAMP	datetime		
trvexp	PROCESSFLOWQUEUE	DELETEFLAG	binary		16
trvexp	PROCESSFLOWQUEUE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	PROCESSFLOWQUEUE	ERRORMESSAGE	text	2147483647	
trvexp	PROCESSFLOWQUEUE	EVENTTYPE	tinyint		
trvexp	PROCESSFLOWQUEUE	EXECUTEACTION	char		100
trvexp	PROCESSFLOWQUEUE	EXECUTEACTIONURL	text	2147483647	
trvexp	PROCESSFLOWQUEUE	EXECUTETIME	datetime		
trvexp	PROCESSFLOWQUEUE	FAILURECOUNT	int		
trvexp	PROCESSFLOWQUEUE	FLOWCRITERIA_01	char		30
trvexp	PROCESSFLOWQUEUE	FLOWCRITERIA_02	char		30
trvexp	PROCESSFLOWQUEUE	FLOWCRITERIA_03	char		30
trvexp	PROCESSFLOWQUEUE	ISCOMPLETE	char		1
trvexp	PROCESSFLOWQUEUE	ISFAILED	char		1
trvexp	PROCESSFLOWQUEUE	ISNEW	char		1
trvexp	PROCESSFLOWQUEUE	ISPROXY	char		1
trvexp	PROCESSFLOWQUEUE	ISRESET	char		1
trvexp	PROCESSFLOWQUEUE	LASTFOLDERSEQUENCE	int		
trvexp	PROCESSFLOWQUEUE	LASTVARIABLESEQUENCE	int		
trvexp	PROCESSFLOWQUEUE	NAME	char		50
trvexp	PROCESSFLOWQUEUE	OKBUSINESSCLASSNAME	char		200
trvexp	PROCESSFLOWQUEUE	OKBUSINESSOBJECTKEY	binary		16
trvexp	PROCESSFLOWQUEUE	PROCESSFLOWQUEUE	binary		16
trvexp	PROCESSFLOWQUEUE	QTBUSINESSCLASSNAME	char		200

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PROCESSFLOWQUEUE	QTBUSINESSOBJECTKEY	binary		16
trvexp	PROCESSFLOWQUEUE	SQLNAME	char		15
trvexp	PROCESSFLOWQUEUE	STATUS	tinyint		
trvexp	PROCESSFLOWQUEUE	TITLE	char		50
trvexp	PROCESSFLOWQUEUE	TYPE	tinyint		
trvexp	PROCESSFLOWQUEUE	USACTOR	char		30
trvexp	PROCESSFLOWQUEUE	USTIMESTAMP	datetime		
trvexp	PROCESSFLOWQUEUE	WORKUNITID	decimal		
trvexp	PROCESSFLOWQUEUE	WUHBUSINESSCLASSNAME	char		200
trvexp	PROCESSFLOWQUEUE	WUHBUSINESSOBJECTKEY	binary		16
trvexp	PROCESSFLOWVARIABLE	AUDITLOG	text	2147483647	
trvexp	PROCESSFLOWVARIABLE	CSACTOR	char		30
trvexp	PROCESSFLOWVARIABLE	CSTIMESTAMP	datetime		
trvexp	PROCESSFLOWVARIABLE	DECIMALSIZE	smallint		
trvexp	PROCESSFLOWVARIABLE	DELETEFLAG	binary		16
trvexp	PROCESSFLOWVARIABLE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	PROCESSFLOWVARIABLE	NAME	char		20
trvexp	PROCESSFLOWVARIABLE	PROCESSFLOWQUEUE	binary		16
trvexp	PROCESSFLOWVARIABLE	SEQUENCE	int		
trvexp	PROCESSFLOWVARIABLE	TYPE	smallint		
trvexp	PROCESSFLOWVARIABLE	UNIQUEID	binary		16
trvexp	PROCESSFLOWVARIABLE	USACTOR	char		30
trvexp	PROCESSFLOWVARIABLE	USTIMESTAMP	datetime		
trvexp	PROCESSFLOWVARIABLE	VALUE	varchar		250
trvexp	PROFILELOG	ACTIVE	char		1
trvexp	PROFILELOG	AUTOTRANCOUNT	decimal		
trvexp	PROFILELOG	DESCRIPTION	char		60
trvexp	PROFILELOG	LOADENTRIESAUTOMATICALLY	char		1
trvexp	PROFILELOG	PRINTSTDOUT	char		1
trvexp	PROFILELOG	PROFILELOG	decimal		
trvexp	PROFILELOG	TRANCOUNT	decimal		
trvexp	PROFILELOG	UNIQUEID	binary		16
trvexp	PROFILELOGENTRY	CLASSNAME	char		60
trvexp	PROFILELOGENTRY	ELAPSEDTIME	decimal		
trvexp	PROFILELOGENTRY	LEVEL	decimal		
trvexp	PROFILELOGENTRY	MESSAGE	text	2147483647	
trvexp	PROFILELOGENTRY	METHODNAME	char		60

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	PROFILELOENTRY	MISSINGTIME	decimal		
trvexp	PROFILELOENTRY	PARENTID	char	21	
trvexp	PROFILELOENTRY	PROFILELOG	decimal		
trvexp	PROFILELOENTRY	PROFILELOENTRY	char	21	
trvexp	PROFILELOENTRY	PROFILELOENTRY_HASNOCHILDREN	char	1	
trvexp	PROFILELOENTRY	UNIQUEID	binary	16	
trvexp	PROFILELOGINTERMEDIATEENTRY	LOGDATA	image	2147483647	
trvexp	PROFILELOGINTERMEDIATEENTRY	PROFILELOG	decimal		
trvexp	PROFILELOGINTERMEDIATEENTRY	PROFILELOGINTERMEDIATEENTRY	decimal		
trvexp	PROFILELOGINTERMEDIATEENTRY	UNIQUEID	binary	16	
trvexp	REPORTDOCUMENT	CSACTOR	char	30	
trvexp	REPORTDOCUMENT	CSTIMESTAMP	datetime		
trvexp	REPORTDOCUMENT	DOCUMENT	image	2147483647	
trvexp	REPORTDOCUMENT	HASNAME	char	1	
trvexp	REPORTDOCUMENT	MIMETYPE	char	80	
trvexp	REPORTDOCUMENT	NAME	char	50	
trvexp	REPORTDOCUMENT	REPORTDOCUMENT	binary	16	
trvexp	REPORTDOCUMENT	REPORTPARAMETERS	text	2147483647	
trvexp	REPORTGROUP	CSACTOR	char	30	
trvexp	REPORTGROUP	CSTIMESTAMP	datetime		
trvexp	REPORTGROUP	DESCRIPTION	char	100	
trvexp	REPORTGROUP	REPORTGROUP	char	50	
trvexp	REPORTGROUP	UNIQUEID	binary	16	
trvexp	REPORTGROUP	USACTOR	char	30	
trvexp	REPORTGROUP	USTIMESTAMP	datetime		
trvexp	RESOURCE	ALWAYSDEFAULTACTIVITY	char	1	
trvexp	RESOURCE	APCOMPANY	smallint		
trvexp	RESOURCE	APPROCLEV	char	5	
trvexp	RESOURCE	ARECEIPTONRECORDEDEXPENSE	char	1	
trvexp	RESOURCE	AUDITLOG	text	2147483647	
trvexp	RESOURCE	BILLABLEDEFAULT	char	1	
trvexp	RESOURCE	CARCONFIGURATION	decimal		
trvexp	RESOURCE	COMMENTTYPEDEFAULT	smallint		
trvexp	RESOURCE	COMPANY	smallint		
trvexp	RESOURCE	CSACTOR	char	30	
trvexp	RESOURCE	CSTIMESTAMP	datetime		
trvexp	RESOURCE	DEFAULTACCOUNTINGUNIT	char	15	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	RESOURCE	DEFAULTSTARTINGLOCATION	char		30
trvexp	RESOURCE	DELETEFLAG	binary		16
trvexp	RESOURCE	DERIVEDCARCONFIGURATION	decimal		
trvexp	RESOURCE	DERIVEDEXPENSEREPORTDISPLAY	char		10
trvexp	RESOURCE	DERIVEDEXPENSEREQUESTDISPLAY	char		10
trvexp	RESOURCE	DERIVEDEXPENSESYSTEM	smallint		
trvexp	RESOURCE	DERIVEDPERDIEMSCHEDULE	decimal		
trvexp	RESOURCE	DERIVEDPERDIEMWIZARD	decimal		
trvexp	RESOURCE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	RESOURCE	EMPLOYEE	int		
trvexp	RESOURCE	EMPLOYEEENTERED	char		1
trvexp	RESOURCE	ENTITYTYPE	smallint		
trvexp	RESOURCE	EXPENSEGROUP	char		4
trvexp	RESOURCE	EXPENSEREPORTDISPLAY	char		10
trvexp	RESOURCE	EXPENSEREQUESTDISPLAY	char		10
trvexp	RESOURCE	EXPENSESYSTEM	smallint		
trvexp	RESOURCE	GLCOMPANY	smallint		
trvexp	RESOURCE	NONEMPLOYEE	decimal		
trvexp	RESOURCE	NONEMPLOYEEENTERED	char		1
trvexp	RESOURCE	NORMALDAILYCOMMUTEDISTANCE	decimal		
trvexp	RESOURCE	NOTIFYAPPSUBMISSION	char		1
trvexp	RESOURCE	NOTIFYEXPENSEAPP	char		1
trvexp	RESOURCE	NOTIFYEXPENSEREJ	char		1
trvexp	RESOURCE	OVERRIDEAPPROVERONE	int		
trvexp	RESOURCE	OVERRIDEAPPROVERTWO	int		
trvexp	RESOURCE	PERDIEMSCHEDULE	decimal		
trvexp	RESOURCE	PERDIEMWIZARD	decimal		
trvexp	RESOURCE	RECEIPTDEFAULT	tinyint		
trvexp	RESOURCE	RESOURCE	int		
trvexp	RESOURCE	RESOURCECURRENCY	char		5
trvexp	RESOURCE	RESOURCEDESCRIPTION	char		200
trvexp	RESOURCE	RESOURCEGROUP	char		10
trvexp	RESOURCE	RESOURCEMANAGER	int		
trvexp	RESOURCE	RESOURCECTYPE	smallint		
trvexp	RESOURCE	RESOURCEUSERFIELD1	char		30
trvexp	RESOURCE	RESOURCEUSERFIELD10	decimal		
trvexp	RESOURCE	RESOURCEUSERFIELD2	char		30

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	RESOURCE	RESOURCEUSERFIELD3	char		30
trvexp	RESOURCE	RESOURCEUSERFIELD4	char		30
trvexp	RESOURCE	RESOURCEUSERFIELD5	char		30
trvexp	RESOURCE	RESOURCEUSERFIELD6	decimal		
trvexp	RESOURCE	RESOURCEUSERFIELD7	decimal		
trvexp	RESOURCE	RESOURCEUSERFIELD8	decimal		
trvexp	RESOURCE	RESOURCEUSERFIELD9	decimal		
trvexp	RESOURCE	REXPENSEREPORTINBOXTIMESTAMP	datetime		
trvexp	RESOURCE	REXPENSEREQUESTINBOXTIMESTAMP	datetime		
trvexp	RESOURCE	RNAFFIX	varchar		50
trvexp	RESOURCE	RNALIAS	varchar		60
trvexp	RESOURCE	RNFAMILYNAME	varchar		50
trvexp	RESOURCE	RNFAMILYNAMEPREFIX	varchar		20
trvexp	RESOURCE	RNFORMERNAME	varchar		50
trvexp	RESOURCE	RNFORMOFADDRESS	varchar		50
trvexp	RESOURCE	RNGIVENNAME	varchar		50
trvexp	RESOURCE	RNMAIDENNAME	varchar		50
trvexp	RESOURCE	RNMIDDLENAME	varchar		50
trvexp	RESOURCE	RNPREFERREDFAMILYNAME	varchar		50
trvexp	RESOURCE	RNPREFERREDGIVENNAME	varchar		50
trvexp	RESOURCE	RNQUALIFICATION	varchar		50
trvexp	RESOURCE	STATUS	smallint		
trvexp	RESOURCE	TERMINATIONDATE	datetime		
trvexp	RESOURCE	TRAVELSYSTEMID	char		80
trvexp	RESOURCE	UNIQUEID	binary		16
trvexp	RESOURCE	USACTOR	char		30
trvexp	RESOURCE	USTIMESTAMP	datetime		
trvexp	RESOURCE	VENDOR	char		9
trvexp	RESOURCEACTIVITY	ACTIVE	char		1
trvexp	RESOURCEACTIVITY	ACTIVITY	char		15
trvexp	RESOURCEACTIVITY	AUDITLOG	text	2147483647	
trvexp	RESOURCEACTIVITY	CSACTOR	char		30
trvexp	RESOURCEACTIVITY	CSTIMESTAMP	datetime		
trvexp	RESOURCEACTIVITY	DELETEFLAG	binary		16
trvexp	RESOURCEACTIVITY	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	RESOURCEACTIVITY	EXPENSEGROUP	char		4
trvexp	RESOURCEACTIVITY	ISDEFAULT	char		1

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	RESOURCEACTIVITY	RESOURCE	int		
trvexp	RESOURCEACTIVITY	RESOURCEACTIVITY	char	15	
trvexp	RESOURCEACTIVITY	UNIQUEID	binary	16	
trvexp	RESOURCEACTIVITY	USACTOR	char	30	
trvexp	RESOURCEACTIVITY	USTIMESTAMP	datetime		
trvexp	RESOURCECAR	AUDITLOG	text	2147483647	
trvexp	RESOURCECAR	CARCONFIGURATION	decimal		
trvexp	RESOURCECAR	CSACTOR	char	30	
trvexp	RESOURCECAR	CSTIMESTAMP	datetime		
trvexp	RESOURCECAR	DELETEFLAG	binary	16	
trvexp	RESOURCECAR	DESCRIPTION	char	60	
trvexp	RESOURCECAR	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	RESOURCECAR	EXPENSEGROUP	char	4	
trvexp	RESOURCECAR	ISDEFAULT	char	1	
trvexp	RESOURCECAR	RESOURCE	int		
trvexp	RESOURCECAR	RESOURCECAR	decimal		
trvexp	RESOURCECAR	RESOURCEGROUP	char	10	
trvexp	RESOURCECAR	UNIQUEID	binary	16	
trvexp	RESOURCECAR	USACTOR	char	30	
trvexp	RESOURCECAR	USTIMESTAMP	datetime		
trvexp	RESOURCECREDITCARD	ACCOUNTNUMBER	decimal		
trvexp	RESOURCECREDITCARD	ACCOUNTNUMBERLASTFOURDIGITS	char	4	
trvexp	RESOURCECREDITCARD	ACTIVESTATUS	tinyint		
trvexp	RESOURCECREDITCARD	CARDNUMBER	decimal		
trvexp	RESOURCECREDITCARD	CHECKDIGIT	tinyint		
trvexp	RESOURCECREDITCARD	CONFIRMACCOUNTNUMBER	decimal		
trvexp	RESOURCECREDITCARD	CONFIRMCARDNUMBER	decimal		
trvexp	RESOURCECREDITCARD	CREDITCARDTYPE	char	10	
trvexp	RESOURCECREDITCARD	DELETEFLAG	binary	16	
trvexp	RESOURCECREDITCARD	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	RESOURCECREDITCARD	ENCRYPTEDOBJECT	text	2147483647	
trvexp	RESOURCECREDITCARD	EXPENSEGROUP	char	4	
trvexp	RESOURCECREDITCARD	LASTFOURDIGITS	char	4	
trvexp	RESOURCECREDITCARD	PAYMETHOD	smallint		
trvexp	RESOURCECREDITCARD	RCC_EDATEDLOG_ENCRYPTED	char	1	
trvexp	RESOURCECREDITCARD	RCC_ENCRYPTEDOBJECT_ENCRYPTED	char	1	
trvexp	RESOURCECREDITCARD	RESOURCE	int		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	RESOURCECREDITCARD	RESOURCECREDITCARD	decimal		
trvexp	RESOURCECREDITCARD	UNIQUEID	binary	16	
trvexp	RESOURCEGROUP	ACCTCATEGORYGROUP	char	15	
trvexp	RESOURCEGROUP	ADDALLEXTERNALTRANSACTIONS	char	1	
trvexp	RESOURCEGROUP	ADDRECEIPTSWITHINADDEXPENSE	char	1	
trvexp	RESOURCEGROUP	APPLYADVANCEBALANCE	char	1	
trvexp	RESOURCEGROUP	AUDITLOG	text	2147483647	
trvexp	RESOURCEGROUP	CARCONFIGURATION	decimal		
trvexp	RESOURCEGROUP	CLOSECREDITCARDTRANSACTIONS	char	1	
trvexp	RESOURCEGROUP	CREATEEXPENSEREPORTALLOWED	char	1	
trvexp	RESOURCEGROUP	CSACTOR	char	30	
trvexp	RESOURCEGROUP	CSTIMESTAMP	datetime		
trvexp	RESOURCEGROUP	DEEXPENSESWHENITEMIZING	char	1	
trvexp	RESOURCEGROUP	DELETEFLAG	binary	16	
trvexp	RESOURCEGROUP	EDITRECEIPTSATTACHED	tinyint		
trvexp	RESOURCEGROUP	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	RESOURCEGROUP	EREPORTERMAYOVERRIDEAPPROVER	char	1	
trvexp	RESOURCEGROUP	EREQUESTFINALREVIEWPERCENTAGE	smallint		
trvexp	RESOURCEGROUP	EXPANDEXPENSEREPORTDATES	char	1	
trvexp	RESOURCEGROUP	EXPENSEDETAILRECEIPT	char	1	
trvexp	RESOURCEGROUP	EXPENSEGROUP	char	4	
trvexp	RESOURCEGROUP	EXPENSEREPORTDISPLAY	char	10	
trvexp	RESOURCEGROUP	EXPENSEREPORTENDDATE	smallint		
trvexp	RESOURCEGROUP	EXPENSEREQUESTDISPLAY	char	10	
trvexp	RESOURCEGROUP	EXPENSEREQUESTREQUIRED	char	1	
trvexp	RESOURCEGROUP	EXPENSESYSTEM	smallint		
trvexp	RESOURCEGROUP	EXPRESSEXPENSEREPORTALLOWED	char	1	
trvexp	RESOURCEGROUP	FINALREVIEWPERCENTAGE	smallint		
trvexp	RESOURCEGROUP	FULLEXPENSEREPORTALLOWED	char	1	
trvexp	RESOURCEGROUP	INITIALPAYMETHOD	smallint		
trvexp	RESOURCEGROUP	LEVELOFEXPENSEAPPROVAL	tinyint		
trvexp	RESOURCEGROUP	NAME	char	30	
trvexp	RESOURCEGROUP	PERDIEMSCHEDULE	decimal		
trvexp	RESOURCEGROUP	PERDIEMWIZARD	decimal		
trvexp	RESOURCEGROUP	RESOURCEGROUP	char	10	
trvexp	RESOURCEGROUP	REXPENSESETTINGSUPDATENEDED	char	1	
trvexp	RESOURCEGROUP	SEXPENSEREQUESTADVANCEFUNDS	char	1	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	RESOURCEGROUP	SHOWACTIONSSTEP	char		1
trvexp	RESOURCEGROUP	SHOWCOMMENTSSTEP	char		1
trvexp	RESOURCEGROUP	SHOWCURRENCYRATESSTEP	char		1
trvexp	RESOURCEGROUP	SHOWDEFAULTSSTEP	char		1
trvexp	RESOURCEGROUP	SHOWEXPENSEWORKSHEET	char		1
trvexp	RESOURCEGROUP	SHOWMILEAGeworksheet	char		1
trvexp	RESOURCEGROUP	SHOWRECEIPTSSTEP	char		1
trvexp	RESOURCEGROUP	SHOWTRAVELAGENT	char		1
trvexp	RESOURCEGROUP	UNIQUEID	binary		16
trvexp	RESOURCEGROUP	UPDATEALLOWED	char		1
trvexp	RESOURCEGROUP	UPDATEINWIZARDALLOWED	char		1
trvexp	RESOURCEGROUP	USACTOR	char		30
trvexp	RESOURCEGROUP	USEACTIVITIES	char		1
trvexp	RESOURCEGROUP	USEADHOCExpenses	char		1
trvexp	RESOURCEGROUP	USECREDITCARDTRANSACTIONS	char		1
trvexp	RESOURCEGROUP	USEEXPENSEREQUESTS	char		1
trvexp	RESOURCEGROUP	USEPERDIEMWIZARD	char		1
trvexp	RESOURCEGROUP	USETRAVELTRANSACTIONS	char		1
trvexp	RESOURCEGROUP	USTIMESTAMP	datetime		
trvexp	RESOURCEGROUP	VALIDATEAGAINSTPERDIEM	char		1
trvexp	RESOURCEGROUP	VALIDATEAGAINSTPERDIEMERROR	char		1
trvexp	RESOURCEGROUP	VALIDATEDUPLICATEEXPENSES	char		1
trvexp	RESOURCEIDENTITY	ACTOR	char		30
trvexp	RESOURCEIDENTITY	IDENTITY	char		200
trvexp	RESOURCEIDENTITY	IEMPLOYEE	varchar		200
trvexp	RESOURCEIDENTITY	IRESOURCE	int		
trvexp	RESOURCEIDENTITY	SERVICE	char		100
trvexp	RESOURCEIMPORT	APCOMPANY	smallint		
trvexp	RESOURCEIMPORT	APCOMPANYCHNGIND	char		1
trvexp	RESOURCEIMPORT	APPROCLEV	char		5
trvexp	RESOURCEIMPORT	APPROCLEVCHNGIND	char		1
trvexp	RESOURCEIMPORT	BATCHNUMBER	int		
trvexp	RESOURCEIMPORT	BILLABLEDEFAULT	char		1
trvexp	RESOURCEIMPORT	BILLABLEDEFAULTCHNGIND	char		1
trvexp	RESOURCEIMPORT	CARCONFIGURATION	decimal		
trvexp	RESOURCEIMPORT	CARCONFIGURATIONCHNGIND	char		1
trvexp	RESOURCEIMPORT	COMMENTTYPEDEFAULT	smallint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	RESOURCEIMPORT	COMMENTTYPEDEFAULTCHNGIND	char		1
trvexp	RESOURCEIMPORT	COMPANY	smallint		
trvexp	RESOURCEIMPORT	DEFAULTACCOUNTINGUNIT	char		15
trvexp	RESOURCEIMPORT	DEFAULTACCOUNTINGUNITCHNGIND	char		1
trvexp	RESOURCEIMPORT	DEFAULTSTARTINGLOCATION	char		30
trvexp	RESOURCEIMPORT	DELETEFLAG	binary		16
trvexp	RESOURCEIMPORT	DEPARTMENT	char		5
trvexp	RESOURCEIMPORT	DSTARTINGLOCATIONCHNGIND	char		1
trvexp	RESOURCEIMPORT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	RESOURCEIMPORT	EMPLOYEE	int		
trvexp	RESOURCEIMPORT	EMPSTATUS	char		2
trvexp	RESOURCEIMPORT	ERRORMESSAGE	char		150
trvexp	RESOURCEIMPORT	EXPENSEGROUP	char		4
trvexp	RESOURCEIMPORT	EXPENSEREPORTDISPLAY	char		10
trvexp	RESOURCEIMPORT	EXPENSEREPORTDISPLAYCHNGIND	char		1
trvexp	RESOURCEIMPORT	EXPENSEREQUESTDISPLAY	char		10
trvexp	RESOURCEIMPORT	EXPENSEREQUESTDISPLAYCHNGIND	char		1
trvexp	RESOURCEIMPORT	EXPENSESYSTEM	smallint		
trvexp	RESOURCEIMPORT	EXPENSESYSTEMCHNGIND	char		1
trvexp	RESOURCEIMPORT	FIRSTNAME	char		15
trvexp	RESOURCEIMPORT	GLCOMPANY	smallint		
trvexp	RESOURCEIMPORT	GLCOMPANYCHNGIND	char		1
trvexp	RESOURCEIMPORT	HASERROR	char		1
trvexp	RESOURCEIMPORT	JOBCODE	char		9
trvexp	RESOURCEIMPORT	LASTNAME	char		30
trvexp	RESOURCEIMPORT	NDAILYCOMMUTEDISTANCECHNGIND	char		1
trvexp	RESOURCEIMPORT	NORMALDAILYCOMMUTEDISTANCE	int		
trvexp	RESOURCEIMPORT	NOTIFYAPPSUBMISSION	char		1
trvexp	RESOURCEIMPORT	NOTIFYAPPSUBMISSIONCHNGIND	char		1
trvexp	RESOURCEIMPORT	NOTIFYEXPENSEAPP	char		1
trvexp	RESOURCEIMPORT	NOTIFYEXPENSEAPPCHNGIND	char		1
trvexp	RESOURCEIMPORT	NOTIFYEXPENSEREJ	char		1
trvexp	RESOURCEIMPORT	NOTIFYEXPENSEREJCHNGIND	char		1
trvexp	RESOURCEIMPORT	OVERRIDEAPPROVERONE	int		
trvexp	RESOURCEIMPORT	OVERRIDEAPPROVERONECHNGIND	char		1
trvexp	RESOURCEIMPORT	OVERRIDEAPPROVERTWO	int		
trvexp	RESOURCEIMPORT	OVERRIDEAPPROVERTWOCHNGIND	char		1

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	RESOURCEIMPORT	PERDIEMSCHEDULE	decimal		
trvexp	RESOURCEIMPORT	PERDIEMSCHEDULECHNGIND	char		1
trvexp	RESOURCEIMPORT	PERDIEMWIZARD	decimal		
trvexp	RESOURCEIMPORT	PERDIEMWIZARDCHNGIND	char		1
trvexp	RESOURCEIMPORT	PROCESSLEVEL	char		5
trvexp	RESOURCEIMPORT	RECEIPTDEFAULT	char		1
trvexp	RESOURCEIMPORT	RECEIPTDEFAULTCHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCECURRENCY	char		5
trvexp	RESOURCEIMPORT	RESOURCECURRENCYCHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCEGROUP	char		10
trvexp	RESOURCEIMPORT	RESOURCEGROUPCHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCECTYPE	smallint		
trvexp	RESOURCEIMPORT	RESOURCECTYPECHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD1	char		30
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD10	decimal		
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD10CHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD1CHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD2	char		30
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD2CHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD3	char		30
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD3CHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD4	char		30
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD4CHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD5	char		30
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD5CHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD6	decimal		
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD6CHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD7	decimal		
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD7CHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD8	decimal		
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD8CHNGIND	char		1
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD9	decimal		
trvexp	RESOURCEIMPORT	RESOURCEUSERFIELD9CHNGIND	char		1
trvexp	RESOURCEIMPORT	SUPERVISOR	char		10
trvexp	RESOURCEIMPORT	TRAVELSYSTEMID	char		80
trvexp	RESOURCEIMPORT	TRAVELSYSTEMIDCHNGIND	char		1
trvexp	RESOURCEIMPORT	UNIQUEID	binary		16

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	RESOURCEIMPORT	VENDOR	char		9
trvexp	RESOURCEIMPORT	VENDORCHNGIND	char		1
trvexp	RULEELEMENT	AUDITLOG	text	2147483647	
trvexp	RULEELEMENT	COMMENT	text	2147483647	
trvexp	RULEELEMENT	CONTEXTRULEELEMENT	decimal		
trvexp	RULEELEMENT	CSACTOR	char		30
trvexp	RULEELEMENT	CSTIMESTAMP	datetime		
trvexp	RULEELEMENT	DATATYPE	char		40
trvexp	RULEELEMENT	DELETEFLAG	binary		16
trvexp	RULEELEMENT	DISPLAYORDER	smallint		
trvexp	RULEELEMENT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	RULEELEMENT	FIELD	decimal		
trvexp	RULEELEMENT	KEYFIELD	decimal		
trvexp	RULEELEMENT	NAME	char		60
trvexp	RULEELEMENT	RULEELEMENT	decimal		
trvexp	RULEELEMENT	TYPE	tinyint		
trvexp	RULEELEMENT	UNIQUEID	binary		16
trvexp	RULEELEMENT	USACTOR	char		30
trvexp	RULEELEMENT	USTIMESTAMP	datetime		
trvexp	RULEONTOLOGY	AUDITLOG	text	2147483647	
trvexp	RULEONTOLOGY	CSACTOR	char		30
trvexp	RULEONTOLOGY	CSTIMESTAMP	datetime		
trvexp	RULEONTOLOGY	DELETEFLAG	binary		16
trvexp	RULEONTOLOGY	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	RULEONTOLOGY	PARENTRULEONTOLOGY	int		
trvexp	RULEONTOLOGY	RULEELEMENT	decimal		
trvexp	RULEONTOLOGY	RULEONTOLOGY	int		
trvexp	RULEONTOLOGY	RULEONTOLOGY_HASNOCHILDREN	char		1
trvexp	RULEONTOLOGY	UNIQUEID	binary		16
trvexp	RULEONTOLOGY	USACTOR	char		30
trvexp	RULEONTOLOGY	USTIMESTAMP	datetime		
trvexp	S_ACDD	BANKTRANSACTIONTYPE	smallint		
trvexp	S_ACDD	CPPERIOD	smallint		
trvexp	S_ACDD	CPYEAR	decimal		
trvexp	S_ACDD	DELETEFLAG	binary		16
trvexp	S_ACDD	GLAACACCOUNTINGUNIT	char		15
trvexp	S_ACDD	GLACAACCOUNT	int		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_ACDD	GLACASUBACCOUNT	smallint		
trvexp	S_ACDD	GLCOMPANY	smallint		
trvexp	S_ACDD	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_ACDD	SAASUBACTIVITY	char	20	
trvexp	S_ACDD	SABANKTRANSDetail_EFFRNGBEG	datetime		
trvexp	S_ACDD	SABANKTRANSDetail_EFFRNGEND	datetime		
trvexp	S_ACDD	SACTIVITYBANKTRANSACTION	decimal		
trvexp	S_ACDD	SACTIVITYBANKTRANSDetail	smallint		
trvexp	S_ACDD	STATUS	smallint		
trvexp	S_ACDD	STUDENTACTIVITYBANKACCOUNT	char	15	
trvexp	S_ACDD	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_ACDD	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_ACDD	STUDENTRECORD	decimal		
trvexp	S_ACDD	UNIQUEID	binary	16	
trvexp	S_ACPC	ADVANCEPAYCODE_EFFRNGBEG	datetime		
trvexp	S_ACPC	ADVANCEPAYCODE_EFFRNGEND	datetime		
trvexp	S_ACPC	COMPANY	smallint		
trvexp	S_ACPC	DELETEFLAG	binary	16	
trvexp	S_ACPC	EXPENSEGROUP	char	4	
trvexp	S_ACPC	PCJOBCODE	char	9	
trvexp	S_ACPC	PCPAYCODE	char	4	
trvexp	S_ACPC	PCPROCESSLEVEL	char	5	
trvexp	S_ACPC	UNIQUEID	binary	16	
trvexp	S_ADVD	ADVANCEDetail	decimal		
trvexp	S_ADVD	ADVANCEDetail_EFFRNGBEG	datetime		
trvexp	S_ADVD	ADVANCEDetail_EFFRNGEND	datetime		
trvexp	S_ADVD	CURRENCYTABLE	char	12	
trvexp	S_ADVD	DELETEFLAG	binary	16	
trvexp	S_ADVD	EXPENSEGROUP	char	4	
trvexp	S_ADVD	EXPENSEREPORT	decimal		
trvexp	S_ADVD	EXPENSEREQUEST	decimal		
trvexp	S_ADVD	RAENTEREDCURRENCYAMOUNT	decimal		
trvexp	S_ADVD	RAENTEREDCURRENCYRATE	decimal		
trvexp	S_ADVD	RATOCURRENCY	char	5	
trvexp	S_ADVD	RESOURCE	int		
trvexp	S_ADVD	TRANSACTIONCURRENCY	char	5	
trvexp	S_ADVD	UNIQUEID	binary	16	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_AGNT	AGENT	binary	16	
trvexp	S_AGNT	AGENT_EFFRNGBEG	datetime		
trvexp	S_AGNT	AGENT_EFFRNGEND	datetime		
trvexp	S_AGNT	BORBUSINESSCLASSNAME	char	200	
trvexp	S_AGNT	BORBUSINESSOBJECTKEY	binary	16	
trvexp	S_AGNT	BORSYMBOLICKEYTEXT	char	100	
trvexp	S_AGNT	DELETEFLAG	binary	16	
trvexp	S_AGNT	KEYTEXT	char	100	
trvexp	S_AGNT	PARENTAGENT	binary	16	
trvexp	S_ALLO	ACACCTCATEGORY	char	5	
trvexp	S_ALLO	ACCOUNTINGUNIT	char	15	
trvexp	S_ALLO	ACTIVITY	char	15	
trvexp	S_ALLO	ALLOCATION	decimal		
trvexp	S_ALLO	ALLOCATION_EFFRNGBEG	datetime		
trvexp	S_ALLO	ALLOCATION_EFFRNGEND	datetime		
trvexp	S_ALLO	DELETEFLAG	binary	16	
trvexp	S_ALLO	EXPENSEGROUP	char	4	
trvexp	S_ALLO	EXPENSEREPORT	decimal		
trvexp	S_ALLO	GLCOMPANY	smallint		
trvexp	S_ALLO	LOCATION	char	30	
trvexp	S_ALLO	RESOURCE	int		
trvexp	S_ALLO	RESOURCEACTIVITY	char	15	
trvexp	S_ALLO	UNIQUEID	binary	16	
trvexp	S_APINP	AAIPREFERENCE_EFFRNGBEG	datetime		
trvexp	S_APINP	AAIPREFERENCE_EFFRNGEND	datetime		
trvexp	S_APINP	ACTOR	char	30	
trvexp	S_APINP	ACTORAPPINTERFACEPREFERENCE	char	30	
trvexp	S_APINP	DELETEFLAG	binary	16	
trvexp	S_APINP	UNIQUEID	binary	16	
trvexp	S_ATAB	ACTOR	char	30	
trvexp	S_ATAB	ACTORCONTEXT_EFFRNGBEG	datetime		
trvexp	S_ATAB	ACTORCONTEXT_EFFRNGEND	datetime		
trvexp	S_ATAB	CONTEXTPROPERTY	binary	16	
trvexp	S_ATAB	DELETEFLAG	binary	16	
trvexp	S_ATAB	UNIQUEID	binary	16	
trvexp	S_ATND	ANAFFIX	varchar	50	
trvexp	S_ATND	ANALIAS	varchar	60	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_ATND	ANFAMILYNAME	varchar	50	
trvexp	S_ATND	ANFAMILYNAMEPREFIX	varchar	20	
trvexp	S_ATND	ANFORMERNAME	varchar	50	
trvexp	S_ATND	ANFORMOFADDRESS	varchar	50	
trvexp	S_ATND	ANGIVENNAME	varchar	50	
trvexp	S_ATND	ANMAIDENNAME	varchar	50	
trvexp	S_ATND	ANMIDDLENAME	varchar	50	
trvexp	S_ATND	ANPREFERREDFAMILYNAME	varchar	50	
trvexp	S_ATND	ANPREFERREDGIVENNAME	varchar	50	
trvexp	S_ATND	ANQUALIFICATION	varchar	50	
trvexp	S_ATND	ATTENDEE	decimal		
trvexp	S_ATND	ATTENDEE_EFFRNGBEG	datetime		
trvexp	S_ATND	ATTENDEE_EFFRNGEND	datetime		
trvexp	S_ATND	ATTENDEERESOURCE	int		
trvexp	S_ATND	COMPANYNAME	char	75	
trvexp	S_ATND	DELETEFLAG	binary	16	
trvexp	S_ATND	EXPENSEGROUP	char	4	
trvexp	S_ATND	RESOURCE	int		
trvexp	S_ATND	TITLE	char	50	
trvexp	S_ATND	UNIQUEID	binary	16	
trvexp	S_BCGP	BUSINESSCLASS	char	200	
trvexp	S_BCGP	BUSINESSCLASSGROUP	char	25	
trvexp	S_BCGP	BUSINESSCLASSGROUP_EFFRNGBEG	datetime		
trvexp	S_BCGP	BUSINESSCLASSGROUP_EFFRNGEND	datetime		
trvexp	S_BCGP	DELETEFLAG	binary	16	
trvexp	S_BCGP	UNIQUEID	binary	16	
trvexp	S_BCGS	BCLASSGROUPSUBJECT_EFFRNGBEG	datetime		
trvexp	S_BCGS	BCLASSGROUPSUBJECT_EFFRNGEND	datetime		
trvexp	S_BCGS	BUSINESSCLASS	char	200	
trvexp	S_BCGS	BUSINESSCLASSGROUP	char	25	
trvexp	S_BCGS	DELETEFLAG	binary	16	
trvexp	S_BCGS	DOMAINSUBJECT	char	200	
trvexp	S_BCGS	UNIQUEID	binary	16	
trvexp	S_BUSI	CONTEXTTRULEELEMENT	decimal		
trvexp	S_BUSI	DELETEFLAG	binary	16	
trvexp	S_BUSI	DISPLAYORDER	smallint		
trvexp	S_BUSI	FIELD	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_BUSI	KEYFIELD	decimal		
trvexp	S_BUSI	NAME	char	60	
trvexp	S_BUSI	RULEELEMENT	decimal		
trvexp	S_BUSI	RULEELEMENT_EFFRNGBEG	datetime		
trvexp	S_BUSI	RULEELEMENT_EFFRNGEND	datetime		
trvexp	S_BUSI	TYPE	tinyint		
trvexp	S_BUSI	UNIQUEID	binary	16	
trvexp	S_CARC	CARCONFIGURATION	decimal		
trvexp	S_CARC	CARCONFIGURATION_EFFRNGBEG	datetime		
trvexp	S_CARC	CARCONFIGURATION_EFFRNGEND	datetime		
trvexp	S_CARC	CURRENCY	char	5	
trvexp	S_CARC	DELETEFLAG	binary	16	
trvexp	S_CARC	EXPENSEGROUP	char	4	
trvexp	S_CARC	UNIQUEID	binary	16	
trvexp	S_CBBKB	CAENTEREDCURRENCYAMOUNT	decimal		
trvexp	S_CBBKB	CAENTEREDCURRENCYRATE	decimal		
trvexp	S_CBBKB	CASHCODE	char	4	
trvexp	S_CBBKB	CASHCODECURRENCY	char	5	
trvexp	S_CBBKB	CATOCURRENCY	char	5	
trvexp	S_CBBKB	COMPANY	smallint		
trvexp	S_CBBKB	DELETEFLAG	binary	16	
trvexp	S_CBBKB	LBANKBALANCE_EFFRNGBEG	datetime		
trvexp	S_CBBKB	LBANKBALANCE_EFFRNGEND	datetime		
trvexp	S_CBBKB	LIQUIDITYBANKBALANCE	datetime		
trvexp	S_CBBKB	UNIQUEID	binary	16	
trvexp	S_CBBS	BANKSTATEMENT_EFFRNGBEG	datetime		
trvexp	S_CBBS	BANKSTATEMENT_EFFRNGEND	datetime		
trvexp	S_CBBS	BSSTMTNBR	decimal		
trvexp	S_CBBS	BSSTMTSUFFIX	char	5	
trvexp	S_CBBS	CASHCODE	char	4	
trvexp	S_CBBS	DELETEFLAG	binary	16	
trvexp	S_CBBS	ENTERPRISEGROUP	char	4	
trvexp	S_CBBS	UNIQUEID	binary	16	
trvexp	S_CBCC	CASHLEDGERCOMPANY_EFFRNGBEG	datetime		
trvexp	S_CBCC	CASHLEDGERCOMPANY_EFFRNGEND	datetime		
trvexp	S_CBCC	COMPANY	smallint		
trvexp	S_CBCC	DELETEFLAG	binary	16	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_CBCC	UNIQUEID	binary		16
trvexp	S_CBFC	CASHCODE	char		4
trvexp	S_CBFC	CASHLEDGERCOMPANY	smallint		
trvexp	S_CBFC	DELETEFLAG	binary		16
trvexp	S_CBFC	ENTERPRISEGROUP	char		4
trvexp	S_CBFC	LIQUIDITYFORECAST	char		20
trvexp	S_CBFC	LIQUIDITYFORECAST_EFFRNGBEG	datetime		
trvexp	S_CBFC	LIQUIDITYFORECAST_EFFRNGEND	datetime		
trvexp	S_CBFC	UNIQUEID	binary		16
trvexp	S_Cbfd	AAAENTEREDCURRENCYAMOUNT	decimal		
trvexp	S_Cbfd	AAAENTEREDCURRENCYRATE	decimal		
trvexp	S_Cbfd	AAATOCURRENCY	char		5
trvexp	S_Cbfd	ABAENTEREDCURRENCYAMOUNT	decimal		
trvexp	S_Cbfd	ABAENTEREDCURRENCYRATE	decimal		
trvexp	S_Cbfd	ABATOCURRENCY	char		5
trvexp	S_Cbfd	ATRANSACTIONAMOUNT	decimal		
trvexp	S_Cbfd	CASHCODE	char		4
trvexp	S_Cbfd	COMPANY	smallint		
trvexp	S_Cbfd	DAAAENTEREDCURRENCYAMOUNT	decimal		
trvexp	S_Cbfd	DAAAENTEREDCURRENCYRATE	decimal		
trvexp	S_Cbfd	DAAATOCURRENCY	char		5
trvexp	S_Cbfd	DABAENTEREDCURRENCYAMOUNT	decimal		
trvexp	S_Cbfd	DABAENTEREDCURRENCYRATE	decimal		
trvexp	S_Cbfd	DABATOCURRENCY	char		5
trvexp	S_Cbfd	DATRANSACTIONAMOUNT	decimal		
trvexp	S_Cbfd	DELETEFLAG	binary		16
trvexp	S_Cbfd	DUEDATE	datetime		
trvexp	S_Cbfd	LIQUIDITYDETAIL	decimal		
trvexp	S_Cbfd	LIQUIDITYDETAIL_EFFRNGBEG	datetime		
trvexp	S_Cbfd	LIQUIDITYDETAIL_EFFRNGEND	datetime		
trvexp	S_Cbfd	SYSTEMCODE	char		2
trvexp	S_Cbfd	TRANSACTIONCURRENCY	char		5
trvexp	S_Cbfd	UNIQUEID	binary		16
trvexp	S_CBGL	BANKTOGLRECONCILIATION	datetime		
trvexp	S_CBGL	BTOGLRECONCILIATION_EFFRNGBEG	datetime		
trvexp	S_CBGL	BTOGLRECONCILIATION_EFFRNGEND	datetime		
trvexp	S_CBGL	CASHCODE	char		4

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_CBGL	DELETEFLAG	binary		16
trvexp	S_CBGL	UNIQUEID	binary		16
trvexp	S_CBGLC	BANKTOGLRECONCILIATION	datetime		
trvexp	S_CBGLC	BASECURRENCY	char		5
trvexp	S_CBGLC	BTGLCDGLCOMPANY	smallint		
trvexp	S_CBGLC	BTOGLCOMPANYDETAIL_EFFRNGBEG	datetime		
trvexp	S_CBGLC	BTOGLCOMPANYDETAIL_EFFRNGEND	datetime		
trvexp	S_CBGLC	CASHCODE	char		4
trvexp	S_CBGLC	DELETEFLAG	binary		16
trvexp	S_CBGLC	FISCALYEAR	decimal		
trvexp	S_CBGLC	RECONCILEDPERIOD	smallint		
trvexp	S_CBGLC	UNIQUEID	binary		16
trvexp	S_CBGLR	BANKTOGLRECONCILIATION	datetime		
trvexp	S_CBGLR	BANKTOGLRECONITEM	int		
trvexp	S_CBGLR	BANKTOGLRECONITEM_EFFRNGBEG	datetime		
trvexp	S_CBGLR	BANKTOGLRECONITEM_EFFRNGEND	datetime		
trvexp	S_CBGLR	CASHCODE	char		4
trvexp	S_CBGLR	DELETEFLAG	binary		16
trvexp	S_CBGLR	GLCOMPANY	smallint		
trvexp	S_CBGLR	UNIQUEID	binary		16
trvexp	S_CBLS	BSLINESELECT_EFFRNGBEG	datetime		
trvexp	S_CBLS	BSLINESELECT_EFFRNGEND	datetime		
trvexp	S_CBLS	BSLSTRANSACTIONCODE	char		3
trvexp	S_CBLS	BSLSTRANSIDENT	decimal		
trvexp	S_CBLS	CSLINENBR	int		
trvexp	S_CBLS	CSSTMTNBR	decimal		
trvexp	S_CBLS	CSSTMTSUFFIX	char		5
trvexp	S_CBLS	DELETEFLAG	binary		16
trvexp	S_CBLS	QUEUESTATUS	binary		16
trvexp	S_CBLS	UNIQUEID	binary		16
trvexp	S_CBPDP	DELETEFLAG	binary		16
trvexp	S_CBPDP	ENTERPRISEGROUP	char		4
trvexp	S_CBPDP	LFORECASTPERIOD_EFFRNGBEG	datetime		
trvexp	S_CBPDP	LFORECASTPERIOD_EFFRNGEND	datetime		
trvexp	S_CBPDP	LIQUIDITYFORECAST	char		20
trvexp	S_CBPDP	LIQUIDITYFORECASTPERIOD	smallint		
trvexp	S_CBPDP	UNIQUEID	binary		16

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_CBSD	CASHCODE	char		4
trvexp	S_CBSD	COMPANY	smallint		
trvexp	S_CBSD	DELETEFLAG	binary		16
trvexp	S_CBSD	LIQUIDITYSUMMARY	datetime		
trvexp	S_CBSD	LIQUIDITYSUMMARY_EFFRNGBEG	datetime		
trvexp	S_CBSD	LIQUIDITYSUMMARY_EFFRNGEND	datetime		
trvexp	S_CBSD	SYSTEMCODE	char		2
trvexp	S_CBSD	UNIQUEID	binary		16
trvexp	S_CBSL	BANKINSTCODE	char		3
trvexp	S_CBSL	BANKSTATEMENTLINE	int		
trvexp	S_CBSL	BANKSTATEMENTLINE_EFFRNGBEG	datetime		
trvexp	S_CBSL	BANKSTATEMENTLINE_EFFRNGEND	datetime		
trvexp	S_CBSL	BSSTMTNBR	decimal		
trvexp	S_CBSL	BSSTMTSUFFIX	char		5
trvexp	S_CBSL	CASHCODE	char		4
trvexp	S_CBSL	DELETEFLAG	binary		16
trvexp	S_CBSL	ENTERPRISEGROUP	char		4
trvexp	S_CBSL	UNIQUEID	binary		16
trvexp	S_CCAC	CREDITCARDAGE	smallint		
trvexp	S_CCAC	CREDITCARDAGE_EFFRNGBEG	datetime		
trvexp	S_CCAC	CREDITCARDAGE_EFFRNGEND	datetime		
trvexp	S_CCAC	DELETEFLAG	binary		16
trvexp	S_CCAC	EXPENSEGROUP	char		4
trvexp	S_CCAC	RESOURCE	int		
trvexp	S_CCAC	UNIQUEID	binary		16
trvexp	S_CCI	CREDITCARDITINERARY	decimal		
trvexp	S_CCI	CREDITCARDITINERARY_EFFRNGBEG	datetime		
trvexp	S_CCI	CREDITCARDITINERARY_EFFRNGEND	datetime		
trvexp	S_CCI	CREDITCARDTRANSACTION	decimal		
trvexp	S_CCI	DELETEFLAG	binary		16
trvexp	S_CCI	EXPENSEGROUP	char		4
trvexp	S_CCI	RESOURCE	int		
trvexp	S_CCI	UNIQUEID	binary		16
trvexp	S_CCID	CCITINERARYDETAIL_EFFRNGBEG	datetime		
trvexp	S_CCID	CCITINERARYDETAIL_EFFRNGEND	datetime		
trvexp	S_CCID	CREDITCARDITINERARYDETAIL	decimal		
trvexp	S_CCID	CREDITCARDTRANSACTION	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_CCID	DELETEFLAG	binary		16
trvexp	S_CCID	EXPENSEGROUP	char		4
trvexp	S_CCID	LEGNUMBER	smallint		
trvexp	S_CCID	RESOURCE	int		
trvexp	S_CCID	UNIQUEID	binary		16
trvexp	S_CCRT	BEGINODOMETER	decimal		
trvexp	S_CCRT	CARCONFIGURATION	decimal		
trvexp	S_CCRT	CARCONFIGURATIONRATE	decimal		
trvexp	S_CCRT	CCONFIGURATIONRATE_EFFRNGBEG	datetime		
trvexp	S_CCRT	CCONFIGURATIONRATE_EFFRNGEND	datetime		
trvexp	S_CCRT	DELETEFLAG	binary		16
trvexp	S_CCRT	EXPENSEGROUP	char		4
trvexp	S_CCRT	RATEEFFECTIVEDATE	datetime		
trvexp	S_CCRT	UNIQUEID	binary		16
trvexp	S_CCTR	ACCOUNTINGUNIT	char		15
trvexp	S_CCTR	AMEXIMPORT	decimal		
trvexp	S_CCTR	ARRESOURCE	int		
trvexp	S_CCTR	BILLCURRENCY	char		5
trvexp	S_CCTR	BILLDATE	datetime		
trvexp	S_CCTR	CCARDTRANSACTION_EFFRNGBEG	datetime		
trvexp	S_CCTR	CCARDTRANSACTION_EFFRNGEND	datetime		
trvexp	S_CCTR	CCICREDITCARDTYPE	char		10
trvexp	S_CCTR	CCITRANSACTIONNUMBER	char		80
trvexp	S_CCTR	CREDITCARDTRANSACTION	decimal		
trvexp	S_CCTR	CREDITCARDTYPE	char		10
trvexp	S_CCTR	DELETEFLAG	binary		16
trvexp	S_CCTR	DEPARTMENT	char		5
trvexp	S_CCTR	EXPENSECODE	char		15
trvexp	S_CCTR	EXPENSEDETAIL	decimal		
trvexp	S_CCTR	EXPENSEGROUP	char		4
trvexp	S_CCTR	EXPENSEREPORT	decimal		
trvexp	S_CCTR	GEIMPORT	decimal		
trvexp	S_CCTR	PROCESSLEVEL	char		5
trvexp	S_CCTR	RESOURCE	int		
trvexp	S_CCTR	RESOURCECREDITCARD	decimal		
trvexp	S_CCTR	STATUS	smallint		
trvexp	S_CCTR	TRANSACTIONCURRENCY	char		5

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_CCTR	TRANSACTIONDATE	datetime		
trvexp	S_CCTR	UNIQUEID	binary		16
trvexp	S_CCTR	USBANKIMPORT	decimal		
trvexp	S_CCTR	VCFCARDTRANSACTION	decimal		
trvexp	S_CCTY	APCOMPANY	smallint		
trvexp	S_CCTY	APPROCLEV	char		5
trvexp	S_CCTY	CREDITCARDTYPE	char		10
trvexp	S_CCTY	CREDITCARDTYPE_EFFRNGBEG	datetime		
trvexp	S_CCTY	CREDITCARDTYPE_EFFRNGEND	datetime		
trvexp	S_CCTY	DELETEFLAG	binary		16
trvexp	S_CCTY	EXPENSEGROUP	char		4
trvexp	S_CCTY	UNIQUEID	binary		16
trvexp	S_CCTY	VENDOR	char		9
trvexp	S_CHGR	ACTIONREASON	char		20
trvexp	S_CHGR	ACTIONREASON_EFFRNGBEG	datetime		
trvexp	S_CHGR	ACTIONREASON_EFFRNGEND	datetime		
trvexp	S_CHGR	BUSINESSSUBJECT	char		200
trvexp	S_CHGR	DELETEFLAG	binary		16
trvexp	S_CHGR	UNIQUEID	binary		16
trvexp	S_CLBA	BANKACCOUNTCODE_EFFRNGBEG	datetime		
trvexp	S_CLBA	BANKACCOUNTCODE_EFFRNGEND	datetime		
trvexp	S_CLBA	CASHCODE	char		4
trvexp	S_CLBA	DELETEFLAG	binary		16
trvexp	S_CLBA	UNIQUEID	binary		16
trvexp	S_CLMG	ACCTCATEGORYGROUP	char		15
trvexp	S_CLMG	DEFAULTMCC	decimal		
trvexp	S_CLMG	DELETEFLAG	binary		16
trvexp	S_CLMG	EXPENSEGROUP	char		4
trvexp	S_CLMG	EXPENSEGROUP_EFFRNGBEG	datetime		
trvexp	S_CLMG	EXPENSEGROUP_EFFRNGEND	datetime		
trvexp	S_CLMG	EXPENSEGROUPCALENDAR	char		20
trvexp	S_CLMG	EXPENSEGROUPPERIODGROUP	char		20
trvexp	S_CLMG	UNIQUEID	binary		16
trvexp	S_CRED	BILLCURRENCY	char		5
trvexp	S_CRED	CCARDIMPORTDETAIL_EFFRNGBEG	datetime		
trvexp	S_CRED	CCARDIMPORTDETAIL_EFFRNGEND	datetime		
trvexp	S_CRED	CCICREDITCARDTYPE	char		10

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_CRED	CCITRANSACTIONNUMBER	char	80	
trvexp	S_CRED	CREDITCARDIMPORTDETAIL	decimal		
trvexp	S_CRED	DELETEFLAG	binary	16	
trvexp	S_CRED	EXPENSEGROUP	char	4	
trvexp	S_CRED	MERCHANTCATEGORYCODE	decimal		
trvexp	S_CRED	TRANSACTIONCURRENCY	char	5	
trvexp	S_CRED	UNIQUEID	binary	16	
trvexp	S_CREDD	BILLCURRENCY	char	5	
trvexp	S_CREDD	CCTRANSACTIONDETAIL_EFFRNGBEG	datetime		
trvexp	S_CREDD	CCTRANSACTIONDETAIL_EFFRNGEND	datetime		
trvexp	S_CREDD	CREDITCARDTRANSACTION	decimal		
trvexp	S_CREDD	CREDITCARDTRANSACTIONDETAIL	decimal		
trvexp	S_CREDD	DELETEFLAG	binary	16	
trvexp	S_CREDD	EXPENSECODE	char	15	
trvexp	S_CREDD	EXPENSEGROUP	char	4	
trvexp	S_CREDD	RESOURCE	int		
trvexp	S_CREDD	TRANSACTIONCURRENCY	char	5	
trvexp	S_CREDD	UNIQUEID	binary	16	
trvexp	S_CRSIM	CURRENCYSIMULATOR	char	10	
trvexp	S_CRSIM	CURRENCYSIMULATOR_EFFRNGBEG	datetime		
trvexp	S_CRSIM	CURRENCYSIMULATOR_EFFRNGEND	datetime		
trvexp	S_CRSIM	CURRENCYTABLE	char	12	
trvexp	S_CRSIM	DELETEFLAG	binary	16	
trvexp	S_CRSIM	ENTERPRISEGROUP	char	4	
trvexp	S_CRSIM	FROMCURRENCY	char	5	
trvexp	S_CRSIM	TCA1ENTEREDCURRENCYAMOUNT	decimal		
trvexp	S_CRSIM	TCA1ENTEREDCURRENCYRATE	decimal		
trvexp	S_CRSIM	TCA1TOCURRENCY	char	5	
trvexp	S_CRSIM	TCA2ENTEREDCURRENCYAMOUNT	decimal		
trvexp	S_CRSIM	TCA2ENTEREDCURRENCYRATE	decimal		
trvexp	S_CRSIM	TCA2TOCURRENCY	char	5	
trvexp	S_CRSIM	TCA3ENTEREDCURRENCYAMOUNT	decimal		
trvexp	S_CRSIM	TCA3ENTEREDCURRENCYRATE	decimal		
trvexp	S_CRSIM	TCA3TOCURRENCY	char	5	
trvexp	S_CRSIM	UNIQUEID	binary	16	
trvexp	S_CTXP	CONTEXTPROPERTY	binary	16	
trvexp	S_CTXP	CONTEXTPROPERTY_EFFRNGBEG	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_CTXP	CONTEXTPROPERTY_EFFRNGEND	datetime		
trvexp	S_CTXP	DATAAREA	char	14	
trvexp	S_CTXP	DELETEFLAG	binary	16	
trvexp	S_CTXP	KEYFIELD	char	200	
trvexp	S_EADC	DELETEFLAG	binary	16	
trvexp	S_EADC	EREQUESTCOMMENT_EFFRNGBEG	datetime		
trvexp	S_EADC	EREQUESTCOMMENT_EFFRNGEND	datetime		
trvexp	S_EADC	EXPENSEGROUP	char	4	
trvexp	S_EADC	EXPENSEREQUEST	decimal		
trvexp	S_EADC	EXPENSEREQUESTCOMMENT	decimal		
trvexp	S_EADC	RESOURCE	int		
trvexp	S_EADC	UNIQUEID	binary	16	
trvexp	S_EAIT	ACACCTCATEGORY	char	5	
trvexp	S_EAIT	ACCOUNTINGUNIT	char	15	
trvexp	S_EAIT	ACCTCATEGORYGROUP	char	15	
trvexp	S_EAIT	ACTIVITY	char	15	
trvexp	S_EAIT	CURRENCYTABLE	char	12	
trvexp	S_EAIT	DELETEFLAG	binary	16	
trvexp	S_EAIT	EXPENSECODE	char	15	
trvexp	S_EAIT	EXPENSEGROUP	char	4	
trvexp	S_EAIT	EXPENSEGROUPCALENDAR	char	20	
trvexp	S_EAIT	EXPENSEGROUPPERIODGROUP	char	20	
trvexp	S_EAIT	EXPENSEREQUEST	decimal		
trvexp	S_EAIT	EXPENSEREQUESTITEM	decimal		
trvexp	S_EAIT	EXPENSEREQUESTITEM_EFFRNGBEG	datetime		
trvexp	S_EAIT	EXPENSEREQUESTITEM_EFFRNGEND	datetime		
trvexp	S_EAIT	FROMCURRENCY	char	5	
trvexp	S_EAIT	GLCOMPANY	smallint		
trvexp	S_EAIT	ITINERARY	decimal		
trvexp	S_EAIT	LOCATION	char	30	
trvexp	S_EAIT	PAYTOCOMPANY	smallint		
trvexp	S_EAIT	RAENTEREDCURRENCYAMOUNT	decimal		
trvexp	S_EAIT	RAENTEREDCURRENCYRATE	decimal		
trvexp	S_EAIT	RATOCURRENCY	char	5	
trvexp	S_EAIT	RESOURCE	int		
trvexp	S_EAIT	RESOURCEACTIVITY	char	15	
trvexp	S_EAIT	TRANSACTIONCURRENCY	char	5	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_EAIT	TRANSACTIONDATE	datetime		
trvexp	S_EAIT	UNIQUEID	binary	16	
trvexp	S_EARR	DELETEFLAG	binary	16	
trvexp	S_EARR	EACCRUALREPORTRPT_EFFRNGBEG	datetime		
trvexp	S_EARR	EACCRUALREPORTRPT_EFFRNGEND	datetime		
trvexp	S_EARR	EARRBJBATCHJOBNAME	char	60	
trvexp	S_EARR	EARRBJBATCHUSERNAME	char	30	
trvexp	S_EARR	EARRBJRUNDATE	datetime		
trvexp	S_EARR	EARRBJRUNTIMESTAMP	datetime		
trvexp	S_EARR	EXPENSEGROUP	char	4	
trvexp	S_EARR	RESOURCE	int		
trvexp	S_EARR	UNIQUEID	binary	16	
trvexp	S_ECEC	BCAACCOUNT	int		
trvexp	S_ECEC	BCASUBACCOUNT	smallint		
trvexp	S_ECEC	DEFAULTACCOUNTINGUNIT	char	15	
trvexp	S_ECEC	DELETEFLAG	binary	16	
trvexp	S_ECEC	ECAACCOUNT	int		
trvexp	S_ECEC	ECASUBACCOUNT	smallint		
trvexp	S_ECEC	EXPENSECODE	char	15	
trvexp	S_ECEC	EXPENSECODEACCOUNT	decimal		
trvexp	S_ECEC	EXPENSECODEACCOUNT_EFFRNGBEG	datetime		
trvexp	S_ECEC	EXPENSECODEACCOUNT_EFFRNGEND	datetime		
trvexp	S_ECEC	EXPENSEGROUP	char	4	
trvexp	S_ECEC	GLCOMPANY	smallint		
trvexp	S_ECEC	UNIQUEID	binary	16	
trvexp	S_ECOM	DELETEFLAG	binary	16	
trvexp	S_ECOM	EREPORTCOMMENT_EFFRNGBEG	datetime		
trvexp	S_ECOM	EREPORTCOMMENT_EFFRNGEND	datetime		
trvexp	S_ECOM	EXPENSEGROUP	char	4	
trvexp	S_ECOM	EXPENSEREPORT	decimal		
trvexp	S_ECOM	EXPENSEREPORTCOMMENT	decimal		
trvexp	S_ECOM	RESOURCE	int		
trvexp	S_ECOM	UNIQUEID	binary	16	
trvexp	S_ECPC	DELETEFLAG	binary	16	
trvexp	S_ECPC	ECPCCOMPANY	smallint		
trvexp	S_ECPC	ECPCPCJOBCODE	char	9	
trvexp	S_ECPC	ECPCPCPAYCODE	char	4	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_ECPC	ECPCPCPROCESSLEVEL	char		5
trvexp	S_ECPC	EXPENSECODE	char		15
trvexp	S_ECPC	EXPENSECODEPAYCODE_EFFRNGBEG	datetime		
trvexp	S_ECPC	EXPENSECODEPAYCODE_EFFRNGEND	datetime		
trvexp	S_ECPC	EXPENSEGROUP	char		4
trvexp	S_ECPC	UNIQUEID	binary		16
trvexp	S_ECQL	DELETEFLAG	binary		16
trvexp	S_ECQL	ECODEQUESTIONLIST_EFFRNGBEG	datetime		
trvexp	S_ECQL	ECODEQUESTIONLIST_EFFRNGEND	datetime		
trvexp	S_ECQL	EXPENSECODE	char		15
trvexp	S_ECQL	EXPENSECODEQUESTION	decimal		
trvexp	S_ECQL	EXPENSECODEQUESTIONLIST	decimal		
trvexp	S_ECQL	EXPENSEGROUP	char		4
trvexp	S_ECQL	UNIQUEID	binary		16
trvexp	S_ECQR	DELETEFLAG	binary		16
trvexp	S_ECQR	ECODEQUESTIONRULE_EFFRNGBEG	datetime		
trvexp	S_ECQR	ECODEQUESTIONRULE_EFFRNGEND	datetime		
trvexp	S_ECQR	ERRORTYPE	tinyint		
trvexp	S_ECQR	EXPENSECODE	char		15
trvexp	S_ECQR	EXPENSECODEQUESTIONRULE	decimal		
trvexp	S_ECQR	EXPENSEGROUP	char		4
trvexp	S_ECQR	RULE	char		25
trvexp	S_ECQR	RULEACTION	char		1
trvexp	S_ECQR	UNIQUEID	binary		16
trvexp	S_ECQU	DELETEFLAG	binary		16
trvexp	S_ECQU	DISPLAYORDER	smallint		
trvexp	S_ECQU	EXPENSECODE	char		15
trvexp	S_ECQU	EXPENSECODEQUESTION	decimal		
trvexp	S_ECQU	EXPENSECODEQUESTION_EFFRNGBEG	datetime		
trvexp	S_ECQU	EXPENSECODEQUESTION_EFFRNGEND	datetime		
trvexp	S_ECQU	EXPENSEGROUP	char		4
trvexp	S_ECQU	UNIQUEID	binary		16
trvexp	S_EDCM	DELETEFLAG	binary		16
trvexp	S_EDCM	EDETAILCOMMENT_EFFRNGBEG	datetime		
trvexp	S_EDCM	EDETAILCOMMENT_EFFRNGEND	datetime		
trvexp	S_EDCM	EXPENSEDETAIL	decimal		
trvexp	S_EDCM	EXPENSEDETAILCOMMENT	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_EDCM	EXPENSEGROUP	char		4
trvexp	S_EDCM	EXPENSEREPORT	decimal		
trvexp	S_EDCM	RESOURCE	int		
trvexp	S_EDCM	UNIQUEID	binary		16
trvexp	S_EDFL	DELETEFLAG	binary		16
trvexp	S_EDFL	EXPENSEDISPLAY	char		10
trvexp	S_EDFL	EXPENSEDISPLAYFIELD	smallint		
trvexp	S_EDFL	EXPENSEDISPLAYFIELD_EFFRNGBEG	datetime		
trvexp	S_EDFL	EXPENSEDISPLAYFIELD_EFFRNGEND	datetime		
trvexp	S_EDFL	EXPENSEGROUP	char		4
trvexp	S_EDFL	UNIQUEID	binary		16
trvexp	S_EDRC	DELETEFLAG	binary		16
trvexp	S_EDRC	EDETAILRECEIPT_EFFRNGBEG	datetime		
trvexp	S_EDRC	EDETAILRECEIPT_EFFRNGEND	datetime		
trvexp	S_EDRC	EXPENSEDETAIL	decimal		
trvexp	S_EDRC	EXPENSEDETAILRECEIPT	decimal		
trvexp	S_EDRC	EXPENSEGROUP	char		4
trvexp	S_EDRC	EXPENSEREPORT	decimal		
trvexp	S_EDRC	RESOURCE	int		
trvexp	S_EDRC	UNIQUEID	binary		16
trvexp	S_EDSP	DELETEFLAG	binary		16
trvexp	S_EDSP	EXPENSEDISPLAY	char		10
trvexp	S_EDSP	EXPENSEDISPLAY_EFFRNGBEG	datetime		
trvexp	S_EDSP	EXPENSEDISPLAY_EFFRNGEND	datetime		
trvexp	S_EDSP	EXPENSEGROUP	char		4
trvexp	S_EDSP	RESOURCEGROUP	char		10
trvexp	S_EDSP	UNIQUEID	binary		16
trvexp	S_ELAT	DELETEFLAG	binary		16
trvexp	S_ELAT	EAATTENDEE	decimal		
trvexp	S_ELAT	EXPENSEATTENDEE_EFFRNGBEG	datetime		
trvexp	S_ELAT	EXPENSEATTENDEE_EFFRNGEND	datetime		
trvexp	S_ELAT	EXPENSEDETAIL	decimal		
trvexp	S_ELAT	EXPENSEGROUP	char		4
trvexp	S_ELAT	EXPENSEREPORT	decimal		
trvexp	S_ELAT	RESOURCE	int		
trvexp	S_ELAT	UNIQUEID	binary		16
trvexp	S_EMAC	CCOAGLAACCOUNTINGUNIT	char		15

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_EMAC	CCOAGLACAACCOUNT	int		
trvexp	S_EMAC	CCOAGLACASUBACCOUNT	smallint		
trvexp	S_EMAC	CCOAGLCOMPANY	smallint		
trvexp	S_EMAC	DELETEFLAG	binary		16
trvexp	S_EMAC	EAAACCOUNTINGUNIT	char		15
trvexp	S_EMAC	EAACAACCOUNT	int		
trvexp	S_EMAC	EAACASUBACCOUNT	smallint		
trvexp	S_EMAC	EOAGLAACCOUNTINGUNIT	char		15
trvexp	S_EMAC	EOAGLACAACCOUNT	int		
trvexp	S_EMAC	EOAGLACASUBACCOUNT	smallint		
trvexp	S_EMAC	EOAGLCOMPANY	smallint		
trvexp	S_EMAC	EXPENSEACCRUALCODE	decimal		
trvexp	S_EMAC	EXPENSEACCRUALCODE_EFFRNGBEG	datetime		
trvexp	S_EMAC	EXPENSEACCRUALCODE_EFFRNGEND	datetime		
trvexp	S_EMAC	EXPENSEGROUP	char		4
trvexp	S_EMAC	GLCOMPANY	smallint		
trvexp	S_EMAC	UNIQUEID	binary		16
trvexp	S_EMMA	DELETEFLAG	binary		16
trvexp	S_EMMA	EMAILMESSAGEQUEUE	binary		16
trvexp	S_EMMA	EMMESSAGEATTACHMENT_EFFRNGBEG	datetime		
trvexp	S_EMMA	EMMESSAGEATTACHMENT_EFFRNGEND	datetime		
trvexp	S_EMMA	SEQUENCE	int		
trvexp	S_EMMA	UNIQUEID	binary		16
trvexp	S_EMMC	DELETEFLAG	binary		16
trvexp	S_EMMC	EMAILMESSAGECONTENT_EFFRNGBEG	datetime		
trvexp	S_EMMC	EMAILMESSAGECONTENT_EFFRNGEND	datetime		
trvexp	S_EMMC	EMAILMESSAGEQUEUE	binary		16
trvexp	S_EMMC	SEQUENCE	int		
trvexp	S_EMMC	UNIQUEID	binary		16
trvexp	S_EMMQ	AUTHENTICATEDACTOR	char		30
trvexp	S_EMMQ	DELETEFLAG	binary		16
trvexp	S_EMMQ	EMAILMESSAGEQUEUE	binary		16
trvexp	S_EMMQ	EMAILMESSAGEQUEUE_EFFRNGBEG	datetime		
trvexp	S_EMMQ	EMAILMESSAGEQUEUE_EFFRNGEND	datetime		
trvexp	S_EMMQ	EXECUTETIME	datetime		
trvexp	S_EMMQ	STATUS	tinyint		
trvexp	S_ENTC	COMPANY	smallint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_ENTC	DEFAULTCOUNTRY	char	3	
trvexp	S_ENTC	DELETEFLAG	binary	16	
trvexp	S_ENTC	ENTERPRISECOMPANY_EFFRNGBEG	datetime		
trvexp	S_ENTC	ENTERPRISECOMPANY_EFFRNGEND	datetime		
trvexp	S_ENTC	ENTERPRISEGROUP	char	4	
trvexp	S_ENTC	UNIQUEID	binary	16	
trvexp	S_EPGRP	DEFAULTCOUNTRY	char	3	
trvexp	S_EPGRP	DELETEFLAG	binary	16	
trvexp	S_EPGRP	ENTERPRISEGROUP	char	4	
trvexp	S_EPGRP	ENTERPRISEGROUP_EFFRNGBEG	datetime		
trvexp	S_EPGRP	ENTERPRISEGROUP_EFFRNGEND	datetime		
trvexp	S_EPGRP	UNIQUEID	binary	16	
trvexp	S_EPO	ALERTNAME	char	100	
trvexp	S_EPO	DELETEFLAG	binary	16	
trvexp	S_EPO	ENPPERSONALOBJECT	char	100	
trvexp	S_EPO	ENPPERSONALOBJECT_EFFRNGBEG	datetime		
trvexp	S_EPO	ENPPERSONALOBJECT_EFFRNGEND	datetime		
trvexp	S_EPO	UNIQUEID	binary	16	
trvexp	S_ERAD	ATTENDEE	decimal		
trvexp	S_ERAD	DELETEFLAG	binary	16	
trvexp	S_ERAD	EREPORTATTENDEE_EFFRNGBEG	datetime		
trvexp	S_ERAD	EREPORTATTENDEE_EFFRNGEND	datetime		
trvexp	S_ERAD	EXPENSEGROUP	char	4	
trvexp	S_ERAD	EXPENSEREPORT	decimal		
trvexp	S_ERAD	RESOURCE	int		
trvexp	S_ERAD	UNIQUEID	binary	16	
trvexp	S_ERCT	DELETEFLAG	binary	16	
trvexp	S_ERCT	EXPENSEGROUP	char	4	
trvexp	S_ERCT	EXPENSERECEIPT	decimal		
trvexp	S_ERCT	EXPENSERECEIPT_EFFRNGBEG	datetime		
trvexp	S_ERCT	EXPENSERECEIPT_EFFRNGEND	datetime		
trvexp	S_ERCT	EXPENSEREPORT	decimal		
trvexp	S_ERCT	RESOURCE	int		
trvexp	S_ERCT	UNIQUEID	binary	16	
trvexp	S_ERDT	DELETEFLAG	binary	16	
trvexp	S_ERDT	EXPENSEGROUP	char	4	
trvexp	S_ERDT	EXPENSEREPORT	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_ERDT	EXPENSEREPORTDATE	datetime		
trvexp	S_ERDT	EXPENSEREPORTDATE_EFFRNGBEG	datetime		
trvexp	S_ERDT	EXPENSEREPORTDATE_EFFRNGEND	datetime		
trvexp	S_ERDT	RESOURCE	int		
trvexp	S_ERDT	UNIQUEID	binary		16
trvexp	S_ERFR	DELETEFLAG	binary		16
trvexp	S_ERFR	ERFINALREVIEWRULE_EFFRNGBEG	datetime		
trvexp	S_ERFR	ERFINALREVIEWRULE_EFFRNGEND	datetime		
trvexp	S_ERFR	EXPENSEDETAIL	decimal		
trvexp	S_ERFR	EXPENSEGROUP	char		4
trvexp	S_ERFR	EXPENSEREPORT	decimal		
trvexp	S_ERFR	EXPENSEREPORTFINALREVIEWRULE	decimal		
trvexp	S_ERFR	EXPENSEREPORTREVIEWRULE	decimal		
trvexp	S_ERFR	FINALREVIEWRULE	decimal		
trvexp	S_ERFR	RESOURCE	int		
trvexp	S_ERFR	UNIQUEID	binary		16
trvexp	S_ERFR	DELETEFLAG	binary		16
trvexp	S_ERFR	DESCRIPTION	char		60
trvexp	S_ERFR	ERFINALREVIEWRULE_EFFRNGBEG	datetime		
trvexp	S_ERFR	ERFINALREVIEWRULE_EFFRNGEND	datetime		
trvexp	S_ERFR	EXPENSEGROUP	char		4
trvexp	S_ERFR	EXPENSEREQUESTFINALREVIEWRULE	decimal		
trvexp	S_ERFR	RULE	char		25
trvexp	S_ERFR	UNIQUEID	binary		16
trvexp	S_ERIA	DELETEFLAG	binary		16
trvexp	S_ERIA	ECDTAAMOUNTANSWER	decimal		
trvexp	S_ERIA	ECDTADATEANSWER	datetime		
trvexp	S_ERIA	ECDTAFIVEDECIMALANSWER	decimal		
trvexp	S_ERIA	ECDTAFOURDECIMALANSWER	decimal		
trvexp	S_ERIA	ECDTAINTEGERANSWER	decimal		
trvexp	S_ERIA	ECDTALISTANSWER	decimal		
trvexp	S_ERIA	ECDTALONGTEXTANSWER	char		250
trvexp	S_ERIA	ECDTASHORTTEXTANSWER	char		60
trvexp	S_ERIA	ECDTATABLEANSWER1	char		60
trvexp	S_ERIA	ECDTATABLEANSWER10	char		60
trvexp	S_ERIA	ECDTATABLEANSWER2	char		60
trvexp	S_ERIA	ECDTATABLEANSWER3	char		60

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_ERIA	ECDTATABLEANSWER4	char	60	
trvexp	S_ERIA	ECDTATABLEANSWER5	char	60	
trvexp	S_ERIA	ECDTATABLEANSWER6	char	60	
trvexp	S_ERIA	ECDTATABLEANSWER7	char	60	
trvexp	S_ERIA	ECDTATABLEANSWER8	char	60	
trvexp	S_ERIA	ECDTATABLEANSWER9	char	60	
trvexp	S_ERIA	ECDTATHREEDECIMALANSWER	decimal		
trvexp	S_ERIA	ECDTAYESNOANSWER	tinyint		
trvexp	S_ERIA	EREQUESTITEMANSWER_EFFRNGBEG	datetime		
trvexp	S_ERIA	EREQUESTITEMANSWER_EFFRNGEND	datetime		
trvexp	S_ERIA	EXPENSECODEQUESTION	decimal		
trvexp	S_ERIA	EXPENSEGROUP	char	4	
trvexp	S_ERIA	EXPENSEREQUEST	decimal		
trvexp	S_ERIA	EXPENSEREQUESTITEM	decimal		
trvexp	S_ERIA	RESOURCE	int		
trvexp	S_ERIA	UNIQUEID	binary	16	
trvexp	S_ERIC	DELETEFLAG	binary	16	
trvexp	S_ERIC	EREQUESTITEMCOMMENT_EFFRNGBEG	datetime		
trvexp	S_ERIC	EREQUESTITEMCOMMENT_EFFRNGEND	datetime		
trvexp	S_ERIC	EXPENSEGROUP	char	4	
trvexp	S_ERIC	EXPENSEREQUEST	decimal		
trvexp	S_ERIC	EXPENSEREQUESTITEM	decimal		
trvexp	S_ERIC	EXPENSEREQUESTITEMCOMMENT	decimal		
trvexp	S_ERIC	RESOURCE	int		
trvexp	S_ERIC	UNIQUEID	binary	16	
trvexp	S_ERIFR	DELETEFLAG	binary	16	
trvexp	S_ERIFR	DESCRIPTION	char	60	
trvexp	S_ERIFR	ERIFINALREVIEWRULE_EFFRNGBEG	datetime		
trvexp	S_ERIFR	ERIFINALREVIEWRULE_EFFRNGEND	datetime		
trvexp	S_ERIFR	EXPENSEGROUP	char	4	
trvexp	S_ERIFR	EXPENSEREQITEMFINALREVIEWRULE	decimal		
trvexp	S_ERIFR	RULE	char	25	
trvexp	S_ERIFR	UNIQUEID	binary	16	
trvexp	S_ERIQR	DELETEFLAG	binary	16	
trvexp	S_ERIQR	EREQUESTITEMQUESTIONRULE	decimal		
trvexp	S_ERIQR	ERITEMQUESTIONRULE_EFFRNGBEG	datetime		
trvexp	S_ERIQR	ERITEMQUESTIONRULE_EFFRNGEND	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_ERIQR	ERRORTYPE	tinyint		
trvexp	S_ERIQR	EXPENSECODE	char	15	
trvexp	S_ERIQR	EXPENSEGROUP	char	4	
trvexp	S_ERIQR	RULE	char	25	
trvexp	S_ERIQR	RULEACTION	char	1	
trvexp	S_ERIQR	UNIQUEID	binary	16	
trvexp	S_ERIR	DELETEFLAG	binary	16	
trvexp	S_ERIR	EREQUESTITEMRULE_EFFRNGBEG	datetime		
trvexp	S_ERIR	EREQUESTITEMRULE_EFFRNGEND	datetime		
trvexp	S_ERIR	ERRORTYPE	tinyint		
trvexp	S_ERIR	EXPENSEGROUP	char	4	
trvexp	S_ERIR	EXPENSEREQUESTITEMRULE	decimal		
trvexp	S_ERIR	RULE	char	25	
trvexp	S_ERIR	RULEACTION	char	1	
trvexp	S_ERIR	UNIQUEID	binary	16	
trvexp	S_ERQA	DELETEFLAG	binary	16	
trvexp	S_ERQA	EREQUESTATTACHMENT_EFFRNGBEG	datetime		
trvexp	S_ERQA	EREQUESTATTACHMENT_EFFRNGEND	datetime		
trvexp	S_ERQA	EXPENSEGROUP	char	4	
trvexp	S_ERQA	EXPENSEREQUEST	decimal		
trvexp	S_ERQA	EXPENSEREQUESTATTACHMENT	decimal		
trvexp	S_ERQA	RESOURCE	int		
trvexp	S_ERQA	UNIQUEID	binary	16	
trvexp	S_ERQR	DELETEFLAG	binary	16	
trvexp	S_ERQR	EREQUESTREVIEWRULE_EFFRNGBEG	datetime		
trvexp	S_ERQR	EREQUESTREVIEWRULE_EFFRNGEND	datetime		
trvexp	S_ERQR	EXPENSEGROUP	char	4	
trvexp	S_ERQR	EXPENSEREQITEMFINALREVIEWRULE	decimal		
trvexp	S_ERQR	EXPENSEREQUEST	decimal		
trvexp	S_ERQR	EXPENSEREQUESTFINALREVIEWRULE	decimal		
trvexp	S_ERQR	EXPENSEREQUESTITEM	decimal		
trvexp	S_ERQR	EXPENSEREQUESTREVIEWRULE	decimal		
trvexp	S_ERQR	RESOURCE	int		
trvexp	S_ERQR	UNIQUEID	binary	16	
trvexp	S_ERRR	DELETEFLAG	binary	16	
trvexp	S_ERRR	DESCRIPTION	char	60	
trvexp	S_ERRR	EREPORTREVIEWRULE_EFFRNGBEG	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_ERRR	EREPORTREVIEWRULE_EFFRNGEND	datetime		
trvexp	S_ERRR	EXPENSEGROUP	char	4	
trvexp	S_ERRR	EXPENSEREPORTREVIEWRULE	decimal		
trvexp	S_ERRR	RULE	char	25	
trvexp	S_ERRR	UNIQUEID	binary	16	
trvexp	S_ERRV	DELETEFLAG	binary	16	
trvexp	S_ERRV	ERRULEVIOLATION_EFFRNGBEG	datetime		
trvexp	S_ERRV	ERRULEVIOLATION_EFFRNGEND	datetime		
trvexp	S_ERRV	EXPENSEGROUP	char	4	
trvexp	S_ERRV	EXPENSEREPORT	decimal		
trvexp	S_ERRV	EXPENSEREPORTRULEVIOLATION	decimal		
trvexp	S_ERRV	RESOURCE	int		
trvexp	S_ERRV	UNIQUEID	binary	16	
trvexp	S_EXAD	ACCOUNTINGUNIT	char	15	
trvexp	S_EXAD	ADVANCEDATE	datetime		
trvexp	S_EXAD	ARRESOURCE	int		
trvexp	S_EXAD	CURRENCY	char	5	
trvexp	S_EXAD	DELETEFLAG	binary	16	
trvexp	S_EXAD	DEPARTMENT	char	5	
trvexp	S_EXAD	DESCRIPTION	char	60	
trvexp	S_EXAD	DRBEGIN	datetime		
trvexp	S_EXAD	DREND	datetime		
trvexp	S_EXAD	EXPENSEGROUP	char	4	
trvexp	S_EXAD	EXPENSEREPORT	decimal		
trvexp	S_EXAD	EXPENSEREQUEST	decimal		
trvexp	S_EXAD	EXPENSEREQUEST_EFFRNGBEG	datetime		
trvexp	S_EXAD	EXPENSEREQUEST_EFFRNGEND	datetime		
trvexp	S_EXAD	EXPENSEREQUESTDISPLAY	char	10	
trvexp	S_EXAD	FARESOURCE	int		
trvexp	S_EXAD	GLCOMPANY	smallint		
trvexp	S_EXAD	PROCESSLEVEL	char	5	
trvexp	S_EXAD	RESOURCE	int		
trvexp	S_EXAD	SARESOURCE	int		
trvexp	S_EXAD	STATUS	smallint		
trvexp	S_EXAD	TARESOURCE	int		
trvexp	S_EXAD	UNIQUEID	binary	16	
trvexp	S_EXBU	DELETEFLAG	binary	16	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_EXBU	EGROUPBULLETIN_EFFRNGBEG	datetime		
trvexp	S_EXBU	EGROUPBULLETIN_EFFRNGEND	datetime		
trvexp	S_EXBU	EXPENSEGROUP	char	4	
trvexp	S_EXBU	EXPENSEGROUPBULLETIN	decimal		
trvexp	S_EXBU	UNIQUEID	binary		16
trvexp	S_EXCA	DELETEFLAG	binary		16
trvexp	S_EXCA	ECDTAAMOUNTANSWER	decimal		
trvexp	S_EXCA	ECDTADATEANSWER	datetime		
trvexp	S_EXCA	ECDTAFIVEDECIMALANSWER	decimal		
trvexp	S_EXCA	ECDTAFOURDECIMALANSWER	decimal		
trvexp	S_EXCA	ECDTAINTEGERANSWER	decimal		
trvexp	S_EXCA	ECDTALISTANSWER	decimal		
trvexp	S_EXCA	ECDTALONGTEXTANSWER	char	250	
trvexp	S_EXCA	ECDTASHORTTEXTANSWER	char	60	
trvexp	S_EXCA	ECDTATABLEANSWER1	char	60	
trvexp	S_EXCA	ECDTATABLEANSWER10	char	60	
trvexp	S_EXCA	ECDTATABLEANSWER2	char	60	
trvexp	S_EXCA	ECDTATABLEANSWER3	char	60	
trvexp	S_EXCA	ECDTATABLEANSWER4	char	60	
trvexp	S_EXCA	ECDTATABLEANSWER5	char	60	
trvexp	S_EXCA	ECDTATABLEANSWER6	char	60	
trvexp	S_EXCA	ECDTATABLEANSWER7	char	60	
trvexp	S_EXCA	ECDTATABLEANSWER8	char	60	
trvexp	S_EXCA	ECDTATABLEANSWER9	char	60	
trvexp	S_EXCA	ECDTATHREEDECIMALANSWER	decimal		
trvexp	S_EXCA	ECDTAYESNOANSWER	tinyint		
trvexp	S_EXCA	EXPENSECODEANSWER_EFFRNGBEG	datetime		
trvexp	S_EXCA	EXPENSECODEANSWER_EFFRNGEND	datetime		
trvexp	S_EXCA	EXPENSECODEQUESTION	decimal		
trvexp	S_EXCA	EXPENSEDETAIL	decimal		
trvexp	S_EXCA	EXPENSEGROUP	char	4	
trvexp	S_EXCA	EXPENSEREPORT	decimal		
trvexp	S_EXCA	RESOURCE	int		
trvexp	S_EXCA	UNIQUEID	binary		16
trvexp	S_EXCT	DELETEFLAG	binary		16
trvexp	S_EXCT	EXPENSECATEGORY	char	20	
trvexp	S_EXCT	EXPENSECATEGORY_EFFRNGBEG	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_EXCT	EXPENSECATEGORY_EFFRNGEND	datetime		
trvexp	S_EXCT	EXPENSEGROUP	char	4	
trvexp	S_EXCT	UNIQUEID	binary	16	
trvexp	S_EXPC	ACACCTCATEGORY	char	5	
trvexp	S_EXPC	DELETEFLAG	binary	16	
trvexp	S_EXPC	DESCRIPTION	char	60	
trvexp	S_EXPC	EXPENSECATEGORY	char	20	
trvexp	S_EXPC	EXPENSECODE	char	15	
trvexp	S_EXPC	EXPENSECODE_EFFRNGBEG	datetime		
trvexp	S_EXPC	EXPENSECODE_EFFRNGEND	datetime		
trvexp	S_EXPC	EXPENSEGROUP	char	4	
trvexp	S_EXPC	UNIQUEID	binary	16	
trvexp	S_EXPD	ACACCTCATEGORY	char	5	
trvexp	S_EXPD	ACCOUNTINGUNIT	char	15	
trvexp	S_EXPD	ACTIVITY	char	15	
trvexp	S_EXPD	BILLABLE	char	1	
trvexp	S_EXPD	CREDITCARDTRANSACTION	decimal		
trvexp	S_EXPD	CREDITCARDTRANSACTIONDETAIL	decimal		
trvexp	S_EXPD	CURRENCYTABLE	char	12	
trvexp	S_EXPD	DELETEFLAG	binary	16	
trvexp	S_EXPD	EXPENSECODE	char	15	
trvexp	S_EXPD	EXPENSEDETAIL	decimal		
trvexp	S_EXPD	EXPENSEDETAIL_EFFRNGBEG	datetime		
trvexp	S_EXPD	EXPENSEDETAIL_EFFRNGEND	datetime		
trvexp	S_EXPD	EXPENSEGROUP	char	4	
trvexp	S_EXPD	EXPENSEGROUPCALEDAR	char	20	
trvexp	S_EXPD	EXPENSEGROUPPERIODGROUP	char	20	
trvexp	S_EXPD	EXPENSEIMPORT	decimal		
trvexp	S_EXPD	EXPENSEREPORT	decimal		
trvexp	S_EXPD	EXPENSEREPORTDATE	datetime		
trvexp	S_EXPD	GLCOMPANY	smallint		
trvexp	S_EXPD	ITINERARY	decimal		
trvexp	S_EXPD	LOCATION	char	30	
trvexp	S_EXPD	PARENTEXPENSEDETAIL	decimal		
trvexp	S_EXPD	PAYTOCOMPANY	smallint		
trvexp	S_EXPD	PAYTOVENDOR	char	9	
trvexp	S_EXPD	RAENTEREDCURRENCYAMOUNT	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_EXPD	RAENTEREDCURRENCYRATE	decimal		
trvexp	S_EXPD	RATOCURRENCY	char	5	
trvexp	S_EXPD	REIMBURSEMENTCURRENCY	char	5	
trvexp	S_EXPD	RESOURCE	int		
trvexp	S_EXPD	RESOURCEACTIVITY	char	15	
trvexp	S_EXPD	TRANSACTIONCURRENCY	char	5	
trvexp	S_EXPD	TRANSACTIONDATE	datetime		
trvexp	S_EXPD	TRAVELLOCATION	char	30	
trvexp	S_EXPD	TRAVELTRANSACTION	decimal		
trvexp	S_EXPD	UNIQUEID	binary	16	
trvexp	S_EXPE	DELETEFLAG	binary	16	
trvexp	S_EXPE	EXPENSEDETAIL	decimal		
trvexp	S_EXPE	EXPENSEGROUP	char	4	
trvexp	S_EXPE	EXPENSEIMPORT	decimal		
trvexp	S_EXPE	EXPENSEIMPORT_EFFRNGBEG	datetime		
trvexp	S_EXPE	EXPENSEIMPORT_EFFRNGEND	datetime		
trvexp	S_EXPE	EXPENSEREPORT	decimal		
trvexp	S_EXPE	GLCOMPANY	smallint		
trvexp	S_EXPE	KEYWORD	char	25	
trvexp	S_EXPE	MOBILEEXPENSECODE	char	15	
trvexp	S_EXPE	RESOURCE	int		
trvexp	S_EXPE	TRANSACTIONCURRENCY	char	5	
trvexp	S_EXPE	TRANSACTIONDATE	datetime		
trvexp	S_EXPE	UNIQUEID	binary	16	
trvexp	S_EXPV	DELETEFLAG	binary	16	
trvexp	S_EXPV	ERRORTYPE	tinyint		
trvexp	S_EXPV	EXPENSEGROUP	char	4	
trvexp	S_EXPV	EXPENSEVALIDATION	decimal		
trvexp	S_EXPV	EXPENSEVALIDATION_EFFRNGBEG	datetime		
trvexp	S_EXPV	EXPENSEVALIDATION_EFFRNGEND	datetime		
trvexp	S_EXPV	RULE	char	25	
trvexp	S_EXPV	RULEACTION	char	1	
trvexp	S_EXPV	UNIQUEID	binary	16	
trvexp	S_EXRE	DELETEFLAG	binary	16	
trvexp	S_EXRE	EREIMBURSEMENT_EFFRNGBEG	datetime		
trvexp	S_EXRE	EREIMBURSEMENT_EFFRNGEND	datetime		
trvexp	S_EXRE	EXPENSEGROUP	char	4	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_EXRE	EXPENSEREIMBURSEMENT	decimal		
trvexp	S_EXRE	EXPENSEREPORT	decimal		
trvexp	S_EXRE	EXPENSEREQUEST	decimal		
trvexp	S_EXRE	PAYMENTCURRENCY	char	5	
trvexp	S_EXRE	RESOURCE	int		
trvexp	S_EXRE	UNIQUEID	binary	16	
trvexp	S_EXRP	ACACCTCATEGORY	char	5	
trvexp	S_EXRP	ACCOUNTINGUNITDEFAULT	char	15	
trvexp	S_EXRP	ACCTCATEGORYGROUP	char	15	
trvexp	S_EXRP	ACTIVITY	char	15	
trvexp	S_EXRP	ACTIVITYDEFAULT	char	15	
trvexp	S_EXRP	ARRESOURCE	int		
trvexp	S_EXRP	COPYANSWEREXPENSEDETAIL	decimal		
trvexp	S_EXRP	COPYEXPENSEDETAIL	decimal		
trvexp	S_EXRP	DELETEFLAG	binary	16	
trvexp	S_EXRP	DEPARTMENT	char	5	
trvexp	S_EXRP	DRBEGIN	datetime		
trvexp	S_EXRP	DREND	datetime		
trvexp	S_EXRP	EXPENSEGROUP	char	4	
trvexp	S_EXRP	EXPENSEREPORT	decimal		
trvexp	S_EXRP	EXPENSEREPORT_EFFRNGBEG	datetime		
trvexp	S_EXRP	EXPENSEREPORT_EFFRNGEND	datetime		
trvexp	S_EXRP	EXPENSEREPORTDISPLAY	char	10	
trvexp	S_EXRP	FARESOURCE	int		
trvexp	S_EXRP	GLCOMPANYDEFAULT	smallint		
trvexp	S_EXRP	LOCATIONDEFAULT	char	30	
trvexp	S_EXRP	PROCESSLEVEL	char	5	
trvexp	S_EXRP	REIMBURSEMENTCURRENCY	char	5	
trvexp	S_EXRP	RESOURCE	int		
trvexp	S_EXRP	SARESOURCE	int		
trvexp	S_EXRP	STATUS	smallint		
trvexp	S_EXRP	TRANSACTIONCURRENCYDEFAULT	char	5	
trvexp	S_EXRP	UNIQUEID	binary	16	
trvexp	S_EXRR	DELETEFLAG	binary	16	
trvexp	S_EXRR	ERRORTYPE	tinyint		
trvexp	S_EXRR	EXPENSEGROUP	char	4	
trvexp	S_EXRR	EXPENSEREQUESTRULE	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_EXRR	EXPENSEREQUESTRULE_EFFRNGBEG	datetime		
trvexp	S_EXRR	EXPENSEREQUESTRULE_EFFRNGEND	datetime		
trvexp	S_EXRR	RULE	char	25	
trvexp	S_EXRR	RULEACTION	char	1	
trvexp	S_EXRR	UNIQUEID	binary	16	
trvexp	S_EXRV	DELETEFLAG	binary	16	
trvexp	S_EXRV	EREPORTVALIDATION_EFFRNGBEG	datetime		
trvexp	S_EXRV	EREPORTVALIDATION_EFFRNGEND	datetime		
trvexp	S_EXRV	ERRORTYPE	tinyint		
trvexp	S_EXRV	EXPENSEGROUP	char	4	
trvexp	S_EXRV	EXPENSEREPORTVALIDATION	decimal		
trvexp	S_EXRV	RULE	char	25	
trvexp	S_EXRV	RULEACTION	char	1	
trvexp	S_EXRV	UNIQUEID	binary	16	
trvexp	S_EXTR	CURRENCYTABLE	char	12	
trvexp	S_EXTR	DELETEFLAG	binary	16	
trvexp	S_EXTR	EFFECTIVEDATE	datetime		
trvexp	S_EXTR	ETRANSACTIONRATE_EFFRNGBEG	datetime		
trvexp	S_EXTR	ETRANSACTIONRATE_EFFRNGEND	datetime		
trvexp	S_EXTR	EXPENSEGROUP	char	4	
trvexp	S_EXTR	EXPENSEREPORT	decimal		
trvexp	S_EXTR	EXPENSETRANSACTIONRATE	decimal		
trvexp	S_EXTR	FROMCURRENCY	char	5	
trvexp	S_EXTR	RAENTEREDCURRENCYAMOUNT	decimal		
trvexp	S_EXTR	RAENTEREDCURRENCYRATE	decimal		
trvexp	S_EXTR	RATOCURRENCY	char	5	
trvexp	S_EXTR	RESOURCE	int		
trvexp	S_EXTR	UNIQUEID	binary	16	
trvexp	S_EXWS	DELETEFLAG	binary	16	
trvexp	S_EXWS	EXPENSECODE	char	15	
trvexp	S_EXWS	EXPENSEGROUP	char	4	
trvexp	S_EXWS	EXPENSEREPORT	decimal		
trvexp	S_EXWS	EXPENSEREPORTDATE	datetime		
trvexp	S_EXWS	EXPENSEWORKSHEET	decimal		
trvexp	S_EXWS	EXPENSEWORKSHEET_EFFRNGBEG	datetime		
trvexp	S_EXWS	EXPENSEWORKSHEET_EFFRNGEND	datetime		
trvexp	S_EXWS	GLCOMPANY	smallint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_EXWS	RESOURCE	int		
trvexp	S_EXWS	TRANSACTIONCURRENCY	char	5	
trvexp	S_EXWS	UNIQUEID	binary	16	
trvexp	S_FRR	DELETEFLAG	binary	16	
trvexp	S_FRR	DESCRIPTION	char	60	
trvexp	S_FRR	EXPENSEGROUP	char	4	
trvexp	S_FRR	FINALREVIEWRULE	decimal		
trvexp	S_FRR	FINALREVIEWRULE_EFFRNGBEG	datetime		
trvexp	S_FRR	FINALREVIEWRULE_EFFRNGEND	datetime		
trvexp	S_FRR	RULE	char	25	
trvexp	S_FRR	UNIQUEID	binary	16	
trvexp	S_INTE	COMPANY	smallint		
trvexp	S_INTE	DELETEFLAG	binary	16	
trvexp	S_INTE	INTERFACEEMPLOYEE	int		
trvexp	S_INTE	INTERFACEEMPLOYEE_EFFRNGBEG	datetime		
trvexp	S_INTE	INTERFACEEMPLOYEE_EFFRNGEND	datetime		
trvexp	S_INTE	UNIQUEID	binary	16	
trvexp	S_ITAL	DELETEFLAG	binary	16	
trvexp	S_ITAL	EXPENSECODE	char	15	
trvexp	S_ITAL	EXPENSEDETAIL	decimal		
trvexp	S_ITAL	EXPENSEGROUP	char	4	
trvexp	S_ITAL	EXPENSEREPORT	decimal		
trvexp	S_ITAL	EXPENSEREQUEST	decimal		
trvexp	S_ITAL	EXPENSEREQUESTITEM	decimal		
trvexp	S_ITAL	GLCOMPANY	smallint		
trvexp	S_ITAL	ITINERARY	decimal		
trvexp	S_ITAL	ITINERARYALLOWANCE	decimal		
trvexp	S_ITAL	ITINERARYALLOWANCE_EFFRNGBEG	datetime		
trvexp	S_ITAL	ITINERARYALLOWANCE_EFFRNGEND	datetime		
trvexp	S_ITAL	LOCATION	char	30	
trvexp	S_ITAL	RESOURCE	int		
trvexp	S_ITAL	SEARCHLOCATION	char	30	
trvexp	S_ITAL	UNIQUEID	binary	16	
trvexp	S_ITIN	BEGIN	datetime		
trvexp	S_ITIN	DELETEFLAG	binary	16	
trvexp	S_ITIN	DESTINATION	char	30	
trvexp	S_ITIN	EXPENSEDETAIL	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_ITIN	EXPENSEGROUP	char		4
trvexp	S_ITIN	EXPENSEREPORT	decimal		
trvexp	S_ITIN	EXPENSEREQUEST	decimal		
trvexp	S_ITIN	ITINERARY	decimal		
trvexp	S_ITIN	ITINERARY_EFFRNGBEG	datetime		
trvexp	S_ITIN	ITINERARY_EFFRNGEND	datetime		
trvexp	S_ITIN	RESOURCE	int		
trvexp	S_ITIN	STARTINGLOCATION	char		30
trvexp	S_ITIN	UNIQUEID	binary		16
trvexp	S_ITND	ARRIVALLOCATION	char		30
trvexp	S_ITND	DELETEFLAG	binary		16
trvexp	S_ITND	DEPARTURELOCATION	char		30
trvexp	S_ITND	EXPENSEGROUP	char		4
trvexp	S_ITND	ITINERARY	decimal		
trvexp	S_ITND	ITINERARYDETAIL	decimal		
trvexp	S_ITND	ITINERARYDETAIL_EFFRNGBEG	datetime		
trvexp	S_ITND	ITINERARYDETAIL_EFFRNGEND	datetime		
trvexp	S_ITND	RESOURCE	int		
trvexp	S_ITND	UNIQUEID	binary		16
trvexp	S_LCM	DELETEFLAG	binary		16
trvexp	S_LCM	LAWSONCLASSICMESSAGEGROUP	binary		16
trvexp	S_LCM	LCLASSICMESSAGE_EFFRNGBEG	datetime		
trvexp	S_LCM	LCLASSICMESSAGE_EFFRNGEND	datetime		
trvexp	S_LCM	SEQUENCE	int		
trvexp	S_LCM	TOKEN	char		7
trvexp	S_LCM	UNIQUEID	binary		16
trvexp	S_LCMG	AUTHENTICATEDACTOR	char		30
trvexp	S_LCMG	DELETEFLAG	binary		16
trvexp	S_LCMG	EXECUTETIME	datetime		
trvexp	S_LCMG	LAWSONCLASSICMESSAGEGROUP	binary		16
trvexp	S_LCMG	LCMESSAGEGROUP_EFFRNGBEG	datetime		
trvexp	S_LCMG	LCMESSAGEGROUP_EFFRNGEND	datetime		
trvexp	S_LCMG	STATUS	tinyint		
trvexp	S_LCMR	DELETEFLAG	binary		16
trvexp	S_LCMR	LAWSONCLASSICMESSAGEGROUP	binary		16
trvexp	S_LCMR	LCMESSAGEREFERENCE_EFFRNGBEG	datetime		
trvexp	S_LCMR	LCMESSAGEREFERENCE_EFFRNGEND	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_LCMR	REFERENCESEQUENCE	int		
trvexp	S_LCMR	SEQUENCE	int		
trvexp	S_LCMR	UNIQUEID	binary	16	
trvexp	S_LCMV	DELETEFLAG	binary	16	
trvexp	S_LCMV	LAWSONCLASSICMESSAGEGROUP	binary	16	
trvexp	S_LCMV	LCMESSAGEVARIABLE_EFFRNGBEG	datetime		
trvexp	S_LCMV	LCMESSAGEVARIABLE_EFFRNGEND	datetime		
trvexp	S_LCMV	SEQUENCE	int		
trvexp	S_LCMV	UNIQUEID	binary	16	
trvexp	S_LCMV	VARIABLENAME	char	30	
trvexp	S_LOCA	DELETEFLAG	binary	16	
trvexp	S_LOCA	EXPENSEGROUP	char	4	
trvexp	S_LOCA	LOCATION	char	30	
trvexp	S_LOCA	LOCATION_EFFRNGBEG	datetime		
trvexp	S_LOCA	LOCATION_EFFRNGEND	datetime		
trvexp	S_LOCA	PARENTLOCATION	char	30	
trvexp	S_LOCA	UNIQUEID	binary	16	
trvexp	S_M3M	DELETEFLAG	binary	16	
trvexp	S_M3M	M3MESSAGE_EFFRNGBEG	datetime		
trvexp	S_M3M	M3MESSAGE_EFFRNGEND	datetime		
trvexp	S_M3M	M3MESSAGEGROUP	binary	16	
trvexp	S_M3M	PROGRAM	char	25	
trvexp	S_M3M	SEQUENCE	int		
trvexp	S_M3M	UNIQUEID	binary	16	
trvexp	S_M3MG	AUTHENTICATEDACTOR	char	30	
trvexp	S_M3MG	DELETEFLAG	binary	16	
trvexp	S_M3MG	EXECUTETIME	datetime		
trvexp	S_M3MG	M3MESSAGEGROUP	binary	16	
trvexp	S_M3MG	M3MESSAGEGROUP_EFFRNGBEG	datetime		
trvexp	S_M3MG	M3MESSAGEGROUP_EFFRNGEND	datetime		
trvexp	S_M3MG	STATUS	tinyint		
trvexp	S_M3MR	DELETEFLAG	binary	16	
trvexp	S_M3MR	M3MESSAGEGROUP	binary	16	
trvexp	S_M3MR	M3MESSAGEREERENCE_EFFRNGBEG	datetime		
trvexp	S_M3MR	M3MESSAGEREERENCE_EFFRNGEND	datetime		
trvexp	S_M3MR	REFERENCESEQUENCE	int		
trvexp	S_M3MR	SEQUENCE	int		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_M3MR	UNIQUEID	binary		16
trvexp	S_M3MV	DELETEFLAG	binary		16
trvexp	S_M3MV	M3MESSAGEGROUP	binary		16
trvexp	S_M3MV	M3MESSAGEVARIABLE_EFFRNGBEG	datetime		
trvexp	S_M3MV	M3MESSAGEVARIABLE_EFFRNGEND	datetime		
trvexp	S_M3MV	SEQUENCE	int		
trvexp	S_M3MV	UNIQUEID	binary		16
trvexp	S_M3MV	VARIABLENAME	char		30
trvexp	S_MEC	DELETEFLAG	binary		16
trvexp	S_MEC	EXPENSECODE	char		15
trvexp	S_MEC	EXPENSEGROUP	char		4
trvexp	S_MEC	MOBILEEXPENSECODE_EFFRNGBEG	datetime		
trvexp	S_MEC	MOBILEEXPENSECODE_EFFRNGEND	datetime		
trvexp	S_MEC	UNIQUEID	binary		16
trvexp	S_MERC	DELETEFLAG	binary		16
trvexp	S_MERC	EXPENSECODE	char		15
trvexp	S_MERC	EXPENSEGROUP	char		4
trvexp	S_MERC	MCATEGORYCODE_EFFRNGBEG	datetime		
trvexp	S_MERC	MCATEGORYCODE_EFFRNGEND	datetime		
trvexp	S_MERC	MERCHANTCATEGORYCODE	decimal		
trvexp	S_MERC	UNIQUEID	binary		16
trvexp	S_MILE	DELETEFLAG	binary		16
trvexp	S_MILE	EXPENSECODE	char		15
trvexp	S_MILE	EXPENSEGROUP	char		4
trvexp	S_MILE	EXPENSEREPORT	decimal		
trvexp	S_MILE	GLCOMPANY	smallint		
trvexp	S_MILE	MILEAGE	decimal		
trvexp	S_MILE	MILEAGE_EFFRNGBEG	datetime		
trvexp	S_MILE	MILEAGE_EFFRNGEND	datetime		
trvexp	S_MILE	RESOURCE	int		
trvexp	S_MILE	TRAVELDATE	datetime		
trvexp	S_MILE	UNIQUEID	binary		16
trvexp	S_NONE	ACCOUNTINGUNIT	char		15
trvexp	S_NONE	CURRENCYCODE	char		5
trvexp	S_NONE	DELETEFLAG	binary		16
trvexp	S_NONE	DEPARTMENT	char		5
trvexp	S_NONE	EXPENSEGROUP	char		4

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_NONE	GLCOMPANY	smallint		
trvexp	S_NONE	NONEMPLOYEE	decimal		
trvexp	S_NONE	NONEMPLOYEE_EFFRNGBEG	datetime		
trvexp	S_NONE	NONEMPLOYEE_EFFRNGEND	datetime		
trvexp	S_NONE	PROCESSLEVEL	char	5	
trvexp	S_NONE	SUPERVISOR	int		
trvexp	S_NONE	SUPERVISOR2	int		
trvexp	S_NONE	UNIQUEID	binary	16	
trvexp	S_PDIM	CURRENCY	char	5	
trvexp	S_PDIM	DELETEFLAG	binary	16	
trvexp	S_PDIM	EXPENSEGROUP	char	4	
trvexp	S_PDIM	PERDIEMIMPORT	decimal		
trvexp	S_PDIM	PERDIEMIMPORT_EFFRNGBEG	datetime		
trvexp	S_PDIM	PERDIEMIMPORT_EFFRNGEND	datetime		
trvexp	S_PDIM	UNIQUEID	binary	16	
trvexp	S_PDSC	DEFAULTCURRENCY	char	5	
trvexp	S_PDSC	DELETEFLAG	binary	16	
trvexp	S_PDSC	EXPENSEGROUP	char	4	
trvexp	S_PDSC	PERDIEMSCHEDULE	decimal		
trvexp	S_PDSC	PERDIEMSCHEDULE_EFFRNGBEG	datetime		
trvexp	S_PDSC	PERDIEMSCHEDULE_EFFRNGEND	datetime		
trvexp	S_PDSC	UNIQUEID	binary	16	
trvexp	S_PDWZ	DELETEFLAG	binary	16	
trvexp	S_PDWZ	EXPENSECODE1	char	15	
trvexp	S_PDWZ	EXPENSECODE2	char	15	
trvexp	S_PDWZ	EXPENSEGROUP	char	4	
trvexp	S_PDWZ	PERDIEMWIZARD	decimal		
trvexp	S_PDWZ	PERDIEMWIZARD_EFFRNGBEG	datetime		
trvexp	S_PDWZ	PERDIEMWIZARD_EFFRNGEND	datetime		
trvexp	S_PDWZ	UNIQUEID	binary	16	
trvexp	S_PEIE	CURRENCY	char	5	
trvexp	S_PEIE	DELETEFLAG	binary	16	
trvexp	S_PEIE	DRBEGIN	datetime		
trvexp	S_PEIE	DREND	datetime		
trvexp	S_PEIE	EXPENSECODE	char	15	
trvexp	S_PEIE	EXPENSEGROUP	char	4	
trvexp	S_PEIE	LOCATION	char	30	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_PEIE	PERDIEM	decimal		
trvexp	S_PEIE	PERDIEM_EFFRNGBEG	datetime		
trvexp	S_PEIE	PERDIEM_EFFRNGEND	datetime		
trvexp	S_PEIE	PERDIEMSCHEDULE	decimal		
trvexp	S_PEIE	UNIQUEID	binary	16	
trvexp	S_PFFO	DELETEFLAG	binary	16	
trvexp	S_PFFO	PROCESSFLOWFOLDER_EFFRNGBEG	datetime		
trvexp	S_PFFO	PROCESSFLOWFOLDER_EFFRNGEND	datetime		
trvexp	S_PFFO	PROCESSFLOWQUEUE	binary	16	
trvexp	S_PFFO	SEQUENCE	int		
trvexp	S_PFFO	UNIQUEID	binary	16	
trvexp	S_PFQU	AUTHENTICATEDACTOR	char	30	
trvexp	S_PFQU	DELETEFLAG	binary	16	
trvexp	S_PFQU	EXECUTETIME	datetime		
trvexp	S_PFQU	PROCESSFLOWQUEUE	binary	16	
trvexp	S_PFQU	PROCESSFLOWQUEUE_EFFRNGBEG	datetime		
trvexp	S_PFQU	PROCESSFLOWQUEUE_EFFRNGEND	datetime		
trvexp	S_PFQU	STATUS	tinyint		
trvexp	S_PFVA	DELETEFLAG	binary	16	
trvexp	S_PFVA	PROCESSFLOWQUEUE	binary	16	
trvexp	S_PFVA	PROCESSFLOWVARIABLE_EFFRNGBEG	datetime		
trvexp	S_PFVA	PROCESSFLOWVARIABLE_EFFRNGEND	datetime		
trvexp	S_PFVA	SEQUENCE	int		
trvexp	S_PFVA	UNIQUEID	binary	16	
trvexp	S_PRNT	ACTOR	char	30	
trvexp	S_PRNT	DELETEFLAG	binary	16	
trvexp	S_PRNT	PARENTAGENT	binary	16	
trvexp	S_PRNT	PARENTAGENT_EFFRNGBEG	datetime		
trvexp	S_PRNT	PARENTAGENT_EFFRNGEND	datetime		
trvexp	S_RCAR	CARCONFIGURATION	decimal		
trvexp	S_RCAR	DELETEFLAG	binary	16	
trvexp	S_RCAR	EXPENSEGROUP	char	4	
trvexp	S_RCAR	RESOURCE	int		
trvexp	S_RCAR	RESOURCECAR	decimal		
trvexp	S_RCAR	RESOURCECAR_EFFRNGBEG	datetime		
trvexp	S_RCAR	RESOURCECAR_EFFRNGEND	datetime		
trvexp	S_RCAR	RESOURCEGROUP	char	10	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_RCAR	UNIQUEID	binary		16
trvexp	S_RCRD	ACCOUNTNUMBERLASTFOURDIGITS	char		4
trvexp	S_RCRD	CREDITCARDTYPE	char		10
trvexp	S_RCRD	DELETEFLAG	binary		16
trvexp	S_RCRD	EXPENSEGROUP	char		4
trvexp	S_RCRD	LASTFOURDIGITS	char		4
trvexp	S_RCRD	RESOURCE	int		
trvexp	S_RCRD	RESOURCECREDITCARD	decimal		
trvexp	S_RCRD	RESOURCECREDITCARD_EFFRNGBEG	datetime		
trvexp	S_RCRD	RESOURCECREDITCARD_EFFRNGEND	datetime		
trvexp	S_RCRD	UNIQUEID	binary		16
trvexp	S_RES0	APCOMPANY	smallint		
trvexp	S_RES0	APPROCLEV	char		5
trvexp	S_RES0	CARCONFIGURATION	decimal		
trvexp	S_RES0	COMPANY	smallint		
trvexp	S_RES0	DEFAULTACCOUNTINGUNIT	char		15
trvexp	S_RES0	DEFAULTSTARTINGLOCATION	char		30
trvexp	S_RES0	DELETEFLAG	binary		16
trvexp	S_RES0	DERIVEDCARCONFIGURATION	decimal		
trvexp	S_RES0	DERIVEDEXPENSEREPORTDISPLAY	char		10
trvexp	S_RES0	DERIVEDEXPENSEREQUESTDISPLAY	char		10
trvexp	S_RES0	DERIVEDPERDIEMSCHEDULE	decimal		
trvexp	S_RES0	DERIVEDPERDIEMWIZARD	decimal		
trvexp	S_RES0	EMPLOYEE	int		
trvexp	S_RES0	EXPENSEGROUP	char		4
trvexp	S_RES0	EXPENSEREPORTDISPLAY	char		10
trvexp	S_RES0	EXPENSEREQUESTDISPLAY	char		10
trvexp	S_RES0	GLCOMPANY	smallint		
trvexp	S_RES0	NONEMPLOYEE	decimal		
trvexp	S_RES0	OVERRIDEAPPROVERONE	int		
trvexp	S_RES0	OVERRIDEAPPROVERTWO	int		
trvexp	S_RES0	PERDIEMSCHEDULE	decimal		
trvexp	S_RES0	PERDIEMWIZARD	decimal		
trvexp	S_RES0	RESOURCE	int		
trvexp	S_RES0	RESOURCE_EFFRNGBEG	datetime		
trvexp	S_RES0	RESOURCE_EFFRNGEND	datetime		
trvexp	S_RES0	RESOURCECURRENCY	char		5

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_RES0	RESOURCEGROUP	char	10	
trvexp	S_RES0	RESOURCEMANAGER	int		
trvexp	S_RES0	RESOURCETYPE	smallint		
trvexp	S_RES0	UNIQUEID	binary	16	
trvexp	S_RES0	VENDOR	char	9	
trvexp	S_RES1	BATCHNUMBER	int		
trvexp	S_RES1	COMPANY	smallint		
trvexp	S_RES1	DELETEFLAG	binary	16	
trvexp	S_RES1	EMPLOYEE	int		
trvexp	S_RES1	ERRORMESSAGE	char	150	
trvexp	S_RES1	EXPENSEGROUP	char	4	
trvexp	S_RES1	RESOURCEIMPORT_EFFRNGBEG	datetime		
trvexp	S_RES1	RESOURCEIMPORT_EFFRNGEND	datetime		
trvexp	S_RES1	UNIQUEID	binary	16	
trvexp	S_RES0	ACTIVE	char	1	
trvexp	S_RES0	ACTIVITY	char	15	
trvexp	S_RES0	DELETEFLAG	binary	16	
trvexp	S_RES0	EXPENSEGROUP	char	4	
trvexp	S_RES0	RESOURCE	int		
trvexp	S_RES0	RESOURCEACTIVITY	char	15	
trvexp	S_RES0	RESOURCEACTIVITY_EFFRNGBEG	datetime		
trvexp	S_RES0	RESOURCEACTIVITY_EFFRNGEND	datetime		
trvexp	S_RES0	UNIQUEID	binary	16	
trvexp	S_RULE	DELETEFLAG	binary	16	
trvexp	S_RULE	PARENTRULEONTOLOGY	int		
trvexp	S_RULE	RULEELEMENT	decimal		
trvexp	S_RULE	RULEONTOLOGY	int		
trvexp	S_RULE	RULEONTOLOGY_EFFRNGBEG	datetime		
trvexp	S_RULE	RULEONTOLOGY_EFFRNGEND	datetime		
trvexp	S_RULE	UNIQUEID	binary	16	
trvexp	S_SAAA	DELETEFLAG	binary	16	
trvexp	S_SAAA	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SAAA	SAASUBACTIVITY	char	20	
trvexp	S_SAAA	SASSIGNEDACTIVITY_EFFRNGBEG	datetime		
trvexp	S_SAAA	SASSIGNEDACTIVITY_EFFRNGEND	datetime		
trvexp	S_SAAA	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SAAA	STUDENTACTIVITYRECEIPT	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SAAA	STUDENTACTIVITYRECEIPTDETAIL	smallint		
trvexp	S_SAAA	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SAAA	STUDENTFIRSTNAME	char	20	
trvexp	S_SAAA	STUDENTLASTNAME	char	30	
trvexp	S_SAAA	STUDENTRECORD	decimal		
trvexp	S_SAAA	UNIQUEID	binary	16	
trvexp	S_SAAB	DELETEFLAG	binary	16	
trvexp	S_SAAB	PARENTSTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SAAB	SACPPERIOD	smallint		
trvexp	S_SAAB	SACPYEAR	decimal		
trvexp	S_SAAB	SACTIVITYBALANCE_EFFRNGBEG	datetime		
trvexp	S_SAAB	SACTIVITYBALANCE_EFFRNGEND	datetime		
trvexp	S_SAAB	STUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SAAB	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SAAB	STUDENTACTIVITYTYPE	smallint		
trvexp	S_SAAB	SYSTEMCALENDAR	char	20	
trvexp	S_SAAB	SYSTEMCALENDARPERIODGROUP	char	20	
trvexp	S_SAAB	UNIQUEID	binary	16	
trvexp	S_SAAC	DELETEFLAG	binary	16	
trvexp	S_SAAC	GLAACCOUNTINGUNIT	char	15	
trvexp	S_SAAC	GLACAACCOUNT	int		
trvexp	S_SAAC	GLACASUBACCOUNT	smallint		
trvexp	S_SAAC	GLCOMPANY	smallint		
trvexp	S_SAAC	PARENTSTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SAAC	SACTIVITYACCOUNT_EFFRNGBEG	datetime		
trvexp	S_SAAC	SACTIVITYACCOUNT_EFFRNGEND	datetime		
trvexp	S_SAAC	STUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SAAC	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SAAC	UNIQUEID	binary	16	
trvexp	S_SAAD	DELETEFLAG	binary	16	
trvexp	S_SAAD	SAACTIVITYDETAIL_EFFRNGBEG	datetime		
trvexp	S_SAAD	SAACTIVITYDETAIL_EFFRNGEND	datetime		
trvexp	S_SAAD	SAADPOSTDATE	datetime		
trvexp	S_SAAD	SAADPOSTTIME	decimal		
trvexp	S_SAAD	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SAAD	SAASUBACTIVITY	char	20	
trvexp	S_SAAD	STUDENTACTIVITYDISTRICT	char	4	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SAAD	STUDENTACTIVITYSCHOOL	char		20
trvexp	S_SAAD	STUDENTRECORD	decimal		
trvexp	S_SAAD	UNIQUEID	binary		16
trvexp	S_SABA	BAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SABA	BAASUBACTIVITY	char		20
trvexp	S_SABA	BTASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SABA	BTASUBACTIVITY	char		20
trvexp	S_SABA	CHECKDOCUMENTTEMPLATE	int		
trvexp	S_SABA	DELETEFLAG	binary		16
trvexp	S_SABA	NSFASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SABA	NSFASUBACTIVITY	char		20
trvexp	S_SABA	RVASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SABA	RVASUBACTIVITY	char		20
trvexp	S_SABA	SABANKACCOUNT_EFFRNGBEG	datetime		
trvexp	S_SABA	SABANKACCOUNT_EFFRNGEND	datetime		
trvexp	S_SABA	STUDENTACTIVITYBANKACCOUNT	char		15
trvexp	S_SABA	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SABA	STUDENTACTIVITYSCHOOL	char		20
trvexp	S_SABA	UNIQUEID	binary		16
trvexp	S_SABD	DELETEFLAG	binary		16
trvexp	S_SABD	PARENTSTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SABD	SABALANCEDetail_EFFRNGBEG	datetime		
trvexp	S_SABD	SABALANCEDetail_EFFRNGEND	datetime		
trvexp	S_SABD	SACPPERIOD	smallint		
trvexp	S_SABD	SACPYEAR	decimal		
trvexp	S_SABD	STUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SABD	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SABD	STUDENTACTIVITYSCHOOL	char		20
trvexp	S_SABD	STUDENTACTIVITYTYPE	smallint		
trvexp	S_SABD	SYSTEMCALENDAR	char		20
trvexp	S_SABD	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	S_SABD	UNIQUEID	binary		16
trvexp	S_SABS	BAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SABS	BAASUBACTIVITY	char		20
trvexp	S_SABS	DELETEFLAG	binary		16
trvexp	S_SABS	PPPERIOD	smallint		
trvexp	S_SABS	PPYEAR	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SABS	SABANKSTATEMENT_EFFRNGBEG	datetime		
trvexp	S_SABS	SABANKSTATEMENT_EFFRNGEND	datetime		
trvexp	S_SABS	SCHOOLCALENDAR	char	20	
trvexp	S_SABS	SCHOOLCALENDARPERIODGROUP	char	20	
trvexp	S_SABS	STATEMENTDATE	datetime		
trvexp	S_SABS	STUDENTACTIVITYBANKACCOUNT	char	15	
trvexp	S_SABS	STUDENTACTIVITYBANKSTATEMENT	decimal		
trvexp	S_SABS	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SABS	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SABS	UNIQUEID	binary	16	
trvexp	S_SABT	APINCCODE	char	4	
trvexp	S_SABT	BANKTRANSACTIONTYPE	smallint		
trvexp	S_SABT	DELETEFLAG	binary	16	
trvexp	S_SABT	NSFFASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SABT	NSFFASUBACTIVITY	char	20	
trvexp	S_SABT	NSFREDEPOSITRECEIPTNUMBER	decimal		
trvexp	S_SABT	NSFRELATEDRECEIPTRECORD	decimal		
trvexp	S_SABT	NSFSTUDENTRECORD	decimal		
trvexp	S_SABT	OTVACOUNTRY	char	3	
trvexp	S_SABT	OTVACOUNTY	char	30	
trvexp	S_SABT	OTVADAADDRESSLINE1	char	40 *	
trvexp	S_SABT	OTVADAADDRESSLINE2	char	40 *	
trvexp	S_SABT	OTVADAADDRESSLINE3	char	40 *	
trvexp	S_SABT	OTVADAADDRESSLINE4	char	40 *	
trvexp	S_SABT	OTVAMUNICIPALITY	char	30	
trvexp	S_SABT	OTVAPOSTALCODE	char	10	
trvexp	S_SABT	OTVAREGION	char	2	
trvexp	S_SABT	OTVASTATEPROVINCE	char	3	
trvexp	S_SABT	OTVATYPE	tinyint		
trvexp	S_SABT	RBSSACTIVITYBANKSTATEMENT	decimal		
trvexp	S_SABT	SABANKTRANSACTION_EFFRNGBEG	datetime		
trvexp	S_SABT	SABANKTRANSACTION_EFFRNGEND	datetime		
trvexp	S_SABT	SACTIVITYBANKTRANSACTION	decimal		
trvexp	S_SABT	SAVFAPVENDOR	char	9	
trvexp	S_SABT	SAVFONETIMEVENDOR	char	1	
trvexp	S_SABT	SAVFSTUDENTACTIVITYVENDOR	int		
trvexp	S_SABT	STUDENTACTIVITYBANKACCOUNT	char	15	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SABT	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SABT	STUDENTACTIVITYSCHOOL	char		20
trvexp	S_SABT	TFBASACTIVITYBANKACCOUNT	char		15 *
trvexp	S_SABT	TRANSACTIONDATE	datetime		
trvexp	S_SABT	UNIQUEID	binary		16
trvexp	S_SABT	VENDORGROUP	char		4
trvexp	S_SACP	DELETEFLAG	binary		16
trvexp	S_SACP	ENTERPRISEGROUP	char		4
trvexp	S_SACP	SACLOSEDPERIOD_EFFRNGBEG	datetime		
trvexp	S_SACP	SACLOSEDPERIOD_EFFRNGEND	datetime		
trvexp	S_SACP	SACPPERIOD	smallint		
trvexp	S_SACP	SACPYEAR	decimal		
trvexp	S_SACP	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SACP	SYSTEMCALENDAR	char		20
trvexp	S_SACP	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	S_SACP	UNIQUEID	binary		16
trvexp	S_SACS	DELETEFLAG	binary		16
trvexp	S_SACS	SACLUBSPONSOR_EFFRNGBEG	datetime		
trvexp	S_SACS	SACLUBSPONSOR_EFFRNGEND	datetime		
trvexp	S_SACS	STUDENTACTIVITYCLUBSPONSOR	char		30
trvexp	S_SACS	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SACS	STUDENTACTIVITYSCHOOL	char		20
trvexp	S_SACS	UNIQUEID	binary		16
trvexp	S_SACT	CDOCUMENTTEMPLATE_EFFRNGBEG	datetime		
trvexp	S_SACT	CDOCUMENTTEMPLATE_EFFRNGEND	datetime		
trvexp	S_SACT	CHECKDOCUMENTTEMPLATE	int		
trvexp	S_SACT	DELETEFLAG	binary		16
trvexp	S_SACT	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SACT	UNIQUEID	binary		16
trvexp	S_SADS	1099APCOMPANY	smallint		
trvexp	S_SADS	1099PROCESSLEVEL	char		5
trvexp	S_SADS	BACKOFFICEVENDORGROUP	char		4
trvexp	S_SADS	DEFAULTCOMPANY	smallint		
trvexp	S_SADS	DELETEFLAG	binary		16
trvexp	S_SADS	SACTIVITYDISTRICT_EFFRNGBEG	datetime		
trvexp	S_SADS	SACTIVITYDISTRICT_EFFRNGEND	datetime		
trvexp	S_SADS	SCHOOLCALENDAR	char		20

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SADS	SCHOOLCALENDARPERIODGROUP	char		20
trvexp	S_SADS	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SADS	UNIQUEID	binary		16
trvexp	S_SAJD	COMPANY	smallint		
trvexp	S_SAJD	DELETEFLAG	binary		16
trvexp	S_SAJD	GLAACACCOUNTINGUNIT	char		15
trvexp	S_SAJD	GLACAACCOUNT	int		
trvexp	S_SAJD	GLACASUBACCOUNT	smallint		
trvexp	S_SAJD	SACPPERIOD	smallint		
trvexp	S_SAJD	SACPYEAR	decimal		
trvexp	S_SAJD	SAJOURNALDETAIL_EFFRNGBEG	datetime		
trvexp	S_SAJD	SAJOURNALDETAIL_EFFRNGEND	datetime		
trvexp	S_SAJD	STUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SAJD	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SAJD	STUDENTACTIVITYSCHOOL	char		20
trvexp	S_SAJD	SYSTEMCALENDAR	char		20
trvexp	S_SAJD	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	S_SAJD	UNIQUEID	binary		16
trvexp	S_SAJP	DELETEFLAG	binary		16
trvexp	S_SAJP	SACPPERIOD	smallint		
trvexp	S_SAJP	SACPYEAR	decimal		
trvexp	S_SAJP	SACTIVITYJOURNAL_EFFRNGBEG	datetime		
trvexp	S_SAJP	SACTIVITYJOURNAL_EFFRNGEND	datetime		
trvexp	S_SAJP	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SAJP	STUDENTACTIVITYSCHOOL	char		20
trvexp	S_SAJP	SYSTEMCALENDAR	char		20
trvexp	S_SAJP	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	S_SAJP	UNIQUEID	binary		16
trvexp	S_SAOR	1099APCOMPANY	smallint		
trvexp	S_SAOR	1099PROCESSLEVEL	char		5
trvexp	S_SAOR	ACOUNTRY	char		3
trvexp	S_SAOR	ACOUNTY	char		30
trvexp	S_SAOR	ADAADDRESSLINE1	char		40 *
trvexp	S_SAOR	ADAADDRESSLINE2	char		40 *
trvexp	S_SAOR	ADAADDRESSLINE3	char		40 *
trvexp	S_SAOR	ADAADDRESSLINE4	char		40 *
trvexp	S_SAOR	AMUNICIPALITY	char		30

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SAOR	APOSTALCODE	char	10	
trvexp	S_SAOR	AREGION	char	2	
trvexp	S_SAOR	ASTATEPROVINCE	char	3	
trvexp	S_SAOR	ATYPE	tinyint		
trvexp	S_SAOR	BACKOFFICEVENDORGROUP	char	4	
trvexp	S_SAOR	CPPERIOD	smallint		
trvexp	S_SAOR	CPYEAR	decimal		
trvexp	S_SAOR	DEFAULTACCOUNTINGUNIT	char	15	
trvexp	S_SAOR	DEFAULTBANKACCOUNT	char	15	
trvexp	S_SAOR	DEFAULTCOMPANY	smallint		
trvexp	S_SAOR	DELETEFLAG	binary	16	
trvexp	S_SAOR	SACTIVITYSCHOOL_EFFRNGBEG	datetime		
trvexp	S_SAOR	SACTIVITYSCHOOL_EFFRNGEND	datetime		
trvexp	S_SAOR	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SAOR	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SAOR	STUDENTACTIVITYSCHOOLTYPE	char	20	
trvexp	S_SAOR	UNIQUEID	binary	16	
trvexp	S_SARB	ACTOR	char	30	
trvexp	S_SARB	BANKTRANSACTIONTYPE	smallint		
trvexp	S_SARB	DELETEFLAG	binary	16	
trvexp	S_SARB	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SARB	SAASUBACTIVITY	char	20	
trvexp	S_SARB	SACTIVITYBANKTRANSACTION	decimal		
trvexp	S_SARB	SARECEIPTBATCH_EFFRNGBEG	datetime		
trvexp	S_SARB	SARECEIPTBATCH_EFFRNGEND	datetime		
trvexp	S_SARB	STUDENTACTIVITYBANKACCOUNT	char	15	
trvexp	S_SARB	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SARB	STUDENTACTIVITYRECEIPTBATCH	decimal		
trvexp	S_SARB	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SARB	STUDENTACTIVITYSCHOOLCLASS	char	20	
trvexp	S_SARB	UNIQUEID	binary	16	
trvexp	S_SARC	BANKTRANSACTIONTYPE	smallint		
trvexp	S_SARC	DELETEFLAG	binary	16	
trvexp	S_SARC	PACOUNTRY	char	3	
trvexp	S_SARC	PACOUNTY	char	30	
trvexp	S_SARC	PADAADDRESSLINE1	char	40 *	
trvexp	S_SARC	PADAADDRESSLINE2	char	40 *	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SARC	PADAADDRESSLINE3	char	40	*
trvexp	S_SARC	PADAADDRESSLINE4	char	40	*
trvexp	S_SARC	PAMUNICIPALITY	char	30	
trvexp	S_SARC	PAPOSTALCODE	char	10	
trvexp	S_SARC	PAREGION	char	2	
trvexp	S_SARC	PASTATEPROVINCE	char	3	
trvexp	S_SARC	PATYPE	tinyint		
trvexp	S_SARC	REFERENCENUMBER	char	30	
trvexp	S_SARC	SACTIVITYBANKTRANSACTION	decimal		
trvexp	S_SARC	SACTIVITYRECEIPT_EFFRNGBEG	datetime		
trvexp	S_SARC	SACTIVITYRECEIPT_EFFRNGEND	datetime		
trvexp	S_SARC	STUDENTACTIVITYBANKACCOUNT	char	15	
trvexp	S_SARC	STUDENTACTIVITYCLUBSPONSOR	char	30	
trvexp	S_SARC	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SARC	STUDENTACTIVITYRECEIPT	decimal		
trvexp	S_SARC	STUDENTACTIVITYRECEIPTBATCH	decimal		
trvexp	S_SARC	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SARC	STUDENTRECORD	decimal		
trvexp	S_SARC	UNIQUEID	binary	16	
trvexp	S_SARD	CPPERIOD	smallint		
trvexp	S_SARD	CPYEAR	decimal		
trvexp	S_SARD	DELETEFLAG	binary	16	
trvexp	S_SARD	GLAACCOUNTINGUNIT	char	15	
trvexp	S_SARD	GLACAACCOUNT	int		
trvexp	S_SARD	GLACASUBACCOUNT	smallint		
trvexp	S_SARD	GLCOMPANY	smallint		
trvexp	S_SARD	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SARD	SAASUBACTIVITY	char	20	
trvexp	S_SARD	SARECEIPTDETAIL_EFFRNGBEG	datetime		
trvexp	S_SARD	SARECEIPTDETAIL_EFFRNGEND	datetime		
trvexp	S_SARD	STATUS	smallint		
trvexp	S_SARD	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SARD	STUDENTACTIVITYRECEIPT	decimal		
trvexp	S_SARD	STUDENTACTIVITYRECEIPTDETAIL	smallint		
trvexp	S_SARD	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SARD	STUDENTRECORD	decimal		
trvexp	S_SARD	UNIQUEID	binary	16	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SASA	ACTOR	char	30	
trvexp	S_SASA	DELETEFLAG	binary	16	
trvexp	S_SASA	SASCHOOLACTOR_EFFRNGBEG	datetime		
trvexp	S_SASA	SASCHOOLACTOR_EFFRNGEND	datetime		
trvexp	S_SASA	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SASA	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SASA	UNIQUEID	binary	16	
trvexp	S_SASC	DELETEFLAG	binary	16	
trvexp	S_SASC	SASCHOOLCLASS_EFFRNGBEG	datetime		
trvexp	S_SASC	SASCHOOLCLASS_EFFRNGEND	datetime		
trvexp	S_SASC	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SASC	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SASC	STUDENTACTIVITYSCHOOLCLASS	char	20	
trvexp	S_SASC	UNIQUEID	binary	16	
trvexp	S_SASE	DELETEFLAG	binary	16	
trvexp	S_SASE	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SASE	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SASE	STUDENTACTIVITYSCHOOLCLASS	char	20	
trvexp	S_SASE	STUDENTENROLLMENT_EFFRNGBEG	datetime		
trvexp	S_SASE	STUDENTENROLLMENT_EFFRNGEND	datetime		
trvexp	S_SASE	STUDENTRECORD	decimal		
trvexp	S_SASE	UNIQUEID	binary	16	
trvexp	S_SASR	CRRSTUDENTACTIVITYRECEIPT	decimal		
trvexp	S_SASR	CRRSTUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SASR	DELETEFLAG	binary	16	
trvexp	S_SASR	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SASR	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SASR	STUDENTRECORD	decimal		
trvexp	S_SASR	STUDENTRECORD_EFFRNGBEG	datetime		
trvexp	S_SASR	STUDENTRECORD_EFFRNGEND	datetime		
trvexp	S_SASR	UNIQUEID	binary	16	
trvexp	S_SAST	DELETEFLAG	binary	16	
trvexp	S_SAST	SACTIVITYSCHOOLTYPE_EFFRNGBEG	datetime		
trvexp	S_SAST	SACTIVITYSCHOOLTYPE_EFFRNGEND	datetime		
trvexp	S_SAST	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SAST	STUDENTACTIVITYSCHOOLTYPE	char	20	
trvexp	S_SAST	UNIQUEID	binary	16	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SATD	CPPERIOD	smallint		
trvexp	S_SATD	CPYEAR	decimal		
trvexp	S_SATD	DELETEFLAG	binary		16
trvexp	S_SATD	GLAACACCOUNTINGUNIT	char		15
trvexp	S_SATD	GLACAACCOUNT	int		
trvexp	S_SATD	GLACASUBACCOUNT	smallint		
trvexp	S_SATD	GLCOMPANY	smallint		
trvexp	S_SATD	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SATD	SAASUBACTIVITY	char		20
trvexp	S_SATD	SATRANSFERDETAIL_EFFRNGBEG	datetime		
trvexp	S_SATD	SATRANSFERDETAIL_EFFRNGEND	datetime		
trvexp	S_SATD	STATUS	smallint		
trvexp	S_SATD	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SATD	STUDENTACTIVITYSCHOOL	char		20
trvexp	S_SATD	STUDENTACTIVITYTRANSFER	decimal		
trvexp	S_SATD	UNIQUEID	binary		16
trvexp	S_SATR	DELETEFLAG	binary		16
trvexp	S_SATR	FASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SATR	FASUBACTIVITY	char		20
trvexp	S_SATR	SACTIVITYTRANSFER_EFFRNGBEG	datetime		
trvexp	S_SATR	SACTIVITYTRANSFER_EFFRNGEND	datetime		
trvexp	S_SATR	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SATR	STUDENTACTIVITYSCHOOL	char		20
trvexp	S_SATR	STUDENTACTIVITYTRANSFER	decimal		
trvexp	S_SATR	UNIQUEID	binary		16
trvexp	S_SAVI	BANKTRANSACTIONTYPE	smallint		
trvexp	S_SAVI	DELETEFLAG	binary		16
trvexp	S_SAVI	SACTIVITYBANKTRANSACTION	decimal		
trvexp	S_SAVI	SAVENDORINVOICE_EFFRNGBEG	datetime		
trvexp	S_SAVI	SAVENDORINVOICE_EFFRNGEND	datetime		
trvexp	S_SAVI	STUDENTACTIVITYBANKACCOUNT	char		15
trvexp	S_SAVI	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SAVI	STUDENTACTIVITYSCHOOL	char		20
trvexp	S_SAVI	STUDENTACTIVITYVENDORINVOICE	char		20
trvexp	S_SAVI	UNIQUEID	binary		16
trvexp	S_SAVN	ACOUNTRY	char		3
trvexp	S_SAVN	ACOUNTY	char		30

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SAVN	ADAADDRESSLINE1	char	40	*
trvexp	S_SAVN	ADAADDRESSLINE2	char	40	*
trvexp	S_SAVN	ADAADDRESSLINE3	char	40	*
trvexp	S_SAVN	ADAADDRESSLINE4	char	40	*
trvexp	S_SAVN	AMUNICIPALITY	char	30	
trvexp	S_SAVN	APINCCODE	char	4	
trvexp	S_SAVN	APOSTALCODE	char	10	
trvexp	S_SAVN	AREGION	char	2	
trvexp	S_SAVN	ASTATEPROVINCE	char	3	
trvexp	S_SAVN	ATYPE	tinyint		
trvexp	S_SAVN	DELETEFLAG	binary	16	
trvexp	S_SAVN	NAME	char	60	
trvexp	S_SAVN	SACTIVITYVENDOR_EFFRNGBEG	datetime		
trvexp	S_SAVN	SACTIVITYVENDOR_EFFRNGEND	datetime		
trvexp	S_SAVN	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SAVN	STUDENTACTIVITYVENDOR	int		
trvexp	S_SAVN	TITAXNUMBER	char	20	*
trvexp	S_SAVN	TITAXNUMBERTYPE	tinyint		
trvexp	S_SAVN	UNIQUEID	binary	16	
trvexp	S_SCAB	DELETEFLAG	binary	16	
trvexp	S_SCAB	PARENTSTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SCAB	SAACCOUNTBALANCE_EFFRNGBEG	datetime		
trvexp	S_SCAB	SAACCOUNTBALANCE_EFFRNGEND	datetime		
trvexp	S_SCAB	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SCAB	SAASUBACTIVITY	char	20	
trvexp	S_SCAB	SACPPERIOD	smallint		
trvexp	S_SCAB	SACPYEAR	decimal		
trvexp	S_SCAB	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SCAB	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SCAB	SYSTEMCALENDAR	char	20	
trvexp	S_SCAB	SYSTEMCALENDARPERIODGROUP	char	20	
trvexp	S_SCAB	UNIQUEID	binary	16	
trvexp	S_SCLDR	DELETEFLAG	binary	16	
trvexp	S_SCLDR	ENTERPRISEGROUP	char	4	
trvexp	S_SCLDR	SYSTEMCALENDAR	char	20	
trvexp	S_SCLDR	SYSTEMCALENDAR_EFFRNGBEG	datetime		
trvexp	S_SCLDR	SYSTEMCALENDAR_EFFRNGEND	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SCLDR	UNIQUEID	binary		16
trvexp	S_SCLDT	BANKDAYNUMBER	int		
trvexp	S_SCLDT	DELETEFLAG	binary		16
trvexp	S_SCLDT	DELIVERYDAYNUMBER	int		
trvexp	S_SCLDT	ENTERPRISEGROUP	char		4
trvexp	S_SCLDT	GOODSRECDAYNUMBER	int		
trvexp	S_SCLDT	HOLIDAYNUMBER	int		
trvexp	S_SCLDT	JOBSCHDDAYNUMBER	int		
trvexp	S_SCLDT	SYSTEMCALENDAR	char		20
trvexp	S_SCLDT	SYSTEMCALENDARDATE	datetime		
trvexp	S_SCLDT	SYSTEMCALENDARDATE_EFFRNGBEG	datetime		
trvexp	S_SCLDT	SYSTEMCALENDARDATE_EFFRNGEND	datetime		
trvexp	S_SCLDT	TIMEENTRYDAYNUMBER	int		
trvexp	S_SCLDT	UNIQUEID	binary		16
trvexp	S_SCLDT	WORKINGDAYNUMBER	int		
trvexp	S_SCPS	DELETEFLAG	binary		16
trvexp	S_SCPS	ENTERPRISEGROUP	char		4
trvexp	S_SCPS	SCPERIODGROUP_EFFRNGBEG	datetime		
trvexp	S_SCPS	SCPERIODGROUP_EFFRNGEND	datetime		
trvexp	S_SCPS	SYSTEMCALENDAR	char		20
trvexp	S_SCPS	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	S_SCPS	UNIQUEID	binary		16
trvexp	S_SCPT	CPERIODBYSCHOOLTYPE_EFFRNGBEG	datetime		
trvexp	S_SCPT	CPERIODBYSCHOOLTYPE_EFFRNGEND	datetime		
trvexp	S_SCPT	DELETEFLAG	binary		16
trvexp	S_SCPT	SACPPERIOD	smallint		
trvexp	S_SCPT	SACPYEAR	decimal		
trvexp	S_SCPT	STUDENTACTIVITYDISTRICT	char		4
trvexp	S_SCPT	STUDENTACTIVITYSCHOOLTYPE	char		20
trvexp	S_SCPT	SYSTEMCALENDAR	char		20
trvexp	S_SCPT	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	S_SCPT	UNIQUEID	binary		16
trvexp	S_SCTST	DELETEFLAG	binary		16
trvexp	S_SCTST	ENTERPRISEGROUP	char		4
trvexp	S_SCTST	SYSTEMCALENDAR	char		20
trvexp	S_SCTST	SYSTEMCALENDARDATE	datetime		
trvexp	S_SCTST	SYSTEMCALENDARPERIODGROUP	char		20

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SCTST	SYSTEMCALENDARTEST	int		
trvexp	S_SCTST	SYSTEMCALENDARTEST_EFFRNGBEG	datetime		
trvexp	S_SCTST	SYSTEMCALENDARTEST_EFFRNGEND	datetime		
trvexp	S_SCTST	UNIQUEID	binary	16	
trvexp	S_SDICT	DELETEFLAG	binary	16	
trvexp	S_SDICT	LOCALE	char	8	
trvexp	S_SDICT	SPELLINGDICTIONARY	char	30	
trvexp	S_SDICT	SPELLINGDICTIONARY_EFFRNGBEG	datetime		
trvexp	S_SDICT	SPELLINGDICTIONARY_EFFRNGEND	datetime		
trvexp	S_SDICT	TYPE	tinyint		
trvexp	S_SDICT	UNIQUEID	binary	16	
trvexp	S_SRCT	DELETEFLAG	binary	16	
trvexp	S_SRCT	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SRCT	STUDENTACTIVITYRECEIPT	decimal		
trvexp	S_SRCT	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SRCT	STUDENTPAIDRECEIPTS_EFFRNGBEG	datetime		
trvexp	S_SRCT	STUDENTPAIDRECEIPTS_EFFRNGEND	datetime		
trvexp	S_SRCT	STUDENTRECORD	decimal		
trvexp	S_SRCT	UNIQUEID	binary	16	
trvexp	S_SSAC	DELETEFLAG	binary	16	
trvexp	S_SSAC	GLAACACCOUNTINGUNIT	char	15	
trvexp	S_SSAC	GLACAACCOUNT	int		
trvexp	S_SSAC	GLACASUBACCOUNT	smallint		
trvexp	S_SSAC	GLCOMPANY	smallint		
trvexp	S_SSAC	PSAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SSAC	PSAASUBACTIVITY	char	20	
trvexp	S_SSAC	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	S_SSAC	SAASUBACTIVITY	char	20	
trvexp	S_SSAC	SACTIVITYACCOUNT_EFFRNGBEG	datetime		
trvexp	S_SSAC	SACTIVITYACCOUNT_EFFRNGEND	datetime		
trvexp	S_SSAC	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SSAC	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SSAC	UNIQUEID	binary	16	
trvexp	S_SSCP	DELETEFLAG	binary	16	
trvexp	S_SSCP	SACPPERIOD	smallint		
trvexp	S_SSCP	SACPYEAR	decimal		
trvexp	S_SSCP	SCHOOLCLOSEDPERIOD_EFFRNGBEG	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_SSCP	SCHOOLCLOSEDPERIOD_EFFRNGEND	datetime		
trvexp	S_SSCP	STUDENTACTIVITYDISTRICT	char	4	
trvexp	S_SSCP	STUDENTACTIVITYSCHOOL	char	20	
trvexp	S_SSCP	SYSTEMCALENDAR	char	20	
trvexp	S_SSCP	SYSTEMCALENDARPERIODGROUP	char	20	
trvexp	S_SSCP	UNIQUEID	binary	16	
trvexp	S_STPV	DELETEFLAG	binary	16	
trvexp	S_STPV	UNIQUEID	binary	16	
trvexp	S_STPV	V1COUNTRY	char	2	
trvexp	S_STPV	V1STATEPROVINCE	char	2	
trvexp	S_STPV	V1STATEPROVINCE_EFFRNGBEG	datetime		
trvexp	S_STPV	V1STATEPROVINCE_EFFRNGEND	datetime		
trvexp	S_SYST	DELETEFLAG	binary	16	
trvexp	S_SYST	DRFROMDATE	datetime		
trvexp	S_SYST	DRTODATE	datetime		
trvexp	S_SYST	ENTERPRISEGROUP	char	4	
trvexp	S_SYST	SCALENDARPERIOD_EFFRNGBEG	datetime		
trvexp	S_SYST	SCALENDARPERIOD_EFFRNGEND	datetime		
trvexp	S_SYST	SCPPERIOD	smallint		
trvexp	S_SYST	SCPYEAR	decimal		
trvexp	S_SYST	SYSTEMCALENDAR	char	20	
trvexp	S_SYST	SYSTEMCALENDARPERIODGROUP	char	20	
trvexp	S_SYST	UNIQUEID	binary	16	
trvexp	S_TAEG	ACCTCATEGORYGROUP	char	15	
trvexp	S_TAEG	CARCONFIGURATION	decimal		
trvexp	S_TAEG	DELETEFLAG	binary	16	
trvexp	S_TAEG	EXPENSEGROUP	char	4	
trvexp	S_TAEG	EXPENSEREPORTDISPLAY	char	10	
trvexp	S_TAEG	EXPENSEREQUESTDISPLAY	char	10	
trvexp	S_TAEG	PERDIEMSCHEDULE	decimal		
trvexp	S_TAEG	PERDIEMWIZARD	decimal		
trvexp	S_TAEG	RESOURCEGROUP	char	10	
trvexp	S_TAEG	RESOURCEGROUP_EFFRNGBEG	datetime		
trvexp	S_TAEG	RESOURCEGROUP_EFFRNGEND	datetime		
trvexp	S_TAEG	UNIQUEID	binary	16	
trvexp	S_TASK	BATCHTASK	int		
trvexp	S_TASK	BATCHTASK_EFFRNGBEG	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_TASK	BATCHTASK_EFFRNGEND	datetime		
trvexp	S_TASK	BUSINESSCLASS	char	200	
trvexp	S_TASK	DELETEFLAG	binary	16	
trvexp	S_TASK	JAVACLASS	char	100	
trvexp	S_TASK	NAME	char	80	
trvexp	S_TASK	TASKACTION	char	200	
trvexp	S_TASK	UNIQUEID	binary	16	
trvexp	S_TRAV	BILLCURRENCY	char	5	
trvexp	S_TRAV	DELETEFLAG	binary	16	
trvexp	S_TRAV	EXPENSECODE	char	15	
trvexp	S_TRAV	EXPENSEDETAIL	decimal		
trvexp	S_TRAV	EXPENSEGROUP	char	4	
trvexp	S_TRAV	EXPENSEREPORT	decimal		
trvexp	S_TRAV	RESOURCE	int		
trvexp	S_TRAV	TRANSACTIONCURRENCY	char	5	
trvexp	S_TRAV	TRAVELIMPORT	decimal		
trvexp	S_TRAV	TRAVELTRANSACTION	decimal		
trvexp	S_TRAV	TRAVELTRANSACTION_EFFRNGBEG	datetime		
trvexp	S_TRAV	TRAVELTRANSACTION_EFFRNGEND	datetime		
trvexp	S_TRAV	UNIQUEID	binary	16	
trvexp	S_TRGC	DELETEFLAG	binary	16	
trvexp	S_TRGC	EXPENSEGROUP	char	4	
trvexp	S_TRGC	EXPENSEREQUEST	decimal		
trvexp	S_TRGC	RESOURCE	int		
trvexp	S_TRGC	TRAVELAGENTCOMMENT	decimal		
trvexp	S_TRGC	TRAVELAGENTCOMMENT_EFFRNGBEG	datetime		
trvexp	S_TRGC	TRAVELAGENTCOMMENT_EFFRNGEND	datetime		
trvexp	S_TRGC	UNIQUEID	binary	16	
trvexp	S_TRSI	BASECOSTCURRENCY	char	5	
trvexp	S_TRSI	DELETEFLAG	binary	16	
trvexp	S_TRSI	EXPENSECODE	char	15	
trvexp	S_TRSI	EXPENSEGROUP	char	4	
trvexp	S_TRSI	TAXESANDFEESCURRENCY	char	5	
trvexp	S_TRSI	TOTALCOSTCURRENCY	char	5	
trvexp	S_TRSI	TRAVELIMPORT	decimal		
trvexp	S_TRSI	TRAVELIMPORT_EFFRNGBEG	datetime		
trvexp	S_TRSI	TRAVELIMPORT_EFFRNGEND	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_TRSI	UNIQUEID	binary	16	
trvexp	S_TSKS	BATCHTASK	int		
trvexp	S_TSKS	BATCHTASKSTEP_EFFRNGBEG	datetime		
trvexp	S_TSKS	BATCHTASKSTEP_EFFRNGEND	datetime		
trvexp	S_TSKS	DELETEFLAG	binary	16	
trvexp	S_TSKS	SEQUENCE	int		
trvexp	S_TSKS	TASKSTEP	int		
trvexp	S_TSKS	UNIQUEID	binary	16	
trvexp	S_TXLO	DELETEFLAG	binary	16	
trvexp	S_TXLO	EXPENSECODE	char	15	
trvexp	S_TXLO	EXPENSEGROUP	char	4	
trvexp	S_TXLO	GLCOMPANY	smallint		
trvexp	S_TXLO	LOCATION	char	30	
trvexp	S_TXLO	TAXCODE1	char	10	
trvexp	S_TXLO	TAXCODE2	char	10	
trvexp	S_TXLO	TAXLOCATION_EFFRNGBEG	datetime		
trvexp	S_TXLO	TAXLOCATION_EFFRNGEND	datetime		
trvexp	S_TXLO	UNIQUEID	binary	16	
trvexp	S_UBC1	DELETEFLAG	binary	16	
trvexp	S_UBC1	EXPENSEGROUP	char	4	
trvexp	S_UBC1	UNIQUEID	binary	16	
trvexp	S_UBC1	USERBUSINESSCLASS1	char	60	
trvexp	S_UBC1	USERBUSINESSCLASS1_EFFRNGBEG	datetime		
trvexp	S_UBC1	USERBUSINESSCLASS1_EFFRNGEND	datetime		
trvexp	S_UBC10	DELETEFLAG	binary	16	
trvexp	S_UBC10	EXPENSEGROUP	char	4	
trvexp	S_UBC10	UNIQUEID	binary	16	
trvexp	S_UBC10	USERBUSINESSCLASS10	char	60	
trvexp	S_UBC10	USERBUSINESSCLASS10_EFFRNGBEG	datetime		
trvexp	S_UBC10	USERBUSINESSCLASS10_EFFRNGEND	datetime		
trvexp	S_UBC2	DELETEFLAG	binary	16	
trvexp	S_UBC2	EXPENSEGROUP	char	4	
trvexp	S_UBC2	UNIQUEID	binary	16	
trvexp	S_UBC2	USERBUSINESSCLASS2	char	60	
trvexp	S_UBC2	USERBUSINESSCLASS2_EFFRNGBEG	datetime		
trvexp	S_UBC2	USERBUSINESSCLASS2_EFFRNGEND	datetime		
trvexp	S_UBC3	DELETEFLAG	binary	16	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_UBC3	EXPENSEGROUP	char	4	
trvexp	S_UBC3	UNIQUEID	binary	16	
trvexp	S_UBC3	USERBUSINESSCLASS3	char	60	
trvexp	S_UBC3	USERBUSINESSCLASS3_EFFRNGBEG	datetime		
trvexp	S_UBC3	USERBUSINESSCLASS3_EFFRNGEND	datetime		
trvexp	S_UBC4	DELETEFLAG	binary	16	
trvexp	S_UBC4	EXPENSEGROUP	char	4	
trvexp	S_UBC4	UNIQUEID	binary	16	
trvexp	S_UBC4	USERBUSINESSCLASS4	char	60	
trvexp	S_UBC4	USERBUSINESSCLASS4_EFFRNGBEG	datetime		
trvexp	S_UBC4	USERBUSINESSCLASS4_EFFRNGEND	datetime		
trvexp	S_UBC5	DELETEFLAG	binary	16	
trvexp	S_UBC5	EXPENSEGROUP	char	4	
trvexp	S_UBC5	UNIQUEID	binary	16	
trvexp	S_UBC5	USERBUSINESSCLASS5	char	60	
trvexp	S_UBC5	USERBUSINESSCLASS5_EFFRNGBEG	datetime		
trvexp	S_UBC5	USERBUSINESSCLASS5_EFFRNGEND	datetime		
trvexp	S_UBC6	DELETEFLAG	binary	16	
trvexp	S_UBC6	EXPENSEGROUP	char	4	
trvexp	S_UBC6	UNIQUEID	binary	16	
trvexp	S_UBC6	USERBUSINESSCLASS6	char	60	
trvexp	S_UBC6	USERBUSINESSCLASS6_EFFRNGBEG	datetime		
trvexp	S_UBC6	USERBUSINESSCLASS6_EFFRNGEND	datetime		
trvexp	S_UBC7	DELETEFLAG	binary	16	
trvexp	S_UBC7	EXPENSEGROUP	char	4	
trvexp	S_UBC7	UNIQUEID	binary	16	
trvexp	S_UBC7	USERBUSINESSCLASS7	char	60	
trvexp	S_UBC7	USERBUSINESSCLASS7_EFFRNGBEG	datetime		
trvexp	S_UBC7	USERBUSINESSCLASS7_EFFRNGEND	datetime		
trvexp	S_UBC8	DELETEFLAG	binary	16	
trvexp	S_UBC8	EXPENSEGROUP	char	4	
trvexp	S_UBC8	UNIQUEID	binary	16	
trvexp	S_UBC8	USERBUSINESSCLASS8	char	60	
trvexp	S_UBC8	USERBUSINESSCLASS8_EFFRNGBEG	datetime		
trvexp	S_UBC8	USERBUSINESSCLASS8_EFFRNGEND	datetime		
trvexp	S_UBC9	DELETEFLAG	binary	16	
trvexp	S_UBC9	EXPENSEGROUP	char	4	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	S_UBC9	UNIQUEID	binary		16
trvexp	S_UBC9	USERBUSINESSCLASS9	char		60
trvexp	S_UBC9	USERBUSINESSCLASS9_EFFRNGBEG	datetime		
trvexp	S_UBC9	USERBUSINESSCLASS9_EFFRNGEND	datetime		
trvexp	S_UFOI	DELETEFLAG	binary		16
trvexp	S_UFOI	UNIQUEID	binary		16
trvexp	S_UFOI	USERFOLDER	binary		16
trvexp	S_UFOI	USERFOLDERITEM	int		
trvexp	S_UFOI	USERFOLDERITEM_EFFRNGBEG	datetime		
trvexp	S_UFOI	USERFOLDERITEM_EFFRNGEND	datetime		
trvexp	S_USRA	ACTIONREQUEST	binary		16
trvexp	S_USRA	ACTIONREQUEST_EFFRNGBEG	datetime		
trvexp	S_USRA	ACTIONREQUEST_EFFRNGEND	datetime		
trvexp	S_USRA	BUSINESSACTION	char		200
trvexp	S_USRA	BUSINESSCLASS	char		200
trvexp	S_USRA	DELETEFLAG	binary		16
trvexp	S_USRA	STATUS	tinyint		
trvexp	S_USRA	WORKUNIT	decimal		
trvexp	S_VCFH	DELETEFLAG	binary		16
trvexp	S_VCFH	STATUS	smallint		
trvexp	S_VCFH	UNIQUEID	binary		16
trvexp	S_VCFH	VCFHEADERFILE	char		40
trvexp	S_VCFH	VCFHEADERFILE_EFFRNGBEG	datetime		
trvexp	S_VCFH	VCFHEADERFILE_EFFRNGEND	datetime		
trvexp	S_XQRV	DELETEFLAG	binary		16
trvexp	S_XQRV	ERRULEVIOLATION_EFFRNGBEG	datetime		
trvexp	S_XQRV	ERRULEVIOLATION_EFFRNGEND	datetime		
trvexp	S_XQRV	EXPENSEGROUP	char		4
trvexp	S_XQRV	EXPENSEREQUEST	decimal		
trvexp	S_XQRV	EXPENSEREQUESTRULEVIOLATION	decimal		
trvexp	S_XQRV	RESOURCE	int		
trvexp	S_XQRV	UNIQUEID	binary		16
trvexp	SCHOOLACTIVITYACCOUNT	ACTIVE	char		1
trvexp	SCHOOLACTIVITYACCOUNT	AUDITLOG	text	2147483647	
trvexp	SCHOOLACTIVITYACCOUNT	CSACTOR	char		30
trvexp	SCHOOLACTIVITYACCOUNT	CSTIMESTAMP	datetime		
trvexp	SCHOOLACTIVITYACCOUNT	CURRENTDISBURSEMENTS	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	SCHOOLACTIVITYACCOUNT	CURRENTRECEIPTS	decimal		
trvexp	SCHOOLACTIVITYACCOUNT	CURRENTTRANSFERS	decimal		
trvexp	SCHOOLACTIVITYACCOUNT	DELETEFLAG	binary		16
trvexp	SCHOOLACTIVITYACCOUNT	DESCRIPTION	char		60
trvexp	SCHOOLACTIVITYACCOUNT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	SCHOOLACTIVITYACCOUNT	FEEAMOUNT	decimal		
trvexp	SCHOOLACTIVITYACCOUNT	GLAACCOUNTINGUNIT	char		15
trvexp	SCHOOLACTIVITYACCOUNT	GLACAACCOUNT	int		
trvexp	SCHOOLACTIVITYACCOUNT	GLACASUBACCOUNT	smallint		
trvexp	SCHOOLACTIVITYACCOUNT	GLCOMPANY	smallint		
trvexp	SCHOOLACTIVITYACCOUNT	GROUPALLSUBACTIVITIES	char		1
trvexp	SCHOOLACTIVITYACCOUNT	PSAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	SCHOOLACTIVITYACCOUNT	PSAASUBACTIVITY	char		20
trvexp	SCHOOLACTIVITYACCOUNT	SAACCOUNT_HASNOCHILDREN	char		1
trvexp	SCHOOLACTIVITYACCOUNT	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	SCHOOLACTIVITYACCOUNT	SAASUBACTIVITY	char		20
trvexp	SCHOOLACTIVITYACCOUNT	STUDENTACTIVITYDISTRICT	char		4
trvexp	SCHOOLACTIVITYACCOUNT	STUDENTACTIVITYSCHOOL	char		20
trvexp	SCHOOLACTIVITYACCOUNT	UNIQUEID	binary		16
trvexp	SCHOOLACTIVITYACCOUNT	USACTOR	char		30
trvexp	SCHOOLACTIVITYACCOUNT	USTIMESTAMP	datetime		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	AUDITLOG	text	2147483647	
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	BALANCEADJUSTMENT	decimal		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	BEGINNINGBALANCE	decimal		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	BEGINNINGPOSTEDBALANCE	decimal		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	CSACTOR	char		30
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	CSTIMESTAMP	datetime		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	DELETEFLAG	binary		16
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	PARENTSTUDENTACTIVITYACCOUNT	decimal		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	PERIODDISBURSEMENTS	decimal		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	PERIODRECEIPTS	decimal		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	PERIODTRANSFERS	decimal		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	POSTEDBALANCEADJUSTMENT	decimal		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	POSTEDDISBURSEMENTS	decimal		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	POSTEDRECEIPTS	decimal		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	POSTEDTRANSFERS	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	SAASUBACTIVITY	char		20
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	SACPPERIOD	smallint		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	SACPYEAR	decimal		
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	STUDENTACTIVITYDISTRICT	char		4
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	STUDENTACTIVITYSCHOOL	char		20
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	SYSTEMCALENDAR	char		20
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	UNIQUEID	binary		16
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	USACTOR	char		30
trvexp	SCHOOLACTIVITYACCOUNTBALANCE	USTIMESTAMP	datetime		
trvexp	SCHOOLCLOSEDPERIOD	AUDITLOG	text	2147483647	
trvexp	SCHOOLCLOSEDPERIOD	CLOSEDATE	datetime		
trvexp	SCHOOLCLOSEDPERIOD	CSACTOR	char		30
trvexp	SCHOOLCLOSEDPERIOD	CSTIMESTAMP	datetime		
trvexp	SCHOOLCLOSEDPERIOD	DELETEFLAG	binary		16
trvexp	SCHOOLCLOSEDPERIOD	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	SCHOOLCLOSEDPERIOD	SACPPERIOD	smallint		
trvexp	SCHOOLCLOSEDPERIOD	SACPYEAR	decimal		
trvexp	SCHOOLCLOSEDPERIOD	STUDENTACTIVITYDISTRICT	char		4
trvexp	SCHOOLCLOSEDPERIOD	STUDENTACTIVITYSCHOOL	char		20
trvexp	SCHOOLCLOSEDPERIOD	SYSTEMCALENDAR	char		20
trvexp	SCHOOLCLOSEDPERIOD	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	SCHOOLCLOSEDPERIOD	UNIQUEID	binary		16
trvexp	SCHOOLCLOSEDPERIOD	USACTOR	char		30
trvexp	SCHOOLCLOSEDPERIOD	USTIMESTAMP	datetime		
trvexp	SPELLINGDICTIONARY	DELETEFLAG	binary		16
trvexp	SPELLINGDICTIONARY	DESCRIPTION	char		50
trvexp	SPELLINGDICTIONARY	DICTIONARY	text	2147483647	
trvexp	SPELLINGDICTIONARY	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	SPELLINGDICTIONARY	LOCALE	char		8
trvexp	SPELLINGDICTIONARY	SPELLINGDICTIONARY	char		30
trvexp	SPELLINGDICTIONARY	TYPE	tinyint		
trvexp	SPELLINGDICTIONARY	UNIQUEID	binary		16
trvexp	SPELLINGDICTIONARY	VERSION	int		
trvexp	STUDENTACTIVITYACCOUNT	ACTIVE	char		1
trvexp	STUDENTACTIVITYACCOUNT	ACTIVITYLEVEL	smallint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYACCOUNT	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYACCOUNT	CSACTOR	char	30	
trvexp	STUDENTACTIVITYACCOUNT	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYACCOUNT	CURRENTDISBURSEMENTS	decimal		
trvexp	STUDENTACTIVITYACCOUNT	CURRENTRECEIPTS	decimal		
trvexp	STUDENTACTIVITYACCOUNT	CURRENTTRANSFERS	decimal		
trvexp	STUDENTACTIVITYACCOUNT	DELETEFLAG	binary	16	
trvexp	STUDENTACTIVITYACCOUNT	DESCRIPTION	char	60	
trvexp	STUDENTACTIVITYACCOUNT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYACCOUNT	FEEAMOUNT	decimal		
trvexp	STUDENTACTIVITYACCOUNT	GLAACCOUNTINGUNIT	char	15	
trvexp	STUDENTACTIVITYACCOUNT	GLACAACCOUNT	int		
trvexp	STUDENTACTIVITYACCOUNT	GLACASUBACCOUNT	smallint		
trvexp	STUDENTACTIVITYACCOUNT	GLCOMPANY	smallint		
trvexp	STUDENTACTIVITYACCOUNT	PARENTSTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYACCOUNT	SAACCOUNT_HASNOCHILDREN	char	1	
trvexp	STUDENTACTIVITYACCOUNT	STUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYACCOUNT	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTACTIVITYACCOUNT	STUDENTACTIVITYTYPE	smallint		
trvexp	STUDENTACTIVITYACCOUNT	UNIQUEID	binary	16	
trvexp	STUDENTACTIVITYACCOUNT	USACTOR	char	30	
trvexp	STUDENTACTIVITYACCOUNT	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYBALANCE	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYBALANCE	BALANCEADJUSTMENT	decimal		
trvexp	STUDENTACTIVITYBALANCE	BEGINNINGBALANCE	decimal		
trvexp	STUDENTACTIVITYBALANCE	BEGINNINGPOSTEDBALANCE	decimal		
trvexp	STUDENTACTIVITYBALANCE	CSACTOR	char	30	
trvexp	STUDENTACTIVITYBALANCE	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYBALANCE	DELETEFLAG	binary	16	
trvexp	STUDENTACTIVITYBALANCE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYBALANCE	PARENTSTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYBALANCE	PERIODDISBURSEMENTS	decimal		
trvexp	STUDENTACTIVITYBALANCE	PERIODRECEIPTS	decimal		
trvexp	STUDENTACTIVITYBALANCE	PERIODTRANSFERS	decimal		
trvexp	STUDENTACTIVITYBALANCE	POSTEDBALANCEADJUSTMENT	decimal		
trvexp	STUDENTACTIVITYBALANCE	POSTEDDISBURSEMENTS	decimal		
trvexp	STUDENTACTIVITYBALANCE	POSTEDRECEIPTS	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYBALANCE	POSTEDTRANSFERS	decimal		
trvexp	STUDENTACTIVITYBALANCE	SACPPERIOD	smallint		
trvexp	STUDENTACTIVITYBALANCE	SACPYEAR	decimal		
trvexp	STUDENTACTIVITYBALANCE	STUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYBALANCE	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYBALANCE	STUDENTACTIVITYTYPE	smallint		
trvexp	STUDENTACTIVITYBALANCE	SYSTEMCALENDAR	char		20
trvexp	STUDENTACTIVITYBALANCE	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	STUDENTACTIVITYBALANCE	UNIQUEID	binary		16
trvexp	STUDENTACTIVITYBALANCE	USACTOR	char		30
trvexp	STUDENTACTIVITYBALANCE	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYBALANCEDETAIL	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYBALANCEDETAIL	BALANCEADJUSTMENT	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	BEGINNINGBALANCE	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	BEGINNINGPOSTEDBALANCE	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	CSACTOR	char		30
trvexp	STUDENTACTIVITYBALANCEDETAIL	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYBALANCEDETAIL	DELETEFLAG	binary		16
trvexp	STUDENTACTIVITYBALANCEDETAIL	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYBALANCEDETAIL	PARENTSTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	PERIODDISBURSEMENTS	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	PERIODRECEIPTS	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	PERIODTRANSFERS	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	POSTEDBALANCEADJUSTMENT	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	POSTEDDISBURSEMENTS	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	POSTEDRECEIPTS	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	POSTEDTRANSFERS	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	SACPPERIOD	smallint		
trvexp	STUDENTACTIVITYBALANCEDETAIL	SACPYEAR	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	STUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYBALANCEDETAIL	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYBALANCEDETAIL	STUDENTACTIVITYSCHOOL	char		20
trvexp	STUDENTACTIVITYBALANCEDETAIL	STUDENTACTIVITYTYPE	smallint		
trvexp	STUDENTACTIVITYBALANCEDETAIL	SYSTEMCALENDAR	char		20
trvexp	STUDENTACTIVITYBALANCEDETAIL	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	STUDENTACTIVITYBALANCEDETAIL	UNIQUEID	binary		16
trvexp	STUDENTACTIVITYBALANCEDETAIL	USACTOR	char		30

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYBALANCEDetail	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYBANKACCOUNT	ACCOUNTBEGINNINGBALANCE	decimal		
trvexp	STUDENTACTIVITYBANKACCOUNT	ACTIVE	char		1
trvexp	STUDENTACTIVITYBANKACCOUNT	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYBANKACCOUNT	AUTONUMBERDISBURSEMENTS	char		1
trvexp	STUDENTACTIVITYBANKACCOUNT	BAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYBANKACCOUNT	BAASUBACTIVITY	char		20
trvexp	STUDENTACTIVITYBANKACCOUNT	BTASTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYBANKACCOUNT	BTASUBACTIVITY	char		20
trvexp	STUDENTACTIVITYBANKACCOUNT	CHECKDOCUMENTTEMPLATE	int		
trvexp	STUDENTACTIVITYBANKACCOUNT	CSACTOR	char		30
trvexp	STUDENTACTIVITYBANKACCOUNT	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYBANKACCOUNT	DELETEFLAG	binary		16
trvexp	STUDENTACTIVITYBANKACCOUNT	DESCRIPTION	char		60
trvexp	STUDENTACTIVITYBANKACCOUNT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYBANKACCOUNT	LASTDEPOSITNUMBER	decimal		
trvexp	STUDENTACTIVITYBANKACCOUNT	LASTDISBURSEMENTNUMBER	decimal		
trvexp	STUDENTACTIVITYBANKACCOUNT	NSFASTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYBANKACCOUNT	NSFASUBACTIVITY	char		20
trvexp	STUDENTACTIVITYBANKACCOUNT	PLCFILE	image	2147483647	
trvexp	STUDENTACTIVITYBANKACCOUNT	PLCFILE_TX_TT	char		5
trvexp	STUDENTACTIVITYBANKACCOUNT	PLCMIMETYPE	char		80
trvexp	STUDENTACTIVITYBANKACCOUNT	PLCTITLE	char		50
trvexp	STUDENTACTIVITYBANKACCOUNT	RVASTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYBANKACCOUNT	RVASUBACTIVITY	char		20
trvexp	STUDENTACTIVITYBANKACCOUNT	STUDENTACTIVITYBANKACCOUNT	char		15
trvexp	STUDENTACTIVITYBANKACCOUNT	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYBANKACCOUNT	STUDENTACTIVITYSCHOOL	char		20
trvexp	STUDENTACTIVITYBANKACCOUNT	UNIQUEID	binary		16
trvexp	STUDENTACTIVITYBANKACCOUNT	USACTOR	char		30
trvexp	STUDENTACTIVITYBANKACCOUNT	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYBANKSTATEMENT	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYBANKSTATEMENT	BAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYBANKSTATEMENT	BAASUBACTIVITY	char		20
trvexp	STUDENTACTIVITYBANKSTATEMENT	BLANKLABEL	char		5
trvexp	STUDENTACTIVITYBANKSTATEMENT	CSACTOR	char		30
trvexp	STUDENTACTIVITYBANKSTATEMENT	CSTIMESTAMP	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYBANKSTATEMENT	DELETEFLAG	binary		16
trvexp	STUDENTACTIVITYBANKSTATEMENT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYBANKSTATEMENT	LESSLABEL	char		5
trvexp	STUDENTACTIVITYBANKSTATEMENT	PLUSLABEL	char		5
trvexp	STUDENTACTIVITYBANKSTATEMENT	PPPERIOD	smallint		
trvexp	STUDENTACTIVITYBANKSTATEMENT	PPYEAR	decimal		
trvexp	STUDENTACTIVITYBANKSTATEMENT	SCHOOLCALENDAR	char		20
trvexp	STUDENTACTIVITYBANKSTATEMENT	SCHOOLCALENDARPERIODGROUP	char		20
trvexp	STUDENTACTIVITYBANKSTATEMENT	STATEMENTDATE	datetime		
trvexp	STUDENTACTIVITYBANKSTATEMENT	STATEMENTENDINGBALANCE	decimal		
trvexp	STUDENTACTIVITYBANKSTATEMENT	STATUS	smallint		
trvexp	STUDENTACTIVITYBANKSTATEMENT	STUDENTACTIVITYBANKACCOUNT	char		15
trvexp	STUDENTACTIVITYBANKSTATEMENT	STUDENTACTIVITYBANKSTATEMENT	decimal		
trvexp	STUDENTACTIVITYBANKSTATEMENT	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYBANKSTATEMENT	STUDENTACTIVITYSCHOOL	char		20
trvexp	STUDENTACTIVITYBANKSTATEMENT	UNIQUEID	binary		16
trvexp	STUDENTACTIVITYBANKSTATEMENT	USACTOR	char		30
trvexp	STUDENTACTIVITYBANKSTATEMENT	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYBANKTRANSACTION	AMOUNTTYPE	tinyint		
trvexp	STUDENTACTIVITYBANKTRANSACTION	APINCCODE	char		4
trvexp	STUDENTACTIVITYBANKTRANSACTION	APRPTBLINCOBJECTID	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_01	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_02	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_03	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_04	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_05	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_06	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_07	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_08	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_09	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_10	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_11	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_12	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_13	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_14	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_15	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_16	char		1

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_17	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTASARRAY_18	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTAMOUNTTEXT	char		125
trvexp	STUDENTACTIVITYBANKTRANSACTION	ATTTTRANSLATIONAMOUNT	char		18
trvexp	STUDENTACTIVITYBANKTRANSACTION	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYBANKTRANSACTION	AUTODISBURSEMENTMESSAGE	char		55
trvexp	STUDENTACTIVITYBANKTRANSACTION	BANKTRANSACTIONTYPE	smallint		
trvexp	STUDENTACTIVITYBANKTRANSACTION	CHECKPRINTED	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	CREATEDFROMBANKSTATEMENT	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	CREDITAMOUNT	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	CSACTOR	char		30
trvexp	STUDENTACTIVITYBANKTRANSACTION	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYBANKTRANSACTION	DEBITAMOUNT	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	DELETEFLAG	binary		16
trvexp	STUDENTACTIVITYBANKTRANSACTION	DESCRIPTION	char		60
trvexp	STUDENTACTIVITYBANKTRANSACTION	DETAILSCLOSED	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYBANKTRANSACTION	NSFFSTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	NSFFASUBACTIVITY	char		20
trvexp	STUDENTACTIVITYBANKTRANSACTION	NSFFEEAMOUNT	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	NSFFEE TRANSACTIONNUMBER	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	NSFPAYMENTNUMBER	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	NSFREDEPOSIT	char		1
trvexp	STUDENTACTIVITYBANKTRANSACTION	NSFREDEPOSITRECEIPTNUMBER	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	NSFRELATEDRECEIPTRECORD	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	NSFSTUDENTRECORD	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	ONETIMEVENDORNAME	char		60
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVACOUNTRY	char		3
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVACOUNTY	char		30
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVADAADDRESSLINE1	char		40 *
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVADAADDRESSLINE2	char		40 *
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVADAADDRESSLINE3	char		40 *
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVADAADDRESSLINE4	char		40 *
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVAMUNICIPALITY	char		30
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVAPOSTALCODE	char		10
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVAREGION	char		2
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVASTATEPROVINCE	char		3

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVATYPE	tinyint		
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVTITAXNUMBER	char	20	*
trvexp	STUDENTACTIVITYBANKTRANSACTION	OTVTITAXNUMBERTYPE	tinyint		
trvexp	STUDENTACTIVITYBANKTRANSACTION	PLCFILE	image	2147483647	
trvexp	STUDENTACTIVITYBANKTRANSACTION	PLCFILE_TX_TT	char	5	
trvexp	STUDENTACTIVITYBANKTRANSACTION	PLCMIMETYPE	char	80	
trvexp	STUDENTACTIVITYBANKTRANSACTION	PLCTITLE	char	50	
trvexp	STUDENTACTIVITYBANKTRANSACTION	RBSSACTIVITYBANKSTATEMENT	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	RECONCILEDAMOUNT	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	RECONCILEDDATE	datetime		
trvexp	STUDENTACTIVITYBANKTRANSACTION	REPORTABLEINCOMEAMOUNT	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	REPORTABLEINCOMEYEARPAID	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	SACTIVITYBANKTRANSACTION	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	SAVFAPVENDOR	char	9	
trvexp	STUDENTACTIVITYBANKTRANSACTION	SAVFONETIMEVENDOR	char	1	
trvexp	STUDENTACTIVITYBANKTRANSACTION	SAVFSTUDENTACTIVITYVENDOR	int		
trvexp	STUDENTACTIVITYBANKTRANSACTION	SELECTEDFORBATCHCHECKPRINTING	char	1	
trvexp	STUDENTACTIVITYBANKTRANSACTION	STATUS	smallint		
trvexp	STUDENTACTIVITYBANKTRANSACTION	STUDENTACTIVITYBANKACCOUNT	char	15	
trvexp	STUDENTACTIVITYBANKTRANSACTION	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTACTIVITYBANKTRANSACTION	STUDENTACTIVITYSCHOOL	char	20	
trvexp	STUDENTACTIVITYBANKTRANSACTION	TFBASACTIVITYBANKACCOUNT	char	15	*
trvexp	STUDENTACTIVITYBANKTRANSACTION	TRANSACTIONAMOUNT	decimal		
trvexp	STUDENTACTIVITYBANKTRANSACTION	TRANSACTIONDATE	datetime		
trvexp	STUDENTACTIVITYBANKTRANSACTION	UNIQUEID	binary	16	
trvexp	STUDENTACTIVITYBANKTRANSACTION	USACTOR	char	30	
trvexp	STUDENTACTIVITYBANKTRANSACTION	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYBANKTRANSACTION	VENDORGROUP	char	4	
trvexp	STUDENTACTIVITYBANKTRANSACTION	VOIDDATE	datetime		
trvexp	STUDENTACTIVITYBANKTRANSDetail	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYBANKTRANSDetail	BANKACCOUNTOFFSET	char	1	
trvexp	STUDENTACTIVITYBANKTRANSDetail	BANKTRANSACTIONTYPE	smallint		
trvexp	STUDENTACTIVITYBANKTRANSDetail	BANKTRANSDetailAMOUNT	decimal		
trvexp	STUDENTACTIVITYBANKTRANSDetail	CORRECTEDPOSTING	char	1	
trvexp	STUDENTACTIVITYBANKTRANSDetail	CPPERIOD	smallint		
trvexp	STUDENTACTIVITYBANKTRANSDetail	CPYEAR	decimal		
trvexp	STUDENTACTIVITYBANKTRANSDetail	CSACTOR	char	30	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYBANKTRANSDetail	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYBANKTRANSDetail	DELETEFLAG	binary	16	
trvexp	STUDENTACTIVITYBANKTRANSDetail	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYBANKTRANSDetail	GLAACCOUNTINGUNIT	char	15	
trvexp	STUDENTACTIVITYBANKTRANSDetail	GLACAACCOUNT	int		
trvexp	STUDENTACTIVITYBANKTRANSDetail	GLACASUBACCOUNT	smallint		
trvexp	STUDENTACTIVITYBANKTRANSDetail	GLCOMPANY	smallint		
trvexp	STUDENTACTIVITYBANKTRANSDetail	RECONCILEDVARIANCEADJUSTMENT	char	1	
trvexp	STUDENTACTIVITYBANKTRANSDetail	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYBANKTRANSDetail	SAASUBACTIVITY	char	20	
trvexp	STUDENTACTIVITYBANKTRANSDetail	SACTIVITYBANKTRANSACTION	decimal		
trvexp	STUDENTACTIVITYBANKTRANSDetail	SACTIVITYBANKTRANSDetail	smallint		
trvexp	STUDENTACTIVITYBANKTRANSDetail	SIGNEDTRANSACTIONDETAILAMOUNT	decimal		
trvexp	STUDENTACTIVITYBANKTRANSDetail	STATUS	smallint		
trvexp	STUDENTACTIVITYBANKTRANSDetail	STUDENTACTIVITYBANKACCOUNT	char	15	
trvexp	STUDENTACTIVITYBANKTRANSDetail	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTACTIVITYBANKTRANSDetail	STUDENTACTIVITYSCHOOL	char	20	
trvexp	STUDENTACTIVITYBANKTRANSDetail	STUDENTRECORD	decimal		
trvexp	STUDENTACTIVITYBANKTRANSDetail	TRANSACTIONDATE	datetime		
trvexp	STUDENTACTIVITYBANKTRANSDetail	UNIQUEID	binary	16	
trvexp	STUDENTACTIVITYBANKTRANSDetail	USACTOR	char	30	
trvexp	STUDENTACTIVITYBANKTRANSDetail	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYCLOSEDPERIOD	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYCLOSEDPERIOD	CLOSEDATE	datetime		
trvexp	STUDENTACTIVITYCLOSEDPERIOD	CSACTOR	char	30	
trvexp	STUDENTACTIVITYCLOSEDPERIOD	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYCLOSEDPERIOD	DELETEFLAG	binary	16	
trvexp	STUDENTACTIVITYCLOSEDPERIOD	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYCLOSEDPERIOD	ENTERPRISEGROUP	char	4	
trvexp	STUDENTACTIVITYCLOSEDPERIOD	SACPPERIOD	smallint		
trvexp	STUDENTACTIVITYCLOSEDPERIOD	SACPYEAR	decimal		
trvexp	STUDENTACTIVITYCLOSEDPERIOD	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTACTIVITYCLOSEDPERIOD	SYSTEMCALENDAR	char	20	
trvexp	STUDENTACTIVITYCLOSEDPERIOD	SYSTEMCALENDARPERIODGROUP	char	20	
trvexp	STUDENTACTIVITYCLOSEDPERIOD	UNIQUEID	binary	16	
trvexp	STUDENTACTIVITYCLOSEDPERIOD	USACTOR	char	30	
trvexp	STUDENTACTIVITYCLOSEDPERIOD	USTIMESTAMP	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYCLUBSPONSOR	ACTIVE	char		1
trvexp	STUDENTACTIVITYCLUBSPONSOR	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYCLUBSPONSOR	CSACTOR	char		30
trvexp	STUDENTACTIVITYCLUBSPONSOR	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYCLUBSPONSOR	DELETEFLAG	binary		16
trvexp	STUDENTACTIVITYCLUBSPONSOR	DESCRIPTION	char		500
trvexp	STUDENTACTIVITYCLUBSPONSOR	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYCLUBSPONSOR	STUDENTACTIVITYCLUBSPONSOR	char		30
trvexp	STUDENTACTIVITYCLUBSPONSOR	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYCLUBSPONSOR	STUDENTACTIVITYSCHOOL	char		20
trvexp	STUDENTACTIVITYCLUBSPONSOR	UNIQUEID	binary		16
trvexp	STUDENTACTIVITYCLUBSPONSOR	USACTOR	char		30
trvexp	STUDENTACTIVITYCLUBSPONSOR	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYDISTRICT	1099APCOMPANY	smallint		
trvexp	STUDENTACTIVITYDISTRICT	1099PROCESSLEVEL	char		5
trvexp	STUDENTACTIVITYDISTRICT	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYDISTRICT	BACKOFFICEVENDORGROUP	char		4
trvexp	STUDENTACTIVITYDISTRICT	CSACTOR	char		30
trvexp	STUDENTACTIVITYDISTRICT	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYDISTRICT	DEFAULTCOMPANY	smallint		
trvexp	STUDENTACTIVITYDISTRICT	DELETEFLAG	binary		16
trvexp	STUDENTACTIVITYDISTRICT	DISTRICTLEVELPOSTING	char		1
trvexp	STUDENTACTIVITYDISTRICT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYDISTRICT	LAST1099RECORDOBJECTID	decimal		
trvexp	STUDENTACTIVITYDISTRICT	LASTSEQUENCENUMBER	int		
trvexp	STUDENTACTIVITYDISTRICT	NAME	char		60
trvexp	STUDENTACTIVITYDISTRICT	RUNGROUP	char		15
trvexp	STUDENTACTIVITYDISTRICT	SCHOOLCALENDAR	char		20
trvexp	STUDENTACTIVITYDISTRICT	SCHOOLCALENDARPERIODGROUP	char		20
trvexp	STUDENTACTIVITYDISTRICT	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYDISTRICT	UNIQUEID	binary		16
trvexp	STUDENTACTIVITYDISTRICT	USACTOR	char		30
trvexp	STUDENTACTIVITYDISTRICT	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYJOURNAL	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYJOURNAL	CSACTOR	char		30
trvexp	STUDENTACTIVITYJOURNAL	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYJOURNAL	DELETEFLAG	binary		16

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYJOURNAL	DESCRIPTION	char		60
trvexp	STUDENTACTIVITYJOURNAL	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYJOURNAL	POSTINGRUNGROUP	char		15
trvexp	STUDENTACTIVITYJOURNAL	SACPPERIOD	smallint		
trvexp	STUDENTACTIVITYJOURNAL	SACPYEAR	decimal		
trvexp	STUDENTACTIVITYJOURNAL	STATUS	smallint		
trvexp	STUDENTACTIVITYJOURNAL	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYJOURNAL	STUDENTACTIVITYSCHOOL	char		20
trvexp	STUDENTACTIVITYJOURNAL	SYSTEMCALENDAR	char		20
trvexp	STUDENTACTIVITYJOURNAL	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	STUDENTACTIVITYJOURNAL	UNIQUEID	binary		16
trvexp	STUDENTACTIVITYJOURNAL	USACTOR	char		30
trvexp	STUDENTACTIVITYJOURNAL	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYJOURNALDETAIL	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYJOURNALDETAIL	COMPANY	smallint		
trvexp	STUDENTACTIVITYJOURNALDETAIL	CSACTOR	char		30
trvexp	STUDENTACTIVITYJOURNALDETAIL	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYJOURNALDETAIL	DELETEFLAG	binary		16
trvexp	STUDENTACTIVITYJOURNALDETAIL	DESCRIPTION	char		60
trvexp	STUDENTACTIVITYJOURNALDETAIL	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYJOURNALDETAIL	GLAACACCOUNTINGUNIT	char		15
trvexp	STUDENTACTIVITYJOURNALDETAIL	GLACAACCOUNT	int		
trvexp	STUDENTACTIVITYJOURNALDETAIL	GLACASUBACCOUNT	smallint		
trvexp	STUDENTACTIVITYJOURNALDETAIL	POSTINGAMOUNT	decimal		
trvexp	STUDENTACTIVITYJOURNALDETAIL	SACPPERIOD	smallint		
trvexp	STUDENTACTIVITYJOURNALDETAIL	SACPYEAR	decimal		
trvexp	STUDENTACTIVITYJOURNALDETAIL	STATUS	smallint		
trvexp	STUDENTACTIVITYJOURNALDETAIL	STUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYJOURNALDETAIL	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYJOURNALDETAIL	STUDENTACTIVITYSCHOOL	char		20
trvexp	STUDENTACTIVITYJOURNALDETAIL	SYSTEMCALENDAR	char		20
trvexp	STUDENTACTIVITYJOURNALDETAIL	SYSTEMCALENDARPERIODGROUP	char		20
trvexp	STUDENTACTIVITYJOURNALDETAIL	UNIQUEID	binary		16
trvexp	STUDENTACTIVITYJOURNALDETAIL	USACTOR	char		30
trvexp	STUDENTACTIVITYJOURNALDETAIL	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYRECEIPT	ADDEDFROMSTUDENTRECORD	char		1
trvexp	STUDENTACTIVITYRECEIPT	AUDITLOG	text	2147483647	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYRECEIPT	BANKTRANSACTIONTYPE	smallint		
trvexp	STUDENTACTIVITYRECEIPT	CSACTOR	char	30	
trvexp	STUDENTACTIVITYRECEIPT	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYRECEIPT	DELETEFLAG	binary	16	
trvexp	STUDENTACTIVITYRECEIPT	DESCRIPTION	char	500	
trvexp	STUDENTACTIVITYRECEIPT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYRECEIPT	NSFREPAYMENT	char	1	
trvexp	STUDENTACTIVITYRECEIPT	PACOUNTRY	char	3	
trvexp	STUDENTACTIVITYRECEIPT	PACOUNTY	char	30	
trvexp	STUDENTACTIVITYRECEIPT	PADAADDRESSLINE1	char	40 *	
trvexp	STUDENTACTIVITYRECEIPT	PADAADDRESSLINE2	char	40 *	
trvexp	STUDENTACTIVITYRECEIPT	PADAADDRESSLINE3	char	40 *	
trvexp	STUDENTACTIVITYRECEIPT	PADAADDRESSLINE4	char	40 *	
trvexp	STUDENTACTIVITYRECEIPT	PAMUNICIPALITY	char	30	
trvexp	STUDENTACTIVITYRECEIPT	PAPOSTALCODE	char	10	
trvexp	STUDENTACTIVITYRECEIPT	PAREGION	char	2	
trvexp	STUDENTACTIVITYRECEIPT	PASTATEPROVINCE	char	3	
trvexp	STUDENTACTIVITYRECEIPT	PATYPE	tinyint		
trvexp	STUDENTACTIVITYRECEIPT	PAYORNAME	char	60	
trvexp	STUDENTACTIVITYRECEIPT	RECEIPTAMOUNT	decimal		
trvexp	STUDENTACTIVITYRECEIPT	RECEIPTDATE	datetime		
trvexp	STUDENTACTIVITYRECEIPT	RECEIPTTYPE	smallint		
trvexp	STUDENTACTIVITYRECEIPT	REFERENCENUMBER	char	30	
trvexp	STUDENTACTIVITYRECEIPT	RETURNDATE	datetime		
trvexp	STUDENTACTIVITYRECEIPT	RETURNNUMBER	decimal		
trvexp	STUDENTACTIVITYRECEIPT	SACTIVITYBANKTRANSACTION	decimal		
trvexp	STUDENTACTIVITYRECEIPT	STATUS	smallint		
trvexp	STUDENTACTIVITYRECEIPT	STUDENTACTIVITYBANKACCOUNT	char	15	
trvexp	STUDENTACTIVITYRECEIPT	STUDENTACTIVITYCLUBSPONSOR	char	30	
trvexp	STUDENTACTIVITYRECEIPT	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTACTIVITYRECEIPT	STUDENTACTIVITYRECEIPT	decimal		
trvexp	STUDENTACTIVITYRECEIPT	STUDENTACTIVITYRECEIPTBATCH	decimal		
trvexp	STUDENTACTIVITYRECEIPT	STUDENTACTIVITYSCHOOL	char	20	
trvexp	STUDENTACTIVITYRECEIPT	STUDENTRECORD	decimal		
trvexp	STUDENTACTIVITYRECEIPT	UNIQUEID	binary	16	
trvexp	STUDENTACTIVITYRECEIPT	USACTOR	char	30	
trvexp	STUDENTACTIVITYRECEIPT	USTIMESTAMP	datetime		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYRECEIPTBATCH	ACTOR	char		30
trvexp	STUDENTACTIVITYRECEIPTBATCH	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYRECEIPTBATCH	BANKTRANSACTIONTYPE	smallint		
trvexp	STUDENTACTIVITYRECEIPTBATCH	BATCHAMOUNT	decimal		
trvexp	STUDENTACTIVITYRECEIPTBATCH	BATCHDATE	datetime		
trvexp	STUDENTACTIVITYRECEIPTBATCH	CSACTOR	char		30
trvexp	STUDENTACTIVITYRECEIPTBATCH	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYRECEIPTBATCH	DELETEFLAG	binary		16
trvexp	STUDENTACTIVITYRECEIPTBATCH	DESCRIPTION	char		500
trvexp	STUDENTACTIVITYRECEIPTBATCH	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYRECEIPTBATCH	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYRECEIPTBATCH	SAASUBACTIVITY	char		20
trvexp	STUDENTACTIVITYRECEIPTBATCH	SACTIVITYBANKTRANSACTION	decimal		
trvexp	STUDENTACTIVITYRECEIPTBATCH	STATUS	smallint		
trvexp	STUDENTACTIVITYRECEIPTBATCH	STUDENTACTIVITYBANKACCOUNT	char		15
trvexp	STUDENTACTIVITYRECEIPTBATCH	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYRECEIPTBATCH	STUDENTACTIVITYRECEIPTBATCH	decimal		
trvexp	STUDENTACTIVITYRECEIPTBATCH	STUDENTACTIVITYSCHOOL	char		20
trvexp	STUDENTACTIVITYRECEIPTBATCH	STUDENTACTIVITYSCHOOLCLASS	char		20
trvexp	STUDENTACTIVITYRECEIPTBATCH	UNIQUEID	binary		16
trvexp	STUDENTACTIVITYRECEIPTBATCH	USACTOR	char		30
trvexp	STUDENTACTIVITYRECEIPTBATCH	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYRECEIPTDETAIL	BANKACCOUNTOFFSET	char		1
trvexp	STUDENTACTIVITYRECEIPTDETAIL	CORRECTEDPOSTING	char		1
trvexp	STUDENTACTIVITYRECEIPTDETAIL	CPPERIOD	smallint		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	CPYEAR	decimal		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	CSACTOR	char		30
trvexp	STUDENTACTIVITYRECEIPTDETAIL	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	DELETEFLAG	binary		16
trvexp	STUDENTACTIVITYRECEIPTDETAIL	DESCRIPTION	char		500
trvexp	STUDENTACTIVITYRECEIPTDETAIL	DETAILAMOUNT	decimal		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYRECEIPTDETAIL	GLAACCOUNTINGUNIT	char		15
trvexp	STUDENTACTIVITYRECEIPTDETAIL	GLACAACCOUNT	int		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	GLACASUBACCOUNT	smallint		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	GLCOMPANY	smallint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYRECEIPTDETAIL	RECEIPTDATE	datetime		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	RETURNED	char		1
trvexp	STUDENTACTIVITYRECEIPTDETAIL	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	SAASUBACTIVITY	char		20
trvexp	STUDENTACTIVITYRECEIPTDETAIL	SIGNEDDETAILAMOUNT	decimal		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	STATUS	smallint		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYRECEIPTDETAIL	STUDENTACTIVITYRECEIPT	decimal		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	STUDENTACTIVITYRECEIPTDETAIL	smallint		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	STUDENTACTIVITYSCHOOL	char		20
trvexp	STUDENTACTIVITYRECEIPTDETAIL	STUDENTRECORD	decimal		
trvexp	STUDENTACTIVITYRECEIPTDETAIL	UNIQUEID	binary		16
trvexp	STUDENTACTIVITYRECEIPTDETAIL	USACTOR	char		30
trvexp	STUDENTACTIVITYRECEIPTDETAIL	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYSCHOOL	1099APCOMPANY	smallint		
trvexp	STUDENTACTIVITYSCHOOL	1099PROCESSLEVEL	char		5
trvexp	STUDENTACTIVITYSCHOOL	ACOUNTRY	char		3
trvexp	STUDENTACTIVITYSCHOOL	ACOUNTY	char		30
trvexp	STUDENTACTIVITYSCHOOL	ACTIVE	char		1
trvexp	STUDENTACTIVITYSCHOOL	ADAADDRESSLINE1	char		40 *
trvexp	STUDENTACTIVITYSCHOOL	ADAADDRESSLINE2	char		40 *
trvexp	STUDENTACTIVITYSCHOOL	ADAADDRESSLINE3	char		40 *
trvexp	STUDENTACTIVITYSCHOOL	ADAADDRESSLINE4	char		40 *
trvexp	STUDENTACTIVITYSCHOOL	AMUNICIPALITY	char		30
trvexp	STUDENTACTIVITYSCHOOL	APOSTALCODE	char		10
trvexp	STUDENTACTIVITYSCHOOL	AREGION	char		2
trvexp	STUDENTACTIVITYSCHOOL	ASTATEPROVINCE	char		3
trvexp	STUDENTACTIVITYSCHOOL	ATYPE	tinyint		
trvexp	STUDENTACTIVITYSCHOOL	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYSCHOOL	BACKOFFICEVENDORGROUP	char		4
trvexp	STUDENTACTIVITYSCHOOL	CPPERIOD	smallint		
trvexp	STUDENTACTIVITYSCHOOL	CPYEAR	decimal		
trvexp	STUDENTACTIVITYSCHOOL	CSACTOR	char		30
trvexp	STUDENTACTIVITYSCHOOL	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYSCHOOL	DEFAULTACCOUNTINGUNIT	char		15
trvexp	STUDENTACTIVITYSCHOOL	DEFAULTBANKACCOUNT	char		15
trvexp	STUDENTACTIVITYSCHOOL	DEFAULTCOMPANY	smallint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYSCHOOL	DELETEFLAG	binary		16
trvexp	STUDENTACTIVITYSCHOOL	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYSCHOOL	LASTRECEIPTNUMBER	decimal		
trvexp	STUDENTACTIVITYSCHOOL	RUNGROUP	char		15
trvexp	STUDENTACTIVITYSCHOOL	SCHOOLNAME	char		60
trvexp	STUDENTACTIVITYSCHOOL	SLFILE	image	2147483647	
trvexp	STUDENTACTIVITYSCHOOL	SLFILE_TX_TT	char		5
trvexp	STUDENTACTIVITYSCHOOL	SLMIMETYPE	char		80
trvexp	STUDENTACTIVITYSCHOOL	SLTITLE	char		50
trvexp	STUDENTACTIVITYSCHOOL	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYSCHOOL	STUDENTACTIVITYSCHOOL	char		20
trvexp	STUDENTACTIVITYSCHOOL	STUDENTACTIVITYSCHOOLTYPE	char		20
trvexp	STUDENTACTIVITYSCHOOL	UNIQUEID	binary		16
trvexp	STUDENTACTIVITYSCHOOL	USACTOR	char		30
trvexp	STUDENTACTIVITYSCHOOL	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYSCHOOLACTOR	ACTOR	char		30
trvexp	STUDENTACTIVITYSCHOOLACTOR	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYSCHOOLACTOR	CSACTOR	char		30
trvexp	STUDENTACTIVITYSCHOOLACTOR	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYSCHOOLACTOR	DELETEFLAG	binary		16
trvexp	STUDENTACTIVITYSCHOOLACTOR	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYSCHOOLACTOR	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYSCHOOLACTOR	STUDENTACTIVITYSCHOOL	char		20
trvexp	STUDENTACTIVITYSCHOOLACTOR	UNIQUEID	binary		16
trvexp	STUDENTACTIVITYSCHOOLACTOR	USACTOR	char		30
trvexp	STUDENTACTIVITYSCHOOLACTOR	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYSCHOOLCLASS	ACTIVE	char		1
trvexp	STUDENTACTIVITYSCHOOLCLASS	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYSCHOOLCLASS	CSACTOR	char		30
trvexp	STUDENTACTIVITYSCHOOLCLASS	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYSCHOOLCLASS	DELETEFLAG	binary		16
trvexp	STUDENTACTIVITYSCHOOLCLASS	DESCRIPTION	char		60
trvexp	STUDENTACTIVITYSCHOOLCLASS	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYSCHOOLCLASS	STUDENTACTIVITYDISTRICT	char		4
trvexp	STUDENTACTIVITYSCHOOLCLASS	STUDENTACTIVITYSCHOOL	char		20
trvexp	STUDENTACTIVITYSCHOOLCLASS	STUDENTACTIVITYSCHOOLCLASS	char		20
trvexp	STUDENTACTIVITYSCHOOLCLASS	TEACHERFIRSTNAME	char		20

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYSCHOOLCLASS	TEACHERLASTNAME	char	30	
trvexp	STUDENTACTIVITYSCHOOLCLASS	UNIQUEID	binary	16	
trvexp	STUDENTACTIVITYSCHOOLCLASS	USACTOR	char	30	
trvexp	STUDENTACTIVITYSCHOOLCLASS	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYSCHOOLTYPE	ACTIVE	char	1	
trvexp	STUDENTACTIVITYSCHOOLTYPE	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYSCHOOLTYPE	CSACTOR	char	30	
trvexp	STUDENTACTIVITYSCHOOLTYPE	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYSCHOOLTYPE	DELETEFLAG	binary	16	
trvexp	STUDENTACTIVITYSCHOOLTYPE	DESCRIPTION	char	60	
trvexp	STUDENTACTIVITYSCHOOLTYPE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYSCHOOLTYPE	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTACTIVITYSCHOOLTYPE	STUDENTACTIVITYSCHOOLTYPE	char	20	
trvexp	STUDENTACTIVITYSCHOOLTYPE	UNIQUEID	binary	16	
trvexp	STUDENTACTIVITYSCHOOLTYPE	USACTOR	char	30	
trvexp	STUDENTACTIVITYSCHOOLTYPE	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYTRANSFER	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYTRANSFER	CSACTOR	char	30	
trvexp	STUDENTACTIVITYTRANSFER	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYTRANSFER	DELETEFLAG	binary	16	
trvexp	STUDENTACTIVITYTRANSFER	DESCRIPTION	char	500	
trvexp	STUDENTACTIVITYTRANSFER	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYTRANSFER	FASTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYTRANSFER	FASUBACTIVITY	char	20	
trvexp	STUDENTACTIVITYTRANSFER	STATUS	smallint		
trvexp	STUDENTACTIVITYTRANSFER	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTACTIVITYTRANSFER	STUDENTACTIVITYSCHOOL	char	20	
trvexp	STUDENTACTIVITYTRANSFER	STUDENTACTIVITYTRANSFER	decimal		
trvexp	STUDENTACTIVITYTRANSFER	TRANSFERAMOUNT	decimal		
trvexp	STUDENTACTIVITYTRANSFER	TRANSFERDATE	datetime		
trvexp	STUDENTACTIVITYTRANSFER	UNIQUEID	binary	16	
trvexp	STUDENTACTIVITYTRANSFER	USACTOR	char	30	
trvexp	STUDENTACTIVITYTRANSFER	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYTRANSFERDETAIL	CPPERIOD	smallint		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	CPYEAR	decimal		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	CSACTOR	char	30	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYTRANSFERDETAIL	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	DELETEFLAG	binary	16	
trvexp	STUDENTACTIVITYTRANSFERDETAIL	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYTRANSFERDETAIL	GLAACCOUNTINGUNIT	char	15	
trvexp	STUDENTACTIVITYTRANSFERDETAIL	GLACAACCOUNT	int		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	GLACASUBACCOUNT	smallint		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	GLCOMPANY	smallint		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	SAASUBACTIVITY	char	20	
trvexp	STUDENTACTIVITYTRANSFERDETAIL	SIGNEDTRANSFERDETAILAMOUNT	decimal		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	STATUS	smallint		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTACTIVITYTRANSFERDETAIL	STUDENTACTIVITYSCHOOL	char	20	
trvexp	STUDENTACTIVITYTRANSFERDETAIL	STUDENTACTIVITYTRANSFER	decimal		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	TRANSFERDATE	datetime		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	TRANSFERDETAILAMOUNT	decimal		
trvexp	STUDENTACTIVITYTRANSFERDETAIL	TRANSFEROFFSET	char	1	
trvexp	STUDENTACTIVITYTRANSFERDETAIL	UNIQUEID	binary	16	
trvexp	STUDENTACTIVITYTRANSFERDETAIL	USACTOR	char	30	
trvexp	STUDENTACTIVITYTRANSFERDETAIL	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYVENDOR	ACOUNTRY	char	3	
trvexp	STUDENTACTIVITYVENDOR	ACOUNTY	char	30	
trvexp	STUDENTACTIVITYVENDOR	ACTIVE	char	1	
trvexp	STUDENTACTIVITYVENDOR	ADAADDRESSLINE1	char	40 *	
trvexp	STUDENTACTIVITYVENDOR	ADAADDRESSLINE2	char	40 *	
trvexp	STUDENTACTIVITYVENDOR	ADAADDRESSLINE3	char	40 *	
trvexp	STUDENTACTIVITYVENDOR	ADAADDRESSLINE4	char	40 *	
trvexp	STUDENTACTIVITYVENDOR	AMUNICIPALITY	char	30	
trvexp	STUDENTACTIVITYVENDOR	APINCCODE	char	4	
trvexp	STUDENTACTIVITYVENDOR	APOSTALCODE	char	10	
trvexp	STUDENTACTIVITYVENDOR	AREGION	char	2	
trvexp	STUDENTACTIVITYVENDOR	ASTATEPROVINCE	char	3	
trvexp	STUDENTACTIVITYVENDOR	ATYPE	tinyint		
trvexp	STUDENTACTIVITYVENDOR	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYVENDOR	CSACTOR	char	30	
trvexp	STUDENTACTIVITYVENDOR	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYVENDOR	DELETEFLAG	binary	16	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTACTIVITYVENDOR	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYVENDOR	NAME	char	60	
trvexp	STUDENTACTIVITYVENDOR	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTACTIVITYVENDOR	STUDENTACTIVITYVENDOR	int		
trvexp	STUDENTACTIVITYVENDOR	TITAXNUMBER	char	20 *	
trvexp	STUDENTACTIVITYVENDOR	TITAXNUMBERTYPE	tinyint		
trvexp	STUDENTACTIVITYVENDOR	UNIQUEID	binary	16	
trvexp	STUDENTACTIVITYVENDOR	USACTOR	char	30	
trvexp	STUDENTACTIVITYVENDOR	USTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYVENDORINVOICE	AUDITLOG	text	2147483647	
trvexp	STUDENTACTIVITYVENDORINVOICE	BANKTRANSACTIONTYPE	smallint		
trvexp	STUDENTACTIVITYVENDORINVOICE	CSACTOR	char	30	
trvexp	STUDENTACTIVITYVENDORINVOICE	CSTIMESTAMP	datetime		
trvexp	STUDENTACTIVITYVENDORINVOICE	DELETEFLAG	binary	16	
trvexp	STUDENTACTIVITYVENDORINVOICE	DESCRIPTION	char	60	
trvexp	STUDENTACTIVITYVENDORINVOICE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTACTIVITYVENDORINVOICE	IIFILE	image	2147483647	
trvexp	STUDENTACTIVITYVENDORINVOICE	IIFILE_TX_TT	char	5	
trvexp	STUDENTACTIVITYVENDORINVOICE	IIMIMETYPE	char	80	
trvexp	STUDENTACTIVITYVENDORINVOICE	IITITLE	char	50	
trvexp	STUDENTACTIVITYVENDORINVOICE	INVOICEAMOUNT	decimal		
trvexp	STUDENTACTIVITYVENDORINVOICE	INVOICEDATE	datetime		
trvexp	STUDENTACTIVITYVENDORINVOICE	SACTIVITYBANKTRANSACTION	decimal		
trvexp	STUDENTACTIVITYVENDORINVOICE	STUDENTACTIVITYBANKACCOUNT	char	15	
trvexp	STUDENTACTIVITYVENDORINVOICE	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTACTIVITYVENDORINVOICE	STUDENTACTIVITYSCHOOL	char	20	
trvexp	STUDENTACTIVITYVENDORINVOICE	STUDENTACTIVITYVENDORINVOICE	char	20	
trvexp	STUDENTACTIVITYVENDORINVOICE	UNIQUEID	binary	16	
trvexp	STUDENTACTIVITYVENDORINVOICE	USACTOR	char	30	
trvexp	STUDENTACTIVITYVENDORINVOICE	USTIMESTAMP	datetime		
trvexp	STUDENTASSIGNEDACTIVITY	AUDITLOG	text	2147483647	
trvexp	STUDENTASSIGNEDACTIVITY	CSACTOR	char	30	
trvexp	STUDENTASSIGNEDACTIVITY	CSTIMESTAMP	datetime		
trvexp	STUDENTASSIGNEDACTIVITY	CURRENTRECEIPTAMOUNT	decimal		
trvexp	STUDENTASSIGNEDACTIVITY	DELETEFLAG	binary	16	
trvexp	STUDENTASSIGNEDACTIVITY	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTASSIGNEDACTIVITY	LASTDETAILSEQUENCENUMBER	smallint		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTASSIGNEDACTIVITY	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTASSIGNEDACTIVITY	SAASUBACTIVITY	char	20	
trvexp	STUDENTASSIGNEDACTIVITY	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTASSIGNEDACTIVITY	STUDENTACTIVITYRECEIPT	decimal		
trvexp	STUDENTASSIGNEDACTIVITY	STUDENTACTIVITYRECEIPTDETAIL	smallint		
trvexp	STUDENTASSIGNEDACTIVITY	STUDENTACTIVITYSCHOOL	char	20	
trvexp	STUDENTASSIGNEDACTIVITY	STUDENTFIRSTNAME	char	20	
trvexp	STUDENTASSIGNEDACTIVITY	STUDENTLASTNAME	char	30	
trvexp	STUDENTASSIGNEDACTIVITY	STUDENTRECORD	decimal		
trvexp	STUDENTASSIGNEDACTIVITY	UNIQUEID	binary	16	
trvexp	STUDENTASSIGNEDACTIVITY	USACTOR	char	30	
trvexp	STUDENTASSIGNEDACTIVITY	USTIMESTAMP	datetime		
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	AUDITLOG	text	2147483647	
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	CSACTOR	char	30	
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	CSTIMESTAMP	datetime		
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	DELETEFLAG	binary	16	
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	DESCRIPTION	char	60	
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	FEEAMOUNT	decimal		
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	SAADPOSTDATE	datetime		
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	SAADPOSTTIME	decimal		
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	SAASTUDENTACTIVITYACCOUNT	decimal		
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	SAASUBACTIVITY	char	20	
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	STUDENTACTIVITYSCHOOL	char	20	
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	STUDENTRECORD	decimal		
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	UNIQUEID	binary	16	
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	USACTOR	char	30	
trvexp	STUDENTASSIGNEDACTIVITYDETAIL	USTIMESTAMP	datetime		
trvexp	STUDENTENROLLMENT	AUDITLOG	text	2147483647	
trvexp	STUDENTENROLLMENT	CSACTOR	char	30	
trvexp	STUDENTENROLLMENT	CSTIMESTAMP	datetime		
trvexp	STUDENTENROLLMENT	DELETEFLAG	binary	16	
trvexp	STUDENTENROLLMENT	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTENROLLMENT	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTENROLLMENT	STUDENTACTIVITYSCHOOL	char	20	
trvexp	STUDENTENROLLMENT	STUDENTACTIVITYSCHOOLCLASS	char	20	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	STUDENTENROLLMENT	STUDENTRECORD	decimal		
trvexp	STUDENTENROLLMENT	UNIQUEID	binary	16	
trvexp	STUDENTENROLLMENT	USACTOR	char	30	
trvexp	STUDENTENROLLMENT	USTIMESTAMP	datetime		
trvexp	STUDENTPAIDRECEIPTS	DELETEFLAG	binary	16	
trvexp	STUDENTPAIDRECEIPTS	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTPAIDRECEIPTS	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTPAIDRECEIPTS	STUDENTACTIVITYRECEIPT	decimal		
trvexp	STUDENTPAIDRECEIPTS	STUDENTACTIVITYSCHOOL	char	20	
trvexp	STUDENTPAIDRECEIPTS	STUDENTRECORD	decimal		
trvexp	STUDENTPAIDRECEIPTS	UNIQUEID	binary	16	
trvexp	STUDENTRECORD	ACTIVE	char	1	
trvexp	STUDENTRECORD	AUDITLOG	text	2147483647	
trvexp	STUDENTRECORD	CRRSTUDENTACTIVITYRECEIPT	decimal		
trvexp	STUDENTRECORD	CRRSTUDENTACTIVITYSCHOOL	char	20	
trvexp	STUDENTRECORD	CSACTOR	char	30	
trvexp	STUDENTRECORD	CSTIMESTAMP	datetime		
trvexp	STUDENTRECORD	DELETEFLAG	binary	16	
trvexp	STUDENTRECORD	DISPLAYHISTORY	char	1	
trvexp	STUDENTRECORD	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	STUDENTRECORD	RECEIPTDATE	datetime		
trvexp	STUDENTRECORD	REFERENCENUMBER	char	10	
trvexp	STUDENTRECORD	STUDENTACTIVITYDISTRICT	char	4	
trvexp	STUDENTRECORD	STUDENTACTIVITYSCHOOL	char	20	
trvexp	STUDENTRECORD	STUDENTFIRSTNAME	char	20	
trvexp	STUDENTRECORD	STUDENTLASTNAME	char	30	
trvexp	STUDENTRECORD	STUDENTRECORD	decimal		
trvexp	STUDENTRECORD	UNIQUEID	binary	16	
trvexp	STUDENTRECORD	USACTOR	char	30	
trvexp	STUDENTRECORD	USTIMESTAMP	datetime		
trvexp	SYSTEMCALENDAR	AUDITLOG	text	2147483647	
trvexp	SYSTEMCALENDAR	CSACTOR	char	30	
trvexp	SYSTEMCALENDAR	CSTIMESTAMP	datetime		
trvexp	SYSTEMCALENDAR	DELETEFLAG	binary	16	
trvexp	SYSTEMCALENDAR	DESCRIPTION	char	100	
trvexp	SYSTEMCALENDAR	EARLIESTDATEMODIFIED	datetime		
trvexp	SYSTEMCALENDAR	EFFECTIVEDATEDLOG	text	2147483647	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	SYSTEMCALENDAR	ENTERPRISEGROUP	char		4
trvexp	SYSTEMCALENDAR	REQUIRESSYNCHRONIZATION	char		1
trvexp	SYSTEMCALENDAR	SYSTEMCALENDAR	char		20
trvexp	SYSTEMCALENDAR	UNIQUEID	binary		16
trvexp	SYSTEMCALENDAR	USACTOR	char		30
trvexp	SYSTEMCALENDAR	USEDYATRANSACTION	char		1
trvexp	SYSTEMCALENDAR	USTIMESTAMP	datetime		
trvexp	SYSTEMCALENDARDATE	ADJUSTDUEDEAYS	decimal		
trvexp	SYSTEMCALENDARDATE	ADJUSTPAYMENTDAYS	decimal		
trvexp	SYSTEMCALENDARDATE	AUDITLOG	text	2147483647	
trvexp	SYSTEMCALENDARDATE	BANKDAYNUMBER	int		
trvexp	SYSTEMCALENDARDATE	CAPACITY	decimal		
trvexp	SYSTEMCALENDARDATE	COMMENT	char		60
trvexp	SYSTEMCALENDARDATE	CSACTOR	char		30
trvexp	SYSTEMCALENDARDATE	CSTIMESTAMP	datetime		
trvexp	SYSTEMCALENDARDATE	DELETEFLAG	binary		16
trvexp	SYSTEMCALENDARDATE	DELIVERYDAYNUMBER	int		
trvexp	SYSTEMCALENDARDATE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	SYSTEMCALENDARDATE	ENTERPRISEGROUP	char		4
trvexp	SYSTEMCALENDARDATE	GOODSRECDAYNUMBER	int		
trvexp	SYSTEMCALENDARDATE	HOLIDAYNUMBER	int		
trvexp	SYSTEMCALENDARDATE	ISBANKDAY	char		1
trvexp	SYSTEMCALENDARDATE	ISDELIVERYDAY	char		1
trvexp	SYSTEMCALENDARDATE	ISGOODSRECEIPTDAY	char		1
trvexp	SYSTEMCALENDARDATE	ISHOLIDAY	char		1
trvexp	SYSTEMCALENDARDATE	ISWORKINGDAY	char		1
trvexp	SYSTEMCALENDARDATE	JOBSCHDDAYNUMBER	int		
trvexp	SYSTEMCALENDARDATE	JOBSCHEDULINGALLOWED	char		1
trvexp	SYSTEMCALENDARDATE	SYSTEMCALENDAR	char		20
trvexp	SYSTEMCALENDARDATE	SYSTEMCALENDARDATE	datetime		
trvexp	SYSTEMCALENDARDATE	TIMEENTRYALLOWED	char		1
trvexp	SYSTEMCALENDARDATE	TIMEENTRYDAYNUMBER	int		
trvexp	SYSTEMCALENDARDATE	UNIQUEID	binary		16
trvexp	SYSTEMCALENDARDATE	USACTOR	char		30
trvexp	SYSTEMCALENDARDATE	USEDYATRANSACTION	char		1
trvexp	SYSTEMCALENDARDATE	USTIMESTAMP	datetime		
trvexp	SYSTEMCALENDARDATE	WORKINGDAYNUMBER	int		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	SYSTEMCALENDARPERIOD	AUDITLOG	text	2147483647	
trvexp	SYSTEMCALENDARPERIOD	CSACTOR	char	30	
trvexp	SYSTEMCALENDARPERIOD	CSTIMESTAMP	datetime		
trvexp	SYSTEMCALENDARPERIOD	DELETEFLAG	binary	16	
trvexp	SYSTEMCALENDARPERIOD	DRFROMDATE	datetime		
trvexp	SYSTEMCALENDARPERIOD	DRTODATE	datetime		
trvexp	SYSTEMCALENDARPERIOD	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	SYSTEMCALENDARPERIOD	ENTERPRISEGROUP	char	4	
trvexp	SYSTEMCALENDARPERIOD	NAME	char	50	
trvexp	SYSTEMCALENDARPERIOD	SCPPERIOD	smallint		
trvexp	SYSTEMCALENDARPERIOD	SCPYEAR	decimal		
trvexp	SYSTEMCALENDARPERIOD	SYSTEMCALENDAR	char	20	
trvexp	SYSTEMCALENDARPERIOD	SYSTEMCALENDARPERIODGROUP	char	20	
trvexp	SYSTEMCALENDARPERIOD	UNIQUEID	binary	16	
trvexp	SYSTEMCALENDARPERIOD	USACTOR	char	30	
trvexp	SYSTEMCALENDARPERIOD	USTIMESTAMP	datetime		
trvexp	SYSTEMCALENDARPERIODGROUP	AUDITLOG	text	2147483647	
trvexp	SYSTEMCALENDARPERIODGROUP	CSACTOR	char	30	
trvexp	SYSTEMCALENDARPERIODGROUP	CSTIMESTAMP	datetime		
trvexp	SYSTEMCALENDARPERIODGROUP	DELETEFLAG	binary	16	
trvexp	SYSTEMCALENDARPERIODGROUP	DESCRIPTION	char	50	
trvexp	SYSTEMCALENDARPERIODGROUP	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	SYSTEMCALENDARPERIODGROUP	ENTERPRISEGROUP	char	4	
trvexp	SYSTEMCALENDARPERIODGROUP	LASTPERIOD	smallint		
trvexp	SYSTEMCALENDARPERIODGROUP	SYSTEMCALENDAR	char	20	
trvexp	SYSTEMCALENDARPERIODGROUP	SYSTEMCALENDARPERIODGROUP	char	20	
trvexp	SYSTEMCALENDARPERIODGROUP	UNIQUEID	binary	16	
trvexp	SYSTEMCALENDARPERIODGROUP	USACTOR	char	30	
trvexp	SYSTEMCALENDARPERIODGROUP	USTIMESTAMP	datetime		
trvexp	SYSTEMCALENDARTEST	AUDITLOG	text	2147483647	
trvexp	SYSTEMCALENDARTEST	CSACTOR	char	30	
trvexp	SYSTEMCALENDARTEST	CSTIMESTAMP	datetime		
trvexp	SYSTEMCALENDARTEST	DELETEFLAG	binary	16	
trvexp	SYSTEMCALENDARTEST	DESCRIPTION	char	30	
trvexp	SYSTEMCALENDARTEST	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	SYSTEMCALENDARTEST	ENTERPRISEGROUP	char	4	
trvexp	SYSTEMCALENDARTEST	SYSTEMCALENDAR	char	20	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	SYSTEMCALENDARTEST	SYSTEMCALENDARDATE	datetime		
trvexp	SYSTEMCALENDARTEST	SYSTEMCALENDARPERIODGROUP	char	20	
trvexp	SYSTEMCALENDARTEST	SYSTEMCALENDARTEST	int		
trvexp	SYSTEMCALENDARTEST	UNIQUEID	binary	16	
trvexp	SYSTEMCALENDARTEST	USACTOR	char	30	
trvexp	SYSTEMCALENDARTEST	USTIMESTAMP	datetime		
trvexp	TAXLOCATION	AUDITLOG	text	2147483647	
trvexp	TAXLOCATION	CSACTOR	char	30	
trvexp	TAXLOCATION	CSTIMESTAMP	datetime		
trvexp	TAXLOCATION	DELETEFLAG	binary	16	
trvexp	TAXLOCATION	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	TAXLOCATION	EXPENSECODE	char	15	
trvexp	TAXLOCATION	EXPENSEGROUP	char	4	
trvexp	TAXLOCATION	GLCOMPANY	smallint		
trvexp	TAXLOCATION	LOCATION	char	30	
trvexp	TAXLOCATION	TAXCODE1	char	10	
trvexp	TAXLOCATION	TAXCODE2	char	10	
trvexp	TAXLOCATION	UNIQUEID	binary	16	
trvexp	TAXLOCATION	USACTOR	char	30	
trvexp	TAXLOCATION	USTIMESTAMP	datetime		
trvexp	TRAVELAGENTCOMMENT	AUDITLOG	text	2147483647	
trvexp	TRAVELAGENTCOMMENT	COMMENT	text	2147483647	
trvexp	TRAVELAGENTCOMMENT	CSACTOR	char	30	
trvexp	TRAVELAGENTCOMMENT	CSTIMESTAMP	datetime		
trvexp	TRAVELAGENTCOMMENT	DELETEFLAG	binary	16	
trvexp	TRAVELAGENTCOMMENT	EXPENSEGROUP	char	4	
trvexp	TRAVELAGENTCOMMENT	EXPENSEREQUEST	decimal		
trvexp	TRAVELAGENTCOMMENT	RESOURCE	int		
trvexp	TRAVELAGENTCOMMENT	TRAVELAGENTCOMMENT	decimal		
trvexp	TRAVELAGENTCOMMENT	UNIQUEID	binary	16	
trvexp	TRAVELAGENTCOMMENT	USACTOR	char	30	
trvexp	TRAVELAGENTCOMMENT	USTIMESTAMP	datetime		
trvexp	TRAVELIMPORT	AUDITLOG	text	2147483647	
trvexp	TRAVELIMPORT	BASECOST	decimal		
trvexp	TRAVELIMPORT	BASECOSTCURRENCY	char	5	
trvexp	TRAVELIMPORT	BOOKINGMETHOD	char	80	
trvexp	TRAVELIMPORT	BUSINESSUNIT	char	80	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	TRAVELIMPORT	COSTCENTER	char	80	
trvexp	TRAVELIMPORT	CREATIONTIME	datetime		
trvexp	TRAVELIMPORT	CSACTOR	char	30	
trvexp	TRAVELIMPORT	CSTIMESTAMP	datetime		
trvexp	TRAVELIMPORT	DELEGATEBUSINESSCONTACTINFO	char	80	
trvexp	TRAVELIMPORT	DELEGATEFIRSTNAME	char	80	
trvexp	TRAVELIMPORT	DELEGATEIDENTIFIER	char	80	
trvexp	TRAVELIMPORT	DELEGATELASTNAME	char	80	
trvexp	TRAVELIMPORT	DELEGATELOGINNAME	char	80	
trvexp	TRAVELIMPORT	DELEGATEPRIMARYEMAILADDRESS	char	80	
trvexp	TRAVELIMPORT	DELETEFLAG	binary	16	
trvexp	TRAVELIMPORT	DEPARTMENTCODE	char	80	
trvexp	TRAVELIMPORT	DESCRIPTION	char	60	
trvexp	TRAVELIMPORT	DIVISION	char	80	
trvexp	TRAVELIMPORT	DOMAINID	char	80	
trvexp	TRAVELIMPORT	DOMAINNAME	char	80	
trvexp	TRAVELIMPORT	ENDDATE	datetime		
trvexp	TRAVELIMPORT	EXPENSECODE	char	15	
trvexp	TRAVELIMPORT	EXPENSEGROUP	char	4	
trvexp	TRAVELIMPORT	EXPENSESTATUS	char	80	
trvexp	TRAVELIMPORT	EXPENSETYPE	char	80	
trvexp	TRAVELIMPORT	FIRSTNAME	char	80	
trvexp	TRAVELIMPORT	GENERALLEDGERCODE	char	80	
trvexp	TRAVELIMPORT	ID	char	30	
trvexp	TRAVELIMPORT	LASTMODIFIEDTIME	datetime		
trvexp	TRAVELIMPORT	LASTNAME	char	80	
trvexp	TRAVELIMPORT	LOGINNAME	char	80	
trvexp	TRAVELIMPORT	METHODOFPAYMENT	char	80	
trvexp	TRAVELIMPORT	POLICYDECISION	char	100	
trvexp	TRAVELIMPORT	PRIMARYEMAILADDRESS	char	80	
trvexp	TRAVELIMPORT	PROVIDER	char	80	
trvexp	TRAVELIMPORT	STARTDATE	datetime		
trvexp	TRAVELIMPORT	STATUS	smallint		
trvexp	TRAVELIMPORT	SUBDOMAINID	char	80	
trvexp	TRAVELIMPORT	SUBDOMAINNAME	char	80	
trvexp	TRAVELIMPORT	SUPPLIERCODE	char	80	
trvexp	TRAVELIMPORT	SUPPLIERNAME	char	80	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	TRAVELIMPORT	TAXESANDFEES	decimal		
trvexp	TRAVELIMPORT	TAXESANDFEESCURRENCY	char		5
trvexp	TRAVELIMPORT	TOTALCOST	decimal		
trvexp	TRAVELIMPORT	TOTALCOSTCURRENCY	char		5
trvexp	TRAVELIMPORT	TRAVELIMPORT	decimal		
trvexp	TRAVELIMPORT	UNIQUEID	binary		16
trvexp	TRAVELIMPORT	USACTOR	char		30
trvexp	TRAVELIMPORT	USEREXPLANATION	char		100
trvexp	TRAVELIMPORT	USERIDENTIFIER	char		80
trvexp	TRAVELIMPORT	USTIMESTAMP	datetime		
trvexp	TRAVELTRANSACTION	AUDITLOG	text	2147483647	
trvexp	TRAVELTRANSACTION	BILLAMOUNT	decimal		
trvexp	TRAVELTRANSACTION	BILLCURRENCY	char		5
trvexp	TRAVELTRANSACTION	BILLDATE	datetime		
trvexp	TRAVELTRANSACTION	CSACTOR	char		30
trvexp	TRAVELTRANSACTION	CSTIMESTAMP	datetime		
trvexp	TRAVELTRANSACTION	DELETEFLAG	binary		16
trvexp	TRAVELTRANSACTION	DESCRIPTION	char		60
trvexp	TRAVELTRANSACTION	EXCHANGERATE	decimal		
trvexp	TRAVELTRANSACTION	EXPENSECODE	char		15
trvexp	TRAVELTRANSACTION	EXPENSEDETAIL	decimal		
trvexp	TRAVELTRANSACTION	EXPENSEGROUP	char		4
trvexp	TRAVELTRANSACTION	EXPENSEREPORT	decimal		
trvexp	TRAVELTRANSACTION	REASONFORCLOSURE	text	2147483647	
trvexp	TRAVELTRANSACTION	RESOURCE	int		
trvexp	TRAVELTRANSACTION	STATUS	smallint		
trvexp	TRAVELTRANSACTION	TRANSACTIONAMOUNT	decimal		
trvexp	TRAVELTRANSACTION	TRANSACTIONCURRENCY	char		5
trvexp	TRAVELTRANSACTION	TRANSACTIONDATE	datetime		
trvexp	TRAVELTRANSACTION	TRANSACTIONID	char		30
trvexp	TRAVELTRANSACTION	TRANSACTIONTYPE	char		80
trvexp	TRAVELTRANSACTION	TRAVELIMPORT	decimal		
trvexp	TRAVELTRANSACTION	TRAVELTRANSACTION	decimal		
trvexp	TRAVELTRANSACTION	UNIQUEID	binary		16
trvexp	TRAVELTRANSACTION	USACTOR	char		30
trvexp	TRAVELTRANSACTION	USTIMESTAMP	datetime		
trvexp	U_ACCOUNTINGUNIT	ACCOUNTINGUNIT	char		15

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	U_ACCOUNTINGUNIT	COMPANY	smallint		
trvexp	U_ACCOUNTINGUNIT	UNIQUEID	binary	16	
trvexp	U_ACCTCATEGORY	ACCTCATEGORY	char	5	
trvexp	U_ACCTCATEGORY	UNIQUEID	binary	16	
trvexp	U_ACCTCATEGORYGROUP	ACCTCATEGORYGROUP	char	15	
trvexp	U_ACCTCATEGORYGROUP	UNIQUEID	binary	16	
trvexp	U_ACCTCATEGORYGROUPDETAIL	ACCTCATEGORYGROUP	char	15	
trvexp	U_ACCTCATEGORYGROUPDETAIL	ACGDACCTCATEGORY	char	5	
trvexp	U_ACCTCATEGORYGROUPDETAIL	UNIQUEID	binary	16	
trvexp	U_ACCTCATEGORYSTRUCTURE	ACCTCATEGORYSTRUCTURE	char	15	
trvexp	U_ACCTCATEGORYSTRUCTURE	UNIQUEID	binary	16	
trvexp	U_ACTIVITY	ACTIVITY	char	15	
trvexp	U_ACTIVITY	UNIQUEID	binary	16	
trvexp	U_ACTIVITYBILLINGCATEGORY	ACTIVITY	char	15	
trvexp	U_ACTIVITYBILLINGCATEGORY	ACTIVITYBILLINGCATEGORY	char	32	
trvexp	U_ACTIVITYBILLINGCATEGORY	UNIQUEID	binary	16	
trvexp	U_ACTIVITYGRP	ACTIVITYGRP	char	15	
trvexp	U_ACTIVITYGRP	UNIQUEID	binary	16	
trvexp	U_ADDRDATA	ADDRDATA	char	20	
trvexp	U_ADDRDATA	UNIQUEID	binary	16	
trvexp	U_APCOMPANY	COMPANY	smallint		
trvexp	U_APCOMPANY	UNIQUEID	binary	16	
trvexp	U_APCPYVND	ACCOMPANY	smallint		
trvexp	U_APCPYVND	ACLOCATIONCODE	char	4	
trvexp	U_APCPYVND	UNIQUEID	binary	16	
trvexp	U_APCPYVND	VENDOR	char	9	
trvexp	U_APCPYVND	VENDORGROUP	char	4	
trvexp	U_APIINCCODE	APIINCCODE	char	4	
trvexp	U_APIINCCODE	UNIQUEID	binary	16	
trvexp	U_APIINVOICE	AICANCELSEQ	smallint		
trvexp	U_APIINVOICE	AIINVOICE	char	22	
trvexp	U_APIINVOICE	AISUFFIX	smallint		
trvexp	U_APIINVOICE	COMPANY	smallint		
trvexp	U_APIINVOICE	UNIQUEID	binary	16	
trvexp	U_APIINVOICE	VENDOR	char	9	
trvexp	U_APPAYGROUP	APPAYGROUP	char	4	
trvexp	U_APPAYGROUP	UNIQUEID	binary	16	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	U_APPAYMENT	AICANCELSEQ	smallint		
trvexp	U_APPAYMENT	AIINVOICE	char	22	
trvexp	U_APPAYMENT	AISUFFIX	smallint		
trvexp	U_APPAYMENT	APSEQNBR	smallint		
trvexp	U_APPAYMENT	APVOIDSEQ	smallint		
trvexp	U_APPAYMENT	COMPANY	smallint		
trvexp	U_APPAYMENT	UNIQUEID	binary	16	
trvexp	U_APPAYMENT	VENDOR	char	9	
trvexp	U_APPLIEDADVANCEINTERFACE	APPLIEDADVANCEINTERFACE	char	22	
trvexp	U_APPLIEDADVANCEINTERFACE	COMPANY	smallint		
trvexp	U_APPLIEDADVANCEINTERFACE	EXPENSEREPORTINTERFACE	char	22	
trvexp	U_APPLIEDADVANCEINTERFACE	INTERFACEEMPLOYEE	int		
trvexp	U_APPLIEDADVANCEINTERFACE	UNIQUEID	binary	16	
trvexp	U_APPROCLEV	APPROCLEV	char	5	
trvexp	U_APPROCLEV	COMPANY	smallint		
trvexp	U_APPROCLEV	UNIQUEID	binary	16	
trvexp	U_APRPTBLINC	ARRICOBJID	decimal		
trvexp	U_APRPTBLINC	ARSOURCE	char	3	
trvexp	U_APRPTBLINC	ARYEARPAID	decimal		
trvexp	U_APRPTBLINC	UNIQUEID	binary	16	
trvexp	U_APVENADDR	AVCONTACTLVL	smallint		
trvexp	U_APVENADDR	AVEFFECTIVEDATE	datetime		
trvexp	U_APVENADDR	AVLOCATIONCODE	char	4	
trvexp	U_APVENADDR	AVRESPCODE	char	5	
trvexp	U_APVENADDR	UNIQUEID	binary	16	
trvexp	U_APVENADDR	VENDOR	char	9	
trvexp	U_APVENADDR	VENDORGROUP	char	4	
trvexp	U_APVENCLASS	AVVENCLASS	char	3	
trvexp	U_APVENCLASS	UNIQUEID	binary	16	
trvexp	U_APVENCLASS	VENDORGROUP	char	4	
trvexp	U_APVENGROUP	UNIQUEID	binary	16	
trvexp	U_APVENGROUP	VENDORGROUP	char	4	
trvexp	U_APVENMAST	UNIQUEID	binary	16	
trvexp	U_APVENMAST	VENDOR	char	9	
trvexp	U_APVENMAST	VENDORGROUP	char	4	
trvexp	U_AROITEMS	AOINVOICE	char	22	
trvexp	U_AROITEMS	AOPAYMENTSEQ	int		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	U_AROITEMS	AOTRANSTYPE	char		1
trvexp	U_AROITEMS	COMPANY	smallint		
trvexp	U_AROITEMS	UNIQUEID	binary		16
trvexp	U_ARPROCLEVL	APLPROCESSLEVEL	char		5
trvexp	U_ARPROCLEVL	COMPANY	smallint		
trvexp	U_ARPROCLEVL	UNIQUEID	binary		16
trvexp	U_ASSET	ASSET	decimal		
trvexp	U_ASSET	UNIQUEID	binary		16
trvexp	U_ASSETITEM	ASSET	decimal		
trvexp	U_ASSETITEM	ASSETITEM	int		
trvexp	U_ASSETITEM	UNIQUEID	binary		16
trvexp	U_ASSETTEMPLATE	ASSETTEMPLATE	char		10
trvexp	U_ASSETTEMPLATE	UNIQUEID	binary		16
trvexp	U_CBBANKINST	BANKINSTCODE	char		3
trvexp	U_CBBANKINST	UNIQUEID	binary		16
trvexp	U_CBCASHCODE	CASHCODE	char		4
trvexp	U_CBCASHCODE	UNIQUEID	binary		16
trvexp	U_CBCATEGORY	CBCATEGORY	char		15
trvexp	U_CBCATEGORY	CBPROCLEV	char		5
trvexp	U_CBCATEGORY	COMPANY	smallint		
trvexp	U_CBCATEGORY	UNIQUEID	binary		16
trvexp	U_CBCHECK	CASHCODE	char		4
trvexp	U_CBCHECK	CCBANKINSTCODE	char		3
trvexp	U_CBCHECK	CCTRANSIDENT	decimal		
trvexp	U_CBCHECK	UNIQUEID	binary		16
trvexp	U_CBCONSOL	CASHCODE	char		4
trvexp	U_CBCONSOL	CCBANKINSTCODE	char		3
trvexp	U_CBCONSOL	CCCOMPANY	smallint		
trvexp	U_CBCONSOL	CCMAINTDATE	datetime		
trvexp	U_CBCONSOL	UNIQUEID	binary		16
trvexp	U_CBCPYCASH	CASHCODE	char		4
trvexp	U_CBCPYCASH	COMPANY	smallint		
trvexp	U_CBCPYCASH	UNIQUEID	binary		16
trvexp	U_CBPROCLEV	CBPROCLEV	char		5
trvexp	U_CBPROCLEV	COMPANY	smallint		
trvexp	U_CBPROCLEV	UNIQUEID	binary		16
trvexp	U_CBRECPTDTL	BANKINSTCODE	char		3

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	U_CBRECPTDTL	CASHCODE	char		4
trvexp	U_CBRECPTDTL	CBRECPTDTL	smallint		
trvexp	U_CBRECPTDTL	CBRECPTHDR	char		10
trvexp	U_CBRECPTDTL	UNIQUEID	binary		16
trvexp	U_CBRECPTHDR	BANKINSTCODE	char		3
trvexp	U_CBRECPTHDR	CASHCODE	char		4
trvexp	U_CBRECPTHDR	CBRECPTHDR	char		10
trvexp	U_CBRECPTHDR	UNIQUEID	binary		16
trvexp	U_CBSTMTREC	CSLINENBR	int		
trvexp	U_CBSTMTREC	CSSTMTNBR	decimal		
trvexp	U_CBSTMTREC	CSSTMTSUFFIX	char		5
trvexp	U_CBSTMTREC	UNIQUEID	binary		16
trvexp	U_CBTRANS	CTBANKINSTCODE	char		3
trvexp	U_CBTRANS	CTTRANSIDENT	decimal		
trvexp	U_CBTRANS	UNIQUEID	binary		16
trvexp	U_CBTRFHDR	CASHCODE	char		4
trvexp	U_CBTRFHDR	CBTRFHDR	char		10
trvexp	U_CBTRFHDR	UNIQUEID	binary		16
trvexp	U_CHARTACCOUNT	CAACCOUNT	int		
trvexp	U_CHARTACCOUNT	CASUBACCOUNT	smallint		
trvexp	U_CHARTACCOUNT	CHARTNAME	char		12
trvexp	U_CHARTACCOUNT	UNIQUEID	binary		16
trvexp	U_CHARTOFACCOUNTS	CHARTNAME	char		12
trvexp	U_CHARTOFACCOUNTS	UNIQUEID	binary		16
trvexp	U_CHARTSUMMARY	CHARTNAME	char		12
trvexp	U_CHARTSUMMARY	CHARTSUMMARY	char		12
trvexp	U_CHARTSUMMARY	UNIQUEID	binary		16
trvexp	U_CUAMOUNT	CAACCOUNT	int		
trvexp	U_CUAMOUNT	CAACCTUNIT	char		15
trvexp	U_CUAMOUNT	CAAMTTYPE	tinyint		
trvexp	U_CUAMOUNT	CACOMPANY	smallint		
trvexp	U_CUAMOUNT	CACURRENCYCODE	char		5
trvexp	U_CUAMOUNT	CAFISCALYEAR	smallint		
trvexp	U_CUAMOUNT	CASUBACCOUNT	smallint		
trvexp	U_CUAMOUNT	CAVARLEVELS	char		30
trvexp	U_CUAMOUNT	UNIQUEID	binary		16
trvexp	U_CURRENCY	CURRENCY	char		5

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	U_CURRENCY	UNIQUEID	binary		16
trvexp	U_CURRENCYRELATIONSHIP	CRFROMCURRENCY	char		5
trvexp	U_CURRENCYRELATIONSHIP	CRTOCURRENCY	char		5
trvexp	U_CURRENCYRELATIONSHIP	CURRENCYTABLE	char		12
trvexp	U_CURRENCYRELATIONSHIP	UNIQUEID	binary		16
trvexp	U_CURRENCYTABLE	CURRENCYTABLE	char		12
trvexp	U_CURRENCYTABLE	UNIQUEID	binary		16
trvexp	U_CURREXCHANGERATE	CERCRFROMCURRENCY	char		5
trvexp	U_CURREXCHANGERATE	CERCRTOCURRENCY	char		5
trvexp	U_CURREXCHANGERATE	CERSYSTEM	char		2
trvexp	U_CURREXCHANGERATE	CURRENCYTABLE	char		12
trvexp	U_CURREXCHANGERATE	EXCHANGEDATE	datetime		
trvexp	U_CURREXCHANGERATE	UNIQUEID	binary		16
trvexp	U_DETAILACCTCATEGORY	ACCTCATEGORYSTRUCTURE	char		15
trvexp	U_DETAILACCTCATEGORY	DETAILACCTCATEGORY	char		5
trvexp	U_DETAILACCTCATEGORY	UNIQUEID	binary		16
trvexp	U_EMPLOYEE	COMPANY	smallint		
trvexp	U_EMPLOYEE	EMPLOYEE	int		
trvexp	U_EMPLOYEE	UNIQUEID	binary		16
trvexp	U_EMSTATUS	COMPANY	smallint		
trvexp	U_EMSTATUS	EMSTATUS	char		2
trvexp	U_EMSTATUS	UNIQUEID	binary		16
trvexp	U_EXPENSEDETAILINTERFACE	COMPANY	smallint		
trvexp	U_EXPENSEDETAILINTERFACE	EXPENSEDETAILINTERFACE	smallint		
trvexp	U_EXPENSEDETAILINTERFACE	EXPENSEREPORTINTERFACE	char		22
trvexp	U_EXPENSEDETAILINTERFACE	INTERFACEEMPLOYEE	int		
trvexp	U_EXPENSEDETAILINTERFACE	UNIQUEID	binary		16
trvexp	U_EXPENSEREPORTINTERFACE	COMPANY	smallint		
trvexp	U_EXPENSEREPORTINTERFACE	EXPENSEREPORTINTERFACE	char		22
trvexp	U_EXPENSEREPORTINTERFACE	INTERFACEEMPLOYEE	int		
trvexp	U_EXPENSEREPORTINTERFACE	UNIQUEID	binary		16
trvexp	U_GLACCOUNT	COMPANY	smallint		
trvexp	U_GLACCOUNT	GLACCOUNTINGUNIT	char		15
trvexp	U_GLACCOUNT	GLACAACCOUNT	int		
trvexp	U_GLACCOUNT	GLACASUBACCOUNT	smallint		
trvexp	U_GLACCOUNT	UNIQUEID	binary		16
trvexp	U_GLACCOUNTVALIDATION	GLAVCAACCOUNT	int		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	U_GLACCOUNTVALIDATION	GLAVCASUBACCOUNT	smallint		
trvexp	U_GLACCOUNTVALIDATION	GLAVCAUACCOUNTINGUNIT	char	15	
trvexp	U_GLACCOUNTVALIDATION	GLAVCAUCOMPANY	smallint		
trvexp	U_GLACCOUNTVALIDATION	GLAVCHARTNAME	char	12	
trvexp	U_GLACCOUNTVALIDATION	GLAVRECORDTYPE	char	1	
trvexp	U_GLACCOUNTVALIDATION	GLAVSUMRYACCTID	int		
trvexp	U_GLACCOUNTVALIDATION	GLAVSYSTEM	char	2	
trvexp	U_GLACCOUNTVALIDATION	UNIQUEID	binary	16	
trvexp	U_GLADDRESS	COMPANY	smallint		
trvexp	U_GLADDRESS	GLADDRESS	char	15	
trvexp	U_GLADDRESS	UNIQUEID	binary	16	
trvexp	U_GLAMOUNTS	COMPANY	smallint		
trvexp	U_GLAMOUNTS	GLAACCOUNT	int		
trvexp	U_GLAMOUNTS	GLAACCTUNIT	char	15	
trvexp	U_GLAMOUNTS	GLAFISCALYEAR	smallint		
trvexp	U_GLAMOUNTS	GLASUBACCOUNT	smallint		
trvexp	U_GLAMOUNTS	UNIQUEID	binary	16	
trvexp	U_GLBETRANS	GLBETRANS	int		
trvexp	U_GLBETRANS	TRANSGROUP	char	50	
trvexp	U_GLBETRANS	UNIQUEID	binary	16	
trvexp	U_GLCODES	COMPANY	smallint		
trvexp	U_GLCODES	GLCFOLDERNAME	char	12	
trvexp	U_GLCODES	GLCPROCESSGROUP	char	15	
trvexp	U_GLCODES	GLCRECORDTYPE	char	1	
trvexp	U_GLCODES	GLCSYSTEM	char	2	
trvexp	U_GLCODES	UNIQUEID	binary	16	
trvexp	U_GLCOMPANY	COMPANY	smallint		
trvexp	U_GLCOMPANY	UNIQUEID	binary	16	
trvexp	U_GLCONTROL	COMPANY	smallint		
trvexp	U_GLCONTROL	GLCACCTPERIOD	smallint		
trvexp	U_GLCONTROL	GLCCONTROLGROUP	int		
trvexp	U_GLCONTROL	GLCFISCALYEAR	smallint		
trvexp	U_GLCONTROL	GLCJESEQUENCE	smallint		
trvexp	U_GLCONTROL	GLCJETYPE	char	1	
trvexp	U_GLCONTROL	GLCSYSTEM	char	2	
trvexp	U_GLCONTROL	UNIQUEID	binary	16	
trvexp	U_GLTRANSREL	GLTRANSREL	int		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	U_GLTRANSREL	RUNGROUP	char		15
trvexp	U_GLTRANSREL	UNIQUEID	binary		16
trvexp	U_HRSUPER	COMPANY	smallint		
trvexp	U_HRSUPER	HRSUPER	char		10
trvexp	U_HRSUPER	UNIQUEID	binary		16
trvexp	U_JOBCODE	COMPANY	smallint		
trvexp	U_JOBCODE	JOBCODE	char		9
trvexp	U_JOBCODE	UNIQUEID	binary		16
trvexp	U_LEDGER	LEDGER	char		15
trvexp	U_LEDGER	UNIQUEID	binary		16
trvexp	U_LEDGERGROUP	LEDGERGROUP	char		15
trvexp	U_LEDGERGROUP	UNIQUEID	binary		16
trvexp	U_M3COMPANY	M3COMPANY	smallint		
trvexp	U_M3COMPANY	UNIQUEID	binary		16
trvexp	U_M3DIVISION	M3COMPANY	smallint		
trvexp	U_M3DIVISION	M3DIVISION	char		3
trvexp	U_M3DIVISION	UNIQUEID	binary		16
trvexp	U_MATRIXCATEGORY	MATRIXCATEGORY	char		12
trvexp	U_MATRIXCATEGORY	UNIQUEID	binary		16
trvexp	U_MATRIXLIST	MATRIXLIST	char		12
trvexp	U_MATRIXLIST	OBJECTTYPE	char		5
trvexp	U_MATRIXLIST	UNIQUEID	binary		16
trvexp	U_MLCOMPANYLEDGER	COMPANY	smallint		
trvexp	U_MLCOMPANYLEDGER	LEDGER	char		15
trvexp	U_MLCOMPANYLEDGER	UNIQUEID	binary		16
trvexp	U_MLGROUPDETAIL	LEDGER	char		15
trvexp	U_MLGROUPDETAIL	LEDGERGROUP	char		15
trvexp	U_MLGROUPDETAIL	UNIQUEID	binary		16
trvexp	U_OBJECTTYPE	OBJECTTYPE	char		5
trvexp	U_OBJECTTYPE	UNIQUEID	binary		16
trvexp	U_PAYCODE	COMPANY	smallint		
trvexp	U_PAYCODE	PCJOBCODE	char		9
trvexp	U_PAYCODE	PCPAYCODE	char		4
trvexp	U_PAYCODE	PCPROCESSLEVEL	char		5
trvexp	U_PAYCODE	UNIQUEID	binary		16
trvexp	U_PRSYSTEM	COMPANY	smallint		
trvexp	U_PRSYSTEM	PRSYSTEM	char		5

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	U_PRSYSTEM	UNIQUEID	binary		16
trvexp	U_PURCHORDER	COMPANY	smallint		
trvexp	U_PURCHORDER	PPOCODE	char		4
trvexp	U_PURCHORDER	PPONUMBER	char		14
trvexp	U_PURCHORDER	PPORELEASE	smallint		
trvexp	U_PURCHORDER	UNIQUEID	binary		16
trvexp	U_SEGMENTGROUP	SEGMENTGROUP	char		15
trvexp	U_SEGMENTGROUP	UNIQUEID	binary		16
trvexp	U_SLRELATION	SEGMENTGROUP	char		15
trvexp	U_SLRELATION	SLRELATION	char		15
trvexp	U_SLRELATION	UNIQUEID	binary		16
trvexp	U_SUMMARYACCTCATEGORY	ACCTCATEGORYSTRUCTURE	char		15
trvexp	U_SUMMARYACCTCATEGORY	SUMMARYACCTCATEGORY	char		5
trvexp	U_SUMMARYACCTCATEGORY	UNIQUEID	binary		16
trvexp	U_SYSTEMCODE	SYSTEMCODE	char		2
trvexp	U_SYSTEMCODE	UNIQUEID	binary		16
trvexp	U_TAXUSAGECODE	COMPANY	smallint		
trvexp	U_TAXUSAGECODE	TAXUSAGECODE	char		10
trvexp	U_TAXUSAGECODE	UNIQUEID	binary		16
trvexp	U_TERMS	TERMCODE	char		5
trvexp	U_TERMS	UNIQUEID	binary		16
trvexp	U_TRANSLATIONCODE	TRANSLATIONCODE	char		2
trvexp	U_TRANSLATIONCODE	UNIQUEID	binary		16
trvexp	U_TXCODEMAST	TAXCODE	char		10
trvexp	U_TXCODEMAST	UNIQUEID	binary		16
trvexp	U_TXCOMPANY	COMPANY	smallint		
trvexp	U_TXCOMPANY	UNIQUEID	binary		16
trvexp	U_TXTAXCODE	COMPANY	smallint		
trvexp	U_TXTAXCODE	TTCTAXCODE	char		10
trvexp	U_TXTAXCODE	UNIQUEID	binary		16
trvexp	U_V1COUNTRY	UNIQUEID	binary		16
trvexp	U_V1COUNTRY	V1COUNTRY	char		2
trvexp	U_V1REGION	UNIQUEID	binary		16
trvexp	U_V1REGION	V1COUNTRY	char		2
trvexp	U_V1REGION	V1REGION	char		2
trvexp	USBANKIMPORT	CREDITCARDTYPE	char		10
trvexp	USBANKIMPORT	ENCRYPTEDOBJECT	text	2147483647	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	USBANKIMPORT	EXPENSEGROUP	char		4
trvexp	USBANKIMPORT	STATUS	smallint		
trvexp	USBANKIMPORT	UNIQUEID	binary		16
trvexp	USBANKIMPORT	USBANKDATA	char		400 *
trvexp	USBANKIMPORT	USBANKIMPORT	decimal		
trvexp	USBANKIMPORT	USBI_EOBJECT_ENCRYPTED	char		1
trvexp	USERBUSINESSCLASS1	ACTIVESTATUS	tinyint		
trvexp	USERBUSINESSCLASS1	ATTRIBUTE1	char		60
trvexp	USERBUSINESSCLASS1	ATTRIBUTE10	decimal		
trvexp	USERBUSINESSCLASS1	ATTRIBUTE2	char		60
trvexp	USERBUSINESSCLASS1	ATTRIBUTE3	char		60
trvexp	USERBUSINESSCLASS1	ATTRIBUTE4	char		60
trvexp	USERBUSINESSCLASS1	ATTRIBUTE5	char		60
trvexp	USERBUSINESSCLASS1	ATTRIBUTE6	decimal		
trvexp	USERBUSINESSCLASS1	ATTRIBUTE7	decimal		
trvexp	USERBUSINESSCLASS1	ATTRIBUTE8	decimal		
trvexp	USERBUSINESSCLASS1	ATTRIBUTE9	decimal		
trvexp	USERBUSINESSCLASS1	AUDITLOG	text	2147483647	
trvexp	USERBUSINESSCLASS1	CSACTOR	char		30
trvexp	USERBUSINESSCLASS1	CSTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS1	DELETEFLAG	binary		16
trvexp	USERBUSINESSCLASS1	DESCRIPTION	char		60
trvexp	USERBUSINESSCLASS1	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	USERBUSINESSCLASS1	EXPENSEGROUP	char		4
trvexp	USERBUSINESSCLASS1	UNIQUEID	binary		16
trvexp	USERBUSINESSCLASS1	USACTOR	char		30
trvexp	USERBUSINESSCLASS1	USERBUSINESSCLASS1	char		60
trvexp	USERBUSINESSCLASS1	USTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS10	ACTIVESTATUS	tinyint		
trvexp	USERBUSINESSCLASS10	ATTRIBUTE1	char		60
trvexp	USERBUSINESSCLASS10	ATTRIBUTE10	decimal		
trvexp	USERBUSINESSCLASS10	ATTRIBUTE2	char		60
trvexp	USERBUSINESSCLASS10	ATTRIBUTE3	char		60
trvexp	USERBUSINESSCLASS10	ATTRIBUTE4	char		60
trvexp	USERBUSINESSCLASS10	ATTRIBUTE5	char		60
trvexp	USERBUSINESSCLASS10	ATTRIBUTE6	decimal		
trvexp	USERBUSINESSCLASS10	ATTRIBUTE7	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	USERBUSINESSCLASS10	ATTRIBUTE8	decimal		
trvexp	USERBUSINESSCLASS10	ATTRIBUTE9	decimal		
trvexp	USERBUSINESSCLASS10	AUDITLOG	text	2147483647	
trvexp	USERBUSINESSCLASS10	CSACTOR	char	30	
trvexp	USERBUSINESSCLASS10	CSTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS10	DELETEFLAG	binary	16	
trvexp	USERBUSINESSCLASS10	DESCRIPTION	char	60	
trvexp	USERBUSINESSCLASS10	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	USERBUSINESSCLASS10	EXPENSEGROUP	char	4	
trvexp	USERBUSINESSCLASS10	UNIQUEID	binary	16	
trvexp	USERBUSINESSCLASS10	USACTOR	char	30	
trvexp	USERBUSINESSCLASS10	USERBUSINESSCLASS10	char	60	
trvexp	USERBUSINESSCLASS10	USTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS2	ACTIVESTATUS	tinyint		
trvexp	USERBUSINESSCLASS2	ATTRIBUTE1	char	60	
trvexp	USERBUSINESSCLASS2	ATTRIBUTE10	decimal		
trvexp	USERBUSINESSCLASS2	ATTRIBUTE2	char	60	
trvexp	USERBUSINESSCLASS2	ATTRIBUTE3	char	60	
trvexp	USERBUSINESSCLASS2	ATTRIBUTE4	char	60	
trvexp	USERBUSINESSCLASS2	ATTRIBUTE5	char	60	
trvexp	USERBUSINESSCLASS2	ATTRIBUTE6	decimal		
trvexp	USERBUSINESSCLASS2	ATTRIBUTE7	decimal		
trvexp	USERBUSINESSCLASS2	ATTRIBUTE8	decimal		
trvexp	USERBUSINESSCLASS2	ATTRIBUTE9	decimal		
trvexp	USERBUSINESSCLASS2	AUDITLOG	text	2147483647	
trvexp	USERBUSINESSCLASS2	CSACTOR	char	30	
trvexp	USERBUSINESSCLASS2	CSTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS2	DELETEFLAG	binary	16	
trvexp	USERBUSINESSCLASS2	DESCRIPTION	char	60	
trvexp	USERBUSINESSCLASS2	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	USERBUSINESSCLASS2	EXPENSEGROUP	char	4	
trvexp	USERBUSINESSCLASS2	UNIQUEID	binary	16	
trvexp	USERBUSINESSCLASS2	USACTOR	char	30	
trvexp	USERBUSINESSCLASS2	USERBUSINESSCLASS2	char	60	
trvexp	USERBUSINESSCLASS2	USTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS3	ACTIVESTATUS	tinyint		
trvexp	USERBUSINESSCLASS3	ATTRIBUTE1	char	60	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	USERBUSINESSCLASS3	ATTRIBUTE10	decimal		
trvexp	USERBUSINESSCLASS3	ATTRIBUTE2	char	60	
trvexp	USERBUSINESSCLASS3	ATTRIBUTE3	char	60	
trvexp	USERBUSINESSCLASS3	ATTRIBUTE4	char	60	
trvexp	USERBUSINESSCLASS3	ATTRIBUTE5	char	60	
trvexp	USERBUSINESSCLASS3	ATTRIBUTE6	decimal		
trvexp	USERBUSINESSCLASS3	ATTRIBUTE7	decimal		
trvexp	USERBUSINESSCLASS3	ATTRIBUTE8	decimal		
trvexp	USERBUSINESSCLASS3	ATTRIBUTE9	decimal		
trvexp	USERBUSINESSCLASS3	AUDITLOG	text	2147483647	
trvexp	USERBUSINESSCLASS3	CSACTOR	char	30	
trvexp	USERBUSINESSCLASS3	CSTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS3	DELETEFLAG	binary	16	
trvexp	USERBUSINESSCLASS3	DESCRIPTION	char	60	
trvexp	USERBUSINESSCLASS3	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	USERBUSINESSCLASS3	EXPENSEGROUP	char	4	
trvexp	USERBUSINESSCLASS3	UNIQUEID	binary	16	
trvexp	USERBUSINESSCLASS3	USACTOR	char	30	
trvexp	USERBUSINESSCLASS3	USERBUSINESSCLASS3	char	60	
trvexp	USERBUSINESSCLASS3	USTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS4	ACTIVESTATUS	tinyint		
trvexp	USERBUSINESSCLASS4	ATTRIBUTE1	char	60	
trvexp	USERBUSINESSCLASS4	ATTRIBUTE10	decimal		
trvexp	USERBUSINESSCLASS4	ATTRIBUTE2	char	60	
trvexp	USERBUSINESSCLASS4	ATTRIBUTE3	char	60	
trvexp	USERBUSINESSCLASS4	ATTRIBUTE4	char	60	
trvexp	USERBUSINESSCLASS4	ATTRIBUTE5	char	60	
trvexp	USERBUSINESSCLASS4	ATTRIBUTE6	decimal		
trvexp	USERBUSINESSCLASS4	ATTRIBUTE7	decimal		
trvexp	USERBUSINESSCLASS4	ATTRIBUTE8	decimal		
trvexp	USERBUSINESSCLASS4	ATTRIBUTE9	decimal		
trvexp	USERBUSINESSCLASS4	AUDITLOG	text	2147483647	
trvexp	USERBUSINESSCLASS4	CSACTOR	char	30	
trvexp	USERBUSINESSCLASS4	CSTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS4	DELETEFLAG	binary	16	
trvexp	USERBUSINESSCLASS4	DESCRIPTION	char	60	
trvexp	USERBUSINESSCLASS4	EFFECTIVEDATEDLOG	text	2147483647	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	USERBUSINESSCLASS4	EXPENSEGROUP	char		4
trvexp	USERBUSINESSCLASS4	UNIQUEID	binary		16
trvexp	USERBUSINESSCLASS4	USACTOR	char		30
trvexp	USERBUSINESSCLASS4	USERBUSINESSCLASS4	char		60
trvexp	USERBUSINESSCLASS4	USTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS5	ACTIVESTATUS	tinyint		
trvexp	USERBUSINESSCLASS5	ATTRIBUTE1	char		60
trvexp	USERBUSINESSCLASS5	ATTRIBUTE10	decimal		
trvexp	USERBUSINESSCLASS5	ATTRIBUTE2	char		60
trvexp	USERBUSINESSCLASS5	ATTRIBUTE3	char		60
trvexp	USERBUSINESSCLASS5	ATTRIBUTE4	char		60
trvexp	USERBUSINESSCLASS5	ATTRIBUTE5	char		60
trvexp	USERBUSINESSCLASS5	ATTRIBUTE6	decimal		
trvexp	USERBUSINESSCLASS5	ATTRIBUTE7	decimal		
trvexp	USERBUSINESSCLASS5	ATTRIBUTE8	decimal		
trvexp	USERBUSINESSCLASS5	ATTRIBUTE9	decimal		
trvexp	USERBUSINESSCLASS5	AUDITLOG	text	2147483647	
trvexp	USERBUSINESSCLASS5	CSACTOR	char		30
trvexp	USERBUSINESSCLASS5	CSTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS5	DELETEFLAG	binary		16
trvexp	USERBUSINESSCLASS5	DESCRIPTION	char		60
trvexp	USERBUSINESSCLASS5	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	USERBUSINESSCLASS5	EXPENSEGROUP	char		4
trvexp	USERBUSINESSCLASS5	UNIQUEID	binary		16
trvexp	USERBUSINESSCLASS5	USACTOR	char		30
trvexp	USERBUSINESSCLASS5	USERBUSINESSCLASS5	char		60
trvexp	USERBUSINESSCLASS5	USTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS6	ACTIVESTATUS	tinyint		
trvexp	USERBUSINESSCLASS6	ATTRIBUTE1	char		60
trvexp	USERBUSINESSCLASS6	ATTRIBUTE10	decimal		
trvexp	USERBUSINESSCLASS6	ATTRIBUTE2	char		60
trvexp	USERBUSINESSCLASS6	ATTRIBUTE3	char		60
trvexp	USERBUSINESSCLASS6	ATTRIBUTE4	char		60
trvexp	USERBUSINESSCLASS6	ATTRIBUTE5	char		60
trvexp	USERBUSINESSCLASS6	ATTRIBUTE6	decimal		
trvexp	USERBUSINESSCLASS6	ATTRIBUTE7	decimal		
trvexp	USERBUSINESSCLASS6	ATTRIBUTE8	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	USERBUSINESSCLASS6	ATTRIBUTE9	decimal		
trvexp	USERBUSINESSCLASS6	AUDITLOG	text	2147483647	
trvexp	USERBUSINESSCLASS6	CSACTOR	char	30	
trvexp	USERBUSINESSCLASS6	CSTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS6	DELETEFLAG	binary	16	
trvexp	USERBUSINESSCLASS6	DESCRIPTION	char	60	
trvexp	USERBUSINESSCLASS6	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	USERBUSINESSCLASS6	EXPENSEGROUP	char	4	
trvexp	USERBUSINESSCLASS6	UNIQUEID	binary	16	
trvexp	USERBUSINESSCLASS6	USACTOR	char	30	
trvexp	USERBUSINESSCLASS6	USERBUSINESSCLASS6	char	60	
trvexp	USERBUSINESSCLASS6	USTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS7	ACTIVESTATUS	tinyint		
trvexp	USERBUSINESSCLASS7	ATTRIBUTE1	char	60	
trvexp	USERBUSINESSCLASS7	ATTRIBUTE10	decimal		
trvexp	USERBUSINESSCLASS7	ATTRIBUTE2	char	60	
trvexp	USERBUSINESSCLASS7	ATTRIBUTE3	char	60	
trvexp	USERBUSINESSCLASS7	ATTRIBUTE4	char	60	
trvexp	USERBUSINESSCLASS7	ATTRIBUTE5	char	60	
trvexp	USERBUSINESSCLASS7	ATTRIBUTE6	decimal		
trvexp	USERBUSINESSCLASS7	ATTRIBUTE7	decimal		
trvexp	USERBUSINESSCLASS7	ATTRIBUTE8	decimal		
trvexp	USERBUSINESSCLASS7	ATTRIBUTE9	decimal		
trvexp	USERBUSINESSCLASS7	AUDITLOG	text	2147483647	
trvexp	USERBUSINESSCLASS7	CSACTOR	char	30	
trvexp	USERBUSINESSCLASS7	CSTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS7	DELETEFLAG	binary	16	
trvexp	USERBUSINESSCLASS7	DESCRIPTION	char	60	
trvexp	USERBUSINESSCLASS7	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	USERBUSINESSCLASS7	EXPENSEGROUP	char	4	
trvexp	USERBUSINESSCLASS7	UNIQUEID	binary	16	
trvexp	USERBUSINESSCLASS7	USACTOR	char	30	
trvexp	USERBUSINESSCLASS7	USERBUSINESSCLASS7	char	60	
trvexp	USERBUSINESSCLASS7	USTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS8	ACTIVESTATUS	tinyint		
trvexp	USERBUSINESSCLASS8	ATTRIBUTE1	char	60	
trvexp	USERBUSINESSCLASS8	ATTRIBUTE10	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	USERBUSINESSCLASS8	ATTRIBUTE2	char		60
trvexp	USERBUSINESSCLASS8	ATTRIBUTE3	char		60
trvexp	USERBUSINESSCLASS8	ATTRIBUTE4	char		60
trvexp	USERBUSINESSCLASS8	ATTRIBUTE5	char		60
trvexp	USERBUSINESSCLASS8	ATTRIBUTE6	decimal		
trvexp	USERBUSINESSCLASS8	ATTRIBUTE7	decimal		
trvexp	USERBUSINESSCLASS8	ATTRIBUTE8	decimal		
trvexp	USERBUSINESSCLASS8	ATTRIBUTE9	decimal		
trvexp	USERBUSINESSCLASS8	AUDITLOG	text	2147483647	
trvexp	USERBUSINESSCLASS8	CSACTOR	char		30
trvexp	USERBUSINESSCLASS8	CSTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS8	DELETEFLAG	binary		16
trvexp	USERBUSINESSCLASS8	DESCRIPTION	char		60
trvexp	USERBUSINESSCLASS8	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	USERBUSINESSCLASS8	EXPENSEGROUP	char		4
trvexp	USERBUSINESSCLASS8	UNIQUEID	binary		16
trvexp	USERBUSINESSCLASS8	USACTOR	char		30
trvexp	USERBUSINESSCLASS8	USERBUSINESSCLASS8	char		60
trvexp	USERBUSINESSCLASS8	USTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS9	ACTIVESTATUS	tinyint		
trvexp	USERBUSINESSCLASS9	ATTRIBUTE1	char		60
trvexp	USERBUSINESSCLASS9	ATTRIBUTE10	decimal		
trvexp	USERBUSINESSCLASS9	ATTRIBUTE2	char		60
trvexp	USERBUSINESSCLASS9	ATTRIBUTE3	char		60
trvexp	USERBUSINESSCLASS9	ATTRIBUTE4	char		60
trvexp	USERBUSINESSCLASS9	ATTRIBUTE5	char		60
trvexp	USERBUSINESSCLASS9	ATTRIBUTE6	decimal		
trvexp	USERBUSINESSCLASS9	ATTRIBUTE7	decimal		
trvexp	USERBUSINESSCLASS9	ATTRIBUTE8	decimal		
trvexp	USERBUSINESSCLASS9	ATTRIBUTE9	decimal		
trvexp	USERBUSINESSCLASS9	AUDITLOG	text	2147483647	
trvexp	USERBUSINESSCLASS9	CSACTOR	char		30
trvexp	USERBUSINESSCLASS9	CSTIMESTAMP	datetime		
trvexp	USERBUSINESSCLASS9	DELETEFLAG	binary		16
trvexp	USERBUSINESSCLASS9	DESCRIPTION	char		60
trvexp	USERBUSINESSCLASS9	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	USERBUSINESSCLASS9	EXPENSEGROUP	char		4

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	USERBUSINESSCLASS9	UNIQUEID	binary		16
trvexp	USERBUSINESSCLASS9	USACTOR	char		30
trvexp	USERBUSINESSCLASS9	USERBUSINESSCLASS9	char		60
trvexp	USERBUSINESSCLASS9	USTIMESTAMP	datetime		
trvexp	USERFOLDER	ACTOR	char		30
trvexp	USERFOLDER	ASOFDATE	datetime		
trvexp	USERFOLDER	BUSINESSCLASS	char		200
trvexp	USERFOLDER	CHARTNAME	char		200
trvexp	USERFOLDER	CONTEXTFIELDS	text	2147483647	
trvexp	USERFOLDER	CSACTOR	char		30
trvexp	USERFOLDER	CSTIMESTAMP	datetime		
trvexp	USERFOLDER	DYNAMIC	char		1
trvexp	USERFOLDER	LISTNAME	char		200
trvexp	USERFOLDER	NAME	char		255
trvexp	USERFOLDER	REPORTGROUP	char		50
trvexp	USERFOLDER	REPORTNAME	char		200
trvexp	USERFOLDER	SEARCH	text	2147483647	
trvexp	USERFOLDER	USACTOR	char		30
trvexp	USERFOLDER	USERFOLDER	binary		16
trvexp	USERFOLDER	USTIMESTAMP	datetime		
trvexp	USERFOLDERITEM	ACTIONNAME	char		200
trvexp	USERFOLDERITEM	AUDITLOG	text	2147483647	
trvexp	USERFOLDERITEM	CSACTOR	char		30
trvexp	USERFOLDERITEM	CSTIMESTAMP	datetime		
trvexp	USERFOLDERITEM	DELETEFLAG	binary		16
trvexp	USERFOLDERITEM	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	USERFOLDERITEM	FORMNAME	char		200
trvexp	USERFOLDERITEM	LISTNAME	char		200
trvexp	USERFOLDERITEM	OBUSINESSCLASSNAME	char		200
trvexp	USERFOLDERITEM	OBUSINESSOBJECTKEY	binary		16
trvexp	USERFOLDERITEM	UNIQUEID	binary		16
trvexp	USERFOLDERITEM	USACTOR	char		30
trvexp	USERFOLDERITEM	USERFOLDER	binary		16
trvexp	USERFOLDERITEM	USERFOLDERITEM	int		
trvexp	USERFOLDERITEM	USTIMESTAMP	datetime		
trvexp	USERLIST	ACTOR	char		30
trvexp	USERLIST	BUSINESSLIST	char		200

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	USERLIST	BUSINESSVIEW	char	200	
trvexp	USERLIST	DELTA	text	2147483647	
trvexp	USERLIST	FOLDERNAME	char	200	
trvexp	USERLIST	GLOBALLIST	char	1	
trvexp	USERLIST	ISACTOR	char	1	
trvexp	USERLIST	ISFOLDER	char	1	
trvexp	USERLIST	USACTOR	char	30	
trvexp	USERLIST	USERLIST	binary	16	
trvexp	USERLIST	USTIMESTAMP	datetime		
trvexp	USERREPORT	ACTOR	char	30	
trvexp	USERREPORT	FOLDERNAME	char	200	
trvexp	USERREPORT	ISACTOR	char	1	
trvexp	USERREPORT	ISFOLDER	char	1	
trvexp	USERREPORT	LPL	text	2147483647	
trvexp	USERREPORT	REPORTNAME	char	200	
trvexp	USERREPORT	USACTOR	char	30	
trvexp	USERREPORT	USERREPORT	binary	16	
trvexp	USERREPORT	USTIMESTAMP	datetime		
trvexp	USERREPORT	VISIBILITY	tinyint		
trvexp	V1STATEPROVINCE	AUDITLOG	text	2147483647	
trvexp	V1STATEPROVINCE	CSACTOR	char	30	
trvexp	V1STATEPROVINCE	CSTIMESTAMP	datetime		
trvexp	V1STATEPROVINCE	DELETEFLAG	binary	16	
trvexp	V1STATEPROVINCE	EFFECTIVEDATEDLOG	text	2147483647	
trvexp	V1STATEPROVINCE	NAME	char	50	
trvexp	V1STATEPROVINCE	UNIQUEID	binary	16	
trvexp	V1STATEPROVINCE	USACTOR	char	30	
trvexp	V1STATEPROVINCE	USTIMESTAMP	datetime		
trvexp	V1STATEPROVINCE	V1COUNTRY	char	2	
trvexp	V1STATEPROVINCE	V1STATEPROVINCE	char	2	
trvexp	VCFCARDTRANSACTION	ACCOUNTNUMBER	char	20	
trvexp	VCFCARDTRANSACTION	ACQUIRINGBIN	decimal		
trvexp	VCFCARDTRANSACTION	BILLINGAMOUNT	decimal		
trvexp	VCFCARDTRANSACTION	BILLINGCURRENCYCODE	int		
trvexp	VCFCARDTRANSACTION	BILLINGPERIOD	decimal		
trvexp	VCFCARDTRANSACTION	CARDACCEPTORID	char	30	
trvexp	VCFCARDTRANSACTION	COMMODITYCODE	char	10	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	VCFCARDTRANSACTION	CREDITCARDTYPE	char		10
trvexp	VCFCARDTRANSACTION	CUSTOMERVATNUMBER	char		20
trvexp	VCFCARDTRANSACTION	DISPUTEAMOUNT	decimal		
trvexp	VCFCARDTRANSACTION	DISPUTEDATE	decimal		
trvexp	VCFCARDTRANSACTION	DISPUTEREASONCODE	int		
trvexp	VCFCARDTRANSACTION	ENCRYPTEDOBJECT	text	2147483647	
trvexp	VCFCARDTRANSACTION	EXPENSEGROUP	char		4
trvexp	VCFCARDTRANSACTION	LOADTRANSACTIONCODE	smallint		
trvexp	VCFCARDTRANSACTION	MERCHANTCATEGORYCODE	decimal		
trvexp	VCFCARDTRANSACTION	POSTINGDATE	char		10
trvexp	VCFCARDTRANSACTION	SEQUENCENUMBER	decimal		
trvexp	VCFCARDTRANSACTION	SOURCEAMOUNT	decimal		
trvexp	VCFCARDTRANSACTION	SOURCECURRENCYCODE	int		
trvexp	VCFCARDTRANSACTION	STATUS	smallint		
trvexp	VCFCARDTRANSACTION	SUPPLIERCITY	char		20
trvexp	VCFCARDTRANSACTION	SUPPLIERISOCOUNTRYCODE	char		5
trvexp	VCFCARDTRANSACTION	SUPPLIERNAME	char		30
trvexp	VCFCARDTRANSACTION	SUPPLIERORDERNUMBER	char		30
trvexp	VCFCARDTRANSACTION	SUPPLIERPOSTALCODE	char		20
trvexp	VCFCARDTRANSACTION	SUPPLIERSTATECODE	char		5
trvexp	VCFCARDTRANSACTION	SUPPLIERVATNUMBER	char		30
trvexp	VCFCARDTRANSACTION	TAX2AMOUNT	decimal		
trvexp	VCFCARDTRANSACTION	TAXAMOUNT	decimal		
trvexp	VCFCARDTRANSACTION	TRANSACTIONDATE	char		10
trvexp	VCFCARDTRANSACTION	TRANSACTIONREFERENCENUMBER	char		30
trvexp	VCFCARDTRANSACTION	TRANSACTIONTYPECODE	char		5
trvexp	VCFCARDTRANSACTION	UNIQUEID	binary		16
trvexp	VCFCARDTRANSACTION	VATAMOUNT	decimal		
trvexp	VCFCARDTRANSACTION	VCFCARDTRANSACTION	decimal		
trvexp	VCFCARDTRANSACTION	VCFCT_EOBJECT_ENCRYPTED	char		1
trvexp	VCFCARDTRANSACTION	VCFHEADERFILE	char		40
trvexp	VCFFILE	ENCRYPTEDOBJECT	text	2147483647	
trvexp	VCFFILE	SEQUENCENUMBER	int		
trvexp	VCFFILE	STATUS	smallint		
trvexp	VCFFILE	TEXTLENGTH	decimal		
trvexp	VCFFILE	UNIQUEID	binary		16
trvexp	VCFFILE	VCFFDATA	text	2147483647	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	VCFFILE	VCFDATA_ENCRYPTED	char		1
trvexp	VCFFILE	VCFE_EOBJECT_ENCRYPTED	char		1
trvexp	VCFFILE	VCFFILE	char		40
trvexp	VCFFILE	VCFHEADERFILE	char		40
trvexp	VCFHEADERFILE	AUDITLOG	text	2147483647	
trvexp	VCFHEADERFILE	CSACTOR	char		30
trvexp	VCFHEADERFILE	CSTIMESTAMP	datetime		
trvexp	VCFHEADERFILE	DELETEFLAG	binary		16
trvexp	VCFHEADERFILE	DESCRIPTION	char		80
trvexp	VCFHEADERFILE	STATUS	smallint		
trvexp	VCFHEADERFILE	UNIQUEID	binary		16
trvexp	VCFHEADERFILE	USACTOR	char		30
trvexp	VCFHEADERFILE	USTIMESTAMP	datetime		
trvexp	VCFHEADERFILE	VCFHEADERFILE	char		40
trvexp	VCFIMPORT	CREDITCARDTYPE	char		10
trvexp	VCFIMPORT	DATA COL01	smallint		
trvexp	VCFIMPORT	DATA COL02	char		70
trvexp	VCFIMPORT	DATA COL03	char		70
trvexp	VCFIMPORT	DATA COL04	char		70
trvexp	VCFIMPORT	DATA COL05	char		70
trvexp	VCFIMPORT	DATA COL06	char		70
trvexp	VCFIMPORT	DATA COL07	char		70
trvexp	VCFIMPORT	DATA COL08	char		70
trvexp	VCFIMPORT	DATA COL09	char		70
trvexp	VCFIMPORT	DATA COL10	char		70
trvexp	VCFIMPORT	DATA COL11	char		70
trvexp	VCFIMPORT	DATA COL12	char		70
trvexp	VCFIMPORT	DATA COL13	char		70
trvexp	VCFIMPORT	DATA COL14	char		70
trvexp	VCFIMPORT	DATA COL15	char		70
trvexp	VCFIMPORT	DATA COL16	char		70
trvexp	VCFIMPORT	DATA COL17	char		70
trvexp	VCFIMPORT	DATA COL18	char		70
trvexp	VCFIMPORT	DATA COL19	char		70
trvexp	VCFIMPORT	DATA COL20	char		70
trvexp	VCFIMPORT	DATA COL21	char		70
trvexp	VCFIMPORT	DATA COL22	char		70

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	VCFIMPORT	DATA COL23	char		70
trvexp	VCFIMPORT	DATA COL24	char		70
trvexp	VCFIMPORT	DATA COL25	char		70
trvexp	VCFIMPORT	DATA COL26	char		70
trvexp	VCFIMPORT	DATA COL27	char		70
trvexp	VCFIMPORT	DATA COL28	char		70
trvexp	VCFIMPORT	DATA COL29	char		70
trvexp	VCFIMPORT	DATA COL30	char		70
trvexp	VCFIMPORT	DATA COL31	char		70
trvexp	VCFIMPORT	DATA COL32	char		70
trvexp	VCFIMPORT	DATA COL33	char		70
trvexp	VCFIMPORT	DATA COL34	char		70
trvexp	VCFIMPORT	DATA COL35	char		70
trvexp	VCFIMPORT	DATA COL36	char		70
trvexp	VCFIMPORT	DATA COL37	char		70
trvexp	VCFIMPORT	DATA COL38	char		70
trvexp	VCFIMPORT	DATA COL39	char		70
trvexp	VCFIMPORT	ENCRYPTEDOBJECT	text	2147483647	
trvexp	VCFIMPORT	EXPENSEGROUP	char		4
trvexp	VCFIMPORT	SEQUENCENUMBER	smallint		
trvexp	VCFIMPORT	STATUS	smallint		
trvexp	VCFIMPORT	UNIQUEID	binary		16
trvexp	VCFIMPORT	VCFHEADERFILE	char		40
trvexp	VCFIMPORT	VCFI_EOBJECT_ENCRYPTED	char		1
trvexp	VCFIMPORT	VCFIMPORT	decimal		
trvexp	VCFITINERARY	ACCOUNTNUMBER	char		20
trvexp	VCFITINERARY	DATAFIELD1	char		26
trvexp	VCFITINERARY	DATAFIELD2	char		26
trvexp	VCFITINERARY	DATAFIELD3	char		26
trvexp	VCFITINERARY	DATAFIELD4	char		26
trvexp	VCFITINERARY	ENCRYPTEDOBJECT	text	2147483647	
trvexp	VCFITINERARY	EXPENSEGROUP	char		4
trvexp	VCFITINERARY	IMPORTED	char		1
trvexp	VCFITINERARY	NUMBEROFLEGS	smallint		
trvexp	VCFITINERARY	PASSENGERNAME	char		20
trvexp	VCFITINERARY	PASSENGERSPECIFICDATA	char		50
trvexp	VCFITINERARY	POSTINGDATE	char		10

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	VCFITINERARY	SEQUENCENUMBER	decimal		
trvexp	VCFITINERARY	SUPPLIERNAME	char	26	
trvexp	VCFITINERARY	TICKETISSUEDATE	char	8	
trvexp	VCFITINERARY	TICKETNUMBER	char	14	
trvexp	VCFITINERARY	TRANSACTIONREFERENCENUMBER	char	30	
trvexp	VCFITINERARY	TRAVELAGENCYCODE	char	8	
trvexp	VCFITINERARY	TRAVELAGENCYNAME	char	26	
trvexp	VCFITINERARY	UNIQUEID	binary	16	
trvexp	VCFITINERARY	VCFHEADERFILE	char	40	
trvexp	VCFITINERARY	VCFI_EOBJECT_ENCRYPTED	char	1	
trvexp	VCFITINERARY	VCFITINERARY	decimal		
trvexp	VCFITINERARYDETAIL	ACCOUNTNUMBER	char	20	
trvexp	VCFITINERARYDETAIL	ARRIVALDATE	char	8	
trvexp	VCFITINERARYDETAIL	ARRIVALTIME	char	4	
trvexp	VCFITINERARYDETAIL	CARRIERCODE	char	4	
trvexp	VCFITINERARYDETAIL	DATAFIELD1	char	26	
trvexp	VCFITINERARYDETAIL	DATAFIELD2	char	26	
trvexp	VCFITINERARYDETAIL	DATAFIELD3	char	26	
trvexp	VCFITINERARYDETAIL	DATAFIELD4	char	26	
trvexp	VCFITINERARYDETAIL	DEPARTURETIME	char	4	
trvexp	VCFITINERARYDETAIL	DESTINATION	char	4	
trvexp	VCFITINERARYDETAIL	ENCRYPTEDOBJECT	text	2147483647	
trvexp	VCFITINERARYDETAIL	EXPENSEGROUP	char	4	
trvexp	VCFITINERARYDETAIL	IMPORTED	char	1	
trvexp	VCFITINERARYDETAIL	LEGNUMBER	smallint		
trvexp	VCFITINERARYDETAIL	ORIGIN	char	4	
trvexp	VCFITINERARYDETAIL	POSTINGDATE	char	10	
trvexp	VCFITINERARYDETAIL	SEQUENCENUMBER	decimal		
trvexp	VCFITINERARYDETAIL	SERVICECLASS	char	2	
trvexp	VCFITINERARYDETAIL	TICKETNUMBER	char	14	
trvexp	VCFITINERARYDETAIL	TRANSACTIONREFERENCENUMBER	char	30	
trvexp	VCFITINERARYDETAIL	TRAVELDATE	char	8	
trvexp	VCFITINERARYDETAIL	UNIQUEID	binary	16	
trvexp	VCFITINERARYDETAIL	VCFHEADERFILE	char	40	
trvexp	VCFITINERARYDETAIL	VCFID_EOBJECT_ENCRYPTED	char	1	
trvexp	VCFITINERARYDETAIL	VCFITINERARYDETAIL	decimal		
trvexp	VCFLODGINGDETAIL	ACCOUNTNUMBER	char	20	

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	VCFLODGINGDETAIL	BUSINESSCENTERCHARGES	decimal		
trvexp	VCFLODGINGDETAIL	CREDITCARDTYPE	char	10	
trvexp	VCFLODGINGDETAIL	DATEOFCHARGE	char	9	
trvexp	VCFLODGINGDETAIL	DESCRIPTIONOFOTHERCHARGE	char	20	
trvexp	VCFLODGINGDETAIL	DISCOUNTRATE	decimal		
trvexp	VCFLODGINGDETAIL	ENCRYPTEDOBJECT	text	2147483647	
trvexp	VCFLODGINGDETAIL	EXPENSEGROUP	char	4	
trvexp	VCFLODGINGDETAIL	FOLIOCASHADVANCES	decimal		
trvexp	VCFLODGINGDETAIL	FOODBEVERAGCHARGES	decimal		
trvexp	VCFLODGINGDETAIL	GIFTSHOPPURCHASES	decimal		
trvexp	VCFLODGINGDETAIL	HEALTHCLUBCHARGES	decimal		
trvexp	VCFLODGINGDETAIL	ITEMSEQUENCENUMBER	int		
trvexp	VCFLODGINGDETAIL	LAUNDRYCHARGES	decimal		
trvexp	VCFLODGINGDETAIL	LOADTRANSACTIONCODE	smallint		
trvexp	VCFLODGINGDETAIL	MESSAGEIDENTIFIER	char	16	
trvexp	VCFLODGINGDETAIL	MINIBARCHARGES	decimal		
trvexp	VCFLODGINGDETAIL	MOVIECHARGES	decimal		
trvexp	VCFLODGINGDETAIL	OPTIONALFIELD1	char	26	
trvexp	VCFLODGINGDETAIL	OPTIONALFIELD2	char	26	
trvexp	VCFLODGINGDETAIL	OPTIONALFIELD3	char	26	
trvexp	VCFLODGINGDETAIL	OPTIONALFIELD4	char	26	
trvexp	VCFLODGINGDETAIL	OTHERCHARGE	decimal		
trvexp	VCFLODGINGDETAIL	OTHERCHARGECODE	char	5	
trvexp	VCFLODGINGDETAIL	POSTINGDATE	char	10	
trvexp	VCFLODGINGDETAIL	PROCESSORADDENDUMKEY	char	52	
trvexp	VCFLODGINGDETAIL	PURCHASEID	char	50	
trvexp	VCFLODGINGDETAIL	ROOMRATE	decimal		
trvexp	VCFLODGINGDETAIL	ROOMTAXAMOUNT	decimal		
trvexp	VCFLODGINGDETAIL	ROOMTAXAMOUNT2	decimal		
trvexp	VCFLODGINGDETAIL	ROOMTAXAMOUNT3	decimal		
trvexp	VCFLODGINGDETAIL	ROOMTAXAMOUNT4	decimal		
trvexp	VCFLODGINGDETAIL	SEQUENCENUMBER	decimal		
trvexp	VCFLODGINGDETAIL	STATUS	smallint		
trvexp	VCFLODGINGDETAIL	TELEPHONECHARGES	decimal		
trvexp	VCFLODGINGDETAIL	TRANSACTIONREFERENCENUMBER	char	30	
trvexp	VCFLODGINGDETAIL	UNIQUEID	binary	16	
trvexp	VCFLODGINGDETAIL	VALETPARKINGCHARGES	decimal		

<u>Schema Name</u>	<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>	<u>Restricted</u>
trvexp	VCFLODGINGDETAIL	VCFHEADERFILE	char		40
trvexp	VCFLODGINGDETAIL	VCFLD_EOBJECT_ENCRYPTED	char		1
trvexp	VCFLODGINGDETAIL	VCFLODGINGDETAIL	decimal		