

Database name: NCDEBTSETOFF (Frequency - Updated Daily)

<u>Table Name</u>	<u>Field Name</u>	<u>Type</u>	<u>Size</u>
AccountCodes	AccountCode	nchar	3
AccountCodes	AccountCodes_ID	int	
AccountCodes	AccountDescription	nchar	200
AccountCodes	Address1	nchar	40
AccountCodes	Address2	nchar	40
AccountCodes	AttentionPerson	nchar	40
AccountCodes	City	nchar	30
AccountCodes	DepartmentName	nchar	40
AccountCodes	LetterDescription	nchar	65
AccountCodes	PhoneNumber	nchar	20
AccountCodes	Signature	nchar	50
AccountCodes	State	nchar	2
AccountCodes	Title	nchar	40
AccountCodes	ZipCode	nchar	10
AccountCodesTemp	AccountCode	nchar	3
AccountCodesTemp	AccountCodesTemp_ID	int	
AccountCodesTemp	AccountDescription	nchar	200
AccountCodesTemp	HasAccess	nchar	15
AccountCodesUsers	AccountCode	nchar	3
AccountCodesUsers	AccountCodesUsers_ID	int	
AccountCodesUsers	UserName	nchar	10
Debtors	Address1	nvarchar	35
Debtors	Address2	nvarchar	35
Debtors	City	nvarchar	25
Debtors	DateAdded	datetime	
Debtors	DateDebtsAdded	datetime	
Debtors	DateDebtsUpdated	datetime	
Debtors	DateLettersSent	datetime	
Debtors	DateUpdated	datetime	
Debtors	FirstName	nvarchar	25
Debtors	Lastname	nvarchar	25
Debtors	MiddleInitial	nvarchar	1
Debtors	SSN	nvarchar	11
Debtors	State	nvarchar	2
Debtors	TimeStamped	nvarchar	25
Debtors	ZipCode	nvarchar	10
Debts	AccountNumber	nvarchar	25
Debts	AgencyCode	nvarchar	4
Debts	Apr	datetime	
Debts	AprInterest	money	
Debts	Aug	datetime	
Debts	AugInterest	money	
Debts	BaseAmount	money	
Debts	BaseInterest	money	
Debts	DateAdded	datetime	

Debts	DateCompliant	datetime	
Debts	DateExpired	datetime	
Debts	DateSetoff	datetime	
Debts	DateUpdated	datetime	
Debts	DebtAmount	money	
Debts	DebtType	nchar	3
Debts	Dec	datetime	
Debts	DecInterest	money	
Debts	Department	nvarchar	4
Debts	Feb	datetime	
Debts	FebInterest	money	
Debts	id	int	
Debts	Interest	nvarchar	1
Debts	Jan	datetime	
Debts	JanInterest	money	
Debts	July	datetime	
Debts	JulyInterest	money	
Debts	June	datetime	
Debts	JuneInterest	money	
Debts	LTRSSETOFF	nchar	1
Debts	Mar	datetime	
Debts	MarInterest	money	
Debts	May	datetime	
Debts	MayInterest	money	
Debts	Nov	datetime	
Debts	NovInterest	money	
Debts	Oct	datetime	
Debts	OctInterest	money	
Debts	OriginalAmount	money	
Debts	Sep	datetime	
Debts	SepInterest	money	
Debts	SetoffAmount	money	
Debts	SSN	nvarchar	11
Debts	TimeStamped	nvarchar	25
Debts	TotalInterest	money	
Debts	TotalSetoff	money	
Debts	UniqueID	nvarchar	25
Debts	Upsize_ts	timestamp	
DebtUsers	AddressApplyChange	bit	
DebtUsers	Address	bit	
DebtUsers	AddressGlobalSetting	bit	
DebtUsers	AddressNotify	bit	
DebtUsers	AddressPrintReconile	bit	
DebtUsers	backups	bit	
DebtUsers	Comments	bit	
DebtUsers	CreateLetter	bit	
DebtUsers	Debtors	bit	

DebtUsers	First_Name	nvarchar	25
DebtUsers	FirstName	nchar	25
DebtUsers	GenerateLetter	bit	
DebtUsers	ID	int	
DebtUsers	Last_Name	nvarchar	25
DebtUsers	LastName	nchar	25
DebtUsers	Letters	bit	
DebtUsers	Maintance	bit	
DebtUsers	MatchLetter	bit	
DebtUsers	newyearprep	bit	
DebtUsers	Passwrđ	nvarchar	20
DebtUsers	printfomat	bit	
DebtUsers	Reports	bit	
DebtUsers	restore	bit	
DebtUsers	restores	nchar	10
DebtUsers	TramsmitData	bit	
DebtUsers	User_Name	nvarchar	20
DebtUsers	UserLevel	nvarchar	10
DebtUsers	ViewOnly	bit	
Environment	Address1	nchar	50
Environment	Address2	nchar	50
Environment	AgencyCode	nvarchar	4
Environment	AgencyName	nchar	50
Environment	City	nchar	50
Environment	CordinatorName	nchar	50
Environment	EntityName	nchar	50
Environment	id	int	
Environment	IPAddress	nchar	100
Environment	SSLFolder	nchar	200
Environment	SSLPassword	nchar	20
Environment	SSLUserName	nchar	20
Environment	State	nchar	2
Environment	ZipCode	nchar	12
errors	desc1	nvarchar	100
errors	desc2	nvarchar	100
errors	firstname	nvarchar	10
errors	id	int	
errors	key1	nvarchar	8
errors	lastname	nvarchar	15
errors	money1	money	
errors	SSN	nchar	11
errors	upsized_ts	timestamp	
ExportFileNames	EXPORTTYPE	nvarchar	1
ExportFileNames	FIELD1	nvarchar	20
ExportFileNames	FIELD10	nvarchar	20
ExportFileNames	FIELD10LEN	nvarchar	20
ExportFileNames	FIELD11	nvarchar	20

ExportFileNames	FIELD11LEN	nvarchar	20
ExportFileNames	FIELD12	nvarchar	20
ExportFileNames	FIELD12LEN	nvarchar	20
ExportFileNames	FIELD13	nvarchar	20
ExportFileNames	FIELD13LEN	nvarchar	20
ExportFileNames	FIELD14	nvarchar	20
ExportFileNames	FIELD14LEN	nvarchar	20
ExportFileNames	FIELD15	nvarchar	20
ExportFileNames	FIELD15LEN	nvarchar	20
ExportFileNames	FIELD16	nvarchar	20
ExportFileNames	FIELD16LEN	nvarchar	20
ExportFileNames	FIELD17	nvarchar	20
ExportFileNames	FIELD17LEN	nvarchar	20
ExportFileNames	FIELD18	nvarchar	20
ExportFileNames	FIELD18LEN	nvarchar	20
ExportFileNames	FIELD1LEN	nvarchar	20
ExportFileNames	FIELD2	nvarchar	20
ExportFileNames	FIELD2LEN	nvarchar	20
ExportFileNames	FIELD3	nvarchar	20
ExportFileNames	FIELD3LEN	nvarchar	20
ExportFileNames	FIELD4	nvarchar	20
ExportFileNames	FIELD4LEN	nvarchar	20
ExportFileNames	FIELD5	nvarchar	20
ExportFileNames	FIELD5LEN	nvarchar	20
ExportFileNames	FIELD6	nvarchar	20
ExportFileNames	FIELD6LEN	nvarchar	20
ExportFileNames	FIELD7	nvarchar	20
ExportFileNames	FIELD7LEN	nvarchar	20
ExportFileNames	FIELD8	nvarchar	20
ExportFileNames	FIELD8LEN	nvarchar	20
ExportFileNames	FIELD9	nvarchar	20
ExportFileNames	FIELD9LEN	nvarchar	20
ExportFileNames	FILENAMES	nvarchar	50
ExportFileNames	IDS	int	
ExportFileNames	ssn	nvarchar	50
History	AccountNumber	nchar	25
History	Action	nchar	50
History	DateOfAction	datetime	
History	DebtsID	nchar	25
History	Description	ntext	1073741823
History	History_ID	bigint	
History	Operator	nchar	25
History	SSN	nchar	11
MatchAddresses	Address1	nchar	35
MatchAddresses	City	nchar	25
MatchAddresses	FirstName	nchar	25
MatchAddresses	LastName	nchar	25

MatchAddresses	MatchAddress_ID	int	
MatchAddresses	SetoffDate	datetime	
MatchAddresses	SSN	nchar	11
MatchAddresses	TheState	nchar	2
MatchAddresses	ZipCode	nchar	10
Passwords	id	int	
Passwords	Password	nvarchar	10
Passwords	UserName	nvarchar	25
Printers	FontType	nvarchar	50
Printers	HeaderSize	int	
Printers	id	int	
Printers	PageLength	int	
Printers	ReportSize	int	
Reports	Address1	nchar	35
Reports	City	nchar	25
Reports	Desc1	nchar	100
Reports	DORAddress1	nchar	35
Reports	DORCity	nchar	25
Reports	DORFirstName	nchar	25
Reports	DORLastName	nchar	25
Reports	DORState	nchar	2
Reports	DORZipCode	nchar	10
Reports	FirstName	nchar	25
Reports	Lastname	nchar	25
Reports	MiddleInitial	nchar	1
Reports	Reports_id	int	
Reports	SSN	nchar	11
Reports	State	nchar	2
Reports	Zipcode	nchar	10
SetoffHistory	AccountCode	nchar	3
SetoffHistory	AccountNumber	nchar	1073741823
SetoffHistory	Balance	money	
SetoffHistory	DebtorName	nchar	35
SetoffHistory	debtsID	bigint	
SetoffHistory	FeeAmount	money	
SetoffHistory	OriginalDebt	money	
SetoffHistory	SetoffAmount	money	
SetoffHistory	SetoffDate	datetime	
SetoffHistory	SetoffHistoryID	bigint	
SetoffHistory	Source	nchar	1
SetoffHistory	ssn	nchar	11
States	State	nvarchar	2
States	StateName	nvarchar	20
SystemSettings	Address1	nchar	50
SystemSettings	Address2	nchar	50
SystemSettings	AdjustmentReport	nchar	1
SystemSettings	AgencyName	nchar	50

SystemSettings	City	nchar	50
SystemSettings	CordinatorName	nchar	50
SystemSettings	EntityName	nchar	50
SystemSettings	ExportType	nchar	6
SystemSettings	IntrestRate	money	
SystemSettings	LeftMargin	smallint	
SystemSettings	LetterDate	smallint	
SystemSettings	Letterfont	int	
SystemSettings	LineSpacing	smallint	
SystemSettings	MaxDebtAmount	money	
SystemSettings	NumberOfAccounts	smallint	
SystemSettings	OperatingSystem	nchar	1
SystemSettings	PDFfont	int	
SystemSettings	ProxyServer	nchar	1
SystemSettings	ProxyServerName	nchar	50
SystemSettings	ProxyServerPort	nchar	10
SystemSettings	ProxyServerPromptForPassword	nchar	1
SystemSettings	ProxyServerUserName	nchar	20
SystemSettings	ProxyServerUserPassword	nchar	20
SystemSettings	ReportSSN	nchar	1
SystemSettings	RollOver	nchar	70
SystemSettings	SearchCursor	nchar	1
SystemSettings	State	nchar	2
SystemSettings	Subject	smallint	
SystemSettings	SystemBytes	nchar	2
SystemSettings	SystemSettings_ID	int	
SystemSettings	TopMargin	smallint	
SystemSettings	UpdateDORInformation	nchar	1
SystemSettings	ZipCode	nchar	12
Table1	ACCOUNTNAME	nvarchar	20
Table1	AmtEdited	money	
Table1	CODES	nvarchar	5
Table1	CurrAmount	money	
Table1	DateEdited	datetime	
Table1	DebtsID	nchar	25
Table1	DESCRIPTION	nvarchar	50
Table1	FirstName	nchar	50
Table1	IDS	int	
Table1	LastName	nchar	50
Table1	OrigAmount	money	
Table1	ssn	nvarchar	50
Table1	SSNnumber	nchar	11
Table2	ssn	nvarchar	50
Table3	ssn	nvarchar	50
Table4	ssn	nvarchar	50
Table5	ssn	nvarchar	50
temp	accountnbr	nvarchar	25

temp	CITY	nvarchar	25
temp	date1	datetime	
temp	date2	datetime	
temp	date3	datetime	
temp	DebtType	nchar	3
temp	desc1	nvarchar	100
temp	desc2	nvarchar	100
temp	desc3	nvarchar	100
temp	FIRSTNAME	nvarchar	25
temp	id	int	
temp	LASTNAME	nvarchar	25
temp	middleinitial	nvarchar	1
temp	money1	money	
temp	money2	money	
temp	money3	money	
temp	phone	nvarchar	12
temp	phonenummer	nvarchar	12
temp	REPORTBREAK	nvarchar	10
temp	SSN	nchar	11
temp	state	nvarchar	2
temp	STREETADDRESS	nvarchar	35
temp	STREETADDRESS2	nvarchar	35
temp	TotalAccountNumber	nchar	80
temp	UNIQUEKEY	nvarchar	25
temp	upsized_ts	timestamp	
temp	zip	nvarchar	10
Users	Address	nchar	15
Users	Debtors	nchar	15
Users	FirstName	nchar	25
Users	Imports	nchar	15
Users	Interest	nchar	15
Users	LastName	nchar	25
Users	Letters	nchar	15
Users	LoginName	nchar	10
Users	Maintenance	nchar	15
Users	Password	nchar	10
Users	Reports	nchar	15
Users	Tools	nchar	15
Users	Transmit	nchar	15
Users	Users_ID	int	