

Agency	Integer1	int	
Agency	Integer2	int	
Agency	Integer3	int	
Agency	Integer4	int	
Agency	Integer5	int	
Agency	Latitude	float	
Agency	Longitude	float	
Agency	msrepl_tran_version	uniqueidentifier	
Agency	Name	nchar	32
Agency	ObjectActive	char	1
Agency	ObjectId	int	
Agency	TimeStamp1	datetime	
AgencyAccess	AccessType	int	
AgencyAccess	AliMode	int	
AgencyAccess	AliType	int	
AgencyAccess	Boolean1	char	1
AgencyAccess	CharArray1	nchar	32
AgencyAccess	ClassOfService	nchar	5
AgencyAccess	Content	nchar	32
AgencyAccess	CurrentLineGroup	int	
AgencyAccess	CurrentTrunkGroup	int	
AgencyAccess	Destination	nchar	256
AgencyAccess	Dnis	nchar	20
AgencyAccess	EndTime	int	
AgencyAccess	Id	int	
AgencyAccess	Integer1	int	
AgencyAccess	Integer2	int	
AgencyAccess	Integer3	int	
AgencyAccess	Integer4	int	
AgencyAccess	MonitorContactPresence	char	1
AgencyAccess	msrepl_tran_version	uniqueidentifier	
AgencyAccess	Name	nchar	32
AgencyAccess	ObjectActive	char	1
AgencyAccess	ObjectId	int	

AgencyAccess	OutgoingLine	int	
AgencyAccess	OutgoingLineGroup	int	
AgencyAccess	Password	nchar	256
AgencyAccess	ShownInAgencyMenu	char	1
AgencyAccess	StartTime	int	
AgencyAccess	TimeStamp1	datetime	
AgencyAccess	TryOrder	int	
AgencyAccess	UserId	nchar	256
AgencyAccess_HOLD	AccessType	int	
AgencyAccess_HOLD	AliMode	int	
AgencyAccess_HOLD	AliType	int	
AgencyAccess_HOLD	Boolean1	char	1
AgencyAccess_HOLD	CharArray1	nchar	32
AgencyAccess_HOLD	ClassOfService	nchar	5
AgencyAccess_HOLD	Content	nchar	32
AgencyAccess_HOLD	CurrentLineGroup	int	
AgencyAccess_HOLD	CurrentTrunkGroup	int	
AgencyAccess_HOLD	Destination	nchar	256
AgencyAccess_HOLD	Dnis	nchar	20
AgencyAccess_HOLD	EndTime	int	
AgencyAccess_HOLD	Id	int	
AgencyAccess_HOLD	Integer1	int	
AgencyAccess_HOLD	Integer2	int	
AgencyAccess_HOLD	Integer3	int	
AgencyAccess_HOLD	Integer4	int	
AgencyAccess_HOLD	MonitorContactPresence	char	1
AgencyAccess_HOLD	Name	nchar	32
AgencyAccess_HOLD	ObjectActive	char	1
AgencyAccess_HOLD	ObjectId	int	
AgencyAccess_HOLD	OutgoingLine	int	
AgencyAccess_HOLD	OutgoingLineGroup	int	
AgencyAccess_HOLD	Password	nchar	256
AgencyAccess_HOLD	ShownInAgencyMenu	char	1
AgencyAccess_HOLD	StartTime	int	

AgencyAccess_HOLD	TimeStamp1	datetime	
AgencyAccess_HOLD	TryOrder	int	
AgencyAccess_HOLD	UserId	nchar	256
AgencyButton	Agency	int	
AgencyButton	AgencyGroup	int	
AgencyButton	Boolean1	char	1
AgencyButton	Button	int	
AgencyButton	DataTransferOnConference	char	1
AgencyButton	Id	int	
AgencyButton	Integer1	int	
AgencyButton	Label1	nchar	16
AgencyButton	Label2	nchar	16
AgencyButton	msrepl_tran_version	uniqueidentifier	
AgencyButton	ObjectActive	char	1
AgencyButton	ObjectId	int	
AgencyButton	OpenPanelMode	int	
AgencyButton	Panel	int	
AgencyButton	Selective	char	1
AgencyButton	TimeStamp1	datetime	
AgencyGroup	Boolean1	char	1
AgencyGroup	Boolean2	char	1
AgencyGroup	Id	int	
AgencyGroup	Integer1	int	
AgencyGroup	Integer2	int	
AgencyGroup	msrepl_tran_version	uniqueidentifier	
AgencyGroup	Name	nchar	64
AgencyGroup	ObjectActive	char	1
AgencyGroup	ObjectId	int	
AgencyGroup	TimeStamp1	datetime	
AgencyGroupToAgency	Agency	int	
AgencyGroupToAgency	AgencyType	int	
AgencyGroupToAgency	Boolean1	char	1
AgencyGroupToAgency	Id	int	
AgencyGroupToAgency	Integer1	int	

AgencyGroupToAgency	msrepl_tran_version	uniqueidentifier	
AgencyGroupToAgency	ObjectActive	char	1
AgencyGroupToAgency	ObjectId	int	
AgencyGroupToAgency	TimeStamp1	datetime	
AgencyToEsn	Esn1	int	
AgencyToEsn	Id	int	
AgencyToEsn	msrepl_tran_version	uniqueidentifier	
AgencyToEsn	ObjectActive	char	1
AgencyToEsn	ObjectId	int	
AgencyToEsn	TimeStamp1	datetime	
AgencyType	Boolean1	char	1
AgencyType	Boolean2	char	1
AgencyType	Boolean3	char	1
AgencyType	ButtonLabel	int	
AgencyType	CharArray1	nchar	32
AgencyType	Id	int	
AgencyType	Integer1	int	
AgencyType	Integer2	int	
AgencyType	Integer3	int	
AgencyType	msrepl_tran_version	uniqueidentifier	
AgencyType	Name	nchar	16
AgencyType	ObjectActive	char	1
AgencyType	ObjectId	int	
AgencyType	TimeStamp1	datetime	
Agent	AcidUserId	nvarchar	64
Agent	AgentGroup	int	
Agent	Boolean1	char	1
Agent	Boolean10	char	1
Agent	Boolean2	char	1
Agent	Boolean3	char	1
Agent	Boolean4	char	1
Agent	Boolean5	char	1
Agent	Boolean6	char	1
Agent	Boolean7	char	1

Agent	Boolean8	char	1
Agent	Boolean9	char	1
Agent	BroadcastProfile	int	
Agent	CharArray1	nchar	32
Agent	CharArray2	nchar	16
Agent	ContactProfile	int	
Agent	DefaultRole	int	
Agent	FeatureProfile	int	
Agent	Id	int	
Agent	Integer1	int	
Agent	Integer2	int	
Agent	Integer3	int	
Agent	Integer4	int	
Agent	Integer5	int	
Agent	Integer6	int	
Agent	KeyDefinitionProfile	int	
Agent	Language	int	
Agent	LineProfile	int	
Agent	ListDefinitionProfile	int	
Agent	Login	nchar	20
Agent	MacroProfile	int	
Agent	msrepl_tran_version	uniqueidentifier	
Agent	Name	nchar	32
Agent	ObjectActive	char	1
Agent	ObjectId	int	
Agent	Passwd	nchar	20
Agent	QueueProfile	int	
Agent	ScreenProfile	int	
Agent	ShortName	nchar	16
Agent	TelephonyProfile	int	
Agent	TimeStamp1	datetime	
Agent	UserProfile	int	
AgentAttributes	Boolean1	char	1
AgentAttributes	Id	int	

AgentAttributes	Integer1	int	
AgentAttributes	msrepl_tran_version	uniqueidentifier	
AgentAttributes	ObjectActive	char	1
AgentAttributes	ObjectId	int	
AgentAttributes	Text1	nvarchar	2048
AgentAttributes	TimeStamp1	datetime	
AgentAttributes	Type	int	
AgentGroup	Boolean1	char	1
AgentGroup	Boolean2	char	1
AgentGroup	Boolean3	char	1
AgentGroup	Id	int	
AgentGroup	Integer1	int	
AgentGroup	Integer2	int	
AgentGroup	Integer3	int	
AgentGroup	msrepl_tran_version	uniqueidentifier	
AgentGroup	Name	nchar	35
AgentGroup	ObjectActive	char	1
AgentGroup	ObjectId	int	
AgentGroup	Parent	int	
AgentGroup	TimeStamp1	datetime	
AgentPool	Id	int	
AgentPool	msrepl_tran_version	uniqueidentifier	
AgentPool	Name	nchar	64
AgentPool	ObjectActive	char	1
AgentPool	ObjectId	int	
AgentPool	TimeStamp1	datetime	
AgentPoolToAgent	Agent	int	
AgentPoolToAgent	Id	int	
AgentPoolToAgent	msrepl_tran_version	uniqueidentifier	
AgentPoolToAgent	ObjectActive	char	1
AgentPoolToAgent	ObjectId	int	
AgentPoolToAgent	TimeStamp1	datetime	
AgentRole	Boolean1	char	1
AgentRole	Boolean2	char	1

AgentRole	Boolean3	char	1
AgentRole	Boolean4	char	1
AgentRole	Boolean5	char	1
AgentRole	Boolean6	char	1
AgentRole	BroadcastProfile	int	
AgentRole	ContactProfile	int	
AgentRole	FeatureProfile	int	
AgentRole	IconName	nchar	256
AgentRole	Id	int	
AgentRole	Integer1	int	
AgentRole	Integer2	int	
AgentRole	Integer3	int	
AgentRole	Integer4	int	
AgentRole	Integer5	int	
AgentRole	Integer6	int	
AgentRole	KeyDefinitionProfile	int	
AgentRole	LineProfile	int	
AgentRole	ListDefinitionProfile	int	
AgentRole	ListOrder	int	
AgentRole	MacroProfile	int	
AgentRole	msrepl_tran_version	uniqueidentifier	
AgentRole	Name	nchar	25
AgentRole	ObjectActive	char	1
AgentRole	ObjectId	int	
AgentRole	QueueProfile	int	
AgentRole	ScreenProfile	int	
AgentRole	TelephonyProfile	int	
AgentRole	TimeStamp1	datetime	
AgentRole	UserProfile	int	
AgentRolePool	Id	int	
AgentRolePool	msrepl_tran_version	uniqueidentifier	
AgentRolePool	Name	nchar	64
AgentRolePool	ObjectActive	char	1
AgentRolePool	ObjectId	int	

AgentRolePool	TimeStamp1	datetime	
AgentRolePoolToAgentRole	AgentRole	int	
AgentRolePoolToAgentRole	Id	int	
AgentRolePoolToAgentRole	msrepl_tran_version	uniqueidentifier	
AgentRolePoolToAgentRole	ObjectActive	char	1
AgentRolePoolToAgentRole	ObjectId	int	
AgentRolePoolToAgentRole	TimeStamp1	datetime	
AgentSetting	Bool1	char	1
AgentSetting	Bool2	char	1
AgentSetting	Double1	float	
AgentSetting	Id	binary	8
AgentSetting	Int1	int	
AgentSetting	Int10	int	
AgentSetting	Int11	int	
AgentSetting	Int12	int	
AgentSetting	Int13	int	
AgentSetting	Int14	int	
AgentSetting	Int15	int	
AgentSetting	Int2	int	
AgentSetting	Int3	int	
AgentSetting	Int4	int	
AgentSetting	Int5	int	
AgentSetting	Int6	int	
AgentSetting	Int7	int	
AgentSetting	Int8	int	
AgentSetting	Int9	int	
AgentSetting	msrepl_tran_version	uniqueidentifier	
AgentSetting	ObjectId	int	
AgentSetting	Status	char	1
AgentSetting	Text32	nvarchar	2048
AgentSetting	TimeStamp1	datetime	
AgentSetting	Type1	int	
AgentSetting	Type2	int	
AgentSetting	Type3	int	

AgentSetting	Type4	int	
AgentStatistics	BusyDuration	float	
AgentStatistics	CurrentState	int	
AgentStatistics	Id	binary	8
AgentStatistics	IdleDuration	float	
AgentStatistics	InsertionTime	datetime	
AgentStatistics	msrepl_tran_version	uniqueidentifier	
AgentStatistics	NotReadyDuration	float	
AgentStatistics	ObjectId	int	
AgentStatistics	OnCallDuration	float	
AgentStatistics	ShiftStartTime	datetime	
AgentStatistics	Status	char	1
AgentStatistics	TimeStamp1	datetime	
AgentToAgency	Agency	int	
AgentToAgency	AgencyType	int	
AgentToAgency	Boolean1	char	1
AgentToAgency	Id	int	
AgentToAgency	Integer1	int	
AgentToAgency	msrepl_tran_version	uniqueidentifier	
AgentToAgency	ObjectActive	char	1
AgentToAgency	ObjectId	int	
AgentToAgency	TimeStamp1	datetime	
AgentToAgency	ViewOnly	char	1
AgentToRole	AcdLogin	nchar	32
AgentToRole	AgentRole	int	
AgentToRole	Boolean1	char	1
AgentToRole	Id	int	
AgentToRole	Integer1	int	
AgentToRole	msrepl_tran_version	uniqueidentifier	
AgentToRole	ObjectActive	char	1
AgentToRole	ObjectId	int	
AgentToRole	TimeStamp1	datetime	
AliFormat	CallingNbrExtLen	int	
AliFormat	CallingNbrExtPos	int	

AliFormat	CallingNbrLen	int
AliFormat	CallingNbrPos	int
AliFormat	CellIDLen	int
AliFormat	CellIDPos	int
AliFormat	ClassServiceLen	int
AliFormat	ClassServicePos	int
AliFormat	CommentsLen	int
AliFormat	CommentsPos	int
AliFormat	CommunityNameLen	int
AliFormat	CommunityNamePos	int
AliFormat	CompanyIDLen	int
AliFormat	CompanyIDPos	int
AliFormat	ComPlaceNameLen	int
AliFormat	ComPlaceNamePos	int
AliFormat	CountyIDLen	int
AliFormat	CountyIDPos	int
AliFormat	CrossStreet1Len	int
AliFormat	CrossStreet1Pos	int
AliFormat	CrossStreet2Len	int
AliFormat	CrossStreet2Pos	int
AliFormat	CustomerCodeLen	int
AliFormat	CustomerCodePos	int
AliFormat	CustomerNameLen	int
AliFormat	CustomerNamePos	int
AliFormat	Description	nchar
AliFormat	DistrictLen	int
AliFormat	DistrictPos	int
AliFormat	ESNDivisionLen	int
AliFormat	ESNDivisionPos	int
AliFormat	EsNLen	int
AliFormat	EsNPos	int
AliFormat	ESNSubDivisionLen	int
AliFormat	ESNSubDivisionPos	int
AliFormat	ExchangeLen	int

AliFormat	ExchangePos	int
AliFormat	ExtractDateLen	int
AliFormat	ExtractDatePos	int
AliFormat	ExtractTimeLen	int
AliFormat	ExtractTimePos	int
AliFormat	FreeFieldLen	int
AliFormat	FreeFieldPos	int
AliFormat	GeneralUseLen	int
AliFormat	GeneralUsePos	int
AliFormat	HouseNbrExtLen	int
AliFormat	HouseNbrExtPos	int
AliFormat	HouseNumberLen	int
AliFormat	HouseNumberPos	int
AliFormat	Id	int
AliFormat	LocationLen	int
AliFormat	LocationPos	int
AliFormat	MainNPALen	int
AliFormat	MainNPAPos	int
AliFormat	MainNumberLen	int
AliFormat	MainNumberPos	int
AliFormat	MapLen	int
AliFormat	MapPos	int
AliFormat	msrepl_tran_version	uniqueidentifier
AliFormat	NearOfLen	int
AliFormat	NearOfPos	int
AliFormat	NeighborhoodLen	int
AliFormat	NeighborhoodPos	int
AliFormat	NpaLen	int
AliFormat	NpaPos	int
AliFormat	ObjectActive	char
AliFormat	ObjectId	int
AliFormat	OrderNumberLen	int
AliFormat	OrderNumberPos	int
AliFormat	PostDirLen	int

AliFormat	PostDirPos	int
AliFormat	PrefixDirLen	int
AliFormat	PrefixDirPos	int
AliFormat	SectorIDLen	int
AliFormat	SectorIDPos	int
AliFormat	SourceIDLen	int
AliFormat	SourceIDPos	int
AliFormat	SpareField1Len	int
AliFormat	SpareField1Pos	int
AliFormat	SpareField2Len	int
AliFormat	SpareField2Pos	int
AliFormat	SpareField3Len	int
AliFormat	SpareField3Pos	int
AliFormat	SpareField4Len	int
AliFormat	SpareField4Pos	int
AliFormat	SpareField5Len	int
AliFormat	SpareField5Pos	int
AliFormat	SpareField6Len	int
AliFormat	SpareField6Pos	int
AliFormat	SpareField7Len	int
AliFormat	SpareField7Pos	int
AliFormat	SpareField8Len	int
AliFormat	SpareField8Pos	int
AliFormat	StateLen	int
AliFormat	StatePos	int
AliFormat	StreetNameLen	int
AliFormat	StreetNamePos	int
AliFormat	StreetSuffixLen	int
AliFormat	StreetSuffixPos	int
AliFormat	TarCodeLen	int
AliFormat	TarCodePos	int
AliFormat	TellTaleLen	int
AliFormat	TellTalePos	int
AliFormat	TimeStamp1	datetime

AliFormat	TypeServiceLen	int	
AliFormat	TypeServicePos	int	
AliFormat	XCoordinateLen	int	
AliFormat	XCoordinatePos	int	
AliFormat	YCoordinateLen	int	
AliFormat	YCoordinatePos	int	
AliFormat	ZCoordinateLen	int	
AliFormat	ZCoordinatePos	int	
AliFormat	ZipCodeExtLen	int	
AliFormat	ZipCodeExtPos	int	
AliFormat	ZipCodeLen	int	
AliFormat	ZipCodePos	int	
AliSearch	AddressData	nvarchar	1024
AliSearch	AgentNumber	int	
AliSearch	AliType	int	
AliSearch	Boolean1	char	1
AliSearch	Id	binary	8
AliSearch	InsertionTime	datetime	
AliSearch	Integer1	int	
AliSearch	Message	nvarchar	520
AliSearch	msrepl_tran_version	uniqueidentifier	
AliSearch	PhoneNumber	nchar	32
AliSearch	Reason	nvarchar	256
AliSearch	TimeStamp1	datetime	
AliSearch	ValidationStatus	int	
BroadcastButton	Boolean1	char	1
BroadcastButton	Button	int	
BroadcastButton	ButtonFunction	int	
BroadcastButton	Id	int	
BroadcastButton	IncludeIncident	char	1
BroadcastButton	Integer1	int	
BroadcastButton	LongText	nvarchar	132
BroadcastButton	msrepl_tran_version	uniqueidentifier	
BroadcastButton	ObjectActive	char	1

BroadcastButton	ObjectId	int	
BroadcastButton	Reference	int	
BroadcastButton	SendOnPress	char	1
BroadcastButton	ShortText	nchar	35
BroadcastButton	TimeStamp1	datetime	
BroadcastButton	Urgent	char	1
BroadcastListMsg	Boolean1	char	1
BroadcastListMsg	Id	int	
BroadcastListMsg	Integer1	int	
BroadcastListMsg	MessageNumber	int	
BroadcastListMsg	msrepl_tran_version	uniqueidentifier	
BroadcastListMsg	ObjectActive	char	1
BroadcastListMsg	ObjectId	int	
BroadcastListMsg	Text	nvarchar	132
BroadcastListMsg	TimeStamp1	datetime	
BroadcastMsg	Boolean1	char	1
BroadcastMsg	FromAgent	int	
BroadcastMsg	Id	binary	8
BroadcastMsg	Incident	binary	8
BroadcastMsg	InsertionTime	datetime	
BroadcastMsg	Integer1	int	
BroadcastMsg	Integer2	int	
BroadcastMsg	MessageW	nvarchar	2048
BroadcastMsg	msrepl_tran_version	uniqueidentifier	
BroadcastMsg	Priority	int	
BroadcastMsg	Reference	int	
BroadcastMsg	ReferenceType	int	
BroadcastMsg	TimeStamp1	datetime	
BroadcastMsg	Workstation	int	
Call	Agent	int	
Call	AgentHoldTime	int	
Call	AgentRingTime	int	
Call	AgentTalkTime	int	
Call	BargedIn	char	1

Call	Boolean1	char	1
Call	CallPriority	int	
Call	CallType	int	
Call	DigitsDialled	nvarchar	64
Call	Id	binary	8
Call	Incident	binary	8
Call	InsertionTime	datetime	
Call	Integer1	int	
Call	Line	int	
Call	LongDistance	char	1
Call	msrepl_tran_version	uniqueidentifier	
Call	PresentationTime	int	
Call	SetupTime	int	
Call	TimeStamp1	datetime	
Call	TotalProcessTime	int	
Call	TotalRingTime	int	
Call	Trunk	int	
Call	WorkStation	int	
CallAttributes	Boolean1	char	1
CallAttributes	Id	binary	8
CallAttributes	InsertionTime	datetime	
CallAttributes	msrepl_tran_version	uniqueidentifier	
CallAttributes	Number1	int	
CallAttributes	Number2	int	
CallAttributes	ObjectId	binary	8
CallAttributes	TimeStamp1	datetime	
CallAttributes	Type	int	
Changes	Id	int	
Changes	ItemBinaryId	binary	8
Changes	ItemId	int	
Changes	msrepl_tran_version	uniqueidentifier	
Changes	Name	char	20
Changes	TableName	char	25
Changes	TimeStamp1	datetime	

ConferenceModes	ButtonHint	nvarchar	128
ConferenceModes	ButtonText	nvarchar	128
ConferenceModes	DisplayOrder	int	
ConferenceModes	Id	int	
ConferenceModes	LocalPrefix	nvarchar	128
ConferenceModes	LongDistancePrefix	nvarchar	128
ConferenceModes	Mode	int	
ConferenceModes	msrepl_tran_version	uniqueidentifier	
ConferenceModes	Number	int	
ConferenceModes	ObjectActive	char	1
ConferenceModes	ObjectId	int	
ConferenceModes	OneStep	char	1
ConferenceModes	TimeStamp1	datetime	
conflict_P911_V50_DB_AddressPanelFormats	Ali	varchar	2048
conflict_P911_V50_DB_AddressPanelFormats	Boolean1	char	1
conflict_P911_V50_DB_AddressPanelFormats	CharArray1	nchar	32
conflict_P911_V50_DB_AddressPanelFormats	conflict_type	int	
conflict_P911_V50_DB_AddressPanelFormats	Cpi	varchar	2048
conflict_P911_V50_DB_AddressPanelFormats	Id	int	
conflict_P911_V50_DB_AddressPanelFormats	Ili	varchar	2048
conflict_P911_V50_DB_AddressPanelFormats	insertdate	datetime	
conflict_P911_V50_DB_AddressPanelFormats	Integer1	int	
conflict_P911_V50_DB_AddressPanelFormats	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AddressPanelFormats	Name	nchar	32
conflict_P911_V50_DB_AddressPanelFormats	ObjectActive	char	1
conflict_P911_V50_DB_AddressPanelFormats	ObjectId	int	
conflict_P911_V50_DB_AddressPanelFormats	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AddressPanelFormats	pubid	int	
conflict_P911_V50_DB_AddressPanelFormats	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AddressPanelFormats	reason_code	int	
conflict_P911_V50_DB_AddressPanelFormats	reason_text	nvarchar	720
conflict_P911_V50_DB_AddressPanelFormats	TimeStamp1	datetime	
conflict_P911_V50_DB_AddressPanelFormats	TouchScreen	char	1
conflict_P911_V50_DB_AddressPanelFormats	tranid	nvarchar	40

conflict_P911_V50_DB_Agency	ACDRNumber	int	
conflict_P911_V50_DB_Agency	AddressData	nvarchar	1024
conflict_P911_V50_DB_Agency	AgencyNote	nvarchar	1024
conflict_P911_V50_DB_Agency	AgencyType	int	
conflict_P911_V50_DB_Agency	Boolean1	char	1
conflict_P911_V50_DB_Agency	Boolean2	char	1
conflict_P911_V50_DB_Agency	Boolean3	char	1
conflict_P911_V50_DB_Agency	Boolean4	char	1
conflict_P911_V50_DB_Agency	ButtonLabel	nchar	16
conflict_P911_V50_DB_Agency	CharArray1	nchar	32
conflict_P911_V50_DB_Agency	conflict_type	int	
conflict_P911_V50_DB_Agency	DefaultSelection	char	1
conflict_P911_V50_DB_Agency	EntryProtected	char	1
conflict_P911_V50_DB_Agency	ExceptAllEsn	char	1
conflict_P911_V50_DB_Agency	Id	int	
conflict_P911_V50_DB_Agency	IncidentTemplate	nchar	32
conflict_P911_V50_DB_Agency	Information1	nchar	64
conflict_P911_V50_DB_Agency	Information2	nchar	64
conflict_P911_V50_DB_Agency	Information3	nchar	64
conflict_P911_V50_DB_Agency	Information4	nchar	64
conflict_P911_V50_DB_Agency	insertdate	datetime	
conflict_P911_V50_DB_Agency	Integer1	int	
conflict_P911_V50_DB_Agency	Integer2	int	
conflict_P911_V50_DB_Agency	Integer3	int	
conflict_P911_V50_DB_Agency	Integer4	int	
conflict_P911_V50_DB_Agency	Integer5	int	
conflict_P911_V50_DB_Agency	Latitude	float	
conflict_P911_V50_DB_Agency	Longitude	float	
conflict_P911_V50_DB_Agency	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_Agency	Name	nchar	32
conflict_P911_V50_DB_Agency	ObjectActive	char	1
conflict_P911_V50_DB_Agency	ObjectId	int	
conflict_P911_V50_DB_Agency	origin_datasource	nvarchar	255
conflict_P911_V50_DB_Agency	pubid	int	

conflict_P911_V50_DB_Agency	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_Agency	reason_code	int	
conflict_P911_V50_DB_Agency	reason_text	nvarchar	720
conflict_P911_V50_DB_Agency	TimeStamp1	datetime	
conflict_P911_V50_DB_Agency	tranid	nvarchar	40
conflict_P911_V50_DB_AgencyAccess	AccessType	int	
conflict_P911_V50_DB_AgencyAccess	AliMode	int	
conflict_P911_V50_DB_AgencyAccess	AliType	int	
conflict_P911_V50_DB_AgencyAccess	Boolean1	char	1
conflict_P911_V50_DB_AgencyAccess	CharArray1	nchar	32
conflict_P911_V50_DB_AgencyAccess	ClassOfService	nchar	5
conflict_P911_V50_DB_AgencyAccess	conflict_type	int	
conflict_P911_V50_DB_AgencyAccess	Content	nchar	32
conflict_P911_V50_DB_AgencyAccess	CurrentLineGroup	int	
conflict_P911_V50_DB_AgencyAccess	CurrentTrunkGroup	int	
conflict_P911_V50_DB_AgencyAccess	Destination	nchar	256
conflict_P911_V50_DB_AgencyAccess	Dnis	nchar	20
conflict_P911_V50_DB_AgencyAccess	EndTime	int	
conflict_P911_V50_DB_AgencyAccess	Id	int	
conflict_P911_V50_DB_AgencyAccess	insertdate	datetime	
conflict_P911_V50_DB_AgencyAccess	Integer1	int	
conflict_P911_V50_DB_AgencyAccess	Integer2	int	
conflict_P911_V50_DB_AgencyAccess	Integer3	int	
conflict_P911_V50_DB_AgencyAccess	Integer4	int	
conflict_P911_V50_DB_AgencyAccess	MonitorContactPresence	char	1
conflict_P911_V50_DB_AgencyAccess	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgencyAccess	Name	nchar	32
conflict_P911_V50_DB_AgencyAccess	ObjectActive	char	1
conflict_P911_V50_DB_AgencyAccess	ObjectId	int	
conflict_P911_V50_DB_AgencyAccess	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgencyAccess	OutgoingLine	int	
conflict_P911_V50_DB_AgencyAccess	OutgoingLineGroup	int	
conflict_P911_V50_DB_AgencyAccess	Password	nchar	256
conflict_P911_V50_DB_AgencyAccess	pubid	int	

conflict_P911_V50_DB_AgencyAccess	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgencyAccess	reason_code	int	
conflict_P911_V50_DB_AgencyAccess	reason_text	nvarchar	720
conflict_P911_V50_DB_AgencyAccess	ShownInAgencyMenu	char	1
conflict_P911_V50_DB_AgencyAccess	StartTime	int	
conflict_P911_V50_DB_AgencyAccess	TimeStamp1	datetime	
conflict_P911_V50_DB_AgencyAccess	tranid	nvarchar	40
conflict_P911_V50_DB_AgencyAccess	TryOrder	int	
conflict_P911_V50_DB_AgencyAccess	UserId	nchar	256
conflict_P911_V50_DB_AgencyButton	Agency	int	
conflict_P911_V50_DB_AgencyButton	AgencyGroup	int	
conflict_P911_V50_DB_AgencyButton	Boolean1	char	1
conflict_P911_V50_DB_AgencyButton	Button	int	
conflict_P911_V50_DB_AgencyButton	conflict_type	int	
conflict_P911_V50_DB_AgencyButton	DataTransferOnConference	char	1
conflict_P911_V50_DB_AgencyButton	Id	int	
conflict_P911_V50_DB_AgencyButton	insertdate	datetime	
conflict_P911_V50_DB_AgencyButton	Integer1	int	
conflict_P911_V50_DB_AgencyButton	Label1	nchar	16
conflict_P911_V50_DB_AgencyButton	Label2	nchar	16
conflict_P911_V50_DB_AgencyButton	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgencyButton	ObjectActive	char	1
conflict_P911_V50_DB_AgencyButton	ObjectId	int	
conflict_P911_V50_DB_AgencyButton	OpenPanelMode	int	
conflict_P911_V50_DB_AgencyButton	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgencyButton	Panel	int	
conflict_P911_V50_DB_AgencyButton	pubid	int	
conflict_P911_V50_DB_AgencyButton	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgencyButton	reason_code	int	
conflict_P911_V50_DB_AgencyButton	reason_text	nvarchar	720
conflict_P911_V50_DB_AgencyButton	Selective	char	1
conflict_P911_V50_DB_AgencyButton	TimeStamp1	datetime	
conflict_P911_V50_DB_AgencyButton	tranid	nvarchar	40
conflict_P911_V50_DB_AgencyGroup	Boolean1	char	1

conflict_P911_V50_DB_AgencyGroup	Boolean2	char	1
conflict_P911_V50_DB_AgencyGroup	conflict_type	int	
conflict_P911_V50_DB_AgencyGroup	Id	int	
conflict_P911_V50_DB_AgencyGroup	insertdate	datetime	
conflict_P911_V50_DB_AgencyGroup	Integer1	int	
conflict_P911_V50_DB_AgencyGroup	Integer2	int	
conflict_P911_V50_DB_AgencyGroup	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgencyGroup	Name	nchar	64
conflict_P911_V50_DB_AgencyGroup	ObjectActive	char	1
conflict_P911_V50_DB_AgencyGroup	ObjectId	int	
conflict_P911_V50_DB_AgencyGroup	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgencyGroup	pubid	int	
conflict_P911_V50_DB_AgencyGroup	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgencyGroup	reason_code	int	
conflict_P911_V50_DB_AgencyGroup	reason_text	nvarchar	720
conflict_P911_V50_DB_AgencyGroup	TimeStamp1	datetime	
conflict_P911_V50_DB_AgencyGroup	tranid	nvarchar	40
conflict_P911_V50_DB_AgencyGroupToAgency	Agency	int	
conflict_P911_V50_DB_AgencyGroupToAgency	AgencyType	int	
conflict_P911_V50_DB_AgencyGroupToAgency	Boolean1	char	1
conflict_P911_V50_DB_AgencyGroupToAgency	conflict_type	int	
conflict_P911_V50_DB_AgencyGroupToAgency	Id	int	
conflict_P911_V50_DB_AgencyGroupToAgency	insertdate	datetime	
conflict_P911_V50_DB_AgencyGroupToAgency	Integer1	int	
conflict_P911_V50_DB_AgencyGroupToAgency	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgencyGroupToAgency	ObjectActive	char	1
conflict_P911_V50_DB_AgencyGroupToAgency	ObjectId	int	
conflict_P911_V50_DB_AgencyGroupToAgency	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgencyGroupToAgency	pubid	int	
conflict_P911_V50_DB_AgencyGroupToAgency	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgencyGroupToAgency	reason_code	int	
conflict_P911_V50_DB_AgencyGroupToAgency	reason_text	nvarchar	720
conflict_P911_V50_DB_AgencyGroupToAgency	TimeStamp1	datetime	
conflict_P911_V50_DB_AgencyGroupToAgency	tranid	nvarchar	40

conflict_P911_V50_DB_AgencyToEsn	conflict_type	int	
conflict_P911_V50_DB_AgencyToEsn	Esn1	int	
conflict_P911_V50_DB_AgencyToEsn	Id	int	
conflict_P911_V50_DB_AgencyToEsn	insertdate	datetime	
conflict_P911_V50_DB_AgencyToEsn	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgencyToEsn	ObjectActive	char	1
conflict_P911_V50_DB_AgencyToEsn	ObjectId	int	
conflict_P911_V50_DB_AgencyToEsn	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgencyToEsn	pubid	int	
conflict_P911_V50_DB_AgencyToEsn	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgencyToEsn	reason_code	int	
conflict_P911_V50_DB_AgencyToEsn	reason_text	nvarchar	720
conflict_P911_V50_DB_AgencyToEsn	TimeStamp1	datetime	
conflict_P911_V50_DB_AgencyToEsn	tranid	nvarchar	40
conflict_P911_V50_DB_AgencyType	Boolean1	char	1
conflict_P911_V50_DB_AgencyType	Boolean2	char	1
conflict_P911_V50_DB_AgencyType	Boolean3	char	1
conflict_P911_V50_DB_AgencyType	ButtonLabel	int	
conflict_P911_V50_DB_AgencyType	CharArray1	nchar	32
conflict_P911_V50_DB_AgencyType	conflict_type	int	
conflict_P911_V50_DB_AgencyType	Id	int	
conflict_P911_V50_DB_AgencyType	insertdate	datetime	
conflict_P911_V50_DB_AgencyType	Integer1	int	
conflict_P911_V50_DB_AgencyType	Integer2	int	
conflict_P911_V50_DB_AgencyType	Integer3	int	
conflict_P911_V50_DB_AgencyType	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgencyType	Name	nchar	16
conflict_P911_V50_DB_AgencyType	ObjectActive	char	1
conflict_P911_V50_DB_AgencyType	ObjectId	int	
conflict_P911_V50_DB_AgencyType	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgencyType	pubid	int	
conflict_P911_V50_DB_AgencyType	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgencyType	reason_code	int	
conflict_P911_V50_DB_AgencyType	reason_text	nvarchar	720

conflict_P911_V50_DB_AgencyType	TimeStamp1	datetime	
conflict_P911_V50_DB_AgencyType	tranid	nvarchar	40
conflict_P911_V50_DB_Agent	AcdUserId	nvarchar	64
conflict_P911_V50_DB_Agent	AgentGroup	int	
conflict_P911_V50_DB_Agent	Boolean1	char	1
conflict_P911_V50_DB_Agent	Boolean10	char	1
conflict_P911_V50_DB_Agent	Boolean2	char	1
conflict_P911_V50_DB_Agent	Boolean3	char	1
conflict_P911_V50_DB_Agent	Boolean4	char	1
conflict_P911_V50_DB_Agent	Boolean5	char	1
conflict_P911_V50_DB_Agent	Boolean6	char	1
conflict_P911_V50_DB_Agent	Boolean7	char	1
conflict_P911_V50_DB_Agent	Boolean8	char	1
conflict_P911_V50_DB_Agent	Boolean9	char	1
conflict_P911_V50_DB_Agent	BroadcastProfile	int	
conflict_P911_V50_DB_Agent	CharArray1	nchar	32
conflict_P911_V50_DB_Agent	CharArray2	nchar	16
conflict_P911_V50_DB_Agent	conflict_type	int	
conflict_P911_V50_DB_Agent	ContactProfile	int	
conflict_P911_V50_DB_Agent	DefaultRole	int	
conflict_P911_V50_DB_Agent	FeatureProfile	int	
conflict_P911_V50_DB_Agent	Id	int	
conflict_P911_V50_DB_Agent	insertdate	datetime	
conflict_P911_V50_DB_Agent	Integer1	int	
conflict_P911_V50_DB_Agent	Integer2	int	
conflict_P911_V50_DB_Agent	Integer3	int	
conflict_P911_V50_DB_Agent	Integer4	int	
conflict_P911_V50_DB_Agent	Integer5	int	
conflict_P911_V50_DB_Agent	Integer6	int	
conflict_P911_V50_DB_Agent	KeyDefinitionProfile	int	
conflict_P911_V50_DB_Agent	Language	int	
conflict_P911_V50_DB_Agent	LineProfile	int	
conflict_P911_V50_DB_Agent	ListDefinitionProfile	int	
conflict_P911_V50_DB_Agent	Login	nchar	20

conflict_P911_V50_DB_Agent	MacroProfile	int	
conflict_P911_V50_DB_Agent	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_Agent	Name	nchar	32
conflict_P911_V50_DB_Agent	ObjectActive	char	1
conflict_P911_V50_DB_Agent	ObjectId	int	
conflict_P911_V50_DB_Agent	origin_datasource	nvarchar	255
conflict_P911_V50_DB_Agent	Passwd	nchar	20
conflict_P911_V50_DB_Agent	pubid	int	
conflict_P911_V50_DB_Agent	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_Agent	QueueProfile	int	
conflict_P911_V50_DB_Agent	reason_code	int	
conflict_P911_V50_DB_Agent	reason_text	nvarchar	720
conflict_P911_V50_DB_Agent	ScreenProfile	int	
conflict_P911_V50_DB_Agent	ShortName	nchar	16
conflict_P911_V50_DB_Agent	TelephonyProfile	int	
conflict_P911_V50_DB_Agent	TimeStamp1	datetime	
conflict_P911_V50_DB_Agent	tranid	nvarchar	40
conflict_P911_V50_DB_Agent	UserProfile	int	
conflict_P911_V50_DB_AgentAttributes	Boolean1	char	1
conflict_P911_V50_DB_AgentAttributes	conflict_type	int	
conflict_P911_V50_DB_AgentAttributes	Id	int	
conflict_P911_V50_DB_AgentAttributes	insertdate	datetime	
conflict_P911_V50_DB_AgentAttributes	Integer1	int	
conflict_P911_V50_DB_AgentAttributes	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgentAttributes	ObjectActive	char	1
conflict_P911_V50_DB_AgentAttributes	ObjectId	int	
conflict_P911_V50_DB_AgentAttributes	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgentAttributes	pubid	int	
conflict_P911_V50_DB_AgentAttributes	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgentAttributes	reason_code	int	
conflict_P911_V50_DB_AgentAttributes	reason_text	nvarchar	720
conflict_P911_V50_DB_AgentAttributes	Text1	nvarchar	2048
conflict_P911_V50_DB_AgentAttributes	TimeStamp1	datetime	
conflict_P911_V50_DB_AgentAttributes	tranid	nvarchar	40

conflict_P911_V50_DB_AgentAttributes	Type	int	
conflict_P911_V50_DB_AgentGroup	Boolean1	char	1
conflict_P911_V50_DB_AgentGroup	Boolean2	char	1
conflict_P911_V50_DB_AgentGroup	Boolean3	char	1
conflict_P911_V50_DB_AgentGroup	conflict_type	int	
conflict_P911_V50_DB_AgentGroup	Id	int	
conflict_P911_V50_DB_AgentGroup	insertdate	datetime	
conflict_P911_V50_DB_AgentGroup	Integer1	int	
conflict_P911_V50_DB_AgentGroup	Integer2	int	
conflict_P911_V50_DB_AgentGroup	Integer3	int	
conflict_P911_V50_DB_AgentGroup	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgentGroup	Name	nchar	35
conflict_P911_V50_DB_AgentGroup	ObjectActive	char	1
conflict_P911_V50_DB_AgentGroup	ObjectId	int	
conflict_P911_V50_DB_AgentGroup	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgentGroup	Parent	int	
conflict_P911_V50_DB_AgentGroup	pubid	int	
conflict_P911_V50_DB_AgentGroup	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgentGroup	reason_code	int	
conflict_P911_V50_DB_AgentGroup	reason_text	nvarchar	720
conflict_P911_V50_DB_AgentGroup	TimeStamp1	datetime	
conflict_P911_V50_DB_AgentGroup	tranid	nvarchar	40
conflict_P911_V50_DB_AgentPool	conflict_type	int	
conflict_P911_V50_DB_AgentPool	Id	int	
conflict_P911_V50_DB_AgentPool	insertdate	datetime	
conflict_P911_V50_DB_AgentPool	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgentPool	Name	nchar	64
conflict_P911_V50_DB_AgentPool	ObjectActive	char	1
conflict_P911_V50_DB_AgentPool	ObjectId	int	
conflict_P911_V50_DB_AgentPool	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgentPool	pubid	int	
conflict_P911_V50_DB_AgentPool	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgentPool	reason_code	int	
conflict_P911_V50_DB_AgentPool	reason_text	nvarchar	720

conflict_P911_V50_DB_AgentPool	TimeStamp1	datetime	
conflict_P911_V50_DB_AgentPool	tranid	nvarchar	40
conflict_P911_V50_DB_AgentPoolToAgent	Agent	int	
conflict_P911_V50_DB_AgentPoolToAgent	conflict_type	int	
conflict_P911_V50_DB_AgentPoolToAgent	Id	int	
conflict_P911_V50_DB_AgentPoolToAgent	insertdate	datetime	
conflict_P911_V50_DB_AgentPoolToAgent	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgentPoolToAgent	ObjectActive	char	1
conflict_P911_V50_DB_AgentPoolToAgent	ObjectId	int	
conflict_P911_V50_DB_AgentPoolToAgent	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgentPoolToAgent	pubid	int	
conflict_P911_V50_DB_AgentPoolToAgent	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgentPoolToAgent	reason_code	int	
conflict_P911_V50_DB_AgentPoolToAgent	reason_text	nvarchar	720
conflict_P911_V50_DB_AgentPoolToAgent	TimeStamp1	datetime	
conflict_P911_V50_DB_AgentPoolToAgent	tranid	nvarchar	40
conflict_P911_V50_DB_AgentRole	Boolean1	char	1
conflict_P911_V50_DB_AgentRole	Boolean2	char	1
conflict_P911_V50_DB_AgentRole	Boolean3	char	1
conflict_P911_V50_DB_AgentRole	Boolean4	char	1
conflict_P911_V50_DB_AgentRole	Boolean5	char	1
conflict_P911_V50_DB_AgentRole	Boolean6	char	1
conflict_P911_V50_DB_AgentRole	BroadcastProfile	int	
conflict_P911_V50_DB_AgentRole	conflict_type	int	
conflict_P911_V50_DB_AgentRole	ContactProfile	int	
conflict_P911_V50_DB_AgentRole	FeatureProfile	int	
conflict_P911_V50_DB_AgentRole	IconName	nchar	256
conflict_P911_V50_DB_AgentRole	Id	int	
conflict_P911_V50_DB_AgentRole	insertdate	datetime	
conflict_P911_V50_DB_AgentRole	Integer1	int	
conflict_P911_V50_DB_AgentRole	Integer2	int	
conflict_P911_V50_DB_AgentRole	Integer3	int	
conflict_P911_V50_DB_AgentRole	Integer4	int	
conflict_P911_V50_DB_AgentRole	Integer5	int	

conflict_P911_V50_DB_AgentRole	Integer6	int	
conflict_P911_V50_DB_AgentRole	KeyDefinitionProfile	int	
conflict_P911_V50_DB_AgentRole	LineProfile	int	
conflict_P911_V50_DB_AgentRole	ListDefinitionProfile	int	
conflict_P911_V50_DB_AgentRole	ListOrder	int	
conflict_P911_V50_DB_AgentRole	MacroProfile	int	
conflict_P911_V50_DB_AgentRole	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgentRole	Name	nchar	25
conflict_P911_V50_DB_AgentRole	ObjectActive	char	1
conflict_P911_V50_DB_AgentRole	ObjectId	int	
conflict_P911_V50_DB_AgentRole	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgentRole	pubid	int	
conflict_P911_V50_DB_AgentRole	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgentRole	QueueProfile	int	
conflict_P911_V50_DB_AgentRole	reason_code	int	
conflict_P911_V50_DB_AgentRole	reason_text	nvarchar	720
conflict_P911_V50_DB_AgentRole	ScreenProfile	int	
conflict_P911_V50_DB_AgentRole	TelephonyProfile	int	
conflict_P911_V50_DB_AgentRole	TimeStamp1	datetime	
conflict_P911_V50_DB_AgentRole	tranid	nvarchar	40
conflict_P911_V50_DB_AgentRole	UserProfile	int	
conflict_P911_V50_DB_AgentRolePool	conflict_type	int	
conflict_P911_V50_DB_AgentRolePool	Id	int	
conflict_P911_V50_DB_AgentRolePool	insertdate	datetime	
conflict_P911_V50_DB_AgentRolePool	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgentRolePool	Name	nchar	64
conflict_P911_V50_DB_AgentRolePool	ObjectActive	char	1
conflict_P911_V50_DB_AgentRolePool	ObjectId	int	
conflict_P911_V50_DB_AgentRolePool	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgentRolePool	pubid	int	
conflict_P911_V50_DB_AgentRolePool	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgentRolePool	reason_code	int	
conflict_P911_V50_DB_AgentRolePool	reason_text	nvarchar	720
conflict_P911_V50_DB_AgentRolePool	TimeStamp1	datetime	

conflict_P911_V50_DB_AgentRolePool	tranid	nvarchar	40
conflict_P911_V50_DB_AgentRolePoolToAgentRole	AgentRole	int	
conflict_P911_V50_DB_AgentRolePoolToAgentRole	conflict_type	int	
conflict_P911_V50_DB_AgentRolePoolToAgentRole	Id	int	
conflict_P911_V50_DB_AgentRolePoolToAgentRole	insertdate	datetime	
conflict_P911_V50_DB_AgentRolePoolToAgentRole	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgentRolePoolToAgentRole	ObjectActive	char	1
conflict_P911_V50_DB_AgentRolePoolToAgentRole	ObjectId	int	
conflict_P911_V50_DB_AgentRolePoolToAgentRole	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgentRolePoolToAgentRole	pubid	int	
conflict_P911_V50_DB_AgentRolePoolToAgentRole	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgentRolePoolToAgentRole	reason_code	int	
conflict_P911_V50_DB_AgentRolePoolToAgentRole	reason_text	nvarchar	720
conflict_P911_V50_DB_AgentRolePoolToAgentRole	TimeStamp1	datetime	
conflict_P911_V50_DB_AgentRolePoolToAgentRole	tranid	nvarchar	40
conflict_P911_V50_DB_AgentSetting	Bool1	char	1
conflict_P911_V50_DB_AgentSetting	Bool2	char	1
conflict_P911_V50_DB_AgentSetting	conflict_type	int	
conflict_P911_V50_DB_AgentSetting	Double1	float	
conflict_P911_V50_DB_AgentSetting	Id	binary	8
conflict_P911_V50_DB_AgentSetting	insertdate	datetime	
conflict_P911_V50_DB_AgentSetting	Int1	int	
conflict_P911_V50_DB_AgentSetting	Int10	int	
conflict_P911_V50_DB_AgentSetting	Int11	int	
conflict_P911_V50_DB_AgentSetting	Int12	int	
conflict_P911_V50_DB_AgentSetting	Int13	int	
conflict_P911_V50_DB_AgentSetting	Int14	int	
conflict_P911_V50_DB_AgentSetting	Int15	int	
conflict_P911_V50_DB_AgentSetting	Int2	int	
conflict_P911_V50_DB_AgentSetting	Int3	int	
conflict_P911_V50_DB_AgentSetting	Int4	int	
conflict_P911_V50_DB_AgentSetting	Int5	int	
conflict_P911_V50_DB_AgentSetting	Int6	int	
conflict_P911_V50_DB_AgentSetting	Int7	int	

conflict_P911_V50_DB_AgentSetting	Int8	int	
conflict_P911_V50_DB_AgentSetting	Int9	int	
conflict_P911_V50_DB_AgentSetting	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgentSetting	ObjectId	int	
conflict_P911_V50_DB_AgentSetting	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgentSetting	pubid	int	
conflict_P911_V50_DB_AgentSetting	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgentSetting	reason_code	int	
conflict_P911_V50_DB_AgentSetting	reason_text	nvarchar	720
conflict_P911_V50_DB_AgentSetting	Status	char	1
conflict_P911_V50_DB_AgentSetting	Text32	nvarchar	2048
conflict_P911_V50_DB_AgentSetting	TimeStamp1	datetime	
conflict_P911_V50_DB_AgentSetting	tranid	nvarchar	40
conflict_P911_V50_DB_AgentSetting	Type1	int	
conflict_P911_V50_DB_AgentSetting	Type2	int	
conflict_P911_V50_DB_AgentSetting	Type3	int	
conflict_P911_V50_DB_AgentSetting	Type4	int	
conflict_P911_V50_DB_AgentStatistics	BusyDuration	float	
conflict_P911_V50_DB_AgentStatistics	conflict_type	int	
conflict_P911_V50_DB_AgentStatistics	CurrentState	int	
conflict_P911_V50_DB_AgentStatistics	Id	binary	8
conflict_P911_V50_DB_AgentStatistics	IdleDuration	float	
conflict_P911_V50_DB_AgentStatistics	insertdate	datetime	
conflict_P911_V50_DB_AgentStatistics	InsertionTime	datetime	
conflict_P911_V50_DB_AgentStatistics	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgentStatistics	NotReadyDuration	float	
conflict_P911_V50_DB_AgentStatistics	ObjectId	int	
conflict_P911_V50_DB_AgentStatistics	OnCallDuration	float	
conflict_P911_V50_DB_AgentStatistics	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgentStatistics	pubid	int	
conflict_P911_V50_DB_AgentStatistics	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgentStatistics	reason_code	int	
conflict_P911_V50_DB_AgentStatistics	reason_text	nvarchar	720
conflict_P911_V50_DB_AgentStatistics	ShiftStartTime	datetime	

conflict_P911_V50_DB_AgentStatistics	Status	char	1
conflict_P911_V50_DB_AgentStatistics	TimeStamp1	datetime	
conflict_P911_V50_DB_AgentStatistics	tranid	nvarchar	40
conflict_P911_V50_DB_AgentToAgency	Agency	int	
conflict_P911_V50_DB_AgentToAgency	AgencyType	int	
conflict_P911_V50_DB_AgentToAgency	Boolean1	char	1
conflict_P911_V50_DB_AgentToAgency	conflict_type	int	
conflict_P911_V50_DB_AgentToAgency	Id	int	
conflict_P911_V50_DB_AgentToAgency	insertdate	datetime	
conflict_P911_V50_DB_AgentToAgency	Integer1	int	
conflict_P911_V50_DB_AgentToAgency	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgentToAgency	ObjectActive	char	1
conflict_P911_V50_DB_AgentToAgency	ObjectId	int	
conflict_P911_V50_DB_AgentToAgency	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgentToAgency	pubid	int	
conflict_P911_V50_DB_AgentToAgency	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AgentToAgency	reason_code	int	
conflict_P911_V50_DB_AgentToAgency	reason_text	nvarchar	720
conflict_P911_V50_DB_AgentToAgency	TimeStamp1	datetime	
conflict_P911_V50_DB_AgentToAgency	tranid	nvarchar	40
conflict_P911_V50_DB_AgentToAgency	ViewOnly	char	1
conflict_P911_V50_DB_AgentToRole	AcdLogin	nchar	32
conflict_P911_V50_DB_AgentToRole	AgentRole	int	
conflict_P911_V50_DB_AgentToRole	Boolean1	char	1
conflict_P911_V50_DB_AgentToRole	conflict_type	int	
conflict_P911_V50_DB_AgentToRole	Id	int	
conflict_P911_V50_DB_AgentToRole	insertdate	datetime	
conflict_P911_V50_DB_AgentToRole	Integer1	int	
conflict_P911_V50_DB_AgentToRole	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AgentToRole	ObjectActive	char	1
conflict_P911_V50_DB_AgentToRole	ObjectId	int	
conflict_P911_V50_DB_AgentToRole	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AgentToRole	pubid	int	
conflict_P911_V50_DB_AgentToRole	qcfttabrowid	uniqueidentifier	

conflict_P911_V50_DB_AgentToRole	reason_code	int	
conflict_P911_V50_DB_AgentToRole	reason_text	nvarchar	720
conflict_P911_V50_DB_AgentToRole	TimeStamp1	datetime	
conflict_P911_V50_DB_AgentToRole	tranid	nvarchar	40
conflict_P911_V50_DB_AliFormat	CallingNbrExtLen	int	
conflict_P911_V50_DB_AliFormat	CallingNbrExtPos	int	
conflict_P911_V50_DB_AliFormat	CallingNbrLen	int	
conflict_P911_V50_DB_AliFormat	CallingNbrPos	int	
conflict_P911_V50_DB_AliFormat	CellIDLen	int	
conflict_P911_V50_DB_AliFormat	CellIDPos	int	
conflict_P911_V50_DB_AliFormat	ClassServiceLen	int	
conflict_P911_V50_DB_AliFormat	ClassServicePos	int	
conflict_P911_V50_DB_AliFormat	CommentsLen	int	
conflict_P911_V50_DB_AliFormat	CommentsPos	int	
conflict_P911_V50_DB_AliFormat	CommunityNameLen	int	
conflict_P911_V50_DB_AliFormat	CommunityNamePos	int	
conflict_P911_V50_DB_AliFormat	CompanyIDLen	int	
conflict_P911_V50_DB_AliFormat	CompanyIDPos	int	
conflict_P911_V50_DB_AliFormat	ComPlaceNameLen	int	
conflict_P911_V50_DB_AliFormat	ComPlaceNamePos	int	
conflict_P911_V50_DB_AliFormat	conflict_type	int	
conflict_P911_V50_DB_AliFormat	CountyIDLen	int	
conflict_P911_V50_DB_AliFormat	CountyIDPos	int	
conflict_P911_V50_DB_AliFormat	CrossStreet1Len	int	
conflict_P911_V50_DB_AliFormat	CrossStreet1Pos	int	
conflict_P911_V50_DB_AliFormat	CrossStreet2Len	int	
conflict_P911_V50_DB_AliFormat	CrossStreet2Pos	int	
conflict_P911_V50_DB_AliFormat	CustomerCodeLen	int	
conflict_P911_V50_DB_AliFormat	CustomerCodePos	int	
conflict_P911_V50_DB_AliFormat	CustomerNameLen	int	
conflict_P911_V50_DB_AliFormat	CustomerNamePos	int	
conflict_P911_V50_DB_AliFormat	Description	nchar	32
conflict_P911_V50_DB_AliFormat	DistrictLen	int	
conflict_P911_V50_DB_AliFormat	DistrictPos	int	

conflict_P911_V50_DB_AliFormat	ESNDivisionLen	int
conflict_P911_V50_DB_AliFormat	ESNDivisionPos	int
conflict_P911_V50_DB_AliFormat	EsLen	int
conflict_P911_V50_DB_AliFormat	EsPos	int
conflict_P911_V50_DB_AliFormat	ESNSubDivisionLen	int
conflict_P911_V50_DB_AliFormat	ESNSubDivisionPos	int
conflict_P911_V50_DB_AliFormat	ExchangeLen	int
conflict_P911_V50_DB_AliFormat	ExchangePos	int
conflict_P911_V50_DB_AliFormat	ExtractDateLen	int
conflict_P911_V50_DB_AliFormat	ExtractDatePos	int
conflict_P911_V50_DB_AliFormat	ExtractTimeLen	int
conflict_P911_V50_DB_AliFormat	ExtractTimePos	int
conflict_P911_V50_DB_AliFormat	FreeFieldLen	int
conflict_P911_V50_DB_AliFormat	FreeFieldPos	int
conflict_P911_V50_DB_AliFormat	GeneralUseLen	int
conflict_P911_V50_DB_AliFormat	GeneralUsePos	int
conflict_P911_V50_DB_AliFormat	HouseNbrExtLen	int
conflict_P911_V50_DB_AliFormat	HouseNbrExtPos	int
conflict_P911_V50_DB_AliFormat	HouseNumberLen	int
conflict_P911_V50_DB_AliFormat	HouseNumberPos	int
conflict_P911_V50_DB_AliFormat	Id	int
conflict_P911_V50_DB_AliFormat	insertdate	datetime
conflict_P911_V50_DB_AliFormat	LocationLen	int
conflict_P911_V50_DB_AliFormat	LocationPos	int
conflict_P911_V50_DB_AliFormat	MainNPALen	int
conflict_P911_V50_DB_AliFormat	MainNPAPos	int
conflict_P911_V50_DB_AliFormat	MainNumberLen	int
conflict_P911_V50_DB_AliFormat	MainNumberPos	int
conflict_P911_V50_DB_AliFormat	MapLen	int
conflict_P911_V50_DB_AliFormat	MapPos	int
conflict_P911_V50_DB_AliFormat	msrepl_tran_version	uniqueidentifier
conflict_P911_V50_DB_AliFormat	NearOfLen	int
conflict_P911_V50_DB_AliFormat	NearOfPos	int
conflict_P911_V50_DB_AliFormat	NeighborhoodLen	int

conflict_P911_V50_DB_AliFormat	NeighborhoodPos	int	
conflict_P911_V50_DB_AliFormat	NpaLen	int	
conflict_P911_V50_DB_AliFormat	NpaPos	int	
conflict_P911_V50_DB_AliFormat	ObjectActive	char	1
conflict_P911_V50_DB_AliFormat	ObjectId	int	
conflict_P911_V50_DB_AliFormat	OrderNumberLen	int	
conflict_P911_V50_DB_AliFormat	OrderNumberPos	int	
conflict_P911_V50_DB_AliFormat	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AliFormat	PostDirLen	int	
conflict_P911_V50_DB_AliFormat	PostDirPos	int	
conflict_P911_V50_DB_AliFormat	PrefixDirLen	int	
conflict_P911_V50_DB_AliFormat	PrefixDirPos	int	
conflict_P911_V50_DB_AliFormat	pubid	int	
conflict_P911_V50_DB_AliFormat	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AliFormat	reason_code	int	
conflict_P911_V50_DB_AliFormat	reason_text	nvarchar	720
conflict_P911_V50_DB_AliFormat	SectorIDLen	int	
conflict_P911_V50_DB_AliFormat	SectorIDPos	int	
conflict_P911_V50_DB_AliFormat	SourceIDLen	int	
conflict_P911_V50_DB_AliFormat	SourceIDPos	int	
conflict_P911_V50_DB_AliFormat	SpareField1Len	int	
conflict_P911_V50_DB_AliFormat	SpareField1Pos	int	
conflict_P911_V50_DB_AliFormat	SpareField2Len	int	
conflict_P911_V50_DB_AliFormat	SpareField2Pos	int	
conflict_P911_V50_DB_AliFormat	SpareField3Len	int	
conflict_P911_V50_DB_AliFormat	SpareField3Pos	int	
conflict_P911_V50_DB_AliFormat	SpareField4Len	int	
conflict_P911_V50_DB_AliFormat	SpareField4Pos	int	
conflict_P911_V50_DB_AliFormat	SpareField5Len	int	
conflict_P911_V50_DB_AliFormat	SpareField5Pos	int	
conflict_P911_V50_DB_AliFormat	SpareField6Len	int	
conflict_P911_V50_DB_AliFormat	SpareField6Pos	int	
conflict_P911_V50_DB_AliFormat	SpareField7Len	int	
conflict_P911_V50_DB_AliFormat	SpareField7Pos	int	

conflict_P911_V50_DB_AliFormat	SpareField8Len	int	
conflict_P911_V50_DB_AliFormat	SpareField8Pos	int	
conflict_P911_V50_DB_AliFormat	StateLen	int	
conflict_P911_V50_DB_AliFormat	StatePos	int	
conflict_P911_V50_DB_AliFormat	StreetNameLen	int	
conflict_P911_V50_DB_AliFormat	StreetNamePos	int	
conflict_P911_V50_DB_AliFormat	StreetSuffixLen	int	
conflict_P911_V50_DB_AliFormat	StreetSuffixPos	int	
conflict_P911_V50_DB_AliFormat	TarCodeLen	int	
conflict_P911_V50_DB_AliFormat	TarCodePos	int	
conflict_P911_V50_DB_AliFormat	TellTaleLen	int	
conflict_P911_V50_DB_AliFormat	TellTalePos	int	
conflict_P911_V50_DB_AliFormat	TimeStamp1	datetime	
conflict_P911_V50_DB_AliFormat	tranid	nvarchar	40
conflict_P911_V50_DB_AliFormat	TypeServiceLen	int	
conflict_P911_V50_DB_AliFormat	TypeServicePos	int	
conflict_P911_V50_DB_AliFormat	XCoordinateLen	int	
conflict_P911_V50_DB_AliFormat	XCoordinatePos	int	
conflict_P911_V50_DB_AliFormat	YCoordinateLen	int	
conflict_P911_V50_DB_AliFormat	YCoordinatePos	int	
conflict_P911_V50_DB_AliFormat	ZCoordinateLen	int	
conflict_P911_V50_DB_AliFormat	ZCoordinatePos	int	
conflict_P911_V50_DB_AliFormat	ZipCodeExtLen	int	
conflict_P911_V50_DB_AliFormat	ZipCodeExtPos	int	
conflict_P911_V50_DB_AliFormat	ZipCodeLen	int	
conflict_P911_V50_DB_AliFormat	ZipCodePos	int	
conflict_P911_V50_DB_AliSearch	AddressData	nvarchar	1024
conflict_P911_V50_DB_AliSearch	AgentNumber	int	
conflict_P911_V50_DB_AliSearch	AliType	int	
conflict_P911_V50_DB_AliSearch	Boolean1	char	1
conflict_P911_V50_DB_AliSearch	conflict_type	int	
conflict_P911_V50_DB_AliSearch	Id	binary	8
conflict_P911_V50_DB_AliSearch	insertdate	datetime	
conflict_P911_V50_DB_AliSearch	InsertionTime	datetime	

conflict_P911_V50_DB_AliSearch	Integer1	int	
conflict_P911_V50_DB_AliSearch	Message	nvarchar	520
conflict_P911_V50_DB_AliSearch	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_AliSearch	origin_datasource	nvarchar	255
conflict_P911_V50_DB_AliSearch	PhoneNumber	nchar	32
conflict_P911_V50_DB_AliSearch	pubid	int	
conflict_P911_V50_DB_AliSearch	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_AliSearch	Reason	nvarchar	256
conflict_P911_V50_DB_AliSearch	reason_code	int	
conflict_P911_V50_DB_AliSearch	reason_text	nvarchar	720
conflict_P911_V50_DB_AliSearch	TimeStamp1	datetime	
conflict_P911_V50_DB_AliSearch	tranid	nvarchar	40
conflict_P911_V50_DB_AliSearch	ValidationStatus	int	
conflict_P911_V50_DB_BroadcastButton	Boolean1	char	1
conflict_P911_V50_DB_BroadcastButton	Button	int	
conflict_P911_V50_DB_BroadcastButton	ButtonFunction	int	
conflict_P911_V50_DB_BroadcastButton	conflict_type	int	
conflict_P911_V50_DB_BroadcastButton	Id	int	
conflict_P911_V50_DB_BroadcastButton	IncludeIncident	char	1
conflict_P911_V50_DB_BroadcastButton	insertdate	datetime	
conflict_P911_V50_DB_BroadcastButton	Integer1	int	
conflict_P911_V50_DB_BroadcastButton	LongText	nvarchar	132
conflict_P911_V50_DB_BroadcastButton	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_BroadcastButton	ObjectActive	char	1
conflict_P911_V50_DB_BroadcastButton	ObjectId	int	
conflict_P911_V50_DB_BroadcastButton	origin_datasource	nvarchar	255
conflict_P911_V50_DB_BroadcastButton	pubid	int	
conflict_P911_V50_DB_BroadcastButton	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_BroadcastButton	reason_code	int	
conflict_P911_V50_DB_BroadcastButton	reason_text	nvarchar	720
conflict_P911_V50_DB_BroadcastButton	Reference	int	
conflict_P911_V50_DB_BroadcastButton	SendOnPress	char	1
conflict_P911_V50_DB_BroadcastButton	ShortText	nchar	35
conflict_P911_V50_DB_BroadcastButton	TimeStamp1	datetime	

conflict_P911_V50_DB_BroadcastButton	tranid	nvarchar	40
conflict_P911_V50_DB_BroadcastButton	Urgent	char	1
conflict_P911_V50_DB_BroadcastListMsg	Boolean1	char	1
conflict_P911_V50_DB_BroadcastListMsg	conflict_type	int	
conflict_P911_V50_DB_BroadcastListMsg	Id	int	
conflict_P911_V50_DB_BroadcastListMsg	insertdate	datetime	
conflict_P911_V50_DB_BroadcastListMsg	Integer1	int	
conflict_P911_V50_DB_BroadcastListMsg	MessageNumber	int	
conflict_P911_V50_DB_BroadcastListMsg	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_BroadcastListMsg	ObjectActive	char	1
conflict_P911_V50_DB_BroadcastListMsg	ObjectId	int	
conflict_P911_V50_DB_BroadcastListMsg	origin_datasource	nvarchar	255
conflict_P911_V50_DB_BroadcastListMsg	pubid	int	
conflict_P911_V50_DB_BroadcastListMsg	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_BroadcastListMsg	reason_code	int	
conflict_P911_V50_DB_BroadcastListMsg	reason_text	nvarchar	720
conflict_P911_V50_DB_BroadcastListMsg	Text	nvarchar	132
conflict_P911_V50_DB_BroadcastListMsg	TimeStamp1	datetime	
conflict_P911_V50_DB_BroadcastListMsg	tranid	nvarchar	40
conflict_P911_V50_DB_BroadcastMsg	Boolean1	char	1
conflict_P911_V50_DB_BroadcastMsg	conflict_type	int	
conflict_P911_V50_DB_BroadcastMsg	FromAgent	int	
conflict_P911_V50_DB_BroadcastMsg	Id	binary	8
conflict_P911_V50_DB_BroadcastMsg	Incident	binary	8
conflict_P911_V50_DB_BroadcastMsg	insertdate	datetime	
conflict_P911_V50_DB_BroadcastMsg	InsertionTime	datetime	
conflict_P911_V50_DB_BroadcastMsg	Integer1	int	
conflict_P911_V50_DB_BroadcastMsg	Integer2	int	
conflict_P911_V50_DB_BroadcastMsg	MessageW	nvarchar	2048
conflict_P911_V50_DB_BroadcastMsg	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_BroadcastMsg	origin_datasource	nvarchar	255
conflict_P911_V50_DB_BroadcastMsg	Priority	int	
conflict_P911_V50_DB_BroadcastMsg	pubid	int	
conflict_P911_V50_DB_BroadcastMsg	qcfttabrowid	uniqueidentifier	

conflict_P911_V50_DB_BroadcastMsg	reason_code	int	
conflict_P911_V50_DB_BroadcastMsg	reason_text	nvarchar	720
conflict_P911_V50_DB_BroadcastMsg	Reference	int	
conflict_P911_V50_DB_BroadcastMsg	ReferenceType	int	
conflict_P911_V50_DB_BroadcastMsg	TimeStamp1	datetime	
conflict_P911_V50_DB_BroadcastMsg	tranid	nvarchar	40
conflict_P911_V50_DB_BroadcastMsg	Workstation	int	
conflict_P911_V50_DB_Call	Agent	int	
conflict_P911_V50_DB_Call	AgentHoldTime	int	
conflict_P911_V50_DB_Call	AgentRingTime	int	
conflict_P911_V50_DB_Call	AgentTalkTime	int	
conflict_P911_V50_DB_Call	BargedIn	char	1
conflict_P911_V50_DB_Call	Boolean1	char	1
conflict_P911_V50_DB_Call	CallPriority	int	
conflict_P911_V50_DB_Call	CallType	int	
conflict_P911_V50_DB_Call	conflict_type	int	
conflict_P911_V50_DB_Call	DigitsDialled	nvarchar	64
conflict_P911_V50_DB_Call	Id	binary	8
conflict_P911_V50_DB_Call	Incident	binary	8
conflict_P911_V50_DB_Call	insertdate	datetime	
conflict_P911_V50_DB_Call	InsertionTime	datetime	
conflict_P911_V50_DB_Call	Integer1	int	
conflict_P911_V50_DB_Call	Line	int	
conflict_P911_V50_DB_Call	LongDistance	char	1
conflict_P911_V50_DB_Call	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_Call	origin_datasource	nvarchar	255
conflict_P911_V50_DB_Call	PresentationTime	int	
conflict_P911_V50_DB_Call	pubid	int	
conflict_P911_V50_DB_Call	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_Call	reason_code	int	
conflict_P911_V50_DB_Call	reason_text	nvarchar	720
conflict_P911_V50_DB_Call	SetupTime	int	
conflict_P911_V50_DB_Call	TimeStamp1	datetime	
conflict_P911_V50_DB_Call	TotalProcessTime	int	

conflict_P911_V50_DB_Call	TotalRingTime	int	
conflict_P911_V50_DB_Call	tranid	nvarchar	40
conflict_P911_V50_DB_Call	Trunk	int	
conflict_P911_V50_DB_Call	WorkStation	int	
conflict_P911_V50_DB_CallAttributes	Boolean1	char	1
conflict_P911_V50_DB_CallAttributes	conflict_type	int	
conflict_P911_V50_DB_CallAttributes	Id	binary	8
conflict_P911_V50_DB_CallAttributes	insertdate	datetime	
conflict_P911_V50_DB_CallAttributes	InsertionTime	datetime	
conflict_P911_V50_DB_CallAttributes	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_CallAttributes	Number1	int	
conflict_P911_V50_DB_CallAttributes	Number2	int	
conflict_P911_V50_DB_CallAttributes	ObjectId	binary	8
conflict_P911_V50_DB_CallAttributes	origin_datasource	nvarchar	255
conflict_P911_V50_DB_CallAttributes	pubid	int	
conflict_P911_V50_DB_CallAttributes	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_CallAttributes	reason_code	int	
conflict_P911_V50_DB_CallAttributes	reason_text	nvarchar	720
conflict_P911_V50_DB_CallAttributes	TimeStamp1	datetime	
conflict_P911_V50_DB_CallAttributes	tranid	nvarchar	40
conflict_P911_V50_DB_CallAttributes	Type	int	
conflict_P911_V50_DB_Changes	conflict_type	int	
conflict_P911_V50_DB_Changes	Id	int	
conflict_P911_V50_DB_Changes	insertdate	datetime	
conflict_P911_V50_DB_Changes	ItemBinaryId	binary	8
conflict_P911_V50_DB_Changes	ItemId	int	
conflict_P911_V50_DB_Changes	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_Changes	Name	char	20
conflict_P911_V50_DB_Changes	origin_datasource	nvarchar	255
conflict_P911_V50_DB_Changes	pubid	int	
conflict_P911_V50_DB_Changes	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_Changes	reason_code	int	
conflict_P911_V50_DB_Changes	reason_text	nvarchar	720
conflict_P911_V50_DB_Changes	TableName	char	25

conflict_P911_V50_DB_Changes	TimeStamp1	datetime	
conflict_P911_V50_DB_Changes	tranid	nvarchar	40
conflict_P911_V50_DB_ConferenceModes	ButtonHint	nvarchar	128
conflict_P911_V50_DB_ConferenceModes	ButtonText	nvarchar	128
conflict_P911_V50_DB_ConferenceModes	conflict_type	int	
conflict_P911_V50_DB_ConferenceModes	DisplayOrder	int	
conflict_P911_V50_DB_ConferenceModes	Id	int	
conflict_P911_V50_DB_ConferenceModes	insertdate	datetime	
conflict_P911_V50_DB_ConferenceModes	LocalPrefix	nvarchar	128
conflict_P911_V50_DB_ConferenceModes	LongDistancePrefix	nvarchar	128
conflict_P911_V50_DB_ConferenceModes	Mode	int	
conflict_P911_V50_DB_ConferenceModes	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_ConferenceModes	Number	int	
conflict_P911_V50_DB_ConferenceModes	ObjectActive	char	1
conflict_P911_V50_DB_ConferenceModes	ObjectId	int	
conflict_P911_V50_DB_ConferenceModes	OneStep	char	1
conflict_P911_V50_DB_ConferenceModes	origin_datasource	nvarchar	255
conflict_P911_V50_DB_ConferenceModes	pubid	int	
conflict_P911_V50_DB_ConferenceModes	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_ConferenceModes	reason_code	int	
conflict_P911_V50_DB_ConferenceModes	reason_text	nvarchar	720
conflict_P911_V50_DB_ConferenceModes	TimeStamp1	datetime	
conflict_P911_V50_DB_ConferenceModes	tranid	nvarchar	40
conflict_P911_V50_DB_Contact	Address	nvarchar	1024
conflict_P911_V50_DB_Contact	conflict_type	int	
conflict_P911_V50_DB_Contact	Id	binary	8
conflict_P911_V50_DB_Contact	Info1	nvarchar	64
conflict_P911_V50_DB_Contact	Info2	nvarchar	64
conflict_P911_V50_DB_Contact	Info3	nvarchar	64
conflict_P911_V50_DB_Contact	Info4	nvarchar	64
conflict_P911_V50_DB_Contact	insertdate	datetime	
conflict_P911_V50_DB_Contact	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_Contact	Name	nvarchar	64
conflict_P911_V50_DB_Contact	Notes	nvarchar	1024

conflict_P911_V50_DB_Contact	ObjectId	binary	8
conflict_P911_V50_DB_Contact	ObjectStatus	char	1
conflict_P911_V50_DB_Contact	origin_datasource	nvarchar	255
conflict_P911_V50_DB_Contact	OwnerAgent	int	
conflict_P911_V50_DB_Contact	OwnerRole	int	
conflict_P911_V50_DB_Contact	pubid	int	
conflict_P911_V50_DB_Contact	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_Contact	reason_code	int	
conflict_P911_V50_DB_Contact	reason_text	nvarchar	720
conflict_P911_V50_DB_Contact	SpareBool1	char	1
conflict_P911_V50_DB_Contact	SpareInt1	int	
conflict_P911_V50_DB_Contact	SpareInt2	int	
conflict_P911_V50_DB_Contact	TimeStamp1	datetime	
conflict_P911_V50_DB_Contact	tranid	nvarchar	40
conflict_P911_V50_DB_ContactAccess	AccessId	binary	8
conflict_P911_V50_DB_ContactAccess	AccessType	int	
conflict_P911_V50_DB_ContactAccess	conflict_type	int	
conflict_P911_V50_DB_ContactAccess	Content	nchar	32
conflict_P911_V50_DB_ContactAccess	DefaultAccess	char	1
conflict_P911_V50_DB_ContactAccess	Destination	nvarchar	256
conflict_P911_V50_DB_ContactAccess	Extension	nchar	8
conflict_P911_V50_DB_ContactAccess	Id	binary	8
conflict_P911_V50_DB_ContactAccess	insertdate	datetime	
conflict_P911_V50_DB_ContactAccess	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_ContactAccess	Name	nchar	32
conflict_P911_V50_DB_ContactAccess	ObjectId	binary	8
conflict_P911_V50_DB_ContactAccess	ObjectStatus	char	1
conflict_P911_V50_DB_ContactAccess	origin_datasource	nvarchar	255
conflict_P911_V50_DB_ContactAccess	Password	nchar	20
conflict_P911_V50_DB_ContactAccess	pubid	int	
conflict_P911_V50_DB_ContactAccess	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_ContactAccess	reason_code	int	
conflict_P911_V50_DB_ContactAccess	reason_text	nvarchar	720
conflict_P911_V50_DB_ContactAccess	ShortLabel	int	

conflict_P911_V50_DB_ContactAccess	SpareBool1	char	1
conflict_P911_V50_DB_ContactAccess	SpareInt1	int	
conflict_P911_V50_DB_ContactAccess	SpareInt2	int	
conflict_P911_V50_DB_ContactAccess	TimeStamp1	datetime	
conflict_P911_V50_DB_ContactAccess	tranid	nvarchar	40
conflict_P911_V50_DB_ContactAccess	Userld	nchar	20
conflict_P911_V50_DB_ContactToAgency	Agency	int	
conflict_P911_V50_DB_ContactToAgency	AgencyGroup	int	
conflict_P911_V50_DB_ContactToAgency	AgencyType	int	
conflict_P911_V50_DB_ContactToAgency	conflict_type	int	
conflict_P911_V50_DB_ContactToAgency	ld	binary	8
conflict_P911_V50_DB_ContactToAgency	insertdate	datetime	
conflict_P911_V50_DB_ContactToAgency	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_ContactToAgency	ObjectId	binary	8
conflict_P911_V50_DB_ContactToAgency	ObjectStatus	char	1
conflict_P911_V50_DB_ContactToAgency	origin_datasource	nvarchar	255
conflict_P911_V50_DB_ContactToAgency	pubid	int	
conflict_P911_V50_DB_ContactToAgency	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_ContactToAgency	reason_code	int	
conflict_P911_V50_DB_ContactToAgency	reason_text	nvarchar	720
conflict_P911_V50_DB_ContactToAgency	TimeStamp1	datetime	
conflict_P911_V50_DB_ContactToAgency	tranid	nvarchar	40
conflict_P911_V50_DB_DataTransferTypeText	conflict_type	int	
conflict_P911_V50_DB_DataTransferTypeText	ld	int	
conflict_P911_V50_DB_DataTransferTypeText	insertdate	datetime	
conflict_P911_V50_DB_DataTransferTypeText	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_DataTransferTypeText	Name	char	32
conflict_P911_V50_DB_DataTransferTypeText	Number	int	
conflict_P911_V50_DB_DataTransferTypeText	origin_datasource	nvarchar	255
conflict_P911_V50_DB_DataTransferTypeText	pubid	int	
conflict_P911_V50_DB_DataTransferTypeText	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_DataTransferTypeText	reason_code	int	
conflict_P911_V50_DB_DataTransferTypeText	reason_text	nvarchar	720
conflict_P911_V50_DB_DataTransferTypeText	RecordStatus	char	1

conflict_P911_V50_DB_DataTransferTypeText	TimeStamp1	datetime	
conflict_P911_V50_DB_DataTransferTypeText	tranid	nvarchar	40
conflict_P911_V50_DB_Esn	Boolean1	char	1
conflict_P911_V50_DB_Esn	conflict_type	int	
conflict_P911_V50_DB_Esn	EsnGroup	int	
conflict_P911_V50_DB_Esn	EsnSuperGroup	int	
conflict_P911_V50_DB_Esn	Id	int	
conflict_P911_V50_DB_Esn	insertdate	datetime	
conflict_P911_V50_DB_Esn	Integer1	int	
conflict_P911_V50_DB_Esn	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_Esn	Name	nvarchar	80
conflict_P911_V50_DB_Esn	ObjectActive	char	1
conflict_P911_V50_DB_Esn	ObjectId	int	
conflict_P911_V50_DB_Esn	origin_datasource	nvarchar	255
conflict_P911_V50_DB_Esn	pubid	int	
conflict_P911_V50_DB_Esn	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_Esn	reason_code	int	
conflict_P911_V50_DB_Esn	reason_text	nvarchar	720
conflict_P911_V50_DB_Esn	TimeStamp1	datetime	
conflict_P911_V50_DB_Esn	tranid	nvarchar	40
conflict_P911_V50_DB_ExtendedAgencyButton	Agency	int	
conflict_P911_V50_DB_ExtendedAgencyButton	Boolean1	char	1
conflict_P911_V50_DB_ExtendedAgencyButton	Button	int	
conflict_P911_V50_DB_ExtendedAgencyButton	conflict_type	int	
conflict_P911_V50_DB_ExtendedAgencyButton	DataTransferOnConference	char	1
conflict_P911_V50_DB_ExtendedAgencyButton	Id	int	
conflict_P911_V50_DB_ExtendedAgencyButton	insertdate	datetime	
conflict_P911_V50_DB_ExtendedAgencyButton	Integer1	int	
conflict_P911_V50_DB_ExtendedAgencyButton	Label1	nchar	16
conflict_P911_V50_DB_ExtendedAgencyButton	Label2	nchar	16
conflict_P911_V50_DB_ExtendedAgencyButton	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_ExtendedAgencyButton	ObjectActive	char	1
conflict_P911_V50_DB_ExtendedAgencyButton	ObjectId	int	
conflict_P911_V50_DB_ExtendedAgencyButton	origin_datasource	nvarchar	255

conflict_P911_V50_DB_ExtendedAgencyButton	Panel	int	
conflict_P911_V50_DB_ExtendedAgencyButton	pubid	int	
conflict_P911_V50_DB_ExtendedAgencyButton	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_ExtendedAgencyButton	reason_code	int	
conflict_P911_V50_DB_ExtendedAgencyButton	reason_text	nvarchar	720
conflict_P911_V50_DB_ExtendedAgencyButton	TimeStamp1	datetime	
conflict_P911_V50_DB_ExtendedAgencyButton	tranid	nvarchar	40
conflict_P911_V50_DB_FeatureButton	Boolean1	char	1
conflict_P911_V50_DB_FeatureButton	BooleanValue	char	1
conflict_P911_V50_DB_FeatureButton	Button	int	
conflict_P911_V50_DB_FeatureButton	ButtonFunction	int	
conflict_P911_V50_DB_FeatureButton	Cardinal2Value	int	
conflict_P911_V50_DB_FeatureButton	CardinalValue	int	
conflict_P911_V50_DB_FeatureButton	conflict_type	int	
conflict_P911_V50_DB_FeatureButton	Hint	int	
conflict_P911_V50_DB_FeatureButton	Id	int	
conflict_P911_V50_DB_FeatureButton	insertdate	datetime	
conflict_P911_V50_DB_FeatureButton	Integer1	int	
conflict_P911_V50_DB_FeatureButton	Label	int	
conflict_P911_V50_DB_FeatureButton	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_FeatureButton	ObjectActive	char	1
conflict_P911_V50_DB_FeatureButton	ObjectId	int	
conflict_P911_V50_DB_FeatureButton	origin_datasource	nvarchar	255
conflict_P911_V50_DB_FeatureButton	Panel	int	
conflict_P911_V50_DB_FeatureButton	pubid	int	
conflict_P911_V50_DB_FeatureButton	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_FeatureButton	reason_code	int	
conflict_P911_V50_DB_FeatureButton	reason_text	nvarchar	720
conflict_P911_V50_DB_FeatureButton	TextValue	nvarchar	64
conflict_P911_V50_DB_FeatureButton	TimeStamp1	datetime	
conflict_P911_V50_DB_FeatureButton	tranid	nvarchar	40
conflict_P911_V50_DB_FeatureButton	VisualOnly	char	1
conflict_P911_V50_DB_GreetingAssociation	Agent	int	
conflict_P911_V50_DB_GreetingAssociation	AgentGroup	int	

conflict_P911_V50_DB_GreetingAssociation	Boolean1	char	1
conflict_P911_V50_DB_GreetingAssociation	conflict_type	int	
conflict_P911_V50_DB_GreetingAssociation	Description	nvarchar	255
conflict_P911_V50_DB_GreetingAssociation	Dnis	nchar	20
conflict_P911_V50_DB_GreetingAssociation	EndTime	int	
conflict_P911_V50_DB_GreetingAssociation	Id	int	
conflict_P911_V50_DB_GreetingAssociation	insertdate	datetime	
conflict_P911_V50_DB_GreetingAssociation	Integer1	int	
conflict_P911_V50_DB_GreetingAssociation	Integer2	int	
conflict_P911_V50_DB_GreetingAssociation	Integer3	int	
conflict_P911_V50_DB_GreetingAssociation	Line	int	
conflict_P911_V50_DB_GreetingAssociation	LineGroup	int	
conflict_P911_V50_DB_GreetingAssociation	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_GreetingAssociation	ObjectActive	char	1
conflict_P911_V50_DB_GreetingAssociation	ObjectId	int	
conflict_P911_V50_DB_GreetingAssociation	origin_datasource	nvarchar	255
conflict_P911_V50_DB_GreetingAssociation	OverrideKey	int	
conflict_P911_V50_DB_GreetingAssociation	pubid	int	
conflict_P911_V50_DB_GreetingAssociation	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_GreetingAssociation	reason_code	int	
conflict_P911_V50_DB_GreetingAssociation	reason_text	nvarchar	720
conflict_P911_V50_DB_GreetingAssociation	StartTime	int	
conflict_P911_V50_DB_GreetingAssociation	TimeStamp1	datetime	
conflict_P911_V50_DB_GreetingAssociation	tranid	nvarchar	40
conflict_P911_V50_DB_GreetingAssociation	Trunk	int	
conflict_P911_V50_DB_GreetingAssociation	TrunkGroup	int	
conflict_P911_V50_DB_GreetingAssociation	TryOrder	float	
conflict_P911_V50_DB_GreetingAssociation	WaveFile	nvarchar	255
conflict_P911_V50_DB_Incident	AbandonedCall	char	1
conflict_P911_V50_DB_Incident	Agent	int	
conflict_P911_V50_DB_Incident	AniFlash	char	1
conflict_P911_V50_DB_Incident	Boolean1	char	1
conflict_P911_V50_DB_Incident	Boolean2	char	1
conflict_P911_V50_DB_Incident	CallTransferred	char	1

conflict_P911_V50_DB_Incident	CallType	int	
conflict_P911_V50_DB_Incident	Closed	char	1
conflict_P911_V50_DB_Incident	conflict_type	int	
conflict_P911_V50_DB_Incident	HandlingTime	int	
conflict_P911_V50_DB_Incident	Id	binary	8
conflict_P911_V50_DB_Incident	insertdate	datetime	
conflict_P911_V50_DB_Incident	InsertionTime	datetime	
conflict_P911_V50_DB_Incident	Integer1	int	
conflict_P911_V50_DB_Incident	Integer2	int	
conflict_P911_V50_DB_Incident	Integer3	int	
conflict_P911_V50_DB_Incident	Integer4	int	
conflict_P911_V50_DB_Incident	Integer5	int	
conflict_P911_V50_DB_Incident	InvalidAni	char	1
conflict_P911_V50_DB_Incident	LastPriority	int	
conflict_P911_V50_DB_Incident	LastState	int	
conflict_P911_V50_DB_Incident	LastType	int	
conflict_P911_V50_DB_Incident	LineNumber	int	
conflict_P911_V50_DB_Incident	LinkKey	binary	8
conflict_P911_V50_DB_Incident	LinkStatus	int	
conflict_P911_V50_DB_Incident	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_Incident	origin_datasource	nvarchar	255
conflict_P911_V50_DB_Incident	PendingTime	int	
conflict_P911_V50_DB_Incident	PresentationTime	datetime	
conflict_P911_V50_DB_Incident	ProcessTime	int	
conflict_P911_V50_DB_Incident	pubid	int	
conflict_P911_V50_DB_Incident	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_Incident	reason_code	int	
conflict_P911_V50_DB_Incident	reason_text	nvarchar	720
conflict_P911_V50_DB_Incident	Sequence	nchar	24
conflict_P911_V50_DB_Incident	SetupTime	int	
conflict_P911_V50_DB_Incident	SMSType	int	
conflict_P911_V50_DB_Incident	TddCall	char	1
conflict_P911_V50_DB_Incident	TelephoneNumber	nchar	16
conflict_P911_V50_DB_Incident	TimeStamp1	datetime	

conflict_P911_V50_DB_Incident	tranid	nvarchar	40
conflict_P911_V50_DB_Incident	TrunkNumber	int	
conflict_P911_V50_DB_Incident	UniqueCallId	char	48
conflict_P911_V50_DB_Incident	Workstation	int	
conflict_P911_V50_DB_IncidentAddress	AddressData	nvarchar	1024
conflict_P911_V50_DB_IncidentAddress	AddressOrigin	int	
conflict_P911_V50_DB_IncidentAddress	AddressType	int	
conflict_P911_V50_DB_IncidentAddress	Agent	int	
conflict_P911_V50_DB_IncidentAddress	AliType	int	
conflict_P911_V50_DB_IncidentAddress	Boolean1	char	1
conflict_P911_V50_DB_IncidentAddress	Boolean2	char	1
conflict_P911_V50_DB_IncidentAddress	conflict_type	int	
conflict_P911_V50_DB_IncidentAddress	CustomerName	nchar	32
conflict_P911_V50_DB_IncidentAddress	Error	char	1
conflict_P911_V50_DB_IncidentAddress	FreeFormat	nvarchar	128
conflict_P911_V50_DB_IncidentAddress	Id	binary	8
conflict_P911_V50_DB_IncidentAddress	insertdate	datetime	
conflict_P911_V50_DB_IncidentAddress	InsertionTime	datetime	
conflict_P911_V50_DB_IncidentAddress	Integer1	int	
conflict_P911_V50_DB_IncidentAddress	Integer2	int	
conflict_P911_V50_DB_IncidentAddress	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_IncidentAddress	ObjectId	binary	8
conflict_P911_V50_DB_IncidentAddress	origin_datasource	nvarchar	255
conflict_P911_V50_DB_IncidentAddress	Original	char	1
conflict_P911_V50_DB_IncidentAddress	pubid	int	
conflict_P911_V50_DB_IncidentAddress	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_IncidentAddress	reason_code	int	
conflict_P911_V50_DB_IncidentAddress	reason_text	nvarchar	720
conflict_P911_V50_DB_IncidentAddress	TelephoneNumber	nchar	16
conflict_P911_V50_DB_IncidentAddress	Text1	nchar	32
conflict_P911_V50_DB_IncidentAddress	TimeStamp1	datetime	
conflict_P911_V50_DB_IncidentAddress	tranid	nvarchar	40
conflict_P911_V50_DB_IncidentAddress	Validated	int	
conflict_P911_V50_DB_IncidentAddress	Workstation	int	

conflict_P911_V50_DB_IncidentAttributes	Agent	int	
conflict_P911_V50_DB_IncidentAttributes	BigText	nvarchar	1024
conflict_P911_V50_DB_IncidentAttributes	BinaryKey	binary	8
conflict_P911_V50_DB_IncidentAttributes	Bool1	char	1
conflict_P911_V50_DB_IncidentAttributes	Bool2	char	1
conflict_P911_V50_DB_IncidentAttributes	Bool3	char	1
conflict_P911_V50_DB_IncidentAttributes	conflict_type	int	
conflict_P911_V50_DB_IncidentAttributes	Id	binary	8
conflict_P911_V50_DB_IncidentAttributes	insertdate	datetime	
conflict_P911_V50_DB_IncidentAttributes	InsertionTime	datetime	
conflict_P911_V50_DB_IncidentAttributes	Int1	int	
conflict_P911_V50_DB_IncidentAttributes	Int2	int	
conflict_P911_V50_DB_IncidentAttributes	Int3	int	
conflict_P911_V50_DB_IncidentAttributes	Int4	int	
conflict_P911_V50_DB_IncidentAttributes	Int5	int	
conflict_P911_V50_DB_IncidentAttributes	Int6	int	
conflict_P911_V50_DB_IncidentAttributes	Int7	int	
conflict_P911_V50_DB_IncidentAttributes	Int8	int	
conflict_P911_V50_DB_IncidentAttributes	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_IncidentAttributes	ObjectId	binary	8
conflict_P911_V50_DB_IncidentAttributes	origin_datasource	nvarchar	255
conflict_P911_V50_DB_IncidentAttributes	pubid	int	
conflict_P911_V50_DB_IncidentAttributes	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_IncidentAttributes	reason_code	int	
conflict_P911_V50_DB_IncidentAttributes	reason_text	nvarchar	720
conflict_P911_V50_DB_IncidentAttributes	Text16	nchar	16
conflict_P911_V50_DB_IncidentAttributes	Text32	nchar	32
conflict_P911_V50_DB_IncidentAttributes	TimeStamp1	datetime	
conflict_P911_V50_DB_IncidentAttributes	tranid	nvarchar	40
conflict_P911_V50_DB_IncidentAttributes	Type	int	
conflict_P911_V50_DB_IncidentAttributes	Workstation	int	
conflict_P911_V50_DB_IncidentPriority	Boolean1	char	1
conflict_P911_V50_DB_IncidentPriority	conflict_type	int	
conflict_P911_V50_DB_IncidentPriority	Id	int	

conflict_P911_V50_DB_IncidentPriority	insertdate	datetime	
conflict_P911_V50_DB_IncidentPriority	Integer1	int	
conflict_P911_V50_DB_IncidentPriority	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_IncidentPriority	Name	int	
conflict_P911_V50_DB_IncidentPriority	ObjectActive	char	1
conflict_P911_V50_DB_IncidentPriority	ObjectId	int	
conflict_P911_V50_DB_IncidentPriority	origin_datasource	nvarchar	255
conflict_P911_V50_DB_IncidentPriority	pubid	int	
conflict_P911_V50_DB_IncidentPriority	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_IncidentPriority	reason_code	int	
conflict_P911_V50_DB_IncidentPriority	reason_text	nvarchar	720
conflict_P911_V50_DB_IncidentPriority	TimeStamp1	datetime	
conflict_P911_V50_DB_IncidentPriority	tranid	nvarchar	40
conflict_P911_V50_DB_IncidentType	Boolean1	char	1
conflict_P911_V50_DB_IncidentType	Boolean2	char	1
conflict_P911_V50_DB_IncidentType	Boolean3	char	1
conflict_P911_V50_DB_IncidentType	Boolean4	char	1
conflict_P911_V50_DB_IncidentType	Boolean5	char	1
conflict_P911_V50_DB_IncidentType	conflict_type	int	
conflict_P911_V50_DB_IncidentType	CreateIncident	char	1
conflict_P911_V50_DB_IncidentType	DaysToArchive	int	
conflict_P911_V50_DB_IncidentType	DefaultPriority	int	
conflict_P911_V50_DB_IncidentType	DeleteDelay	int	
conflict_P911_V50_DB_IncidentType	Designation	nchar	8
conflict_P911_V50_DB_IncidentType	DispatchCloseDelay	int	
conflict_P911_V50_DB_IncidentType	FamilyNumber	int	
conflict_P911_V50_DB_IncidentType	ForceSuffix	char	1
conflict_P911_V50_DB_IncidentType	Id	int	
conflict_P911_V50_DB_IncidentType	IncidentTypeGroup	int	
conflict_P911_V50_DB_IncidentType	insertdate	datetime	
conflict_P911_V50_DB_IncidentType	Integer1	int	
conflict_P911_V50_DB_IncidentType	Integer2	int	
conflict_P911_V50_DB_IncidentType	Integer3	int	
conflict_P911_V50_DB_IncidentType	Integer4	int	

conflict_P911_V50_DB_IncidentType	MaxPriority	int	
conflict_P911_V50_DB_IncidentType	MinPriority	int	
conflict_P911_V50_DB_IncidentType	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_IncidentType	Name	int	
conflict_P911_V50_DB_IncidentType	ObjectActive	char	1
conflict_P911_V50_DB_IncidentType	ObjectId	int	
conflict_P911_V50_DB_IncidentType	origin_datasource	nvarchar	255
conflict_P911_V50_DB_IncidentType	pubid	int	
conflict_P911_V50_DB_IncidentType	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_IncidentType	reason_code	int	
conflict_P911_V50_DB_IncidentType	reason_text	nvarchar	720
conflict_P911_V50_DB_IncidentType	SOPFileName	nchar	30
conflict_P911_V50_DB_IncidentType	TimeStamp1	datetime	
conflict_P911_V50_DB_IncidentType	tranid	nvarchar	40
conflict_P911_V50_DB_IncidentTypeGroup	Boolean1	char	1
conflict_P911_V50_DB_IncidentTypeGroup	Boolean2	char	1
conflict_P911_V50_DB_IncidentTypeGroup	conflict_type	int	
conflict_P911_V50_DB_IncidentTypeGroup	Id	int	
conflict_P911_V50_DB_IncidentTypeGroup	insertdate	datetime	
conflict_P911_V50_DB_IncidentTypeGroup	Integer1	int	
conflict_P911_V50_DB_IncidentTypeGroup	Integer2	int	
conflict_P911_V50_DB_IncidentTypeGroup	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_IncidentTypeGroup	Name	nchar	35
conflict_P911_V50_DB_IncidentTypeGroup	ObjectActive	char	1
conflict_P911_V50_DB_IncidentTypeGroup	ObjectId	int	
conflict_P911_V50_DB_IncidentTypeGroup	origin_datasource	nvarchar	255
conflict_P911_V50_DB_IncidentTypeGroup	pubid	int	
conflict_P911_V50_DB_IncidentTypeGroup	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_IncidentTypeGroup	reason_code	int	
conflict_P911_V50_DB_IncidentTypeGroup	reason_text	nvarchar	720
conflict_P911_V50_DB_IncidentTypeGroup	Text1	nchar	35
conflict_P911_V50_DB_IncidentTypeGroup	TimeStamp1	datetime	
conflict_P911_V50_DB_IncidentTypeGroup	tranid	nvarchar	40
conflict_P911_V50_DB_IncidentTypeSuffix	Boolean1	char	1

conflict_P911_V50_DB_IncidentTypeSuffix	conflict_type	int	
conflict_P911_V50_DB_IncidentTypeSuffix	Designation	nchar	8
conflict_P911_V50_DB_IncidentTypeSuffix	Id	int	
conflict_P911_V50_DB_IncidentTypeSuffix	insertdate	datetime	
conflict_P911_V50_DB_IncidentTypeSuffix	Integer1	int	
conflict_P911_V50_DB_IncidentTypeSuffix	Integer2	int	
conflict_P911_V50_DB_IncidentTypeSuffix	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_IncidentTypeSuffix	Name	int	
conflict_P911_V50_DB_IncidentTypeSuffix	ObjectActive	char	1
conflict_P911_V50_DB_IncidentTypeSuffix	ObjectId	int	
conflict_P911_V50_DB_IncidentTypeSuffix	origin_datasource	nvarchar	255
conflict_P911_V50_DB_IncidentTypeSuffix	pubid	int	
conflict_P911_V50_DB_IncidentTypeSuffix	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_IncidentTypeSuffix	reason_code	int	
conflict_P911_V50_DB_IncidentTypeSuffix	reason_text	nvarchar	720
conflict_P911_V50_DB_IncidentTypeSuffix	TimeStamp1	datetime	
conflict_P911_V50_DB_IncidentTypeSuffix	tranid	nvarchar	40
conflict_P911_V50_DB_IncidentTypeToAgencyType	AgencyType	int	
conflict_P911_V50_DB_IncidentTypeToAgencyType	Boolean1	char	1
conflict_P911_V50_DB_IncidentTypeToAgencyType	conflict_type	int	
conflict_P911_V50_DB_IncidentTypeToAgencyType	Degree	int	
conflict_P911_V50_DB_IncidentTypeToAgencyType	Id	int	
conflict_P911_V50_DB_IncidentTypeToAgencyType	insertdate	datetime	
conflict_P911_V50_DB_IncidentTypeToAgencyType	Integer1	int	
conflict_P911_V50_DB_IncidentTypeToAgencyType	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_IncidentTypeToAgencyType	ObjectActive	char	1
conflict_P911_V50_DB_IncidentTypeToAgencyType	ObjectId	int	
conflict_P911_V50_DB_IncidentTypeToAgencyType	origin_datasource	nvarchar	255
conflict_P911_V50_DB_IncidentTypeToAgencyType	pubid	int	
conflict_P911_V50_DB_IncidentTypeToAgencyType	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_IncidentTypeToAgencyType	reason_code	int	
conflict_P911_V50_DB_IncidentTypeToAgencyType	reason_text	nvarchar	720
conflict_P911_V50_DB_IncidentTypeToAgencyType	TimeStamp1	datetime	
conflict_P911_V50_DB_IncidentTypeToAgencyType	tranid	nvarchar	40

conflict_P911_V50_DB_IncidentTypeToQuestion	Boolean1	char	1
conflict_P911_V50_DB_IncidentTypeToQuestion	conflict_type	int	
conflict_P911_V50_DB_IncidentTypeToQuestion	DisplayOrder	int	
conflict_P911_V50_DB_IncidentTypeToQuestion	Id	int	
conflict_P911_V50_DB_IncidentTypeToQuestion	Importance	char	1
conflict_P911_V50_DB_IncidentTypeToQuestion	insertdate	datetime	
conflict_P911_V50_DB_IncidentTypeToQuestion	Integer1	int	
conflict_P911_V50_DB_IncidentTypeToQuestion	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_IncidentTypeToQuestion	NoAgencyType	int	
conflict_P911_V50_DB_IncidentTypeToQuestion	NoDegree	int	
conflict_P911_V50_DB_IncidentTypeToQuestion	ObjectActive	char	1
conflict_P911_V50_DB_IncidentTypeToQuestion	ObjectId	int	
conflict_P911_V50_DB_IncidentTypeToQuestion	origin_datasource	nvarchar	255
conflict_P911_V50_DB_IncidentTypeToQuestion	pubid	int	
conflict_P911_V50_DB_IncidentTypeToQuestion	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_IncidentTypeToQuestion	Question	int	
conflict_P911_V50_DB_IncidentTypeToQuestion	reason_code	int	
conflict_P911_V50_DB_IncidentTypeToQuestion	reason_text	nvarchar	720
conflict_P911_V50_DB_IncidentTypeToQuestion	TimeStamp1	datetime	
conflict_P911_V50_DB_IncidentTypeToQuestion	tranid	nvarchar	40
conflict_P911_V50_DB_IncidentTypeToQuestion	YesAgencyType	int	
conflict_P911_V50_DB_IncidentTypeToQuestion	YesDegree	int	
conflict_P911_V50_DB_IncidentTypeToSuffix	Boolean1	char	1
conflict_P911_V50_DB_IncidentTypeToSuffix	conflict_type	int	
conflict_P911_V50_DB_IncidentTypeToSuffix	DefaultPriority	int	
conflict_P911_V50_DB_IncidentTypeToSuffix	DefaultSelection	char	1
conflict_P911_V50_DB_IncidentTypeToSuffix	Id	int	
conflict_P911_V50_DB_IncidentTypeToSuffix	insertdate	datetime	
conflict_P911_V50_DB_IncidentTypeToSuffix	Integer1	int	
conflict_P911_V50_DB_IncidentTypeToSuffix	MaxPriority	int	
conflict_P911_V50_DB_IncidentTypeToSuffix	MinPriority	int	
conflict_P911_V50_DB_IncidentTypeToSuffix	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_IncidentTypeToSuffix	ObjectActive	char	1
conflict_P911_V50_DB_IncidentTypeToSuffix	ObjectId	int	

conflict_P911_V50_DB_IncidentTypeToSuffix	origin_datasource	nvarchar	255
conflict_P911_V50_DB_IncidentTypeToSuffix	pubid	int	
conflict_P911_V50_DB_IncidentTypeToSuffix	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_IncidentTypeToSuffix	reason_code	int	
conflict_P911_V50_DB_IncidentTypeToSuffix	reason_text	nvarchar	720
conflict_P911_V50_DB_IncidentTypeToSuffix	Suffix	int	
conflict_P911_V50_DB_IncidentTypeToSuffix	TimeStamp1	datetime	
conflict_P911_V50_DB_IncidentTypeToSuffix	tranid	nvarchar	40
conflict_P911_V50_DB_IncidentTypeToTddQuestion	Boolean1	char	1
conflict_P911_V50_DB_IncidentTypeToTddQuestion	conflict_type	int	
conflict_P911_V50_DB_IncidentTypeToTddQuestion	DisplayOrder	int	
conflict_P911_V50_DB_IncidentTypeToTddQuestion	Id	int	
conflict_P911_V50_DB_IncidentTypeToTddQuestion	insertdate	datetime	
conflict_P911_V50_DB_IncidentTypeToTddQuestion	Integer1	int	
conflict_P911_V50_DB_IncidentTypeToTddQuestion	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_IncidentTypeToTddQuestion	ObjectActive	char	1
conflict_P911_V50_DB_IncidentTypeToTddQuestion	ObjectId	int	
conflict_P911_V50_DB_IncidentTypeToTddQuestion	origin_datasource	nvarchar	255
conflict_P911_V50_DB_IncidentTypeToTddQuestion	pubid	int	
conflict_P911_V50_DB_IncidentTypeToTddQuestion	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_IncidentTypeToTddQuestion	Question	int	
conflict_P911_V50_DB_IncidentTypeToTddQuestion	reason_code	int	
conflict_P911_V50_DB_IncidentTypeToTddQuestion	reason_text	nvarchar	720
conflict_P911_V50_DB_IncidentTypeToTddQuestion	TimeStamp1	datetime	
conflict_P911_V50_DB_IncidentTypeToTddQuestion	tranid	nvarchar	40
conflict_P911_V50_DB_InfoTable	conflict_type	int	
conflict_P911_V50_DB_InfoTable	DataVersion	varchar	30
conflict_P911_V50_DB_InfoTable	Id	int	
conflict_P911_V50_DB_InfoTable	insertdate	datetime	
conflict_P911_V50_DB_InfoTable	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_InfoTable	ObjectActive	char	1
conflict_P911_V50_DB_InfoTable	ObjectId	int	
conflict_P911_V50_DB_InfoTable	ObjectName	varchar	30
conflict_P911_V50_DB_InfoTable	origin_datasource	nvarchar	255

conflict_P911_V50_DB_InfoTable	pubid	int	
conflict_P911_V50_DB_InfoTable	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_InfoTable	reason_code	int	
conflict_P911_V50_DB_InfoTable	reason_text	nvarchar	720
conflict_P911_V50_DB_InfoTable	TimeStamp1	datetime	
conflict_P911_V50_DB_InfoTable	tranid	nvarchar	40
conflict_P911_V50_DB_InfoTable	Version	varchar	80
conflict_P911_V50_DB_KeyDefinition	Boolean1	char	1
conflict_P911_V50_DB_KeyDefinition	BoolParam1	char	1
conflict_P911_V50_DB_KeyDefinition	BoolParam2	char	1
conflict_P911_V50_DB_KeyDefinition	conflict_type	int	
conflict_P911_V50_DB_KeyDefinition	DurationParam	int	
conflict_P911_V50_DB_KeyDefinition	Id	int	
conflict_P911_V50_DB_KeyDefinition	insertdate	datetime	
conflict_P911_V50_DB_KeyDefinition	Integer1	int	
conflict_P911_V50_DB_KeyDefinition	IntParam1	int	
conflict_P911_V50_DB_KeyDefinition	IntParam2	int	
conflict_P911_V50_DB_KeyDefinition	IntParam3	int	
conflict_P911_V50_DB_KeyDefinition	IntParam4	int	
conflict_P911_V50_DB_KeyDefinition	KeyAction	int	
conflict_P911_V50_DB_KeyDefinition	KeyName	nchar	16
conflict_P911_V50_DB_KeyDefinition	Modifiers	int	
conflict_P911_V50_DB_KeyDefinition	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_KeyDefinition	ObjectActive	char	1
conflict_P911_V50_DB_KeyDefinition	ObjectId	int	
conflict_P911_V50_DB_KeyDefinition	origin_datasource	nvarchar	255
conflict_P911_V50_DB_KeyDefinition	pubid	int	
conflict_P911_V50_DB_KeyDefinition	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_KeyDefinition	reason_code	int	
conflict_P911_V50_DB_KeyDefinition	reason_text	nvarchar	720
conflict_P911_V50_DB_KeyDefinition	RefParam1	int	
conflict_P911_V50_DB_KeyDefinition	RefParam2	int	
conflict_P911_V50_DB_KeyDefinition	RefParam3	int	
conflict_P911_V50_DB_KeyDefinition	RefParam4	int	

conflict_P911_V50_DB_KeyDefinition	TextParam1	nvarchar	255
conflict_P911_V50_DB_KeyDefinition	TextParam2	nvarchar	255
conflict_P911_V50_DB_KeyDefinition	TextParam3	nvarchar	255
conflict_P911_V50_DB_KeyDefinition	TimeStamp1	datetime	
conflict_P911_V50_DB_KeyDefinition	tranid	nvarchar	40
conflict_P911_V50_DB_Line	Address	nchar	16
conflict_P911_V50_DB_Line	AutoRecording	char	1
conflict_P911_V50_DB_Line	Boolean1	char	1
conflict_P911_V50_DB_Line	Boolean2	char	1
conflict_P911_V50_DB_Line	Boolean3	char	1
conflict_P911_V50_DB_Line	Boolean4	char	1
conflict_P911_V50_DB_Line	Boolean5	char	1
conflict_P911_V50_DB_Line	Boolean6	char	1
conflict_P911_V50_DB_Line	Boolean7	char	1
conflict_P911_V50_DB_Line	CharArray1	nchar	32
conflict_P911_V50_DB_Line	conflict_type	int	
conflict_P911_V50_DB_Line	DefaultConfMode	int	
conflict_P911_V50_DB_Line	HookFlashPrefixLocal	nchar	32
conflict_P911_V50_DB_Line	HookFlashPrefixLongD	nchar	32
conflict_P911_V50_DB_Line	HuntOrder	int	
conflict_P911_V50_DB_Line	Id	int	
conflict_P911_V50_DB_Line	IncomingOnly	char	1
conflict_P911_V50_DB_Line	insertdate	datetime	
conflict_P911_V50_DB_Line	Integer1	int	
conflict_P911_V50_DB_Line	Integer2	int	
conflict_P911_V50_DB_Line	Integer3	int	
conflict_P911_V50_DB_Line	Integer4	int	
conflict_P911_V50_DB_Line	Integer5	int	
conflict_P911_V50_DB_Line	IsEmergencyLine	char	1
conflict_P911_V50_DB_Line	LineGroup	int	
conflict_P911_V50_DB_Line	LineType	int	
conflict_P911_V50_DB_Line	LocalPrefix	nchar	32
conflict_P911_V50_DB_Line	LongDistancePrefix	nchar	32
conflict_P911_V50_DB_Line	msrepl_tran_version	uniqueidentifier	

conflict_P911_V50_DB_Line	Name	nchar	16
conflict_P911_V50_DB_Line	Nnx	int	
conflict_P911_V50_DB_Line	Npa	int	
conflict_P911_V50_DB_Line	ObjectActive	char	1
conflict_P911_V50_DB_Line	ObjectId	int	
conflict_P911_V50_DB_Line	origin_datasource	nvarchar	255
conflict_P911_V50_DB_Line	PsapId	int	
conflict_P911_V50_DB_Line	pubid	int	
conflict_P911_V50_DB_Line	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_Line	reason_code	int	
conflict_P911_V50_DB_Line	reason_text	nvarchar	720
conflict_P911_V50_DB_Line	RingerPriority	int	
conflict_P911_V50_DB_Line	TddAutoDetection	int	
conflict_P911_V50_DB_Line	TddGreetingMsg	char	1
conflict_P911_V50_DB_Line	TimeStamp1	datetime	
conflict_P911_V50_DB_Line	tranid	nvarchar	40
conflict_P911_V50_DB_LineButton	Boolean1	char	1
conflict_P911_V50_DB_LineButton	BooleanValue	char	1
conflict_P911_V50_DB_LineButton	Button	int	
conflict_P911_V50_DB_LineButton	ButtonFunction	int	
conflict_P911_V50_DB_LineButton	Cardinal2Value	int	
conflict_P911_V50_DB_LineButton	CardinalValue	int	
conflict_P911_V50_DB_LineButton	conflict_type	int	
conflict_P911_V50_DB_LineButton	Id	int	
conflict_P911_V50_DB_LineButton	Incoming	char	1
conflict_P911_V50_DB_LineButton	insertdate	datetime	
conflict_P911_V50_DB_LineButton	Integer1	int	
conflict_P911_V50_DB_LineButton	Label	nchar	16
conflict_P911_V50_DB_LineButton	Line	int	
conflict_P911_V50_DB_LineButton	LineGroup	int	
conflict_P911_V50_DB_LineButton	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_LineButton	ObjectActive	char	1
conflict_P911_V50_DB_LineButton	ObjectId	int	
conflict_P911_V50_DB_LineButton	origin_datasource	nvarchar	255

conflict_P911_V50_DB_LineButton	Outgoing	char	1
conflict_P911_V50_DB_LineButton	Panel	int	
conflict_P911_V50_DB_LineButton	PhoneNumber	nchar	32
conflict_P911_V50_DB_LineButton	pubid	int	
conflict_P911_V50_DB_LineButton	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_LineButton	reason_code	int	
conflict_P911_V50_DB_LineButton	reason_text	nvarchar	720
conflict_P911_V50_DB_LineButton	Reference	int	
conflict_P911_V50_DB_LineButton	TextValue	nvarchar	64
conflict_P911_V50_DB_LineButton	TimeStamp1	datetime	
conflict_P911_V50_DB_LineButton	tranid	nvarchar	40
conflict_P911_V50_DB_LineButton	VisualOnly	char	1
conflict_P911_V50_DB_LineGroup	Boolean1	char	1
conflict_P911_V50_DB_LineGroup	Boolean2	char	1
conflict_P911_V50_DB_LineGroup	Boolean3	char	1
conflict_P911_V50_DB_LineGroup	Boolean4	char	1
conflict_P911_V50_DB_LineGroup	ButtonLabel	int	
conflict_P911_V50_DB_LineGroup	CharArray1	nchar	32
conflict_P911_V50_DB_LineGroup	conflict_type	int	
conflict_P911_V50_DB_LineGroup	DefaultConfMode	int	
conflict_P911_V50_DB_LineGroup	ExternalIOChannel	int	
conflict_P911_V50_DB_LineGroup	Id	int	
conflict_P911_V50_DB_LineGroup	insertdate	datetime	
conflict_P911_V50_DB_LineGroup	Integer1	int	
conflict_P911_V50_DB_LineGroup	Integer2	int	
conflict_P911_V50_DB_LineGroup	Integer3	int	
conflict_P911_V50_DB_LineGroup	Integer4	int	
conflict_P911_V50_DB_LineGroup	Integer5	int	
conflict_P911_V50_DB_LineGroup	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_LineGroup	Name	nchar	16
conflict_P911_V50_DB_LineGroup	ObjectActive	char	1
conflict_P911_V50_DB_LineGroup	ObjectId	int	
conflict_P911_V50_DB_LineGroup	origin_datasource	nvarchar	255
conflict_P911_V50_DB_LineGroup	pubid	int	

conflict_P911_V50_DB_LineGroup	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_LineGroup	reason_code	int	
conflict_P911_V50_DB_LineGroup	reason_text	nvarchar	720
conflict_P911_V50_DB_LineGroup	TimeStamp1	datetime	
conflict_P911_V50_DB_LineGroup	tranid	nvarchar	40
conflict_P911_V50_DB_LinePool	conflict_type	int	
conflict_P911_V50_DB_LinePool	Id	int	
conflict_P911_V50_DB_LinePool	insertdate	datetime	
conflict_P911_V50_DB_LinePool	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_LinePool	Name	nchar	64
conflict_P911_V50_DB_LinePool	ObjectActive	char	1
conflict_P911_V50_DB_LinePool	ObjectId	int	
conflict_P911_V50_DB_LinePool	origin_datasource	nvarchar	255
conflict_P911_V50_DB_LinePool	pubid	int	
conflict_P911_V50_DB_LinePool	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_LinePool	reason_code	int	
conflict_P911_V50_DB_LinePool	reason_text	nvarchar	720
conflict_P911_V50_DB_LinePool	TimeStamp1	datetime	
conflict_P911_V50_DB_LinePool	tranid	nvarchar	40
conflict_P911_V50_DB_LinePoolToLine	conflict_type	int	
conflict_P911_V50_DB_LinePoolToLine	Id	int	
conflict_P911_V50_DB_LinePoolToLine	insertdate	datetime	
conflict_P911_V50_DB_LinePoolToLine	Line	int	
conflict_P911_V50_DB_LinePoolToLine	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_LinePoolToLine	ObjectActive	char	1
conflict_P911_V50_DB_LinePoolToLine	ObjectId	int	
conflict_P911_V50_DB_LinePoolToLine	origin_datasource	nvarchar	255
conflict_P911_V50_DB_LinePoolToLine	pubid	int	
conflict_P911_V50_DB_LinePoolToLine	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_LinePoolToLine	reason_code	int	
conflict_P911_V50_DB_LinePoolToLine	reason_text	nvarchar	720
conflict_P911_V50_DB_LinePoolToLine	TimeStamp1	datetime	
conflict_P911_V50_DB_LinePoolToLine	tranid	nvarchar	40
conflict_P911_V50_DB_ListDefinition	Boolean1	char	1

conflict_P911_V50_DB_ListDefinition	BottomLabel	nvarchar	16
conflict_P911_V50_DB_ListDefinition	Col10Type	smallint	
conflict_P911_V50_DB_ListDefinition	Col10Width	smallint	
conflict_P911_V50_DB_ListDefinition	Col11Type	smallint	
conflict_P911_V50_DB_ListDefinition	Col11Width	smallint	
conflict_P911_V50_DB_ListDefinition	Col12Type	smallint	
conflict_P911_V50_DB_ListDefinition	Col12Width	smallint	
conflict_P911_V50_DB_ListDefinition	Col1Type	smallint	
conflict_P911_V50_DB_ListDefinition	Col1Width	smallint	
conflict_P911_V50_DB_ListDefinition	Col2Type	smallint	
conflict_P911_V50_DB_ListDefinition	Col2Width	smallint	
conflict_P911_V50_DB_ListDefinition	Col3Type	smallint	
conflict_P911_V50_DB_ListDefinition	Col3Width	smallint	
conflict_P911_V50_DB_ListDefinition	Col4Type	smallint	
conflict_P911_V50_DB_ListDefinition	Col4Width	smallint	
conflict_P911_V50_DB_ListDefinition	Col5Type	smallint	
conflict_P911_V50_DB_ListDefinition	Col5Width	smallint	
conflict_P911_V50_DB_ListDefinition	Col6Type	smallint	
conflict_P911_V50_DB_ListDefinition	Col6Width	smallint	
conflict_P911_V50_DB_ListDefinition	Col7Type	smallint	
conflict_P911_V50_DB_ListDefinition	Col7Width	smallint	
conflict_P911_V50_DB_ListDefinition	Col8Type	smallint	
conflict_P911_V50_DB_ListDefinition	Col8Width	smallint	
conflict_P911_V50_DB_ListDefinition	Col9Type	smallint	
conflict_P911_V50_DB_ListDefinition	Col9Width	smallint	
conflict_P911_V50_DB_ListDefinition	conflict_type	int	
conflict_P911_V50_DB_ListDefinition	FilterBool1	char	1
conflict_P911_V50_DB_ListDefinition	FilterBool2	char	1
conflict_P911_V50_DB_ListDefinition	FilterEnabled	char	1
conflict_P911_V50_DB_ListDefinition	FilterInt1	int	
conflict_P911_V50_DB_ListDefinition	FilterInt10	int	
conflict_P911_V50_DB_ListDefinition	FilterInt2	int	
conflict_P911_V50_DB_ListDefinition	FilterInt3	int	
conflict_P911_V50_DB_ListDefinition	FilterInt4	int	

conflict_P911_V50_DB_ListDefinition	FilterInt5	int	
conflict_P911_V50_DB_ListDefinition	FilterInt6	int	
conflict_P911_V50_DB_ListDefinition	FilterInt7	int	
conflict_P911_V50_DB_ListDefinition	FilterInt8	int	
conflict_P911_V50_DB_ListDefinition	FilterInt9	int	
conflict_P911_V50_DB_ListDefinition	FilterNumber	smallint	
conflict_P911_V50_DB_ListDefinition	FilterText	nvarchar	255
conflict_P911_V50_DB_ListDefinition	Id	int	
conflict_P911_V50_DB_ListDefinition	insertdate	datetime	
conflict_P911_V50_DB_ListDefinition	Integer1	int	
conflict_P911_V50_DB_ListDefinition	ListNumber	smallint	
conflict_P911_V50_DB_ListDefinition	ListType	int	
conflict_P911_V50_DB_ListDefinition	maximumLength	smallint	
conflict_P911_V50_DB_ListDefinition	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_ListDefinition	ObjectActive	char	1
conflict_P911_V50_DB_ListDefinition	ObjectId	int	
conflict_P911_V50_DB_ListDefinition	origin_datasource	nvarchar	255
conflict_P911_V50_DB_ListDefinition	PageNumber	smallint	
conflict_P911_V50_DB_ListDefinition	pubid	int	
conflict_P911_V50_DB_ListDefinition	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_ListDefinition	reason_code	int	
conflict_P911_V50_DB_ListDefinition	reason_text	nvarchar	720
conflict_P911_V50_DB_ListDefinition	TimeStamp1	datetime	
conflict_P911_V50_DB_ListDefinition	TopLabel	nvarchar	16
conflict_P911_V50_DB_ListDefinition	tranid	nvarchar	40
conflict_P911_V50_DB_Locks	Boolean1	char	1
conflict_P911_V50_DB_Locks	CharArray1	char	8
conflict_P911_V50_DB_Locks	conflict_type	int	
conflict_P911_V50_DB_Locks	CreationTime	datetime	
conflict_P911_V50_DB_Locks	Id	int	
conflict_P911_V50_DB_Locks	insertdate	datetime	
conflict_P911_V50_DB_Locks	Integer1	int	
conflict_P911_V50_DB_Locks	Locked	char	1
conflict_P911_V50_DB_Locks	msrepl_tran_version	uniqueidentifier	

conflict_P911_V50_DB_Locks	origin_datasource	nvarchar	255
conflict_P911_V50_DB_Locks	pubid	int	
conflict_P911_V50_DB_Locks	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_Locks	reason_code	int	
conflict_P911_V50_DB_Locks	reason_text	nvarchar	720
conflict_P911_V50_DB_Locks	Station	char	20
conflict_P911_V50_DB_Locks	tranid	nvarchar	40
conflict_P911_V50_DB_Locks	UserName	char	20
conflict_P911_V50_DB_LongDistance	conflict_type	int	
conflict_P911_V50_DB_LongDistance	DestNnxHigh	int	
conflict_P911_V50_DB_LongDistance	DestNnxLow	int	
conflict_P911_V50_DB_LongDistance	DestNpa	int	
conflict_P911_V50_DB_LongDistance	Id	int	
conflict_P911_V50_DB_LongDistance	insertdate	datetime	
conflict_P911_V50_DB_LongDistance	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_LongDistance	ObjectActive	char	1
conflict_P911_V50_DB_LongDistance	ObjectId	int	
conflict_P911_V50_DB_LongDistance	origin_datasource	nvarchar	255
conflict_P911_V50_DB_LongDistance	pubid	int	
conflict_P911_V50_DB_LongDistance	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_LongDistance	reason_code	int	
conflict_P911_V50_DB_LongDistance	reason_text	nvarchar	720
conflict_P911_V50_DB_LongDistance	SrcNnx	int	
conflict_P911_V50_DB_LongDistance	SrcNpa	int	
conflict_P911_V50_DB_LongDistance	TimeStamp1	datetime	
conflict_P911_V50_DB_LongDistance	tranid	nvarchar	40
conflict_P911_V50_DB_MacroButton	BoolArgument1	char	1
conflict_P911_V50_DB_MacroButton	Boolean1	char	1
conflict_P911_V50_DB_MacroButton	Button	int	
conflict_P911_V50_DB_MacroButton	ButtonFunction	int	
conflict_P911_V50_DB_MacroButton	conflict_type	int	
conflict_P911_V50_DB_MacroButton	Icon	nchar	32
conflict_P911_V50_DB_MacroButton	Id	int	
conflict_P911_V50_DB_MacroButton	insertdate	datetime	

conflict_P911_V50_DB_MacroButton	Integer1	int	
conflict_P911_V50_DB_MacroButton	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_MacroButton	NumericArgument1	int	
conflict_P911_V50_DB_MacroButton	NumericArgument2	int	
conflict_P911_V50_DB_MacroButton	NumericArgument3	int	
conflict_P911_V50_DB_MacroButton	ObjectActive	char	1
conflict_P911_V50_DB_MacroButton	ObjectId	int	
conflict_P911_V50_DB_MacroButton	origin_datasource	nvarchar	255
conflict_P911_V50_DB_MacroButton	pubid	int	
conflict_P911_V50_DB_MacroButton	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_MacroButton	reason_code	int	
conflict_P911_V50_DB_MacroButton	reason_text	nvarchar	720
conflict_P911_V50_DB_MacroButton	Reference	int	
conflict_P911_V50_DB_MacroButton	Reference1	int	
conflict_P911_V50_DB_MacroButton	Reference2	int	
conflict_P911_V50_DB_MacroButton	Reference3	int	
conflict_P911_V50_DB_MacroButton	TextArgument1	nvarchar	128
conflict_P911_V50_DB_MacroButton	TextArgument2	nvarchar	128
conflict_P911_V50_DB_MacroButton	TextArgument3	nvarchar	128
conflict_P911_V50_DB_MacroButton	TimeStamp1	datetime	
conflict_P911_V50_DB_MacroButton	tranid	nvarchar	40
conflict_P911_V50_DB_NoQueryNumber	conflict_type	int	
conflict_P911_V50_DB_NoQueryNumber	Id	int	
conflict_P911_V50_DB_NoQueryNumber	insertdate	datetime	
conflict_P911_V50_DB_NoQueryNumber	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_NoQueryNumber	ObjectActive	char	1
conflict_P911_V50_DB_NoQueryNumber	ObjectId	int	
conflict_P911_V50_DB_NoQueryNumber	origin_datasource	nvarchar	255
conflict_P911_V50_DB_NoQueryNumber	pubid	int	
conflict_P911_V50_DB_NoQueryNumber	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_NoQueryNumber	reason_code	int	
conflict_P911_V50_DB_NoQueryNumber	reason_text	nvarchar	720
conflict_P911_V50_DB_NoQueryNumber	TelephoneNumber	nchar	32
conflict_P911_V50_DB_NoQueryNumber	TimeStamp1	datetime	

conflict_P911_V50_DB_NoQueryNumber	tranid	nvarchar	40
conflict_P911_V50_DB_NpaToNpd	Boolean1	char	1
conflict_P911_V50_DB_NpaToNpd	Boolean2	char	1
conflict_P911_V50_DB_NpaToNpd	conflict_type	int	
conflict_P911_V50_DB_NpaToNpd	Id	int	
conflict_P911_V50_DB_NpaToNpd	insertdate	datetime	
conflict_P911_V50_DB_NpaToNpd	Integer1	int	
conflict_P911_V50_DB_NpaToNpd	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_NpaToNpd	Npa	int	
conflict_P911_V50_DB_NpaToNpd	Npd	int	
conflict_P911_V50_DB_NpaToNpd	ObjectActive	char	1
conflict_P911_V50_DB_NpaToNpd	ObjectId	int	
conflict_P911_V50_DB_NpaToNpd	origin_datasource	nvarchar	255
conflict_P911_V50_DB_NpaToNpd	pubid	int	
conflict_P911_V50_DB_NpaToNpd	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_NpaToNpd	reason_code	int	
conflict_P911_V50_DB_NpaToNpd	reason_text	nvarchar	720
conflict_P911_V50_DB_NpaToNpd	TimeStamp1	datetime	
conflict_P911_V50_DB_NpaToNpd	tranid	nvarchar	40
conflict_P911_V50_DB_NpaToNpd	Trunk	int	
conflict_P911_V50_DB_OutDialModes	ButtonHint	nvarchar	128
conflict_P911_V50_DB_OutDialModes	ButtonText	nvarchar	128
conflict_P911_V50_DB_OutDialModes	conflict_type	int	
conflict_P911_V50_DB_OutDialModes	DisplayOrder	int	
conflict_P911_V50_DB_OutDialModes	Id	int	
conflict_P911_V50_DB_OutDialModes	insertdate	datetime	
conflict_P911_V50_DB_OutDialModes	LocalPrefix	nvarchar	128
conflict_P911_V50_DB_OutDialModes	LongDistancePrefix	nvarchar	128
conflict_P911_V50_DB_OutDialModes	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_OutDialModes	Number	int	
conflict_P911_V50_DB_OutDialModes	ObjectActive	char	1
conflict_P911_V50_DB_OutDialModes	ObjectId	int	
conflict_P911_V50_DB_OutDialModes	origin_datasource	nvarchar	255
conflict_P911_V50_DB_OutDialModes	OutgoingLine	int	

conflict_P911_V50_DB_OutDialModes	OutgoingLineGroup	int	
conflict_P911_V50_DB_OutDialModes	pubid	int	
conflict_P911_V50_DB_OutDialModes	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_OutDialModes	reason_code	int	
conflict_P911_V50_DB_OutDialModes	reason_text	nvarchar	720
conflict_P911_V50_DB_OutDialModes	TimeStamp1	datetime	
conflict_P911_V50_DB_OutDialModes	tranid	nvarchar	40
conflict_P911_V50_DB_PhoneNumberFormat	Boolean1	char	1
conflict_P911_V50_DB_PhoneNumberFormat	conflict_type	int	
conflict_P911_V50_DB_PhoneNumberFormat	Id	int	
conflict_P911_V50_DB_PhoneNumberFormat	insertdate	datetime	
conflict_P911_V50_DB_PhoneNumberFormat	Integer1	int	
conflict_P911_V50_DB_PhoneNumberFormat	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_PhoneNumberFormat	NNXLength	int	
conflict_P911_V50_DB_PhoneNumberFormat	NPALength	int	
conflict_P911_V50_DB_PhoneNumberFormat	NPDLength	int	
conflict_P911_V50_DB_PhoneNumberFormat	NumberLength	int	
conflict_P911_V50_DB_PhoneNumberFormat	ObjectActive	char	1
conflict_P911_V50_DB_PhoneNumberFormat	ObjectId	int	
conflict_P911_V50_DB_PhoneNumberFormat	origin_datasource	nvarchar	255
conflict_P911_V50_DB_PhoneNumberFormat	pubid	int	
conflict_P911_V50_DB_PhoneNumberFormat	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_PhoneNumberFormat	reason_code	int	
conflict_P911_V50_DB_PhoneNumberFormat	reason_text	nvarchar	720
conflict_P911_V50_DB_PhoneNumberFormat	TimeStamp1	datetime	
conflict_P911_V50_DB_PhoneNumberFormat	tranid	nvarchar	40
conflict_P911_V50_DB_Profile	Boolean1	char	1
conflict_P911_V50_DB_Profile	conflict_type	int	
conflict_P911_V50_DB_Profile	Id	int	
conflict_P911_V50_DB_Profile	insertdate	datetime	
conflict_P911_V50_DB_Profile	Integer1	int	
conflict_P911_V50_DB_Profile	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_Profile	Name	nchar	25
conflict_P911_V50_DB_Profile	ObjectActive	char	1

conflict_P911_V50_DB_Profile	ObjectId	int	
conflict_P911_V50_DB_Profile	origin_datasource	nvarchar	255
conflict_P911_V50_DB_Profile	pubid	int	
conflict_P911_V50_DB_Profile	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_Profile	reason_code	int	
conflict_P911_V50_DB_Profile	reason_text	nvarchar	720
conflict_P911_V50_DB_Profile	TimeStamp1	datetime	
conflict_P911_V50_DB_Profile	tranid	nvarchar	40
conflict_P911_V50_DB_ProfileAttributes	Boolean1	char	1
conflict_P911_V50_DB_ProfileAttributes	Boolean2	char	1
conflict_P911_V50_DB_ProfileAttributes	conflict_type	int	
conflict_P911_V50_DB_ProfileAttributes	Id	int	
conflict_P911_V50_DB_ProfileAttributes	insertdate	datetime	
conflict_P911_V50_DB_ProfileAttributes	LongText	nvarchar	2048
conflict_P911_V50_DB_ProfileAttributes	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_ProfileAttributes	Number1	int	
conflict_P911_V50_DB_ProfileAttributes	Number2	int	
conflict_P911_V50_DB_ProfileAttributes	Number3	int	
conflict_P911_V50_DB_ProfileAttributes	Number4	int	
conflict_P911_V50_DB_ProfileAttributes	ObjectActive	char	1
conflict_P911_V50_DB_ProfileAttributes	ObjectId	int	
conflict_P911_V50_DB_ProfileAttributes	origin_datasource	nvarchar	255
conflict_P911_V50_DB_ProfileAttributes	pubid	int	
conflict_P911_V50_DB_ProfileAttributes	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_ProfileAttributes	reason_code	int	
conflict_P911_V50_DB_ProfileAttributes	reason_text	nvarchar	720
conflict_P911_V50_DB_ProfileAttributes	Text1	nvarchar	128
conflict_P911_V50_DB_ProfileAttributes	Text2	nvarchar	128
conflict_P911_V50_DB_ProfileAttributes	Text3	nvarchar	128
conflict_P911_V50_DB_ProfileAttributes	TimeStamp1	datetime	
conflict_P911_V50_DB_ProfileAttributes	tranid	nvarchar	40
conflict_P911_V50_DB_ProfileAttributes	Type	int	
conflict_P911_V50_DB_ProfileOverride	Boolean1	char	1
conflict_P911_V50_DB_ProfileOverride	Boolean2	char	1

conflict_P911_V50_DB_ProfileOverride	conflict_type	int	
conflict_P911_V50_DB_ProfileOverride	Id	int	
conflict_P911_V50_DB_ProfileOverride	insertdate	datetime	
conflict_P911_V50_DB_ProfileOverride	Integer1	int	
conflict_P911_V50_DB_ProfileOverride	Integer2	int	
conflict_P911_V50_DB_ProfileOverride	Integer3	int	
conflict_P911_V50_DB_ProfileOverride	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_ProfileOverride	ObjectActive	char	1
conflict_P911_V50_DB_ProfileOverride	ObjectId	int	
conflict_P911_V50_DB_ProfileOverride	origin_datasource	nvarchar	255
conflict_P911_V50_DB_ProfileOverride	pubid	int	
conflict_P911_V50_DB_ProfileOverride	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_ProfileOverride	reason_code	int	
conflict_P911_V50_DB_ProfileOverride	reason_text	nvarchar	720
conflict_P911_V50_DB_ProfileOverride	Text	nvarchar	256
conflict_P911_V50_DB_ProfileOverride	TimeStamp1	datetime	
conflict_P911_V50_DB_ProfileOverride	tranid	nvarchar	40
conflict_P911_V50_DB_ProfileOverride	Type	int	
conflict_P911_V50_DB_ProfileOverride	Boolean1	char	1
conflict_P911_V50_DB_ProfileOverride	conflict_type	int	
conflict_P911_V50_DB_ProfileOverride	Id	int	
conflict_P911_V50_DB_ProfileOverride	insertdate	datetime	
conflict_P911_V50_DB_ProfileOverride	Language	int	
conflict_P911_V50_DB_ProfileOverride	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_ProfileOverride	ObjectActive	char	1
conflict_P911_V50_DB_ProfileOverride	ObjectId	int	
conflict_P911_V50_DB_ProfileOverride	origin_datasource	nvarchar	255
conflict_P911_V50_DB_ProfileOverride	pubid	int	
conflict_P911_V50_DB_ProfileOverride	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_ProfileOverride	reason_code	int	
conflict_P911_V50_DB_ProfileOverride	reason_text	nvarchar	720
conflict_P911_V50_DB_ProfileOverride	ShortText	nchar	35
conflict_P911_V50_DB_ProfileOverride	Text	nvarchar	132
conflict_P911_V50_DB_ProfileOverride	TimeStamp1	datetime	

conflict_P911_V50_DB_Question	tranid	nvarchar	40
conflict_P911_V50_DB_QueueButton	Boolean1	char	1
conflict_P911_V50_DB_QueueButton	Boolean2	char	1
conflict_P911_V50_DB_QueueButton	Button	int	
conflict_P911_V50_DB_QueueButton	ButtonFunction	int	
conflict_P911_V50_DB_QueueButton	conflict_type	int	
conflict_P911_V50_DB_QueueButton	Id	int	
conflict_P911_V50_DB_QueueButton	IncomingOnly	char	1
conflict_P911_V50_DB_QueueButton	insertdate	datetime	
conflict_P911_V50_DB_QueueButton	Integer1	int	
conflict_P911_V50_DB_QueueButton	Integer2	int	
conflict_P911_V50_DB_QueueButton	Label	nchar	16
conflict_P911_V50_DB_QueueButton	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_QueueButton	ObjectActive	char	1
conflict_P911_V50_DB_QueueButton	ObjectId	int	
conflict_P911_V50_DB_QueueButton	origin_datasource	nvarchar	255
conflict_P911_V50_DB_QueueButton	Panel	int	
conflict_P911_V50_DB_QueueButton	pubid	int	
conflict_P911_V50_DB_QueueButton	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_QueueButton	reason_code	int	
conflict_P911_V50_DB_QueueButton	reason_text	nvarchar	720
conflict_P911_V50_DB_QueueButton	Reference	int	
conflict_P911_V50_DB_QueueButton	TimeStamp1	datetime	
conflict_P911_V50_DB_QueueButton	tranid	nvarchar	40
conflict_P911_V50_DB_QueueButton	VisualOnly	char	1
conflict_P911_V50_DB_ReasonCode	conflict_type	int	
conflict_P911_V50_DB_ReasonCode	DisplayOrder	int	
conflict_P911_V50_DB_ReasonCode	Id	int	
conflict_P911_V50_DB_ReasonCode	insertdate	datetime	
conflict_P911_V50_DB_ReasonCode	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_ReasonCode	Name	nvarchar	128
conflict_P911_V50_DB_ReasonCode	ObjectActive	char	1
conflict_P911_V50_DB_ReasonCode	ObjectId	int	
conflict_P911_V50_DB_ReasonCode	origin_datasource	nvarchar	255

conflict_P911_V50_DB_ReasonCode	pubid	int	
conflict_P911_V50_DB_ReasonCode	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_ReasonCode	reason_code	int	
conflict_P911_V50_DB_ReasonCode	reason_text	nvarchar	720
conflict_P911_V50_DB_ReasonCode	ShortName	nchar	16
conflict_P911_V50_DB_ReasonCode	TimeStamp1	datetime	
conflict_P911_V50_DB_ReasonCode	tranid	nvarchar	40
conflict_P911_V50_DB_Route	Address	nchar	16
conflict_P911_V50_DB_Route	conflict_type	int	
conflict_P911_V50_DB_Route	DisplayInCallSource	char	1
conflict_P911_V50_DB_Route	Id	int	
conflict_P911_V50_DB_Route	insertdate	datetime	
conflict_P911_V50_DB_Route	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_Route	Name	nchar	16
conflict_P911_V50_DB_Route	ObjectActive	char	1
conflict_P911_V50_DB_Route	ObjectId	int	
conflict_P911_V50_DB_Route	origin_datasource	nvarchar	255
conflict_P911_V50_DB_Route	pubid	int	
conflict_P911_V50_DB_Route	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_Route	reason_code	int	
conflict_P911_V50_DB_Route	reason_text	nvarchar	720
conflict_P911_V50_DB_Route	RingerPriority	int	
conflict_P911_V50_DB_Route	TimeStamp1	datetime	
conflict_P911_V50_DB_Route	tranid	nvarchar	40
conflict_P911_V50_DB_RoutePool	conflict_type	int	
conflict_P911_V50_DB_RoutePool	Id	int	
conflict_P911_V50_DB_RoutePool	insertdate	datetime	
conflict_P911_V50_DB_RoutePool	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_RoutePool	Name	nchar	64
conflict_P911_V50_DB_RoutePool	ObjectActive	char	1
conflict_P911_V50_DB_RoutePool	ObjectId	int	
conflict_P911_V50_DB_RoutePool	origin_datasource	nvarchar	255
conflict_P911_V50_DB_RoutePool	pubid	int	
conflict_P911_V50_DB_RoutePool	qcfttabrowid	uniqueidentifier	

conflict_P911_V50_DB_RoutePool	reason_code	int	
conflict_P911_V50_DB_RoutePool	reason_text	nvarchar	720
conflict_P911_V50_DB_RoutePool	TimeStamp1	datetime	
conflict_P911_V50_DB_RoutePool	tranid	nvarchar	40
conflict_P911_V50_DB_RoutePoolToRoute	conflict_type	int	
conflict_P911_V50_DB_RoutePoolToRoute	Id	int	
conflict_P911_V50_DB_RoutePoolToRoute	insertdate	datetime	
conflict_P911_V50_DB_RoutePoolToRoute	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_RoutePoolToRoute	ObjectActive	char	1
conflict_P911_V50_DB_RoutePoolToRoute	ObjectId	int	
conflict_P911_V50_DB_RoutePoolToRoute	origin_datasource	nvarchar	255
conflict_P911_V50_DB_RoutePoolToRoute	pubid	int	
conflict_P911_V50_DB_RoutePoolToRoute	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_RoutePoolToRoute	reason_code	int	
conflict_P911_V50_DB_RoutePoolToRoute	reason_text	nvarchar	720
conflict_P911_V50_DB_RoutePoolToRoute	Route	int	
conflict_P911_V50_DB_RoutePoolToRoute	TimeStamp1	datetime	
conflict_P911_V50_DB_RoutePoolToRoute	tranid	nvarchar	40
conflict_P911_V50_DB_ScreenLayout	Agent	int	
conflict_P911_V50_DB_ScreenLayout	Boolean1	char	1
conflict_P911_V50_DB_ScreenLayout	conflict_type	int	
conflict_P911_V50_DB_ScreenLayout	Editable	char	1
conflict_P911_V50_DB_ScreenLayout	FormatVersion	int	
conflict_P911_V50_DB_ScreenLayout	GuiMode	int	
conflict_P911_V50_DB_ScreenLayout	Id	binary	8
conflict_P911_V50_DB_ScreenLayout	insertdate	datetime	
conflict_P911_V50_DB_ScreenLayout	Integer1	int	
conflict_P911_V50_DB_ScreenLayout	LayoutDescription	varchar	2048
conflict_P911_V50_DB_ScreenLayout	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_ScreenLayout	Name	nvarchar	132
conflict_P911_V50_DB_ScreenLayout	ObjectActive	char	1
conflict_P911_V50_DB_ScreenLayout	ObjectId	int	
conflict_P911_V50_DB_ScreenLayout	origin_datasource	nvarchar	255
conflict_P911_V50_DB_ScreenLayout	pubid	int	

conflict_P911_V50_DB_ScreenLayout	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_ScreenLayout	reason_code	int	
conflict_P911_V50_DB_ScreenLayout	reason_text	nvarchar	720
conflict_P911_V50_DB_ScreenLayout	TimeStamp1	datetime	
conflict_P911_V50_DB_ScreenLayout	tranid	nvarchar	40
conflict_P911_V50_DB_SpareUsage	conflict_type	int	
conflict_P911_V50_DB_SpareUsage	CreationTime	datetime	
conflict_P911_V50_DB_SpareUsage	Description	char	256
conflict_P911_V50_DB_SpareUsage	FieldName	char	32
conflict_P911_V50_DB_SpareUsage	Id	int	
conflict_P911_V50_DB_SpareUsage	insertdate	datetime	
conflict_P911_V50_DB_SpareUsage	Language	int	
conflict_P911_V50_DB_SpareUsage	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_SpareUsage	origin_datasource	nvarchar	255
conflict_P911_V50_DB_SpareUsage	pubid	int	
conflict_P911_V50_DB_SpareUsage	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_SpareUsage	reason_code	int	
conflict_P911_V50_DB_SpareUsage	reason_text	nvarchar	720
conflict_P911_V50_DB_SpareUsage	TableName	char	32
conflict_P911_V50_DB_SpareUsage	tranid	nvarchar	40
conflict_P911_V50_DB_State	Boolean1	char	1
conflict_P911_V50_DB_State	Boolean2	char	1
conflict_P911_V50_DB_State	Boolean3	char	1
conflict_P911_V50_DB_State	conflict_type	int	
conflict_P911_V50_DB_State	ErrorThreshold	int	
conflict_P911_V50_DB_State	Id	int	
conflict_P911_V50_DB_State	insertdate	datetime	
conflict_P911_V50_DB_State	Integer1	int	
conflict_P911_V50_DB_State	Integer2	int	
conflict_P911_V50_DB_State	Integer3	int	
conflict_P911_V50_DB_State	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_State	Name	int	
conflict_P911_V50_DB_State	ObjectActive	char	1
conflict_P911_V50_DB_State	ObjectId	int	

conflict_P911_V50_DB_State	origin_datasource	nvarchar	255
conflict_P911_V50_DB_State	pubid	int	
conflict_P911_V50_DB_State	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_State	reason_code	int	
conflict_P911_V50_DB_State	reason_text	nvarchar	720
conflict_P911_V50_DB_State	ShortName	int	
conflict_P911_V50_DB_State	StateFunction	int	
conflict_P911_V50_DB_State	TimeStamp1	datetime	
conflict_P911_V50_DB_State	tranid	nvarchar	40
conflict_P911_V50_DB_State	Type	int	
conflict_P911_V50_DB_State	WarningThreshold	int	
conflict_P911_V50_DB_sysdiagrams	conflict_type	int	
conflict_P911_V50_DB_sysdiagrams	definition	varbinary	-1
conflict_P911_V50_DB_sysdiagrams	diagram_id	int	
conflict_P911_V50_DB_sysdiagrams	insertdate	datetime	
conflict_P911_V50_DB_sysdiagrams	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_sysdiagrams	name	nvarchar	128
conflict_P911_V50_DB_sysdiagrams	origin_datasource	nvarchar	255
conflict_P911_V50_DB_sysdiagrams	principal_id	int	
conflict_P911_V50_DB_sysdiagrams	pubid	int	
conflict_P911_V50_DB_sysdiagrams	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_sysdiagrams	reason_code	int	
conflict_P911_V50_DB_sysdiagrams	reason_text	nvarchar	720
conflict_P911_V50_DB_sysdiagrams	tranid	nvarchar	40
conflict_P911_V50_DB_sysdiagrams	version	int	
conflict_P911_V50_DB_SystemAttribute	Boolean1	char	1
conflict_P911_V50_DB_SystemAttribute	Boolean2	char	1
conflict_P911_V50_DB_SystemAttribute	conflict_type	int	
conflict_P911_V50_DB_SystemAttribute	Id	int	
conflict_P911_V50_DB_SystemAttribute	insertdate	datetime	
conflict_P911_V50_DB_SystemAttribute	Label	nvarchar	2048
conflict_P911_V50_DB_SystemAttribute	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_SystemAttribute	Number1	int	
conflict_P911_V50_DB_SystemAttribute	Number2	int	

conflict_P911_V50_DB_SystemAttribute	Number3	int	
conflict_P911_V50_DB_SystemAttribute	Number4	int	
conflict_P911_V50_DB_SystemAttribute	ObjectActive	char	1
conflict_P911_V50_DB_SystemAttribute	ObjectId	int	
conflict_P911_V50_DB_SystemAttribute	origin_datasource	nvarchar	255
conflict_P911_V50_DB_SystemAttribute	pubid	int	
conflict_P911_V50_DB_SystemAttribute	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_SystemAttribute	reason_code	int	
conflict_P911_V50_DB_SystemAttribute	reason_text	nvarchar	720
conflict_P911_V50_DB_SystemAttribute	TimeStamp1	datetime	
conflict_P911_V50_DB_SystemAttribute	tranid	nvarchar	40
conflict_P911_V50_DB_SystemAttribute	Type	int	
conflict_P911_V50_DB_TextCall	Agent	int	
conflict_P911_V50_DB_TextCall	conflict_type	int	
conflict_P911_V50_DB_TextCall	Id	binary	8
conflict_P911_V50_DB_TextCall	Incident	binary	8
conflict_P911_V50_DB_TextCall	insertdate	datetime	
conflict_P911_V50_DB_TextCall	InsertionTime	datetime	
conflict_P911_V50_DB_TextCall	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_TextCall	origin_datasource	nvarchar	255
conflict_P911_V50_DB_TextCall	pubid	int	
conflict_P911_V50_DB_TextCall	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_TextCall	reason_code	int	
conflict_P911_V50_DB_TextCall	reason_text	nvarchar	720
conflict_P911_V50_DB_TextCall	SMSType	int	
conflict_P911_V50_DB_TextCall	TextCallPriority	int	
conflict_P911_V50_DB_TextCall	TimeStamp1	datetime	
conflict_P911_V50_DB_TextCall	TotalConnectedTime	int	
conflict_P911_V50_DB_TextCall	TotalHoldTime	int	
conflict_P911_V50_DB_TextCall	TotalProcessTime	int	
conflict_P911_V50_DB_TextCall	TotalRingTime	int	
conflict_P911_V50_DB_TextCall	tranid	nvarchar	40
conflict_P911_V50_DB_TextCall	WorkStation	int	
conflict_P911_V50_DB_TextCallAttributes	Boolean1	char	1

conflict_P911_V50_DB_TextCallAttributes	conflict_type	int	
conflict_P911_V50_DB_TextCallAttributes	Id	binary	8
conflict_P911_V50_DB_TextCallAttributes	insertdate	datetime	
conflict_P911_V50_DB_TextCallAttributes	InsertionTime	datetime	
conflict_P911_V50_DB_TextCallAttributes	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_TextCallAttributes	Number1	int	
conflict_P911_V50_DB_TextCallAttributes	Number2	int	
conflict_P911_V50_DB_TextCallAttributes	Number3	int	
conflict_P911_V50_DB_TextCallAttributes	ObjectId	binary	8
conflict_P911_V50_DB_TextCallAttributes	origin_datasource	nvarchar	255
conflict_P911_V50_DB_TextCallAttributes	pubid	int	
conflict_P911_V50_DB_TextCallAttributes	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_TextCallAttributes	reason_code	int	
conflict_P911_V50_DB_TextCallAttributes	reason_text	nvarchar	720
conflict_P911_V50_DB_TextCallAttributes	TimeStamp1	datetime	
conflict_P911_V50_DB_TextCallAttributes	tranid	nvarchar	40
conflict_P911_V50_DB_TextCallAttributes	Type	int	
conflict_P911_V50_DB_TransferPriorityText	conflict_type	int	
conflict_P911_V50_DB_TransferPriorityText	Degree	char	1
conflict_P911_V50_DB_TransferPriorityText	Id	int	
conflict_P911_V50_DB_TransferPriorityText	insertdate	datetime	
conflict_P911_V50_DB_TransferPriorityText	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_TransferPriorityText	Name	char	16
conflict_P911_V50_DB_TransferPriorityText	origin_datasource	nvarchar	255
conflict_P911_V50_DB_TransferPriorityText	pubid	int	
conflict_P911_V50_DB_TransferPriorityText	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_TransferPriorityText	reason_code	int	
conflict_P911_V50_DB_TransferPriorityText	reason_text	nvarchar	720
conflict_P911_V50_DB_TransferPriorityText	RecordStatus	char	1
conflict_P911_V50_DB_TransferPriorityText	TimeStamp1	datetime	
conflict_P911_V50_DB_TransferPriorityText	tranid	nvarchar	40
conflict_P911_V50_DB_TransferStatusText	conflict_type	int	
conflict_P911_V50_DB_TransferStatusText	Id	int	
conflict_P911_V50_DB_TransferStatusText	insertdate	datetime	

conflict_P911_V50_DB_TransferStatusText	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_TransferStatusText	Name	char	32
conflict_P911_V50_DB_TransferStatusText	Number	int	
conflict_P911_V50_DB_TransferStatusText	origin_datasource	nvarchar	255
conflict_P911_V50_DB_TransferStatusText	pubid	int	
conflict_P911_V50_DB_TransferStatusText	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_TransferStatusText	reason_code	int	
conflict_P911_V50_DB_TransferStatusText	reason_text	nvarchar	720
conflict_P911_V50_DB_TransferStatusText	RecordStatus	char	1
conflict_P911_V50_DB_TransferStatusText	TimeStamp1	datetime	
conflict_P911_V50_DB_TransferStatusText	tranid	nvarchar	40
conflict_P911_V50_DB_Trunk	Address	nchar	16
conflict_P911_V50_DB_Trunk	Boolean1	char	1
conflict_P911_V50_DB_Trunk	Boolean2	char	1
conflict_P911_V50_DB_Trunk	Boolean3	char	1
conflict_P911_V50_DB_Trunk	Boolean4	char	1
conflict_P911_V50_DB_Trunk	Boolean5	char	1
conflict_P911_V50_DB_Trunk	CharArray1	nchar	32
conflict_P911_V50_DB_Trunk	conflict_type	int	
conflict_P911_V50_DB_Trunk	DefaultConfMode	int	
conflict_P911_V50_DB_Trunk	Id	int	
conflict_P911_V50_DB_Trunk	insertdate	datetime	
conflict_P911_V50_DB_Trunk	Integer1	int	
conflict_P911_V50_DB_Trunk	Integer2	int	
conflict_P911_V50_DB_Trunk	Integer3	int	
conflict_P911_V50_DB_Trunk	Integer4	int	
conflict_P911_V50_DB_Trunk	Integer5	int	
conflict_P911_V50_DB_Trunk	Is911Trunk	char	1
conflict_P911_V50_DB_Trunk	IsEmergencyTrunk	char	1
conflict_P911_V50_DB_Trunk	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_Trunk	Name	nchar	16
conflict_P911_V50_DB_Trunk	Npa	int	
conflict_P911_V50_DB_Trunk	ObjectActive	char	1
conflict_P911_V50_DB_Trunk	ObjectId	int	

conflict_P911_V50_DB_Trunk	origin_datasource	nvarchar	255
conflict_P911_V50_DB_Trunk	PsapId	int	
conflict_P911_V50_DB_Trunk	pubid	int	
conflict_P911_V50_DB_Trunk	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_Trunk	reason_code	int	
conflict_P911_V50_DB_Trunk	reason_text	nvarchar	720
conflict_P911_V50_DB_Trunk	TimeStamp1	datetime	
conflict_P911_V50_DB_Trunk	tranid	nvarchar	40
conflict_P911_V50_DB_Trunk	TrunkGroup	int	
conflict_P911_V50_DB_TrunkGroup	Boolean1	char	1
conflict_P911_V50_DB_TrunkGroup	Boolean2	char	1
conflict_P911_V50_DB_TrunkGroup	Boolean3	char	1
conflict_P911_V50_DB_TrunkGroup	Boolean4	char	1
conflict_P911_V50_DB_TrunkGroup	Boolean5	char	1
conflict_P911_V50_DB_TrunkGroup	CharArray1	nchar	32
conflict_P911_V50_DB_TrunkGroup	conflict_type	int	
conflict_P911_V50_DB_TrunkGroup	DefaultConfMode	int	
conflict_P911_V50_DB_TrunkGroup	ExternalIOChannel	int	
conflict_P911_V50_DB_TrunkGroup	Id	int	
conflict_P911_V50_DB_TrunkGroup	insertdate	datetime	
conflict_P911_V50_DB_TrunkGroup	Integer1	int	
conflict_P911_V50_DB_TrunkGroup	Integer2	int	
conflict_P911_V50_DB_TrunkGroup	Integer3	int	
conflict_P911_V50_DB_TrunkGroup	Integer4	int	
conflict_P911_V50_DB_TrunkGroup	Integer5	int	
conflict_P911_V50_DB_TrunkGroup	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_TrunkGroup	Name	nchar	16
conflict_P911_V50_DB_TrunkGroup	ObjectActive	char	1
conflict_P911_V50_DB_TrunkGroup	ObjectId	int	
conflict_P911_V50_DB_TrunkGroup	origin_datasource	nvarchar	255
conflict_P911_V50_DB_TrunkGroup	pubid	int	
conflict_P911_V50_DB_TrunkGroup	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_TrunkGroup	reason_code	int	
conflict_P911_V50_DB_TrunkGroup	reason_text	nvarchar	720

conflict_P911_V50_DB_TrunkGroup	TimeStamp1	datetime	
conflict_P911_V50_DB_TrunkGroup	tranid	nvarchar	40
conflict_P911_V50_DB_TrunkPool	conflict_type	int	
conflict_P911_V50_DB_TrunkPool	Id	int	
conflict_P911_V50_DB_TrunkPool	insertdate	datetime	
conflict_P911_V50_DB_TrunkPool	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_TrunkPool	Name	nchar	64
conflict_P911_V50_DB_TrunkPool	ObjectActive	char	1
conflict_P911_V50_DB_TrunkPool	ObjectId	int	
conflict_P911_V50_DB_TrunkPool	origin_datasource	nvarchar	255
conflict_P911_V50_DB_TrunkPool	pubid	int	
conflict_P911_V50_DB_TrunkPool	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_TrunkPool	reason_code	int	
conflict_P911_V50_DB_TrunkPool	reason_text	nvarchar	720
conflict_P911_V50_DB_TrunkPool	TimeStamp1	datetime	
conflict_P911_V50_DB_TrunkPool	tranid	nvarchar	40
conflict_P911_V50_DB_TrunkPoolToTrunk	conflict_type	int	
conflict_P911_V50_DB_TrunkPoolToTrunk	Id	int	
conflict_P911_V50_DB_TrunkPoolToTrunk	insertdate	datetime	
conflict_P911_V50_DB_TrunkPoolToTrunk	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_TrunkPoolToTrunk	ObjectActive	char	1
conflict_P911_V50_DB_TrunkPoolToTrunk	ObjectId	int	
conflict_P911_V50_DB_TrunkPoolToTrunk	origin_datasource	nvarchar	255
conflict_P911_V50_DB_TrunkPoolToTrunk	pubid	int	
conflict_P911_V50_DB_TrunkPoolToTrunk	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_TrunkPoolToTrunk	reason_code	int	
conflict_P911_V50_DB_TrunkPoolToTrunk	reason_text	nvarchar	720
conflict_P911_V50_DB_TrunkPoolToTrunk	TimeStamp1	datetime	
conflict_P911_V50_DB_TrunkPoolToTrunk	tranid	nvarchar	40
conflict_P911_V50_DB_TrunkPoolToTrunk	Trunk	int	
conflict_P911_V50_DB_UserText	conflict_type	int	
conflict_P911_V50_DB_UserText	Id	int	
conflict_P911_V50_DB_UserText	insertdate	datetime	
conflict_P911_V50_DB_UserText	Language	int	

conflict_P911_V50_DB_UserText	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_UserText	ObjectActive	char	1
conflict_P911_V50_DB_UserText	ObjectId	int	
conflict_P911_V50_DB_UserText	origin_datasource	nvarchar	255
conflict_P911_V50_DB_UserText	pubid	int	
conflict_P911_V50_DB_UserText	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_UserText	reason_code	int	
conflict_P911_V50_DB_UserText	reason_text	nvarchar	720
conflict_P911_V50_DB_UserText	Text	nvarchar	512
conflict_P911_V50_DB_UserText	TimeStamp1	datetime	
conflict_P911_V50_DB_UserText	tranid	nvarchar	40
conflict_P911_V50_DB_WirelessServices	AutomaticRebidEnabled	char	1
conflict_P911_V50_DB_WirelessServices	Boolean1	char	1
conflict_P911_V50_DB_WirelessServices	Boolean2	char	1
conflict_P911_V50_DB_WirelessServices	CallBackNumberLen	int	
conflict_P911_V50_DB_WirelessServices	CallBackNumberPos	int	
conflict_P911_V50_DB_WirelessServices	ClassOfService	nchar	64
conflict_P911_V50_DB_WirelessServices	ClassOfServicePos	int	
conflict_P911_V50_DB_WirelessServices	conflict_type	int	
conflict_P911_V50_DB_WirelessServices	DelayBetweenRebids	int	
conflict_P911_V50_DB_WirelessServices	DetectUsingNpaNnxRange	char	1
conflict_P911_V50_DB_WirelessServices	Id	int	
conflict_P911_V50_DB_WirelessServices	InitialDelay	int	
conflict_P911_V50_DB_WirelessServices	insertdate	datetime	
conflict_P911_V50_DB_WirelessServices	Integer1	int	
conflict_P911_V50_DB_WirelessServices	Integer2	int	
conflict_P911_V50_DB_WirelessServices	Integer3	int	
conflict_P911_V50_DB_WirelessServices	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_WirelessServices	Name	nchar	64
conflict_P911_V50_DB_WirelessServices	NpaNnxHigh	nchar	16
conflict_P911_V50_DB_WirelessServices	NpaNnxLow	nchar	16
conflict_P911_V50_DB_WirelessServices	NumberOfRebids	int	
conflict_P911_V50_DB_WirelessServices	ObjectActive	char	1
conflict_P911_V50_DB_WirelessServices	ObjectId	int	

conflict_P911_V50_DB_WirelessServices	origin_datasource	nvarchar	255
conflict_P911_V50_DB_WirelessServices	Provider	nchar	64
conflict_P911_V50_DB_WirelessServices	ProviderPos	int	
conflict_P911_V50_DB_WirelessServices	PseudoAniLen	int	
conflict_P911_V50_DB_WirelessServices	PseudoAniPos	int	
conflict_P911_V50_DB_WirelessServices	pubid	int	
conflict_P911_V50_DB_WirelessServices	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_WirelessServices	reason_code	int	
conflict_P911_V50_DB_WirelessServices	reason_text	nvarchar	720
conflict_P911_V50_DB_WirelessServices	SpecifyCallBackNumber	char	1
conflict_P911_V50_DB_WirelessServices	SpecifyPseudoAni	char	1
conflict_P911_V50_DB_WirelessServices	Text1	nchar	128
conflict_P911_V50_DB_WirelessServices	TimeStamp1	datetime	
conflict_P911_V50_DB_WirelessServices	tranid	nvarchar	40
conflict_P911_V50_DB_WorkStation	ActivityStatelO	varchar	256
conflict_P911_V50_DB_WorkStation	Boolean1	char	1
conflict_P911_V50_DB_WorkStation	Boolean2	char	1
conflict_P911_V50_DB_WorkStation	Boolean3	char	1
conflict_P911_V50_DB_WorkStation	Boolean4	char	1
conflict_P911_V50_DB_WorkStation	Boolean5	char	1
conflict_P911_V50_DB_WorkStation	Boolean6	char	1
conflict_P911_V50_DB_WorkStation	BroadcastProfile	int	
conflict_P911_V50_DB_WorkStation	CharArray1	nchar	32
conflict_P911_V50_DB_WorkStation	CharArray2	nchar	16
conflict_P911_V50_DB_WorkStation	conflict_type	int	
conflict_P911_V50_DB_WorkStation	ContactInterfaceEnabled	char	1
conflict_P911_V50_DB_WorkStation	ContactProfile	int	
conflict_P911_V50_DB_WorkStation	CtiInterfaceEnabled	char	1
conflict_P911_V50_DB_WorkStation	Extension	nchar	16
conflict_P911_V50_DB_WorkStation	ExternalIOChannelOffset	int	
conflict_P911_V50_DB_WorkStation	FeatureProfile	int	
conflict_P911_V50_DB_WorkStation	HealthMonitorEnabled	char	1
conflict_P911_V50_DB_WorkStation	Id	int	
conflict_P911_V50_DB_WorkStation	IncidentsPublishedOnPib	int	

conflict_P911_V50_DB_WorkStation	insertdate	datetime	
conflict_P911_V50_DB_WorkStation	Integer1	int	
conflict_P911_V50_DB_WorkStation	Integer2	int	
conflict_P911_V50_DB_WorkStation	Integer3	int	
conflict_P911_V50_DB_WorkStation	Integer4	int	
conflict_P911_V50_DB_WorkStation	Integer5	int	
conflict_P911_V50_DB_WorkStation	Integer6	int	
conflict_P911_V50_DB_WorkStation	KeyDefinitionProfile	int	
conflict_P911_V50_DB_WorkStation	LayoutConfigurationAvailable	char	1
conflict_P911_V50_DB_WorkStation	LineProfile	int	
conflict_P911_V50_DB_WorkStation	ListDefinitionProfile	int	
conflict_P911_V50_DB_WorkStation	LogonMode	int	
conflict_P911_V50_DB_WorkStation	MacroProfile	int	
conflict_P911_V50_DB_WorkStation	MonitoringExtension	nchar	16
conflict_P911_V50_DB_WorkStation	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_WorkStation	Name	nchar	30
conflict_P911_V50_DB_WorkStation	ObjectActive	char	1
conflict_P911_V50_DB_WorkStation	ObjectId	int	
conflict_P911_V50_DB_WorkStation	origin_datasource	nvarchar	255
conflict_P911_V50_DB_WorkStation	PblDaemon	nchar	32
conflict_P911_V50_DB_WorkStation	PblInterface421	char	1
conflict_P911_V50_DB_WorkStation	PblNetworkInterface	nchar	32
conflict_P911_V50_DB_WorkStation	PblPortNumber	int	
conflict_P911_V50_DB_WorkStation	PibBroadcastMode	int	
conflict_P911_V50_DB_WorkStation	PibBroadcastMode421	int	
conflict_P911_V50_DB_WorkStation	PIBInterfaceEnabled	char	1
conflict_P911_V50_DB_WorkStation	PrinterDevice	nchar	256
conflict_P911_V50_DB_WorkStation	PsapId	int	
conflict_P911_V50_DB_WorkStation	pubid	int	
conflict_P911_V50_DB_WorkStation	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_WorkStation	QueueProfile	int	
conflict_P911_V50_DB_WorkStation	reason_code	int	
conflict_P911_V50_DB_WorkStation	reason_text	nvarchar	720
conflict_P911_V50_DB_WorkStation	ReceiveSystemErrorMessages	char	1

conflict_P911_V50_DB_WorkStation	ScreenProfile	int	
conflict_P911_V50_DB_WorkStation	SMSEnabled	char	1
conflict_P911_V50_DB_WorkStation	SMSPortNumber	int	
conflict_P911_V50_DB_WorkStation	TelephonyInterfaceEnabled	char	1
conflict_P911_V50_DB_WorkStation	TelephonyProfile	int	
conflict_P911_V50_DB_WorkStation	TimeStamp1	datetime	
conflict_P911_V50_DB_WorkStation	tranid	nvarchar	40
conflict_P911_V50_DB_WorkStation	UserProfile	int	
conflict_P911_V50_DB_WorkStation	WorkStationGroup	int	
conflict_P911_V50_DB_WorkStationAttribute	BigText	nvarchar	1024
conflict_P911_V50_DB_WorkStationAttribute	Bool1	char	1
conflict_P911_V50_DB_WorkStationAttribute	conflict_type	int	
conflict_P911_V50_DB_WorkStationAttribute	Id	binary	8
conflict_P911_V50_DB_WorkStationAttribute	insertdate	datetime	
conflict_P911_V50_DB_WorkStationAttribute	InsertionTime	datetime	
conflict_P911_V50_DB_WorkStationAttribute	Int1	int	
conflict_P911_V50_DB_WorkStationAttribute	Int2	int	
conflict_P911_V50_DB_WorkStationAttribute	Int3	int	
conflict_P911_V50_DB_WorkStationAttribute	Key1	binary	8
conflict_P911_V50_DB_WorkStationAttribute	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_WorkStationAttribute	ObjectId	int	
conflict_P911_V50_DB_WorkStationAttribute	origin_datasource	nvarchar	255
conflict_P911_V50_DB_WorkStationAttribute	pubid	int	
conflict_P911_V50_DB_WorkStationAttribute	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_WorkStationAttribute	reason_code	int	
conflict_P911_V50_DB_WorkStationAttribute	reason_text	nvarchar	720
conflict_P911_V50_DB_WorkStationAttribute	Text32	nchar	32
conflict_P911_V50_DB_WorkStationAttribute	TimeStamp1	datetime	
conflict_P911_V50_DB_WorkStationAttribute	tranid	nvarchar	40
conflict_P911_V50_DB_WorkStationAttribute	Type	int	
conflict_P911_V50_DB_WorkStationGroup	Boolean1	char	1
conflict_P911_V50_DB_WorkStationGroup	conflict_type	int	
conflict_P911_V50_DB_WorkStationGroup	DefaultProfile	int	
conflict_P911_V50_DB_WorkStationGroup	DynamicDb1	nvarchar	50

conflict_P911_V50_DB_WorkStationGroup	DynamicDb2	nvarchar	50
conflict_P911_V50_DB_WorkStationGroup	DynamicDb3	nvarchar	50
conflict_P911_V50_DB_WorkStationGroup	Id	int	
conflict_P911_V50_DB_WorkStationGroup	insertdate	datetime	
conflict_P911_V50_DB_WorkStationGroup	Integer1	int	
conflict_P911_V50_DB_WorkStationGroup	MisDb	nvarchar	50
conflict_P911_V50_DB_WorkStationGroup	MisServer	nchar	30
conflict_P911_V50_DB_WorkStationGroup	msrepl_tran_version	uniqueidentifier	
conflict_P911_V50_DB_WorkStationGroup	Name	nchar	35
conflict_P911_V50_DB_WorkStationGroup	ObjectActive	char	1
conflict_P911_V50_DB_WorkStationGroup	ObjectId	int	
conflict_P911_V50_DB_WorkStationGroup	origin_datasource	nvarchar	255
conflict_P911_V50_DB_WorkStationGroup	Parent	int	
conflict_P911_V50_DB_WorkStationGroup	pubid	int	
conflict_P911_V50_DB_WorkStationGroup	qcfttabrowid	uniqueidentifier	
conflict_P911_V50_DB_WorkStationGroup	reason_code	int	
conflict_P911_V50_DB_WorkStationGroup	reason_text	nvarchar	720
conflict_P911_V50_DB_WorkStationGroup	SiteLogon	nchar	30
conflict_P911_V50_DB_WorkStationGroup	SitePassword	nchar	30
conflict_P911_V50_DB_WorkStationGroup	SitePhoneNumber	nchar	20
conflict_P911_V50_DB_WorkStationGroup	TimeStamp1	datetime	
conflict_P911_V50_DB_WorkStationGroup	tranid	nvarchar	40
Contact	Address	nvarchar	1024
Contact	Id	binary	8
Contact	Info1	nvarchar	64
Contact	Info2	nvarchar	64
Contact	Info3	nvarchar	64
Contact	Info4	nvarchar	64
Contact	msrepl_tran_version	uniqueidentifier	
Contact	Name	nvarchar	64
Contact	Notes	nvarchar	1024
Contact	ObjectId	binary	8
Contact	ObjectStatus	char	1
Contact	OwnerAgent	int	

Contact	OwnerRole	int	
Contact	SpareBool1	char	1
Contact	SpareInt1	int	
Contact	SpareInt2	int	
Contact	TimeStamp1	datetime	
ContactAccess	AccessId	binary	8
ContactAccess	AccessType	int	
ContactAccess	Content	nchar	32
ContactAccess	DefaultAccess	char	1
ContactAccess	Destination	nvarchar	256
ContactAccess	Extension	nchar	8
ContactAccess	Id	binary	8
ContactAccess	msrepl_tran_version	uniqueidentifier	
ContactAccess	Name	nchar	32
ContactAccess	ObjectId	binary	8
ContactAccess	ObjectStatus	char	1
ContactAccess	Password	nchar	20
ContactAccess	ShortLabel	int	
ContactAccess	SpareBool1	char	1
ContactAccess	SpareInt1	int	
ContactAccess	SpareInt2	int	
ContactAccess	TimeStamp1	datetime	
ContactAccess	UserId	nchar	20
ContactToAgency	Agency	int	
ContactToAgency	AgencyGroup	int	
ContactToAgency	AgencyType	int	
ContactToAgency	Id	binary	8
ContactToAgency	msrepl_tran_version	uniqueidentifier	
ContactToAgency	ObjectId	binary	8
ContactToAgency	ObjectStatus	char	1
ContactToAgency	TimeStamp1	datetime	
DataTransferTypeText	Id	int	
DataTransferTypeText	msrepl_tran_version	uniqueidentifier	
DataTransferTypeText	Name	char	32

DataTransferTypeText	Number	int	
DataTransferTypeText	RecordStatus	char	1
DataTransferTypeText	TimeStamp1	datetime	
Esn	Boolean1	char	1
Esn	EsnGroup	int	
Esn	EsnSuperGroup	int	
Esn	Id	int	
Esn	Integer1	int	
Esn	msrepl_tran_version	uniqueidentifier	
Esn	Name	nvarchar	80
Esn	ObjectActive	char	1
Esn	ObjectId	int	
Esn	TimeStamp1	datetime	
ExtendedAgencyButton	Agency	int	
ExtendedAgencyButton	Boolean1	char	1
ExtendedAgencyButton	Button	int	
ExtendedAgencyButton	DataTransferOnConference	char	1
ExtendedAgencyButton	Id	int	
ExtendedAgencyButton	Integer1	int	
ExtendedAgencyButton	Label1	nchar	16
ExtendedAgencyButton	Label2	nchar	16
ExtendedAgencyButton	msrepl_tran_version	uniqueidentifier	
ExtendedAgencyButton	ObjectActive	char	1
ExtendedAgencyButton	ObjectId	int	
ExtendedAgencyButton	Panel	int	
ExtendedAgencyButton	TimeStamp1	datetime	
FeatureButton	Boolean1	char	1
FeatureButton	BooleanValue	char	1
FeatureButton	Button	int	
FeatureButton	ButtonFunction	int	
FeatureButton	Cardinal2Value	int	
FeatureButton	CardinalValue	int	
FeatureButton	Hint	int	
FeatureButton	Id	int	

FeatureButton	Integer1	int	
FeatureButton	Label	int	
FeatureButton	msrepl_tran_version	uniqueidentifier	
FeatureButton	ObjectActive	char	1
FeatureButton	ObjectId	int	
FeatureButton	Panel	int	
FeatureButton	TextValue	nvarchar	64
FeatureButton	TimeStamp1	datetime	
FeatureButton	VisualOnly	char	1
GreetingAssociation	Agent	int	
GreetingAssociation	AgentGroup	int	
GreetingAssociation	Boolean1	char	1
GreetingAssociation	Description	nvarchar	255
GreetingAssociation	Dnis	nchar	20
GreetingAssociation	EndTime	int	
GreetingAssociation	Id	int	
GreetingAssociation	Integer1	int	
GreetingAssociation	Integer2	int	
GreetingAssociation	Integer3	int	
GreetingAssociation	Line	int	
GreetingAssociation	LineGroup	int	
GreetingAssociation	msrepl_tran_version	uniqueidentifier	
GreetingAssociation	ObjectActive	char	1
GreetingAssociation	ObjectId	int	
GreetingAssociation	OverrideKey	int	
GreetingAssociation	StartTime	int	
GreetingAssociation	TimeStamp1	datetime	
GreetingAssociation	Trunk	int	
GreetingAssociation	TrunkGroup	int	
GreetingAssociation	TryOrder	float	
GreetingAssociation	WaveFile	nvarchar	255
Incident	AbandonedCall	char	1
Incident	Agent	int	
Incident	AniFlash	char	1

Incident	Boolean1	char	1
Incident	Boolean2	char	1
Incident	CallTransferred	char	1
Incident	CallType	int	
Incident	Closed	char	1
Incident	HandlingTime	int	
Incident	Id	binary	8
Incident	InsertionTime	datetime	
Incident	Integer1	int	
Incident	Integer2	int	
Incident	Integer3	int	
Incident	Integer4	int	
Incident	Integer5	int	
Incident	InvalidAni	char	1
Incident	LastPriority	int	
Incident	LastState	int	
Incident	LastType	int	
Incident	LineNumber	int	
Incident	LinkKey	binary	8
Incident	LinkStatus	int	
Incident	msrepl_tran_version	uniqueidentifier	
Incident	PendingTime	int	
Incident	PresentationTime	datetime	
Incident	ProcessTime	int	
Incident	Sequence	nchar	24
Incident	SetupTime	int	
Incident	SMSType	int	
Incident	TddCall	char	1
Incident	TelephoneNumber	nchar	16
Incident	TimeStamp1	datetime	
Incident	TrunkNumber	int	
Incident	UniqueCallId	char	48
Incident	Workstation	int	
IncidentAddress	AddressData	nvarchar	1024

IncidentAddress	AddressOrigin	int	
IncidentAddress	AddressType	int	
IncidentAddress	Agent	int	
IncidentAddress	AliType	int	
IncidentAddress	Boolean1	char	1
IncidentAddress	Boolean2	char	1
IncidentAddress	CustomerName	nchar	32
IncidentAddress	Error	char	1
IncidentAddress	FreeFormat	nvarchar	128
IncidentAddress	Id	binary	8
IncidentAddress	InsertionTime	datetime	
IncidentAddress	Integer1	int	
IncidentAddress	Integer2	int	
IncidentAddress	msrepl_tran_version	uniqueidentifier	
IncidentAddress	ObjectId	binary	8
IncidentAddress	Original	char	1
IncidentAddress	TelephoneNumber	nchar	16
IncidentAddress	Text1	nchar	32
IncidentAddress	TimeStamp1	datetime	
IncidentAddress	Validated	int	
IncidentAddress	Workstation	int	
IncidentAttributes	Agent	int	
IncidentAttributes	BigText	nvarchar	1024
IncidentAttributes	BinaryKey	binary	8
IncidentAttributes	Bool1	char	1
IncidentAttributes	Bool2	char	1
IncidentAttributes	Bool3	char	1
IncidentAttributes	Id	binary	8
IncidentAttributes	InsertionTime	datetime	
IncidentAttributes	Int1	int	
IncidentAttributes	Int2	int	
IncidentAttributes	Int3	int	
IncidentAttributes	Int4	int	
IncidentAttributes	Int5	int	

IncidentAttributes	Int6	int	
IncidentAttributes	Int7	int	
IncidentAttributes	Int8	int	
IncidentAttributes	msrepl_tran_version	uniqueidentifier	
IncidentAttributes	ObjectId	binary	8
IncidentAttributes	Text16	nchar	16
IncidentAttributes	Text32	nchar	32
IncidentAttributes	TimeStamp1	datetime	
IncidentAttributes	Type	int	
IncidentAttributes	Workstation	int	
IncidentPriority	Boolean1	char	1
IncidentPriority	Id	int	
IncidentPriority	Integer1	int	
IncidentPriority	msrepl_tran_version	uniqueidentifier	
IncidentPriority	Name	int	
IncidentPriority	ObjectActive	char	1
IncidentPriority	ObjectId	int	
IncidentPriority	TimeStamp1	datetime	
IncidentType	Boolean1	char	1
IncidentType	Boolean2	char	1
IncidentType	Boolean3	char	1
IncidentType	Boolean4	char	1
IncidentType	Boolean5	char	1
IncidentType	CreateIncident	char	1
IncidentType	DaysToArchive	int	
IncidentType	DefaultPriority	int	
IncidentType	DeleteDelay	int	
IncidentType	Designation	nchar	8
IncidentType	DispatchCloseDelay	int	
IncidentType	FamilyNumber	int	
IncidentType	ForceSuffix	char	1
IncidentType	Id	int	
IncidentType	IncidentTypeGroup	int	
IncidentType	Integer1	int	

IncidentType	Integer2	int	
IncidentType	Integer3	int	
IncidentType	Integer4	int	
IncidentType	MaxPriority	int	
IncidentType	MinPriority	int	
IncidentType	msrepl_tran_version	uniqueidentifier	
IncidentType	Name	int	
IncidentType	ObjectActive	char	1
IncidentType	ObjectId	int	
IncidentType	SOPFileName	nchar	30
IncidentType	TimeStamp1	datetime	
IncidentTypeGroup	Boolean1	char	1
IncidentTypeGroup	Boolean2	char	1
IncidentTypeGroup	Id	int	
IncidentTypeGroup	Integer1	int	
IncidentTypeGroup	Integer2	int	
IncidentTypeGroup	msrepl_tran_version	uniqueidentifier	
IncidentTypeGroup	Name	nchar	35
IncidentTypeGroup	ObjectActive	char	1
IncidentTypeGroup	ObjectId	int	
IncidentTypeGroup	Text1	nchar	35
IncidentTypeGroup	TimeStamp1	datetime	
IncidentTypeSuffix	Boolean1	char	1
IncidentTypeSuffix	Designation	nchar	8
IncidentTypeSuffix	Id	int	
IncidentTypeSuffix	Integer1	int	
IncidentTypeSuffix	Integer2	int	
IncidentTypeSuffix	msrepl_tran_version	uniqueidentifier	
IncidentTypeSuffix	Name	int	
IncidentTypeSuffix	ObjectActive	char	1
IncidentTypeSuffix	ObjectId	int	
IncidentTypeSuffix	TimeStamp1	datetime	
IncidentTypeToAgencyType	AgencyType	int	
IncidentTypeToAgencyType	Boolean1	char	1

IncidentTypeToAgencyType	Degree	int	
IncidentTypeToAgencyType	Id	int	
IncidentTypeToAgencyType	Integer1	int	
IncidentTypeToAgencyType	msrepl_tran_version	uniqueidentifier	
IncidentTypeToAgencyType	ObjectActive	char	1
IncidentTypeToAgencyType	ObjectId	int	
IncidentTypeToAgencyType	TimeStamp1	datetime	
IncidentTypeToQuestion	Boolean1	char	1
IncidentTypeToQuestion	DisplayOrder	int	
IncidentTypeToQuestion	Id	int	
IncidentTypeToQuestion	Importance	char	1
IncidentTypeToQuestion	Integer1	int	
IncidentTypeToQuestion	msrepl_tran_version	uniqueidentifier	
IncidentTypeToQuestion	NoAgencyType	int	
IncidentTypeToQuestion	NoDegree	int	
IncidentTypeToQuestion	ObjectActive	char	1
IncidentTypeToQuestion	ObjectId	int	
IncidentTypeToQuestion	Question	int	
IncidentTypeToQuestion	TimeStamp1	datetime	
IncidentTypeToQuestion	YesAgencyType	int	
IncidentTypeToQuestion	YesDegree	int	
IncidentTypeToSuffix	Boolean1	char	1
IncidentTypeToSuffix	DefaultPriority	int	
IncidentTypeToSuffix	DefaultSelection	char	1
IncidentTypeToSuffix	Id	int	
IncidentTypeToSuffix	Integer1	int	
IncidentTypeToSuffix	MaxPriority	int	
IncidentTypeToSuffix	MinPriority	int	
IncidentTypeToSuffix	msrepl_tran_version	uniqueidentifier	
IncidentTypeToSuffix	ObjectActive	char	1
IncidentTypeToSuffix	ObjectId	int	
IncidentTypeToSuffix	Suffix	int	
IncidentTypeToSuffix	TimeStamp1	datetime	
IncidentTypeToTddQuestion	Boolean1	char	1

IncidentTypeToTddQuestion	DisplayOrder	int	
IncidentTypeToTddQuestion	Id	int	
IncidentTypeToTddQuestion	Integer1	int	
IncidentTypeToTddQuestion	msrepl_tran_version	uniqueidentifier	
IncidentTypeToTddQuestion	ObjectActive	char	1
IncidentTypeToTddQuestion	ObjectId	int	
IncidentTypeToTddQuestion	Question	int	
IncidentTypeToTddQuestion	TimeStamp1	datetime	
InfoTable	DataVersion	varchar	30
InfoTable	Id	int	
InfoTable	msrepl_tran_version	uniqueidentifier	
InfoTable	ObjectActive	char	1
InfoTable	ObjectId	int	
InfoTable	ObjectName	varchar	30
InfoTable	TimeStamp1	datetime	
InfoTable	Version	varchar	80
KeyDefinition	Boolean1	char	1
KeyDefinition	BoolParam1	char	1
KeyDefinition	BoolParam2	char	1
KeyDefinition	DurationParam	int	
KeyDefinition	Id	int	
KeyDefinition	Integer1	int	
KeyDefinition	IntParam1	int	
KeyDefinition	IntParam2	int	
KeyDefinition	IntParam3	int	
KeyDefinition	IntParam4	int	
KeyDefinition	KeyAction	int	
KeyDefinition	KeyName	nchar	16
KeyDefinition	Modifiers	int	
KeyDefinition	msrepl_tran_version	uniqueidentifier	
KeyDefinition	ObjectActive	char	1
KeyDefinition	ObjectId	int	
KeyDefinition	RefParam1	int	
KeyDefinition	RefParam2	int	

KeyDefinition	RefParam3	int	
KeyDefinition	RefParam4	int	
KeyDefinition	TextParam1	nvarchar	255
KeyDefinition	TextParam2	nvarchar	255
KeyDefinition	TextParam3	nvarchar	255
KeyDefinition	TimeStamp1	datetime	
Line	Address	nchar	16
Line	AutoRecording	char	1
Line	Boolean1	char	1
Line	Boolean2	char	1
Line	Boolean3	char	1
Line	Boolean4	char	1
Line	Boolean5	char	1
Line	Boolean6	char	1
Line	Boolean7	char	1
Line	CharArray1	nchar	32
Line	DefaultConfMode	int	
Line	HookFlashPrefixLocal	nchar	32
Line	HookFlashPrefixLongD	nchar	32
Line	HuntOrder	int	
Line	Id	int	
Line	IncomingOnly	char	1
Line	Integer1	int	
Line	Integer2	int	
Line	Integer3	int	
Line	Integer4	int	
Line	Integer5	int	
Line	IsEmergencyLine	char	1
Line	LineGroup	int	
Line	LineType	int	
Line	LocalPrefix	nchar	32
Line	LongDistancePrefix	nchar	32
Line	msrepl_tran_version	uniqueidentifier	
Line	Name	nchar	16

Line	Nnx	int	
Line	Npa	int	
Line	ObjectActive	char	1
Line	ObjectId	int	
Line	PsapId	int	
Line	RingerPriority	int	
Line	TddAutoDetection	int	
Line	TddGreetingMsg	char	1
Line	TimeStamp1	datetime	
LineButton	Boolean1	char	1
LineButton	BooleanValue	char	1
LineButton	Button	int	
LineButton	ButtonFunction	int	
LineButton	Cardinal2Value	int	
LineButton	CardinalValue	int	
LineButton	Id	int	
LineButton	Incoming	char	1
LineButton	Integer1	int	
LineButton	Label	nchar	16
LineButton	Line	int	
LineButton	LineGroup	int	
LineButton	msrepl_tran_version	uniqueidentifier	
LineButton	ObjectActive	char	1
LineButton	ObjectId	int	
LineButton	Outgoing	char	1
LineButton	Panel	int	
LineButton	PhoneNumber	nchar	32
LineButton	Reference	int	
LineButton	TextValue	nvarchar	64
LineButton	TimeStamp1	datetime	
LineButton	VisualOnly	char	1
LineGroup	Boolean1	char	1
LineGroup	Boolean2	char	1
LineGroup	Boolean3	char	1

LineGroup	Boolean4	char	1
LineGroup	ButtonLabel	int	
LineGroup	CharArray1	nchar	32
LineGroup	DefaultConfMode	int	
LineGroup	ExternalIOChannel	int	
LineGroup	Id	int	
LineGroup	Integer1	int	
LineGroup	Integer2	int	
LineGroup	Integer3	int	
LineGroup	Integer4	int	
LineGroup	Integer5	int	
LineGroup	msrepl_tran_version	uniqueidentifier	
LineGroup	Name	nchar	16
LineGroup	ObjectActive	char	1
LineGroup	ObjectId	int	
LineGroup	TimeStamp1	datetime	
LinePool	Id	int	
LinePool	msrepl_tran_version	uniqueidentifier	
LinePool	Name	nchar	64
LinePool	ObjectActive	char	1
LinePool	ObjectId	int	
LinePool	TimeStamp1	datetime	
LinePoolToLine	Id	int	
LinePoolToLine	Line	int	
LinePoolToLine	msrepl_tran_version	uniqueidentifier	
LinePoolToLine	ObjectActive	char	1
LinePoolToLine	ObjectId	int	
LinePoolToLine	TimeStamp1	datetime	
ListDefinition	Boolean1	char	1
ListDefinition	BottomLabel	nvarchar	16
ListDefinition	Col10Type	smallint	
ListDefinition	Col10Width	smallint	
ListDefinition	Col11Type	smallint	
ListDefinition	Col11Width	smallint	

ListDefinition	Col12Type	smallint	
ListDefinition	Col12Width	smallint	
ListDefinition	Col1Type	smallint	
ListDefinition	Col1Width	smallint	
ListDefinition	Col2Type	smallint	
ListDefinition	Col2Width	smallint	
ListDefinition	Col3Type	smallint	
ListDefinition	Col3Width	smallint	
ListDefinition	Col4Type	smallint	
ListDefinition	Col4Width	smallint	
ListDefinition	Col5Type	smallint	
ListDefinition	Col5Width	smallint	
ListDefinition	Col6Type	smallint	
ListDefinition	Col6Width	smallint	
ListDefinition	Col7Type	smallint	
ListDefinition	Col7Width	smallint	
ListDefinition	Col8Type	smallint	
ListDefinition	Col8Width	smallint	
ListDefinition	Col9Type	smallint	
ListDefinition	Col9Width	smallint	
ListDefinition	FilterBool1	char	1
ListDefinition	FilterBool2	char	1
ListDefinition	FilterEnabled	char	1
ListDefinition	FilterInt1	int	
ListDefinition	FilterInt10	int	
ListDefinition	FilterInt2	int	
ListDefinition	FilterInt3	int	
ListDefinition	FilterInt4	int	
ListDefinition	FilterInt5	int	
ListDefinition	FilterInt6	int	
ListDefinition	FilterInt7	int	
ListDefinition	FilterInt8	int	
ListDefinition	FilterInt9	int	
ListDefinition	FilterNumber	smallint	

ListDefinition	FilterText	nvarchar	255
ListDefinition	Id	int	
ListDefinition	Integer1	int	
ListDefinition	ListNumber	smallint	
ListDefinition	ListType	int	
ListDefinition	maximumLength	smallint	
ListDefinition	msrepl_tran_version	uniqueidentifier	
ListDefinition	ObjectActive	char	1
ListDefinition	ObjectId	int	
ListDefinition	PageNumber	smallint	
ListDefinition	TimeStamp1	datetime	
ListDefinition	TopLabel	nvarchar	16
Locks	Boolean1	char	1
Locks	CharArray1	char	8
Locks	CreationTime	datetime	
Locks	Id	int	
Locks	Integer1	int	
Locks	Locked	char	1
Locks	msrepl_tran_version	uniqueidentifier	
Locks	Station	char	20
Locks	UserName	char	20
LongDistance	DestNnxHigh	int	
LongDistance	DestNnxLow	int	
LongDistance	DestNpa	int	
LongDistance	Id	int	
LongDistance	msrepl_tran_version	uniqueidentifier	
LongDistance	ObjectActive	char	1
LongDistance	ObjectId	int	
LongDistance	SrcNnx	int	
LongDistance	SrcNpa	int	
LongDistance	TimeStamp1	datetime	
MacroButton	BoolArgument1	char	1
MacroButton	Boolean1	char	1
MacroButton	Button	int	

MacroButton	ButtonFunction	int	
MacroButton	Icon	nchar	32
MacroButton	Id	int	
MacroButton	Integer1	int	
MacroButton	msrepl_tran_version	uniqueidentifier	
MacroButton	NumericArgument1	int	
MacroButton	NumericArgument2	int	
MacroButton	NumericArgument3	int	
MacroButton	ObjectActive	char	1
MacroButton	ObjectId	int	
MacroButton	Reference	int	
MacroButton	Reference1	int	
MacroButton	Reference2	int	
MacroButton	Reference3	int	
MacroButton	TextArgument1	nvarchar	128
MacroButton	TextArgument2	nvarchar	128
MacroButton	TextArgument3	nvarchar	128
MacroButton	TimeStamp1	datetime	
MSpeer_lsns	id	int	
MSpeer_lsns	last_updated	datetime	
MSpeer_lsns	originator	nvarchar	128
MSpeer_lsns	originator_db	nvarchar	128
MSpeer_lsns	originator_db_version	int	
MSpeer_lsns	originator_lsn	varbinary	16
MSpeer_lsns	originator_publication	nvarchar	128
MSpeer_lsns	originator_publication_id	int	
MSpeer_request	description	nvarchar	4000
MSpeer_request	id	int	
MSpeer_request	publication	nvarchar	128
MSpeer_request	sent_date	datetime	
MSpeer_response	peer	nvarchar	128
MSpeer_response	peer_db	nvarchar	128
MSpeer_response	received_date	datetime	
MSpeer_response	request_id	int	

MSPub_identity_range	current_pub_range	bigint	
MSPub_identity_range	last_seed	bigint	
MSPub_identity_range	objid	int	
MSPub_identity_range	pub_range	bigint	
MSPub_identity_range	range	bigint	
MSPub_identity_range	threshold	int	
NoQueryNumber	Id	int	
NoQueryNumber	msrepl_tran_version	uniqueidentifier	
NoQueryNumber	ObjectActive	char	1
NoQueryNumber	ObjectId	int	
NoQueryNumber	TelephoneNumber	nchar	32
NoQueryNumber	TimeStamp1	datetime	
NpaToNpd	Boolean1	char	1
NpaToNpd	Boolean2	char	1
NpaToNpd	Id	int	
NpaToNpd	Integer1	int	
NpaToNpd	msrepl_tran_version	uniqueidentifier	
NpaToNpd	Npa	int	
NpaToNpd	Npd	int	
NpaToNpd	ObjectActive	char	1
NpaToNpd	ObjectId	int	
NpaToNpd	TimeStamp1	datetime	
NpaToNpd	Trunk	int	
OutDialModes	ButtonHint	nvarchar	128
OutDialModes	ButtonText	nvarchar	128
OutDialModes	DisplayOrder	int	
OutDialModes	Id	int	
OutDialModes	LocalPrefix	nvarchar	128
OutDialModes	LongDistancePrefix	nvarchar	128
OutDialModes	msrepl_tran_version	uniqueidentifier	
OutDialModes	Number	int	
OutDialModes	ObjectActive	char	1
OutDialModes	ObjectId	int	
OutDialModes	OutgoingLine	int	

OutDialModes	OutgoingLineGroup	int	
OutDialModes	TimeStamp1	datetime	
PhoneNumberFormat	Boolean1	char	1
PhoneNumberFormat	Id	int	
PhoneNumberFormat	Integer1	int	
PhoneNumberFormat	msrepl_tran_version	uniqueidentifier	
PhoneNumberFormat	NNXLength	int	
PhoneNumberFormat	NPALength	int	
PhoneNumberFormat	NPDLength	int	
PhoneNumberFormat	NumberLength	int	
PhoneNumberFormat	ObjectActive	char	1
PhoneNumberFormat	ObjectId	int	
PhoneNumberFormat	TimeStamp1	datetime	
Profile	Boolean1	char	1
Profile	Id	int	
Profile	Integer1	int	
Profile	msrepl_tran_version	uniqueidentifier	
Profile	Name	nchar	25
Profile	ObjectActive	char	1
Profile	ObjectId	int	
Profile	TimeStamp1	datetime	
ProfileAttributes	Boolean1	char	1
ProfileAttributes	Boolean2	char	1
ProfileAttributes	Id	int	
ProfileAttributes	LongText	nvarchar	2048
ProfileAttributes	msrepl_tran_version	uniqueidentifier	
ProfileAttributes	Number1	int	
ProfileAttributes	Number2	int	
ProfileAttributes	Number3	int	
ProfileAttributes	Number4	int	
ProfileAttributes	ObjectActive	char	1
ProfileAttributes	ObjectId	int	
ProfileAttributes	Text1	nvarchar	128
ProfileAttributes	Text2	nvarchar	128

ProfileAttributes	Text3	nvarchar	128
ProfileAttributes	TimeStamp1	datetime	
ProfileAttributes	Type	int	
ProfileOverride	Boolean1	char	1
ProfileOverride	Boolean2	char	1
ProfileOverride	Id	int	
ProfileOverride	Integer1	int	
ProfileOverride	Integer2	int	
ProfileOverride	Integer3	int	
ProfileOverride	msrepl_tran_version	uniqueidentifier	
ProfileOverride	ObjectActive	char	1
ProfileOverride	ObjectId	int	
ProfileOverride	Text	nvarchar	256
ProfileOverride	TimeStamp1	datetime	
ProfileOverride	Type	int	
Question	Boolean1	char	1
Question	Id	int	
Question	Language	int	
Question	msrepl_tran_version	uniqueidentifier	
Question	ObjectActive	char	1
Question	ObjectId	int	
Question	ShortText	nchar	35
Question	Text	nvarchar	132
Question	TimeStamp1	datetime	
QueueButton	Boolean1	char	1
QueueButton	Boolean2	char	1
QueueButton	Button	int	
QueueButton	ButtonFunction	int	
QueueButton	Id	int	
QueueButton	IncomingOnly	char	1
QueueButton	Integer1	int	
QueueButton	Integer2	int	
QueueButton	Label	nchar	16
QueueButton	msrepl_tran_version	uniqueidentifier	

QueueButton	ObjectActive	char	1
QueueButton	ObjectId	int	
QueueButton	Panel	int	
QueueButton	Reference	int	
QueueButton	TimeStamp1	datetime	
QueueButton	VisualOnly	char	1
ReasonCode	DisplayOrder	int	
ReasonCode	Id	int	
ReasonCode	msrepl_tran_version	uniqueidentifier	
ReasonCode	Name	nvarchar	128
ReasonCode	ObjectActive	char	1
ReasonCode	ObjectId	int	
ReasonCode	ShortName	nchar	16
ReasonCode	TimeStamp1	datetime	
RolodexGlobalCards	Address	varchar	128
RolodexGlobalCards	CardName	char	32
RolodexGlobalCards	City	char	32
RolodexGlobalCards	ClassOfService	char	32
RolodexGlobalCards	Company	varchar	40
RolodexGlobalCards	Country	char	32
RolodexGlobalCards	Extension	char	8
RolodexGlobalCards	FirstName	char	40
RolodexGlobalCards	LastName	varchar	40
RolodexGlobalCards	ModificationDate	datetime	
RolodexGlobalCards	Notes	varchar	255
RolodexGlobalCards	OwnerAgent	int	
RolodexGlobalCards	State	char	32
RolodexGlobalCards	Telephone	char	32
RolodexGlobalCards	TelephoneType	char	16
RolodexGlobalCards	Title	varchar	40
RolodexGlobalCards	Zip	char	16
RolodexPersonalCards	Address	varchar	128
RolodexPersonalCards	CardName	char	32
RolodexPersonalCards	City	char	32

RolodexPersonalCards	ClassOfService	char	32
RolodexPersonalCards	Company	varchar	40
RolodexPersonalCards	Country	char	32
RolodexPersonalCards	Extension	char	8
RolodexPersonalCards	FirstName	varchar	40
RolodexPersonalCards	LastName	varchar	40
RolodexPersonalCards	ModificationDate	datetime	
RolodexPersonalCards	Notes	varchar	255
RolodexPersonalCards	OwnerAgent	int	
RolodexPersonalCards	State	char	32
RolodexPersonalCards	Telephone	char	32
RolodexPersonalCards	TelephoneType	char	16
RolodexPersonalCards	Title	varchar	40
RolodexPersonalCards	Zip	char	16
Route	Address	nchar	16
Route	DisplayInCallSource	char	1
Route	Id	int	
Route	msrepl_tran_version	uniqueidentifier	
Route	Name	nchar	16
Route	ObjectActive	char	1
Route	ObjectId	int	
Route	RingerPriority	int	
Route	TimeStamp1	datetime	
RoutePool	Id	int	
RoutePool	msrepl_tran_version	uniqueidentifier	
RoutePool	Name	nchar	64
RoutePool	ObjectActive	char	1
RoutePool	ObjectId	int	
RoutePool	TimeStamp1	datetime	
RoutePoolToRoute	Id	int	
RoutePoolToRoute	msrepl_tran_version	uniqueidentifier	
RoutePoolToRoute	ObjectActive	char	1
RoutePoolToRoute	ObjectId	int	
RoutePoolToRoute	Route	int	

RoutePoolToRoute	TimeStamp1	datetime	
ScreenLayout	Agent	int	
ScreenLayout	Boolean1	char	1
ScreenLayout	Editable	char	1
ScreenLayout	FormatVersion	int	
ScreenLayout	GuiMode	int	
ScreenLayout	Id	binary	8
ScreenLayout	Integer1	int	
ScreenLayout	LayoutDescription	varchar	2048
ScreenLayout	msrepl_tran_version	uniqueidentifier	
ScreenLayout	Name	nvarchar	132
ScreenLayout	ObjectActive	char	1
ScreenLayout	ObjectId	int	
ScreenLayout	TimeStamp1	datetime	
SpareUsage	CreationTime	datetime	
SpareUsage	Description	char	256
SpareUsage	FieldName	char	32
SpareUsage	Id	int	
SpareUsage	Language	int	
SpareUsage	msrepl_tran_version	uniqueidentifier	
SpareUsage	TableName	char	32
State	Boolean1	char	1
State	Boolean2	char	1
State	Boolean3	char	1
State	ErrorThreshold	int	
State	Id	int	
State	Integer1	int	
State	Integer2	int	
State	Integer3	int	
State	msrepl_tran_version	uniqueidentifier	
State	Name	int	
State	ObjectActive	char	1
State	ObjectId	int	
State	ShortName	int	

State	StateFunction	int	
State	TimeStamp1	datetime	
State	Type	int	
State	WarningThreshold	int	
sysarticlecolumns	artid	int	
sysarticlecolumns	colid	smallint	
sysarticlecolumns	is_max	bit	
sysarticlecolumns	is_udt	bit	
sysarticlecolumns	is_xml	bit	
sysarticles	artid	int	
sysarticles	creation_script	nvarchar	255
sysarticles	custom_script	nvarchar	2048
sysarticles	del_cmd	nvarchar	255
sysarticles	del_scripting_proc	int	
sysarticles	description	nvarchar	255
sysarticles	dest_owner	nvarchar	128
sysarticles	dest_table	nvarchar	128
sysarticles	filter	int	
sysarticles	filter_clause	ntext	1073741823
sysarticles	fire_triggers_on_snapshot	bit	
sysarticles	ins_cmd	nvarchar	255
sysarticles	ins_scripting_proc	int	
sysarticles	name	nvarchar	128
sysarticles	objid	int	
sysarticles	pre_creation_cmd	tinyint	
sysarticles	pubid	int	
sysarticles	schema_option	binary	8
sysarticles	status	tinyint	
sysarticles	sync_objid	int	
sysarticles	type	tinyint	
sysarticles	upd_cmd	nvarchar	255
sysarticles	upd_scripting_proc	int	
sysarticleupdates	artid	int	
sysarticleupdates	autogen	bit	

sysarticleupdates	conflict_tableid	int	
sysarticleupdates	identity_support	bit	
sysarticleupdates	ins_conflict_proc	int	
sysarticleupdates	pubid	int	
sysarticleupdates	sync_del_proc	int	
sysarticleupdates	sync_ins_proc	int	
sysarticleupdates	sync_upd_proc	int	
sysarticleupdates	sync_upd_trig	int	
sysdiagrams	definition	varbinary	-1
sysdiagrams	diagram_id	int	
sysdiagrams	msrepl_tran_version	uniqueidentifier	
sysdiagrams	name	nvarchar	128
sysdiagrams	principal_id	int	
sysdiagrams	version	int	
syspublications	ad_guidname	nvarchar	128
syspublications	allow_anonymous	bit	
syspublications	allow_dts	bit	
syspublications	allow_initialize_from_backup	bit	
syspublications	allow_pull	bit	
syspublications	allow_push	bit	
syspublications	allow_queued_tran	bit	
syspublications	allow_subscription_copy	bit	
syspublications	allow_sync_tran	bit	
syspublications	alt_snapshot_folder	nvarchar	255
syspublications	autogen_sync_procs	bit	
syspublications	backward_comp_level	int	
syspublications	centralized_conflicts	bit	
syspublications	compress_snapshot	bit	
syspublications	conflict_policy	int	
syspublications	conflict_retention	int	
syspublications	description	nvarchar	255
syspublications	enabled_for_internet	bit	
syspublications	ftp_address	nvarchar	128
syspublications	ftp_login	nvarchar	128

syspublications	ftp_password	nvarchar	524
syspublications	ftp_port	int	
syspublications	ftp_subdirectory	nvarchar	255
syspublications	immediate_sync	bit	
syspublications	immediate_sync_ready	bit	
syspublications	independent_agent	bit	
syspublications	min_autonosync_lsn	binary	10
syspublications	name	nvarchar	128
syspublications	options	int	
syspublications	post_snapshot_script	nvarchar	255
syspublications	pre_snapshot_script	nvarchar	255
syspublications	pubid	int	
syspublications	queue_type	int	
syspublications	repl_freq	tinyint	
syspublications	replicate_ddl	int	
syspublications	retention	int	
syspublications	snapshot_in_defaultfolder	bit	
syspublications	snapshot_jobid	binary	16
syspublications	status	tinyint	
syspublications	sync_method	tinyint	
sysreplservers	srvid	int	
sysreplservers	srvname	nvarchar	128
sysschemaarticles	artid	int	
sysschemaarticles	creation_script	nvarchar	255
sysschemaarticles	description	nvarchar	255
sysschemaarticles	dest_object	nvarchar	128
sysschemaarticles	dest_owner	nvarchar	128
sysschemaarticles	name	nvarchar	128
sysschemaarticles	objid	int	
sysschemaarticles	pre_creation_cmd	tinyint	
sysschemaarticles	pubid	int	
sysschemaarticles	schema_option	binary	8
sysschemaarticles	status	int	
sysschemaarticles	type	tinyint	

syssubscriptions	artid	int	
syssubscriptions	dest_db	nvarchar	128
syssubscriptions	distribution_jobid	binary	16
syssubscriptions	login_name	nvarchar	128
syssubscriptions	loopback_detection	bit	
syssubscriptions	nosync_type	tinyint	
syssubscriptions	queued_reinit	bit	
syssubscriptions	srv_id	smallint	
syssubscriptions	srvname	nvarchar	128
syssubscriptions	status	tinyint	
syssubscriptions	subscription_type	int	
syssubscriptions	sync_type	tinyint	
syssubscriptions	timestamp	timestamp	
syssubscriptions	update_mode	tinyint	
SystemAttribute	Boolean1	char	1
SystemAttribute	Boolean2	char	1
SystemAttribute	Id	int	
SystemAttribute	Label	nvarchar	2048
SystemAttribute	msrepl_tran_version	uniqueidentifier	
SystemAttribute	Number1	int	
SystemAttribute	Number2	int	
SystemAttribute	Number3	int	
SystemAttribute	Number4	int	
SystemAttribute	ObjectActive	char	1
SystemAttribute	ObjectId	int	
SystemAttribute	TimeStamp1	datetime	
SystemAttribute	Type	int	
systranschemas	endlsn	binary	10
systranschemas	startlsn	binary	10
systranschemas	tabid	int	
systranschemas	typeid	int	
TableOpenState	LastId	int	
TableOpenState	TableName	varchar	25
TableOpenState	UserName	varchar	20

TextCall	Agent	int	
TextCall	Id	binary	8
TextCall	Incident	binary	8
TextCall	InsertionTime	datetime	
TextCall	msrepl_tran_version	uniqueidentifier	
TextCall	SMSType	int	
TextCall	TextCallPriority	int	
TextCall	TimeStamp1	datetime	
TextCall	TotalConnectedTime	int	
TextCall	TotalHoldTime	int	
TextCall	TotalProcessTime	int	
TextCall	TotalRingTime	int	
TextCall	WorkStation	int	
TextCallAttributes	Boolean1	char	1
TextCallAttributes	Id	binary	8
TextCallAttributes	InsertionTime	datetime	
TextCallAttributes	msrepl_tran_version	uniqueidentifier	
TextCallAttributes	Number1	int	
TextCallAttributes	Number2	int	
TextCallAttributes	Number3	int	
TextCallAttributes	ObjectId	binary	8
TextCallAttributes	TimeStamp1	datetime	
TextCallAttributes	Type	int	
TransferPriorityText	Degree	char	1
TransferPriorityText	Id	int	
TransferPriorityText	msrepl_tran_version	uniqueidentifier	
TransferPriorityText	Name	char	16
TransferPriorityText	RecordStatus	char	1
TransferPriorityText	TimeStamp1	datetime	
TransferStatusText	Id	int	
TransferStatusText	msrepl_tran_version	uniqueidentifier	
TransferStatusText	Name	char	32
TransferStatusText	Number	int	
TransferStatusText	RecordStatus	char	1

TransferStatusText	TimeStamp1	datetime	
Trunk	Address	nchar	16
Trunk	Boolean1	char	1
Trunk	Boolean2	char	1
Trunk	Boolean3	char	1
Trunk	Boolean4	char	1
Trunk	Boolean5	char	1
Trunk	CharArray1	nchar	32
Trunk	DefaultConfMode	int	
Trunk	Id	int	
Trunk	Integer1	int	
Trunk	Integer2	int	
Trunk	Integer3	int	
Trunk	Integer4	int	
Trunk	Integer5	int	
Trunk	Is911Trunk	char	1
Trunk	IsEmergencyTrunk	char	1
Trunk	msrepl_tran_version	uniqueidentifier	
Trunk	Name	nchar	16
Trunk	Npa	int	
Trunk	ObjectActive	char	1
Trunk	ObjectId	int	
Trunk	PsapId	int	
Trunk	TimeStamp1	datetime	
Trunk	TrunkGroup	int	
TrunkGroup	Boolean1	char	1
TrunkGroup	Boolean2	char	1
TrunkGroup	Boolean3	char	1
TrunkGroup	Boolean4	char	1
TrunkGroup	Boolean5	char	1
TrunkGroup	CharArray1	nchar	32
TrunkGroup	DefaultConfMode	int	
TrunkGroup	ExternalIOChannel	int	
TrunkGroup	Id	int	

TrunkGroup	Integer1	int	
TrunkGroup	Integer2	int	
TrunkGroup	Integer3	int	
TrunkGroup	Integer4	int	
TrunkGroup	Integer5	int	
TrunkGroup	msrepl_tran_version	uniqueidentifier	
TrunkGroup	Name	nchar	16
TrunkGroup	ObjectActive	char	1
TrunkGroup	ObjectId	int	
TrunkGroup	TimeStamp1	datetime	
TrunkPool	Id	int	
TrunkPool	msrepl_tran_version	uniqueidentifier	
TrunkPool	Name	nchar	64
TrunkPool	ObjectActive	char	1
TrunkPool	ObjectId	int	
TrunkPool	TimeStamp1	datetime	
TrunkPoolToTrunk	Id	int	
TrunkPoolToTrunk	msrepl_tran_version	uniqueidentifier	
TrunkPoolToTrunk	ObjectActive	char	1
TrunkPoolToTrunk	ObjectId	int	
TrunkPoolToTrunk	TimeStamp1	datetime	
TrunkPoolToTrunk	Trunk	int	
UserText	Id	int	
UserText	Language	int	
UserText	msrepl_tran_version	uniqueidentifier	
UserText	ObjectActive	char	1
UserText	ObjectId	int	
UserText	Text	nvarchar	512
UserText	TimeStamp1	datetime	
WirelessServices	AutomaticRebidEnabled	char	1
WirelessServices	Boolean1	char	1
WirelessServices	Boolean2	char	1
WirelessServices	CallbackNumberLen	int	
WirelessServices	CallbackNumberPos	int	

WirelessServices	ClassOfService	nchar	64
WirelessServices	ClassOfServicePos	int	
WirelessServices	DelayBetweenRebids	int	
WirelessServices	DetectUsingNpaNnxRange	char	1
WirelessServices	Id	int	
WirelessServices	InitialDelay	int	
WirelessServices	Integer1	int	
WirelessServices	Integer2	int	
WirelessServices	Integer3	int	
WirelessServices	msrepl_tran_version	uniqueidentifier	
WirelessServices	Name	nchar	64
WirelessServices	NpaNnxHigh	nchar	16
WirelessServices	NpaNnxLow	nchar	16
WirelessServices	NumberOfRebids	int	
WirelessServices	ObjectActive	char	1
WirelessServices	ObjectId	int	
WirelessServices	Provider	nchar	64
WirelessServices	ProviderPos	int	
WirelessServices	PseudoAniLen	int	
WirelessServices	PseudoAniPos	int	
WirelessServices	SpecifyCallBackNumber	char	1
WirelessServices	SpecifyPseudoAni	char	1
WirelessServices	Text1	nchar	128
WirelessServices	TimeStamp1	datetime	
WorkStation	ActivityStateIO	varchar	256
WorkStation	Boolean1	char	1
WorkStation	Boolean2	char	1
WorkStation	Boolean3	char	1
WorkStation	Boolean4	char	1
WorkStation	Boolean5	char	1
WorkStation	Boolean6	char	1
WorkStation	BroadcastProfile	int	
WorkStation	CharArray1	nchar	32
WorkStation	CharArray2	nchar	16

WorkStation	ContactInterfaceEnabled	char	1
WorkStation	ContactProfile	int	
WorkStation	CtiInterfaceEnabled	char	1
WorkStation	Extension	nchar	16
WorkStation	ExternalIOChannelOffset	int	
WorkStation	FeatureProfile	int	
WorkStation	HealthMonitorEnabled	char	1
WorkStation	Id	int	
WorkStation	IncidentsPublishedOnPib	int	
WorkStation	Integer1	int	
WorkStation	Integer2	int	
WorkStation	Integer3	int	
WorkStation	Integer4	int	
WorkStation	Integer5	int	
WorkStation	Integer6	int	
WorkStation	KeyDefinitionProfile	int	
WorkStation	LayoutConfigurationAvailable	char	1
WorkStation	LineProfile	int	
WorkStation	ListDefinitionProfile	int	
WorkStation	LogonMode	int	
WorkStation	MacroProfile	int	
WorkStation	MonitoringExtension	nchar	16
WorkStation	msrepl_tran_version	uniqueidentifier	
WorkStation	Name	nchar	30
WorkStation	ObjectActive	char	1
WorkStation	ObjectId	int	
WorkStation	PblDaemon	nchar	32
WorkStation	PblInterface421	char	1
WorkStation	PblNetworkInterface	nchar	32
WorkStation	PblPortNumber	int	
WorkStation	PibBroadcastMode	int	
WorkStation	PibBroadcastMode421	int	
WorkStation	PIBInterfaceEnabled	char	1
WorkStation	PrinterDevice	nchar	256

WorkStation	PsapId	int	
WorkStation	QueueProfile	int	
WorkStation	ReceiveSystemErrorMessages	char	1
WorkStation	ScreenProfile	int	
WorkStation	SMSEnabled	char	1
WorkStation	SMSPortNumber	int	
WorkStation	TelephonyInterfaceEnabled	char	1
WorkStation	TelephonyProfile	int	
WorkStation	TimeStamp1	datetime	
WorkStation	UserProfile	int	
WorkStation	WorkStationGroup	int	
WorkStationAttribute	BigText	nvarchar	1024
WorkStationAttribute	Bool1	char	1
WorkStationAttribute	Id	binary	8
WorkStationAttribute	InsertionTime	datetime	
WorkStationAttribute	Int1	int	
WorkStationAttribute	Int2	int	
WorkStationAttribute	Int3	int	
WorkStationAttribute	Key1	binary	8
WorkStationAttribute	msrepl_tran_version	uniqueidentifier	
WorkStationAttribute	ObjectId	int	
WorkStationAttribute	Text32	nchar	32
WorkStationAttribute	TimeStamp1	datetime	
WorkStationAttribute	Type	int	
WorkStationGroup	Boolean1	char	1
WorkStationGroup	DefaultProfile	int	
WorkStationGroup	DynamicDb1	nvarchar	50
WorkStationGroup	DynamicDb2	nvarchar	50
WorkStationGroup	DynamicDb3	nvarchar	50
WorkStationGroup	Id	int	
WorkStationGroup	Integer1	int	
WorkStationGroup	MisDb	nvarchar	50
WorkStationGroup	MisServer	nchar	30
WorkStationGroup	msrepl_tran_version	uniqueidentifier	

WorkStationGroup	Name	nchar	35
WorkStationGroup	ObjectActive	char	1
WorkStationGroup	ObjectId	int	
WorkStationGroup	Parent	int	
WorkStationGroup	SiteLogon	nchar	30
WorkStationGroup	SitePassword	nchar	30
WorkStationGroup	SitePhoneNumber	nchar	20
WorkStationGroup	TimeStamp1	datetime	