

Database name: RESOLUTION (Frequency - Updated Daily)

| <u>Table Name</u> | <u>Field Name</u> | <u>Type</u> | <u>Size</u> |
|--------------------------|--------------------------|--------------------|--------------------|
| AccessCodes | AccessCode | varchar | 10 |
| AccessCodes | AccessDesc | varchar | 40 |
| AccountFunctions | AcctFunction | char | 2 |
| AccountFunctions | AcctFunctionDesc | varchar | 30 |
| Allocations | AllocationID | numeric | |
| Allocations | AllocationTaxDue | money | |
| Allocations | AllocationTypeID | smallint | |
| Allocations | AllocationYear | numeric | |
| Allocations | StateRateOnly | bit | |
| Allocations | TaxDetailID | numeric | |
| Allocations | TaxPercentage | numeric | |
| AllocationTypes | AllocationTypeDesc | varchar | 100 |
| AllocationTypes | AllocationTypeID | smallint | |
| AllocationTypes | ImportColumnName | varchar | 50 |
| Applications | AppCode | char | 3 |
| Applications | AppDesc | varchar | 30 |
| AptLotBoxTypes | AptLotBoxDesc | varchar | 24 |
| AptLotBoxTypes | AptLotBoxType | numeric | |
| AptLotBoxTypes | AptLotBoxTypeID | int | |
| Attorneys | Address1 | varchar | 40 |
| Attorneys | Address2 | varchar | 40 |
| Attorneys | AttorneyCode | numeric | |
| Attorneys | AttorneyFirm | varchar | 74 |
| Attorneys | AttorneyName | varchar | 74 |
| Attorneys | City | varchar | 24 |
| Attorneys | CommonAttorney | bit | |
| Attorneys | State | char | 2 |
| Attorneys | ZipCode | varchar | 10 |
| AttorneysForName | AttorneyCode | numeric | |
| AttorneysForName | PKNameID | numeric | |
| AuditCLRISTransmitData | BaseFileNumb | numeric | |
| AuditCLRISTransmitData | REMARKS | varchar | 255 |

| | | | |
|------------------------|------------------|----------|-----|
| AuditCLRISTransmitData | RequestID | numeric | |
| AuditCLRISTransmitData | Transmit | char | 1 |
| AuditConstant | Amount | money | |
| AuditConstant | AuditKey | numeric | |
| AuditConstant | BaseFileNumb | numeric | |
| AuditConstant | Book | varchar | 5 |
| AuditConstant | BookSuffix | varchar | 5 |
| AuditConstant | Cancelled | bit | |
| AuditConstant | CorrectionDate | datetime | |
| AuditConstant | CourtRecord | bit | |
| AuditConstant | CourtRecordType | varchar | 2 |
| AuditConstant | Deleted | bit | |
| AuditConstant | Description | varchar | 500 |
| AuditConstant | DocID | numeric | |
| AuditConstant | DocStampPrinted | char | 1 |
| AuditConstant | EntryDate | datetime | |
| AuditConstant | ExtraDate1 | datetime | |
| AuditConstant | ExtraDate2 | datetime | |
| AuditConstant | FileDate | datetime | |
| AuditConstant | FileNumber | varchar | 12 |
| AuditConstant | FileNumberSuffix | varchar | 12 |
| AuditConstant | ImageOnFile | char | 1 |
| AuditConstant | IndexType | char | 3 |
| AuditConstant | InstrumentDate | datetime | |
| AuditConstant | Judgment | bit | |
| AuditConstant | KindCode | numeric | |
| AuditConstant | LinkedCrossRef | bit | |
| AuditConstant | MortgageAmount | money | |
| AuditConstant | Page | varchar | 5 |
| AuditConstant | PageSuffix | varchar | 5 |
| AuditConstant | PersonnelCode | numeric | |
| AuditConstant | Reason | varchar | 255 |
| AuditConstant | RecordingNum | numeric | |
| AuditConstant | ScanPages | numeric | |

| | | | |
|---------------------|-----------------------|---------|-----|
| AuditConstant | SecuredDocumentType | varchar | 2 |
| AuditConstant | VerifyFlag | char | 2 |
| AuditConstant | WorkGroup | numeric | |
| AuditConstant | WorkStation | varchar | 20 |
| AuditCrossReference | AuditKey | numeric | |
| AuditCrossReference | BaseFileNumb | numeric | |
| AuditCrossReference | Notes | varchar | 25 |
| AuditCrossReference | OrigBook | varchar | 5 |
| AuditCrossReference | OrigBookSuffix | varchar | 5 |
| AuditCrossReference | OrigFileNumber | varchar | 12 |
| AuditCrossReference | OrigFileNumberSuffix | varchar | 12 |
| AuditCrossReference | OrigIndexType | char | 3 |
| AuditCrossReference | OrigPage | varchar | 5 |
| AuditCrossReference | OrigPageSuffix | varchar | 5 |
| AuditCrossReference | PKAuditCrossReference | numeric | |
| AuditCrossReference | PT61 | varchar | 13 |
| AuditCrossReference | SortOrder | int | |
| AuditCrossReference | UCC | varchar | 13 |
| AuditNameAddress | Address1 | varchar | 40 |
| AuditNameAddress | Address2 | varchar | 40 |
| AuditNameAddress | City | varchar | 24 |
| AuditNameAddress | PKAuditAddress | numeric | |
| AuditNameAddress | PKAuditNames | numeric | |
| AuditNameAddress | State | char | 2 |
| AuditNameAddress | ZipCode | varchar | 10 |
| AuditNames | Assignee | bit | |
| AuditNames | AuditKey | numeric | |
| AuditNames | Cancelled | bit | |
| AuditNames | FirmSurName | varchar | 200 |
| AuditNames | GivenName | varchar | 200 |
| AuditNames | MiddleName | varchar | 200 |
| AuditNames | NameTitle | varchar | 200 |
| AuditNames | Party | numeric | |
| AuditNames | PKAuditNames | numeric | |

| | | | |
|----------------------|-------------------|----------|-----|
| AuditNames | RecordOwner | bit | |
| AuditNames | Sealed | bit | |
| AuditNames | SortOrder | int | |
| AuditNameStatistics | Age | tinyint | |
| AuditNameStatistics | BirthDate | datetime | |
| AuditNameStatistics | BirthPlace | varchar | 500 |
| AuditNameStatistics | PKAuditNames | numeric | |
| AuditNameStatistics | PKAuditStatistics | numeric | |
| AuditNameStatistics | Race | numeric | |
| AuditNameStatistics | Sex | char | 1 |
| AuditNameStatistics | TaxID | varchar | 9 |
| AuditPlattedProperty | AddressCity | varchar | 24 |
| AuditPlattedProperty | AptLotBoxNo | varchar | 6 |
| AuditPlattedProperty | AptLotBoxType | numeric | |
| AuditPlattedProperty | Block | varchar | 5 |
| AuditPlattedProperty | City | varchar | 120 |
| AuditPlattedProperty | CivilTownship | varchar | 120 |
| AuditPlattedProperty | Comment | varchar | 500 |
| AuditPlattedProperty | Condo | varchar | 120 |
| AuditPlattedProperty | DirectionSuffix | char | 1 |
| AuditPlattedProperty | District | varchar | 2 |
| AuditPlattedProperty | GMDSection | varchar | 4 |
| AuditPlattedProperty | GPin | varchar | 20 |
| AuditPlattedProperty | HouseFraction | numeric | |
| AuditPlattedProperty | HouseNumber | varchar | 20 |
| AuditPlattedProperty | LandLot | varchar | 4 |
| AuditPlattedProperty | Lot | varchar | 6 |
| AuditPlattedProperty | PKAuditPlatted | numeric | |
| AuditPlattedProperty | PropertyKey | numeric | |
| AuditPlattedProperty | State | char | 2 |
| AuditPlattedProperty | Street | varchar | 30 |
| AuditPlattedProperty | StreetDirection | char | 1 |
| AuditPlattedProperty | StreetType | numeric | |
| AuditPlattedProperty | Subdivision | varchar | 120 |

| | | | |
|------------------------|------------------|----------|-----|
| AuditPlattedProperty | Unit | varchar | 8 |
| AuditPlattedProperty | ZipCode | varchar | 10 |
| AuditProperty | AuditKey | numeric | |
| AuditProperty | PropertyKey | numeric | |
| AuditProperty | PropertyType | char | 1 |
| AuditProperty | SortOrder | int | |
| AuditUnplattedProperty | AddressCity | varchar | 24 |
| AuditUnplattedProperty | AptLotBoxNo | varchar | 6 |
| AuditUnplattedProperty | AptLotBoxType | numeric | |
| AuditUnplattedProperty | CivilTownship | varchar | 120 |
| AuditUnplattedProperty | Comment | varchar | 500 |
| AuditUnplattedProperty | DirectionSuffix | char | 1 |
| AuditUnplattedProperty | GPin | varchar | 20 |
| AuditUnplattedProperty | HouseFraction | numeric | |
| AuditUnplattedProperty | HouseNumber | varchar | 20 |
| AuditUnplattedProperty | Lot | varchar | 5 |
| AuditUnplattedProperty | PKAuditUnplatted | numeric | |
| AuditUnplattedProperty | PropertyKey | numeric | |
| AuditUnplattedProperty | QtrQtrSection | char | 2 |
| AuditUnplattedProperty | QtrSection | char | 2 |
| AuditUnplattedProperty | Range | char | 3 |
| AuditUnplattedProperty | Section | char | 3 |
| AuditUnplattedProperty | State | char | 2 |
| AuditUnplattedProperty | Street | varchar | 30 |
| AuditUnplattedProperty | StreetDirection | char | 1 |
| AuditUnplattedProperty | StreetType | numeric | |
| AuditUnplattedProperty | Township | char | 3 |
| AuditUnplattedProperty | ZipCode | varchar | 10 |
| AuditWorkgroup | Action | char | 50 |
| AuditWorkgroup | Date | datetime | |
| AuditWorkgroup | ID | int | |
| AuditWorkgroup | PersonnelCode | numeric | |
| AuditWorkgroup | Workgroup | numeric | |
| AuditWorkgroup | Workstation | varchar | 20 |

| | | | |
|-----------------|---------------------|----------|-----|
| Banks | Address1 | varchar | 40 |
| Banks | Address2 | varchar | 40 |
| Banks | BankCode | numeric | |
| Banks | BankName | varchar | 40 |
| Banks | City | varchar | 24 |
| Banks | GeneralAccount | bit | |
| Banks | State | char | 2 |
| Banks | ZipCode | varchar | 10 |
| BankTotals | BankCode | numeric | |
| BankTotals | BankDay | numeric | |
| BankTotals | BankMonth | numeric | |
| BankTotals | BankYear | numeric | |
| BankTotals | CashAmount | money | |
| BankTotals | ChargeAmount | money | |
| BankTotals | ChargePaid | money | |
| BankTotals | PaidOnAccount | money | |
| BFNLink | BaseFileNumb | numeric | |
| BFNLink | Mnemonic | char | 3 |
| BFNLink | RecordID | numeric | |
| BFNList | BaseFileNumb | numeric | |
| BirthAmendments | AmendDesc | varchar | 255 |
| BirthAmendments | BaseFileNumb | numeric | |
| BirthAmendments | DateAmended | datetime | |
| BirthAmendments | PKAmend | numeric | |
| BirthParms | DateHeadings | char | 15 |
| BirthParms | DelayedIndexType | char | 3 |
| BirthParms | IndexExtraDate1 | char | 1 |
| BirthParms | IndexExtraDate2 | char | 1 |
| BirthParms | IndexFileDate | char | 1 |
| BirthParms | IndexingInterface | bit | |
| BirthParms | IndexInstrumentDate | char | 1 |
| BirthParms | IndexType | char | 3 |
| BirthParms | KeyVerify | bit | |
| BirthParms | PKParms | numeric | |

| | | | |
|-------------------|---------------------------------|----------|-----|
| BirthParms | PrintCertificate | bit | |
| BirthParms | PrintCertificateFromOtherCounty | bit | |
| BirthParms | PrintDelayedBirths | bit | |
| Births | BaseFileNumb | numeric | |
| Births | DateIssued | datetime | |
| Births | DateRecorded | datetime | |
| Births | DelayedBirth | bit | |
| Births | Suspicious | bit | |
| bkpg2 | Book | varchar | 5 |
| bkpg2 | DocID | numeric | |
| bkpg2 | IndexType | char | 3 |
| bkpg2 | Page | numeric | |
| bkpgExp | Book | varchar | 5 |
| bkpgExp | DocID | numeric | |
| bkpgExp | IndexType | char | 3 |
| bkpgExp | Page | numeric | |
| BunFix2 | Book | varchar | 5 |
| BunFix2 | BookSuffix | varchar | 5 |
| BunFix2 | Description | varchar | 255 |
| BunFix2 | FileDate | varchar | 50 |
| BunFix2 | Page | varchar | 5 |
| BunFix2 | PageSuffix | varchar | 5 |
| CardTypes | CardDesc | varchar | 50 |
| CardTypes | CardID | smallint | |
| CardTypes | ProcessAmount | money | |
| CardTypes | ProcessingTranCodeSeq | numeric | |
| CardTypes | ProcessPercent | decimal | |
| CardTypes | System | bit | |
| CaseFunctionCodes | CaseFunctionCode | numeric | |
| CaseFunctionCodes | CaseType | char | 1 |
| CaseFunctions | BaseAmount | money | |
| CaseFunctions | CaseFunctionCode | numeric | |
| CaseFunctions | CaseFunctionDesc | varchar | 40 |
| CaseFunctions | CaseFunctionSeq | numeric | |

| | | | |
|------------------------|----------------------|----------|-----|
| CaseFunctions | EnterAmount | bit | |
| CaseFunctions | EnterComment | bit | |
| CaseFunctions | EnterDate | bit | |
| CaseFunctions | EnterScanPages | bit | |
| CaseFunctions | EnterTime | bit | |
| CaseFunctions | KindCode | numeric | |
| CaseFunctions | ModifyDate | datetime | |
| CaseFunctions | ModifyPersonnelCode | numeric | |
| CaseFunctions | ModifyWorkStation | varchar | 20 |
| CaseFunctions | SetAmountFunction | char | 1 |
| CaseFunctions | SetDateColumn | varchar | 50 |
| CaseFunctionsStatus | AvailableForPurchase | bit | |
| CaseFunctionsStatus | CaseFunctionCode | numeric | |
| CaseFunctionsStatus | PublicCalculate | bit | |
| CaseFunctionsStatus | PublicMessage | varchar | 500 |
| CaseFunctionsStatus | PublicSearch | bit | |
| CaseFunctionsStatus | StatusCode | numeric | |
| CaseFunctionsStatus | Statusdescription | varchar | 50 |
| CaseMgmtMerge | BaseFileNumb | numeric | |
| CaseMgmtMerge | CaseFileName | varchar | 50 |
| CaseTransactionCodes | CaseTranCode | numeric | |
| CaseTransactionCodes | CaseTranDesc | varchar | 40 |
| CaseTransactionCodes | CaseType | char | 1 |
| CaseTransactionHistory | Amount | money | |
| CaseTransactionHistory | BaseFileNumb | numeric | |
| CaseTransactionHistory | CaseFunctionSeq | numeric | |
| CaseTransactionHistory | Comment | varchar | 254 |
| CaseTransactionHistory | DocID | numeric | |
| CaseTransactionHistory | DocStampPrinted | bit | |
| CaseTransactionHistory | FileDate | datetime | |
| CaseTransactionHistory | HistoryKey | numeric | |
| CaseTransactionHistory | ImageOnFile | char | 1 |
| CaseTransactionHistory | ImageSealed | bit | |
| CaseTransactionHistory | PersonnelCode | numeric | |

| | | | |
|------------------------|-------------------------|----------|-----|
| CaseTransactionHistory | ScanPages | numeric | |
| CaseTransactionHistory | Sealed | bit | |
| CaseTransactionHistory | SortDate | datetime | |
| CaseTransactionHistory | SortOrder | int | |
| CaseTransactionHistory | TransactionDate | datetime | |
| CaseTransactionHistory | TransactionTime | datetime | |
| CaseTransactions | CaseFunctionCode | numeric | |
| CaseTransactions | CaseTranCode | numeric | |
| CaseTransactions | RecordSeqID | numeric | |
| CashCustomer | CashCustomerID | int | |
| CashCustomer | CustomerAcct | numeric | |
| CashCustomer | CustomerName | varchar | 100 |
| CashCustomer | IngeoGUID | varchar | 20 |
| CertificateMargins | CertificateBottomMargin | decimal | |
| CertificateMargins | CertificateLeftMargin | decimal | |
| CertificateMargins | CertificateRightMargin | decimal | |
| CertificateMargins | CertificateTopMargin | decimal | |
| CertificateMargins | DateLineFormat | varchar | 100 |
| CertificateMargins | DateLineX | decimal | |
| CertificateMargins | DateLineY | decimal | |
| CertificateMargins | IndexType | char | 3 |
| CertificateMargins | LegalCropSize | tinyint | |
| CertificateMargins | LetterCropSize | tinyint | |
| CertificateMargins | PreviewCertificate | bit | |
| CertificateMargins | PrintRedaction | bit | |
| CertificateMargins | PrintSignatureArea | bit | |
| CertificateMargins | StretchToFit | bit | |
| ChargePaymentLink | ControlNum | numeric | |
| ChargePaymentLink | NewRecordingNum | numeric | |
| ChargePaymentLink | RecordingNum | numeric | |
| CheckedoutDocs | DocId | numeric | |
| CheckedoutDocs | ID | numeric | |
| CheckedoutDocs | PullId | int | |
| CheckEndorsements | CheckEndorsement | varchar | 255 |

| | | | |
|-------------------|------------------------|----------|-----|
| CheckEndorsements | CheckEndorsementCode | numeric | |
| CheckEndorsements | CheckEndorsementDesc | varchar | 30 |
| CheckEndorsements | CheckNoOnEndorsement | bit | |
| CheckEndorsements | ReceiptNoOnEndorsement | bit | |
| ClrisAccounts | AccountNum | varchar | 16 |
| ClrisAccounts | ClrisFeeDesc | varchar | 100 |
| CLRISKindCodes | CLRISKind | varchar | 50 |
| CLRISKindCodes | CLRISKindID | smallint | |
| ClrisKindOthers | KindOtherDesc | varchar | 50 |
| ClrisKindOthers | KindOtherID | smallint | |
| CLRISKinds | CLRISKindID | smallint | |
| CLRISKinds | IndexType | char | 3 |
| CLRISKinds | KindCode | char | 8 |
| CLRISKinds | KindOtherID | smallint | |
| CLRISKinds | Transmit | bit | |
| CLRISTransmitData | BaseFileNumb | numeric | |
| CLRISTransmitData | REMARKS | varchar | 255 |
| CLRISTransmitData | RequestID | numeric | |
| CLRISTransmitData | Transmit | char | 1 |
| ColorThemes | Button | varchar | 8 |
| ColorThemes | DefaultTheme | bit | |
| ColorThemes | Description | varchar | 50 |
| ColorThemes | FocusBackground | varchar | 8 |
| ColorThemes | FocusForeground | varchar | 8 |
| ColorThemes | GradientColor1 | varchar | 8 |
| ColorThemes | GradientColor2 | varchar | 8 |
| ColorThemes | GridActiveCellBack | varchar | 8 |
| ColorThemes | GridActiveCellText | varchar | 8 |
| ColorThemes | GridCaptionBack | varchar | 8 |
| ColorThemes | GridCaptionText | varchar | 8 |
| ColorThemes | GridColor | varchar | 8 |
| ColorThemes | GridColumnHeaderBack | varchar | 8 |
| ColorThemes | GridColumnHeaderText | varchar | 8 |
| ColorThemes | GridEvenRowBack | varchar | 8 |

| | | | |
|----------------|-------------------|----------|------------|
| ColorThemes | GridEvenRowText | varchar | 8 |
| ColorThemes | GridFocusRowBack | varchar | 8 |
| ColorThemes | GridFocusRowText | varchar | 8 |
| ColorThemes | GridOddRowBack | varchar | 8 |
| ColorThemes | GridOddRowText | varchar | 8 |
| ColorThemes | GridRowSelector | varchar | 8 |
| ColorThemes | GridSelRowBack | varchar | 8 |
| ColorThemes | GridSelRowText | varchar | 8 |
| ColorThemes | LabelFore | varchar | 8 |
| ColorThemes | PersonnelCode | numeric | |
| ColorThemes | PKColorThemes | numeric | |
| ColorThemes | SystemTheme | bit | |
| ColorThemes | TextBoxBackground | varchar | 8 |
| ColorThemes | TextBoxForeground | varchar | 8 |
| ColorThemes | Window | varchar | 8 |
| ConnectorImage | DocID | numeric | |
| ConnectorImage | FeelImage | text | 2147483647 |
| ConnectorImage | FileDate | datetime | |
| ConnectorImage | RecordedForGUID | varchar | 15 |
| ConnectorImage | ScanPages | tinyint | |
| ConnectorImage | Seq | numeric | |
| ConnectorImage | TransactionID | numeric | |
| Constant | Amount | money | |
| Constant | BaseFileNumb | numeric | |
| Constant | Book | varchar | 5 |
| Constant | BookSuffix | varchar | 5 |
| Constant | Cancelled | bit | |
| Constant | CorrectionFlag | char | 1 |
| Constant | CourtRecord | bit | |
| Constant | CourtRecordType | numeric | |
| Constant | Description | varchar | 500 |
| Constant | DocID | numeric | |
| Constant | DocStampPrinted | char | 1 |
| Constant | EntryDate | datetime | |

| | | | |
|----------------------|---------------------|----------|-----|
| Constant | ExtraDate1 | datetime | |
| Constant | ExtraDate2 | datetime | |
| Constant | FileDate | datetime | |
| Constant | FileNumber | varchar | 12 |
| Constant | FileNumberSuffix | varchar | 12 |
| Constant | ImageOnFile | char | 1 |
| Constant | IndexType | char | 3 |
| Constant | InstrumentDate | datetime | |
| Constant | Judgment | bit | |
| Constant | KindCode | numeric | |
| Constant | LinkedCrossRef | bit | |
| Constant | Locked | bit | |
| Constant | MortgageAmount | money | |
| Constant | Page | varchar | 5 |
| Constant | PageSuffix | varchar | 5 |
| Constant | RecordingNum | numeric | |
| Constant | ScanPages | numeric | |
| Constant | SecuredDocumentType | varchar | 2 |
| Constant | SortDate | datetime | |
| Constant | VerifyFlag | varchar | 2 |
| Constant | WarrantID | varchar | 15 |
| Constant | WorkGroup | numeric | |
| ConstantMarriageHold | Amount | money | |
| ConstantMarriageHold | BaseFileNumb | numeric | |
| ConstantMarriageHold | Book | varchar | 5 |
| ConstantMarriageHold | BookSuffix | varchar | 5 |
| ConstantMarriageHold | CorrectionFlag | char | 1 |
| ConstantMarriageHold | DelayedBirth | bit | |
| ConstantMarriageHold | Description | varchar | 255 |
| ConstantMarriageHold | DocID | numeric | |
| ConstantMarriageHold | DocStampPrinted | char | 1 |
| ConstantMarriageHold | EntryDate | datetime | |
| ConstantMarriageHold | ExtraDate1 | datetime | |
| ConstantMarriageHold | ExtraDate2 | datetime | |

| | | | |
|----------------------|----------------------|----------|----|
| ConstantMarriageHold | FileDate | datetime | |
| ConstantMarriageHold | FileNumber | varchar | 12 |
| ConstantMarriageHold | FileNumberSuffix | varchar | 12 |
| ConstantMarriageHold | ImageOnFile | char | 1 |
| ConstantMarriageHold | IndexType | char | 3 |
| ConstantMarriageHold | InstrumentDate | datetime | |
| ConstantMarriageHold | KindCode | numeric | |
| ConstantMarriageHold | OrigBook | varchar | 5 |
| ConstantMarriageHold | OrigBookSuffix | varchar | 5 |
| ConstantMarriageHold | OrigFileNumber | varchar | 12 |
| ConstantMarriageHold | OrigFileNumberSuffix | varchar | 12 |
| ConstantMarriageHold | OrigIndexType | char | 3 |
| ConstantMarriageHold | OrigPage | numeric | |
| ConstantMarriageHold | OrigPageSuffix | varchar | 5 |
| ConstantMarriageHold | OtherFirmSurName1 | varchar | 74 |
| ConstantMarriageHold | OtherFirmSurName2 | varchar | 74 |
| ConstantMarriageHold | OtherGivenName1 | varchar | 70 |
| ConstantMarriageHold | OtherGivenName2 | varchar | 70 |
| ConstantMarriageHold | OtherMiddleName1 | varchar | 70 |
| ConstantMarriageHold | OtherMiddleName2 | varchar | 70 |
| ConstantMarriageHold | OtherNameTitle1 | varchar | 30 |
| ConstantMarriageHold | OtherNameTitle2 | varchar | 30 |
| ConstantMarriageHold | Page | numeric | |
| ConstantMarriageHold | PageSuffix | varchar | 5 |
| ConstantMarriageHold | RecordingNum | numeric | |
| ConstantMarriageHold | ScanPages | numeric | |
| ConstantMarriageHold | Sex | char | 1 |
| ConstantMarriageHold | SideOneCount | numeric | |
| ConstantMarriageHold | SideTwoCount | numeric | |
| ConstantMarriageHold | SortDate | datetime | |
| ConstantMarriageHold | VerifyFlag | varchar | 2 |
| ConstantMarriageHold | WorkGroup | numeric | |
| CoudiTypes | AssignBook | bit | |
| CoudiTypes | AssignFileNumber | bit | |

| | | | |
|--------------------|-----------------|---------|------------|
| CoudiTypes | BookPageCoudi | numeric | |
| CoudiTypes | CoudiKey | numeric | |
| CoudiTypes | FileNumberCoudi | numeric | |
| CoudiTypes | IndexType | char | 3 |
| CoudiTypes | KindCode | numeric | |
| Counties | CountyAbbr | varchar | 4 |
| Counties | CountyCode | char | 3 |
| Counties | CountyName | varchar | 30 |
| Country | CountryCode | char | 3 |
| Country | CountryName | varchar | 50 |
| CountyContacts | Comments | varchar | 255 |
| CountyContacts | ContactName | varchar | 40 |
| CountyContacts | ContactTitle | varchar | 40 |
| CountyContacts | Email | varchar | 50 |
| CountyContacts | FaxNumber | char | 10 |
| CountyContacts | PhoneNumber | char | 10 |
| CountyContacts | PKContacts | numeric | |
| CountyDepartments | DepartmentDesc | varchar | 40 |
| CountyDepartments | DeptCode | char | 4 |
| CountyImages | CountyLogo | image | 2147483647 |
| CountyImages | CountySeal | image | 2147483647 |
| CountyImages | PKCountyImage | numeric | |
| CountyImages | Signature | image | 2147483647 |
| CountyOfficialApps | AppCode | char | 3 |
| CountyOfficialApps | PKCounty | numeric | |
| CountyOfficials | Address1 | varchar | 40 |
| CountyOfficials | Address2 | varchar | 40 |
| CountyOfficials | City | varchar | 24 |
| CountyOfficials | Comments | varchar | 255 |
| CountyOfficials | CountyName | varchar | 40 |
| CountyOfficials | Email | varchar | 50 |
| CountyOfficials | FaxNumber | char | 10 |
| CountyOfficials | OfficialName | varchar | 40 |
| CountyOfficials | OfficialTitle | varchar | 40 |

| | | | |
|-----------------------------|-------------------------------|----------|-----|
| CountyOfficials | PhoneNumber | char | 10 |
| CountyOfficials | PKCounty | numeric | |
| CountyOfficials | State | char | 2 |
| CountyOfficials | ZipCode | varchar | 10 |
| CourtDistribution | AccountNumSeq | numeric | |
| CourtDistribution | CourtDistCode | numeric | |
| CourtDistribution | PKCourtDist | numeric | |
| CourtDistributionCodes | CourtDesc | varchar | 50 |
| CourtDistributionCodes | PKCourtDistCode | numeric | |
| CourtDocketMapping | BaseFileNumb | numeric | |
| CourtDocketMapping | CourtDocketMappingID | int | |
| CourtDocketMapping | DocketID | varchar | 100 |
| CourtDocketMapping | DownloadedDate | datetime | |
| CourtDocketReview | CourtDocketReviewID | int | |
| CourtDocketReview | DateReceived | datetime | |
| CourtDocketReview | DateReviewed | datetime | |
| CourtDocketReview | DocketID | varchar | 100 |
| CourtDocketReview | DocumentID | varchar | 100 |
| CourtDocumentMapping | CourtDocumentMappingID | int | |
| CourtDocumentMapping | DocketID | varchar | 100 |
| CourtDocumentMapping | DocumentID | varchar | 100 |
| CourtDocumentMapping | DownloadedDate | datetime | |
| CourtDocumentMapping | HistoryKey | numeric | |
| CourtDocumentTypeFeeMapping | CourtDocumentTypeFeeMappingID | int | |
| CourtDocumentTypeFeeMapping | DocumentType | varchar | 100 |
| CourtDocumentTypeFeeMapping | TranCode | numeric | |
| CourtDocumentTypeMapping | CaseFunctionSeq | numeric | |
| CourtDocumentTypeMapping | CourtDocumentTypeMappingID | int | |
| CourtDocumentTypeMapping | DocumentType | varchar | 100 |
| CourtFeeMapping | CourtDocumentFeeMappingID | int | |
| CourtFeeMapping | DocketID | varchar | 100 |
| CourtFeeMapping | DocumentID | varchar | 100 |
| CourtFeeMapping | RecordingNum | numeric | |
| CourtRecordKindCodes | CourtRecordKindCodeID | numeric | |

| | | | |
|----------------------|---------------------------|---------|-----|
| CourtRecordKindCodes | CourtRecordType | numeric | |
| CourtRecordKindCodes | KindCode | numeric | |
| CourtRecordParms | CompletedInstrDefault | bit | |
| CourtRecordParms | CoverSheetReq | bit | |
| CourtRecordParms | DocStampReq | bit | |
| CourtRecordParms | EnterAddress | bit | |
| CourtRecordParms | EnterAttorney | bit | |
| CourtRecordParms | KeyVerify | bit | |
| CourtRecordParms | PKCourtParm | numeric | |
| CourtRecordParms | PrintCaseLabel | bit | |
| CourtRecordParms | SideOnePDesc | varchar | 16 |
| CourtRecordParms | SideOneSDesc | varchar | 16 |
| CourtRecordParms | SideTwoPDesc | varchar | 16 |
| CourtRecordParms | SideTwoSDesc | varchar | 16 |
| CourtRecordTypes | CourtRecordDesc | varchar | 30 |
| CourtRecordTypes | CourtRecordType | numeric | |
| CourtRecordTypes | FilePrefix | varchar | 3 |
| CourtTypeMapping | CourtRecordType | numeric | |
| CourtTypeMapping | CourtType | varchar | 100 |
| CourtTypeMapping | ID | int | |
| CourtTypeMapping | KindCode | numeric | |
| CourtTypeMapping | TranCode | numeric | |
| CriminalMerge | ActionTitle | varchar | 20 |
| CriminalMerge | CauseTitle | varchar | 20 |
| CriminalMerge | CriminalIndex | char | 3 |
| CriminalMerge | IndexType | char | 3 |
| CriminalMerge | KindCode | numeric | |
| CriminalMerge | MergeActionAndCauseToDesc | bit | |
| CrossReference | BaseFileNumb | numeric | |
| CrossReference | Note | varchar | 25 |
| CrossReference | OrigBaseFileNumb | numeric | |
| CrossReference | OrigBook | varchar | 5 |
| CrossReference | OrigBookSuffix | varchar | 5 |
| CrossReference | OrigFileNumber | varchar | 12 |

| | | | |
|------------------------|----------------------|------------------|-----|
| CrossReference | OrigFileNumberSuffix | varchar | 12 |
| CrossReference | OrigIndexType | char | 3 |
| CrossReference | OrigPage | varchar | 5 |
| CrossReference | OrigPageSuffix | varchar | 5 |
| CrossReference | PKCrossReference | numeric | |
| CrossReference | PT61 | varchar | 13 |
| CrossReference | SortOrder | int | |
| CrossReference | UCC | varchar | 130 |
| CSKImages | ImageID | numeric | |
| CustomerReceipt | Attention | varchar | 40 |
| CustomerReceipt | ControlNum | numeric | |
| CustomerReceipt | CustomerAcct | numeric | |
| CustomerReceipt | DocId | numeric | |
| CustomerReceipt | EntryDate | datetime | |
| CustomerReceipt | FeeDeferred | char | 1 |
| CustomerReceipt | FileDate | datetime | |
| CustomerReceipt | Locked | bit | |
| CustomerReceipt | MethodReceived | int | |
| CustomerReceipt | MethodReturned | int | |
| CustomerReceipt | Payment | bit | |
| CustomerReceipt | PersonnelCode | numeric | |
| CustomerReceipt | ReceiptNum | numeric | |
| CustomerReceipt | ReceiptRemarks | varchar | 255 |
| CustomerReceipt | WalkinAcct | numeric | |
| CustomerReceipt | WorkStation | varchar | 20 |
| DataTransfers | DataTransferID | uniqueidentifier | |
| DataTransfers | DataTransferKey | varchar | 128 |
| DataTransfers | DataTransferKeyValue | varchar | 50 |
| DataTransfers | DataTransferObject | varchar | 128 |
| DataTransfers | Deleted | bit | |
| DataTransfers | EntryDate | datetime | |
| DataTransfers | Process | bit | |
| DataTransfers | TrackingGUID | uniqueidentifier | |
| DataTransfersProcessed | DataTransferID | uniqueidentifier | |

| | | | |
|------------------------|------------------------|------------------|-----|
| DataTransfersProcessed | PKID | numeric | |
| DataTransfersProcessed | TrackingGUID | uniqueidentifier | |
| DataTransferTables | DataTransferTableID | smallint | |
| DataTransferTables | PrimaryKey | varchar | 255 |
| DataTransferTables | TableName | varchar | 255 |
| DeathParms | IndexExtraDate1 | char | 1 |
| DeathParms | IndexExtraDate2 | char | 1 |
| DeathParms | IndexFileDate | char | 1 |
| DeathParms | IndexInstrumentDate | char | 1 |
| DeathParms | IndexType | char | 3 |
| DeathParms | PKParms | numeric | |
| DeedReport | CommissionAmount | money | |
| DeedReport | CommissionPercent | decimal | |
| DeedReport | CommissionTransaction | char | 4 |
| DeedReport | DeedTransaction | char | 4 |
| DeedReport | JudicialComputerAmount | money | |
| DeedReport | MortgageTransaction | char | 4 |
| DeedReport | OtherTransaction | char | 4 |
| DeedReport | PKReport | numeric | |
| DeedReport | TaxableInstrAmount | money | |
| DefaultERecordingHours | Closed | bit | |
| DefaultERecordingHours | DayId | int | |
| DefaultERecordingHours | Description | nvarchar | -1 |
| DefaultERecordingHours | EndHour | varchar | 11 |
| DefaultERecordingHours | Id | int | |
| DefaultERecordingHours | StartHour | varchar | 11 |
| delinq | add_on | varchar | 10 |
| delinq | bill_numbr | varchar | 12 |
| delinq | c_o | varchar | 35 |
| delinq | calc_acres | varchar | 12 |
| delinq | city_state | varchar | 32 |
| delinq | class | varchar | 2 |
| delinq | com | varchar | 10 |
| delinq | commiss | varchar | 10 |

| | | | |
|--------|------------|---------|----|
| delinq | deed_ref | varchar | 9 |
| delinq | delinqid | numeric | |
| delinq | dis | varchar | 10 |
| delinq | disc_1 | varchar | 10 |
| delinq | dist | varchar | 2 |
| delinq | fcv | varchar | 10 |
| delinq | fire_abbre | varchar | 10 |
| delinq | fire_as | varchar | 10 |
| delinq | fire_fee | varchar | 10 |
| delinq | fire_optou | varchar | 10 |
| delinq | fire_paid | varchar | 10 |
| delinq | hex | varchar | 10 |
| delinq | item41 | varchar | 10 |
| delinq | list_acre | varchar | 10 |
| delinq | mail_add | varchar | 30 |
| delinq | map_no | varchar | 17 |
| delinq | name | varchar | 36 |
| delinq | net_ag | varchar | 10 |
| delinq | net_co | varchar | 10 |
| delinq | net_fire | varchar | 10 |
| delinq | net_hl | varchar | 10 |
| delinq | net_lib | varchar | 10 |
| delinq | net_scco | varchar | 10 |
| delinq | net_sceg | varchar | 10 |
| delinq | net_scwp | varchar | 10 |
| delinq | net_sl | varchar | 10 |
| delinq | net_so | varchar | 10 |
| delinq | net_st | varchar | 10 |
| delinq | net_up | varchar | 10 |
| delinq | net_wp | varchar | 10 |
| delinq | net_ws1 | varchar | 10 |
| delinq | net_ws2 | varchar | 10 |
| delinq | net_ws3 | varchar | 10 |
| delinq | net_ws4 | varchar | 10 |

| | | | |
|-------------------------|-----------------------|----------|------------|
| delinq | net_ws5 | varchar | 10 |
| delinq | net_ws6 | varchar | 10 |
| delinq | nettax | varchar | 10 |
| delinq | pen_1 | varchar | 10 |
| delinq | pen_2 | varchar | 10 |
| delinq | prop_add | varchar | 30 |
| delinq | prop_add2 | varchar | 30 |
| delinq | res | varchar | 10 |
| delinq | spec_com | varchar | 1 |
| delinq | subdiv | varchar | 36 |
| delinq | tax | varchar | 10 |
| delinq | tng001_as | varchar | 10 |
| delinq | tng0015_as | varchar | 10 |
| delinq | tng0015cas | varchar | 10 |
| delinq | tng001s_as | varchar | 10 |
| delinq | tng05_as | varchar | 10 |
| delinq | tng05s_as | varchar | 10 |
| delinq | tng15s_as | varchar | 10 |
| delinq | tng45_as | varchar | 10 |
| delinq | tng45s_as | varchar | 10 |
| delinq | zip | varchar | 10 |
| DocumentHistory | ActionCompleted | char | 2 |
| DocumentHistory | ActionDate | datetime | |
| DocumentHistory | ActiveRecord | bit | |
| DocumentHistory | BaseFileNumb | numeric | |
| DocumentHistory | PersonnelCode | numeric | |
| DocumentHistory | PKDocumentHistory | numeric | |
| DocumentHistory | WorkStation | varchar | 20 |
| DocumentRequirements | DocRequirementDesc | varchar | 255 |
| DocumentRequirements | DocRequirementID | numeric | |
| DocumentStampLayout | DocumentStampLayoutID | int | |
| DocumentStampLayout | Layout | text | 2147483647 |
| DocumentStampLayout | Name | varchar | 50 |
| DocumentStampLayoutLink | DocumentStampLayoutID | int | |

| | | | |
|-------------------------|-------------------|----------|------------|
| DocumentStampLayoutLink | ID | int | |
| DocumentStampLayoutLink | IndexType | char | 3 |
| dtproperties | id | int | |
| dtproperties | lvalue | image | 2147483647 |
| dtproperties | objectid | int | |
| dtproperties | property | varchar | 64 |
| dtproperties | uvalue | nvarchar | 255 |
| dtproperties | value | varchar | 255 |
| dtproperties | version | int | |
| eBackupStatus | eBackupDate | datetime | |
| eBackupStatus | ebackupStatusID | numeric | |
| eBackupStatus | invalidImages | int | |
| eBackupStatus | TotalImages | int | |
| eBackupStatus | validimages | int | |
| eBackupTransfer | DocID | numeric | |
| eBackupTransfer | eBackupTransferID | int | |
| eBackupTransfer | ImageID | numeric | |
| eBackupTransfer | PageSeq | int | |
| eBackupTransfer | Process | int | |
| EducationLevel | EducationLevel | varchar | 50 |
| EducationLevel | EducationLevelID | tinyint | |
| EFileErrors | EFileErrorId | int | |
| EFileErrors | ErrorMessage | varchar | 255 |
| eFileIndexingData | Amount | money | |
| eFileIndexingData | Book | varchar | 5 |
| eFileIndexingData | Description | varchar | 255 |
| eFileIndexingData | DocID | numeric | |
| eFileIndexingData | DocumentID | varchar | 36 |
| eFileIndexingData | EntryDate | datetime | |
| eFileIndexingData | ExtraDate1 | datetime | |
| eFileIndexingData | ExtraDate2 | datetime | |
| eFileIndexingData | FileDate | datetime | |
| eFileIndexingData | FileNumber | varchar | 12 |
| eFileIndexingData | FileNumberSuffix | varchar | 12 |

| | | | |
|-------------------|----------------------|----------|----|
| eFileIndexingData | IndexType | char | 3 |
| eFileIndexingData | InstrumentDate | datetime | |
| eFileIndexingData | KindCode | char | 8 |
| eFileIndexingData | OrigBook | varchar | 5 |
| eFileIndexingData | OrigFileNumber | varchar | 12 |
| eFileIndexingData | OrigFileNumberSuffix | varchar | 12 |
| eFileIndexingData | OrigPage | varchar | 5 |
| eFileIndexingData | OrigPageSuffix | varchar | 5 |
| eFileIndexingData | Page | varchar | 5 |
| eFileIndexingData | RecordingNum | numeric | |
| eFileIndexingData | ScanPages | numeric | |
| eFileIndexingData | WorkGroup | numeric | |
| eFileNames | Address1 | varchar | 40 |
| eFileNames | Address2 | varchar | 40 |
| eFileNames | City | varchar | 24 |
| eFileNames | DocumentID | varchar | 36 |
| eFileNames | eFileNameID | numeric | |
| eFileNames | FirmSurName | varchar | 74 |
| eFileNames | GivenName | varchar | 70 |
| eFileNames | MiddleName | varchar | 70 |
| eFileNames | NameTitle | varchar | 30 |
| eFileNames | SIDE | tinyint | |
| eFileNames | State | char | 2 |
| eFileNames | TaxID | varchar | 9 |
| eFileNames | ZipCode | varchar | 10 |
| eFileProperties | Block | varchar | 5 |
| eFileProperties | City | varchar | 24 |
| eFileProperties | CivilTwp | varchar | 40 |
| eFileProperties | Comment | varchar | 60 |
| eFileProperties | Condo | varchar | 40 |
| eFileProperties | DocumentID | varchar | 36 |
| eFileProperties | eFilePropertyID | int | |
| eFileProperties | GPin | varchar | 20 |
| eFileProperties | Lot | varchar | 5 |

| | | | |
|-----------------------|-----------------|----------|------------|
| eFileProperties | QQSection | varchar | 2 |
| eFileProperties | QSection | varchar | 2 |
| eFileProperties | Range | char | 3 |
| eFileProperties | Section | varchar | 2 |
| eFileProperties | SubDivision | varchar | 40 |
| eFileProperties | Twp | char | 3 |
| eFileProperties | Unit | varchar | 8 |
| EFileTransactions | PackageID | varchar | 36 |
| EFileTransactions | TranID | numeric | |
| EFileTransactions | TransactionID | varchar | 20 |
| Efilexmltable | Iden | int | |
| Efilexmltable | XmlDatat | text | 2147483647 |
| EFilingParms | CardID | smallint | |
| EFilingParms | MethodReceived | int | |
| EFilingParms | MethodReturned | int | |
| EFilingParms | PKParms | numeric | |
| EFilingParms | StampMessage | varchar | 50 |
| EFilingParms | StampOnAllPages | bit | |
| EPackageErrors | DocumentID | varchar | 36 |
| EPackageErrors | EPackageErrorID | numeric | |
| EPackageErrors | ErrorMessage | varchar | 255 |
| EPackageErrors | PackageID | varchar | 36 |
| EPackageErrors | TransactionID | varchar | 20 |
| EPackages | ControlNum | numeric | |
| EPackages | Locked | bit | |
| EPackages | PackageID | varchar | 36 |
| EPackages | PackageName | varchar | 255 |
| EPackages | PackID | numeric | |
| EPackages | PersonnelCode | numeric | |
| EPackages | ProcessCode | char | 2 |
| EPackages | ReceivedDate | datetime | |
| EPackages | SubmitterID | numeric | |
| EPackages | SubmitterName | varchar | 100 |
| ERecordingSpecialDays | Closed | bit | |

| | | | |
|-----------------------|------------------|----------|------|
| ERecordingSpecialDays | Day | datetime | |
| ERecordingSpecialDays | Description | nvarchar | 50 |
| ERecordingSpecialDays | EndHour | varchar | 11 |
| ERecordingSpecialDays | Id | int | |
| ERecordingSpecialDays | StartHour | varchar | 11 |
| ErrorExclusion | ErrorNumber | int | |
| ErrorExclusion | ID | int | |
| ErrorExclusion | ProcName | varchar | 60 |
| ErrorLog | AdditionalInfo | varchar | 3500 |
| ErrorLog | AppPath | varchar | 60 |
| ErrorLog | ErrorDate | datetime | |
| ErrorLog | ErrorDescription | varchar | 3500 |
| ErrorLog | ErrorID | int | |
| ErrorLog | ErrorNumber | varchar | 30 |
| ErrorLog | ExeVersion | varchar | 20 |
| ErrorLog | NTUser | varchar | 30 |
| ErrorLog | OSCSString | varchar | 40 |
| ErrorLog | OSName | varchar | 100 |
| ErrorLog | OSPlatformID | varchar | 20 |
| ErrorLog | OSServicePack | varchar | 50 |
| ErrorLog | OSServicePackVer | varchar | 50 |
| ErrorLog | OSVersion | varchar | 100 |
| ErrorLog | PersonnelCode | numeric | |
| ErrorLog | ProcName | varchar | 60 |
| ErrorLog | Source | varchar | 40 |
| ErrorLog | WorkStation | varchar | 20 |
| ESubErrors | ErrorMessage | varchar | 100 |
| ESubErrors | ESubErrorId | int | |
| ESubErrors | SubmissionID | numeric | |
| ESubFees | ESubFeeID | numeric | |
| ESubFees | FeeAmount | money | |
| ESubFees | FeeDescription | varchar | 100 |
| ESubFees | SubmissionID | varchar | 36 |
| eSubIndexingData | Amount | money | |

| | | | |
|------------------|----------------------|----------|-----|
| eSubIndexingData | Book | varchar | 5 |
| eSubIndexingData | Description | varchar | 255 |
| eSubIndexingData | DocID | numeric | |
| eSubIndexingData | EntryDate | datetime | |
| eSubIndexingData | ExtraDate1 | datetime | |
| eSubIndexingData | ExtraDate2 | datetime | |
| eSubIndexingData | FileDate | datetime | |
| eSubIndexingData | FileNumber | varchar | 12 |
| eSubIndexingData | FileNumberSuffix | varchar | 12 |
| eSubIndexingData | IndexType | char | 3 |
| eSubIndexingData | InstrumentDate | datetime | |
| eSubIndexingData | KindCode | char | 8 |
| eSubIndexingData | OrigBook | varchar | 5 |
| eSubIndexingData | OrigFileNumber | varchar | 12 |
| eSubIndexingData | OrigFileNumberSuffix | varchar | 12 |
| eSubIndexingData | OrigPage | varchar | 5 |
| eSubIndexingData | OrigPageSuffix | varchar | 5 |
| eSubIndexingData | Page | varchar | 50 |
| eSubIndexingData | RecordingNum | numeric | |
| eSubIndexingData | ScanPages | numeric | |
| eSubIndexingData | SubmissionID | varchar | 36 |
| eSubIndexingData | WorkGroup | numeric | |
| eSubmissionParms | ESubArchivePath | varchar | 255 |
| eSubmissionParms | ESubDownloadPath | varchar | 255 |
| eSubmissionParms | ESubErrorPath | varchar | 255 |
| eSubmissionParms | EsubmissionParmID | int | |
| eSubmissionParms | ESubRequestPath | varchar | 255 |
| eSubmissionParms | ESubResponsePath | varchar | 255 |
| eSubmissionParms | ESubSubmittedPath | varchar | 255 |
| eSubmissionParms | FPAErrorPath | varchar | 255 |
| eSubmissionParms | FPARequestPath | varchar | 255 |
| eSubmissionParms | FPAResponsePath | varchar | 255 |
| eSubmissionParms | ImageFilingPath | varchar | 255 |
| eSubNames | eSubNameID | numeric | |

| | | | |
|------------------|-----------------|----------|------------|
| eSubNames | FirmSurName | varchar | 74 |
| eSubNames | GivenName | varchar | 70 |
| eSubNames | MiddleName | varchar | 70 |
| eSubNames | NameTitle | varchar | 30 |
| eSubNames | NonPersonEntity | char | 1 |
| eSubNames | SIDE | tinyint | |
| eSubNames | SubmissionID | varchar | 36 |
| eSubNames | UnParsedName | varchar | 100 |
| eSubProperties | Block | varchar | 5 |
| eSubProperties | City | varchar | 24 |
| eSubProperties | CivilTwp | varchar | 40 |
| eSubProperties | Comment | varchar | 60 |
| eSubProperties | Condo | varchar | 40 |
| eSubProperties | eSubPropertyID | int | |
| eSubProperties | GPin | varchar | 20 |
| eSubProperties | Lot | varchar | 5 |
| eSubProperties | QQSection | varchar | 2 |
| eSubProperties | QSection | varchar | 2 |
| eSubProperties | Range | char | 3 |
| eSubProperties | Section | varchar | 2 |
| eSubProperties | Sequence | numeric | |
| eSubProperties | SubDivision | varchar | 40 |
| eSubProperties | SubmissionID | varchar | 36 |
| eSubProperties | Twp | char | 3 |
| eSubProperties | Type | varchar | 20 |
| eSubProperties | Unit | varchar | 8 |
| EtranImages | DocumentID | varchar | 36 |
| EtranImages | DocumentImage | text | 2147483647 |
| EtranImages | EtranID | numeric | |
| EtranImageStamps | EtranID | numeric | |
| EtranImageStamps | ImageSequence | smallint | |
| EtranImageStamps | StampId | numeric | |
| EtranImageStamps | StampX | numeric | |
| EtranImageStamps | StampY | numeric | |

| | | | |
|-----------------------|------------------|----------|------------|
| ETransactions | AttachmentCount | int | |
| ETransactions | BaseFileNumb | numeric | |
| ETransactions | Consideration | money | |
| ETransactions | DocumentID | varchar | 36 |
| ETransactions | DocumentName | varchar | 255 |
| ETransactions | DocumentTranCode | numeric | |
| ETransactions | DocumentType | varchar | 100 |
| ETransactions | EFileErrorID | int | |
| ETransactions | ETranid | numeric | |
| ETransactions | ETranMaxAmount | money | |
| ETransactions | EtranSeq | int | |
| ETransactions | ExceptionMessage | varchar | 255 |
| ETransactions | NameCount | int | |
| ETransactions | PackID | numeric | |
| ETransactions | PageCount | int | |
| ETransactions | ProcessCode | char | 2 |
| ETransactions | ReceivedDate | datetime | |
| ETransactions | RecordingFee | money | |
| ETransactions | RecordingNum | numeric | |
| EtranSendImages | DocumentImage | text | 2147483647 |
| EtranSendImages | EtranID | numeric | |
| ExportDelinquentTaxes | Add_on | money | |
| ExportDelinquentTaxes | BillNumber | varchar | 20 |
| ExportDelinquentTaxes | Commission | money | |
| ExportDelinquentTaxes | Description | varchar | 4000 |
| ExportDelinquentTaxes | FileDate | datetime | |
| ExportDelinquentTaxes | Grantee | varchar | 255 |
| ExportDelinquentTaxes | Grantor | varchar | 255 |
| ExportDelinquentTaxes | Grantor2 | varchar | 255 |
| ExportDelinquentTaxes | Id | int | |
| ExportDelinquentTaxes | KindDesc | varchar | 100 |
| ExportDelinquentTaxes | MapId | varchar | 20 |
| ExportDelinquentTaxes | NetTax | money | |
| ExportDelinquentTaxes | pen_2 | money | |

| | | | |
|-----------------------|----------------------|----------|-----|
| ExportDelinquentTaxes | TaxAmount | money | |
| ExportDelinquentTaxes | TaxYear | varchar | 4 |
| FAMobileCarriers | CarrierAddress | varchar | 50 |
| FAMobileCarriers | CarrierId | smallint | |
| FAMobileCarriers | CarrierName | varchar | 50 |
| FANotificationMethods | Enabled | bit | |
| FANotificationMethods | MethodDataMask | varchar | 50 |
| FANotificationMethods | MethodDesc | varchar | 50 |
| FANotificationMethods | MethodID | tinyint | |
| FANotifications | BaseFileNumb | numeric | |
| FANotifications | DateCreated | datetime | |
| FANotifications | DateNotified | datetime | |
| FANotifications | IsPending | bit | |
| FANotifications | NotificationID | int | |
| FANotifications | NotificationMethodID | tinyint | |
| FANotifications | SubscriptionID | int | |
| FASubscribers | Address | varchar | 50 |
| FASubscribers | City | varchar | 35 |
| FASubscribers | DateSubscribed | datetime | |
| FASubscribers | Email | varchar | 255 |
| FASubscribers | FirstName | varchar | 35 |
| FASubscribers | IsPINEncrypted | bit | |
| FASubscribers | LastLogin | datetime | |
| FASubscribers | LastLoginIP | varchar | 11 |
| FASubscribers | LastName | varchar | 35 |
| FASubscribers | LastUpdated | datetime | |
| FASubscribers | Mobile | numeric | |
| FASubscribers | PhoneNumber | numeric | |
| FASubscribers | PIN | varchar | 50 |
| FASubscribers | State | char | 2 |
| FASubscribers | SubscribedIP | varchar | 11 |
| FASubscribers | SubscriberID | int | |
| FASubscribers | TextAddress | varchar | 255 |
| FASubscribers | ZIP | numeric | |

| | | | |
|--------------------|----------------------|----------|----|
| FASubscriptions | AptLotBoxNo | varchar | 6 |
| FASubscriptions | BusinessName | varchar | 74 |
| FASubscriptions | CreatedIP | varchar | 11 |
| FASubscriptions | DateCreated | datetime | |
| FASubscriptions | DateDeactivated | datetime | |
| FASubscriptions | DeactivationIP | varchar | 11 |
| FASubscriptions | FirmSurName | varchar | 74 |
| FASubscriptions | GivenName | varchar | 70 |
| FASubscriptions | GPin | varchar | 20 |
| FASubscriptions | Hits | int | |
| FASubscriptions | HouseNumber | varchar | 20 |
| FASubscriptions | IsActive | bit | |
| FASubscriptions | MiddleName | varchar | 70 |
| FASubscriptions | NotificationMethodID | tinyint | |
| FASubscriptions | Street | varchar | 30 |
| FASubscriptions | SubscriberID | int | |
| FASubscriptions | SubscriptionID | int | |
| faxpb | areacode | nvarchar | 3 |
| faxpb | company | nvarchar | 50 |
| faxpb | exchange | nvarchar | 3 |
| faxpb | local_call | nvarchar | 1 |
| faxpb | name | nvarchar | 50 |
| faxpb | phone | nvarchar | 4 |
| FeeAccountFunction | AccountNum | char | 16 |
| FeeAccountFunction | AccountNumSeq | numeric | |
| FeeAccountFunction | AcctFunction | char | 2 |
| FeeAccountFunction | ModifyDate | datetime | |
| FeeAccountFunction | ModifyPersonnelCode | numeric | |
| FeeAccountFunction | ModifyWorkStation | varchar | 20 |
| FeeAccounts | AccountDesc | varchar | 30 |
| FeeAccounts | AccountNum | char | 16 |
| FeeAccounts | AcctGroup1 | varchar | 16 |
| FeeAccounts | AcctGroup2 | varchar | 16 |
| FeeAccounts | AcctGroup3 | varchar | 16 |

| | | | |
|------------------|--------------------------|----------|-----|
| FeeAccounts | AcctGroup4 | varchar | 16 |
| FeeAccountTotals | AccountNum | char | 16 |
| FeeAccountTotals | AcctDay | numeric | |
| FeeAccountTotals | AcctMonth | numeric | |
| FeeAccountTotals | AcctYear | numeric | |
| FeeAccountTotals | CashAmount | money | |
| FeeAccountTotals | ChargeAmount | money | |
| FeeAccountTotals | ChargePaid | money | |
| FeeAccountTotals | PaidOnAccount | money | |
| FeeCustomer | Active | bit | |
| FeeCustomer | Address1 | varchar | 40 |
| FeeCustomer | Address2 | varchar | 40 |
| FeeCustomer | AmountDue | numeric | |
| FeeCustomer | BeginBalance | numeric | |
| FeeCustomer | ChargeCustomerAtOnePoint | bit | |
| FeeCustomer | ChargeFlag | bit | |
| FeeCustomer | ChargeLimit | money | |
| FeeCustomer | City | varchar | 24 |
| FeeCustomer | Comments | varchar | 255 |
| FeeCustomer | CustomerAcct | numeric | |
| FeeCustomer | CustomerName | varchar | 40 |
| FeeCustomer | Email | varchar | 50 |
| FeeCustomer | EndingBalance | numeric | |
| FeeCustomer | FaxNumber | char | 10 |
| FeeCustomer | LabelFlag | bit | |
| FeeCustomer | LastChgAmt | numeric | |
| FeeCustomer | LastChgDate | datetime | |
| FeeCustomer | LastPayAmt | numeric | |
| FeeCustomer | LastPayDate | datetime | |
| FeeCustomer | OverDrawFlag | bit | |
| FeeCustomer | Past30 | numeric | |
| FeeCustomer | Past60 | numeric | |
| FeeCustomer | Past90 | numeric | |
| FeeCustomer | PhoneNumber | char | 10 |

| | | | |
|-------------------|--------------------------|----------|----|
| FeeCustomer | ReferenceNum | char | 20 |
| FeeCustomer | Remarks | varchar | 80 |
| FeeCustomer | State | char | 2 |
| FeeCustomer | StatementFlag | bit | |
| FeeCustomer | StmtDate | datetime | |
| FeeCustomer | WarnBalance | numeric | |
| FeeCustomer | ZipCode | varchar | 10 |
| FeeCustomerTotals | BeginingBalance | money | |
| FeeCustomerTotals | CashAmount | money | |
| FeeCustomerTotals | ChargeAmount | money | |
| FeeCustomerTotals | CustMonth | numeric | |
| FeeCustomerTotals | CustomerAcct | numeric | |
| FeeCustomerTotals | CustYear | numeric | |
| FeeDateControl | ClosedOn | datetime | |
| FeeDateControl | ControlStatus | char | 1 |
| FeeDateControl | FeeDay | numeric | |
| FeeDateControl | FeeMonth | numeric | |
| FeeDateControl | FeeYear | numeric | |
| FeeDateControl | OpenedOn | datetime | |
| FeeDateControl | PersonnelCode | numeric | |
| FeeDateControl | PkFeeDate | numeric | |
| FeeDateControl | WorkStation | varchar | 20 |
| FeeFieldLabels | FeeField | varchar | 50 |
| FeeFieldLabels | FeeFieldLabel | varchar | 30 |
| FeeFieldLabels | FeeFieldLabel_ID | numeric | |
| FeeLoginReq | PKFeeLogin | tinyint | |
| FeeLoginReq | Workstation | varchar | 20 |
| FeeParms | AccountFormat | varchar | 20 |
| FeeParms | AllowChangeWithCheck | bit | |
| FeeParms | AllowDeferred | bit | |
| FeeParms | AllowOverUnder | bit | |
| FeeParms | AllowVoidReEnter | bit | |
| FeeParms | APGCashDrawer | bit | |
| FeeParms | AssignCoudiBeforePayment | bit | |

| | | | |
|----------|----------------------------|----------|-----|
| FeeParms | AssignTimeAtPayment | bit | |
| FeeParms | ByWorkstation | bit | |
| FeeParms | CashDrawer | bit | |
| FeeParms | CertifiedCopyAmount | money | |
| FeeParms | CertifiedReportVerbage | varchar | 240 |
| FeeParms | CheckNameRequired | bit | |
| FeeParms | CheckValidation | bit | |
| FeeParms | Comments | varchar | 255 |
| FeeParms | CompletedInstrDefault | bit | |
| FeeParms | ConformedCopyAmount | money | |
| FeeParms | CoverSheetVerbage | varchar | 240 |
| FeeParms | CreditTranCode | numeric | |
| FeeParms | CrossIndex | bit | |
| FeeParms | DisplayCurrentDateWarning | bit | |
| FeeParms | DisplayMessageEachCheck | bit | |
| FeeParms | DocumentStampReq | bit | |
| FeeParms | eCommerceDB | varchar | 50 |
| FeeParms | eCommercePersonnelCode | numeric | |
| FeeParms | eCommerceTranCode | numeric | |
| FeeParms | EnterSeconds | bit | |
| FeeParms | FiscalYearEndMonth | numeric | |
| FeeParms | FiscalYearStartMonth | numeric | |
| FeeParms | ForceLoginForNewReceipt | bit | |
| FeeParms | HTMLFormattedString | varchar | -1 |
| FeeParms | IndexingInterface | bit | |
| FeeParms | LastCloseDate | datetime | |
| FeeParms | MailingLabelAcross | numeric | |
| FeeParms | MailingLabelCopies | tinyint | |
| FeeParms | MaxInstrumentsPerWorkGroup | smallint | |
| FeeParms | MortgageTaxEnabled | bit | |
| FeeParms | NewReceiptOnVoid | bit | |
| FeeParms | NextReceiptNum | numeric | |
| FeeParms | NextRecordingNum | numeric | |
| FeeParms | NonChargeCustomerWarning | bit | |

| | | | |
|----------|-----------------------------|------------|------|
| FeeParms | OpenCashDrawerCharge | bit | |
| FeeParms | OpenCashDrawerCheck | bit | |
| FeeParms | OpenCashDrawerOther | bit | |
| FeeParms | OpenItemInvoice | bit | |
| FeeParms | OverAmount | smallmoney | |
| FeeParms | OverTranCode | numeric | |
| FeeParms | Past30Text | varchar | 255 |
| FeeParms | Past60Text | varchar | 255 |
| FeeParms | Past90Text | varchar | 255 |
| FeeParms | PaymentTranCode | numeric | |
| FeeParms | PKFeeParms | numeric | |
| FeeParms | PrintAccountsOnReceipt | bit | |
| FeeParms | PrintCaseTransactionOnStamp | bit | |
| FeeParms | PrintChargeBalanceOnReceipt | bit | |
| FeeParms | PrintCheckNoOnReceipt | bit | |
| FeeParms | PrintClerkLineOnCoverSheet | bit | |
| FeeParms | PrintCustAddrOnReceipt | bit | |
| FeeParms | PrintDocStampsAfterPayment | bit | |
| FeeParms | PrintFeeDescOnCoverSheet | bit | |
| FeeParms | PrintFeeTaxOnReceipt | bit | |
| FeeParms | PrintKindOnCoverSheet | bit | |
| FeeParms | PrintLaserReceipt | bit | |
| FeeParms | PrintNameOnTaxStamp | bit | |
| FeeParms | PrintNamesOnReceipt | bit | |
| FeeParms | PrintReceiptNumOnStamp | bit | |
| FeeParms | PrintRecNoOnStamp | bit | |
| FeeParms | PrintReportsByTime | bit | |
| FeeParms | PrintReturnToOnCoversheet | bit | |
| FeeParms | PrintStatementHeader | bit | |
| FeeParms | PrintTranTimeOnReceipt | bit | |
| FeeParms | ProcessCredit | bit | |
| FeeParms | QuickBooksAccount | varchar | 50 |
| FeeParms | QuickBooksCompanyFile | varchar | 1000 |
| FeeParms | RecordationCopyAmount | money | |

| | | | |
|-------------------------|--------------------------------|------------|------|
| FeeParms | RecordVoidOnOrigPersonnel | bit | |
| FeeParms | RejectionTextBottom | varchar | 2000 |
| FeeParms | RejectionTextTop | varchar | 2000 |
| FeeParms | ReplaceIndexWithKindOnStamp | bit | |
| FeeParms | ReportDirectory | varchar | 100 |
| FeeParms | RequireReasonForVoiding | bit | |
| FeeParms | ResetReceiptNumSeqOn | datetime | |
| FeeParms | ResetReceiptNumYearOn | datetime | |
| FeeParms | ResetRecordingNumSeqOn | datetime | |
| FeeParms | ResetRecordingNumYearOn | datetime | |
| FeeParms | SaveReportAs | char | 3 |
| FeeParms | SecureTransactionsByDepartment | bit | |
| FeeParms | SelectionDefault | tinyint | |
| FeeParms | ShowAllChargeCustomers | bit | |
| FeeParms | StatementCCAddress | varchar | 255 |
| FeeParms | StatementDeliveryNotification | bit | |
| FeeParms | StatementFromAddress | varchar | 255 |
| FeeParms | StatementSubject | varchar | 255 |
| FeeParms | TrueRounding | bit | |
| FeeParms | UnderAmount | smallmoney | |
| FeeParms | UnderTranCode | numeric | |
| FeeParms | UseExpandedFeeWorkflowReport | bit | |
| FeeParms | WebServiceAddress | varchar | 75 |
| FeeParms | WorkflowStampReq | bit | |
| FeeRateFunctions | FeeRateFunction | numeric | |
| FeeRateFunctions | FeeRateSeq | numeric | |
| FeeRateFunctions | FromPage | numeric | |
| FeeRateFunctions | FromValue | money | |
| FeeRateFunctions | MillagePercent | decimal | |
| FeeRateFunctions | PageAmount | money | |
| FeeRateFunctions | ThruPage | numeric | |
| FeeRateFunctions | ThruValue | money | |
| FeeRateTransactionCodes | FeeRateCode | numeric | |
| FeeRateTransactionCodes | FeeRateDesc | varchar | 40 |

| | | | |
|-------------------------|--------------------------|----------|------------|
| FeeRateTransactions | AccumulateFee | bit | |
| FeeRateTransactions | FeeRateCode | numeric | |
| FeeRateTransactions | FeeRateSeq | numeric | |
| FeeRateTransactions | ModifyDate | datetime | |
| FeeRateTransactions | ModifyPersonnelCode | numeric | |
| FeeRateTransactions | ModifyWorkStation | varchar | 20 |
| FeeReceiptEPackages | FeeReceiptEPackageID | int | |
| FeeReceiptEPackages | FeeReceiptID | numeric | |
| FeeReceiptEPackages | PackageID | varchar | 36 |
| FeeReceiptEPackages | PackageName | varchar | 255 |
| FeeReceiptEPackages | ProcessCode | char | 2 |
| FeeReceiptEPackages | ReceivedDate | datetime | |
| FeeReceiptEPackages | TransactionID | varchar | 20 |
| FeeReceiptEPackages | Vendor | varchar | 100 |
| FeeReceiptETransactions | DocumentID | varchar | 36 |
| FeeReceiptETransactions | DocumentName | varchar | 255 |
| FeeReceiptETransactions | FeeReceiptETransactionID | int | |
| FeeReceiptETransactions | FeeReceiptID | int | |
| FeeReceiptETransactions | FeeReceiptImageID | int | |
| FeeReceiptETransactions | RecordingNum | numeric | |
| FeeReceiptETransactions | TranID | int | |
| FeeReceiptImages | FeeReceiptID | numeric | |
| FeeReceiptImages | FeeReceiptImageID | int | |
| FeeReceiptImages | Image | text | 2147483647 |
| FeeReceiptImages | Recordable | bit | |
| FeeReceiptImages | TranID | int | |
| FeeReceiptImageStamp | FeeReceiptImageID | int | |
| FeeReceiptImageStamp | Height | float | |
| FeeReceiptImageStamp | ImageSeq | smallint | |
| FeeReceiptImageStamp | RotateDegree | int | |
| FeeReceiptImageStamp | StampID | int | |
| FeeReceiptImageStamp | Width | float | |
| FeeReceiptImageStamp | X | float | |
| FeeReceiptImageStamp | Y | float | |

| | | | |
|--------------------------|---------------------------|----------|------------|
| FeeReceiptOriginalImages | FeeReceiptID | numeric | |
| FeeReceiptOriginalImages | FeeReceiptOriginalImageID | int | |
| FeeReceiptOriginalImages | Image | text | 2147483647 |
| FeeReceiptOriginalImages | TranID | int | |
| FeeReceipts | ControlNum | numeric | |
| FeeReceipts | FeeReceiptID | numeric | |
| FeeReceipts | Locked | bit | |
| FeeReceipts | LockedDate | datetime | |
| FeeReceipts | PersonnelCode | numeric | |
| FeeReceipts | ReceiptSource | varchar | 20 |
| FeeReceipts | ScanFirstWorkGroup | numeric | |
| FeeReceipts | XMLDoc | text | 2147483647 |
| FeeRejection | Address1 | varchar | 40 |
| FeeRejection | Address2 | varchar | 40 |
| FeeRejection | CheckAmount | money | |
| FeeRejection | CheckNumber | varchar | 8 |
| FeeRejection | City | varchar | 24 |
| FeeRejection | Comment | varchar | 1000 |
| FeeRejection | CustomerName | varchar | 40 |
| FeeRejection | DocId | numeric | |
| FeeRejection | FeeReceiptID | numeric | |
| FeeRejection | FeeRejectionID | numeric | |
| FeeRejection | PersonnelCode | numeric | |
| FeeRejection | RejectedDate | datetime | |
| FeeRejection | Side1FirmName | varchar | 200 |
| FeeRejection | Side1FirstName | varchar | 200 |
| FeeRejection | Side1MiddleName | varchar | 200 |
| FeeRejection | Side1Title | varchar | 200 |
| FeeRejection | Side2FirmName | varchar | 200 |
| FeeRejection | Side2FirstName | varchar | 200 |
| FeeRejection | Side2MiddleName | varchar | 200 |
| FeeRejection | Side2Title | varchar | 200 |
| FeeRejection | State | char | 2 |
| FeeRejection | TranID | int | |

| | | | |
|--------------------|----------------------|----------|-----|
| FeeRejection | ZipCode | varchar | 10 |
| FeeRejectionDetail | AdditionalReason | varchar | 255 |
| FeeRejectionDetail | EFileErrorID | int | |
| FeeRejectionDetail | FeeRejectionDetailID | numeric | |
| FeeRejectionDetail | FeeRejectionID | numeric | |
| FeeRejectionDetail | RejectionReason | varchar | 510 |
| FeeVoids | NewControlNum | numeric | |
| FeeVoids | NewRecordingNum | numeric | |
| FeeVoids | OrigControlNum | numeric | |
| FeeVoids | OrigRecordingNum | numeric | |
| FeeVoids | PKVoid | numeric | |
| GroupOptions | CreateAnnotation | bit | |
| GroupOptions | DeleteAnnotation | bit | |
| GroupOptions | DeleteImage | bit | |
| GroupOptions | DeleteIndex | bit | |
| GroupOptions | FileReplacImage | bit | |
| GroupOptions | GroupID | numeric | |
| GroupOptions | IndexID | tinyint | |
| GroupOptions | PrintAnnotation | bit | |
| GroupOptions | ScanImage | bit | |
| GroupOptions | ViewAnnotation | bit | |
| GroupOptions | ViewImage | bit | |
| Groups | GroupID | numeric | |
| Groups | GroupName | varchar | 50 |
| Groups | OverrideAutoSelect | bit | |
| Groups | ReOpenDay | bit | |
| Groups | SecureDayEnd | bit | |
| holdimages | DocID | numeric | |
| holdimages | ImageID | numeric | |
| holdimages | PageSeq | numeric | |
| holdimages | RedactionProcessed | bit | |
| holdimages | ScanDate | datetime | |
| holdimages | WorkGroup | numeric | |
| HoldOldImport | Amount | money | |

| | | | |
|---------------|----------------------|----------|-----|
| HoldOldImport | BookBlockCancel | varchar | 50 |
| HoldOldImport | BookSuffix | varchar | 5 |
| HoldOldImport | Cancelled | bit | |
| HoldOldImport | CourtRecord | bit | |
| HoldOldImport | CourtRecordType | varchar | 30 |
| HoldOldImport | DescriptionUnitSSN | varchar | 255 |
| HoldOldImport | ExtraDate1 | datetime | |
| HoldOldImport | ExtraDate2 | datetime | |
| HoldOldImport | FileDateCondoTitle | varchar | 40 |
| HoldOldImport | FileNumberQQSec | varchar | 20 |
| HoldOldImport | FileNumberSuffixGpin | varchar | 20 |
| HoldOldImport | IndexSubdivSurname | varchar | 74 |
| HoldOldImport | InstrumentDate | datetime | |
| HoldOldImport | Judgment | bit | |
| HoldOldImport | KindCityGiven | varchar | 74 |
| HoldOldImport | KindSuffix | varchar | 8 |
| HoldOldImport | MarAdoptive | bit | |
| HoldOldImport | MarCeremonytype | varchar | 30 |
| HoldOldImport | MarCity | varchar | 24 |
| HoldOldImport | MarConsangRelation | bit | |
| HoldOldImport | MarCounty | varchar | 30 |
| HoldOldImport | MarCovenant | bit | |
| HoldOldImport | MarDateIssued | varchar | 30 |
| HoldOldImport | MarDateMarried | varchar | 30 |
| HoldOldImport | MarExpirationDate | varchar | 30 |
| HoldOldImport | MarOfficiant | varchar | 70 |
| HoldOldImport | MarOfficiantAddress | varchar | 50 |
| HoldOldImport | MarOfficiantCity | varchar | 24 |
| HoldOldImport | MarOfficiantCounty | varchar | 30 |
| HoldOldImport | MarOfficiantTitle | varchar | 40 |
| HoldOldImport | OrgKindBase | varchar | 20 |
| HoldOldImport | OrgKindInter | varchar | 20 |
| HoldOldImport | OrigBookSuffix | varchar | 5 |
| HoldOldImport | OrigBookTwp | varchar | 50 |

| | | | |
|---------------------|-------------------------|---------|------------|
| HoldOldImport | OrigFileNumberComment | varchar | 60 |
| HoldOldImport | OrigFileNumberSuffix | varchar | 12 |
| HoldOldImport | OrigPageSec | varchar | 30 |
| HoldOldImport | OrigPageSuffixQSec | varchar | 20 |
| HoldOldImport | PageLot | varchar | 40 |
| HoldOldImport | PageSuffixRange | varchar | 40 |
| HoldOldImport | RecordID | numeric | |
| HoldOldImport | RecordingCivilTwpMiddle | varchar | 70 |
| HoldOldImport | RecordSeq | numeric | |
| HoldOldImport | RecordType | numeric | |
| HoldOldImport | ScanPages | numeric | |
| HoldOldImport | SecuredDocument | varchar | 2 |
| HoldOldImportErrors | BaseFileNumb | numeric | |
| HoldOldImportErrors | Book | varchar | 5 |
| HoldOldImportErrors | ErrorDesc | varchar | 254 |
| HoldOldImportErrors | FileNumber | varchar | 12 |
| HoldOldImportErrors | IndexType | char | 3 |
| HoldOldImportErrors | Page | varchar | 5 |
| HoldOldImportErrors | ValueIn | varchar | 254 |
| HoldOldImportErrors | ValueOut | varchar | 254 |
| ILRAccounts | AccountNum | varchar | 16 |
| ILRAccounts | ILRFeeDesc | varchar | 100 |
| ILRDocumentTypes | ILRDocumentTypeID | int | |
| ILRDocumentTypes | Type | varchar | 50 |
| ILRDocumentTypes | TypeOtherDesc | varchar | 50 |
| ILRESubmissions | BaseFileNumb | numeric | |
| ILRESubmissions | GroupName | varchar | 50 |
| ILRESubmissions | GroupObjectID | int | |
| ILRESubmissions | ID | int | |
| ILRESubmissions | Message | text | 2147483647 |
| ILRESubmissions | PRIADocObjectID | int | |
| ILRESubmissions | RecorderApprovedDate | varchar | 50 |
| ILRESubmissions | Sequence | tinyint | |
| ILRESubmissions | Status | varchar | 3 |

| | | | |
|------------------------|-------------------|----------|------------|
| ILRESubmissions | StatusDate | datetime | |
| ILRESubmissionsHistory | ID | int | |
| ILRESubmissionsHistory | ILRESubmissionID | int | |
| ILRESubmissionsHistory | Message | text | 2147483647 |
| ILRESubmissionsHistory | Status | varchar | 3 |
| ILRESubmissionsHistory | StatusDate | datetime | |
| ILRESubmissionStatus | Desc | varchar | 50 |
| ILRESubmissionStatus | Status | varchar | 3 |
| ILRKinds | ID | int | |
| ILRKinds | ILRDocumentTypeID | int | |
| ILRKinds | KindCode | numeric | |
| ILRKinds | Transmit | bit | |
| ILRParms | CountyName | varchar | 50 |
| ILRParms | ILRParmID | tinyint | |
| ILRParms | PortalStartDate | datetime | |
| ILRTransactions | ID | int | |
| ILRTransactions | ILRDocumentTypeID | int | |
| ILRTransactions | IndexType | char | 3 |
| ILRTransactions | KindCode | numeric | |
| ILRTransactions | TranCode | numeric | |
| ILRTransmitData | BaseFileNumb | numeric | |
| ILRTransmitData | ID | bigint | |
| ILRTransmitData | Remarks | text | 2147483647 |
| ILRTransmitData | Status | char | 1 |
| ILRTransmitData | UniqueRequestID | varchar | 50 |
| ImageAttachments | DocId | numeric | |
| ImageAttachments | ID | numeric | |
| ImageAttachments | ImageId | numeric | |
| ImageBookMarks | BaseFileNumb | numeric | |
| ImageBookMarks | BookMarkType | char | 1 |
| ImageBookMarks | PageSeq | numeric | |
| ImageBookMarks | PKImageBookMarks | bigint | |
| ImageCancelledPulls | ID | numeric | |
| ImageCancelledPulls | Personnel | numeric | |

| | | | |
|------------------------|-----------------------|----------|-----|
| ImageCancelledPulls | PullId | int | |
| ImageCancelledPulls | Reason | varchar | 200 |
| ImageCancelledPulls | WorkStation | varchar | 20 |
| ImagedIndex | Firm | char | 1 |
| ImagedIndex | ImageDir | char | 25 |
| ImagedIndex | ImageStart | char | 8 |
| ImagedIndex | Name | char | 50 |
| ImagedIndex | PageNo | char | 10 |
| ImagedIndex | Party | int | |
| ImageExp | imageID | numeric | |
| ImageExp | ScanDate | datetime | |
| ImageImportLog | Book | varchar | 5 |
| ImageImportLog | FromPath | varchar | 512 |
| ImageImportLog | IDFId | numeric | |
| ImageImportLog | ImageID | numeric | |
| ImageImportLog | LoadDate | datetime | |
| ImageImportLog | Page | varchar | 5 |
| ImageImportLog | StatusCode | int | |
| ImageImportLog | StatusModule | varchar | 256 |
| ImageImportLog | ToPath | varchar | 512 |
| ImageImportLogStatuses | StatusCode | int | |
| ImageImportLogStatuses | StatusDesc | varchar | 512 |
| ImageModifications | BaseFileNumb | numeric | |
| ImageModifications | ImageID | numeric | |
| ImageModifications | ModifyDate | datetime | |
| ImageModifications | Operation | char | 1 |
| ImageModifications | PersonnelCode | numeric | |
| ImageModifications | PKImage | numeric | |
| ImageParms | AllowImageBookMarks | bit | |
| ImageParms | ApplyDigitalStamp | bit | |
| ImageParms | BindingEdge | decimal | |
| ImageParms | CheckAllBarcodeErrors | bit | |
| ImageParms | CheckScanEnabled | bit | |
| ImageParms | DefaultProcessDays | numeric | |

| | | | |
|------------|--------------------------|----------|-----|
| ImageParms | DefaultStampPosition | char | 2 |
| ImageParms | EnableAutoIndex | bit | |
| ImageParms | EnableAutoRedaction | bit | |
| ImageParms | EnableVerifyMargin | bit | |
| ImageParms | ExportDiskDirectory | varchar | 100 |
| ImageParms | ExportPageFileName | char | 1 |
| ImageParms | ExportSealedDocketImgs | bit | |
| ImageParms | ExportWithFormat | bit | |
| ImageParms | ExtendDirectory | bit | |
| ImageParms | HeconEnabled | bit | |
| ImageParms | ImageAutoIndexTempDir | varchar | 100 |
| ImageParms | ImageRedactionTempDir | varchar | 100 |
| ImageParms | NextDocID | numeric | |
| ImageParms | NextImageID | numeric | |
| ImageParms | OCRImagesEnabled | bit | |
| ImageParms | OperatorTitle | varchar | 30 |
| ImageParms | PersonnelCode | numeric | |
| ImageParms | PKImageParms | numeric | |
| ImageParms | PrintAllHeaderImagePrint | bit | |
| ImageParms | PrintDuplicates | bit | |
| ImageParms | RecordBookPages | numeric | |
| ImageParms | ScanAtFrontCounter | bit | |
| ImageParms | VerifyMarginBottom | decimal | |
| ImageParms | VerifyMarginLeft | decimal | |
| ImageParms | VerifyMarginRight | decimal | |
| ImageParms | VerifyMarginTop | decimal | |
| ImagePulls | CheckInDate | datetime | |
| ImagePulls | CheckOutDate | datetime | |
| ImagePulls | Criteria | varchar | 200 |
| ImagePulls | ImagesProcessed | int | |
| ImagePulls | LastImageId | numeric | |
| ImagePulls | PersonnelCode | numeric | |
| ImagePulls | PullId | int | |
| ImagePulls | WorkStation | varchar | 20 |

| | | | |
|-----------------|-------------------------|------------------|------------|
| Images | DocID | numeric | |
| Images | ImageID | numeric | |
| Images | PageSeq | numeric | |
| Images | RedactionProcessed | bit | |
| Images | ScanDate | datetime | |
| Images | WorkGroup | numeric | |
| ImagesAnn | AddDate | datetime | |
| ImagesAnn | Deleted | bit | |
| ImagesAnn | DeleteDate | datetime | |
| ImagesAnn | DocId | numeric | |
| ImagesAnn | ID | int | |
| ImagesAnn | ImageId | numeric | |
| ImagesAnn | PersonnelCode | numeric | |
| ImagesNotLinked | Book | varchar | 5 |
| ImagesNotLinked | BookSuffix | varchar | 5 |
| ImagesNotLinked | DocID | numeric | |
| ImagesNotLinked | FileNumber | varchar | 12 |
| ImagesNotLinked | FileNumberSuffix | varchar | 12 |
| ImagesNotLinked | IndexType | char | 3 |
| ImagesNotLinked | Page | varchar | 5 |
| ImagesNotLinked | PageSuffix | varchar | 5 |
| ImagesNotLinked | PKImage | numeric | |
| ImageTags | ImageID | numeric | |
| ImageTags | TagCode | char | 2 |
| ImageTransfers | BatchID | uniqueidentifier | |
| ImageTransfers | DocID | numeric | |
| ImageTransfers | Image | image | 2147483647 |
| ImageTransfers | ImageID | numeric | |
| ImageTransfers | ImageTransferID | numeric | |
| ImageTransfers | Redacted | bit | |
| ImageTransfers | RetrieveFromRedactedDir | bit | |
| Import | Amount | money | |
| Import | BookBlockCancel | varchar | 50 |
| Import | BookSuffix | varchar | 5 |

| | | | |
|--------|-----------------------|----------|-----|
| Import | Cancelled | bit | |
| Import | CourtRecord | bit | |
| Import | CourtRecordType | varchar | 30 |
| Import | DescriptionUnitSSN | varchar | 255 |
| Import | ExtraDate1 | datetime | |
| Import | ExtraDate2 | datetime | |
| Import | FileDateCondoTitle | varchar | 40 |
| Import | FileNumberQQSec | varchar | 20 |
| Import | FileNumberSuffixGpin | varchar | 20 |
| Import | IndexSubdivSurname | varchar | 74 |
| Import | InstrumentDate | datetime | |
| Import | Judgment | bit | |
| Import | KindCityGiven | varchar | 74 |
| Import | KindSuffix | varchar | 8 |
| Import | MarAdoptive | bit | |
| Import | MarCeremonytype | varchar | 30 |
| Import | MarCity | varchar | 24 |
| Import | MarConsangRelation | bit | |
| Import | MarCounty | varchar | 30 |
| Import | MarCovenant | bit | |
| Import | MarDateIssued | varchar | 30 |
| Import | MarDateMarried | varchar | 30 |
| Import | MarExpirationDate | varchar | 30 |
| Import | MarOfficiant | varchar | 70 |
| Import | MarOfficiantAddress | varchar | 50 |
| Import | MarOfficiantCity | varchar | 24 |
| Import | MarOfficiantCounty | varchar | 30 |
| Import | MarOfficiantTitle | varchar | 40 |
| Import | OrgKindBase | varchar | 20 |
| Import | OrgKindInter | varchar | 20 |
| Import | OrigBookSuffix | varchar | 5 |
| Import | OrigBookTwp | varchar | 50 |
| Import | OrigFileNumberComment | varchar | 60 |
| Import | OrigFileNumberSuffix | varchar | 12 |

| | | | |
|------------------------|-------------------------|----------|-----|
| Import | OrigPageSec | varchar | 30 |
| Import | OrigPageSuffixQSec | varchar | 20 |
| Import | PageLot | varchar | 40 |
| Import | PageSuffixRange | varchar | 40 |
| Import | RecordID | numeric | |
| Import | RecordingCivilTwpMiddle | varchar | 70 |
| Import | RecordSeq | numeric | |
| Import | RecordType | numeric | |
| Import | ScanPages | numeric | |
| Import | SecuredDocument | varchar | 2 |
| import_backup_20070126 | Amount | money | |
| import_backup_20070126 | BookBlockCancel | varchar | 50 |
| import_backup_20070126 | BookSuffix | varchar | 5 |
| import_backup_20070126 | Cancelled | bit | |
| import_backup_20070126 | CourtRecord | bit | |
| import_backup_20070126 | CourtRecordType | varchar | 30 |
| import_backup_20070126 | DescriptionUnitSSN | varchar | 255 |
| import_backup_20070126 | ExtraDate1 | datetime | |
| import_backup_20070126 | ExtraDate2 | datetime | |
| import_backup_20070126 | FileDateCondoTitle | varchar | 40 |
| import_backup_20070126 | FileNumberQQSec | varchar | 20 |
| import_backup_20070126 | FileNumberSuffixGpin | varchar | 20 |
| import_backup_20070126 | IndexSubdivSurname | varchar | 74 |
| import_backup_20070126 | InstrumentDate | datetime | |
| import_backup_20070126 | Judgment | bit | |
| import_backup_20070126 | KindCityGiven | varchar | 74 |
| import_backup_20070126 | KindSuffix | varchar | 8 |
| import_backup_20070126 | MarAdoptive | bit | |
| import_backup_20070126 | MarCeremonyType | varchar | 30 |
| import_backup_20070126 | MarCity | varchar | 24 |
| import_backup_20070126 | MarConsangRelation | bit | |
| import_backup_20070126 | MarCounty | varchar | 30 |
| import_backup_20070126 | MarCovenant | bit | |
| import_backup_20070126 | MarDateIssued | varchar | 30 |

| | | | |
|------------------------|-------------------------|---------|-----|
| import_backup_20070126 | MarDateMarried | varchar | 30 |
| import_backup_20070126 | MarExpirationDate | varchar | 30 |
| import_backup_20070126 | MarOfficiant | varchar | 70 |
| import_backup_20070126 | MarOfficiantAddress | varchar | 50 |
| import_backup_20070126 | MarOfficiantCity | varchar | 24 |
| import_backup_20070126 | MarOfficiantCounty | varchar | 30 |
| import_backup_20070126 | MarOfficiantTitle | varchar | 40 |
| import_backup_20070126 | OrgKindBase | varchar | 20 |
| import_backup_20070126 | OrgKindInter | varchar | 20 |
| import_backup_20070126 | OrigBookSuffix | varchar | 5 |
| import_backup_20070126 | OrigBookTwp | varchar | 50 |
| import_backup_20070126 | OrigFileNumberComment | varchar | 60 |
| import_backup_20070126 | OrigFileNumberSuffix | varchar | 12 |
| import_backup_20070126 | OrigPageSec | varchar | 30 |
| import_backup_20070126 | OrigPageSuffixQSec | varchar | 20 |
| import_backup_20070126 | PageLot | varchar | 40 |
| import_backup_20070126 | PageSuffixRange | varchar | 40 |
| import_backup_20070126 | RecordID | numeric | |
| import_backup_20070126 | RecordingCivilTwpMiddle | varchar | 70 |
| import_backup_20070126 | RecordSeq | numeric | |
| import_backup_20070126 | RecordType | numeric | |
| import_backup_20070126 | ScanPages | numeric | |
| import_backup_20070126 | SecuredDocument | varchar | 2 |
| ImportErrors | BaseFileNumb | numeric | |
| ImportErrors | Book | varchar | 5 |
| ImportErrors | ErrorDesc | varchar | 254 |
| ImportErrors | FileNumber | varchar | 12 |
| ImportErrors | IndexType | char | 3 |
| ImportErrors | Page | varchar | 5 |
| ImportErrors | ValueIn | varchar | 254 |
| ImportErrors | ValueOut | varchar | 254 |
| ImportStatistics | BirthCount | numeric | |
| ImportStatistics | BrideCount | numeric | |
| ImportStatistics | ConstantCount | numeric | |

| | | | |
|-------------------|-------------------|----------|-----|
| ImportStatistics | GroomCount | numeric | |
| ImportStatistics | JudgmentTranCount | numeric | |
| ImportStatistics | LastRecordID | numeric | |
| ImportStatistics | PropertyCount | numeric | |
| ImportStatistics | SideOneAttyCount | numeric | |
| ImportStatistics | SideOneCount | numeric | |
| ImportStatistics | SideTwoAttyCount | numeric | |
| ImportStatistics | SideTwoCount | numeric | |
| ImportStatistics | WitnessCount | numeric | |
| IndexActions | Action | char | 3 |
| IndexActions | ActionDescription | varchar | 100 |
| IndexColumnTitles | DataColumn | varchar | 50 |
| IndexColumnTitles | EntryTitle | varchar | 12 |
| IndexColumnTitles | IndexType | char | 3 |
| IndexColumnTitles | PKIndexColumn | numeric | |
| IndexColumnTitles | ReportTitle | varchar | 16 |
| IndexColumnTitles | SearchTitle | varchar | 50 |
| IndexHistory | Action | char | 3 |
| IndexHistory | BaseFileNumb | numeric | |
| IndexHistory | Date | datetime | |
| IndexHistory | PersonnelCode | numeric | |
| IndexHistory | PKIndexHistory | int | |
| IndexHistory | Workstation | varchar | 20 |
| IndexingData | Amount | money | |
| IndexingData | Book | varchar | 5 |
| IndexingData | Description | varchar | 255 |
| IndexingData | DocID | numeric | |
| IndexingData | EntryDate | datetime | |
| IndexingData | ExtraDate1 | datetime | |
| IndexingData | ExtraDate2 | datetime | |
| IndexingData | FileDate | datetime | |
| IndexingData | FileNumber | varchar | 12 |
| IndexingData | FileNumberSuffix | varchar | 12 |
| IndexingData | IndexType | char | 3 |

| | | | |
|------------------|----------------------|----------|----|
| IndexingData | InstrumentDate | datetime | |
| IndexingData | KindCode | char | 8 |
| IndexingData | OrigBook | varchar | 5 |
| IndexingData | OrigFileNumber | varchar | 12 |
| IndexingData | OrigFileNumberSuffix | varchar | 12 |
| IndexingData | OrigPage | varchar | 5 |
| IndexingData | OrigPageSuffix | varchar | 5 |
| IndexingData | Page | varchar | 5 |
| IndexingData | RecordingNum | numeric | |
| IndexingData | ScanPages | numeric | |
| IndexingData | TransactionID | numeric | |
| IndexingData | WorkGroup | numeric | |
| IndexingGrantees | Address1 | varchar | 40 |
| IndexingGrantees | Address2 | varchar | 40 |
| IndexingGrantees | City | varchar | 24 |
| IndexingGrantees | FirmSurName | varchar | 74 |
| IndexingGrantees | GivenName | varchar | 70 |
| IndexingGrantees | MiddleName | varchar | 70 |
| IndexingGrantees | NameTitle | varchar | 30 |
| IndexingGrantees | State | char | 2 |
| IndexingGrantees | TaxID | varchar | 9 |
| IndexingGrantees | TransactionID | numeric | |
| IndexingGrantees | ZipCode | varchar | 10 |
| IndexingGrantors | Address1 | varchar | 40 |
| IndexingGrantors | Address2 | varchar | 40 |
| IndexingGrantors | City | varchar | 24 |
| IndexingGrantors | FirmSurName | varchar | 74 |
| IndexingGrantors | GivenName | varchar | 70 |
| IndexingGrantors | MiddleName | varchar | 70 |
| IndexingGrantors | NameTitle | varchar | 30 |
| IndexingGrantors | State | char | 2 |
| IndexingGrantors | TaxID | varchar | 9 |
| IndexingGrantors | TransactionID | numeric | |
| IndexingGrantors | ZipCode | varchar | 10 |

| | | | |
|--------------------|---------------------------------|---------|-----|
| IndexingProperties | Block | varchar | 5 |
| IndexingProperties | City | varchar | 24 |
| IndexingProperties | CivilTwp | varchar | 40 |
| IndexingProperties | Comment | varchar | 60 |
| IndexingProperties | Condo | varchar | 40 |
| IndexingProperties | GPin | varchar | 20 |
| IndexingProperties | Lot | varchar | 5 |
| IndexingProperties | QQSection | varchar | 2 |
| IndexingProperties | QSection | varchar | 2 |
| IndexingProperties | Range | char | 3 |
| IndexingProperties | Section | varchar | 2 |
| IndexingProperties | SubDivision | varchar | 40 |
| IndexingProperties | TransactionID | numeric | |
| IndexingProperties | Twp | char | 3 |
| IndexingProperties | Unit | varchar | 8 |
| IndexParms | AllowAddCitys | bit | |
| IndexParms | AllowAddCondominiums | bit | |
| IndexParms | AllowAddSubdivision | bit | |
| IndexParms | AllowAddTownships | bit | |
| IndexParms | AllowIndexDirectoryPrint | bit | |
| IndexParms | AllowPropertyLookUp | bit | |
| IndexParms | AllowUserFullAccessToIndexing | bit | |
| IndexParms | AssignOnePagePerInst | bit | |
| IndexParms | AutoLinkReferenceOnSingleMatch | bit | |
| IndexParms | AutoSelectGroup | bit | |
| IndexParms | CopyMailingLabelFee | bit | |
| IndexParms | CopyMailingLabelFeeDateTime | bit | |
| IndexParms | CottTransmitSeq | numeric | |
| IndexParms | DisplayMailingLabel | bit | |
| IndexParms | DisplayReferenceNotFoundWarning | bit | |
| IndexParms | EnterOrigIndexType | bit | |
| IndexParms | GlobalFileFormat | varchar | 16 |
| IndexParms | GroupReturnToByName | bit | |
| IndexParms | ImageAutoIndexTempDir | varchar | 100 |

| | | | |
|------------|-------------------------------|----------|------------|
| IndexParms | IndexPrintBinding | char | 1 |
| IndexParms | IndexPrintMargin | numeric | |
| IndexParms | IndexPrintOrigInDesc | int | |
| IndexParms | IndexPrintPaperSize | varchar | 10 |
| IndexParms | KeyFromImage | bit | |
| IndexParms | KeyVerify | bit | |
| IndexParms | KeyVerifyReportCancelDisplay | bit | |
| IndexParms | KindMaxRecords | numeric | |
| IndexParms | KindRecordsPerPage | numeric | |
| IndexParms | LinkReferenceToIndexByDefault | bit | |
| IndexParms | LoadFromImage | bit | |
| IndexParms | LockFileDate | bit | |
| IndexParms | MailingLabelAcross | numeric | |
| IndexParms | MailingLabelSort | char | 1 |
| IndexParms | OneLabelPerName | bit | |
| IndexParms | OnlineCorrectionMaxRecords | numeric | |
| IndexParms | PagesPerEnvelope6by9 | smallint | |
| IndexParms | PagesPerEnvelopeLarge | smallint | |
| IndexParms | PagesPerEnvelopeMedium | smallint | |
| IndexParms | PagesPerEnvelopeSmall | smallint | |
| IndexParms | PKIndex | numeric | |
| IndexParms | PostCardText | varchar | -1 |
| IndexParms | PrintBookPageMailingLabels | bit | |
| IndexParms | PrintCoverSheetInCorrection | bit | |
| IndexParms | PrintDuplicateMailingLabel | bit | |
| IndexParms | PrintEnvelopes | bit | |
| IndexParms | PrintLabels | bit | |
| IndexParms | PrintMailingLabelListing | bit | |
| IndexParms | PrintPageSuffixonDocStamp | bit | |
| IndexParms | PrintReturnToAddress | bit | |
| IndexParms | PropertyNoFormat | varchar | 16 |
| IndexParms | ReceivedStampLayout | text | 2147483647 |
| IndexParms | ReceivedStampSeq | int | |
| IndexParms | ReconcileDataSource | varchar | 100 |

| | | | |
|------------------|-------------------------------|----------|----|
| IndexParms | ReconcilePropertyAddress | bit | |
| IndexParms | ReleaseAfterComplete | bit | |
| IndexParms | ResetReceivedStampSeqOn | datetime | |
| IndexParms | ResetWrkGrpAll | bit | |
| IndexParms | SplitWorkGroupByIndex | bit | |
| IndexParms | TaxImportIndexType | char | 3 |
| IndexParms | TaxImportSatisfactionWarrant | numeric | |
| IndexParms | TaxImportWarrantKind | numeric | |
| IndexTabs | AvailableTab | bit | |
| IndexTabs | MarriageBrideTab | bit | |
| IndexTabs | MarriageGroomTab | bit | |
| IndexTabs | MarriageLicenseTab | bit | |
| IndexTabs | PKIndexTab | int | |
| IndexTabs | TabName | varchar | 40 |
| IndexTabs | UserControlName | varchar | 30 |
| IndexTabsByState | IndexTab | int | |
| IndexTabsByState | PKIndexTabByState | int | |
| IndexTabsByState | StateCode | char | 2 |
| IndexTabSetup | IndexTab | int | |
| IndexTabSetup | IndexType | char | 3 |
| IndexTabSetup | OCRVerification | bit | |
| IndexTabSetup | Order | tinyint | |
| IndexTabSetup | PKIndexTabOrder | int | |
| IndexTypeCodes | IndexDesc | varchar | 30 |
| IndexTypeCodes | IndexType | char | 3 |
| IndexTypes | AddDesignatedStatusIdentifier | bit | |
| IndexTypes | AddressEntry | bit | |
| IndexTypes | AllowBookPageSearch | bit | |
| IndexTypes | AllowCancellation | bit | |
| IndexTypes | AllowCityEntry | bit | |
| IndexTypes | AllowComments | bit | |
| IndexTypes | AllowCondoEntry | bit | |
| IndexTypes | AllowFileNumberSearch | bit | |
| IndexTypes | AllowInternetImageDisplay | bit | |

| | | | |
|------------|-------------------------------|---------|---|
| IndexTypes | AllowInternetIndexSearch | bit | |
| IndexTypes | AllowIntranetImageDisplay | bit | |
| IndexTypes | AllowIntranetIndexSearch | bit | |
| IndexTypes | AllowOfficeImageDisplay | bit | |
| IndexTypes | AllowOfficeIndexSearch | bit | |
| IndexTypes | AllowParcelEntry | bit | |
| IndexTypes | AllowPlattedEntry | bit | |
| IndexTypes | AllowPrintSections | bit | |
| IndexTypes | AllowSubdivisionEntry | bit | |
| IndexTypes | AllowUnPlattedEntry | bit | |
| IndexTypes | BookIndexPrintUnit | numeric | |
| IndexTypes | BookPageReq | bit | |
| IndexTypes | CertificateOfResidenceDefault | bit | |
| IndexTypes | CertificateOfResidenceReq | bit | |
| IndexTypes | CertifiedLabelReq | bit | |
| IndexTypes | CityBlock | bit | |
| IndexTypes | CityLot | bit | |
| IndexTypes | CityTownship | bit | |
| IndexTypes | CityUnit | bit | |
| IndexTypes | CloneCorrection | bit | |
| IndexTypes | CLRISTransmit | bit | |
| IndexTypes | CondoBlock | bit | |
| IndexTypes | CondoCity | bit | |
| IndexTypes | CondoLot | bit | |
| IndexTypes | CondoTownship | bit | |
| IndexTypes | CondoUnit | bit | |
| IndexTypes | CoudiKey | char | 1 |
| IndexTypes | CoudiSort | char | 1 |
| IndexTypes | CoverSheetReq | bit | |
| IndexTypes | DailyRegister | bit | |
| IndexTypes | DateToSortBy | char | 1 |
| IndexTypes | DefaultScanPages | tinyint | |
| IndexTypes | District | bit | |
| IndexTypes | DocStampReq | bit | |

| | | | |
|------------|----------------------|----------|----|
| IndexTypes | DocumentStampPages | bit | |
| IndexTypes | EnforceNameStandards | bit | |
| IndexTypes | EnterAmount | bit | |
| IndexTypes | EnterAssignee | bit | |
| IndexTypes | EnterBookSuffix | bit | |
| IndexTypes | EnterDelayedBirth | bit | |
| IndexTypes | EnterDescription | bit | |
| IndexTypes | EnterExtraDate1 | bit | |
| IndexTypes | EnterExtraDate2 | bit | |
| IndexTypes | EnterFileSuffix | bit | |
| IndexTypes | EnterInstrDate | bit | |
| IndexTypes | EnterKind | bit | |
| IndexTypes | EnterMtgAmount | bit | |
| IndexTypes | EnterOrigBookPage | bit | |
| IndexTypes | EnterOrigBookSuffix | bit | |
| IndexTypes | EnterOrigFileNumber | bit | |
| IndexTypes | EnterOrigFileSuffix | bit | |
| IndexTypes | EnterOrigPageSuffix | bit | |
| IndexTypes | EnterPageSuffix | bit | |
| IndexTypes | EnterPropertyAddress | bit | |
| IndexTypes | EnterPropertyInfo | bit | |
| IndexTypes | EnterRecordOwner | bit | |
| IndexTypes | EnterScanPages | bit | |
| IndexTypes | EnterSex | bit | |
| IndexTypes | EnterTaxID | bit | |
| IndexTypes | EnterTime | bit | |
| IndexTypes | EnterWarrantID | bit | |
| IndexTypes | FileNumberFormat | varchar | 16 |
| IndexTypes | FileNumberReq | bit | |
| IndexTypes | GMDSection | bit | |
| IndexTypes | GoodFromDate | datetime | |
| IndexTypes | GoodThruDate | datetime | |
| IndexTypes | IdxPrintAddress | bit | |
| IndexTypes | IdxPrintTaxID | bit | |

| | | | |
|------------|-------------------------|---------|----|
| IndexTypes | IndexDesc | varchar | 30 |
| IndexTypes | IndexID | tinyint | |
| IndexTypes | IndexPrintAllSide2Names | bit | |
| IndexTypes | IndexPrintFontSize | decimal | |
| IndexTypes | IndexType | char | 3 |
| IndexTypes | KindReq | bit | |
| IndexTypes | LandLot | bit | |
| IndexTypes | MailingLabelDefault | bit | |
| IndexTypes | MailingLabels | bit | |
| IndexTypes | NextCottTransmitSeq | numeric | |
| IndexTypes | NextInstrumentID | numeric | |
| IndexTypes | NextTransmitSeq | numeric | |
| IndexTypes | NotWarranted | bit | |
| IndexTypes | OneSidedFlag | bit | |
| IndexTypes | OrigFileNumberFormat | varchar | 16 |
| IndexTypes | ParcelFormat | varchar | 20 |
| IndexTypes | PrevInstrumentID | numeric | |
| IndexTypes | PrevTransmitSeq | numeric | |
| IndexTypes | PrintDocTypeOnLabel | bit | |
| IndexTypes | PrintHalfSizeStamp | bit | |
| IndexTypes | PrintIndex | bit | |
| IndexTypes | PrintUnit | numeric | |
| IndexTypes | SecureDatesExternal | bit | |
| IndexTypes | SecureDatesInternal | bit | |
| IndexTypes | SideOnePDesc | varchar | 16 |
| IndexTypes | SideOneSDesc | varchar | 16 |
| IndexTypes | SideTwoPDesc | varchar | 16 |
| IndexTypes | SideTwoSDesc | varchar | 16 |
| IndexTypes | SubdivisionBlock | bit | |
| IndexTypes | SubdivisionCity | bit | |
| IndexTypes | SubdivisionLot | bit | |
| IndexTypes | SubdivisionTownship | bit | |
| IndexTypes | SubdivisionUnit | bit | |
| IndexTypes | TransferTaxLabel | bit | |

| | | | |
|---------------------------|--------------------------|----------|------------|
| IndexTypes | TransmitIndexType | char | 3 |
| IndexTypes | TransmitToAuthority | bit | |
| IndexTypes | UnplattedCivilTownship | bit | |
| IndexTypes | UnPlattedLot | bit | |
| IndexTypes | UnplattedQtrQtrSection | bit | |
| IndexTypes | UnplattedQtrSection | bit | |
| IndexTypes | UnplattedRange | bit | |
| IndexTypes | UnplattedSection | bit | |
| IndexTypes | UnplattedTWP | bit | |
| IndexWorkGroups | IndexType | char | 3 |
| IndexWorkGroups | WorkGroup | numeric | |
| individualconnectorimages | DocID | numeric | |
| individualconnectorimages | FeelImage | image | 2147483647 |
| individualconnectorimages | FileDate | datetime | |
| individualconnectorimages | ImageID | numeric | |
| individualconnectorimages | ImageSaved | bit | |
| individualconnectorimages | ImageSeqNumber | int | |
| individualconnectorimages | PageSeq | int | |
| individualconnectorimages | RecordedForGUID | varchar | 15 |
| individualconnectorimages | TransactionID | numeric | |
| InstrumentHistory | BaseFileNumb | numeric | |
| InstrumentHistory | CorrectionDate | datetime | |
| InstrumentHistory | OrigBaseFileNumb | numeric | |
| InstrumentHistory | PersonnelCode | numeric | |
| InstrumentHistory | Reason | varchar | 255 |
| InstrumentHistory | WorkStation | varchar | 20 |
| IntangibleTaxCountySplit | CommissionAmount | money | |
| IntangibleTaxCountySplit | CountyCode | char | 3 |
| IntangibleTaxCountySplit | IntangibleCountySplit_ID | numeric | |
| IntangibleTaxCountySplit | InterestAmount | money | |
| IntangibleTaxCountySplit | PenaltyAmount | money | |
| IntangibleTaxCountySplit | Percent | decimal | |
| IntangibleTaxCountySplit | RecordingNum | numeric | |
| IntangibleTaxCountySplit | TaxAmount | money | |

| | | | |
|--------------------------------|--------------------------------|---------|----|
| IntangibleTaxDistribution | CommissionAmount | money | |
| IntangibleTaxDistribution | IntangibleMunicipalitySplit_ID | numeric | |
| IntangibleTaxDistribution | InterestAmount | money | |
| IntangibleTaxDistribution | MuniTaxCode | numeric | |
| IntangibleTaxDistribution | PenaltyAmount | money | |
| IntangibleTaxDistribution | PKTransfer | numeric | |
| IntangibleTaxDistribution | RecordingNum | numeric | |
| IntangibleTaxDistribution | TaxAmount | money | |
| IntangibleTaxMunicipalitySplit | IntangibleCountySplit_ID | numeric | |
| IntangibleTaxMunicipalitySplit | IntangibleMunicipalitySplit_ID | numeric | |
| IntangibleTaxMunicipalitySplit | PayeeCode | numeric | |
| IntangibleTaxMunicipalitySplit | Percent | decimal | |
| IntangibleTaxMunicipalitySplit | RecordingNum | numeric | |
| IntangibleTaxNames | FirmSurName | varchar | 74 |
| IntangibleTaxNames | GivenName | varchar | 70 |
| IntangibleTaxNames | MiddleName | varchar | 70 |
| IntangibleTaxNames | NameTitle | varchar | 30 |
| IntangibleTaxNames | Party | numeric | |
| IntangibleTaxNames | PKTaxName | numeric | |
| IntangibleTaxNames | RecordingNum | numeric | |
| IntangibleTaxParms | AccountNumber | numeric | |
| IntangibleTaxParms | CalcCommissionOnPenalty | bit | |
| IntangibleTaxParms | CheckMemo | varchar | 40 |
| IntangibleTaxParms | CommissionAmount | money | |
| IntangibleTaxParms | CommissionRate | decimal | |
| IntangibleTaxParms | EnableCheckPrinting | bit | |
| IntangibleTaxParms | ExtraPennyToSchool | bit | |
| IntangibleTaxParms | InterestRate | decimal | |
| IntangibleTaxParms | LocalCommissionPayee | numeric | |
| IntangibleTaxParms | NextCheckNum | numeric | |
| IntangibleTaxParms | PenaltyRate | decimal | |
| IntangibleTaxParms | PKIntTaxParm | numeric | |
| IntangibleTaxParms | RoundTo | numeric | |
| IntangibleTaxParms | RoutingNumber | numeric | |

| | | | |
|---------------------|-------------------------------|---------------|------------|
| IntangibleTaxParms | StateCommissionPayee | numeric | |
| InvalidBunFix2Dates | Book | varchar | 5 |
| InvalidBunFix2Dates | BookSuffix | varchar | 5 |
| InvalidBunFix2Dates | Description | varchar | 255 |
| InvalidBunFix2Dates | FileDate | varchar | 50 |
| InvalidBunFix2Dates | Page | varchar | 5 |
| InvalidBunFix2Dates | PageSuffix | varchar | 5 |
| IowaCities | CityName | varchar | 30 |
| IowaCities | CityNumber | numeric | |
| IowaCities | CountyName | varchar | 30 |
| IowaCities | LocalOptionTax | numeric | |
| IowaCities | LocalSchoolOptionTax | numeric | |
| IowaCities | SalesTax | numeric | |
| ITransactions | IntegrationID | varchar | 9 |
| ITransactions | PacketFrom | varchar | 50 |
| ITransactions | PacketID | varchar | 10 |
| ITransactions | ReceivedDateTime | datetime | |
| ITransactions | TranId | int | |
| ITransactions | TransactionID | numeric | |
| ITransactions | xmloutput | nvarchar | 3000 |
| ITransactions1 | TranDate | smalldatetime | |
| ITransactions1 | TransactionID | numeric | |
| ITransactions1 | xmlData | ntext | 1073741823 |
| JournalReportParms | AccountNum | char | 16 |
| JournalReportParms | CardID | smallint | |
| JournalReportParms | ID | int | |
| JournalReportParms | PaymentType | varchar | 2 |
| JournalReportParms | SortOrder | varchar | 10 |
| JudgmentParms | AssignJudgmentBookPageToSat | bit | |
| JudgmentParms | AssignJudgmentFileNumberToSat | bit | |
| JudgmentParms | CompletedInstrDefault | bit | |
| JudgmentParms | CourtRecordTranCode | numeric | |
| JudgmentParms | CoverSheetReq | bit | |
| JudgmentParms | DateToSortBy | char | 1 |

| | | | |
|---------------|-----------------------|---------|----|
| JudgmentParms | DocStampReq | bit | |
| JudgmentParms | EnterAddress | bit | |
| JudgmentParms | EnterAttorney | bit | |
| JudgmentParms | EnterExecutionDate | bit | |
| JudgmentParms | EnterFileDate | bit | |
| JudgmentParms | EnterPartialSatDate | bit | |
| JudgmentParms | EnterSatisfactionDate | bit | |
| JudgmentParms | ExecutionDateTitle | varchar | 16 |
| JudgmentParms | FileDateTitle | varchar | 16 |
| JudgmentParms | KeyVerify | bit | |
| JudgmentParms | PartialSatDateTitle | varchar | 16 |
| JudgmentParms | PKJudgmentParm | numeric | |
| JudgmentParms | PrintAbstract | bit | |
| JudgmentParms | PrintCaseLabel | bit | |
| JudgmentParms | PrintDisposition | bit | |
| JudgmentParms | PrintTranscript | bit | |
| JudgmentParms | RecordedIndexType | char | 3 |
| JudgmentParms | SatAmtWarning | bit | |
| JudgmentParms | SatisfactionDateTitle | varchar | 16 |
| JudgmentParms | SideOnePDesc | varchar | 16 |
| JudgmentParms | SideOneSDesc | varchar | 16 |
| JudgmentParms | SideTwoPDesc | varchar | 16 |
| JudgmentParms | SideTwoSDesc | varchar | 16 |
| KeyVerify | IndexType | char | 3 |
| KeyVerify | PKKey | numeric | |
| KeyVerify | VerifyAmount | bit | |
| KeyVerify | VerifyAttorney | bit | |
| KeyVerify | VerifyBook | bit | |
| KeyVerify | VerifyBookSuffix | bit | |
| KeyVerify | VerifyDelayedBirth | bit | |
| KeyVerify | VerifyDesc | bit | |
| KeyVerify | VerifyExtraDate1 | bit | |
| KeyVerify | VerifyExtraDate2 | bit | |
| KeyVerify | VerifyFileDate | bit | |

| | | |
|-----------|---------------------------|------|
| KeyVerify | VerifyFileNo | bit |
| KeyVerify | VerifyFileNoSuffix | bit |
| KeyVerify | VerifyIndex | bit |
| KeyVerify | VerifyInstDate | bit |
| KeyVerify | VerifyKind | bit |
| KeyVerify | VerifyMtgAmount | bit |
| KeyVerify | VerifyNameAddress | bit |
| KeyVerify | VerifyNameSideOne | bit |
| KeyVerify | VerifyNameSideTwo | bit |
| KeyVerify | VerifyOBook | bit |
| KeyVerify | VerifyOFileNo | bit |
| KeyVerify | VerifyOFileNoSuffix | bit |
| KeyVerify | VerifyOPage | bit |
| KeyVerify | VerifyOPageSuffix | bit |
| KeyVerify | VerifyOrigBookSuffix | bit |
| KeyVerify | VerifyOrigIndextype | bit |
| KeyVerify | VerifyPage | bit |
| KeyVerify | VerifyPageSuffix | bit |
| KeyVerify | VerifyProperty | bit |
| KeyVerify | VerifyScanPages | bit |
| KeyVerify | VerifySex | bit |
| KeyVerify | VerifyTaxID | bit |
| KeyVerify | VerifyTime | bit |
| KindCodes | AllowBookPageSearch | bit |
| KindCodes | AllowFileNumberSearch | bit |
| KindCodes | AllowInternetImageDisplay | bit |
| KindCodes | AllowInternetIndexSearch | bit |
| KindCodes | AllowIntranetImageDisplay | bit |
| KindCodes | AllowIntranetIndexSearch | bit |
| KindCodes | AllowOfficeImageDisplay | bit |
| KindCodes | AllowOfficeIndexSearch | bit |
| KindCodes | AuditorReviewRequired | bit |
| KindCodes | CancelRecord | bit |
| KindCodes | IndexType | char |

| | | | |
|---------------------|---------------------|----------|-----|
| KindCodes | KindBase | varchar | 8 |
| KindCodes | KindCode | numeric | |
| KindCodes | KindDesc | varchar | 40 |
| KindCodes | KindGroupCode | char | 4 |
| KindCodes | KindSuffix | varchar | 8 |
| KindCodes | SecureDatesExternal | bit | |
| KindCodes | SecureDatesInternal | bit | |
| KindCodes | TransmitToAuthority | bit | |
| KindConsolidation | BaseFileNumb | numeric | |
| KindConsolidation | ConversionDate | datetime | |
| KindConsolidation | NewKindCode | varchar | 8 |
| KindConsolidation | OriginalKind | varchar | 100 |
| KindConsolidation | PersonnelCode | numeric | |
| KindConsolidation | PKKind | numeric | |
| KindConsolidation | WorkStation | varchar | 20 |
| KindGroups | KindGroupCode | char | 4 |
| KindGroups | KindGroupDesc | varchar | 40 |
| LFPrintParms | CustomHeight | decimal | |
| LFPrintParms | CustomPrintSize | bit | |
| LFPrintParms | CustomWidth | decimal | |
| LFPrintParms | IndexType | char | 3 |
| LFPrintParms | PrintRedActions | bit | |
| MarriageCertificate | Address | varchar | 42 |
| MarriageCertificate | Age | tinyint | |
| MarriageCertificate | BaseFileNumb | numeric | |
| MarriageCertificate | BirthCountry | char | 3 |
| MarriageCertificate | BirthDate | datetime | |
| MarriageCertificate | BirthPlace | varchar | 200 |
| MarriageCertificate | BirthState | char | 2 |
| MarriageCertificate | Bride | bit | |
| MarriageCertificate | BrideMaidenName | varchar | 40 |
| MarriageCertificate | City | varchar | 200 |
| MarriageCertificate | CityLimits | bit | |
| MarriageCertificate | Country | char | 3 |

| | | | |
|---------------------|-----------------------|----------|----|
| MarriageCertificate | CountryOfBirth | char | 3 |
| MarriageCertificate | County | varchar | 30 |
| MarriageCertificate | Divorced | bit | |
| MarriageCertificate | DivorceLocation | varchar | 10 |
| MarriageCertificate | DivorceMonth | tinyint | |
| MarriageCertificate | DivorceYear | numeric | |
| MarriageCertificate | EducationLevel | varchar | 20 |
| MarriageCertificate | Father | varchar | 70 |
| MarriageCertificate | FatherAddress | varchar | 40 |
| MarriageCertificate | FatherBirthPlace | varchar | 20 |
| MarriageCertificate | FatherBirthState | char | 2 |
| MarriageCertificate | FatherCountry | char | 3 |
| MarriageCertificate | FormerSpouse | varchar | 40 |
| MarriageCertificate | Gender | varchar | 1 |
| MarriageCertificate | Groom | bit | |
| MarriageCertificate | Guardian | varchar | 70 |
| MarriageCertificate | GuardianAddress | varchar | 40 |
| MarriageCertificate | GuardianCity | varchar | 20 |
| MarriageCertificate | GuardianCountry | char | 3 |
| MarriageCertificate | GuardianCounty | char | 3 |
| MarriageCertificate | GuardianRelationship | varchar | 40 |
| MarriageCertificate | GuardianState | char | 2 |
| MarriageCertificate | GuardianZipCode | varchar | 10 |
| MarriageCertificate | HigherEducation | varchar | 20 |
| MarriageCertificate | Hispanic | varchar | 20 |
| MarriageCertificate | HispanicOrigin | bit | |
| MarriageCertificate | MarriageEndedBy | varchar | 20 |
| MarriageCertificate | MarriageEndedDate | datetime | |
| MarriageCertificate | MarriageEndedLocation | varchar | 20 |
| MarriageCertificate | MarriageEndedMonth | tinyint | |
| MarriageCertificate | MarriageEndedYear | numeric | |
| MarriageCertificate | MarriageNumber | tinyint | |
| MarriageCertificate | Mother | varchar | 70 |
| MarriageCertificate | MotherAddress | varchar | 40 |

| | | | |
|---------------------|------------------------|----------|----|
| MarriageCertificate | MotherBirthPlace | varchar | 20 |
| MarriageCertificate | MotherBirthState | char | 2 |
| MarriageCertificate | MotherCountry | char | 3 |
| MarriageCertificate | NameType | char | 1 |
| MarriageCertificate | Occupation | varchar | 30 |
| MarriageCertificate | PhoneNumber | varchar | 10 |
| MarriageCertificate | RaceCode | numeric | |
| MarriageCertificate | RelationShip | varchar | 30 |
| MarriageCertificate | Spouse | bit | |
| MarriageCertificate | State | char | 2 |
| MarriageCertificate | StateOfBirth | char | 2 |
| MarriageCertificate | TaxID | varchar | 9 |
| MarriageCertificate | Telephone | varchar | 10 |
| MarriageCertificate | Widowed | bit | |
| MarriageCertificate | ZipCode | varchar | 10 |
| MarriageEndedBy | MarriageEndedBy | varchar | 50 |
| MarriageEndedBy | MarriageEndedCode | char | 1 |
| MarriageLicense | AdoptiveRelation | bit | |
| MarriageLicense | BaseFileNumb | numeric | |
| MarriageLicense | CeremonyType | char | 1 |
| MarriageLicense | CityLimits | bit | |
| MarriageLicense | CivilCeremony | bit | |
| MarriageLicense | ConsanguineousRelation | bit | |
| MarriageLicense | CountyRecorded | char | 3 |
| MarriageLicense | Covenant | bit | |
| MarriageLicense | DateApplied | datetime | |
| MarriageLicense | DateIssued | datetime | |
| MarriageLicense | DateMarried | datetime | |
| MarriageLicense | DateRecorded | datetime | |
| MarriageLicense | DeputyName | varchar | 70 |
| MarriageLicense | DivorceNotObtained | bit | |
| MarriageLicense | ExpirationDate | datetime | |
| MarriageLicense | MarriedCity | varchar | 24 |
| MarriageLicense | MarriedCounty | varchar | 30 |

| | | | |
|-----------------|------------------------|---------|----|
| MarriageLicense | Officiant | varchar | 70 |
| MarriageLicense | OfficiantAddress | varchar | 50 |
| MarriageLicense | OfficiantCity | varchar | 24 |
| MarriageLicense | OfficiantCounty | varchar | 30 |
| MarriageLicense | OfficiantState | char | 2 |
| MarriageLicense | OfficiantTitle | varchar | 40 |
| MarriageLicense | RecorderName | varchar | 40 |
| MarriageLicense | Relationship | varchar | 30 |
| MarriageParms | AllowSearchNotMarried | bit | |
| MarriageParms | AssignBkPgAfterMarried | bit | |
| MarriageParms | CarryLastNameOver | bit | |
| MarriageParms | CreateMaidenNameEntry | bit | |
| MarriageParms | DeleteExpired | bit | |
| MarriageParms | EnterAppliedTime | bit | |
| MarriageParms | EnterExpTime | bit | |
| MarriageParms | EnterIssueTime | bit | |
| MarriageParms | EnterMarriedTime | bit | |
| MarriageParms | EnterNameAfter | bit | |
| MarriageParms | EnterRecordedTime | bit | |
| MarriageParms | ExpireDays | numeric | |
| MarriageParms | ExtraDate1 | char | 1 |
| MarriageParms | ExtraDate2 | char | 1 |
| MarriageParms | FileDate | char | 1 |
| MarriageParms | IndexingInterface | bit | |
| MarriageParms | IndexType | char | 3 |
| MarriageParms | InstrumentDate | char | 1 |
| MarriageParms | MarriageTimeReq | bit | |
| MarriageParms | MergeExpired | bit | |
| MarriageParms | MergeExpiredRemarks | varchar | 60 |
| MarriageParms | PKParms | numeric | |
| MarriageParms | PrintAddressUpdate | bit | |
| MarriageParms | PrintApplication | bit | |
| MarriageParms | PrintCertificate | bit | |
| MarriageParms | PrintCertifiedCopy | bit | |

| | | | |
|---------------------|------------------------------|---------|----|
| MarriageParms | PrintDocStamp | bit | |
| MarriageParms | PrintLicense | bit | |
| MarriageParms | PrintLicenseToMarry | bit | |
| MarriageParms | UpperCaseEntry | bit | |
| MarriageParms | UseConsecutiveDaysForLicense | bit | |
| MarriageWitness | Address1 | varchar | 40 |
| MarriageWitness | Address2 | varchar | 40 |
| MarriageWitness | BaseFileNumb | numeric | |
| MarriageWitness | City | varchar | 24 |
| MarriageWitness | PKWitness | numeric | |
| MarriageWitness | SortOrder | int | |
| MarriageWitness | State | char | 2 |
| MarriageWitness | Witness | varchar | 70 |
| MarriageWitness | ZipCode | varchar | 10 |
| MenuOptions | GroupID | numeric | |
| MenuOptions | MenuItem | varchar | 50 |
| MenuOptions | MenuItem2 | varchar | 50 |
| MenuOptions | MenuItem3 | varchar | 50 |
| MenuOptions | PKMenu | numeric | |
| MenuSecuredOptions | MenuItem | varchar | 50 |
| MenuSecuredOptions | MenuItem2 | varchar | 50 |
| MenuSecuredOptions | MenuItem3 | varchar | 50 |
| MenuSecuredOptions | OfficeAdminEnabled | bit | |
| MenuSecuredOptions | PKSecuredMenu | numeric | |
| MethodReceived | MethodReceived | int | |
| MethodReceived | MethodReceivedDesc | varchar | 50 |
| MethodReturned | MethodReturned_Id | int | |
| MethodReturned | MethodReturnedDesc | varchar | 50 |
| MortgageAC909Report | CEInterest | money | |
| MortgageAC909Report | ID | int | |
| MortgageAC909Report | Interest | money | |
| MortgageAC909Report | Month | numeric | |

| | | | |
|----------------------|--------------------|---------|----|
| MortgageAC909Report | RMIInterest | money | |
| MortgageAC909Report | Year | numeric | |
| MortgageAccountCodes | AC909 | bit | |
| MortgageAccountCodes | AC909SEDVer | bit | |
| MortgageAccountCodes | ACCDepartment | varchar | 3 |
| MortgageAccountCodes | ACCStatewide | varchar | 3 |
| MortgageAccountCodes | CEDAacct | bit | |
| MortgageAccountCodes | CostCenter | numeric | |
| MortgageAccountCodes | Department | varchar | 2 |
| MortgageAccountCodes | MortgageDesc | varchar | 40 |
| MortgageAccountCodes | ObjectCode | numeric | |
| MortgageAccountCodes | PKMortgageCode | numeric | |
| MortgageAccountCodes | RMIFund | bit | |
| MortgageAccountCodes | Var | varchar | 2 |
| MortgageAccounts | AccountNumSeq | numeric | |
| MortgageAccounts | MortgageCode | numeric | |
| MortgageAccounts | PKMortgageAccounts | numeric | |
| MortgageAnnualReport | ADTax | money | |
| MortgageAnnualReport | BAExpense | money | |
| MortgageAnnualReport | BAInterest | money | |
| MortgageAnnualReport | BankInterest | money | |
| MortgageAnnualReport | BATax | money | |
| MortgageAnnualReport | CCO7Expense | money | |
| MortgageAnnualReport | COTax | money | |
| MortgageAnnualReport | LOTax | money | |
| MortgageAnnualReport | Month | numeric | |
| MortgageAnnualReport | MTAInterest | money | |
| MortgageAnnualReport | RCMortgageInterest | money | |
| MortgageAnnualReport | SATax | money | |
| MortgageAnnualReport | TATax | money | |
| MortgageAnnualReport | TreasurerExpense | money | |
| MortgageAnnualReport | TreasurerInterest | money | |
| MortgageAnnualReport | Year | numeric | |
| MortgageAU202Report | Addition | money | |

| | | | |
|------------------------------|--------------------------------|----------|----|
| MortgageAU202Report | Deduction | money | |
| MortgageAU202Report | Month | numeric | |
| MortgageAU202Report | TownCode | char | 3 |
| MortgageAU202Report | Year | numeric | |
| MortgageMT4Report | ADTax | money | |
| MortgageMT4Report | BATax | money | |
| MortgageMT4Report | COTax | money | |
| MortgageMT4Report | LOTax | money | |
| MortgageMT4Report | Month | numeric | |
| MortgageMT4Report | SATax | money | |
| MortgageMT4Report | TATax | money | |
| MortgageMT4Report | Year | numeric | |
| MortgageReceiptLink | ControlNum | numeric | |
| MortgageReceiptLink | MortgageNumber | char | 12 |
| MortgageReceiptLink | PKMortgageReceipt | numeric | |
| MortgageRefund | CaseNumber | numeric | |
| MortgageRefund | ControlNum | numeric | |
| MortgageRefund | MortgageNumber | char | 12 |
| MortgageRefund | PKRefund | numeric | |
| MortgageTaxDistribution | Amount | money | |
| MortgageTaxDistribution | AssessedValue | money | |
| MortgageTaxDistribution | CheckDate | datetime | |
| MortgageTaxDistribution | CheckNum | numeric | |
| MortgageTaxDistribution | CountyCode | char | 3 |
| MortgageTaxDistribution | MortgageNumber | char | 12 |
| MortgageTaxDistribution | PKTransfer | numeric | |
| MortgageTaxDistribution | TownCode | char | 3 |
| MortgageTaxDistributionOther | AdditionalTax | money | |
| MortgageTaxDistributionOther | CountyTax | money | |
| MortgageTaxDistributionOther | LocalTax | money | |
| MortgageTaxDistributionOther | PKMortgageTaxDistributionOther | numeric | |
| MortgageTaxDistributionOther | PkTransfer | numeric | |
| MortgageTaxDistributionOther | SONYMA | money | |
| MortgageTaxDistributionOther | TASAF | money | |

| | | | |
|-------------------------|-------------------------|----------|----|
| MortgageTaxParms | CEInterestAmt | money | |
| MortgageTaxParms | CheckMemo | varchar | 40 |
| MortgageTaxParms | CourtInterestAmt | money | |
| MortgageTaxParms | CustomerAcct | numeric | |
| MortgageTaxParms | ExpenseAmt | money | |
| MortgageTaxParms | MT26After5000 | money | |
| MortgageTaxParms | MT26First5000 | money | |
| MortgageTaxParms | MT26InterestAmt | money | |
| MortgageTaxParms | MT4InterestAmt | money | |
| MortgageTaxParms | MTAInterestAmt | money | |
| MortgageTaxParms | NextMortgageSeq | numeric | |
| MortgageTaxParms | NextMtgCode | char | 4 |
| MortgageTaxParms | NextRSNumber | numeric | |
| MortgageTaxParms | PKMtgParms | numeric | |
| MortgageTaxParms | RCMTGInterestAmt | money | |
| MortgageTaxParms | RefundCodeSeq | numeric | |
| MortgageTaxParms | ReportAdditionalTax | bit | |
| MortgageTaxParms | ReportLocalTax | bit | |
| MortgageTaxParms | ReportTransportationTax | bit | |
| MortgageTaxParms | ResetMtgNumOn | datetime | |
| MortgageTaxParms | ResetRSNumOn | datetime | |
| MortgageTaxParms | RMIInterestAmt | money | |
| MortgageTaxParms | RP5217Amount | money | |
| MortgageTaxParms | RP5217OTAmount | money | |
| MortgageTaxParms | SuspenseCode | char | 3 |
| MortgageTaxParms | TranCodeSeq | numeric | |
| MortgageTaxParms | UseCheckVoucher | bit | |
| MortgageTaxTransactions | CaseNumber | numeric | |
| MortgageTaxTransactions | DistributionDate | datetime | |
| MortgageTaxTransactions | MortgageDate | datetime | |
| MortgageTaxTransactions | MortgageNumber | char | 12 |
| MortgageTaxTransactions | Posted | bit | |
| MortgageTaxTransactions | RecordingNum | numeric | |
| MortgageTaxTransactions | RSNumber | numeric | |

| | | | |
|----------------------|-------------------|----------|-----|
| MTTransactions | TranCode | numeric | |
| MunicipalitySchools | MuniCode | numeric | |
| MunicipalitySchools | PKMuni | numeric | |
| MunicipalitySchools | SchoolCode | numeric | |
| MunicipalitySchools | SchoolTaxPercent | decimal | |
| MunicipalityTaxRates | CalcCommision | bit | |
| MunicipalityTaxRates | EffectiveDate | datetime | |
| MunicipalityTaxRates | ExpirationDate | datetime | |
| MunicipalityTaxRates | IntangibleTaxType | bit | |
| MunicipalityTaxRates | Interest | bit | |
| MunicipalityTaxRates | Millage | decimal | |
| MunicipalityTaxRates | MillagePercent | decimal | |
| MunicipalityTaxRates | MuniTaxCode | numeric | |
| MunicipalityTaxRates | OverUnder | bit | |
| MunicipalityTaxRates | PayeeCode | numeric | |
| MunicipalityTaxRates | Penalty | bit | |
| MunicipalityTaxRates | TaxType | char | 2 |
| MunicipalityTaxRates | TransferTaxType | bit | |
| MunisTransmit | FromDate | datetime | |
| MunisTransmit | PersonnelCode | numeric | |
| MunisTransmit | PKTransmit | int | |
| MunisTransmit | Results | varchar | 300 |
| MunisTransmit | ThruDate | datetime | |
| MunisTransmit | TransmitDate | datetime | |
| MunisTransmit | Workstation | varchar | 20 |
| NameAddress | Address1 | varchar | 40 |
| NameAddress | Address2 | varchar | 40 |
| NameAddress | AddressID | numeric | |
| NameAddress | City | varchar | 24 |
| NameAddress | PKNameID | numeric | |
| NameAddress | State | char | 2 |
| NameAddress | ZipCode | varchar | 10 |
| NameCodes | Address1 | varchar | 40 |
| NameCodes | Address2 | varchar | 40 |

| | | | |
|----------------|-----------------|----------|-----|
| NameCodes | City | varchar | 24 |
| NameCodes | Email | varchar | 50 |
| NameCodes | FaxNumber | char | 10 |
| NameCodes | FirmSurName | varchar | 200 |
| NameCodes | GivenName | varchar | 200 |
| NameCodes | MailName | varchar | 40 |
| NameCodes | MiddleName | varchar | 200 |
| NameCodes | NameCode | numeric | |
| NameCodes | NameTitle | varchar | 200 |
| NameCodes | PhoneNumber | char | 10 |
| NameCodes | State | char | 2 |
| NameCodes | ZipCode | varchar | 10 |
| Names | Assignee | bit | |
| Names | BaseFileNumb | numeric | |
| Names | Cancelled | bit | |
| Names | NameInvKey | numeric | |
| Names | Party | numeric | |
| Names | PKNameID | numeric | |
| Names | RecordOwner | bit | |
| Names | Sealed | bit | |
| Names | SortOrder | int | |
| NameStandards | Action | varchar | 50 |
| NameStandards | CheckType | varchar | 50 |
| NameStandards | FirmName | bit | |
| NameStandards | GivenName | bit | |
| NameStandards | LastName | bit | |
| NameStandards | MiddleName | bit | |
| NameStandards | NameStandardsID | int | |
| NameStandards | NameTitle | bit | |
| NameStandards | ReplaceValue | varchar | 50 |
| NameStandards | Value | varchar | 50 |
| NameStandards | WarnMessage | varchar | 100 |
| NameStatistics | Age | tinyint | |
| NameStatistics | BirthDate | datetime | |

| | | | |
|----------------|------------------|----------|-----|
| NameStatistics | BirthPlace | varchar | 500 |
| NameStatistics | ChildBirthDate | datetime | |
| NameStatistics | ChildBirthPlace | varchar | 50 |
| NameStatistics | ChildRace | numeric | |
| NameStatistics | ChildSex | char | 1 |
| NameStatistics | DateIndexed | datetime | |
| NameStatistics | DelayedBirth | bit | |
| NameStatistics | FatherAge | tinyint | |
| NameStatistics | FatherBirthDate | datetime | |
| NameStatistics | FatherBirthPlace | varchar | 50 |
| NameStatistics | MotherAge | tinyint | |
| NameStatistics | MotherBirthDate | datetime | |
| NameStatistics | MotherBirthPlace | varchar | 50 |
| NameStatistics | NameStatistic_ID | numeric | |
| NameStatistics | PKNameID | numeric | |
| NameStatistics | Race | numeric | |
| NameStatistics | Sex | char | 1 |
| NameStatistics | TaxID | varchar | 9 |
| NewCLRISDocs | DocType | varchar | 100 |
| NewCLRISDocs | IndexType | varchar | 3 |
| NewCLRISDocs | KindCode | varchar | 8 |
| NewCLRISDocs | NewDocumentID | int | |
| NewKind | IndexType | char | 3 |
| NewKind | KindBase | char | 8 |
| NewKind | KindCode | numeric | |
| NewKind | KindGroupCode | char | 4 |
| NewKind | KindSuffix | char | 8 |
| NewKind | OrigKindCode | char | 8 |
| NewKind | OrigKindDesc | varchar | 40 |
| NextBookPage | BookPageCoudi | numeric | |
| NextBookPage | CoudiDesc | varchar | 40 |
| NextBookPage | NextBook | numeric | |
| NextBookPage | NextPage | numeric | |
| NextBookPage | OverflowPages | numeric | |

| | | | |
|----------------|--------------------|----------|------------|
| NextBookPage | PagesInBook | numeric | |
| NextBookPage | ResetBookPageOn | datetime | |
| NextFileNumber | CoudiDesc | varchar | 40 |
| NextFileNumber | FileNumberCoudi | numeric | |
| NextFileNumber | FileNumberFormat | varchar | 16 |
| NextFileNumber | NextFileNumber | numeric | |
| NextFileNumber | ResetFileNumSeqOn | datetime | |
| NextFileNumber | ResetFileNumYearOn | datetime | |
| NEXTID | batch_no | int | |
| NEXTID | doc_id | int | |
| NEXTID | fax_job | int | |
| NEXTID | image_id | char | 12 |
| NEXTID | rec_no | char | 1 |
| NEXTID | user_id | int | |
| Notes | BaseFileNumb | numeric | |
| Notes | DocID | numeric | |
| Notes | Note | text | 2147483647 |
| Notes | NoteDate | datetime | |
| Notes | PersonnelCode | numeric | |
| Notes | PKNoteID | numeric | |
| Notes | SortOrder | numeric | |
| NYSCEFParms | AuthUserID | varchar | 50 |
| NYSCEFParms | CardID | smallint | |
| NYSCEFParms | CourtRecordType | numeric | |
| NYSCEFParms | IndexNoTranCode | numeric | |
| NYSCEFParms | LastRefreshDate | datetime | |
| NYSCEFParms | MethodReceived | int | |
| NYSCEFParms | MethodReturned | int | |
| NYSCEFParms | NYSCEFParmsID | tinyint | |
| NYSCEFParms | NYSCEFUserID | varchar | 50 |
| oldbkpgExp | Book | varchar | 5 |
| oldbkpgExp | DocID | numeric | |
| oldbkpgExp | Indextype | char | 3 |
| oldbkpgExp | Page | numeric | |

| | | | |
|----------------------------|---------------------|----------|------------|
| OnlineMarriageApplications | BrideName | varchar | 255 |
| OnlineMarriageApplications | DateSubmitted | datetime | |
| OnlineMarriageApplications | GroomName | varchar | 255 |
| OnlineMarriageApplications | MarriageXML | text | 2147483647 |
| OnlineMarriageApplications | OnlineMarriageAppID | numeric | |
| OnlineMarriageApplications | Processed | bit | |
| OriginalERecordingXML | AutoRejectionReason | varchar | 255 |
| OriginalERecordingXML | DateSubmitted | datetime | |
| OriginalERecordingXML | FeeReceiptID | numeric | |
| OriginalERecordingXML | OriginalXML | text | 2147483647 |
| OriginalERecordingXML | OriginalXML_ID | numeric | |
| OriginalERecordingXML | Vendor | varchar | 100 |
| OriginalKind | BaseFileNumb | numeric | |
| OriginalKind | IndexType | char | 3 |
| OriginalKind | LegacyRecordID | numeric | |
| OriginalKind | OriginalKind | varchar | 100 |
| OriginalKind | Processed | bit | |
| ParcelIDCrossRef | Book | varchar | 5 |
| ParcelIDCrossRef | Page | numeric | |
| ParcelIDCrossRef | ParcelID | varchar | 20 |
| ParcelIDCrossRef | PKParcelID | numeric | |
| ParcelIDCrossRef | StreetName | varchar | 30 |
| ParcelIDCrossRef | StreetNumber | varchar | 20 |
| ParcelIDCrossRef | StreetType | nvarchar | 30 |
| ParcelIDCrossRef | StreetTypeCode | int | |
| ParcelIDCrossRef | ZipCode | varchar | 10 |
| Payee | Address1 | varchar | 40 |
| Payee | Address2 | varchar | 40 |
| Payee | CheckName | varchar | 40 |
| Payee | City | varchar | 24 |
| Payee | LastPaymentDate | datetime | |
| Payee | PayeeCode | numeric | |
| Payee | PayeeName | varchar | 40 |
| Payee | PayeeType | char | 1 |

| | | | |
|------------------|----------------------|----------|----|
| Payee | State | char | 2 |
| Payee | TaxPercent | decimal | |
| Payee | ZipCode | varchar | 10 |
| PayeeTypes | PayeeType | char | 1 |
| PayeeTypes | PayeeTypeDesc | varchar | 30 |
| Payments | Amount | money | |
| Payments | CardID | smallint | |
| Payments | CheckEndorsementCode | numeric | |
| Payments | CheckName | varchar | 40 |
| Payments | CheckNum | numeric | |
| Payments | ControlNum | numeric | |
| Payments | PaymentType | char | 2 |
| Payments | PKPayments | numeric | |
| Penalties | PenaltyDescription | varchar | 60 |
| Penalties | PenaltyID | numeric | |
| Penalties | PenaltyPercentage | numeric | |
| Penalties | PenaltyReferenceID | numeric | |
| Penalties | Relinquish | bit | |
| Penalties | TaxAmountDue | money | |
| Penalties | TaxDetailID | numeric | |
| Penalties | TaxYear | numeric | |
| PenaltyReference | AddSubtractFirst | bit | |
| PenaltyReference | CalculateAfterTotal | bit | |
| PenaltyReference | CalculateBeforeTotal | bit | |
| PenaltyReference | PenaltyAmount | money | |
| PenaltyReference | PenaltyPercentage | numeric | |
| PenaltyReference | PenaltyReferenceID | numeric | |
| PenaltyReference | PenaltyTypeID | smallint | |
| PenaltyReference | PenaltyYear | numeric | |
| PenaltyReference | PercentageFunction | char | 1 |
| PenaltyReference | RealEstateOnly | bit | |
| PenaltyReference | TangiblesOnly | bit | |
| PenaltyTypes | AccountNum | char | 16 |
| PenaltyTypes | CAFee | bit | |

| | | | |
|-----------------|-------------------|----------|-----|
| PenaltyTypes | CLFee | bit | |
| PenaltyTypes | Interest | bit | |
| PenaltyTypes | PenaltyDesc | varchar | 100 |
| PenaltyTypes | PenaltyTypeID | smallint | |
| Personnel | AccessCode | varchar | 10 |
| Personnel | DeptCode | char | 4 |
| Personnel | GroupID | numeric | |
| Personnel | Password | char | 14 |
| Personnel | PersonnelCode | numeric | |
| Personnel | PersonnelName | varchar | 40 |
| Personnel | PersonnelStatus | char | 1 |
| Personnel | UserID | varchar | 20 |
| PistolPermits | BaseFileNumb | numeric | |
| PistolPermits | Comment | varchar | 255 |
| PistolPermits | KindCode | numeric | |
| PistolPermits | PermitDate | datetime | |
| PistolPermits | PKPistol | numeric | |
| PlattedProperty | Block | varchar | 5 |
| PlattedProperty | CityCode | numeric | |
| PlattedProperty | CivilTownshipCode | numeric | |
| PlattedProperty | District | varchar | 2 |
| PlattedProperty | GMDSection | varchar | 4 |
| PlattedProperty | LandLot | varchar | 4 |
| PlattedProperty | Lot | varchar | 6 |
| PlattedProperty | PlattedKey | numeric | |
| PlattedProperty | SubdivisionCode | numeric | |
| PlattedProperty | Unit | varchar | 8 |
| PrintLayout | ColumnName | varchar | 30 |
| PrintLayout | IndexType | char | 3 |
| PrintLayout | PKPrintLayout | numeric | |
| PrintLayout | PrintOrder | tinyint | |
| PrintLayout | SortDirection | char | 1 |
| PrintLayout | SortSequence | tinyint | |
| PrintLayout | TitleBottom | varchar | 20 |

| | | | |
|------------------------|-------------------|----------|------------|
| PrintLayout | TitleTop | varchar | 20 |
| PriorYearTransmit | IndexType | char | 3 |
| PriorYearTransmit | LastInstrId | numeric | |
| PriorYearTransmit | Year | numeric | |
| ProcessCodes | ProcessCode | char | 2 |
| ProcessCodes | ProcessCodeDesc | varchar | 80 |
| ProfilerReport07222004 | ApplicationName | nvarchar | 128 |
| ProfilerReport07222004 | ClientProcessID | int | |
| ProfilerReport07222004 | CPU | int | |
| ProfilerReport07222004 | Duration | bigint | |
| ProfilerReport07222004 | EndTime | datetime | |
| ProfilerReport07222004 | EventClass | int | |
| ProfilerReport07222004 | HostName | nvarchar | 128 |
| ProfilerReport07222004 | LoginName | nvarchar | 128 |
| ProfilerReport07222004 | NTUserName | nvarchar | 128 |
| ProfilerReport07222004 | Reads | bigint | |
| ProfilerReport07222004 | RowNumber | int | |
| ProfilerReport07222004 | SPID | int | |
| ProfilerReport07222004 | StartTime | datetime | |
| ProfilerReport07222004 | TextData | ntext | 1073741823 |
| ProfilerReport07222004 | Writes | bigint | |
| Property | AddressID | int | |
| Property | AddressReconciled | bit | |
| Property | AptLotBoxNo | varchar | 6 |
| Property | AptLotBoxType | numeric | |
| Property | BaseFileNumb | numeric | |
| Property | City | varchar | 24 |
| Property | Comment | varchar | 500 |
| Property | DirectionSuffix | char | 1 |
| Property | GPin | varchar | 20 |
| Property | HouseFraction | bit | |
| Property | HouseNumber | varchar | 20 |
| Property | PKProperty | numeric | |
| Property | PlattedKey | numeric | |

| | | | |
|-----------------------------|--|---------|----|
| Property | SortOrder | int | |
| Property | State | char | 2 |
| Property | Street | varchar | 30 |
| Property | StreetDirection | char | 1 |
| Property | StreetType | numeric | |
| Property | Type | char | 1 |
| Property | UnPlattedKey | numeric | |
| Property | ZipCode | varchar | 10 |
| qGovConfig | MinBaseFileNumberAllowedForImagesDisplay | numeric | |
| Race | CategoryCode | char | 1 |
| Race | RaceCode | numeric | |
| Race | RaceDesc | varchar | 40 |
| RaceCategory | Category | varchar | 75 |
| RaceCategory | CategoryCode | char | 1 |
| ReceiptAccounts | CashAmount | money | |
| ReceiptAccounts | ChargeAmount | money | |
| ReceiptAccounts | ChargePaid | money | |
| ReceiptAccounts | OtherAmount | money | |
| ReceiptAccounts | PaidAmount | money | |
| ReceiptAccounts | PaidOnAccount | money | |
| ReceiptAccounts | PKReceiptAccounts | numeric | |
| ReceiptAccounts | RecordingNum | numeric | |
| ReceiptAccounts | TranAcctCode | numeric | |
| ReceiptAccounts | TransactAmount | money | |
| ReceiptAccountsDistribution | Amount | money | |
| ReceiptAccountsDistribution | ControlNum | numeric | |
| ReceiptAccountsDistribution | ID | int | |
| ReceiptAccountsDistribution | PaymentsID | numeric | |
| ReceiptAccountsDistribution | ReceiptAccountsID | numeric | |
| ReceiptTransactions | Affidavit | bit | |
| ReceiptTransactions | Assumption | money | |
| ReceiptTransactions | Attachments | numeric | |
| ReceiptTransactions | BillablePages | numeric | |
| ReceiptTransactions | CertifiedCopies | numeric | |

| | | | |
|---------------------|--------------------|----------|----|
| ReceiptTransactions | ConformedCopies | numeric | |
| ReceiptTransactions | Consideration | money | |
| ReceiptTransactions | ControlNum | numeric | |
| ReceiptTransactions | CreditOnAccount | bit | |
| ReceiptTransactions | CreditUsedOn | datetime | |
| ReceiptTransactions | CrossRefRecNum | numeric | |
| ReceiptTransactions | DatePaid | datetime | |
| ReceiptTransactions | DateSigned | datetime | |
| ReceiptTransactions | Documents | numeric | |
| ReceiptTransactions | EntryDate | datetime | |
| ReceiptTransactions | Exempt | bit | |
| ReceiptTransactions | ExemptNoFee | bit | |
| ReceiptTransactions | FileDate | datetime | |
| ReceiptTransactions | GranteeExempt | bit | |
| ReceiptTransactions | GrantorExempt | bit | |
| ReceiptTransactions | IndexDeferred | bit | |
| ReceiptTransactions | InstrumentDate | datetime | |
| ReceiptTransactions | Locality | varchar | 2 |
| ReceiptTransactions | LocalTaxPercent | decimal | |
| ReceiptTransactions | MailingLabelCopies | tinyint | |
| ReceiptTransactions | MaturityDate | datetime | |
| ReceiptTransactions | MortgageValue | money | |
| ReceiptTransactions | NameCount | numeric | |
| ReceiptTransactions | NumberOfLabels | numeric | |
| ReceiptTransactions | PayeeCode | numeric | |
| ReceiptTransactions | Payment | bit | |
| ReceiptTransactions | PostFlag | bit | |
| ReceiptTransactions | PT61 | varchar | 13 |
| ReceiptTransactions | PTax | bit | |
| ReceiptTransactions | RecordationCopies | numeric | |
| ReceiptTransactions | RecordingNum | numeric | |
| ReceiptTransactions | ReferenceNum | char | 20 |
| ReceiptTransactions | Remarks | varchar | 80 |
| ReceiptTransactions | RSNumber | numeric | |

| | | | |
|---------------------|----------------|----------|----|
| ReceiptTransactions | ScanPages | numeric | |
| ReceiptTransactions | StampNumber | numeric | |
| ReceiptTransactions | TranCodeSeq | numeric | |
| ReceiptTransactions | TransferDate | datetime | |
| ReceiptTransactions | VoidFlag | bit | |
| ReceiptTransactions | WorkflowNumber | varchar | 50 |
| Recipients | Address1 | varchar | 40 |
| Recipients | Address2 | varchar | 40 |
| Recipients | City | varchar | 24 |
| Recipients | RecipientCode | numeric | |
| Recipients | RecipientName | varchar | 40 |
| Recipients | State | char | 2 |
| Recipients | ZipCode | varchar | 10 |
| RecipientTotals | CashAmount | money | |
| RecipientTotals | ChargeAmount | money | |
| RecipientTotals | ChargePaid | money | |
| RecipientTotals | PaidOnAccount | money | |
| RecipientTotals | RecipientCode | numeric | |
| RecipientTotals | RecpDay | numeric | |
| RecipientTotals | RecpMonth | numeric | |
| RecipientTotals | RecpYear | numeric | |
| RenewalPostCards | Address1 | varchar | 30 |
| RenewalPostCards | Address2 | varchar | 30 |
| RenewalPostCards | ATV | bit | |
| RenewalPostCards | AuditNumber | numeric | |
| RenewalPostCards | BoatSnowNumber | char | 8 |
| RenewalPostCards | BoatSnowType | char | 1 |
| RenewalPostCards | CC | numeric | |
| RenewalPostCards | City | varchar | 24 |
| RenewalPostCards | CountyName | varchar | 40 |
| RenewalPostCards | ExpirationDate | datetime | |
| RenewalPostCards | Fee | money | |
| RenewalPostCards | Feet | numeric | |
| RenewalPostCards | FirmSurName | varchar | 74 |

| | | | |
|------------------|-------------------|---------|-----|
| RenewalPostCards | GivenName | varchar | 70 |
| RenewalPostCards | Length | numeric | |
| RenewalPostCards | Manufacturer | varchar | 16 |
| RenewalPostCards | MiddleName | varchar | 70 |
| RenewalPostCards | ModelYear | numeric | |
| RenewalPostCards | NameTitle | varchar | 30 |
| RenewalPostCards | OffAddress1 | varchar | 40 |
| RenewalPostCards | OffAddress2 | varchar | 40 |
| RenewalPostCards | OffCity | varchar | 40 |
| RenewalPostCards | OfficialName | varchar | 40 |
| RenewalPostCards | OfficialTitle | varchar | 40 |
| RenewalPostCards | OffState | varchar | 40 |
| RenewalPostCards | OffZip | varchar | 40 |
| RenewalPostCards | Size | numeric | |
| RenewalPostCards | State | char | 2 |
| RenewalPostCards | TitleNumber | numeric | |
| RenewalPostCards | Year | char | 4 |
| RenewalPostCards | ZipCode | varchar | 10 |
| Reports | Active | bit | |
| Reports | DefaultCopies | tinyint | |
| Reports | ID | int | |
| Reports | PrintNoPreview | bit | |
| Reports | RegKey | varchar | 50 |
| Reports | RegString | varchar | 50 |
| Reports | ReportCriteria | varchar | 200 |
| Reports | ReportDescription | varchar | 200 |
| Reports | ReportGroup | varchar | 100 |
| Reports | ReportName | varchar | 100 |
| Reports | ReportPath | varchar | 200 |
| Reports | System | varchar | 40 |
| ReportsByState | PKReportsBystate | int | |
| ReportsByState | ReportID | int | |
| ReportsByState | StateCode | char | 2 |
| Results | Book | varchar | 5 |

| | | | |
|-----------------|------------------------|----------|-----|
| Results | BookSuffix | varchar | 5 |
| Results | Description | varchar | 255 |
| Results | FileDate | datetime | |
| Results | Message | varchar | 100 |
| Results | Page | varchar | 5 |
| Results | PageSuffix | varchar | 5 |
| ReturnToLabel | Address1 | varchar | 40 |
| ReturnToLabel | Address2 | varchar | 40 |
| ReturnToLabel | BaseFileNumb | numeric | |
| ReturnToLabel | CertificateOfResidence | bit | |
| ReturnToLabel | City | varchar | 24 |
| ReturnToLabel | ControlNum | numeric | |
| ReturnToLabel | FilingAmount | money | |
| ReturnToLabel | FilingDateTime | datetime | |
| ReturnToLabel | LabelID | numeric | |
| ReturnToLabel | LabelPrinted | bit | |
| ReturnToLabel | MethodReturned_Id | int | |
| ReturnToLabel | PrintLabel | char | 1 |
| ReturnToLabel | ReturnName | varchar | 40 |
| ReturnToLabel | State | char | 2 |
| ReturnToLabel | TransferTaxLabel | bit | |
| ReturnToLabel | ZipCode | varchar | 10 |
| SearchAccBunsys | AccountStatus | char | 1 |
| SearchAccBunsys | Address1 | varchar | 40 |
| SearchAccBunsys | Address2 | varchar | 40 |
| SearchAccBunsys | City | varchar | 24 |
| SearchAccBunsys | Company | varchar | 40 |
| SearchAccBunsys | ContactName | varchar | 40 |
| SearchAccBunsys | Email | varchar | 50 |
| SearchAccBunsys | EntryDate | datetime | |
| SearchAccBunsys | FaxNumber | char | 10 |
| SearchAccBunsys | InActiveDate | datetime | |
| SearchAccBunsys | ModifyDate | datetime | |
| SearchAccBunsys | Password | char | 14 |

| | | | |
|----------------------|---------------|----------|----|
| SearchAccBunsys | PhoneNumber | char | 10 |
| SearchAccBunsys | PrintImages | char | 1 |
| SearchAccBunsys | SearchAccount | decimal | |
| SearchAccBunsys | State | char | 2 |
| SearchAccBunsys | TaxID | varchar | 9 |
| SearchAccBunsys | UserID | varchar | 20 |
| SearchAccBunsys | UserName | varchar | 40 |
| SearchAccBunsys | UserTitle | varchar | 40 |
| SearchAccBunsys | ViewImages | char | 1 |
| SearchAccBunsys | ZipCode | varchar | 10 |
| SearchAccounts | AccountStatus | bit | |
| SearchAccounts | Address1 | varchar | 40 |
| SearchAccounts | Address2 | varchar | 40 |
| SearchAccounts | City | varchar | 24 |
| SearchAccounts | Company | varchar | 40 |
| SearchAccounts | ContactName | varchar | 40 |
| SearchAccounts | Email | varchar | 50 |
| SearchAccounts | EntryDate | datetime | |
| SearchAccounts | FaxNumber | char | 10 |
| SearchAccounts | InActiveDate | datetime | |
| SearchAccounts | InHouseUser | bit | |
| SearchAccounts | ModifyDate | datetime | |
| SearchAccounts | Password | char | 14 |
| SearchAccounts | PhoneNumber | char | 10 |
| SearchAccounts | PrintImage | bit | |
| SearchAccounts | SearchAccount | numeric | |
| SearchAccounts | State | char | 2 |
| SearchAccounts | TaxID | varchar | 9 |
| SearchAccounts | UserID | varchar | 20 |
| SearchAccounts | UserName | varchar | 40 |
| SearchAccounts | UserTitle | varchar | 40 |
| SearchAccounts | ViewImage | bit | |
| SearchAccounts | ZipCode | varchar | 10 |
| SearchAccountsBUNSYS | AccountStatus | bit | |

| | | | |
|-------------------------|-----------------|------------|-----|
| SearchAccountsBUNSYS | Address1 | varchar | 40 |
| SearchAccountsBUNSYS | Address2 | varchar | 40 |
| SearchAccountsBUNSYS | City | varchar | 24 |
| SearchAccountsBUNSYS | Company | varchar | 40 |
| SearchAccountsBUNSYS | ContactName | varchar | 40 |
| SearchAccountsBUNSYS | Email | varchar | 50 |
| SearchAccountsBUNSYS | EntryDate | datetime | |
| SearchAccountsBUNSYS | FaxNumber | char | 10 |
| SearchAccountsBUNSYS | InActiveDate | datetime | |
| SearchAccountsBUNSYS | InHouseUser | bit | |
| SearchAccountsBUNSYS | ModifyDate | datetime | |
| SearchAccountsBUNSYS | Password | char | 14 |
| SearchAccountsBUNSYS | PhoneNumber | char | 10 |
| SearchAccountsBUNSYS | PrintImage | bit | |
| SearchAccountsBUNSYS | SearchAccount | decimal | |
| SearchAccountsBUNSYS | State | char | 2 |
| SearchAccountsBUNSYS | TaxID | varchar | 9 |
| SearchAccountsBUNSYS | UserID | varchar | 20 |
| SearchAccountsBUNSYS | UserName | varchar | 40 |
| SearchAccountsBUNSYS | UserTitle | varchar | 40 |
| SearchAccountsBUNSYS | ViewImage | bit | |
| SearchAccountsBUNSYS | ZipCode | varchar | 10 |
| SearchConnections | ConnectionDate | datetime | |
| SearchConnections | IPAddress | varchar | 20 |
| SearchConnections | UserID | varchar | 20 |
| SearchDetail | Comments | varchar | 255 |
| SearchDetail | ImageID | numeric | |
| SearchDetail | PKSearch | numeric | |
| SearchDetail | SearchAccount | numeric | |
| SearchDetail | SearchDate | datetime | |
| SearchFees | ImageFee | smallmoney | |
| SearchFees | PKFee | numeric | |
| SearchFees | SubscriptionFee | smallmoney | |
| SearchSpecialCharacters | PKSpecChar | numeric | |

| | | | |
|-------------------------|------------------------|---------|-----|
| SearchSpecialCharacters | SpecialCharacter | char | 1 |
| SectionDistrictValues | PropertyCode | varchar | 4 |
| SectionDistrictValues | PropertyType | varchar | 2 |
| SecuredDocumentTypes | SecuredDocumentDesc | varchar | 30 |
| SecuredDocumentTypes | SecuredDocumentType | varchar | 2 |
| State | StateCode | char | 2 |
| State | StateName | varchar | 30 |
| State | StateTransmitCode | varchar | 2 |
| StatusCodes | StatusCode | char | 2 |
| StatusCodes | StatusDesc | varchar | 40 |
| StreetTypes | StreetDesc | varchar | 24 |
| StreetTypes | StreetType | numeric | |
| Subdivisions | FileNumber | varchar | 12 |
| Subdivisions | Notes | varchar | 255 |
| Subdivisions | Subdivision | varchar | 120 |
| Subdivisions | SubdivisionCode | numeric | |
| Subdivisions | SubdivisionType | char | 1 |
| SubdivisionsHold | FileNumber | varchar | 12 |
| SubdivisionsHold | PendingOccurs | numeric | |
| SubdivisionsHold | Subdivision | varchar | 120 |
| SubdivisionsHold | SubdivisionCode | numeric | |
| SubdivisionsHold | SubdivisionOccurs | numeric | |
| SubdivisionsHold | SubdivisionType | char | 1 |
| SystemParms | AllowMerge | bit | |
| SystemParms | Application | varchar | 50 |
| SystemParms | ApplicationDescription | varchar | 100 |
| SystemParms | ApplicationHelp | varchar | 50 |
| SystemParms | AuthorityIPAddress | char | 15 |
| SystemParms | AuthorityPassword | char | 20 |
| SystemParms | AuthorityUserID | char | 20 |
| SystemParms | BirthCertificate | bit | |
| SystemParms | CCACompletedJob | varchar | 17 |
| SystemParms | CCAHostFile | varchar | 17 |
| SystemParms | CCAJobStream | varchar | 17 |

| | | | |
|-------------|-------------------------------|-----------|-----|
| SystemParms | CCALocalFile | varchar | 50 |
| SystemParms | CLRISDir | varchar | 100 |
| SystemParms | CLRISHistDir | varchar | 100 |
| SystemParms | CLRISLogin | varchar | 28 |
| SystemParms | CLRISPassword | varchar | 28 |
| SystemParms | CLRISTransmitIndexOnly | bit | |
| SystemParms | CMgmtCompletedJob | varchar | 17 |
| SystemParms | CMgmtHostFile | varchar | 17 |
| SystemParms | CMgmtJobStream | varchar | 17 |
| SystemParms | CMgmtLocalFile | varchar | 50 |
| SystemParms | Cott | varbinary | 50 |
| SystemParms | CottAccount | numeric | |
| SystemParms | CountyCode | char | 3 |
| SystemParms | CountyNumber | char | 3 |
| SystemParms | CourtRecordEnabled | bit | |
| SystemParms | DeathCertificate | bit | |
| SystemParms | DocumentControl | bit | |
| SystemParms | ERecordingEnabled | bit | |
| SystemParms | ERecordingReturnESTampEnabled | bit | |
| SystemParms | FeeEnabled | bit | |
| SystemParms | FileCapacity | numeric | |
| SystemParms | FromEmailAddress | varchar | 100 |
| SystemParms | FTPDestination | char | 50 |
| SystemParms | FTPLoopCount | numeric | |
| SystemParms | FTPUser | varchar | 40 |
| SystemParms | GovernmentType | char | 1 |
| SystemParms | HostIP | varchar | 15 |
| SystemParms | ImageBatchDir | varchar | 100 |
| SystemParms | ImageEnabled | bit | |
| SystemParms | ImageFilingDir | varchar | 100 |
| SystemParms | IndexEnabled | bit | |
| SystemParms | InsertOnMerge | bit | |
| SystemParms | InternetImageStartDate | datetime | |
| SystemParms | JudgmentEnabled | bit | |

| | | | |
|-------------|-----------------------------|----------|-----|
| SystemParms | LicensedTo | varchar | 50 |
| SystemParms | LogFilePath | varchar | 50 |
| SystemParms | MarriageCertificate | bit | |
| SystemParms | MaxSearchResults | numeric | |
| SystemParms | NextBaseFileNumb | numeric | |
| SystemParms | NSupCompletedJob | varchar | 17 |
| SystemParms | NSupHostFile | varchar | 17 |
| SystemParms | NSupJobStream | varchar | 17 |
| SystemParms | NSupLocalFile | varchar | 50 |
| SystemParms | ODBCConnection | bit | |
| SystemParms | PKSystem | numeric | |
| SystemParms | Platform | varchar | 50 |
| SystemParms | ProbateEnabled | bit | |
| SystemParms | PropertyCheckDate | datetime | |
| SystemParms | ReportFooter | varchar | 50 |
| SystemParms | ReportImagePath | varchar | 100 |
| SystemParms | ReportPath | varchar | 100 |
| SystemParms | ReportZoom | int | |
| SystemParms | ReserveArea | numeric | |
| SystemParms | ResourcePath | varchar | 50 |
| SystemParms | ScanPageWarning | numeric | |
| SystemParms | SearchParsedNames | bit | |
| SystemParms | SearchUrl | varchar | 50 |
| SystemParms | SeatLicense | bit | |
| SystemParms | SiteTitle | varchar | 40 |
| SystemParms | SMTP | varchar | 100 |
| SystemParms | SMTPPassword | varchar | 50 |
| SystemParms | SMTPUser | varchar | 50 |
| SystemParms | SplashTime | numeric | |
| SystemParms | SupportEmail | varchar | 100 |
| SystemParms | TelnetUser | varchar | 40 |
| SystemParms | TransferImagePath | varchar | 100 |
| SystemParms | TransferImagesImpersonation | varchar | 100 |
| SystemParms | TransmitToAuthorityFilePath | varchar | 100 |

| | | | |
|-------------|------------------------|----------|-----|
| SystemParms | TransmitToCottFilePath | varchar | 100 |
| SystemParms | UseReviewWorkflow | bit | |
| TagCodes | TagCode | char | 2 |
| TagCodes | TagDescription | varchar | 30 |
| TaxClasses | TaxClass | varchar | 2 |
| TaxClasses | TaxClassDesc | varchar | 40 |
| TaxClasses | TaxClassID | tinyint | |
| TaxDetails | Aircraft | int | |
| TaxDetails | BaseFileNumb | numeric | |
| TaxDetails | Book | varchar | 5 |
| TaxDetails | CalcAcres | numeric | |
| TaxDetails | CalculateSheriffsFees | bit | |
| TaxDetails | CommercialFCV | money | |
| TaxDetails | DisabilityExemption | money | |
| TaxDetails | EntryDate | datetime | |
| TaxDetails | FairCashValue | money | |
| TaxDetails | FileNumber | varchar | 12 |
| TaxDetails | FileNumberSuffix | varchar | 12 |
| TaxDetails | FireAcres | numeric | |
| TaxDetails | FireDistrictCode | numeric | |
| TaxDetails | FivePercentPenaltyAmt | money | |
| TaxDetails | HomesteadExemption | money | |
| TaxDetails | LeaseholdFlag | bit | |
| TaxDetails | ListedAcreage | numeric | |
| TaxDetails | Page | numeric | |
| TaxDetails | PurchaseDate | datetime | |
| TaxDetails | ResidentialFCV | money | |
| TaxDetails | SheriffsAddOnFee | money | |
| TaxDetails | SheriffsCommission | money | |
| TaxDetails | StatusCode | numeric | |
| TaxDetails | TaxableAmount | money | |
| TaxDetails | TaxAmountDue | money | |
| TaxDetails | TaxBillNumber | varchar | 12 |
| TaxDetails | TaxClassID | tinyint | |

| | | | |
|--------------------|-----------------------|----------|-----|
| TaxDetails | TaxDetailID | numeric | |
| TaxDetails | TaxDistrict | varchar | 2 |
| TaxDetails | TaxDistrictSchoolID | smallint | |
| TaxDetails | TaxDueDate | datetime | |
| TaxDetails | TaxPaidDate | datetime | |
| TaxDetails | TaxYear | numeric | |
| TaxDetails | TenPercentPenaltyAmt | money | |
| TaxDetails | TwoPercentDiscountAmt | money | |
| TaxDistrictSchools | SchoolCode | varchar | 4 |
| TaxDistrictSchools | SchoolDescription | varchar | 60 |
| TaxDistrictSchools | TaxDistrictSchoolID | smallint | |
| TaxFireDistricts | DistrictCode | varchar | 20 |
| TaxFireDistricts | FaceAmount | money | |
| TaxFireDistricts | FireDistrictCode | numeric | |
| TaxFireDistricts | TaxYear | numeric | |
| TaxImportErrors | BaseFileNumb | numeric | |
| TaxImportErrors | ImportError | varchar | 255 |
| TaxImportErrors | TaxBillNumber | varchar | 12 |
| TaxImportErrors | TaxImportErrorID | numeric | |
| TaxParms | AccountNum | char | 16 |
| TaxParms | DelTangiKindCode | numeric | |
| TaxParms | DelTaxIndexType | char | 3 |
| TaxParms | DelTaxKindCode | numeric | |
| TaxParms | DelTaxOrigIndexType | char | 10 |
| TaxParms | PKDelTaxParm | numeric | |
| TaxParms | ProjectedDOS | datetime | |
| TaxParms | RecentDOS | datetime | |
| TaxTypes | TaxCategory | varchar | 2 |
| TaxTypes | TaxType | char | 2 |
| TaxTypes | TaxTypeDesc | varchar | 30 |
| TifLog | DocID | varchar | 8 |
| TifLog | ImageID | varchar | 16 |
| tmpLoadTable | BaseFileNumb | numeric | |
| tmpLoadTable | Book | varchar | 5 |

| | | | |
|---------------------|----------------|----------|----|
| tmpLoadTable | DocID | numeric | |
| tmpLoadTable | ImageID | numeric | |
| tmpLoadTable | Occurs | numeric | |
| tmpLoadTable | Page | numeric | |
| tmpLoadTable | PageSeq | numeric | |
| TownCodes | CountyCode | char | 3 |
| TownCodes | SWISCode | numeric | |
| TownCodes | TownCode | char | 3 |
| TownCodes | TownName | varchar | 40 |
| TrackImports | CorpFilingDate | datetime | |
| TrackImports | EntryDate | datetime | |
| TrackImports | PersonnelCode | numeric | |
| TrackImports | TrackImportID | numeric | |
| TrackImports | TrackType | varchar | 20 |
| TrackImports | Workstation | varchar | 20 |
| TransactionAccounts | AccountNumSeq | numeric | |
| TransactionAccounts | AddAttchAmount | money | |
| TransactionAccounts | AddNameAmount | money | |
| TransactionAccounts | AddPageAmount | money | |
| TransactionAccounts | AllowCharge | bit | |
| TransactionAccounts | BankCode | numeric | |
| TransactionAccounts | ExemptAmount | numeric | |
| TransactionAccounts | FeeRateSeq | numeric | |
| TransactionAccounts | MakeNegative | bit | |
| TransactionAccounts | MaxAmount | money | |
| TransactionAccounts | MillagePercent | numeric | |
| TransactionAccounts | MillageType | char | 1 |
| TransactionAccounts | OverWriteable | bit | |
| TransactionAccounts | RecipientCode | numeric | |
| TransactionAccounts | RoundTo | numeric | |
| TransactionAccounts | TaxCalculation | char | 1 |
| TransactionAccounts | TranAcctCode | numeric | |
| TransactionAccounts | TranCodeSeq | numeric | |
| TransactionAccounts | TransactAmount | money | |

| | | | |
|-------------------------|----------------------------|----------|----|
| TransactionCodes | TranCode | numeric | |
| TransactionCodes | TranDesc | varchar | 40 |
| TransactionDepartments | DeptCode | char | 4 |
| TransactionDepartments | TranCode | numeric | |
| TransactionGroups | TranGroupCode | char | 4 |
| TransactionGroups | TranGroupDesc | varchar | 40 |
| TransactionRequirements | DocRequirementID | numeric | |
| TransactionRequirements | SortOrder | int | |
| TransactionRequirements | TranCode | numeric | |
| TransactionRequirements | TranRequirementID | numeric | |
| Transactions | BaseFeeAttch | numeric | |
| Transactions | BaseFeePages | numeric | |
| Transactions | BaseNames | numeric | |
| Transactions | CertificateOfAssignmentReq | bit | |
| Transactions | CertificateOfReleaseReq | bit | |
| Transactions | CertifiedLabelReq | bit | |
| Transactions | CommonwealthExempt | bit | |
| Transactions | CoverSheetReq | bit | |
| Transactions | DelTaxCaseFunctionCode | numeric | |
| Transactions | DelTaxTransaction | bit | |
| Transactions | DocStampReq | bit | |
| Transactions | EffectiveDate | datetime | |
| Transactions | EnterGranteeAddress | bit | |
| Transactions | EnterLocality | bit | |
| Transactions | EnterLocalTaxPercent | bit | |
| Transactions | EnterNameExempt | bit | |
| Transactions | EnterPTax | bit | |
| Transactions | ExpirationDate | datetime | |
| Transactions | IndexReq | char | 1 |
| Transactions | IndexType | char | 3 |
| Transactions | IntangibleTaxReq | bit | |
| Transactions | KindCode | numeric | |
| Transactions | LocalDeed | bit | |
| Transactions | ModifyDate | datetime | |

| | | | |
|-------------------|---------------------|----------|------------|
| Transactions | ModifyPersonnelCode | numeric | |
| Transactions | ModifyWorkStation | varchar | 20 |
| Transactions | MortgageTaxReq | bit | |
| Transactions | Receivable | bit | |
| Transactions | RSNumberReq | bit | |
| Transactions | StateDeed | bit | |
| Transactions | TaxStampReq | bit | |
| Transactions | TownCodeReq | bit | |
| Transactions | TranCode | numeric | |
| Transactions | TranCodeSeq | numeric | |
| Transactions | TranGroupCode | char | 4 |
| Transactions | TransferTaxReq | bit | |
| Transactions | TypeCode | varchar | 8 |
| TransactionTotals | CashAmount | money | |
| TransactionTotals | ChargeAmount | money | |
| TransactionTotals | ChargePaid | money | |
| TransactionTotals | PaidOnAccount | money | |
| TransactionTotals | TranCode | numeric | |
| TransactionTotals | TranCount | numeric | |
| TransactionTotals | TranDay | numeric | |
| TransactionTotals | TranMonth | numeric | |
| TransactionTotals | TranYear | numeric | |
| Transfer | BaseFileNumb | numeric | |
| Transfer | ConveyanceTax | money | |
| Transfer | DeedDate | datetime | |
| Transfer | Remarks | varchar | 30 |
| Transfer | SellingPrice | money | |
| TransferImages | BaseFileNumb | numeric | |
| TransferImages | DocID | numeric | |
| TransferImages | ErrorMsg | varchar | 200 |
| TransferImages | ImageID | numeric | |
| TransferImages | PageSeq | int | |
| TransferImages | TransferImage | image | 2147483647 |
| TransferImages | TransferImageID | int | |

| | | | |
|-------------------------|------------------------|----------|----|
| TransferLabel | Address1 | varchar | 40 |
| TransferLabel | Address2 | varchar | 40 |
| TransferLabel | BaseFileNumb | numeric | |
| TransferLabel | City | varchar | 24 |
| TransferLabel | Party | numeric | |
| TransferLabel | PartyName | varchar | 40 |
| TransferLabel | State | char | 2 |
| TransferLabel | ZipCode | varchar | 10 |
| TransferTaxDistribution | CheckDate | datetime | |
| TransferTaxDistribution | CheckNum | numeric | |
| TransferTaxDistribution | Override | bit | |
| TransferTaxDistribution | PayeeCode | numeric | |
| TransferTaxDistribution | PKTransfer | numeric | |
| TransferTaxDistribution | RecordingNum | numeric | |
| TransferTaxDistribution | TaxAmount | money | |
| TransferTaxParms | CheckMemo | varchar | 40 |
| TransferTaxParms | ExtraPennyToSchool | bit | |
| TransferTaxParms | LocalCommissionPayee | numeric | |
| TransferTaxParms | LocalCommissionRate | decimal | |
| TransferTaxParms | NextCheckNum | numeric | |
| TransferTaxParms | NextStampNum | numeric | |
| TransferTaxParms | PKTaxParm | numeric | |
| TransferTaxParms | PrintCommonwealthCheck | bit | |
| TransferTaxParms | ResetStampNumYearOn | datetime | |
| TransferTaxParms | RoundTo | numeric | |
| TransferTaxParms | StateCommissionPayee | numeric | |
| TransferTaxParms | StateCommissionRate | decimal | |
| TransferTaxParms | UseCheckVoucher | bit | |
| TransferTaxParms | WritCommissionRate | decimal | |
| TransferTaxTowns | PKTransferTaxTowns | numeric | |
| TransferTaxTowns | RecordingNum | numeric | |
| TransferTaxTowns | TownCode | char | 3 |
| Transmit | AcceptedBy | numeric | |
| Transmit | AcceptedDate | datetime | |

| | | | |
|--------------------|--------------------|----------|----|
| Transmit | Checksum | char | 7 |
| Transmit | CottFile | char | 12 |
| Transmit | FileName | char | 12 |
| Transmit | GoodThruDate | datetime | |
| Transmit | IndexType | char | 3 |
| Transmit | ReTransmitDate | datetime | |
| Transmit | TransmitDate | datetime | |
| TransmitData | BaseFileNumb | numeric | |
| TransmitData | FileName | char | 12 |
| TransmitData | InstrumentID | numeric | |
| TransmitData | WorkGroup | numeric | |
| TransmitIndexTypes | IndexDesc | char | 30 |
| TransmitIndexTypes | IndexType | char | 3 |
| UniqueDateNames | DateInvKey | numeric | |
| UniqueDateNames | FileDate | datetime | |
| UniqueDateNames | FirmSurName | varchar | 74 |
| UniqueDateNames | GivenName | varchar | 70 |
| UniqueDateNames | IndexedFirmSurName | varchar | 74 |
| UniqueDateNames | IndexedGivenName | varchar | 70 |
| UniqueDateNames | IndexedMiddleName | varchar | 70 |
| UniqueDateNames | IndexedNameTitle | varchar | 30 |
| UniqueDateNames | IndexType | char | 3 |
| UniqueDateNames | KindCode | char | 8 |
| UniqueDateNames | MiddleName | varchar | 70 |
| UniqueDateNames | NameInvKey | numeric | |
| UniqueDateNames | NameTitle | varchar | 30 |
| UniqueDateNames | PartyOneOccurs | numeric | |
| UniqueDateNames | PartyTwoOccurs | numeric | |
| UniqueIndexNames | FirmSurName | varchar | 74 |
| UniqueIndexNames | GivenName | varchar | 70 |
| UniqueIndexNames | IndexedFirmSurName | varchar | 74 |
| UniqueIndexNames | IndexedGivenName | varchar | 70 |
| UniqueIndexNames | IndexedMiddleName | varchar | 70 |
| UniqueIndexNames | IndexedNameTitle | varchar | 30 |

| | | | |
|----------------------|--------------------|---------|----|
| UniqueIndexNames | IndexInvKey | numeric | |
| UniqueIndexNames | IndexType | char | 3 |
| UniqueIndexNames | MiddleName | varchar | 70 |
| UniqueIndexNames | NameInvKey | numeric | |
| UniqueIndexNames | NameTitle | varchar | 30 |
| UniqueIndexNames | PartyOneOccurs | numeric | |
| UniqueIndexNames | PartyTwoOccurs | numeric | |
| UniqueKindGroupNames | FirmSurName | varchar | 74 |
| UniqueKindGroupNames | GivenName | varchar | 70 |
| UniqueKindGroupNames | IndexedFirmSurName | varchar | 74 |
| UniqueKindGroupNames | IndexedGivenName | varchar | 70 |
| UniqueKindGroupNames | IndexedMiddleName | varchar | 70 |
| UniqueKindGroupNames | IndexedNameTitle | varchar | 30 |
| UniqueKindGroupNames | IndexType | char | 3 |
| UniqueKindGroupNames | KindGInvKey | numeric | |
| UniqueKindGroupNames | KindGroupCode | char | 4 |
| UniqueKindGroupNames | MiddleName | varchar | 70 |
| UniqueKindGroupNames | NameInvKey | numeric | |
| UniqueKindGroupNames | NameTitle | varchar | 30 |
| UniqueKindGroupNames | PartyOneOccurs | numeric | |
| UniqueKindGroupNames | PartyTwoOccurs | numeric | |
| UniqueKindNames | FirmSurName | varchar | 74 |
| UniqueKindNames | GivenName | varchar | 70 |
| UniqueKindNames | IndexedFirmSurName | varchar | 74 |
| UniqueKindNames | IndexedGivenName | varchar | 70 |
| UniqueKindNames | IndexedMiddleName | varchar | 70 |
| UniqueKindNames | IndexedNameTitle | varchar | 30 |
| UniqueKindNames | IndexType | char | 3 |
| UniqueKindNames | KindCode | char | 8 |
| UniqueKindNames | KindInvKey | numeric | |
| UniqueKindNames | MiddleName | varchar | 70 |
| UniqueKindNames | NameInvKey | numeric | |
| UniqueKindNames | NameTitle | varchar | 30 |
| UniqueKindNames | PartyOneOccurs | numeric | |

| | | | |
|-------------------|---------------------|---------|-----|
| UniqueKindNames | PartyTwoOccurs | numeric | |
| UniqueNames | FirmSurName | varchar | 200 |
| UniqueNames | GivenName | varchar | 200 |
| UniqueNames | MiddleName | varchar | 200 |
| UniqueNames | NameInvKey | numeric | |
| UniqueNames | NameTitle | varchar | 200 |
| UniqueNames | NormalFirmSurName | varchar | 200 |
| UniqueNames | NormalGivenName | varchar | 200 |
| UniqueNames | NormalMiddleName | varchar | 200 |
| UniqueNames | NormalNameTitle | varchar | 200 |
| UniqueNames | TrueCaseFirmSurName | varchar | 200 |
| UniqueNames | TrueCaseGivenName | varchar | 200 |
| UniqueNames | TrueCaseMiddleName | varchar | 200 |
| UniqueNames | TrueCaseNameTitle | varchar | 200 |
| UnplattedProperty | CivilTownshipCode | numeric | |
| UnplattedProperty | Lot | varchar | 5 |
| UnplattedProperty | QtrQtrSection | char | 2 |
| UnplattedProperty | QtrSection | char | 2 |
| UnplattedProperty | Range | char | 3 |
| UnplattedProperty | Section | char | 3 |
| UnplattedProperty | Township | char | 3 |
| UnplattedProperty | UnPlattedKey | numeric | |
| UnplattedValues | UnplattedCode | varchar | 3 |
| UnplattedValues | UnplattedType | varchar | 2 |
| UserAccess | GroupID | numeric | |
| UserAccess | IndexType | char | 3 |
| UserAccess | KindCode | numeric | |
| UserAccess | KindGroupCode | char | 4 |
| VerifyCodes | Searchable | bit | |
| VerifyCodes | VerifyDesc | varchar | 30 |
| VerifyCodes | VerifyFlag | varchar | 2 |
| VerifyStats | BaseFileNumb | numeric | |
| VerifyStats | ColumnName | varchar | 30 |
| VerifyStats | EntryPersonnelCode | numeric | |

| | | | |
|-------------------|---------------------|----------|-----|
| VerifyStats | EntryValue | varchar | 255 |
| VerifyStats | PKVerify | numeric | |
| VerifyStats | TableName | varchar | 30 |
| VerifyStats | VerifyAction | char | 1 |
| VerifyStats | VerifyDate | datetime | |
| VerifyStats | VerifyPersonnelCode | numeric | |
| VerifyStats | VerifyValue | varchar | 255 |
| VerifyStats | WhosRight | char | 1 |
| ViewedInstruments | BaseFileNumb | numeric | |
| ViewedInstruments | DocID | numeric | |
| ViewedInstruments | LastViewed | datetime | |
| ViewedInstruments | UserName | nvarchar | 256 |
| ViewedInstruments | ViewedInstrumentID | numeric | |
| VoidedCOUDI | ColumnName | varchar | 50 |
| VoidedCOUDI | COUDI | varchar | 24 |
| VoidedCOUDI | IndexType | char | 3 |
| VoidedCOUDI | PersonnelCode | numeric | |
| VoidedCOUDI | PKCoudi | numeric | |
| VoidedCOUDI | Reason | varchar | 255 |
| VoidedCOUDI | VoidDate | datetime | |
| VoidedCOUDI | WorkStation | varchar | 20 |
| WalkinCustomers | Address1 | varchar | 40 |
| WalkinCustomers | Address2 | varchar | 40 |
| WalkinCustomers | City | varchar | 24 |
| WalkinCustomers | PrintLabel | bit | |
| WalkinCustomers | State | char | 2 |
| WalkinCustomers | WalkinAcct | numeric | |
| WalkinCustomers | WalkinName | varchar | 40 |
| WalkinCustomers | ZipCode | varchar | 10 |
| Weekdays | DayId | int | |
| Weekdays | Description | nvarchar | 20 |
| Weekdays | Id | int | |
| WorkGroup | AppCode | char | 3 |
| WorkGroup | CurrentStatus | char | 2 |

| | | | |
|------------------|-------------------|----------|------------|
| WorkGroup | Locked | bit | |
| WorkGroup | WorkGroup | numeric | |
| WorkGroup | WorkGroupType | char | 2 |
| WorkGroupHistory | ActiveRecord | bit | |
| WorkGroupHistory | PersonnelCode | numeric | |
| WorkGroupHistory | PKHistory | numeric | |
| WorkGroupHistory | StatusCompleted | char | 2 |
| WorkGroupHistory | StatusDate | datetime | |
| WorkGroupHistory | WorkGroup | numeric | |
| WorkGroupHistory | WorkStation | varchar | 20 |
| WorkGroupSplits | OriginalWorkGroup | numeric | |
| WorkGroupSplits | WorkGroup | numeric | |
| WorkGroupTypes | AutoFile | bit | |
| WorkGroupTypes | QCAfterScan | bit | |
| WorkGroupTypes | TypeDescription | varchar | 30 |
| WorkGroupTypes | WorkGroupType | char | 2 |
| XMLTable | Iden | int | |
| XMLTable | XmlDatat | text | 2147483647 |
| XrefResults | BaseFileNumb | numeric | |
| XrefResults | Message | varchar | 300 |
| ZipCodes | City | varchar | 50 |
| ZipCodes | State | varchar | 2 |
| ZipCodes | ZipCode | numeric | |