

REDACTED



Tetra Tech EM Inc.

Gwinnett Corporate Center ♦ 1750 Corporate Drive, Suite 735 ♦ Norcross, GA 30093 ♦ (770) 935-1542 ♦ FAX (770) 935-9049

SITE: Mills Gap Rd
BREAK: 2.3
OTHER: V10

February 17, 2000

Ms. Barbara Caprita
On-Scene Coordinator
U.S. Environmental Protection Agency
61 Forsyth Street, SW, 11th Floor
Atlanta, Georgia 30303


**Subject: Trip Report
Mills Gap Site
Skyland, Buncombe County, North Carolina
TDD No. 04-9909-0006**

Dear Ms. Caprita:

The Tetra Tech EM Inc. Superfund Technical Assessment and Response Team (START) is submitting one copy of the trip report prepared for the Mills Gap site in Skyland, Buncombe County, North Carolina.

If you have any questions or comments, or need additional copies of the report or logbook notes, please contact me at (770) 717-2300 or Marsh Duncan at (770) 717-2322.

Sincerely,


for R. Steve Pierce
START Leader

Enclosure

cc: Douglas Thompson, EPA Project Officer (letter only)
Marsh Duncan, START Project Manager
START File



**TRIP REPORT
MILLS GAP SITE
SKYLAND, BUNCOMBE COUNTY, NORTH CAROLINA**

Prepared for

**U.S. ENVIRONMENTAL PROTECTION AGENCY
Region 4 Emergency Response and Removal Branch
61 Forsyth Street, SW, 11th Floor
Atlanta, Georgia 30303**

TDD No.	:	04-9909-0006
Date Prepared	:	February 17, 2000
Contract No.	:	68-W5-0021
Prepared by	:	Tetra Tech EM Inc.
START Project Manager	:	Marsh Duncan
Telephone No.	:	(770) 717-2322
EPA Task Monitor	:	Barbara Caprita
Telephone No.	:	(404) 562-8720

CONTENTS

<u>Section</u>	<u>Page</u>
1.0 SITUATION	1
2.0 SITE BACKGROUND	1
3.0 SUMMARY	4
3.1 SOIL SAMPLING	5
3.2 SEDIMENT SAMPLING	5
4.0 ANALYTICAL RESULTS	7
5.0 CONCLUSION.....	7

FIGURES

1 GENERAL SITE MAP	2
2 SITE LAYOUT MAP	3
3 SAMPLING LOCATION MAP	6

TABLES

1 SUMMARY OF INORGANIC ANALYTICAL RESULTS	9
2 SUMMARY OF VOLATILE ORGANIC COMPOUND ANALYTICAL RESULTS	13
3 SUMMARY OF EXTRACTABLE ORGANIC COMPOUND ANALYTICAL RESULTS	17
4 SUMMARY OF PESTICIDE AND POLYCHLORINATED BIPHENYL ANALYTICAL RESULTS	21

Appendices

A LOGBOOK NOTES	
B PHOTOGRAPHIC LOG	
C TABLE OF WITNESSES	
D ANALYTICAL REPORT	

CONTENTS

<u>Section</u>	<u>Page</u>
1.0 SITUATION	1
2.0 SITE BACKGROUND	1
3.0 SUMMARY	4
3.1 SOIL SAMPLING	5
3.2 SEDIMENT SAMPLING	5
4.0 ANALYTICAL RESULTS	7
5.0 CONCLUSION	7

FIGURES

1 GENERAL SITE MAP	2
2 SITE LAYOUT MAP	3
3 SAMPLING LOCATION MAP	6

TABLES

1 SUMMARY OF INORGANIC ANALYTICAL RESULTS	9
2 SUMMARY OF VOLATILE ORGANIC COMPOUND ANALYTICAL RESULTS	13
3 SUMMARY OF EXTRACTABLE ORGANIC COMPOUND ANALYTICAL RESULTS	17
4 SUMMARY OF PESTICIDE AND POLYCHLORINATED BIPHENYL ANALYTICAL RESULTS	21

Appendices

A LOGBOOK NOTES	
B PHOTOGRAPHIC LOG	
C TABLE OF WITNESSES	
D ANALYTICAL REPORT	

**TRIP REPORT
MILLS GAP SITE
SKYLAND, BUNCOMBE COUNTY, NORTH CAROLINA**

1.0 SITUATION

This trip report has been prepared in accordance with the requirements of Technical Direction Document (TDD) No. 04-9909-0006, which the U.S. Environmental Protection Agency (EPA) Region 4 assigned to the Tetra Tech EM Inc. Superfund Technical Assessment and Response Team (START). The scope of this TDD was to conduct sampling and document site activities and current conditions at the Mills Gap site in Skyland, Buncombe County, North Carolina. START was tasked to prepare a sampling plan, mobilize to the site, perform air monitoring and multimedia sampling, document on-site activities in a logbook (Appendix A), and prepare a trip report. This report summarizes the site history, sampling activities, on-site observations, and analytical results. Tables of analytical results are provided at the end of the report.

2.0 SITE BACKGROUND

The Mills Gap site (also known as CTS of Asheville, Inc.) is located on Mills Gap Road approximately 1 mile east of Skyland, Buncombe County, North Carolina (Figure 1). The facility is located in a sparsely populated area and occupies 57 acres. A large one-story brick structure is located at the northeast corner of the property, fronting Mills Gap Road. The building is situated on about 10 acres of level ground surrounded by a chain-link fence topped with barbed wire (Figure 2). South of the site property, a new residential subdivision is being developed. Construction of the new homes, which are located uphill of the facility, is visible from the site property. An existing residential area is located downhill and east of the site property.

The facility electroplated electrical components with tin, nickel, zinc, and silver from 1953 until 1986, when operations ceased. Wastes generated from the electroplating process included sludge containing heavy metals and solvents such as 1,1,1-trichloroethane, acetone, and ethyl acetate. Sulfuric acid and sodium hydroxide were also used in the electroplating process. Reportedly, acetone and metals from sludges were reclaimed when possible. Between 1953 and 1980, wastes that could not be reclaimed from the electroplating process were disposed of through the city sewer system. After 1980, wastes were stored in drums or tanks onsite prior to off-site disposal or recycling. On an annual basis, the facility produced approximately 44,440 pounds of sludge, 8,307 pounds of waste solvents, and 52,800 pounds of other waste organic chemicals. The available file material does not indicate whether wastes were disposed of on site.

**TRIP REPORT
MILLS GAP SITE
SKYLAND, BUNCOMBE COUNTY, NORTH CAROLINA**



1.0 SITUATION

This trip report has been prepared in accordance with the requirements of Technical Direction Document (TDD) No. 04-9909-0006, which the U.S. Environmental Protection Agency (EPA) Region 4 assigned to the Tetra Tech EM Inc. Superfund Technical Assessment and Response Team (START). The scope of this TDD was to conduct sampling and document site activities and current conditions at the Mills Gap site in Skyland, Buncombe County, North Carolina. START was tasked to prepare a sampling plan, mobilize to the site, perform air monitoring and multimedia sampling, document on-site activities in a logbook (Appendix A), and prepare a trip report. This report summarizes the site history, sampling activities, on-site observations, and analytical results. Tables of analytical results are provided at the end of the report.

2.0 SITE BACKGROUND

The Mills Gap site (also known as CTS of Asheville, Inc.) is located on Mills Gap Road approximately 1 mile east of Skyland, Buncombe County, North Carolina (Figure 1). The facility is located in a sparsely populated area and occupies 57 acres. A large one-story brick structure is located at the northeast corner of the property, fronting Mills Gap Road. The building is situated on about 10 acres of level ground surrounded by a chain-link fence topped with barbed wire (Figure 2). South of the site property, a new residential subdivision is being developed. Construction of the new homes, which are located uphill of the facility, is visible from the site property. An existing residential area is located downhill and east of the site property.

The facility electroplated electrical components with tin, nickel, zinc, and silver from 1953 until 1986, when operations ceased. Wastes generated from the electroplating process included sludge containing heavy metals and solvents such as 1,1,1-trichloroethane, acetone, and ethyl acetate. Sulfuric acid and sodium hydroxide were also used in the electroplating process. Reportedly, acetone and metals from sludges were reclaimed when possible. Between 1953 and 1980, wastes that could not be reclaimed from the electroplating process were disposed of through the city sewer system. After 1980, wastes were stored in drums or tanks onsite prior to off-site disposal or recycling. On an annual basis, the facility produced approximately 44,440 pounds of sludge, 8,307 pounds of waste solvents, and 52,800 pounds of other waste organic chemicals. The available file material does not indicate whether wastes were disposed of on site.



**ASHEVILLE,
NORTH CAROLINA**




MODIFIED FROM USGS 7.5
MINUTE QUADRANGLE:
SKYLAND, NORTH CAROLINA 1972

MILLS GAP SITE
SKYLAND, BUNCOMBE COUNTY,
NORTH CAROLINA
EPA ID No. NCD003149556
TDD No. 04-9909-0006



**FIGURE 1
GENERAL SITE MAP**





LEGEND

- FENCELINE
- AST ABOVEGROUND STORAGE TANK
- MG MILLS GAP

**MILLS GAP SITE
 SKYLAND, BUNCOMBE COUNTY,
 NORTH CAROLINA
 TDD No. 04-9909-0006**

FIGURE 2 - SITE LAYOUT MAP



TETRA TECH EM INC.

START

NOT TO SCALE

3.0 SUMMARY

On November 8, 1999, START personnel mobilized to the Mills Gap site and met On-Scene Coordinator (OSC) Barbara Caprita and the EPA Science and Ecosystem Support Division (SESD) contractor, Integrated Laboratory Services (ILS) to begin activities. START personnel and OSC Caprita conducted a site reconnaissance to identify site characteristics and potential sampling locations. The interior of the former CTS of Asheville building was toured and determined to be vacant. No drums, tanks, or vats were present inside the facility building; however, START and OSC Caprita did locate what was believed to be the former trichloroethene pit inside the facility building. A 5,000-gallon horizontal steel tank was located adjacent to the south side of the building and was determined to be empty. A storage tank cradle was discovered in a wooded area up hill from the facility building. The cradle could have been used to support a 500-gallon storage tank. Also noted throughout the site, was debris and rubbish consisting mostly of wood pallets, galvanized steel piping and ductwork, and empty paint cans. At the southwest corner of the site property, the fenceline provided support for an artificial soil embankment. At a lower elevation immediately outside of the fence, miscellaneous debris and polyethylene drums were observed to be buried against the fenceline.

During the reconnaissance of the facility property, START personnel and OSC Caprita identified several sampling locations inside the site property fenceline as well as downgradient locations at neighboring residences and off-site drainage pathways. The sampling locations were chosen to determine the extent of contamination and to identify potential pollution migration pathways.

From November 9, 1999 through November 11, 1999, START collected 10 surface and 19 subsurface soil samples and 3 sediment samples from 16 locations (Figure 3). ILS provided a van-mounted Geoprobe® to perform subsurface soil sampling. All surface soil samples and sediment samples were collected at a depth of 0 to 6 inches. Subsurface soil sample depths varied between sample locations depending on the ability of the Geoprobe® to penetrate subsurface materials. All sampling techniques were in accordance with the approved site-specific sampling plan and SESD *Environmental Investigations Standard Operating Procedures and Quality Assurance Manual* (EISOPQAM, 1996). All samples were processed on site and delivered via overnight courier to the appropriate EPA Contract Laboratory Program (CLP) laboratory.


3.1 SOIL SAMPLING

START collected 29 soil samples from the site including 10 surface soil samples and 19 subsurface soil samples. The sampling locations were determined based on suspected areas of contamination, previous site investigations, and potential migration pathways. Each surface sample was collected at a depth of 0 to 6 inches, and the subsurface samples were collected from depths ranging from 2 to 23 feet. Specific-sample depths are listed in conjunction with the sample number in each of the analytical data summary tables (Tables 1 through 4). At the direction of the OSC, subsurface soil was sampled at 5 to 10 foot increments unless prohibited by subsurface conditions. At most locations, sampling depths were predicated on the sampling team's ability to penetrate subsurface materials. START used an organic vapor analyzer (OVA) and photoionization detector (PID) to perform air monitoring at each of the sampling locations. No elevated readings were detected with the air monitoring equipment. Sampling locations are identified on Figure 3.

Each soil sample was collected with a clean stainless-steel auger or Geoprobe® disposable core sleeve, stainless-steel spoon and bowl. Samples for volatile organic compound (VOC) analysis were placed in two 2-ounce clear glass jars with septa-sealed lids. Soils for pesticides and polychlorinated biphenyls (PCB), Target Analyte List (TAL) metals, and Target Compound List (TCL) analysis were placed in two 8-ounce clear glass jars. All decontamination procedures followed the guidelines in the *Environmental Protection Agency Standard Operating Procedures/ Quality Assurance Manual* (EPASOPQAM, 1996).

3.2 SEDIMENT SAMPLING

In addition to soil sampling, the OSC directed START to collect three sediment samples. Two of the samples (MG-01-SD and MG-02-SD) were collected from an unnamed stream at a neighboring residence downgradient from the site. The unnamed stream begins near the site perimeter at the outfall of a site drainage pipe. On a previous site visit, OSC Fred Stroud constructed a small dam designed to restrict the flow of fuel oil discovered in the stream. Standing water was present, and sample MG-02-SD contained a slight sheen in the sediment. The third sediment sample was collected outside the northwest perimeter of the site approximately 20 feet from the concrete drainage pipe outfall.



LEGEND

- FENCELINE
- AST ABOVEGROUND STORAGE TANK
- MG MILLS GAP
- ⊕ SEDIMENT SAMPLE
- SURFACE AND SUBSURFACE SOIL SAMPLE
- ⊕ SUBSURFACE SOIL SAMPLE
- SURFACE SOIL SAMPLE

NOT TO SCALE

**MILLS GAP SITE
 SKYLAND, BUNCOMBE COUNTY,
 NORTH CAROLINA
 TDD No. 04-9909-0006**

FIGURE 3 - SAMPLING LOCATION MAP



TETRA TECH EM INC.

START

Each sediment sample was collected with a stainless-steel clean spoon and bowl. The samples for the VOC analysis were placed in two 40-milliliter clear glass jars with septa-sealed lids. While samples for Target Compound List (TCL) analysis were placed in the two 8-ounce clear glass jars. Sampling locations are identified on Figure 3.

4.0 ANALYTICAL

In general, analytical results indicated low concentrations of target analytes. The inorganic analysis indicated that lead concentrations ranged from 3.9 to 100 parts per million (ppm). Arsenic levels ranged from 0 to 4.8 ppm. Chromium concentrations were estimated (J) from 7.4 J to 98 J ppm. Mercury concentrations ranged from 0 to 0.63 ppm, and zinc concentrations ranged from 13 to 640 ppm. The results of the inorganic analysis are summarized in Table 1. Trichloroethene was the highest VOC detected. Trichloroethene was detected at 33,000 parts per billion (ppb) at sampling location MG-03-SBB. MG-03-SBB was sampled at a depth of 17 to 19 feet and was located approximately 28 feet from the facility building. The results of the VOC analysis are summarized in Table 2. Analysis for extractable organic compounds indicated that bis(2-ethylhexyl)phthalate ranged from 0 to 14,000 ppb, and 2-methylnaphthalene ranged from 0 to 23,000 ppb. Extractable organic analysis is summarized in Table 3. Analysis for pesticides and PCBs detected PCB 1260 at 240 ppb (MG-05-SS), 97 ppb (MG-06-SS) and 82 ppb (MG-03-SD). Pesticide and PCB analytical results are summarized in Table 4. The complete laboratory analytical report is provided in Appendix D.

5.0 CONCLUSION

Under the direction of the OSC, START conducted air monitoring, sampling activities, and provided documentation for the Mills Gap site investigation on November 9, 1999 through November 11, 1999. START documented site activities with written lognotes, diagrams, and still photographs. A site reconnaissance indicated that the former CTS building was empty. The building was used to electroplate electrical components with tin, nickel, zinc, and silver from 1952 until 1986. Potential pollution point source locations were identified, and areas of debris and rubbish were noted.

Soil and sediment samples were collected from 16 locations. Sampling locations were chosen based on suspected areas of contamination, potential migration pathways, and previous site investigations. Integrated Laboratory Services, an EPA SESD contractor, assisted START with subsurface sampling

by providing and operating a van-mounted Geoprobe®. All samples were collected in accordance with EISOPQAM, 1996, and shipped via overnight courier to the CLP laboratories on November 11, 1999.

Soil and sediment samples were analyzed for TAL Metals, VOCs, TCL, and pesticides and PCB constituents. In general, analytical results indicated low concentrations of the TCL and TAL analytes. Trichloroethene, a primary contaminate of concern, was detected at an elevated level in only one soil sample. Further activities at the site are to be determined by EPA. No further activities by START are anticipated under this TDD.

TABLE 1
SUMMARY OF INORGANIC ANALYTICAL RESULTS
MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte mg/kg	Sample No.	MG-01-SS	MG-01-SBA	MG-01-SBB	MG-02-SS	MG-02-SBA	MG-03-SS	MG-03-SBA	MG-03-SBB
	Sampling Date	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999
	Sample Depth	0-6 in	10-11 ft	14-15 ft	0-6 in	5 ft	0-6 in	15 ft	17-19 ft
Metals									
Aluminium		15000 J	18000 J	22000 J	17000 J	27000 J	13000 J	19000 J	24000 J
Antimony		--	--	--	--	--	--	--	--
Arsenic		1.8 J	1.7 J	--	--	2.2 J	1.7 J	2.7 J	1.1 J
Barium		130 J	110 J	240 J	180 J	160 J	160 J	160 J	280 J
Beryllium		--	1.4	2.3	--	1.8	--	1.9	3.6
Cadmium		--	--	--	--	--	3	--	--
Calcium		800	2200	--	--	--	2000	--	920
Chromium		20 J	27 J	26 J	20 J	22 J	98 J	41 J	32 J
Cobalt		--	--	--	--	17 J	--	14 J	--
Copper		340 J	28 J	--	19 J	--	420 J	32 J	38J
Iron		22000 J	26000 J	25000 J	26000 J	27000 J	29000 J	34000 J	29000 J
Lead		11	11	3.6	4.9	3.9	100	7.8	9.7
Magnesium		4300 J	4300 J	5800 J	5700 J	5100 J	4900 J	7400 J	6900 J
Manganese		360 J	280 J	380 J	310 J	400 J	300 J	400 J	830 J
Mercury		0.15	--	--	--	--	0.41	--	--
Nickel		16 J	23 J	13 J	9.1 J	20 J	190 J	20 J	21 J
Potassium		6200 J	6000 J	8300 J	8400 J	5800 J	6200 J	8600 J	7000 J
Silver		15 J	30 J	--	--	--	48 J	--	5.8 J
Vanadium		31 J	32 J	34 J	29 J	32 J	39 J	43 J	39 J
Zinc		90	110	60	76	100	390	96	87
Cyanide		--	--	--	--	--	--	--	--

(J) - analyte concentration is estimated
mg/kg - milligrams per kilograms
MG - Mills Gap site
SS - Surface soil sample
SB - First subsurface soil interval per location
SBB - Second subsurface soil interval per location
SBC - Third subsurface soil interval per location
(--) - Constituents analyzed for but not detected
in - inches
ft - feet

TABLE I (continued)
SUMMARY OF INORGANIC ANALYTICAL RESULTS
MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte mg/kg	Sample No.	MG-04-SS	MG-04-SBA	MG-05-SS	MG-05-SBA	MG-06-SS	MG-06-SBA	MG-07-SS	MG-07-SBA
	Sampling Date	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999
	Sample Depth	0-6 in	7 ft	0-6 in	6 ft	0-6 in	2 ft	0-6 in	4-6 ft
Metals:									
Aluminium		33000 J	26000 J	24000 J	15000 J	36000 J	36000 J	15000	12000 J
Antimony		--	--	--	--	--	--	--	--
Arsenic		1.7 J	1.9 J	1.9 J	2.9 J	2.7 J	--	--	--
Barium		150 J	200 J	180 J	160 J	210 J	170 J	130	76 J
Beryllium		2.6	2.8	2.4	2.2	3.7	3.1	--	1.2
Cadmium		--	--	--	--	--	--	--	--
Calcium		--	--	--	--	890	--	--	--
Chromium		40 J	22 J	24 J	16 J	41 J	19 J	21 J	22 J
Cobalt		18 J	12 J	--	19 J	20 J	--	--	--
Copper		84 J	25 J	56 J	--	40 J	9.1 J	19 J	12 J
Iron		42000 J	27000 J	32000 J	28000 J	39000 J	16000 J	26000	27000 J
Lead		19	8.7	14	11	13	11	9.3	10
Magnesium		6600 J	5700 J	5600 J	5000 J	7100 J	4000 J	4100	2800 J
Manganese		560 J	400 J	310 J	420 J	620 J	340 J	200	220 J
Mercury		0.13	--	0.9	--	0.39	--	--	--
Nickel		39 J	12 J	160 J	16 J	150 J	18 J	9.6	9.4 J
Potassium		8100 J	7800 J	600 J	7000 J	7700 J	3800 J	5800	4000 J
Silver		44 J	--	76 J	3.7 J	130 J	--	8.2 J	--
Vanadium		58 J	33 J	38 J	26 J	47 J	23 J	29 J	30 J
Zinc		140	76	170	79	150	60	62	52
Cyanide		--	--	--	--	0.64	--	--	--

(J) - analyte concentration is estimated
mg/kg - milligrams per kilograms
MG - Mills Gap site
SS - Surface soil sample
SB - First subsurface soil interval per location
SBB - Second subsurface soil interval per location
SBC - Third subsurface soil interval per location
(--) - Constituents analyzed for but not detected
in - inches
ft - feet

TABLE 1 (continued)
 SUMMARY OF INORGANIC ANALYTICAL RESULTS
 MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte mg/kg	Sample No.	MG-07-SBB	MG-07-SBC	MG-08-SS	MG-08-SBA	MG-09-SBA	MG-10-SBA	MG-10-SBB	MG-11-SBA
	Sampling Date	11/09/1999	11/10/1999	11/09/1999	11/09/1999	11/09/1999	11/10/1999	11/10/1999	11/10/1999
	Sample Depth	10-12 ft	15-17 ft	0-6 in	2 ft	6 ft	9-11 ft	21-23 ft	7-9 ft
Metals									
Aluminium		14000 J	16000	6900	12000	29000	9200	16000	18000
Antimony		--	--	--	--	--	--	--	--
Arsenic		--	0.67	2.6	3	2.6	--	--	--
Barium		130 J	140	65	63	81	110	160	79
Beryllium		--	1.8	--	--	2.3	--	1.3	3.7
Cadmium		--	--	--	--	--	--	--	--
Calcium		--	--	--	--	--	--	--	--
Chromium		28 J	22 J	12 J	15 J	54 J	24 J	26 J	61 J
Cobalt		--	23	--	--	23	--	16	41
Copper		18 J	5.2 J	8.2 J	5.1 J	39 J	9.1 J	16 J	83 J
Iron		28000 J	30000	8000	15000	49000	22000	43000	63000
Lead		13	16	19	81	15	9	14	12
Magnesium		3300 J	4600	370	390	4400	2000	4600	3300
Manganese		580 J	890	60	100	1300	280	640	1300
Mercury		--	--	--	--	--	--	--	--
Nickel		11 J	16	10	5	23	6.4	16	27
Potassium		5300 J	6500	440	500	4000	2900	6300	3800
Silver		3.3 J	--	6.1 J	--	35 J	--	--	2.8 J
Vanadium		32 J	33 J	14 J	25 J	56 J	31 J	45 J	62 J
Zinc		61	78	56	41	96	27	58	66
Cyanide		--	--	--	--	--	--	--	--

(J) - analyte concentration is estimated
 mg/kg - milligrams per kilograms
 MG - Mills Gap site
 SS - Surface soil sample
 SB - First subsurface soil interval per location
 SBB - Second subsurface soil interval per location
 SBC - Third subsurface soil interval per location
 (--) - Constituents analyzed for but not detected
 in - inches
 ft - feet

TABLE 1 (continued)
SUMMARY OF INORGANIC ANALYTICAL RESULTS
MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte mg/kg	Sample No.	MG-11-SBB	MG-11-SBC	MG-12-SS	MG-12-SBA	MG-13-SS	MG-01-SD	MG-02-SD	MG-03-SD
	Sampling Date	11/10/1999	11/10/1999	11/11/1999	11/11/1999	11/11/1999	11/09/1999	11/09/1999	11/09/1999
	Sample Depth	14-16 ft	23-25 ft	0-6 in	5-8 ft	0-6 in	0-6 in	0-6 in	0-6 in
Metals:									
Aluminium		18000	20000	17000	12000	12000	5100 J	5000 J	30000 J
Antimony		--	--	--	--	--	--	--	--
Arsenic		1.4	4.8	3.2	--	--	--	--	2.8 J
Barium		110	130	140	46	88	55 J	38 J	160 J
Beryllium		2.9	3.8	--	--	--	--	--	2.4
Cadmium		--	--	--	--	--	--	--	--
Calcium		--	--	--	--	1700	--	--	940
Chromium		38 J	38 J	14 J	16 J	22 J	7.4 J	8.2 J	59 J
Cobalt		27	39	--	--	--	--	--	16 J
Copper		64 J	58 J	8.2 J	6.3 J	35 J	--	--	97 J
Iron		41000	37000	12000	8900	17000	2100 J	2400 J	43000 J
Lead		12	9.8	21	6.8	5.5	9.8	5.4	37
Magnesium		3900	4400	820	460	3900	430 J	840 J	6500 J
Manganese		920	1300	1000	39	210	27 J	21 J	350 J
Mercury		--	--	--	--	--	--	--	0.63
Nickel		24	18	8.8	3.8	22	--	--	49 J
Potassium		4800	4800	770	570	3400	490 J	680 J	6500 J
Silver		--	--	4.4 J	--	11 J	--	--	67 J
Vanadium		46 J	39 J	24 J	25 J	27 J	--	--	53 J
Zinc		82	99	34	17	69	17	13	640
Cyanide		--	--	--	--	--	--	--	--

(J) - analyte concentration is estimated

mg/kg - milligrams per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft - feet

TABLE 2
SUMMARY OF VOLATILE ORGANIC COMPOUNDS ANALYTICAL RESULTS
MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte µg/kg	Sample No.	MG-01-SS	MG-01-SBA	MG-01-SBB	MG-02-SS	MG-02-SBA	MG-03-SS	MG-03-SBA	MG-03-SBB	MG-04-SS
	Sampling Date	11/9/99	11/9/99	11/9/99	11/9/99	11/9/99	11/9/99	11/9/99	11/9/99	11/9/99
	Sample Depth	0-6 in	10-11 ft	14-15 ft	0-6 in	5 ft	0-6 in	15 ft	17-19 ft	0-6 in
Volatile Organic Compounds										
Acetone	--	--	--	--	--	--	--	--	--	--
1,1-Dichloroethane	--	--	--	--	--	--	--	--	--	--
Cis-1,2-Dichloroethene	--	--	--	--	--	--	--	--	--	--
1,1,1-Trichloroethane	--	--	--	--	--	--	--	--	--	--
Benzene	--	--	--	--	--	--	--	--	--	--
Trichloroethene (Trichloroethylene)	3 J	--	--	--	--	--	11 J	3 J	33000	--
Methycyclohexane	--	--	--	--	--	--	--	--	280 J	--
Toluene	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene (Tetrachloroethylene)	--	--	--	--	--	--	--	--	310 J	--
Ethyl Benzene	--	--	--	--	--	--	--	--	41 J	--
Total Xylenes	--	--	--	--	--	--	--	--	380 J	--
Isopropylbenzene	--	--	--	--	--	--	--	--	180 J	--
2 Laboratory Artifacts	97 J	130 J	130 J	70 J	--	--	28 J	--	--	64 J
6 Unknown Compounds	--	--	540 J	--	--	--	--	--	55000 J	--
Laboratory Artifact	--	--	--	--	--	--	--	--	--	--
5 Unknown Compounds	--	--	--	--	--	--	--	--	--	--
11 Unknown Compounds	--	--	--	--	--	--	--	--	--	--
3 Laboratory Artifacts	--	--	--	--	--	--	--	--	--	--
4 Laboratory Artifacts	--	--	--	--	--	230 J	--	270 J	--	--
14 Unknown Compounds	--	--	--	--	--	--	--	--	--	--
2 Unknown Alkenes	--	--	--	--	--	--	--	--	--	--

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft - feet

TABLE 2 (continued)
 SUMMARY OF VOLATILE ORGANIC COMPOUNDS ANALYTICAL RESULTS
 MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte µg/kg	Sample No.	MG-04-SBA	MG-05-SS	MG-05-SBA	MG-06-SS	MG-06-SBA	MG-07-SS	MG-07-SBA	MG-07-SBB	MG-07-SBC
	Sampling Date	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/10/1999
	Sample Depth	7 ft	0-6 in	6 ft	0-6 in	2 ft	0-6 in	4-6 ft	10-12 ft	15-17 ft
Volatile Organic Compounds										
Acetone	--	--	--	--	--	--	--	--	--	--
1,1-Dichloroethane	--	--	--	--	--	--	--	--	--	--
Cis-1,2-Dichloroethene	--	--	--	--	--	--	--	--	--	--
1,1,1-Trichloroethane	--	--	--	--	--	--	--	--	--	--
Benzene	--	--	--	--	--	--	--	--	--	--
Trichloroethene (Trichloroethylene)	--	29	--	--	--	--	--	--	--	--
Methycyclohexane	--	--	--	--	--	--	--	--	--	--
Toluene	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene (Tetrachloroethylene)	--	--	--	--	--	--	--	--	--	--
Ethyl Benzene	--	--	--	--	--	--	--	--	--	--
Total Xylenes	--	--	--	--	--	--	--	--	--	--
Isopropylbenzene	--	--	--	--	--	--	--	--	--	--
2 Laboratory Artifacts	--	100 J	--	29 J	--	--	--	220 J	--	--
6 Unknown Compounds	--	--	--	--	--	--	--	--	--	--
Laboratory Artifact	--	--	--	--	--	--	--	--	--	--
5 Unknown Compounds	--	--	--	--	--	--	--	--	--	--
11 Unknown Compounds	--	--	--	--	--	--	--	--	--	--
3 Laboratory Artifacts	--	--	120 J	--	--	300 J	220 J	--	270 J	--
4 Laboratory Artifacts	270 J	--	--	--	300 J	--	--	--	--	--
14 Unknown Compounds	--	--	--	--	--	--	--	--	--	--
2 Unknown Alkenes	--	--	--	--	--	--	--	--	--	--

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft - feet

TABLE 2 (continued)
 SUMMARY OF VOLATILE ORGANIC COMPOUNDS ANALYTICAL RESULTS
 MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte µg/kg	Sample No.	MG-08-SS	MG-08-SBA	MG-09-SBA	MG-10-SBA	MG-10-SBB	MG-11-SBA	MG-11-SBB	MG-11-SBC	MG-12-SS
	Sampling Date	11/09/1999	11/09/1999	11/09/1999	11/10/1999	11/10/1999	11/10/1999	11/10/1999	11/10/1999	11/11/1999
	Sample Depth	0-6 in	2 ft	6 ft	9-11 ft	21-23 ft	7-9 ft	14-16 ft	23-25 ft	0-6 in
Volatile Organic Compounds										
Acetone	--	--	--	--	--	--	--	--	--	--
1,1-Dichloroethane	--	--	--	--	--	--	--	--	--	--
Cis-1,2-Dichloroethene	--	--	--	--	--	--	--	--	--	--
1,1,1-Trichloroethane	--	--	--	--	--	--	--	--	--	--
Benzene	--	--	--	--	--	--	--	--	--	--
Trichloroethene (Trichloroethylene)	--	--	--	--	--	--	--	--	--	--
Methycyclohexane	--	--	--	--	--	--	--	--	--	--
Toluene	--	--	--	--	--	--	--	--	--	--
Tetrachloroethene (Tetrachloroethylene)	--	--	--	--	--	--	--	--	--	--
Ethyl Benzene	--	--	--	--	--	--	--	--	--	--
Total Xylenes	--	--	--	--	--	--	--	--	--	--
Isopropylbenzene	--	--	--	--	--	--	--	--	--	--
2 Laboratory Artifacts	--	--	45 J	--	--	--	--	200 J	150 J	--
6 Unknown Compounds	--	--	--	--	--	--	--	--	--	--
Laboratory Artifact	--	--	--	--	--	--	--	--	--	--
5 Unknown Compounds	--	--	--	--	--	--	--	--	--	--
11 Unknown Compounds	--	--	--	--	--	--	--	--	--	--
3 Laboratory Artifacts	--	350 J	--	500 J	390 J	270 J	--	--	--	180 J
4 Laboratory Artifacts	230 J	--	--	--	--	--	--	--	--	--
14 Unknown Compounds	--	--	--	--	--	--	--	--	--	--
2 Unknown Alkenes	--	--	--	--	--	--	--	--	--	--

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft - feet

TABLE 2 (continued)
 SUMMARY OF VOLATILE ORGANIC COMPOUNDS ANALYTICAL RESULTS
 MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte µg/kg	Sample No.	MG-12-SBA	MG-13-SS	MG-01-SD	MG-02-SD	MG-03-SD
	Sampling Date	11/11/1999	11/11/1999	11/09/1999	11/09/1999	11/09/1999
	Sample Depth	5-8 ft	0-6 in	0-6 in	0-6 in	0-6 in
Volatile Organic Compounds						
Acetone		270 J	--	--	--	--
1,1-Dichloroethane		--	--	2 J	--	--
Cis-1,2-Dichloroethene		--	--	88.0	46 J	--
1,1,1-Trichloroethane		170 J	--	2 J	120 J	--
Benzene		--	--	10 J	--	--
Trichloroethene (Trichloroethylene)		910 J	--	4 J	17 J	12 J
Methycyclohexane		180 J	--	14 J	630 J	--
Toluene		--	--	22.0	--	--
Tetrachloroethene (Tetrachloroethylene)		--	--	--	--	--
Ethyl Benzene		6 J	--	7 J	290 J	--
Total Xylenes		--	--	33	970 J	--
Isopropylbenzene		--	--	7 J	240 J	--
2 Laboratory Artifacts		--	160 J	--	--	--
6 Unknown Compounds		--	--	--	--	--
Laboratory Artifact		--	--	12 J	--	--
5 Unknown Compounds		--	--	430 J	--	--
11 Unknown Compounds		--	--	--	310000 J	--
3 Laboratory Artifacts		--	--	--	--	55 J
4 Laboratory Artifacts		--	--	--	--	--
14 Unknown Compounds		22000 J	--	--	--	--
2 Unknown Alkenes		1200 J	--	--	--	--

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(-) - Constituents analyzed for but not detected

in - inches

ft - feet

TABLE 3
SUMMARY OF EXTRACTABLE ORGANIC COMPOUND ANALYTICAL RESULTS
MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte µg/kg	Sample No.	MG-01-SS	MG-01-SBA	MG-01-SBB	MG-02-SS	MG-02-SBA	MG-03-SS	MG-03-SBA	MG-03-SBB
	Sampling Date	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999
	Sample Depth	0-6 in	10-11 ft	14-15 ft	0-6 in	5 ft	0-6 in	15 ft	17-19 ft
Extractables									
Benzaldehyde	--	--	--	--	--	--	100 J	--	--
Bis(2-ethylhexyl) phthalate	3000	--	--	--	--	--	4600	--	7400
Flouranthene	39 J	--	--	--	--	--	160 J	--	--
Napthalene	--	--	--	--	--	--	--	1200	1000
2-Methyl-naphthalene	--	--	--	--	--	--	--	17000	23000
1,1-Biphenyl	--	--	--	--	--	--	--	--	1300
Flourene	--	--	--	--	--	--	--	--	410 J
Carbazole	--	--	--	--	--	--	--	--	--
Phenanthrene	--	--	--	--	--	--	--	410	--
Pyrene	--	--	--	--	--	--	180 J	96 J	120 J
Benzo(a)anthracene	--	--	--	--	--	--	--	--	--
Chrysene	--	--	--	--	--	--	230 J	--	--
Benzo(b)flouranthene	--	--	--	--	--	--	150 J	--	--
Benzo(k)flouranthene	--	--	--	--	--	--	130 J	--	--
Benzo-a-pyrene	--	--	--	--	--	--	170 J	--	--
Indeno (1,2,3-cd) pyrene	--	--	--	--	--	--	100 J	--	--
Dibenzo (a,h) anthracene	--	--	--	--	--	--	220 J	--	--
Benzo(ghi)perylene	--	--	--	--	--	--	120 J	--	--
Anthracene	--	--	--	--	--	--	--	2100	3600
Acetophenone	--	--	--	--	--	--	--	--	--
Di-n-butylphthalate	--	--	--	--	--	--	--	--	--

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft - feet

TABLE 3 (continued)
 SUMMARY OF EXTRACTABLE ORGANIC COMPOUND ANALYTICAL RESULTS
 MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte µg/kg	Sample No.	MG-04-SS	MG-04-SBA	MG-05-SS	MG-05-SBA	MG-06-SS	MG-06-SBA	MG-07-SS	MG-07-SBA
	Sampling Date	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999
	Sample Depth	0-6 in	7 ft	0-6 in	6 ft	0-6 in	2 ft	0-6 in	4-6 ft
Extractables:									
Benzaldehyde	--	--	--	--	56 J	--	--	--	--
Bis(2-ethylhexyl) phthalate	--	--	2100	--	--	--	--	2700	--
Flouranthene	--	--	--	--	--	--	--	--	--
Napthalene	--	--	62 J	--	--	120 J	--	--	--
2-Methylnaphthalene	--	--	--	--	--	--	--	--	--
1,1-Biphenyl	--	--	--	--	--	--	--	--	--
Flourene	--	--	--	--	--	--	--	--	--
Carbazole	--	--	--	--	--	--	--	--	--
Phenanthrene	--	--	--	--	--	--	--	--	--
Pyrene	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	--	--	--	--	--	--	--	--	--
Chrysene	--	--	--	--	--	--	--	--	--
Benzo(b)flouranthene	--	--	--	--	--	--	--	--	--
Benzo(k)flouranthene	--	--	--	--	--	--	--	--	--
Benzo-a-pyrene	--	--	--	--	--	--	--	--	--
Indeno (1,2,3-cd) pyrene	--	--	--	--	--	--	--	--	--
Dibenzo (a,h) anthracene	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	--	--	--	--	--	--	--	--	--
Anthracene	--	--	--	--	--	--	--	--	--
Acetophenone	--	--	120 J	--	--	--	--	--	--
Di-n-butylphthalate	450	--	--	--	--	--	--	--	--

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft- feet

TABLE 3 (continued)
SUMMARY OF EXTRACTABLE ORGANIC COMPOUND ANALYTICAL RESULTS
MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte µg/kg	Sample No.	MG-07-SBB	MG-07-SBC	MG-08-SS	MG-08-SBA	MG-09-SBA	MG-10-SBA	MG-10-SBB	MG-11-SBA
	Sampling Date	11/09/1999	11/10/1999	11/09/1999	11/09/1999	11/09/1999	11/10/1999	11/10/1999	11/10/1999
	Sample Depth	10-12 ft	15-17 ft	0-6 in	2 ft	6 ft	9-11 ft	21-23 ft	7-9 ft
Extractables									
Benzaldehyde	--	--	420	110 J	--	--	--	--	3100 J
Bis(2-ethylhexyl) phthalate	--	570 J	--	--	610 J	--	--	--	--
Flouranthene	--	--	--	--	--	--	--	--	--
Napthalene	--	--	--	--	--	--	--	--	--
2-Methyl-naphthalene	--	--	--	--	--	--	--	--	--
1,1-Biphenyl	--	--	--	--	--	--	--	--	--
Flourene	--	--	--	--	--	--	--	--	--
Carbazole	--	--	--	--	--	--	--	--	--
Phenanthrene	--	--	--	--	--	--	--	--	--
Pyrene	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	--	--	--	--	--	--	--	--	--
Chrysene	--	--	--	--	--	--	--	--	--
Benzo(b)flouranthene	--	--	--	--	--	--	--	--	--
Benzo(k)flouranthene	--	--	--	--	--	--	--	--	--
Benzo-a-pyrene	--	--	--	--	--	--	--	--	--
Indeno (1,2,3-cd) pyrene	--	--	--	--	--	--	--	--	--
Dibenzo (a,h) anthracene	--	--	--	--	--	--	--	--	--
Benzo(ghi)perylene	--	--	--	--	--	--	--	--	--
Anthracene	--	--	--	--	--	--	--	--	--
Acetophenone	--	--	--	--	--	--	--	--	--
Di-n-butylphthalate	--	--	--	--	--	--	--	--	--

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft- feet

TABLE 3 (continued)
SUMMARY OF EXTRACTABLE ORGANIC COMPOUND ANALYTICAL RESULTS
MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte µg/kg	Sample No.	MG-11-SBB	MG-11-SBC	MG-12-SS	MG-12-SBA	MG-13-SS	MG-01-SD	MG-02-SD	MG-03-SD
	Sampling Date	11/10/1999	11/10/1999	11/11/1999	11/11/1999	11/11/1999	11/09/1999	11/09/1999	11/09/1999
	Sample Depth	14-16 ft	23-25 ft	0-6 in	5-8 ft	0-6 in	0-6 in	0-6 in	0-6 in
Extractables									
Benzaldehyde		760 J	--	--	--	--	--	--	--
Bis(2-ethylhexyl) phthalate		--	--	500 J	--	--	--	--	14000
Flouranthene		52 J	--	210 J	--	--	62 J	--	130 J
Napthalene		--	--	--	2100 J	--	1500	1200	--
2-Methylnaphthalene		--	--	--	14000	--	4600	9500	--
1,1-Biphenyl		--	--	--	1100 J	--	430 J	--	--
Flourene		--	--	--	990 J	--	1500	2700	--
Carbazole		--	--	--	--	--	86 J	--	--
Phenanthrene		--	--	72 J	2200 J	--	--	2800	53 J
Pyrene		--	--	120 J	--	--	--	240 J	150 J
Benzo(a)anthracene		--	--	--	--	--	--	--	81 J
Chrysene		--	--	47 J	--	--	--	--	130 J
Benzo(b)flouranthene		--	--	59 J	--	--	--	--	180 J
Benzo(k)flouranthene		--	--	--	--	--	--	--	87 J
Benzo-a-pyrene		--	--	--	--	--	--	--	88 J
Indeno (1,2,3-cd) pyrene		--	--	--	--	--	--	--	120 J
Dibenzo (a,h) anthracene		--	--	--	--	--	--	--	--
Benzo(ghi)perylene		--	--	--	--	--	--	--	--
Anthracene		--	--	--	--	--	--	--	--
Acetophenone		--	--	--	--	41 J	--	--	--
Di-n-butylphthalate		--	--	--	--	--	--	--	--

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft- feet

TABLE 4

**SUMMARY OF PESTICIDE / POLYCHLORINATED BIPHENYL ANALYTICAL RESULTS
MILLS GAP SITE, SKYLAND, NORTH CAROLINA**

Analyte µg/kg	Sample No.	MG-01-SS	MG-01-SBA	MG-01-SBB	MG-02-SS	MG-02-SBA	MG-03-SS	MG-03-SBA
	Sampling Date	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999
	Sample Depth	0-6 in	10-11 ft	14-15 ft	0-6 in	5 ft	0-6 in	15 ft
Pesticides//Polychlorinated Biphenyls								
Heptachlor	--	--	--	--	--	--	--	7.8
Endosulfan i (alpha)	--	--	--	--	--	--	--	--
Dieldrin	--	--	--	--	--	1.3 J	--	19.0
4,4'-DDE (p,p'-DDE)	--	--	--	--	--	--	--	--
Endrin	--	--	--	--	--	--	--	--
Endosulfan ii (beta)	--	--	--	--	--	--	--	--
4,4'-DDD (p,p'-DDD)	--	--	--	--	--	--	--	--
Endosulfan sulfate	--	--	--	--	--	--	--	--
4,4'-DDT (p,p'-DDT)	--	--	--	--	--	--	--	--
Methoxychlor	--	--	--	--	--	--	--	--
Endrin ketone	0.43 J	--	--	--	--	--	--	--
Endrin Aldehyde	--	--	--	--	--	--	--	18 J
PCB 1260 (Aroclor 1260)	--	--	--	--	--	--	--	--

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft- feet

TABLE 4 (continued)
 SUMMARY OF PESTICIDE / POLYCHLORINATED BIPHENYL ANALYTICAL RESULTS
 MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte µg/kg	Sample No.	MG-03-SBB	MG-04-SS	MG-04-SBA	MG-05-SS	MG-05-SBA	MG-06-SS	MG-06-SBA
	Sampling Date	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999	11/09/1999
	Sample Depth	17-19 ft	0-6 in	7 ft	0-6 in	6 ft	0-6 in	2 ft
Pesticides//Polychlorinated Biphenyls								
Heptachlor	--	--	--	--	--	--	--	--
Endosulfan i (alpha)	--	--	--	--	--	--	--	--
Dieldrin	--	--	--	--	--	--	--	--
4,4'-DDE (p,p'-DDE)	--	--	--	--	1.8 J	--	--	--
Endrin	--	--	--	--	--	--	--	--
Endosulfan ii (beta)	--	--	--	--	--	--	--	--
4,4'-DDD (p,p'-DDD)	--	--	--	--	--	--	--	--
Endosulfan sulfate	--	--	--	--	--	--	--	--
4,4'-DDT (p,p'-DDT)	--	--	--	--	--	--	--	--
Methoxychlor	--	--	--	--	8.6 J	--	--	--
Endrin ketone	--	--	--	--	--	0.88 J	--	--
Endrin Aldehyde	--	--	--	--	--	--	--	--
PCB 1260 (Aroclor 1260)	--	--	--	--	240.0	--	97.0	--

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft- feet

TABLE 4 (continued)
SUMMARY OF PESTICIDE / POLYCHLORINATED BIPHENYL ANALYTICAL RESULTS
MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte µg/kg	Sample No.	MG-07-SS	MG-07-SBA	MG-07-SBB	MG-07-SBC	MG-08-SS	MG-08-SBA	MG-09-SBA
	Sampling Date	11/09/1999	11/09/1999	11/09/1999	11/10/1999	11/09/1999	11/09/1999	11/09/1999
	Sample Depth	0-6 in.	4-6 ft	10-12 ft	15-17 ft	0-6 in	2 ft	6 ft
Pesticides / Polychlorinated Biphenyls								
Heptachlor		--	--	--	--	--	--	--
Endosulfan i (alpha)		--	--	--	--	--	--	--
Dieldrin		--	--	--	--	2.6 J	--	--
4,4'-DDE (p,p'-DDE)		--	--	--	--	--	--	--
Endrin		--	--	--	--	3.7 J	--	--
Endosulfan ii (beta)		--	--	--	--	--	--	--
4,4'-DDD (p,p'-DDD)		--	--	--	--	--	--	--
Endosulfan sulfate		--	--	--	--	--	--	--
4,4'-DDT (p,p'-DDT)		--	--	--	--	--	--	--
Methoxychlor		--	--	--	--	--	--	--
Endrin ketone		--	--	--	--	--	--	--
Endrin Aldehyde		--	--	--	--	--	--	--
PCB 1260 (Aroclor 1260)		42.0	--	--	--	--	--	--

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft- feet

TABLE 4 (continued)
SUMMARY OF PESTICIDE / POLYCHLORINATED BIPHENYL ANALYTICAL RESULTS
MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte µg/kg	Sample No.	MG-10-SBA	MG-10-SBB	MG-11-SBA	MG-11-SBB	MG-11-SBC	MG-12-SS	MG-12-SBA
	Sampling Date	11/10/1999	11/10/1999	11/10/1999	11/10/1999	11/10/1999	11/11/1999	11/11/1999
	Sample Depth	9-11 ft	21-23 ft	7-9 ft	14-16 ft	23-25 ft	0-6 in	5-8 ft
Pesticides//Polychlorinated Biphenyls								
Heptachlor		--	--	--	--	--	--	--
Endosulfan i (alpha)		--	--	--	--	--	--	--
Dieldrin		--	--	--	--	--	--	--
4,4'-DDE (p,p'-DDE)		--	--	--	--	--	--	--
Endrin		--	--	--	--	--	--	--
Endosulfan ii (beta)		--	--	--	--	--	--	--
4,4'-DDD (p,p'-DDD)		--	--	--	--	--	--	--
Endosulfan sulfate		--	--	--	--	--	--	--
4,4'-DDT (p,p'-DDT)		--	--	--	--	--	5.7	--
Methoxychlor		--	--	--	--	--	--	--
Endrin ketone		--	--	--	--	--	--	--
Endrin Aldehyde		--	--	--	--	--	--	--
PCB 1260 (Aroclor 1260)		--	--	--	6.6 J	--	--	--

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft- feet

TABLE 4 (continued)
SUMMARY OF PESTICIDE / POLYCHLORINATED BIPHENYL ANALYTICAL RESULTS
MILLS GAP SITE, SKYLAND, NORTH CAROLINA

Analyte µg/kg	Sample No.	MG-13-SS	MG-01-SD	MG-02-SD	MG-03-SD
	Sampling Date	11/11/1999	11/09/1999	11/09/1999	11/09/1999
	Sample Depth	0-6 in	0-6 in	0-6 in	0-6 in
Pesticides/Polychlorinated Biphenyls					
Heptachlor		--	--	--	--
Endosulfan i (alpha)		--	--	--	1.0 J
Dieldrin		--	--	--	--
4,4'-DDE (p,p'-DDE)		--	--	--	--
Endrin		--	--	--	--
Endosulfan ii (beta)		--	--	--	--
4,4'-DDD (p,p'-DDD)		--	17 J	--	--
Endosulfan sulfate		--	--	7.4 J	--
4,4'-DDT (p,p'-DDT)		--	--	--	--
Methoxychlor		--	--	--	--
Endrin ketone		--	--	--	--
Endrin Aldehyde		--	--	--	--
PCB 1260 (Aroclor 1260)		--	--	--	82.0

(J) - analyte concentration is estimated

µg/Kg - micrograms per kilograms

MG - Mills Gap site

SS - Surface soil sample

SB - First subsurface soil interval per location

SBB - Second subsurface soil interval per location

SBC - Third subsurface soil interval per location

(--) - Constituents analyzed for but not detected

in - inches

ft- feet

APPENDIX A
LOGBOOK NOTES

(9 Sheets)

CONTENTS		
PAGE	REFERENCE	DATE

Monday, November 8, 1999

1030 START personnel depart from the START office, enroute to Skyland, NC

1415 START arrives in Skyland, NC and meet with OSC Barbara Caprita.

1450 START, OSC Caprita and SESD contractor arrive at the MILK Gap Site.

1550 START and OSC Caprita have toured the inside of the former

CTS of Asheville facility building, OSC Caprita stated that the facility building is currently being utilized for warehousing, however, during the walk through, the building is currently vacant. There are no

drums or tanks/vats present inside the facility building, however, START and OSC Caprita did locate the former TCE pit inside the building. START, OSC Caprita

and SESD contractor to begin flagging sample locations on the facility property.

1700 START, SESD and ^{DB}OSC Caprita have flagged numerous locations for sampling activities to be conducted tomorrow.

1720 START, SED Contractor,
OSC Caprita discuss sampling
strategy for Geoprobe sample
location and the expectation
for sample collection in location
where Geoprobe could not obtain
access to.

1730 START, SED, OSC Caprita
Offsite for the day.

DB
11/8/99

Tuesday, November 9, 1999
0700 START members David Brown,
Tim Neal and Marsh Duncan,
and OSC Barbara Caprita arrive at
the Mills Gap site (a.k.a. CTS of Asheville)
the weather is clear, temperature is
43° F., forecast is for sunny skies,
high temp to reach 73° F.

0730 Tim Neal calibrates the PID
START members and Integrated Laboratory
Systems members Greg Clifton and
~~Mark~~^{DB} Martin Allen set up decon area
for Geoprobe activities.

0825 START member Neal collects
the MG-01-SS surface soil from 0"-6"
depth, soil consists of silty clay, with
gravel mixed in, soil brown in color,
no visible discoloration or odor,
sample collected across the driveway,
(side of drive) from the shed adjacent
to facility building. The coordinates for
the sample location: 35° 29' 57" North,
82° 30' 45" West, as per the AccuNav
Sport GPS System.

0840 Integrated Laboratory Systems (ILS)
begin Geoprobe activities at MG-01-SS location.

0850 ILS personnel having trouble with Geoprobe due to hydraulic fluid leak, they are going to move the unit away from the driveway and closer to the hillside.

0915 ILS has moved Geoprobe unit over to the hillside, approximately 3 feet from M6-01-S1 location, they have advanced to 8 foot depth.

0900 START member Neal goes over to the residence and collects the M6-01-S1 sample from driveway area, ground is saturated, sample collected from 0"-5" depth, sediment consists of brown colored silty sediment, no discoloration, no odor.

0915 START collects the M6-02-S1 sediment sample at the drainage pipe outfall which drains the Miller Gap site property and flow continues onto the residence property and continues through the property as an unnamed stream. At a previous site visit, OSC Fred Strard constructed a dam on the stream on the property as fuel oil was observed in the stream.

0916 There is water currently standing/flowing in the stream, there is an oily sheen on the surface water with a slight odor. The M6-02-S1 sample had a slight sheen in the sediment, slight fuel oil odor also.

0945 ILS personnel have advanced core sleeve to 10 feet below ground surface (695), volatiles sample collected at 10 foot depth, the remainder of the sample will be collected from 10-12 foot interval, sample code: M6-01-SBA.

1000 ILS personnel retrieve core sleeve from 10'-11' depth, metals, pest, PCB sample collected, sample consists of light brown colored sand, no discoloration or odor.

1045 START collects the M6-03-S1 sample from the concrete drainage outfall located on the northern portion of the facility property (northwest), sediment consists of dark colored sediment, with no odor. The drainage outfall is concrete, the sample was collected where the concrete ended, \approx 20 feet from outfall.

1050 START collect the MG-01-SBB sample. ILS retrieved the cone sleeve from 14'-15' depth. Soil consists of light brown colored sand, no discoloration, no odor.

Note: START member Duncan collects the MG-02-SS sample at 10:25 which was collected at the area behind the facility on top of the hill where a metal cradle was discovered. START estimates that perhaps a 500-gallon tank ~~was~~ once sat, sample collected directly in front of the cradle. Soil consists of dark colored sand, no discoloration, no odor, soil collected from 6" depth.

Note: In order to complete the sample collection, at the MG-01-SBB sample interval, ILS personnel had to retrieve additional sample volume; the additional volume has a fuel oil odor coming from it. 1125 START collects the MG-02-SBA sample from same location as MG-02-SS, sample collected from 5' depth, soil consists of dark brown sand with no discoloration or odor.

1300 ILS personnel are at the MG-03-SS, MG-03-SB sample location which is located within approximately 5 feet of a large empty storage tank located adjacent to the facility building, the tank is approximately 5,000 gallon in size. The coordinates: 35°29'59" North 82°30'45" West.

1315 ILS personnel retrieve cone sleeve from 15' interval. START collects the sample, soil consists of light brown colored sand, there is visible staining, appears to be petroleum product, slight odor. Photograph taken of sample collection. Doug Rutherford North Carolina Dept. of Natural Resources arrived onsite \approx 10:00 and is still present onsite observing Geoprobe sampling activities. The sample location code is MG-03-SBA. This location is also 28' from facility building.

1345 START collects the MG-03-SS surface soil from 6" depth adjacent to the MG-03-SB borehole, soil consists of dark colored soil with organics mixed in.

Note: 1310 START collects the MG-05-SL 6" depth, sample collected from adjacent to northwest corner of facility building directly below an oil spigot, soil consists of orangish colored sand, no odor.

Note: 1345 START collects the MG-05-SBA subsurface soil sample from 6' depth, much saprolite encountered during hand augering, this location same as MG-05-SL location. Sample consists of light colored sandy soil, saprolite mixed in, no odor or discoloration noted.

1415 ILS personnel retrieve the cone sleeve from 17'-19', START collects the MG-03-SBA sample which consists of dark colored sandy soil, petroleum odor, slight discoloration, the soil is also slightly moist.

Note: START member PUNAN collected the MG-04-SL sample located at the north-central part of facility building, sample collected adjacent to a chiller, sample collected 14:02 sample depth 6", dark color sandy soil.

Note: START collects the MG-04-SBA sample at 14:10, sample collected from same location as MG-04-SL. Sample collected from depth of 7', soil consists of dark colored sandy soil, no odor or discoloration.

1430 START collects the MG-06-SL sample from the northwest corner of the facility where there is a drainage outfall pipe, the sample was collected from the soil at the end of the concrete, the concrete forms the drainage pathway from the outfall pipe. The sample was collected from 6" depth. Soil consisted of light brown sandy soil, no discoloration or odor.

1450 START collects the MG-06-SBA sample from same location as MG-06-SL, sample collected with hand auger from 2' depth, bedrock encountered at this depth, soil consists of light brown colored soil, no discoloration or odor.

1545 ILS personnel have positioned the Geoprobe at the MG-07-SS, MG-07-SB Sample location and have retrieved the Core Sleeve at the 4'-6' depth, START collects the MG-07-SBA subsurface soil sample, the sample consists of an orangish colored sandy soil, no discoloration, or odor.

1546 Note: The MG-07-SS, MG-07-SB Sample location are located on the ridge behind the facility, in this area there is debris scattered on the ground, there is tiling (possibly asbestos) numerous 5-gallon pails which appear to have some type of tar, paint residue in them and other items such as paint cans littered throughout this area.

1600 START collects the MG-08-SS Sample, the sample location is down gradient from the MG-07-SS, MG-07-SB Sample locations; offsite outside the Percoline, the topography changes to a dramatic slope onto the Residence property.

1601 The MG-08-SS Sample consists of a dark colored sandy soil, sample collected 6" depth, no odor or discoloration.

1620 START collects the MG-08-SBA sample from 2' depth from the same location as MG-08-SS. A hard tightly packed red colored clay was encountered at this depth, difficult to hand auger, soil consists of orange colored sandy clay, no odor or discoloration.

1700 ILS personnel have advanced core sleeve to 10'-12' depth; START collects the MG-07-SBB Sample, the soil consists of orangish colored silty soil, no discoloration or odor.

1715 START collects the MG-09-SBA soil sample from a depth of 6', this sample collected from the same location as MG-03-SD, however it was adjacent to that location, soil consists of dark colored sediment, no discoloration or odor.

15 1745 START, ILS and OSC Caprita
 depart the site for the day.
 1800 START arrives at hotel, end
 of day.

11/9/99

Wednesday, November 10, 1999
 0800 START, ILS, and OSC Caprita
 arrive onsite, the weather is clear,
 temperature 44°F, forecast is
 for sunny skies, high temp. to reach
 72°F.

0840 ILS personnel retrieve
 the cone sleeve from 15'-17'
 interval at the MG-07-SB
 sample location.

0845 START collects the MG-07-SBC
 sample, sample consists of orange
 colored silty sand, clay mixed in,
 no discoloration or odor. OSC
 Caprita has decided that for the
 remainder of the Geoprobe sample
 locations, that the readings on
 the PID will determine if samples
 are collected at the Geoprobe
 sample intervals of 5', 10' + 15'.
 START calibrated the PID and OVA
 upon arrival at the site today.
 1000 ILS and START are at the
 MG-10-SB sample location
 and are beginning to advance
 Geoprobe.

11/10/99

11045 ILS retrieves core steers
from 10' depth, PID and OVA
reading ϕ ppm from borehole.
OSC Caprita decides not to collect
a sample from this depth. OSC
Fred Stroud arrives on site.

1115 ILS retrieves the core steers
from 15' depth, the PID and OVA
reading ϕ ppm, no sample to be
collected.

1145 ILS personnel are now set up
on the fence line and are advancing
the Geoprobe, to advance to 10 feet.
1230 ILS has advanced Geoprobe
to 10 feet, they have not returned,
PID, OVA reading ϕ ppm, no
sample to be collected.

1315 Crew set up on sampling
location 10, ILS will push
down to 10' & collect a sample,
then go down to 15' & sample.
Probe hit refusal @ 2', ILS
was instructed by OSC to move
across the gravel rd. & try
up against the fence.

J. B. Paul

11/10/99

10

1400 a sample collected from
MG-SBA-10 at 10' (9'-11')
ILS will advance the probe
to 20' for a sample.

1500 Sample MG-10-SBB collected
from 21'-23'

1545 ILS setting up MG-SBA-11
located next to block, 5'
sample collected @ 1615 hrs.

1630 Second half of 5' sample
collected from 7'-9', sample
continues to have block
material mottled w/ the
usual tan/red soil matrix.
next sample will be
collected at @ 15'

1700 Collected MG-11-SBB @
14'-16', some physical disc.
as above soils

1730 Collected MG-11-SBC @
23'-25'

1815 Collected remaining
portion of 11-SBC @ 26'

1830 Crew off site

J. B. Paul

16
 Thursday, November 11, 1999
 1. 0730 START, ILS and OSC Caprillo
 arrive onsite, weather is partly cloudy,
 temperature $\approx 48^{\circ}\text{F}$, forecast is
 for sunny skies, high temp to
 reach 67°F .

0810 - START COLLECTS SURFACE SAMPLE (SS)
 AT ~~NO~~ OUTSIDE THE LOADING DOCK
 ON THE FRONT SIDE OF THE BUILDING.

SAMPLE TAKEN APPROX 20 FT FROM DOCK
 AT ^{FRONT} CORNER OF BUILDING. SAMPLE CONSISTED
 OF A DARK SANDY SOIL WITH A SUBSTANTIAL
 AMOUNT OF A GLASS-LIKE FRAGMENT. THE
 GLASS-LIKE FRAGMENTS, SIMILAR TO BROKEN GLASS
 ARE CLEAR OR BLUE IN COLOR AND ABOUT
 THE SIZE OF A SMALL PEBBLE / GRANULE. THIS
 MATERIAL HAS BEEN LOCATED IN SEVERAL AREAS
 THROUGHOUT THE ^{GRAVEL} PARKING LOT AND HAS BEEN
 FOUND IN BUILDING. (MG-17-75)

0845 sample collected near
 the spring discharge on the
 property, MG-17-55 at
 surface, heuproba pushed to
 5' & collected VOA from
 5-7' & remaining sample

17
 11/11/99

from 7-8', heuproba failed
 to push - power failure - no
 pushing power. Sample @
 5-8' had fuel odor
 1000 START DEPARTS SITE. DEMOBILIZES
 TO ATLANTA GA

11-11-99

MD

APPENDIX B
PHOTOGRAPHIC LOG
(5 Sheets)



OFFICIAL PHOTOGRAPH No. 1
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Collection of MG-03-SBB with assistance of Geoprobe®; note 5000-gallon steel tank in upper left portion of photograph

Location: Mills Gap site
Skyland, Buncombe County, North Carolina

Orientation: North

TDD Number: 04-9909-0006

Date: November 9, 1999

Photographer: Marsh Duncan, START

Witness: Dave Brown, START



OFFICIAL PHOTOGRAPH No. 2
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Collection of surface sample MG-01-SS

Location: Mills Gap site
Skyland, Buncombe County, North Carolina

Orientation: North

TDD Number: 04-9909-0006 **Date:** November 9, 1999

Photographer: Marsh Duncan, START **Witness:** Tim Neal, START



OFFICIAL PHOTOGRAPH No. 3
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Collection of MG-11-SBA; note proximity to easternmost corner of facility building

Location: Mills Gap site
Skyland, Buncombe County, North Carolina

Orientation: East

TDD Number: 04-9909-0006

Date: November 10, 1999

Photographer: Tim Neal, START

Witness: Marsh Duncan, START



OFFICIAL PHOTOGRAPH No. 4
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Sampling location MG-05-SB; note oil spigot against facility building in center of photograph

Location: Mills Gap site
Skyland, Buncombe County, North Carolina

Orientation: East

TDD Number: 04-9909-0006

Date: November 9, 1999

Photographer: Tim Neal, START

Witness: Marsh Duncan, START



OFFICIAL PHOTOGRAPH No. 5
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Southwest fenceline of site; note buried green drums

Location: Mills Gap Site
Skyland, Buncombe County, North Carolina

Orientation: Northeast

TDD Number: 04-9910-0015

Date: November 10, 1999

Photographer: Marsh Duncan, START

Witness: Tim Neal, START

APPENDIX C
TABLE OF WITNESSES

(1 Sheet)

TABLE OF WITNESSES
Mills Gap Site Investigation
Asheville, Buncombe County, North Carolina

Barbara Caprita, On-Scene Coordinator
Fred Stroud, On-Scene Coordinator
U.S. Environmental Protection Agency, Region 4
61 Forsyth Street, 11th Floor
Atlanta, Georgia 30303
(404) 562-8720

Marsh Duncan
David Brown
Timothy Neal
Superfund Technical Assessment and Response Team (START), Region 4
1750 Corporate Drive, Suite 735
Norcross, Georgia 30093
(770) 935-1542

Martin P. Allen, Senior Technical Specialist
Integrated Laboratory Systems
396 Commerce Blvd.
Bogart, Georgia 30622
(706) 546-2142

Doug Rumford
North Carolina Department of Natural Resources
Raleigh, North Carolina

APPENDIX D
ANALYTICAL REPORT
(234 Sheets)



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 4

**Science and Ecosystem Support Division
980 College Station Road
Athens, Georgia 30605-2720**

MEMORANDUM

Date: 01/13/2000

Subject: Results of METALS Inorganic Chemistry Section Sample Analysis
00-0101 CTS of Asheville Inc
Skyland, NC

From: Guthrie, Diane *mg*

To: Rigger, Don

CC: Heather Kennedy
START

Thru: QA Office

Attached are the results of analysis of samples collected as part of the subject project. If you have any questions, please contact me.

ATTACHMENT

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT

Case Number: 27562

Project Number: 00-0101

Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason
1060	Al	J	Serial dilution percent difference = 19.1%
	Sb	UJ	Matrix spike recovery = 25.4%
			Baseline instability in cal blanks
	As	J	Matrix spike recovery = 62.8%
	Ba	J	Serial dilution percent difference = 18.3%
	Be	U	Baseline instability in cal blanks
	Cr	J	Serial dilution percent difference = 21.7%
	Co	UJ	Serial dilution percent difference = 25%
			Baseline instability in cal blanks
	Cu	J	Serial dilution percent difference = 18.6%
	Fe	J	Serial dilution percent difference = 19.5%
	Mg	J	Serial dilution percent difference = 20.6%
	Mn	J	Matrix spike recovery = 133.6%
			Serial dilution percent difference = 19.1%
	Ni	J	Serial dilution percent difference = 35.4%
	K	J	Serial dilution percent difference = 19.9%
	Se	J	Matrix spike recovery = 49.6%
	Ag	J	Serial dilution percent difference = 19.4%
	Tl	J	Matrix spike recovery = 52%
V	J	Serial dilution percent difference = 18.7%	
CN	U	Positive reported < lowest std on cal curve	
061	Al	J	Serial dilution percent difference = 19.1%
	Sb	R	Matrix spike recovery = 25.4%
	As	J	Matrix spike recovery = 62.8%
	Ba	J	Serial dilution percent difference = 18.3%
	Cr	J	Serial dilution percent difference = 21.7%
	Co	UJ	Serial dilution percent difference = 25%
			Baseline instability in cal blanks
	Cu	J	Serial dilution percent difference = 18.6%
	Fe	J	Serial dilution percent difference = 19.5%
	Mg	J	Serial dilution percent difference = 20.6%
	Mn	J	Matrix spike recovery = 133.6%
			Serial dilution percent difference = 19.1%
	Hg	U	Baseline instability in cal and prep blanks
	Ni	J	Serial dilution percent difference = 35.4%
	K	J	Serial dilution percent difference = 19.9%
	Se	J	Matrix spike recovery = 49.6%
	Ag	J	Serial dilution percent difference = 19.4%
	Tl	J	Matrix spike recovery = 52%
	V	J	Serial dilution percent difference = 18.7%
	CN	U	Positive reported < lowest std on cal curve

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 27562

Project Number: 00-0101

Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason
1062	Al	J	Serial dilution percent difference = 19.1%
	Sb	R	Matrix spike recovery = 25.4%
	As	UJ	Matrix spike recovery = 62.8%
			% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
	Ba	J	Serial dilution percent difference = 18.3%
	Cr	J	Serial dilution percent difference = 21.7%
	Co	UJ	Serial dilution percent difference = 25%
			Baseline instability in cal blanks
	Cu	J	Serial dilution percent difference = 18.6%
	Fe	J	Serial dilution percent difference = 19.5%
	Mg	J	Serial dilution percent difference = 20.6%
	Mn	J	Matrix spike recovery = 133.6%
			Serial dilution percent difference = 19.1%
	Hg	U	Baseline instability in cal and prep blanks
	Ni	J	Serial dilution percent difference = 35.4%
	K	J	Serial dilution percent difference = 19.9%
	Se	J	Matrix spike recovery = 49.6%
	Ag	UJ	Serial dilution percent difference = 19.4%
			Baseline instability in cal blanks
	Tl	J	Matrix spike recovery = 52%
V	J	Serial dilution percent difference = 18.7%	
1063	Al	J	Serial dilution percent difference = 19.1%
	Sb	R	Matrix spike recovery = 25.4%
	As	UJ	Matrix spike recovery = 62.8%
			% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
	Ba	J	Serial dilution percent difference = 18.3%
	Be	U	Baseline instability in cal blanks
	Cr	J	Serial dilution percent difference = 21.7%
	Co	UJ	Serial dilution percent difference = 25%
			Baseline instability in cal blanks
	Cu	J	Serial dilution percent difference = 18.6%
	Fe	J	Serial dilution percent difference = 19.5%
	Mg	J	Serial dilution percent difference = 20.6%
	Mn	J	Matrix spike recovery = 133.6%
			Serial dilution percent difference = 19.1%
	Hg	U	Baseline instability in cal and prep blanks
	Ni	J	Serial dilution percent difference = 35.4%
	K	J	Serial dilution percent difference = 19.9%
	Se	J	Matrix spike recovery = 49.6%
	Ag	UJ	Serial dilution percent difference = 19.4%
			Baseline instability in cal blanks
Tl	J	Matrix spike recovery = 52%	
V	J	Serial dilution percent difference = 18.7%	
CN	U	Positive reported < lowest std on cal curve	

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 27562Project Number: 00-0101Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason	
1064	Al	J	Serial dilution percent difference = 19.1%	
	Sb	R	Matrix spike recovery = 25.4%	
	As	J	Matrix spike recovery = 62.8%	
	Ba	J	Serial dilution percent difference = 18.3%	
	Cr	J	Serial dilution percent difference = 21.7%	
	Co	J	Serial dilution percent difference = 25%	
	Cu	UJ	Serial dilution percent difference = 18.6% Baseline instability in cal and prep blanks	
	Fe	J	Serial dilution percent difference = 19.5%	
	Mg	J	Serial dilution percent difference = 20.6%	
	Mn	J	Matrix spike recovery = 133.6% Serial dilution percent difference = 19.1%	
	Hg	U	Baseline instability in cal and prep blanks	
	Ni	J	Serial dilution percent difference = 35.4%	
	K	J	Serial dilution percent difference = 19.9%	
	Se	J	Matrix spike recovery = 49.6%	
	Ag	UJ	Serial dilution percent difference = 19.4% Baseline instability in cal blanks	
	Tl	J	Matrix spike recovery = 52%	
	V	J	Serial dilution percent difference = 18.7%	
	CN	U	Positive reported < lowest std on cal curve	
	1065	Al	J	Serial dilution percent difference = 19.1%
		Sb	R	Matrix spike recovery = 25.4%
As		UJ	Matrix spike recovery = 62.8% % RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL	
Ba		J	Serial dilution percent difference = 18.3%	
Be		U	Baseline instability in cal blanks	
Cr		J	Serial dilution percent difference = 21.7%	
Co		UJ	Serial dilution percent difference = 25% Baseline instability in cal blanks	
Cu		UJ	Serial dilution percent difference = 18.6% Baseline instability in cal and prep blanks	
Fe		J	Serial dilution percent difference = 19.5%	
Mg		J	Serial dilution percent difference = 20.6%	
Mn		J	Matrix spike recovery = 133.6% Serial dilution percent difference = 19.1%	
Hg		U	Baseline instability in cal and prep blanks	
Ni		UJ	Serial dilution percent difference = 35.4% Baseline instability in cal blanks	
K		J	Serial dilution percent difference = 19.9%	
Se		J	Matrix spike recovery = 49.6%	
Ag		UJ	Serial dilution percent difference = 19.4% Baseline instability in cal blanks	
Tl		J	Matrix spike recovery = 52%	
V		UJ	Serial dilution percent difference = 18.7% Baseline instability in cal blanks	
CN		U	Positive reported < lowest std on cal curve	

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 27562

Project Number: 00-0101

Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason	
1066	Al	J	Serial dilution percent difference = 19.1%	
	Sb	R	Matrix spike recovery = 25.4%	
	As	J	Matrix spike recovery = 62.8%	
	Ba	J	Serial dilution percent difference = 18.3%	
	Be	U	Baseline instability in cal blanks	
	Cr	J	Serial dilution percent difference = 21.7%	
	Co	UJ	Serial dilution percent difference = 25% Baseline instability in cal blanks	
	Cu	UJ	Serial dilution percent difference = 18.6% Baseline instability in cal and prep blanks	
	Fe	J	Serial dilution percent difference = 19.5%	
	Mg	J	Serial dilution percent difference = 20.6%	
	Mn	J	Matrix spike recovery = 133.6% Serial dilution percent difference = 19.1%	
	Hg	U	Baseline instability in cal and prep blanks	
	Ni	UJ	Serial dilution percent difference = 35.4% Baseline instability in cal blanks	
	K	J	Serial dilution percent difference = 19.9%	
	Se	J	Matrix spike recovery = 49.6%	
	Ag	UJ	Serial dilution percent difference = 19.4% Baseline instability in cal blanks	
	Tl	J	Matrix spike recovery = 52%	
	V	UJ	Serial dilution percent difference = 18.7% Baseline instability in cal blanks	
	CN	U	Positive reported < lowest std on cal curve	
	1067	Al	J	Serial dilution percent difference = 19.1%
		Sb	UJ	Matrix spike recovery = 25.4% Baseline instability in cal blanks
As		J	Matrix spike recovery = 62.8%	
Ba		J	Serial dilution percent difference = 18.3%	
Cd		U	Baseline instability in cal blanks	
Cr		J	Serial dilution percent difference = 21.7%	
Co		J	Serial dilution percent difference = 25%	
Cu		J	Serial dilution percent difference = 18.6%	
Fe		J	Serial dilution percent difference = 19.5%	
Mg		J	Serial dilution percent difference = 20.6%	
Mn		J	Matrix spike recovery = 133.6% Serial dilution percent difference = 19.1%	
Ni		J	Serial dilution percent difference = 35.4%	
K		J	Serial dilution percent difference = 19.9%	
Se		J	Matrix spike recovery = 49.6%	
Ag		J	Serial dilution percent difference = 19.4%	
Tl		J	Matrix spike recovery = 52%	
V		J	Serial dilution percent difference = 18.7%	
CN		U	Positive reported < lowest std on cal curve	

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 27562

Project Number: 00-0101

Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason	
1068	Al	J	Serial dilution percent difference = 19.1%	
	Sb	UJ	Matrix spike recovery = 25.4% Baseline instability in cal blanks	
	As	J	Matrix spike recovery = 62.8%	
	Ba	J	Serial dilution percent difference = 18.3%	
	Be	U	Baseline instability in cal blanks	
	Cr	J	Serial dilution percent difference = 21.7%	
	Co	UJ	Serial dilution percent difference = 25% Baseline instability in cal blanks	
	Cu	J	Serial dilution percent difference = 18.6%	
	Fe	J	Serial dilution percent difference = 19.5%	
	Mg	J	Serial dilution percent difference = 20.6%	
	Mn	J	Matrix spike recovery = 133.6% Serial dilution percent difference = 19.1%	
	Ni	J	Serial dilution percent difference = 35.4%	
	K	J	Serial dilution percent difference = 19.9%	
	Se	J	Matrix spike recovery = 49.6%	
	Ag	J	Serial dilution percent difference = 19.4%	
	Tl	J	Matrix spike recovery = 52%	
	V	J	Serial dilution percent difference = 18.7%	
	CN	U	Positive reported < lowest std on cal curve	
	1069	Al	J	Serial dilution percent difference = 19.1%
		Sb	R	Matrix spike recovery = 25.4%
As		J	Matrix spike recovery = 62.8%	
Ba		J	Serial dilution percent difference = 18.3%	
Cr		J	Serial dilution percent difference = 21.7%	
Co		J	Serial dilution percent difference = 25%	
Cu		J	Serial dilution percent difference = 18.6%	
Fe		J	Serial dilution percent difference = 19.5%	
Mg		J	Serial dilution percent difference = 20.6%	
Mn		J	Matrix spike recovery = 133.6% Serial dilution percent difference = 19.1%	
Hg		U	Baseline instability in cal and prep blanks	
Ni		J	Serial dilution percent difference = 35.4%	
K		J	Serial dilution percent difference = 19.9%	
Se		J	Matrix spike recovery = 49.6%	
Ag		UJ	Serial dilution percent difference = 19.4% Baseline instability in cal blanks	
Tl		J	Matrix spike recovery = 52%	
V		J	Serial dilution percent difference = 18.7%	
CN		U	Positive reported < lowest std on cal curve	

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 27562Project Number: 00-0101Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason	
1070	Al	J	Serial dilution percent difference = 19.1%	
	Sb	R	Matrix spike recovery = 25.4%	
	As	J	Matrix spike recovery = 62.8%	
	Ba	J	Serial dilution percent difference = 18.3%	
	Cr	J	Serial dilution percent difference = 21.7%	
	Co	UJ	Serial dilution percent difference = 25% Baseline instability in cal blanks	
	Cu	J	Serial dilution percent difference = 18.6%	
	Fe	J	Serial dilution percent difference = 19.5%	
	Mg	J	Serial dilution percent difference = 20.6%	
	Mn	J	Matrix spike recovery = 133.6% Serial dilution percent difference = 19.1%	
	Hg	U	Baseline instability in cal and prep blanks	
	Ni	J	Serial dilution percent difference = 35.4%	
	K	J	Serial dilution percent difference = 19.9%	
	Se	J	Matrix spike recovery = 49.6%	
	Ag	J	Serial dilution percent difference = 19.4%	
	Tl	J	Matrix spike recovery = 52%	
	V	J	Serial dilution percent difference = 18.7%	
	CN	U	Positive reported < lowest std on cal curve	
	071	Al	J	Serial dilution percent difference = 19.1%
		Sb	R	Matrix spike recovery = 25.4%
As		J	Matrix spike recovery = 62.8%	
Ba		J	Serial dilution percent difference = 18.3%	
Cr		J	Serial dilution percent difference = 21.7%	
Co		UJ	Serial dilution percent difference = 25% Baseline instability in cal blanks	
Cu		J	Serial dilution percent difference = 18.6%	
Fe		J	Serial dilution percent difference = 19.5%	
Mg		J	Serial dilution percent difference = 20.6%	
Mn		J	Matrix spike recovery = 133.6% Serial dilution percent difference = 19.1%	
Ni		J	Serial dilution percent difference = 35.4%	
K		J	Serial dilution percent difference = 19.9%	
Se		J	Matrix spike recovery = 49.6%	
Ag		J	Serial dilution percent difference = 19.4%	
Tl		J	Matrix spike recovery = 52%	
V		J	Serial dilution percent difference = 18.7%	
CN		U	Positive reported < lowest std on cal curve	

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 27562

Project Number: 00-0101

Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason
1072	Al	J	Serial dilution percent difference = 19.1%
	Sb	R	Matrix spike recovery = 25.4%
	As	J	Matrix spike recovery = 62.8%
	Ba	J	Serial dilution percent difference = 18.3%
	Cr	J	Serial dilution percent difference = 21.7%
	Co	J	Serial dilution percent difference = 25%
	Cu	UJ	Serial dilution percent difference = 18.6%
			Baseline instability in cal and prep blanks
	Fe	J	Serial dilution percent difference = 19.5%
	Mg	J	Serial dilution percent difference = 20.6%
	Mn	J	Matrix spike recovery = 133.6%
			Serial dilution percent difference = 19.1%
	Hg	U	Baseline instability in cal and prep blanks
	Ni	J	Serial dilution percent difference = 35.4%
	K	J	Serial dilution percent difference = 19.9%
	Se	J	Matrix spike recovery = 49.6%
	Ag	J	Serial dilution percent difference = 19.4%
	Tl	J	Matrix spike recovery = 52%
	V	J	Serial dilution percent difference = 18.7%
	CN	U	Positive reported < lowest std on cal curve
73	Al	J	Serial dilution percent difference = 19.1%
	Sb	UJ	Matrix spike recovery = 25.4%
			Baseline instability in cal blanks
	As	J	Matrix spike recovery = 62.8%
	Ba	J	Serial dilution percent difference = 18.3%
	Cd	U	Baseline instability in cal blanks
	Cr	J	Serial dilution percent difference = 21.7%
	Co	J	Serial dilution percent difference = 25%
	Cu	J	Serial dilution percent difference = 18.6%
	Fe	J	Serial dilution percent difference = 19.5%
	Mg	J	Serial dilution percent difference = 20.6%
	Mn	J	Matrix spike recovery = 133.6%
			Serial dilution percent difference = 19.1%
	Ni	J	Serial dilution percent difference = 35.4%
	K	J	Serial dilution percent difference = 19.9%
	Se	J	Matrix spike recovery = 49.6%
	Ag	J	Serial dilution percent difference = 19.4%
			Baseline instability in cal blanks
	Tl	J	Matrix spike recovery = 52%
	V	J	Serial dilution percent difference = 18.7%
CN	U	Positive reported < lowest std on cal curve	

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 27562

Project Number: 00-0101

Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason	
1074	Al	J	Serial dilution percent difference = 19.1%	
	Sb	R	Matrix spike recovery = 25.4%	
	As	J	Matrix spike recovery = 62.8%	
	Ba	J	Serial dilution percent difference = 18.3%	
	Cr	J	Serial dilution percent difference = 21.7%	
	Co	J	Serial dilution percent difference = 25%	
	Cu	J	Serial dilution percent difference = 18.6%	
	Fe	J	Serial dilution percent difference = 19.5%	
	Mg	J	Serial dilution percent difference = 20.6%	
	Mn	J	Matrix spike recovery = 133.6%	
				Serial dilution percent difference = 19.1%
	Hg	U	Baseline instability in cal and prep blanks	
	Ni	J	Serial dilution percent difference = 35.4%	
	K	J	Serial dilution percent difference = 19.9%	
	Se	J	Matrix spike recovery = 49.6%	
	Ag	UJ	Serial dilution percent difference = 19.4%	
				Baseline instability in cal blanks
	Tl	J	Matrix spike recovery = 52%	
	V	J	Serial dilution percent difference = 18.7%	
	CN	U	Positives reported < lowest std on cal curve	
075	Al	J	Serial dilution percent difference = 19.1%	
	Sb	R	Matrix spike recovery = 25.4%	
	As	J	Matrix spike recovery = 62.8%	
	Ba	J	Serial dilution percent difference = 18.3%	
	Cd	U	Baseline instability in cal blanks	
	Cr	J	Serial dilution percent difference = 21.7%	
	Co	J	Serial dilution percent difference = 25%	
	Cu	J	Serial dilution percent difference = 18.6%	
	Fe	J	Serial dilution percent difference = 19.5%	
	Mg	J	Serial dilution percent difference = 20.6%	
	Mn	J	Matrix spike recovery = 133.6%	
				Serial dilution percent difference = 19.1%
	Ni	J	Serial dilution percent difference = 35.4%	
	K	J	Serial dilution percent difference = 19.9%	
	Se	J	Matrix spike recovery = 49.6%	
	Ag	J	Serial dilution percent difference = 19.4%	
	Tl	J	Matrix spike recovery = 52%	
V	J	Serial dilution percent difference = 18.7%		

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 27562Project Number: 00-0101Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason
1076	Al	J	Serial dilution percent difference = 19.1%
	Sb	R	Matrix spike recovery = 25.4%
	As	UJ	Matrix spike recovery = 62.8%
			% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
	Ba	J	Serial dilution percent difference = 18.3%
	Cr	J	Serial dilution percent difference = 21.7%
	Co	UJ	Serial dilution percent difference = 25%
			Baseline instability in cal blanks
	Cu	J	Serial dilution percent difference = 18.6%
	Fe	J	Serial dilution percent difference = 19.5%
	Mg	J	Serial dilution percent difference = 20.6%
	Mn	J	Matrix spike recovery = 133.6%
			Serial dilution percent difference = 19.1%
	Hg	U	Baseline instability in cal and prep blanks
	Ni	J	Serial dilution percent difference = 35.4%
	K	J	Serial dilution percent difference = 19.9%
	Se	J	Matrix spike recovery = 49.6%
	Ag	UJ	Serial dilution percent difference = 19.4%
			Baseline instability in cal blanks
	Tl	J	Matrix spike recovery = 52%
V	J	Serial dilution percent difference = 18.7%	
CN	U	Positive reported < lowest std on cal curve	
1077	Al	J	Serial dilution percent difference = 19.1%
	Sb	R	Matrix spike recovery = 25.4%
	As	J	Matrix spike recovery = 62.8%
	Ba	J	Serial dilution percent difference = 18.3%
	Cr	J	Serial dilution percent difference = 21.7%
	Co	UJ	Serial dilution percent difference = 25%
			Baseline instability in cal blanks
	Cu	J	Serial dilution percent difference = 18.6%
	Fe	J	Serial dilution percent difference = 19.5%
	Mg	J	Serial dilution percent difference = 20.6%
	Mn	J	Matrix spike recovery = 133.6%
			Serial dilution percent difference = 19.1%
	Hg	U	Baseline instability in cal and prep blanks
	Ni	J	Serial dilution percent difference = 35.4%
	K	J	Serial dilution percent difference = 19.9%
	Se	J	Matrix spike recovery = 49.6%
	Ag	UJ	Serial dilution percent difference = 19.4%
			Baseline instability in cal blanks
	Tl	J	Matrix spike recovery = 52%
	V	J	Serial dilution percent difference = 18.7%
CN	U	Positive reported < Lowest std on cal curve	

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 27562

Project Number: 00-0101

Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason
1078	Al	J	Serial dilution percent difference = 19.1%
	Sb	R	Matrix spike recovery = 25.4%
	As	UJ	Matrix spike recovery = 62.8%
			% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
	Ba	J	Serial dilution percent difference = 18.3%
	Be	U	Baseline instability in cal blanks
	Cr	J	Serial dilution percent difference = 21.7%
	Co	UJ	Serial dilution percent difference = 25%
			Baseline instability in cal blanks
	Cu	J	Serial dilution percent difference = 18.6%
	Fe	J	Serial dilution percent difference = 19.5%
	Mg	J	Serial dilution percent difference = 20.6%
	Mn	J	Matrix spike recovery = 133.6%
			Serial dilution percent difference = 19.1%
	Hg	U	Baseline instability in cal and prep blanks
	Ni	J	Serial dilution percent difference = 35.4%
	K	J	Serial dilution percent difference = 19.9%
	Se	J	Matrix spike recovery = 49.6%
	Ag	J	Serial dilution percent difference = 19.4%
	Tl	J	Matrix spike recovery = 52%
V	J	Serial dilution percent difference = 18.7%	
CN	U	Positive reported < lowest std on cal curve	
1079	Sb	R	Matrix spike recovery = 26.8%
	Be	U	Baseline instability in cal and prep blanks
	Cr	J	Serial dilution percent difference = 21.7%
	Co	U	Baseline instability in cal blanks
	Cu	J	Serial dilution percent difference = 50.7%
	Hg	U	Positive reported < lowest std on cal curve
	Se	UJ	Matrix spike recovery = 65.1%
			% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
	Ag	J	Serial dilution percent difference = 11.8%
	V	J	Serial dilution percent difference = 11.4%
	CN	U	Baseline instability in cal and prep blanks
1080	Sb	R	Matrix spike recovery = 26.8%
	Be	U	Baseline instability in cal and prep blanks
	Cr	J	Serial dilution percent difference = 21.7%
	Co	U	Baseline instability in cal blanks
	Cu	J	Serial dilution percent difference = 50.7%
	Se	J	Matrix spike recovery = 65.1%
	Ag	UJ	Serial dilution percent difference = 11.8%
			Baseline instability in cal blanks
	V	J	Serial dilution percent difference = 11.4%
	CN	U	Baseline instability in cal and prep blanks

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 27562Project Number: 00-0101Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason
1081	Sb	R	Matrix spike recovery = 26.8%
	Cr	J	Serial dilution percent difference = 21.7%
	Cu	J	Serial dilution percent difference = 50.7%
	Hg	U	Positive reported < lowest std on cal curve
	Se	J	Matrix spike recovery = 65.1%
	Ag	J	Serial dilution percent difference = 11.8%
	V	J	Serial dilution percent difference = 11.4%
	CN	U	Baseline instability in cal and prep blanks
1082	Sb	R	Matrix spike recovery = 26.8%
	Cr	J	Serial dilution percent difference = 21.7%
	Cu	J	Serial dilution percent difference = 50.7%
	Se	J	Matrix spike recovery = 65.1%
	Ag	UJ	Serial dilution percent difference = 11.8% Baseline instability in cal blanks
	V	J	Serial dilution percent difference = 11.4%
	CN	U	Baseline instability in cal and prep blanks
1083	Sb	R	Matrix spike recovery = 26.8%
	As	U	% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
	Be	U	Baseline instability in cal and prep blanks
	Cr	J	Serial dilution percent difference = 21.7%
	Co	U	Baseline instability in cal blanks
	Cu	J	Serial dilution percent difference = 50.7%
	Se	J	Matrix spike recovery = 65.1%
	Ag	J	Serial dilution percent difference = 11.8%
	V	J	Serial dilution percent difference = 11.4%
	CN	U	Baseline instability in cal and prep blanks
1084	Sb	R	Matrix spike recovery = 26.8%
	As	U	% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
	Be	U	Baseline instability in cal and prep blanks
	Cr	J	Serial dilution percent difference = 21.7%
	Co	U	Baseline instability in cal blanks
	Cu	J	Serial dilution percent difference = 50.7%
	Se	J	Matrix spike recovery = 65.1%
	Ag	UJ	Serial dilution percent difference = 11.8% Baseline instability in cal blanks
	Na	U	Positives in cal and prep blanks
	V	J	Serial dilution percent difference = 11.4%
	CN	U	Baseline instability in cal and prep blanks

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 27562Project Number: 00-0101Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason
1085	Sb	R	Matrix spike recovery = 26.8%
	As	U	% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
	Cr	J	Serial dilution percent difference = 21.7%
	Cu	J	Serial dilution percent difference = 50.7%
	Se	J	Matrix spike recovery = 65.1%
	Ag	UJ	Serial dilution percent difference = 11.8% Baseline instability in cal blanks
	Na	U	Positives in cal and prep blanks
	V	J	Serial dilution percent difference = 11.4%
	CN	U	Baseline instability in cal and prep blanks
	1086	Sb	R
Cr		J	Serial dilution percent difference = 21.7%
Cu		J	Serial dilution percent difference = 50.7%
Se		J	Matrix spike recovery = 65.1%
Ag		J	Serial dilution percent difference = 11.8%
Na		U	Positives in cal and prep blanks
V		J	Serial dilution percent difference = 11.4%
CN		U	Baseline instability in cal and prep blanks
1087	Sb	R	Matrix spike recovery = 26.8%
	Cr	J	Serial dilution percent difference = 21.7%
	Cu	J	Serial dilution percent difference = 50.7%
	Se	J	Matrix spike recovery = 65.1%
	Ag	UJ	Serial dilution percent difference = 11.8% Baseline instability in cal blanks
	V	J	Serial dilution percent difference = 11.4%
	CN	U	Baseline instability in cal and prep blanks
1088	Sb	R	Matrix spike recovery = 26.8%
	Cr	J	Serial dilution percent difference = 21.7%
	Cu	J	Serial dilution percent difference = 50.7%
	Se	J	Matrix spike recovery = 65.1%
	Ag	UJ	Serial dilution percent difference = 11.8% Baseline instability in cal blanks
	V	J	Serial dilution percent difference = 11.4%
	CN	U	Baseline instability in cal and prep blanks
1089	Sb	R	Matrix spike recovery = 26.8%
	Be	U	Baseline instability in cal and prep blanks
	Cr	J	Serial dilution percent difference = 21.7%
	Co	U	Baseline instability in cal blanks
	Cu	J	Serial dilution percent difference = 50.7%
	Hg	U	Positive reported < lowest std on cal curve
	Se	J	Matrix spike recovery = 65.1%
	Ag	J	Serial dilution percent difference = 11.8%
	V	J	Serial dilution percent difference = 11.4%
	CN	U	Baseline instability in cal and prep blanks

December 14, 1999

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 27562Project Number: 00-0101Site: CTS of Asheville, Inc., Skyland, NC

Sample No.	Element	Flag	Reason	
1090	Sb	R	Matrix spike recovery = 26.8%	
	As	U	% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL	
	Be	U	Baseline instability in cal and prep blanks	
	Cr	J	Serial dilution percent difference = 21.7%	
	Co	U	Baseline instability in cal blanks	
	Cu	J	Serial dilution percent difference = 50.7%	
	Hg	U	Positive reported < lowest std on cal curve	
	Se	J	Matrix spike recovery = 65.1%	
	Ag	J	Serial dilution percent difference = 11.8%	
	Na	U	Positives in cal and prep blanks	
	V	J	Serial dilution percent difference = 11.4%	
	CN	U	Baseline instability in cal and prep blanks	
	1091	Sb	R	Matrix spike recovery = 26.8%
		As	U	% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
Be		U	Baseline instability in cal and prep blanks	
Cr		J	Serial dilution percent difference = 21.7%	
Co		U	Baseline instability in cal blanks	
Cu		J	Serial dilution percent difference = 50.7%	
Se		J	Matrix spike recovery = 65.1%	
Ag		UJ	Serial dilution percent difference = 11.8%	
				Baseline instability in cal blanks
Na		U	Positives in cal and prep blanks	
V		J	Serial dilution percent difference = 11.4%	
CN		U	Baseline instability in cal and prep blanks	

Sample 1060 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 08:25

Id/Station: MG01SS /

MD No: RS63

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS63

Inorg Contractor: SENTIN

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
15000J	MG/KG	ALUMINUM
2.6UJ	MG/KG	ANTIMONY
1.8J	MG/KG	ARSENIC
130J	MG/KG	BARIUM
1.0U	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
800	MG/KG	CALCIUM
20J	MG/KG	CHROMIUM
11UJ	MG/KG	COBALT
340J	MG/KG	COPPER
22000J	MG/KG	IRON
11	MG/KG	LEAD
4300J	MG/KG	MAGNESIUM
360J	MG/KG	MANGANESE
0.15	MG/KG	TOTAL MERCURY
16J	MG/KG	NICKEL
6200J	MG/KG	POTASSIUM
0.41UJ	MG/KG	SELENIUM
15J	MG/KG	SILVER
35U	MG/KG	SODIUM
0.47UJ	MG/KG	THALLIUM
31J	MG/KG	VANADIUM
90	MG/KG	ZINC
0.20U	MG/KG	CYANIDE
11	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1061 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 09:45

Id/Station: MG01SBA /

MD No: RS64

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS64 -

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
18000J	MG/KG	ALUMINUM
0.47UR	MG/KG	ANTIMONY
1.7J	MG/KG	ARSENIC
110J	MG/KG	BARIUM
1.4	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
2200	MG/KG	CALCIUM
27J	MG/KG	CHROMIUM
9.1UJ	MG/KG	COBALT
28J	MG/KG	COPPER
26000J	MG/KG	IRON
11	MG/KG	LEAD
4300J	MG/KG	MAGNESIUM
280J	MG/KG	MANGANESE
0.08U	MG/KG	TOTAL MERCURY
23J	MG/KG	NICKEL
6000J	MG/KG	POTASSIUM
0.41UJ	MG/KG	SELENIUM
30J	MG/KG	SILVER
35U	MG/KG	SODIUM
0.47UJ	MG/KG	THALLIUM
32J	MG/KG	VANADIUM
110	MG/KG	ZINC
0.22U	MG/KG	CYANIDE
11	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordan constituents 2.constituents or metabolites of technical chlordan

Sample 1062 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 10:50

Id/Station: MG01SBB /

MD No: RS65

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS65

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
22000J	MG/KG	ALUMINUM
0.48UR	MG/KG	ANTIMONY
0.69UJ	MG/KG	ARSENIC
240J	MG/KG	BARIUM
2.3	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
590U	MG/KG	CALCIUM
26J	MG/KG	CHROMIUM
8.7UJ	MG/KG	COBALT
0.11UJ	MG/KG	COPPER
25000J	MG/KG	IRON
3.6	MG/KG	LEAD
5800J	MG/KG	MAGNESIUM
380J	MG/KG	MANGANESE
0.07U	MG/KG	TOTAL MERCURY
13J	MG/KG	NICKEL
8300J	MG/KG	POTASSIUM
0.41UJ	MG/KG	SELENIUM
0.36UJ	MG/KG	SILVER
35U	MG/KG	SODIUM
0.48UJ	MG/KG	THALLIUM
34J	MG/KG	VANADIUM
60	MG/KG	ZINC
0.06U	MG/KG	CYANIDE
12	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1063 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 10:25

Id/Station: MG02SS /

MD No: RS66

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS66

Inorg Contractor: SENTIN

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
17000J	MG/KG	ALUMINUM
0.48UR	MG/KG	ANTIMONY
1.3UJ	MG/KG	ARSENIC
180J	MG/KG	BARIUM
0.91U	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
590U	MG/KG	CALCIUM
20J	MG/KG	CHROMIUM
7.2UJ	MG/KG	COBALT
19J	MG/KG	COPPER
26000J	MG/KG	IRON
4.9	MG/KG	LEAD
5700J	MG/KG	MAGNESIUM
310J	MG/KG	MANGANESE
0.06U	MG/KG	TOTAL MERCURY
9.1J	MG/KG	NICKEL
8400J	MG/KG	POTASSIUM
0.41UJ	MG/KG	SELENIUM
1.2UJ	MG/KG	SILVER
35U	MG/KG	SODIUM
0.48UJ	MG/KG	THALLIUM
29J	MG/KG	VANADIUM
76	MG/KG	ZINC
0.30U	MG/KG	CYANIDE
12	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1064 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 11:25

Id/Station: MG02SBA /

MD No: RS67

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS67

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
27000J	MG/KG	ALUMINUM
0.47UR	MG/KG	ANTIMONY
2.2J	MG/KG	ARSENIC
160J	MG/KG	BARIUM
1.8	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
570U	MG/KG	CALCIUM
22J	MG/KG	CHROMIUM
17J	MG/KG	COBALT
0.18UJ	MG/KG	COPPER
27000J	MG/KG	IRON
3.9	MG/KG	LEAD
5100J	MG/KG	MAGNESIUM
400J	MG/KG	MANGANESE
0.07U	MG/KG	TOTAL MERCURY
20J	MG/KG	NICKEL
5800J	MG/KG	POTASSIUM
0.40UJ	MG/KG	SELENIUM
0.35UJ	MG/KG	SILVER
34U	MG/KG	SODIUM
0.47UJ	MG/KG	THALLIUM
32J	MG/KG	VANADIUM
100	MG/KG	ZINC
0.11U	MG/KG	CYANIDE
10	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1065 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 09:00

Id/Station: MG01SD /

MD No: RS68

Inorg Contractor: SENTIN

Ending:

Media: SEDIMENT

D No: RS68

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
5100J	MG/KG	ALUMINUM
0.68UR	MG/KG	ANTIMONY
0.87UJ	MG/KG	ARSENIC
55J	MG/KG	BARIUM
0.55U	MG/KG	BERYLLIUM
0.10U	MG/KG	CADMIUM
840U	MG/KG	CALCIUM
7.4J	MG/KG	CHROMIUM
1.8UJ	MG/KG	COBALT
6.9UJ	MG/KG	COPPER
2100J	MG/KG	IRON
9.8	MG/KG	LEAD
430J	MG/KG	MAGNESIUM
27J	MG/KG	MANGANESE
0.12U	MG/KG	TOTAL MERCURY
2.8UJ	MG/KG	NICKEL
490J	MG/KG	POTASSIUM
0.58UJ	MG/KG	SELENIUM
1.2UJ	MG/KG	SILVER
50U	MG/KG	SODIUM
0.68UJ	MG/KG	THALLIUM
11UJ	MG/KG	VANADIUM
17	MG/KG	ZINC
0.16U	MG/KG	CYANIDE
38	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1066 FY 2000 Project: 00-0101

METALS SCAN

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG02SD /

MD No: RS69

Inorg Contractor: SENTIN

Media: SEDIMENT

D No: RS69

Org Contractor: LIBRTY

Produced by: Guthrie, Diane

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 09:15

Ending:

RESULTS	UNITS	ANALYTE
5000J	MG/KG	ALUMINUM
0.64UR	MG/KG	ANTIMONY
0.67UJ	MG/KG	ARSENIC
38J	MG/KG	BARIUM
0.30U	MG/KG	BERYLLIUM
0.09U	MG/KG	CADMIUM
790U	MG/KG	CALCIUM
8.2J	MG/KG	CHROMIUM
1.3UJ	MG/KG	COBALT
4.8UJ	MG/KG	COPPER
2400J	MG/KG	IRON
5.4	MG/KG	LEAD
840J	MG/KG	MAGNESIUM
21J	MG/KG	MANGANESE
0.12U	MG/KG	TOTAL MERCURY
3.2UJ	MG/KG	NICKEL
680J	MG/KG	POTASSIUM
0.55UJ	MG/KG	SELENIUM
0.46UJ	MG/KG	SILVER
47U	MG/KG	SODIUM
0.64UJ	MG/KG	THALLIUM
11UJ	MG/KG	VANADIUM
13	MG/KG	ZINC
0.28U	MG/KG	CYANIDE
34	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1067 FY 2000 Project: 00-0101

METALS SCAN

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG03SD /

MD No: RS70

Inorg Contractor: SENTIN

Media: SEDIMENT

D No: RS70

Org Contractor: LIBRTY

Produced by: Guthrie, Diane

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 10:45

Ending:

RESULTS	UNITS	ANALYTE
30000J	MG/KG	ALUMINUM
1.6UJ	MG/KG	ANTIMONY
2.8J	MG/KG	ARSENIC
160J	MG/KG	BARIUM
2.4	MG/KG	BERYLLIUM
0.40U	MG/KG	CADMIUM
940	MG/KG	CALCIUM
59J	MG/KG	CHROMIUM
16J	MG/KG	COBALT
97J	MG/KG	COPPER
43000J	MG/KG	IRON
37	MG/KG	LEAD
6500J	MG/KG	MAGNESIUM
350J	MG/KG	MANGANESE
0.63	MG/KG	TOTAL MERCURY
49J	MG/KG	NICKEL
6500J	MG/KG	POTASSIUM
0.52UJ	MG/KG	SELENIUM
67J	MG/KG	SILVER
45U	MG/KG	SODIUM
0.61UJ	MG/KG	THALLIUM
53J	MG/KG	VANADIUM
640	MG/KG	ZINC
0.69U	MG/KG	CYANIDE
31	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordan constituents 2.constituents or metabolites of technical chlordan

Sample 1068 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:45

Id/Station: MG03SS /

MD No: RS71

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS71

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
13000J	MG/KG	ALUMINUM
2.7UJ	MG/KG	ANTIMONY
1.7J	MG/KG	ARSENIC
160J	MG/KG	BARIUM
0.73U	MG/KG	BERYLLIUM
3.0	MG/KG	CADMIUM
2000	MG/KG	CALCIUM
98J	MG/KG	CHROMIUM
11UJ	MG/KG	COBALT
420J	MG/KG	COPPER
29000J	MG/KG	IRON
100	MG/KG	LEAD
4900J	MG/KG	MAGNESIUM
300J	MG/KG	MANGANESE
0.41	MG/KG	TOTAL MERCURY
190J	MG/KG	NICKEL
6200J	MG/KG	POTASSIUM
0.45UJ	MG/KG	SELENIUM
48J	MG/KG	SILVER
39U	MG/KG	SODIUM
0.53UJ	MG/KG	THALLIUM
39J	MG/KG	VANADIUM
390	MG/KG	ZINC
0.58U	MG/KG	CYANIDE
20	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordan constituents 2.constituents or metabolites of technical chlordan

Sample 1069 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:15

Id/Station: MG03SBA /

MD No: RS72

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS72

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
19000J	MG/KG	ALUMINUM
0.53UR	MG/KG	ANTIMONY
2.7J	MG/KG	ARSENIC
160J	MG/KG	BARIUM
1.9	MG/KG	BERYLLIUM
0.08U	MG/KG	CADMIUM
650U	MG/KG	CALCIUM
41J	MG/KG	CHROMIUM
14J	MG/KG	COBALT
32J	MG/KG	COPPER
34000J	MG/KG	IRON
7.8	MG/KG	LEAD
7400J	MG/KG	MAGNESIUM
400J	MG/KG	MANGANESE
0.08U	MG/KG	TOTAL MERCURY
20J	MG/KG	NICKEL
8600J	MG/KG	POTASSIUM
0.45UJ	MG/KG	SELENIUM
0.81UJ	MG/KG	SILVER
39U	MG/KG	SODIUM
0.53UJ	MG/KG	THALLIUM
43J	MG/KG	VANADIUM
96	MG/KG	ZINC
0.24U	MG/KG	CYANIDE
21	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordan constituents 2.constituents or metabolites of technical chlordan

Sample 1070 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:15

Id/Station: MG03SBB /

MD No: RS73

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS73

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
24000J	MG/KG	ALUMINUM
0.59UR	MG/KG	ANTIMONY
1.1J	MG/KG	ARSENIC
280J	MG/KG	BARIUM
3.6	MG/KG	BERYLLIUM
0.08U	MG/KG	CADMIUM
920	MG/KG	CALCIUM
32J	MG/KG	CHROMIUM
13UJ	MG/KG	COBALT
38J	MG/KG	COPPER
29000J	MG/KG	IRON
9.7	MG/KG	LEAD
6900J	MG/KG	MAGNESIUM
830J	MG/KG	MANGANESE
0.09U	MG/KG	TOTAL MERCURY
21J	MG/KG	NICKEL
7000J	MG/KG	POTASSIUM
0.51UJ	MG/KG	SELENIUM
5.8J	MG/KG	SILVER
44U	MG/KG	SODIUM
0.59UJ	MG/KG	THALLIUM
39J	MG/KG	VANADIUM
87	MG/KG	ZINC
0.09U	MG/KG	CYANIDE
29	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1071 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:10

Id/Station: MG05SS /

MD No: RS74

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS74

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
24000J	MG/KG	ALUMINUM
0.51UR	MG/KG	ANTIMONY
1.9J	MG/KG	ARSENIC
180J	MG/KG	BARIUM
2.4	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
630U	MG/KG	CALCIUM
24J	MG/KG	CHROMIUM
12UJ	MG/KG	COBALT
56J	MG/KG	COPPER
32000J	MG/KG	IRON
14	MG/KG	LEAD
5600J	MG/KG	MAGNESIUM
310J	MG/KG	MANGANESE
0.90	MG/KG	TOTAL MERCURY
160J	MG/KG	NICKEL
6600J	MG/KG	POTASSIUM
0.44UJ	MG/KG	SELENIUM
79J	MG/KG	SILVER
38U	MG/KG	SODIUM
0.51UJ	MG/KG	THALLIUM
38J	MG/KG	VANADIUM
170	MG/KG	ZINC
0.28U	MG/KG	CYANIDE
18	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1072 FY 2000 Project: 00-0101

METALS SCAN

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG05SBA /

MD No: RS75

Inorg Contractor: SENTIN

Media: SUBSURFACE SOIL (> 12")

D No: RS75

Org Contractor: LIBRTY

Produced by: Guthrie, Diane

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 13:45

Ending:

RESULTS	UNITS	ANALYTE
15000J	MG/KG	ALUMINUM
0.49UR	MG/KG	ANTIMONY
2.9J	MG/KG	ARSENIC
160J	MG/KG	BARIUM
2.2	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
610U	MG/KG	CALCIUM
16J	MG/KG	CHROMIUM
19J	MG/KG	COBALT
3.7UJ	MG/KG	COPPER
28000J	MG/KG	IRON
11	MG/KG	LEAD
5000J	MG/KG	MAGNESIUM
420J	MG/KG	MANGANESE
0.06U	MG/KG	TOTAL MERCURY
16J	MG/KG	NICKEL
7000J	MG/KG	POTASSIUM
0.42UJ	MG/KG	SELENIUM
3.7J	MG/KG	SILVER
36U	MG/KG	SODIUM
0.49UJ	MG/KG	THALLIUM
26J	MG/KG	VANADIUM
79	MG/KG	ZINC
0.16U	MG/KG	CYANIDE
14	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1073 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:02

Id/Station: MG04SS /

MD No: RS76

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS76

Inorg Contractor: SENTIN

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
33000J	MG/KG	ALUMINUM
0.56UJ	MG/KG	ANTIMONY
1.7J	MG/KG	ARSENIC
150J	MG/KG	BARIUM
2.6	MG/KG	BERYLLIUM
0.33U	MG/KG	CADMIUM
660U	MG/KG	CALCIUM
40J	MG/KG	CHROMIUM
18J	MG/KG	COBALT
84J	MG/KG	COPPER
42000J	MG/KG	IRON
19	MG/KG	LEAD
6600J	MG/KG	MAGNESIUM
560J	MG/KG	MANGANESE
0.13	MG/KG	TOTAL MERCURY
39J	MG/KG	NICKEL
8100J	MG/KG	POTASSIUM
0.46UJ	MG/KG	SELENIUM
44J	MG/KG	SILVER
39U	MG/KG	SODIUM
0.53UJ	MG/KG	THALLIUM
58J	MG/KG	VANADIUM
140	MG/KG	ZINC
0.28U	MG/KG	CYANIDE
21	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1074 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:10

Id/Station: MG04SBA /

MD No: RS77

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS77

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
26000J	MG/KG	ALUMINUM
0.48UR	MG/KG	ANTIMONY
1.9J	MG/KG	ARSENIC
200J	MG/KG	BARIUM
2.8	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
590U	MG/KG	CALCIUM
22J	MG/KG	CHROMIUM
12J	MG/KG	COBALT
25J	MG/KG	COPPER
27000J	MG/KG	IRON
8.7	MG/KG	LEAD
5700J	MG/KG	MAGNESIUM
400J	MG/KG	MANGANESE
0.07U	MG/KG	TOTAL MERCURY
12J	MG/KG	NICKEL
7800J	MG/KG	POTASSIUM
0.41UJ	MG/KG	SELENIUM
1.6UJ	MG/KG	SILVER
35U	MG/KG	SODIUM
0.48UJ	MG/KG	THALLIUM
33J	MG/KG	VANADIUM
76	MG/KG	ZINC
0.18U	MG/KG	CYANIDE
12	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1075 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:30

Id/Station: MG06SS /

MD No: RS78

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS78

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
36000J	MG/KG	ALUMINIUM
0.54UR	MG/KG	ANTIMONY
2.7J	MG/KG	ARSENIC
210J	MG/KG	BARIUM
3.7	MG/KG	BERYLLIUM
0.76U	MG/KG	CADMIUM
890	MG/KG	CALCIUM
41J	MG/KG	CHROMIUM
20J	MG/KG	COBALT
40J	MG/KG	COPPER
39000J	MG/KG	IRON
13	MG/KG	LEAD
7100J	MG/KG	MAGNESIUM
620J	MG/KG	MANGANESE
0.39	MG/KG	TOTAL MERCURY
150J	MG/KG	NICKEL
7700J	MG/KG	POTASSIUM
0.46UJ	MG/KG	SELENIUM
130J	MG/KG	SILVER
40U	MG/KG	SODIUM
0.54UJ	MG/KG	THALLIUM
47J	MG/KG	VANADIUM
150	MG/KG	ZINC
0.64	MG/KG	CYANIDE
21	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordan constituents 2.constituents or metabolites of technical chlordan

Sample 1076 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:50

Id/Station: MG06SBA /

MD No: RS79

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS79

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
36000J	MG/KG	ALUMINUM
0.49UR	MG/KG	ANTIMONY
0.85UJ	MG/KG	ARSENIC
170J	MG/KG	BARIUM
3.1	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
610U	MG/KG	CALCIUM
19J	MG/KG	CHROMIUM
8.5UJ	MG/KG	COBALT
9.1J	MG/KG	COPPER
16000J	MG/KG	IRON
11	MG/KG	LEAD
4000J	MG/KG	MAGNESIUM
340J	MG/KG	MANGANESE
0.07U	MG/KG	TOTAL MERCURY
18J	MG/KG	NICKEL
3800J	MG/KG	POTASSIUM
0.42UJ	MG/KG	SELENIUM
1.8UJ	MG/KG	SILVER
36U	MG/KG	SODIUM
0.49UJ	MG/KG	THALLIUM
23J	MG/KG	VANADIUM
60	MG/KG	ZINC
0.08U	MG/KG	CYANIDE
14	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlrdane constituents 2.constituents or metabolites of technical chlrdane

Sample 1077 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 15:45

Id/Station: MG07SBA /

MD No: RS80

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS80

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
12000J	MG/KG	ALUMINUM
0.46UR	MG/KG	ANTIMONY
0.48UJ	MG/KG	ARSENIC
76J	MG/KG	BARIUM
1.2	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
560U	MG/KG	CALCIUM
22J	MG/KG	CHROMIUM
5.7UJ	MG/KG	COBALT
12J	MG/KG	COPPER
27000J	MG/KG	IRON
10	MG/KG	LEAD
2800J	MG/KG	MAGNESIUM
220J	MG/KG	MANGANESE
0.06U	MG/KG	TOTAL MERCURY
9.4J	MG/KG	NICKEL
4000J	MG/KG	POTASSIUM
0.39UJ	MG/KG	SELENIUM
1.1UJ	MG/KG	SILVER
34U	MG/KG	SODIUM
0.46UJ	MG/KG	THALLIUM
30J	MG/KG	VANADIUM
52	MG/KG	ZINC
0.11U	MG/KG	CYANIDE
10	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1078 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 17:00

Id/Station: MG07SBB /

MD No: RS81

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS81

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
14000J	MG/KG	ALUMINUM
0.48UR	MG/KG	ANTIMONY
0.69UJ	MG/KG	ARSENIC
130J	MG/KG	BARIUM
1.1U	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
600U	MG/KG	CALCIUM
28J	MG/KG	CHROMIUM
11UJ	MG/KG	COBALT
18J	MG/KG	COPPER
28000J	MG/KG	IRON
13	MG/KG	LEAD
3300J	MG/KG	MAGNESIUM
580J	MG/KG	MANGANESE
0.09U	MG/KG	TOTAL MERCURY
11J	MG/KG	NICKEL
5300J	MG/KG	POTASSIUM
0.41UJ	MG/KG	SELENIUM
3.3J	MG/KG	SILVER
36U	MG/KG	SODIUM
0.48UJ	MG/KG	THALLIUM
32J	MG/KG	VANADIUM
61	MG/KG	ZINC
0.06U	MG/KG	CYANIDE
13	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordan constituents 2.constituents or metabolites of technical chlordan

Sample 1079 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 16:00

Id/Station: MG08SS /

MD No: RS84

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS84

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
6900	MG/KG	ALUMINUM
0.42UR	MG/KG	ANTIMONY
2.6	MG/KG	ARSENIC
65	MG/KG	BARIUM
0.36U	MG/KG	BERYLLIUM
0.06U	MG/KG	CADMIUM
520U	MG/KG	CALCIUM
12J	MG/KG	CHROMIUM
1.7U	MG/KG	COBALT
8.2J	MG/KG	COPPER
8000	MG/KG	IRON
19	MG/KG	LEAD
370	MG/KG	MAGNESIUM
60	MG/KG	MANGANESE
0.08U	MG/KG	TOTAL MERCURY
10	MG/KG	NICKEL
440	MG/KG	POTASSIUM
0.37UJ	MG/KG	SELENIUM
6.1J	MG/KG	SILVER
31U	MG/KG	SODIUM
0.42U	MG/KG	THALLIUM
14J	MG/KG	VANADIUM
56	MG/KG	ZINC
0.31U	MG/KG	CYANIDE
1	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1080 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 16:20

Id/Station: MG08SBA /

MD No: RS85

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS85

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
12000	MG/KG	ALUMINUM
0.48UR	MG/KG	ANTIMONY
3.0	MG/KG	ARSENIC
63	MG/KG	BARIUM
0.41U	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
600U	MG/KG	CALCIUM
15J	MG/KG	CHROMIUM
4.2U	MG/KG	COBALT
5.1J	MG/KG	COPPER
15000	MG/KG	IRON
81	MG/KG	LEAD
390	MG/KG	MAGNESIUM
100	MG/KG	MANGANESE
0.06U	MG/KG	TOTAL MERCURY
5.0	MG/KG	NICKEL
500	MG/KG	POTASSIUM
0.41UJ	MG/KG	SELENIUM
2.2UJ	MG/KG	SILVER
36U	MG/KG	SODIUM
0.48U	MG/KG	THALLIUM
25J	MG/KG	VANADIUM
41	MG/KG	ZINC
0.14U	MG/KG	CYANIDE
14	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported; see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1081 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 17:15

Id/Station: MG09SBA /

MD No: RS86

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS86

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
29000	MG/KG	ALUMINUM
0.52UR	MG/KG	ANTIMONY
2.6	MG/KG	ARSENIC
81	MG/KG	BARIUM
2.3	MG/KG	BERYLLIUM
0.08U	MG/KG	CADMIUM
650U	MG/KG	CALCIUM
54J	MG/KG	CHROMIUM
23	MG/KG	COBALT
39J	MG/KG	COPPER
49000	MG/KG	IRON
15	MG/KG	LEAD
4400	MG/KG	MAGNESIUM
1300	MG/KG	MANGANESE
0.07U	MG/KG	TOTAL MERCURY
23	MG/KG	NICKEL
4000	MG/KG	POTASSIUM
0.45UJ	MG/KG	SELENIUM
35J	MG/KG	SILVER
39U	MG/KG	SODIUM
0.52U	MG/KG	THALLIUM
56J	MG/KG	VANADIUM
96	MG/KG	ZINC
0.17U	MG/KG	CYANIDE
21	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1082 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 08:45

Id/Station: MG07SBC /

MD No: RS87

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS87

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
16000	MG/KG	ALUMINUM
0.47UR	MG/KG	ANTIMONY
0.67	MG/KG	ARSENIC
140	MG/KG	BARIUM
1.8	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
580U	MG/KG	CALCIUM
22J	MG/KG	CHROMIUM
23	MG/KG	COBALT
5.2J	MG/KG	COPPER
30000	MG/KG	IRON
16	MG/KG	LEAD
4600	MG/KG	MAGNESIUM
890	MG/KG	MANGANESE
0.06U	MG/KG	TOTAL MERCURY
16	MG/KG	NICKEL
6500	MG/KG	POTASSIUM
0.40UJ	MG/KG	SELENIUM
1.7UJ	MG/KG	SILVER
35U	MG/KG	SODIUM
0.47U	MG/KG	THALLIUM
33J	MG/KG	VANADIUM
78	MG/KG	ZINC
0.19U	MG/KG	CYANIDE
12	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.
 K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.
 R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.
 C-confirmed by gcms: 1. when no value is reported, see chlordane constituents 2. constituents or metabolites of technical chlordane

Sample 1083 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 10:15

Id/Station: MG07SS /

MD No: RS88

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS88

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
15000	MG/KG	ALUMINUM
0.46UR	MG/KG	ANTIMONY
1.2U	MG/KG	ARSENIC
130	MG/KG	BARIUM
0.81U	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
570U	MG/KG	CALCIUM
21J	MG/KG	CHROMIUM
5.7U	MG/KG	COBALT
19J	MG/KG	COPPER
26000	MG/KG	IRON
9.3	MG/KG	LEAD
4100	MG/KG	MAGNESIUM
200	MG/KG	MANGANESE
0.05U	MG/KG	TOTAL MERCURY
9.6	MG/KG	NICKEL
5800	MG/KG	POTASSIUM
0.39UJ	MG/KG	SELENIUM
8.2J	MG/KG	SILVER
34U	MG/KG	SODIUM
0.46U	MG/KG	THALLIUM
29J	MG/KG	VANADIUM
62	MG/KG	ZINC
0.12U	MG/KG	CYANIDE
11	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1084 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 14:00

Id/Station: MG10SBA /

MD No: RS89

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS89

Inorg Contractor: SENTIN

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
9200	MG/KG	ALUMINUM
0.46UR	MG/KG	ANTIMONY
0.60U	MG/KG	ARSENIC
110	MG/KG	BARIUM
0.86U	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
570U	MG/KG	CALCIUM
24J	MG/KG	CHROMIUM
5.5U	MG/KG	COBALT
9.1J	MG/KG	COPPER
22000	MG/KG	IRON
9.0	MG/KG	LEAD
2000	MG/KG	MAGNESIUM
280	MG/KG	MANGANESE
0.05U	MG/KG	TOTAL MERCURY
6.4	MG/KG	NICKEL
2900	MG/KG	POTASSIUM
0.40UJ	MG/KG	SELENIUM
0.99UJ	MG/KG	SILVER
190U	MG/KG	SODIUM
0.46U	MG/KG	THALLIUM
31J	MG/KG	VANADIUM
27	MG/KG	ZINC
0.19U	MG/KG	CYANIDE
10	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1085 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 15:00

Id/Station: MG10SBB /

MD No: RS90

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS90

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
16000	MG/KG	ALUMINUM
0.48UR	MG/KG	ANTIMONY
0.61U	MG/KG	ARSENIC
160	MG/KG	BARIUM
1.3	MG/KG	BERYLLIUM
- 0.07U	MG/KG	CADMIUM
590U	MG/KG	CALCIUM
26J	MG/KG	CHROMIUM
16	MG/KG	COBALT
16J	MG/KG	COPPER
43000	MG/KG	IRON
14	MG/KG	LEAD
4600	MG/KG	MAGNESIUM
640	MG/KG	MANGANESE
0.06U	MG/KG	TOTAL MERCURY
16	MG/KG	NICKEL
6300	MG/KG	POTASSIUM
0.41UJ	MG/KG	SELENIUM
1.9UJ	MG/KG	SILVER
160U	MG/KG	SODIUM
0.48U	MG/KG	THALLIUM
45J	MG/KG	VANADIUM
58	MG/KG	ZINC
0.09U	MG/KG	CYANIDE
13	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1086 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 16:15

Id/Station: MG11SBA /

MD No: RS91

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS91

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
18000	MG/KG	ALUMINUM
0.52UR	MG/KG	ANTIMONY
0.54U	MG/KG	ARSENIC
79	MG/KG	BARIUM
3.7	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
640U	MG/KG	CALCIUM
61J	MG/KG	CHROMIUM
41	MG/KG	COBALT
83J	MG/KG	COPPER
63000	MG/KG	IRON
12	MG/KG	LEAD
3300	MG/KG	MAGNESIUM
1300	MG/KG	MANGANESE
0.06U	MG/KG	TOTAL MERCURY
27	MG/KG	NICKEL
3800	MG/KG	POTASSIUM
0.45UJ	MG/KG	SELENIUM
2.8J	MG/KG	SILVER
86U	MG/KG	SODIUM
0.52U	MG/KG	THALLIUM
62J	MG/KG	VANADIUM
66	MG/KG	ZINC
0.09U	MG/KG	CYANIDE
21	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1087 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 17:00

Id/Station: MG11SBB /

MD No: RS92

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS92

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
18000	MG/KG	ALUMINUM
0.51UR	MG/KG	ANTIMONY
1.4	MG/KG	ARSENIC
110	MG/KG	BARIUM
2.9	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
630U	MG/KG	CALCIUM
38J	MG/KG	CHROMIUM
27	MG/KG	COBALT
64J	MG/KG	COPPER
41000	MG/KG	IRON
12	MG/KG	LEAD
3900	MG/KG	MAGNESIUM
920	MG/KG	MANGANESE
0.06U	MG/KG	TOTAL MERCURY
24	MG/KG	NICKEL
4800	MG/KG	POTASSIUM
0.44UJ	MG/KG	SELENIUM
1.7UJ	MG/KG	SILVER
38U	MG/KG	SODIUM
0.51U	MG/KG	THALLIUM
46J	MG/KG	VANADIUM
82	MG/KG	ZINC
0.07U	MG/KG	CYANIDE
18	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1088 FY 2000 Project: 00-0101

METALS SCAN

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG11SBC /

MD No: RS93

Inorg Contractor: SENTIN

Media: SUBSURFACE SOIL (> 12")

D No: RS93

Org Contractor: LIBRTY

Produced by: Guthrie, Diane

Requestor:

Project Leader: DRIGGER

Beginning: 11/10/1999 17:30

Ending:

RESULTS	UNITS	ANALYTE
20000	MG/KG	ALUMINUM
0.51UR	MG/KG	ANTIMONY
4.8	MG/KG	ARSENIC
130	MG/KG	BARIUM
3.8	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
640U	MG/KG	CALCIUM
38J	MG/KG	CHROMIUM
39	MG/KG	COBALT
58J	MG/KG	COPPER
37000	MG/KG	IRON
9.8	MG/KG	LEAD
4400	MG/KG	MAGNESIUM
1300	MG/KG	MANGANESE
0.06U	MG/KG	TOTAL MERCURY
18	MG/KG	NICKEL
4800	MG/KG	POTASSIUM
0.44UJ	MG/KG	SELENIUM
1.2UJ	MG/KG	SILVER
38U	MG/KG	SODIUM
0.51U	MG/KG	THALLIUM
39J	MG/KG	VANADIUM
99	MG/KG	ZINC
0.20U	MG/KG	CYANIDE
20	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordan constituents 2.constituents or metabolites of technical chlordan

Sample 1089 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:30

Id/Station: MG12SS /

MD No: RS94

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS94

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
17000	MG/KG	ALUMINUM
0.56UR	MG/KG	ANTIMONY
3.2	MG/KG	ARSENIC
140	MG/KG	BARIUM
1.2U	MG/KG	BERYLLIUM
0.08U	MG/KG	CADMIUM
690U	MG/KG	CALCIUM
14J	MG/KG	CHROMIUM
6.1U	MG/KG	COBALT
8.2J	MG/KG	COPPER
12000	MG/KG	IRON
21	MG/KG	LEAD
820	MG/KG	MAGNESIUM
1000	MG/KG	MANGANESE
0.08U	MG/KG	TOTAL MERCURY
8.8	MG/KG	NICKEL
770	MG/KG	POTASSIUM
0.48UJ	MG/KG	SELENIUM
4.4J	MG/KG	SILVER
41U	MG/KG	SODIUM
0.56U	MG/KG	THALLIUM
24J	MG/KG	VANADIUM
34	MG/KG	ZINC
0.27U	MG/KG	CYANIDE
25	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1090 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:10

Id/Station: MG13SS /

MD No: RS95

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS95

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
12000	MG/KG	ALUMINUM
0.45UR	MG/KG	ANTIMONY
0.50U	MG/KG	ARSENIC
88	MG/KG	BARIUM
0.60U	MG/KG	BERYLLIUM
0.06U	MG/KG	CADMIUM
1700	MG/KG	CALCIUM
22J	MG/KG	CHROMIUM
5.9U	MG/KG	COBALT
35J	MG/KG	COPPER
17000	MG/KG	IRON
5.5	MG/KG	LEAD
3900	MG/KG	MAGNESIUM
210	MG/KG	MANGANESE
0.05U	MG/KG	TOTAL MERCURY
22	MG/KG	NICKEL
3400	MG/KG	POTASSIUM
0.38UJ	MG/KG	SELENIUM
11J	MG/KG	SILVER
210U	MG/KG	SODIUM
0.45U	MG/KG	THALLIUM
27J	MG/KG	VANADIUM
69	MG/KG	ZINC
0.10U	MG/KG	CYANIDE
8	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1091 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:45

Id/Station: MG12SBA /

MD No: RS96

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS96

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
12000	MG/KG	ALUMINUM
0.50UR	MG/KG	ANTIMONY
1.2U	MG/KG	ARSENIC
46	MG/KG	BARIUM
0.33U	MG/KG	BERYLLIUM
0.07U	MG/KG	CADMIUM
610U	MG/KG	CALCIUM
16J	MG/KG	CHROMIUM
1.4U	MG/KG	COBALT
6.3J	MG/KG	COPPER
8900	MG/KG	IRON
6.8	MG/KG	LEAD
460	MG/KG	MAGNESIUM
39	MG/KG	MANGANESE
0.05U	MG/KG	TOTAL MERCURY
3.8	MG/KG	NICKEL
570	MG/KG	POTASSIUM
0.42UJ	MG/KG	SELENIUM
0.33UJ	MG/KG	SILVER
210U	MG/KG	SODIUM
0.50U	MG/KG	THALLIUM
25J	MG/KG	VANADIUM
17	MG/KG	ZINC
0.12U	MG/KG	CYANIDE
15	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordan constituents 2.constituents or metabolites of technical chlordan

Sample 1094 FY 2000 Project: 00-0101

Produced by: Guthrie, Diane

METALS SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:00

Id/Station: QA005PES /

MD No: RS61

Inorg Contractor: SENTIN

Ending:

Media: SEDIMSPK

ICC00564

RESULTS	UNITS	ANALYTE
1600	MG/KG	ALUMINUM
2.6	MG/KG	ANTIMONY
65	MG/KG	ARSENIC
180	MG/KG	BARIUM
0.04	MG/KG	BERYLLIUM
1.0	MG/KG	CADMIUM
33000	MG/KG	CALCIUM
3.3	MG/KG	CHROMIUM
8.5	MG/KG	COBALT
660	MG/KG	COPPER
2600	MG/KG	IRON
670	MG/KG	LEAD
13000	MG/KG	MAGNESIUM
370	MG/KG	MANGANESE
1.0	MG/KG	TOTAL MERCURY
5.0	MG/KG	NICKEL
640	MG/KG	POTASSIUM
0.36U	MG/KG	SELENIUM
0.40	MG/KG	SILVER
31U	MG/KG	SODIUM
0.42U	MG/KG	THALLIUM
130	MG/KG	VANADIUM
940	MG/KG	ZINC
NA	MG/KG	CYANIDE
0	%	% MOISTURE

CYANIDE ANALYSIS NOT REQUESTED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 4

Science and Ecosystem Support Division
980 College Station Road
Athens, Georgia 30605-2720

MEMORANDUM

Date: 12/29/1999

Subject: Results of EXTRACTABLES Organic Chemistry Section Sample Analysis
00-0101 CTS of Asheville Inc
Skyland, NC

From: Goddard, Denise

To: Rigger, Don

CC: Heather Kennedy
START

ru: QA Office

Attached are the results of analysis of samples collected as part of the subject project. If you have any questions, please contact me.

ATTACHMENT

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 08:25

Id/Station: MG01SS /

MD No: RS63

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS63

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
380U	UG/KG	BENZALDEHYDE	380U	UG/KG	2,4-DINITROTOLUENE
380U	UG/KG	PHENOL	380U	UG/KG	DIETHYL PHTHALATE
380UJ	UG/KG	BIS(2-CHLOROETHYL) ETHER	380U	UG/KG	FLUORENE
380U	UG/KG	2-CHLOROPHENOL	380U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
380U	UG/KG	2-METHYLPHENOL	940U	UG/KG	4-NITROANILINE
380U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	940U	UG/KG	2-METHYL-4,6-DINITROPHENOL
380U	UG/KG	ACETOPHENONE	380U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
380U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	380U	UG/KG	4-BROMOPHENYL PHENYL ETHER
380U	UG/KG	N-NITROSODI-N-PROPYLAMINE	380U	UG/KG	HEXACHLOROENZENE (HCB)
380U	UG/KG	HEXACHLOROETHANE	380U	UG/KG	ATRAZINE
380U	UG/KG	NITROBENZENE	940U	UG/KG	PENTACHLOROPHENOL
380U	UG/KG	ISOPHORONE	380U	UG/KG	PHENANTHRENE
380U	UG/KG	2-NITROPHENOL	380U	UG/KG	ANTHRACENE
380U	UG/KG	2,4-DIMETHYLPHENOL	380U	UG/KG	CARBAZOLE
380U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	380U	UG/KG	DI-N-BUTYLPHTHALATE
380U	UG/KG	2,4-DICHLOROPHENOL	39J	UG/KG	FLUORANTHENE
380U	UG/KG	NAPHTHALENE	380U	UG/KG	PYRENE
380U	UG/KG	4-CHLOROANILINE	380U	UG/KG	BENZYL BUTYL PHTHALATE
380U	UG/KG	HEXACHLOROBUTADIENE	380UJ	UG/KG	3,3'-DICHLOROENZIDINE
380U	UG/KG	CAPROLACTAM	380U	UG/KG	BENZO(A)ANTHRACENE
380U	UG/KG	4-CHLORO-3-METHYLPHENOL	380U	UG/KG	CHRYSENE
380U	UG/KG	2-METHYLNAPHTHALENE	3000	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
380U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	380U	UG/KG	DI-N-OCTYLPHTHALATE
380U	UG/KG	2,4,6-TRICHLOROPHENOL	380U	UG/KG	BENZO(B)FLUORANTHENE
940U	UG/KG	2,4,5-TRICHLOROPHENOL	380UJ	UG/KG	BENZO(K)FLUORANTHENE
380U	UG/KG	1,1-BIPHENYL	380U	UG/KG	BENZO-A-PYRENE
380U	UG/KG	2-CHLORONAPHTHALENE	380U	UG/KG	INDENO (1,2,3-CD) PYRENE
940U	UG/KG	2-NITROANILINE	380U	UG/KG	DIBENZO(A,H)ANTHRACENE
380U	UG/KG	DIMETHYL PHTHALATE	380U	UG/KG	BENZO(GHI)PERYLENE
380U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
380U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
940U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
380U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
940U	UG/KG	2,4-DINITROPHENOL	12	%	% MOISTURE
940U	UG/KG	4-NITROPHENOL			
380U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 09:45

Id/Station: MG01SBA /

MD No: RS64

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS64

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
380U	UG/KG	BENZALDEHYDE	380U	UG/KG	2,4-DINITROTOLUENE
380U	UG/KG	PHENOL	380U	UG/KG	DIETHYL PHTHALATE
380UJ	UG/KG	BIS(2-CHLOROETHYL) ETHER	380U	UG/KG	FLUORENE
380U	UG/KG	2-CHLOROPHENOL	380U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
380U	UG/KG	2-METHYLPHENOL	940U	UG/KG	4-NITROANILINE
380U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	940U	UG/KG	2-METHYL-4,6-DINITROPHENOL
380U	UG/KG	ACETOPHENONE	380U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
380U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	380U	UG/KG	4-BROMOPHENYL PHENYL ETHER
380U	UG/KG	N-NITROSODI-N-PROPYLAMINE	380U	UG/KG	HEXACHLOROENZENE (HCB)
380U	UG/KG	HEXACHLOROETHANE	380U	UG/KG	ATRAZINE
380U	UG/KG	NITROBENZENE	940U	UG/KG	PENTACHLOROPHENOL
380U	UG/KG	ISOPHORONE	380U	UG/KG	PHENANTHRENE
380U	UG/KG	2-NITROPHENOL	380U	UG/KG	ANTHRACENE
380U	UG/KG	2,4-DIMETHYLPHENOL	380U	UG/KG	CARBAZOLE
380U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	380U	UG/KG	DI-N-BUTYLPHTHALATE
380U	UG/KG	2,4-DICHLOROPHENOL	380U	UG/KG	FLUORANTHENE
380U	UG/KG	NAPHTHALENE	380U	UG/KG	PYRENE
380U	UG/KG	4-CHLOROANILINE	380U	UG/KG	BENZYL BUTYL PHTHALATE
380U	UG/KG	HEXACHLOROBUTADIENE	380UJ	UG/KG	3,3'-DICHLOROENZIDINE
380U	UG/KG	CAPROLACTAM	380U	UG/KG	BENZO(A)ANTHRACENE
380U	UG/KG	4-CHLORO-3-METHYLPHENOL	380U	UG/KG	CHRYSENE
380U	UG/KG	2-METHYLNAPHTHALENE	380U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
380U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	380U	UG/KG	DI-N-OCTYLPHTHALATE
380U	UG/KG	2,4,6-TRICHLOROPHENOL	380U	UG/KG	BENZO(B)FLUORANTHENE
940U	UG/KG	2,4,5-TRICHLOROPHENOL	380UJ	UG/KG	BENZO(K)FLUORANTHENE
380U	UG/KG	1,1-BIPHENYL	380U	UG/KG	BENZO-A-PYRENE
380U	UG/KG	2-CHLORONAPHTHALENE	380U	UG/KG	INDENO (1,2,3-CD) PYRENE
940U	UG/KG	2-NITROANILINE	380U	UG/KG	DIBENZO(A,H)ANTHRACENE
380U	UG/KG	DIMETHYL PHTHALATE	380U	UG/KG	BENZO(GHI)PERYLENE
380U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
380U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
940U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
380U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
940U	UG/KG	2,4-DINITROPHENOL	12	%	% MOISTURE
940U	UG/KG	4-NITROPHENOL			
380U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1. when no value is reported, see chlordane constituents 2. constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 10:50

Id/Station: MG01SBB /

MD No: RS65

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS65

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
360U	UG/KG	BENZALDEHYDE	360U	UG/KG	2,4-DINITROTOLUENE
360U	UG/KG	PHENOL	360U	UG/KG	DIETHYL PHTHALATE
360UJ	UG/KG	BIS(2-CHLOROETHYL) ETHER	360U	UG/KG	FLUORENE
360U	UG/KG	2-CHLOROPHENOL	360U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
360U	UG/KG	2-METHYLPHENOL	910U	UG/KG	4-NITROANILINE
360U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	910U	UG/KG	2-METHYL-4,6-DINITROPHENOL
360U	UG/KG	ACETOPHENONE	360U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
360U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	360U	UG/KG	4-BROMOPHENYL PHENYL ETHER
360U	UG/KG	N-NITROSODI-N-PROPYLAMINE	360U	UG/KG	HEXACHLOROENZENE (HCB)
360U	UG/KG	HEXACHLOROETHANE	360U	UG/KG	ATRAZINE
360U	UG/KG	NITROBENZENE	910U	UG/KG	PENTACHLOROPHENOL
360U	UG/KG	ISOPHORONE	360U	UG/KG	PHENANTHRENE
360U	UG/KG	2-NITROPHENOL	360U	UG/KG	ANTHRACENE
360U	UG/KG	2,4-DIMETHYLPHENOL	360U	UG/KG	CARBAZOLE
360U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	360U	UG/KG	DI-N-BUTYLPHTHALATE
360U	UG/KG	2,4-DICHLOROPHENOL	360U	UG/KG	FLUORANTHENE
360U	UG/KG	NAPHTHALENE	360U	UG/KG	PYRENE
360U	UG/KG	4-CHLOROANILINE	360U	UG/KG	BENZYL BUTYL PHTHALATE
360U	UG/KG	HEXACHLOROBUTADIENE	360UJ	UG/KG	3,3'-DICHLOROENZIDINE
360U	UG/KG	CAPROLACTAM	360U	UG/KG	BENZO(A)ANTHRACENE
360U	UG/KG	4-CHLORO-3-METHYLPHENOL	360U	UG/KG	CHRYSENE
360U	UG/KG	2-METHYLNAPHTHALENE	360U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
360U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	360U	UG/KG	DI-N-OCTYLPHTHALATE
360U	UG/KG	2,4,6-TRICHLOROPHENOL	360U	UG/KG	BENZO(B)FLUORANTHENE
910U	UG/KG	2,4,5-TRICHLOROPHENOL	360UJ	UG/KG	BENZO(K)FLUORANTHENE
360U	UG/KG	1,1-BIPHENYL	360U	UG/KG	BENZO-A-PYRENE
360U	UG/KG	2-CHLORONAPHTHALENE	360U	UG/KG	INDENO (1,2,3-CD) PYRENE
910U	UG/KG	2-NITROANILINE	360U	UG/KG	DIBENZO(A,H)ANTHRACENE
360U	UG/KG	DIMETHYL PHTHALATE	360U	UG/KG	BENZO(GHI)PERYLENE
360U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
360U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
910U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
360U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
910U	UG/KG	2,4-DINITROPHENOL	9	%	% MOISTURE
910U	UG/KG	4-NITROPHENOL			
360U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 11:25

Id/Station: MG02SBA /

MD No: RS67

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS67

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
360U	UG/KG	BENZALDEHYDE	360U	UG/KG	2,4-DINITROTOLUENE
360U	UG/KG	PHENOL	360U	UG/KG	DIETHYL PHTHALATE
360UJ	UG/KG	BIS(2-CHLOROETHYL) ETHER	360U	UG/KG	FLUORENE
360U	UG/KG	2-CHLOROPHENOL	360U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
360U	UG/KG	2-METHYLPHENOL	910U	UG/KG	4-NITROANILINE
360U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	910U	UG/KG	2-METHYL-4,6-DINITROPHENOL
360U	UG/KG	ACETOPHENONE	360U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
360U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	360U	UG/KG	4-BROMOPHENYL PHENYL ETHER
360U	UG/KG	N-NITROSODI-N-PROPYLAMINE	360U	UG/KG	HEXACHLOROBENZENE (HCB)
360U	UG/KG	HEXACHLOROETHANE	360U	UG/KG	ATRAZINE
360U	UG/KG	NITROBENZENE	910U	UG/KG	PENTACHLOROPHENOL
360U	UG/KG	ISOPHORONE	360U	UG/KG	PHENANTHRENE
360U	UG/KG	2-NITROPHENOL	360U	UG/KG	ANTHRACENE
360U	UG/KG	2,4-DIMETHYLPHENOL	360U	UG/KG	CARBAZOLE
360U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	360U	UG/KG	DI-N-BUTYLPHTHALATE
360U	UG/KG	2,4-DICHLOROPHENOL	360U	UG/KG	FLUORANTHENE
360U	UG/KG	NAPHTHALENE	360U	UG/KG	PYRENE
360U	UG/KG	4-CHLOROANILINE	360U	UG/KG	BENZYL BUTYL PHTHALATE
360U	UG/KG	HEXACHLOROBUTADIENE	360UJ	UG/KG	3,3'-DICHLOROBENZIDINE
360U	UG/KG	CAPROLACTAM	360U	UG/KG	BENZO(A)ANTHRACENE
360U	UG/KG	4-CHLORO-3-METHYLPHENOL	360U	UG/KG	CHRYSENE
360U	UG/KG	2-METHYLNAPHTHALENE	360U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
360U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	360U	UG/KG	DI-N-OCTYLPHTHALATE
360U	UG/KG	2,4,6-TRICHLOROPHENOL	360U	UG/KG	BENZO(B)FLUORANTHENE
910U	UG/KG	2,4,5-TRICHLOROPHENOL	360UJ	UG/KG	BENZO(K)FLUORANTHENE
360U	UG/KG	1,1-BIPHENYL	360U	UG/KG	BENZO-A-PYRENE
360U	UG/KG	2-CHLORONAPHTHALENE	360U	UG/KG	INDENO (1,2,3-CD) PYRENE
910U	UG/KG	2-NITROANILINE	360U	UG/KG	DIBENZO(A,H)ANTHRACENE
360U	UG/KG	DIMETHYL PHTHALATE	360U	UG/KG	BENZO(GH)PERYLENE
360U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROBENZENE
360U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROBENZENE
910U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROBENZENE
360U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROBENZENE
910U	UG/KG	2,4-DINITROPHENOL	9	%	% MOISTURE
910U	UG/KG	4-NITROPHENOL			
360U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 09:00

Id/Station: MG01SD /

MD No: RS68

Inorg Contractor: SENTIN

Ending:

Media: SEDIMENT

D No: RS68

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
500U	UG/KG	BENZALDEHYDE	500U	UG/KG	2,4-DINITROTOLUENE
500U	UG/KG	PHENOL	500U	UG/KG	DIETHYL PHTHALATE
500UJ	UG/KG	BIS(2-CHLOROETHYL) ETHER	1500	UG/KG	FLUORENE
500U	UG/KG	2-CHLOROPHENOL	500U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
500U	UG/KG	2-METHYLPHENOL	1200U	UG/KG	4-NITROANILINE
500U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1200U	UG/KG	2-METHYL-4,6-DINITROPHENOL
500U	UG/KG	ACETOPHENONE	500U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
500U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	500U	UG/KG	4-BROMOPHENYL PHENYL ETHER
500U	UG/KG	N-NITROSODI-N-PROPYLAMINE	500U	UG/KG	HEXACHLOROENZENE (HCB)
500U	UG/KG	HEXACHLOROETHANE	500U	UG/KG	ATRAZINE
500U	UG/KG	NITROBENZENE	1200U	UG/KG	PENTACHLOROPHENOL
500U	UG/KG	ISOPHORONE	500U	UG/KG	PHENANTHRENE
500U	UG/KG	2-NITROPHENOL	500U	UG/KG	ANTHRACENE
500U	UG/KG	2,4-DIMETHYLPHENOL	86J	UG/KG	CARBAZOLE
500U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	500U	UG/KG	DI-N-BUTYLPHTHALATE
500U	UG/KG	2,4-DICHLOROPHENOL	62J	UG/KG	FLUORANTHENE
1500	UG/KG	NAPHTHALENE	500U	UG/KG	PYRENE
500U	UG/KG	4-CHLOROANILINE	500U	UG/KG	BENZYL BUTYL PHTHALATE
500U	UG/KG	HEXACHLOROBUTADIENE	500UJ	UG/KG	3,3'-DICHLOROENZIDINE
500U	UG/KG	CAPROLACTAM	500U	UG/KG	BENZO(A)ANTHRACENE
500U	UG/KG	4-CHLORO-3-METHYLPHENOL	500U	UG/KG	CHRYSENE
4600	UG/KG	2-METHYLNAPHTHALENE	500U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
500U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	500U	UG/KG	DI-N-OCTYLPHTHALATE
500U	UG/KG	2,4,6-TRICHLOROPHENOL	500U	UG/KG	BENZO(B)FLUORANTHENE
1200U	UG/KG	2,4,5-TRICHLOROPHENOL	500UJ	UG/KG	BENZO(K)FLUORANTHENE
430J	UG/KG	1,1-BIPHENYL	500U	UG/KG	BENZO-A-PYRENE
500U	UG/KG	2-CHLORONAPHTHALENE	500U	UG/KG	INDENO (1,2,3-CD) PYRENE
1200U	UG/KG	2-NITROANILINE	500U	UG/KG	DIBENZO(A,H)ANTHRACENE
500U	UG/KG	DIMETHYL PHTHALATE	500U	UG/KG	BENZO(GHI)PERYLENE
500U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
500U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
1200U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
500U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
1200U	UG/KG	2,4-DINITROPHENOL	34	%	% MOISTURE
1200U	UG/KG	4-NITROPHENOL			
500U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlortane constituents 2.constituents or metabolites of technical chlortane

Sample 100000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 09:00

Id/Station: MG01SD /

MD No: RS68

Inorg Contractor: SENTIN

Ending:

Media: SEDIMENT

D No: RS68

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
3600JN	UG/KG	2 SUBSTITUTED BENZENES
2000NJ	UG/KG	1H-INDENE, 2, 3-DIHYDRO-1, 2-D
5200NJ	UG/KG	NAPHTHALENE, 1-METHYL-
58000J	UG/KG	16 UNKNOWN COMPOUNDS
1200JN	UG/KG	DIHYDRONAPHTHALENONE + UNKNO
1500JN	UG/KG	SUBSTITUTED PHENANTHRENE
3500NJ	UG/KG	9H-FLUORENE, 9-METHYL-
1900NJ	UG/KG	.GAMMA.-SITOSTEROL
13000JN	UG/KG	4 DIMETHYLNAPHTHALENE ISOMERS
4700JN	UG/KG	2 TRIMETHYLNAPHTHALENE ISOMERS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

EXTRACTABLES SCAN

Facility: CTS of Asheville Inc Skyland, NC
 Program: NSF Case No: 27562
 Id/Station: MG02SD / MD No: RS69
 Media: SEDIMENT D No: RS69

Inorg Contractor: SENTIN
 Org Contractor: LIBRTY

Produced by: Goddard, Denise
 Requestor:
 Project Leader: DRIGGER
 Beginning: 11/09/1999 09:15
 Ending:

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
480U	UG/KG	BENZALDEHYDE	480U	UG/KG	2,4-DINITROTOLUENE
480U	UG/KG	PHENOL	480U	UG/KG	DIETHYL PHTHALATE
480UJ	UG/KG	BIS(2-CHLOROETHYL) ETHER	2700	UG/KG	FLUORENE
480U	UG/KG	2-CHLOROPHENOL	480U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
480U	UG/KG	2-METHYLPHENOL	1200U	UG/KG	4-NITROANILINE
480U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1200U	UG/KG	2-METHYL-4,6-DINITROPHENOL
480U	UG/KG	ACETOPHENONE	480U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
480U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	480U	UG/KG	4-BROMOPHENYL PHENYL ETHER
480U	UG/KG	N-NITROSODI-N-PROPYLAMINE	480U	UG/KG	HEXACHLOROBENZENE (HCB)
480U	UG/KG	HEXACHLOROETHANE	480U	UG/KG	ATRAZINE
480U	UG/KG	NITROBENZENE	1200U	UG/KG	PENTACHLOROPHENOL
480U	UG/KG	ISOPHORONE	2800	UG/KG	PHENANTHRENE
480U	UG/KG	2-NITROPHENOL	480U	UG/KG	ANTHRACENE
480U	UG/KG	2,4-DIMETHYLPHENOL	480U	UG/KG	CARBAZOLE
480U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	480U	UG/KG	DI-N-BUTYLPHTHALATE
480U	UG/KG	2,4-DICHLOROPHENOL	480U	UG/KG	FLUORANTHENE
1200	UG/KG	NAPHTHALENE	240J	UG/KG	PYRENE
480U	UG/KG	4-CHLOROANILINE	480U	UG/KG	BENZYL BUTYL PHTHALATE
480U	UG/KG	HEXACHLOROBUTADIENE	480UJ	UG/KG	3,3'-DICHLOROBENZIDINE
480U	UG/KG	CAPROLACTAM	480U	UG/KG	BENZO(A)ANTHRACENE
480U	UG/KG	4-CHLORO-3-METHYLPHENOL	480U	UG/KG	CHRYSENE
9500	UG/KG	2-METHYLNAPHTHALENE	480U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
480U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	480U	UG/KG	DI-N-OCTYLPHTHALATE
480U	UG/KG	2,4,6-TRICHLOROPHENOL	480U	UG/KG	BENZO(B)FLUORANTHENE
1200U	UG/KG	2,4,5-TRICHLOROPHENOL	480UJ	UG/KG	BENZO(K)FLUORANTHENE
480U	UG/KG	1,1-BIPHENYL	480U	UG/KG	BENZO-A-PYRENE
480U	UG/KG	2-CHLORONAPHTHALENE	480U	UG/KG	INDENO (1,2,3-CD) PYRENE
1200U	UG/KG	2-NITROANILINE	480U	UG/KG	DIBENZO(A,H)ANTHRACENE
480U	UG/KG	DIMETHYL PHTHALATE	480U	UG/KG	BENZO(GHI)PERYLENE
480U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROBENZENE
480U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROBENZENE
1200U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROBENZENE
480U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROBENZENE
1200U	UG/KG	2,4-DINITROPHENOL	32	%	% MOISTURE
1200U	UG/KG	4-NITROPHENOL			
480U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordanes constituents 2.constituents or metabolites of technical chlordanes

Sample 100000 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG03SS /

MD No: RS71

Inorg Contractor: SENTIN

Media: SURFACE SOIL (0" - 12")

D No: RS71

Org Contractor: LIBRTY

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 13:45

Ending:

RESULTS	UNITS	ANALYTE
53000J	UG/KG	28 UNKNOWN COMPOUNDS
6000JN	UG/KG	2 UNKNOWN PAH COMPOUNDS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 10600 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:15

Id/Station: MG03SBA /

MD No: RS72

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS72

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
410U	UG/KG	BENZALDEHYDE	410U	UG/KG	2,4-DINITROTOLUENE
410U	UG/KG	PHENOL	410U	UG/KG	DIETHYL PHTHALATE
410UJ	UG/KG	BIS(2-CHLOROETHYL) ETHER	410U	UG/KG	FLUORENE
410U	UG/KG	2-CHLOROPHENOL	410U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
410U	UG/KG	2-METHYLPHENOL	1000U	UG/KG	4-NITROANILINE
410U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1000U	UG/KG	2-METHYL-4,6-DINITROPHENOL
410U	UG/KG	ACETOPHENONE	410U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
410U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	410U	UG/KG	4-BROMOPHENYL PHENYL ETHER
410U	UG/KG	N-NITROSODI-N-PROPYLAMINE	410U	UG/KG	HEXACHLOROBENZENE (HCB)
410U	UG/KG	HEXACHLOROETHANE	410U	UG/KG	ATRAZINE
410U	UG/KG	NITROBENZENE	1000U	UG/KG	PENTACHLOROPHENOL
410U	UG/KG	ISOPHORONE	410	UG/KG	PHENANTHRENE
410U	UG/KG	2-NITROPHENOL	2100	UG/KG	ANTHRACENE
410U	UG/KG	2,4-DIMETHYLPHENOL	410U	UG/KG	CARBAZOLE
410U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	410U	UG/KG	DI-N-BUTYLPHTHALATE
410U	UG/KG	2,4-DICHLOROPHENOL	410U	UG/KG	FLUORANTHENE
1200	UG/KG	NAPHTHALENE	96J	UG/KG	PYRENE
410U	UG/KG	4-CHLOROANILINE	410U	UG/KG	BENZYL BUTYL PHTHALATE
410U	UG/KG	HEXACHLOROBUTADIENE	410UJ	UG/KG	3,3'-DICHLOROBENZIDINE
410U	UG/KG	CAPROLACTAM	410U	UG/KG	BENZO(A)ANTHRACENE
410U	UG/KG	4-CHLORO-3-METHYLPHENOL	410U	UG/KG	CHRYSENE
17000	UG/KG	2-METHYLNAPHTHALENE	410U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
410U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	410U	UG/KG	DI-N-OCTYLPHTHALATE
410U	UG/KG	2,4,6-TRICHLOROPHENOL	410U	UG/KG	BENZO(B)FLUORANTHENE
1000U	UG/KG	2,4,5-TRICHLOROPHENOL	410UJ	UG/KG	BENZO(K)FLUORANTHENE
410U	UG/KG	1,1-BIPHENYL	410U	UG/KG	BENZO-A-PYRENE
410U	UG/KG	2-CHLORONAPHTHALENE	410U	UG/KG	INDENO (1,2,3-CD) PYRENE
1000U	UG/KG	2-NITROANILINE	410U	UG/KG	DIBENZO(A,H)ANTHRACENE
410U	UG/KG	DIMETHYL PHTHALATE	410U	UG/KG	BENZO(GH)PERYLENE
410U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROBENZENE
410U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROBENZENE
1000U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROBENZENE
410U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROBENZENE
1000U	UG/KG	2,4-DINITROPHENOL	20	%	% MOISTURE
1000U	UG/KG	4-NITROPHENOL			
410U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qs indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlorine constituents. 2.constituents or metabolites of technical chlordane

Sample 100000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:15

Id/Station: MG03SBA /

MD No: RS72

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS72

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
150000J	UG/KG	10 UNKNOWN COMPOUNDS
7000JN	UG/KG	DIMETHYLNAPHTHALENE
18000JN	UG/KG	2 SUBSTITUTED NAPHTHALENES
13000JN	UG/KG	3 TRIMETHYLNAPHTHALENE ISOMERS
21000JN	UG/KG	UNKNOWN AMINE
88000JN	UG/KG	4 UNKNOWN KETONES
13000JN	UG/KG	METHYLANTHRACENE

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 100000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:15

Id/Station: MG03SBB /

MD No: RS73

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS73

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
510U	UG/KG	BENZALDEHYDE	510U	UG/KG	2,4-DINITROTOLUENE
510U	UG/KG	PHENOL	510U	UG/KG	DIETHYL PHTHALATE
510UJ	UG/KG	BIS(2-CHLOROETHYL) ETHER	410J	UG/KG	FLUORENE
510U	UG/KG	2-CHLOROPHENOL	510U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
510U	UG/KG	2-METHYLPHENOL	1300U	UG/KG	4-NITROANILINE
510U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1300U	UG/KG	2-METHYL-4,6-DINITROPHENOL
510U	UG/KG	ACETOPHENONE	510U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
510U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	510U	UG/KG	4-BROMOPHENYL PHENYL ETHER
510U	UG/KG	N-NITROSODI-N-PROPYLAMINE	510U	UG/KG	HEXACHLOROENZENE (HCB)
510U	UG/KG	HEXACHLOROETHANE	510U	UG/KG	ATRAZINE
510U	UG/KG	NITROBENZENE	1300U	UG/KG	PENTACHLOROPHENOL
510U	UG/KG	ISOPHORONE	510U	UG/KG	PHENANTHRENE
510U	UG/KG	2-NITROPHENOL	3600	UG/KG	ANTHRACENE
510U	UG/KG	2,4-DIMETHYLPHENOL	510U	UG/KG	CARBAZOLE
510U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	510U	UG/KG	DI-N-BUTYLPHTHALATE
510U	UG/KG	2,4-DICHLOROPHENOL	510U	UG/KG	FLUORANTHENE
1000	UG/KG	NAPHTHALENE	120J	UG/KG	PYRENE
510U	UG/KG	4-CHLOROANILINE	510U	UG/KG	BENZYL BUTYL PHTHALATE
510U	UG/KG	HEXACHLOROBUTADIENE	510UJ	UG/KG	3,3'-DICHLOROENZIDINE
510U	UG/KG	CAPROLACTAM	510U	UG/KG	BENZO(A)ANTHRACENE
510U	UG/KG	4-CHLORO-3-METHYLPHENOL	510U	UG/KG	CHRYSENE
23000	UG/KG	2-METHYLNAPHTHALENE	7400	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
510U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	510U	UG/KG	DI-N-OCTYLPHTHALATE
510U	UG/KG	2,4,6-TRICHLOROPHENOL	510U	UG/KG	BENZO(B)FLUORANTHENE
1300U	UG/KG	2,4,5-TRICHLOROPHENOL	510UJ	UG/KG	BENZO(K)FLUORANTHENE
1300	UG/KG	1,1-BIPHENYL	510U	UG/KG	BENZO-A-PYRENE
510U	UG/KG	2-CHLORONAPHTHALENE	510U	UG/KG	INDENO (1,2,3-CD) PYRENE
1300U	UG/KG	2-NITROANILINE	510U	UG/KG	DIBENZO(A,H)ANTHRACENE
510U	UG/KG	DIMETHYL PHTHALATE	510U	UG/KG	BENZO(GHI)PERYLENE
510U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
510U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
1300U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
510U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
1300U	UG/KG	2,4-DINITROPHENOL	35	%	% MOISTURE
1300U	UG/KG	4-NITROPHENOL			
510U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. E-presumptive evidence of presence of material.

R-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordan constituents. 2.constituents or metabolites of technical chlordan

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:15

Id/Station: MG03SBB /

MD No: RS73

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS73

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
4700NJ	UG/KG	NAPHTHALENE, 1-METHYL-
410NJ	UG/KG	NAPHTHALENE, 1-ETHYL-
4200J	UG/KG	9 UNKNOWN COMPOUNDS
2200JN	UG/KG	2 DIMETHYLNAPHTHALENE ISOMERS
540NJ	UG/KG	DIPHENYLMETHANE
3400JN	UG/KG	5 TRIMETHYLNAPHTHALENE ISOMERS
730JN	UG/KG	SUBSTITUTED NAPHTHALENE
600NJ	UG/KG	9-PHENANTHRENOL
1300JN	UG/KG	2 UNKNOWN KETONES
1400JN	UG/KG	3 METHYLANTHRACENE ISOMERS
370JN	UG/KG	DIMETHYLPHENANTHRENE

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by qcms. 1 when no value is reported, see chlordane constituents. 2.constituents or metabolites of technical chlordane

Sample 100000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:10

Id/Station: MG05SS /

MD No: RS74

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS74

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
400U	UG/KG	BENZALDEHYDE	400U	UG/KG	2,4-DINITROTOLUENE
400U	UG/KG	PHENOL	400U	UG/KG	DIETHYL PHTHALATE
400U	UG/KG	BIS(2-CHLOROETHYL) ETHER	400U	UG/KG	FLUORENE
400U	UG/KG	2-CHLOROPHENOL	400U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
400U	UG/KG	2-METHYLPHENOL	1000U	UG/KG	4-NITROANILINE
400U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1000U	UG/KG	2-METHYL-4,6-DINITROPHENOL
120J	UG/KG	ACETOPHENONE	400U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
400U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	400U	UG/KG	4-BROMOPHENYL PHENYL ETHER
400U	UG/KG	N-NITROSODI-N-PROPYLAMINE	400U	UG/KG	HEXACHLOROBENZENE (HCB)
400U	UG/KG	HEXACHLOROETHANE	400U	UG/KG	ATRAZINE
400U	UG/KG	NITROBENZENE	1000U	UG/KG	PENTACHLOROPHENOL
400U	UG/KG	ISOPHORONE	400U	UG/KG	PHENANTHRENE
400U	UG/KG	2-NITROPHENOL	400U	UG/KG	ANTHRACENE
400U	UG/KG	2,4-DIMETHYLPHENOL	400U	UG/KG	CARBAZOLE
400U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	400U	UG/KG	DI-N-BUTYLPHTHALATE
400U	UG/KG	2,4-DICHLOROPHENOL	400U	UG/KG	FLUORANTHENE
62J	UG/KG	NAPHTHALENE	400U	UG/KG	PYRENE
400U	UG/KG	4-CHLOROANILINE	400U	UG/KG	BENZYL BUTYL PHTHALATE
400U	UG/KG	HEXACHLOROBUTADIENE	400UJ	UG/KG	3,3'-DICHLOROBENZIDINE
400U	UG/KG	CAPROLACTAM	400U	UG/KG	BENZO(A)ANTHRACENE
400U	UG/KG	4-CHLORO-3-METHYLPHENOL	400U	UG/KG	CHRYSENE
400U	UG/KG	2-METHYLNAPHTHALENE	2100	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
400U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	400U	UG/KG	DI-N-OCTYLPHTHALATE
400U	UG/KG	2,4,6-TRICHLOROPHENOL	400U	UG/KG	BENZO(B)FLUORANTHENE
1000U	UG/KG	2,4,5-TRICHLOROPHENOL	400UJ	UG/KG	BENZO(K)FLUORANTHENE
400U	UG/KG	1,1-BIPHENYL	400U	UG/KG	BENZO-A-PYRENE
400U	UG/KG	2-CHLORONAPHTHALENE	400U	UG/KG	INDENO (1,2,3-CD) PYRENE
1000U	UG/KG	2-NITROANILINE	400U	UG/KG	DIBENZO(A,H)ANTHRACENE
400U	UG/KG	DIMETHYL PHTHALATE	400U	UG/KG	BENZO(GH)PERYLENE
400U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROBENZENE
400U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROBENZENE
1000U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROBENZENE
400U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROBENZENE
1000UJ	UG/KG	2,4-DINITROPHENOL	17NA	%	% MOISTURE
1000U	UG/KG	4-NITROPHENOL			
400U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-gc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents. 2.constituents or metabolites of technical chlordane.

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:45

Id/Station: MG05SBA /

MD No: RS75

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS75

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
56J	UG/KG	BENZALDEHYDE	380U	UG/KG	2,4-DINITROTOLUENE
380UJ	UG/KG	PHENOL	380UJ	UG/KG	DIETHYL PHTHALATE
380U	UG/KG	BIS(2-CHLOROETHYL) ETHER	380U	UG/KG	FLUORENE
380U	UG/KG	2-CHLOROPHENOL	380U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
380U	UG/KG	2-METHYLPHENOL	960UJ	UG/KG	4-NITROANILINE
380U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	960U	UG/KG	2-METHYL-4,6-DINITROPHENOL
380U	UG/KG	ACETOPHENONE	380U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
380U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	380U	UG/KG	4-BROMOPHENYL PHENYL ETHER
380U	UG/KG	N-NITROSODI-N-PROPYLAMINE	380U	UG/KG	HEXACHLOROENZENE (HCB)
380U	UG/KG	HEXACHLOROETHANE	380U	UG/KG	ATRAZINE
380U	UG/KG	NITROBENZENE	960U	UG/KG	PENTACHLOROPHENOL
380U	UG/KG	ISOPHORONE	380U	UG/KG	PHENANTHRENE
380U	UG/KG	2-NITROPHENOL	380U	UG/KG	ANTHRACENE
380U	UG/KG	2,4-DIMETHYLPHENOL	380UJ	UG/KG	CARBAZOLE
380U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	380U	UG/KG	DI-N-BUTYLPHTHALATE
380U	UG/KG	2,4-DICHLOROPHENOL	380U	UG/KG	FLUORANTHENE
380U	UG/KG	NAPHTHALENE	380U	UG/KG	PYRENE
380U	UG/KG	4-CHLOROANILINE	380UJ	UG/KG	BENZYL BUTYL PHTHALATE
380U	UG/KG	HEXACHLOROBUTADIENE	380U	UG/KG	3,3'-DICHLOROENZIDINE
380U	UG/KG	CAPROLACTAM	380U	UG/KG	BENZO(A)ANTHRACENE
380U	UG/KG	4-CHLORO-3-METHYLPHENOL	380U	UG/KG	CHRYSENE
380U	UG/KG	2-METHYLNAPHTHALENE	380U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
380U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	380UJ	UG/KG	DI-N-OCTYLPHTHALATE
380U	UG/KG	2,4,6-TRICHLOROPHENOL	380U	UG/KG	BENZO(B)FLUORANTHENE
960U	UG/KG	2,4,5-TRICHLOROPHENOL	380U	UG/KG	BENZO(K)FLUORANTHENE
380U	UG/KG	1,1-BIPHENYL	380U	UG/KG	BENZO-A-PYRENE
380U	UG/KG	2-CHLORONAPHTHALENE	380U	UG/KG	INDENO (1,2,3-CD) PYRENE
960U	UG/KG	2-NITROANILINE	380U	UG/KG	DIBENZO(A,H)ANTHRACENE
380U	UG/KG	DIMETHYL PHTHALATE	380U	UG/KG	BENZO(GH)PERYLENE
380U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
380U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
960U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
380U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
960U	UG/KG	2,4-DINITROPHENOL	14	%	% MOISTURE
960U	UG/KG	4-NITROPHENOL			
380U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chloroform constituents. 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG05SBA /

MD No: RS75

Inorg Contractor: SENTIN

Media: SUBSURFACE SOIL (> 12")

D No: RS75

Org Contractor: LIBRTY

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 13:45

Ending:

RESULTS	UNITS	ANALYTE
120J	UG/KG	UNKNOWN CARBOXYLIC ACID (BC)
1700J	UG/KG	6 UNKNOWN COMPOUNDS
280J	UG/KG	2 UNKNOWN PHTHALATES

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1 when no value is reported, see chlordane constituents. 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

EXTRACTABLES SCAN

Facility: CTS of Asheville Inc Skyland, NC

Program: NSF Case No: 27562

Id/Station: MG04SS / MD No: RS76

Media: SURFACE SOIL (0" - 12") D No: RS76

Inorg Contractor: SENTIN

Org Contractor: LIBRTY

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 14:02

Ending:

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
420U	UG/KG	BENZALDEHYDE	420U	UG/KG	2,4-DINITROTOLUENE
420UJ	UG/KG	PHENOL	420UJ	UG/KG	DIETHYL PHTHALATE
420U	UG/KG	BIS(2-CHLOROETHYL) ETHER	420U	UG/KG	FLUORENE
420U	UG/KG	2-CHLOROPHENOL	420U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
420U	UG/KG	2-METHYLPHENOL	1100UJ	UG/KG	4-NITROANILINE
420U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1100U	UG/KG	2-METHYL-4,6-DINITROPHENOL
420U	UG/KG	ACETOPHENONE	420U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
420U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	420U	UG/KG	4-BROMOPHENYL PHENYL ETHER
420U	UG/KG	N-NITROSODI-N-PROPYLAMINE	420U	UG/KG	HEXACHLOROENZENE (HCB)
420U	UG/KG	HEXACHLOROETHANE	420U	UG/KG	ATRAZINE
420U	UG/KG	NITROBENZENE	1100U	UG/KG	PENTACHLOROPHENOL
420U	UG/KG	ISOPHORONE	420U	UG/KG	PHENANTHRENE
420U	UG/KG	2-NITROPHENOL	420U	UG/KG	ANTHRACENE
420U	UG/KG	2,4-DIMETHYLPHENOL	420UJ	UG/KG	CARBAZOLE
420U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	450	UG/KG	DI-N-BUTYLPHTHALATE
420U	UG/KG	2,4-DICHLOROPHENOL	420U	UG/KG	FLUORANTHENE
420U	UG/KG	NAPHTHALENE	420U	UG/KG	PYRENE
420U	UG/KG	4-CHLOROANILINE	420UJ	UG/KG	BENZYL BUTYL PHTHALATE
420U	UG/KG	HEXACHLOROBUTADIENE	420UJ	UG/KG	3,3'-DICHLOROENZIDINE
420U	UG/KG	CAPROLACTAM	420U	UG/KG	BENZO(A)ANTHRACENE
420U	UG/KG	4-CHLORO-3-METHYLPHENOL	420U	UG/KG	CHRYSENE
420U	UG/KG	2-METHYLNAPHTHALENE	420U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
420U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	420UJ	UG/KG	DI-N-OCTYLPHTHALATE
420U	UG/KG	2,4,6-TRICHLOROPHENOL	420U	UG/KG	BENZO(B)FLUORANTHENE
1100U	UG/KG	2,4,5-TRICHLOROPHENOL	420U	UG/KG	BENZO(K)FLUORANTHENE
420U	UG/KG	1,1-BIPHENYL	420U	UG/KG	BENZO-A-PYRENE
420U	UG/KG	2-CHLORONAPHTHALENE	420U	UG/KG	INDENO (1,2,3-CD) PYRENE
1100U	UG/KG	2-NITROANILINE	420U	UG/KG	DIBENZO(A,H)ANTHRACENE
420U	UG/KG	DIMETHYL PHTHALATE	420U	UG/KG	BENZO(GHI)PERYLENE
420U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
420U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
1100U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
420U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
1100U	UG/KG	2,4-DINITROPHENOL	22	%	% MOISTURE
1100U	UG/KG	4-NITROPHENOL			
420U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material

K-actual value is known to be less than value given L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordan constituents 2.constituents or metabolites of technical chlordan

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:10

Id/Station: MG04SBA /

MD No: RS77

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS77

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
380U	UG/KG	BENZALDEHYDE	380U	UG/KG	2,4-DINITROTOLUENE
380UJ	UG/KG	PHENOL	380UJ	UG/KG	DIETHYL PHTHALATE
380U	UG/KG	BIS(2-CHLOROETHYL) ETHER	380U	UG/KG	FLUORENE
380U	UG/KG	2-CHLOROPHENOL	380U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
380U	UG/KG	2-METHYLPHENOL	960UJ	UG/KG	4-NITROANILINE
380U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	960U	UG/KG	2-METHYL-4,6-DINITROPHENOL
380U	UG/KG	ACETOPHENONE	380U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
380U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	380U	UG/KG	4-BROMOPHENYL PHENYL ETHER
380U	UG/KG	N-NITROSODI-N-PROPYLAMINE	380U	UG/KG	HEXACHLOROENZENE (HCB)
380U	UG/KG	HEXACHLOROETHANE	380U	UG/KG	ATRAZINE
380U	UG/KG	NITROBENZENE	960U	UG/KG	PENTACHLOROPHENOL
380U	UG/KG	ISOPHORONE	380U	UG/KG	PHENANTHRENE
380U	UG/KG	2-NITROPHENOL	380U	UG/KG	ANTHRACENE
380U	UG/KG	2,4-DIMETHYLPHENOL	380UJ	UG/KG	CARBAZOLE
380U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	380U	UG/KG	DI-N-BUTYLPHTHALATE
380U	UG/KG	2,4-DICHLOROPHENOL	380U	UG/KG	FLUORANTHENE
380U	UG/KG	NAPHTHALENE	380U	UG/KG	PYRENE
380U	UG/KG	4-CHLOROANILINE	380UJ	UG/KG	BENZYL BUTYL PHTHALATE
380U	UG/KG	HEXACHLOROBTADIENE	380U	UG/KG	3,3'-DICHLOROENZIDINE
380U	UG/KG	CAPROLACTAM	380U	UG/KG	BENZO(A)ANTHRACENE
380U	UG/KG	4-CHLORO-3-METHYLPHENOL	380U	UG/KG	CHRYSENE
380U	UG/KG	2-METHYLNAPHTHALENE	380U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
380U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	380UJ	UG/KG	DI-N-OCTYLPHTHALATE
380U	UG/KG	2,4,6-TRICHLOROPHENOL	380U	UG/KG	BENZO(B)FLUORANTHENE
960U	UG/KG	2,4,5-TRICHLOROPHENOL	380U	UG/KG	BENZO(K)FLUORANTHENE
380U	UG/KG	1,1-BIPHENYL	380U	UG/KG	BENZO-A-PYRENE
380U	UG/KG	2-CHLORONAPHTHALENE	380U	UG/KG	INDENO (1,2,3-CD) PYRENE
960U	UG/KG	2-NITROANILINE	380U	UG/KG	DIBENZO(A,H)ANTHRACENE
380U	UG/KG	DIMETHYL PHTHALATE	380U	UG/KG	BENZO(GHI)PERYLENE
380U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
380U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
960U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
380U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
960U	UG/KG	2,4-DINITROPHENOL	14	%	% MOISTURE
960U	UG/KG	4-NITROPHENOL			
380U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported: see chlordan constituents 2.constituents or metabolites of technical chlordan

Sample 1000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:10

Id/Station: MG04SBA /

MD No: RS77

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS77

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
94J	UG/KG	ALDOL
250J	UG/KG	2 UNKNOWN COMPOUNDS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-comment by gong: 1 when no value is reported, see chlordane constituents. 2 constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:30

Id/Station: MG06SS /

MD No: RS78

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS78

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
410U	UG/KG	BENZALDEHYDE	410U	UG/KG	2,4-DINITROTOLUENE
410UJ	UG/KG	PHENOL	410UJ	UG/KG	DIETHYL PHTHALATE
410U	UG/KG	BIS(2-CHLOROETHYL) ETHER	410U	UG/KG	FLUORENE
410U	UG/KG	2-CHLOROPHENOL	410U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
410U	UG/KG	2-METHYLPHENOL	1000UJ	UG/KG	4-NITROANILINE
410U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1000U	UG/KG	2-METHYL-4,6-DINITROPHENOL
410U	UG/KG	ACETOPHENONE	410U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
410U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	410U	UG/KG	4-BROMOPHENYL PHENYL ETHER
410U	UG/KG	N-NITROSODI-N-PROPYLAMINE	410U	UG/KG	HEXACHLOROENZENE (HCB)
410U	UG/KG	HEXACHLOROETHANE	410U	UG/KG	ATRAZINE
410U	UG/KG	NITROBENZENE	1000U	UG/KG	PENTACHLOROPHENOL
410U	UG/KG	ISOPHORONE	410U	UG/KG	PHENANTHRENE
410U	UG/KG	2-NITROPHENOL	410U	UG/KG	ANTHRACENE
410U	UG/KG	2,4-DIMETHYLPHENOL	410UJ	UG/KG	CARBAZOLE
410U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	410U	UG/KG	DI-N-BUTYLPHTHALATE
410U	UG/KG	2,4-DICHLOROPHENOL	410U	UG/KG	FLUORANTHENE
120J	UG/KG	NAPHTHALENE	410U	UG/KG	PYRENE
410U	UG/KG	4-CHLOROANILINE	410UJ	UG/KG	BENZYL BUTYL PHTHALATE
410U	UG/KG	HEXACHLOROBUTADIENE	410U	UG/KG	3,3'-DICHLOROENZIDINE
410U	UG/KG	CAPROLACTAM	410U	UG/KG	BENZO(A)ANTHRACENE
410U	UG/KG	4-CHLORO-3-METHYLPHENOL	410U	UG/KG	CHRYSENE
410U	UG/KG	2-METHYLNAPHTHALENE	410U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
410U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	410UJ	UG/KG	DI-N-OCTYLPHTHALATE
410U	UG/KG	2,4,6-TRICHLOROPHENOL	410U	UG/KG	BENZO(B)FLUORANTHENE
1000U	UG/KG	2,4,5-TRICHLOROPHENOL	410U	UG/KG	BENZO(K)FLUORANTHENE
410U	UG/KG	1,1-BIPHENYL	410U	UG/KG	BENZO-A-PYRENE
410U	UG/KG	2-CHLORONAPHTHALENE	410U	UG/KG	INDENO (1,2,3-CD) PYRENE
1000U	UG/KG	2-NITROANILINE	410U	UG/KG	DIBENZO(A,H)ANTHRACENE
410U	UG/KG	DIMETHYL PHTHALATE	410U	UG/KG	BENZO(GHI)PERYLENE
410U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
410U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
1000U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
410U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
1000U	UG/KG	2,4-DINITROPHENOL	20	%	% MOISTURE
1000U	UG/KG	4-NITROPHENOL			
410U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:30

Id/Station: MG06SS /

MD No: RS78

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS78

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
170NJ	UG/KG	1, 3-BENZODIOXOLE, 5- (2-PROPE
330NJ	UG/KG	BENZENESULFONAMIDE, 2-METHYL
440NJ	UG/KG	BENZENESULFONAMIDE, 4-METHYL
9600J	UG/KG	24 UNKNOWN COMPOUNDS
440J	UG/KG	UNKNOWN CARBOXYLIC ACID (BC)
380NJ	UG/KG	OCTADECANOIC ACID
270JN	UG/KG	UNKNOWN AMIDE

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

Average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

R-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. The number is the minimum quantitation limit.

R- indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

E- confirmed by GC/MS. 1-when no value is reported, see chlordane constituents. 2- constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:50

Id/Station: MG06SBA /

MD No: RS79

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS79

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
380U	UG/KG	BENZALDEHYDE	380U	UG/KG	2,4-DINITROTOLUENE
380UJ	UG/KG	PHENOL	380UJ	UG/KG	DIETHYL PHTHALATE
380U	UG/KG	BIS(2-CHLOROETHYL) ETHER	380U	UG/KG	FLUORENE
380U	UG/KG	2-CHLOROPHENOL	380U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
380U	UG/KG	2-METHYLPHENOL	960UJ	UG/KG	4-NITROANILINE
380U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	960U	UG/KG	2-METHYL-4,6-DINITROPHENOL
380U	UG/KG	ACETOPHENONE	380U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
380U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	380U	UG/KG	4-BROMOPHENYL PHENYL ETHER
380U	UG/KG	N-NITROSODI-N-PROPYLAMINE	380U	UG/KG	HEXACHLOROBENZENE (HCB)
380U	UG/KG	HEXACHLOROETHANE	380U	UG/KG	ATRAZINE
380U	UG/KG	NITROBENZENE	960U	UG/KG	PENTACHLOROPHENOL
380U	UG/KG	ISOPHORONE	380U	UG/KG	PHENANTHRENE
380U	UG/KG	2-NITROPHENOL	380U	UG/KG	ANTHRACENE
380U	UG/KG	2,4-DIMETHYLPHENOL	380UJ	UG/KG	CARBAZOLE
380U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	380U	UG/KG	DI-N-BUTYLPHTHALATE
380U	UG/KG	2,4-DICHLOROPHENOL	380U	UG/KG	FLUORANTHENE
380U	UG/KG	NAPHTHALENE	380U	UG/KG	PYRENE
380U	UG/KG	4-CHLOROANILINE	380UJ	UG/KG	BENZYL BUTYL PHTHALATE
380U	UG/KG	HEXACHLOROBUTADIENE	380U	UG/KG	3,3'-DICHLOROBENZIDINE
380U	UG/KG	CAPROLACTAM	380U	UG/KG	BENZO(A)ANTHRACENE
380U	UG/KG	4-CHLORO-3-METHYLPHENOL	380U	UG/KG	CHRYSENE
380U	UG/KG	2-METHYLNAPHTHALENE	380U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
380U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	380UJ	UG/KG	DI-N-OCTYLPHTHALATE
380U	UG/KG	2,4,6-TRICHLOROPHENOL	380U	UG/KG	BENZO(B)FLUORANTHENE
960U	UG/KG	2,4,5-TRICHLOROPHENOL	380U	UG/KG	BENZO(K)FLUORANTHENE
380U	UG/KG	1,1-BIPHENYL	380U	UG/KG	BENZO-A-PYRENE
380U	UG/KG	2-CHLORONAPHTHALENE	380U	UG/KG	INDENO (1,2,3-CD) PYRENE
960U	UG/KG	2-NITROANILINE	380U	UG/KG	DIBENZO(A,H)ANTHRACENE
380U	UG/KG	DIMETHYL PHTHALATE	380U	UG/KG	BENZO(GH)PERYLENE
380U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROBENZENE
380U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROBENZENE
960U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROBENZENE
380U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROBENZENE
960U	UG/KG	2,4-DINITROPHENOL	14	%	% MOISTURE
960U	UG/KG	4-NITROPHENOL			
380U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported. see chlorofane constituents 2.constituents or metabolites of technical chlorofane.

Sample 101 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:50

Id/Station: MG06SBA /

MD No: RS79

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D.No: RS79

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
79J	UG/KG	ALDOL
84J	UG/KG	UNKNOWN CARBOXYLIC ACID (BC)
170J	UG/KG	2 UNKNOWN COMPOUNDS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

R-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-uc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents. 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 15:45

Id/Station: MG07SBA /

MD No: RS80

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS80

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
370U	UG/KG	BENZALDEHYDE	370U	UG/KG	2,4-DINITROTOLUENE
370UJ	UG/KG	PHENOL	370UJ	UG/KG	DIETHYL PHTHALATE
370U	UG/KG	BIS(2-CHLOROETHYL) ETHER	370U	UG/KG	FLUORENE
370U	UG/KG	2-CHLOROPHENOL	370U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
370U	UG/KG	2-METHYLPHENOL	920UJ	UG/KG	4-NITROANILINE
370U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	920U	UG/KG	2-METHYL-4,6-DINITROPHENOL
370U	UG/KG	ACETOPHENONE	370U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
370U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	370U	UG/KG	4-BROMOPHENYL PHENYL ETHER
370U	UG/KG	N-NITROSODI-N-PROPYLAMINE	370U	UG/KG	HEXACHLOROENZENE (HCB)
370U	UG/KG	HEXACHLOROETHANE	370U	UG/KG	ATRAZINE
370U	UG/KG	NITROBENZENE	920U	UG/KG	PENTACHLOROPHENOL
370U	UG/KG	ISOPHORONE	370U	UG/KG	PHENANTHRENE
370U	UG/KG	2-NITROPHENOL	370U	UG/KG	ANTHRACENE
370U	UG/KG	2,4-DIMETHYLPHENOL	370UJ	UG/KG	CARBAZOLE
370U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	370U	UG/KG	DI-N-BUTYLPHTHALATE
370U	UG/KG	2,4-DICHLOROPHENOL	370U	UG/KG	FLUORANTHENE
370U	UG/KG	NAPHTHALENE	370U	UG/KG	PYRENE
370U	UG/KG	4-CHLOROANILINE	370UJ	UG/KG	BENZYL BUTYL PHTHALATE
370U	UG/KG	HEXACHLOROBUTADIENE	370U	UG/KG	3,3'-DICHLOROENZIDINE
370U	UG/KG	CAPROLACTAM	370U	UG/KG	BENZO(A)ANTHRACENE
370U	UG/KG	4-CHLORO-3-METHYLPHENOL	370U	UG/KG	CHRYSENE
370U	UG/KG	2-METHYLNAPHTHALENE	370U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
370U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	370UJ	UG/KG	DI-N-OCTYLPHTHALATE
370U	UG/KG	2,4,6-TRICHLOROPHENOL	370U	UG/KG	BENZO(B)FLUORANTHENE
920U	UG/KG	2,4,5-TRICHLOROPHENOL	370U	UG/KG	BENZO(K)FLUORANTHENE
370U	UG/KG	1,1-BIPHENYL	370U	UG/KG	BENZO-A-PYRENE
370U	UG/KG	2-CHLORONAPHTHALENE	370U	UG/KG	INDENO (1,2,3-CD) PYRENE
920U	UG/KG	2-NITROANILINE	370U	UG/KG	DIBENZO(A,H)ANTHRACENE
370U	UG/KG	DIMETHYL PHTHALATE	370U	UG/KG	BENZO(GHI)PERYLENE
370U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
370U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
920U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
370U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
920U	UG/KG	2,4-DINITROPHENOL	10	%	% MOISTURE
920U	UG/KG	4-NITROPHENOL			
370U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-inferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit

R-qc indicates that data unusable. comment may or may not be present. resampling and reanalysis is necessary for verification

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 15:45

Id/Station: MG07SBA /

MD No: RS80

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS80

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
100J	UG/KG	UNKNOWN CARBOXYLIC ACID (BC)
540NJ	UG/KG	HEXANEDIOIC ACID, BIS (2-ETHY
1100J	UG/KG	3 UNKNOWN COMPOUNDS
5100J	UG/KG	11 UNKNOWN PHTHALATES

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

M-q indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 17:00

Id/Station: MG07SBB /

MD No: RS81

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS81

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
380U	UG/KG	BENZALDEHYDE	380U	UG/KG	2,4-DINITROTOLUENE
380UJ	UG/KG	PHENOL	380UJ	UG/KG	DIETHYL PHTHALATE
380U	UG/KG	BIS(2-CHLOROETHYL) ETHER	380U	UG/KG	FLUORENE
380U	UG/KG	2-CHLOROPHENOL	380U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
380U	UG/KG	2-METHYLPHENOL	940UJ	UG/KG	4-NITROANILINE
380U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	940U	UG/KG	2-METHYL-4,6-DINITROPHENOL
380U	UG/KG	ACETOPHENONE	380U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
380U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	380U	UG/KG	4-BROMOPHENYL PHENYL ETHER
380U	UG/KG	N-NITROSODI-N-PROPYLAMINE	380U	UG/KG	HEXACHLOROENZENE (HCB)
380U	UG/KG	HEXACHLOROETHANE	380U	UG/KG	ATRAZINE
380U	UG/KG	NITROBENZENE	940U	UG/KG	PENTACHLOROPHENOL
380U	UG/KG	ISOPHORONE	380U	UG/KG	PHENANTHRENE
380U	UG/KG	2-NITROPHENOL	380U	UG/KG	ANTHRACENE
380U	UG/KG	2,4-DIMETHYLPHENOL	380UJ	UG/KG	CARBAZOLE
380U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	380U	UG/KG	DI-N-BUTYLPHTHALATE
380U	UG/KG	2,4-DICHLOROPHENOL	380U	UG/KG	FLUORANTHENE
380U	UG/KG	NAPHTHALENE	380U	UG/KG	PYRENE
380U	UG/KG	4-CHLOROANILINE	380UJ	UG/KG	BENZYL BUTYL PHTHALATE
380U	UG/KG	HEXACHLOROBUTADIENE	380U	UG/KG	3,3'-DICHLOROENZIDINE
380U	UG/KG	CAPROLACTAM	380U	UG/KG	BENZO(A)ANTHRACENE
380U	UG/KG	4-CHLORO-3-METHYLPHENOL	380U	UG/KG	CHRYSENE
380U	UG/KG	2-METHYLNAPHTHALENE	380U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
380U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	380UJ	UG/KG	DI-N-OCTYLPHTHALATE
380U	UG/KG	2,4,6-TRICHLOROPHENOL	380U	UG/KG	BENZO(B)FLUORANTHENE
940U	UG/KG	2,4,5-TRICHLOROPHENOL	380U	UG/KG	BENZO(K)FLUORANTHENE
380U	UG/KG	1,1-BIPHENYL	380U	UG/KG	BENZO-A-PYRENE
380U	UG/KG	2-CHLORONAPHTHALENE	380U	UG/KG	INDENO (1,2,3-CD) PYRENE
940U	UG/KG	2-NITROANILINE	380U	UG/KG	DIBENZO(A,H)ANTHRACENE
380U	UG/KG	DIMETHYL PHTHALATE	380U	UG/KG	BENZO(GHI)PERYLENE
380U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
380U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
940U	UG/KG	3-NITROANILINE	N	UG/KG	1,2-DICHLOROENZENE
380U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
940U	UG/KG	2,4-DINITROPHENOL	12	%	% MOISTURE
940U	UG/KG	4-NITROPHENOL			
380U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitative limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms. 1.when no value is reported, see chlrodane constituents. 2.constituents or metabolites of technical chlrodane

Sample 100000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 16:00

Id/Station: MG08SS /

MD No: RS84

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS84

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
420	UG/KG	BENZALDEHYDE	400U	UG/KG	2,4-DINITROTOLUENE
400U	UG/KG	PHENOL	400U	UG/KG	DIETHYL PHTHALATE
400U	UG/KG	BIS(2-CHLOROETHYL) ETHER	400U	UG/KG	FLUORENE
400U	UG/KG	2-CHLOROPHENOL	400U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
400U	UG/KG	2-METHYLPHENOL	1000U	UG/KG	4-NITROANILINE
400U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1000U	UG/KG	2-METHYL-4,6-DINITROPHENOL
400U	UG/KG	ACETOPHENONE	400U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
400U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	400U	UG/KG	4-BROMOPHENYL PHENYL ETHER
400U	UG/KG	N-NITROSODI-N-PROPYLAMINE	400U	UG/KG	HEXACHLOROENZENE (HCB)
400U	UG/KG	HEXACHLOROETHANE	400U	UG/KG	ATRAZINE
400U	UG/KG	NITROBENZENE	1000U	UG/KG	PENTACHLOROPHENOL
400U	UG/KG	ISOPHORONE	400U	UG/KG	PHENANTHRENE
400U	UG/KG	2-NITROPHENOL	400U	UG/KG	ANTHRACENE
400U	UG/KG	2,4-DIMETHYLPHENOL	400U	UG/KG	CARBAZOLE
400U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	400U	UG/KG	DI-N-BUTYLPHTHALATE
400U	UG/KG	2,4-DICHLOROPHENOL	400U	UG/KG	FLUORANTHENE
400U	UG/KG	NAPHTHALENE	400U	UG/KG	PYRENE
400U	UG/KG	4-CHLOROANILINE	400U	UG/KG	BENZYL BUTYL PHTHALATE
400U	UG/KG	HEXACHLOROBTADIENE	400U	UG/KG	3,3'-DICHLOROENZIDINE
400U	UG/KG	CAPROLACTAM	400U	UG/KG	BENZO(A)ANTHRACENE
400U	UG/KG	4-CHLORO-3-METHYLPHENOL	400U	UG/KG	CHRYSENE
400U	UG/KG	2-METHYLNAPHTHALENE	400U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
400U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	400U	UG/KG	DI-N-OCTYLPHTHALATE
400U	UG/KG	2,4,6-TRICHLOROPHENOL	400U	UG/KG	BENZO(B)FLUORANTHENE
1000U	UG/KG	2,4,5-TRICHLOROPHENOL	400U	UG/KG	BENZO(K)FLUORANTHENE
400U	UG/KG	1,1-BIPHENYL	400U	UG/KG	BENZO-A-PYRENE
400U	UG/KG	2-CHLORONAPHTHALENE	400U	UG/KG	INDENO (1,2,3-CD) PYRENE
1000U	UG/KG	2-NITROANILINE	400U	UG/KG	DIBENZO(A,H)ANTHRACENE
400U	UG/KG	DIMETHYL PHTHALATE	400U	UG/KG	BENZO(GH)PERYLENE
400U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
400U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
1000U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
400U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
1000U	UG/KG	2,4-DINITROPHENOL	18	%	% MOISTURE
1000U	UG/KG	4-NITROPHENOL			
400U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. N/A-interferences. J-estimated value. N-presumptive evidence of presence of material

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gc/ms. 1 when no value is reported, see chlordane constituents. 2. constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 16:20

Id/Station: MG08SBA /

MD No: RS85

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS85

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
110J	UG/KG	BENZALDEHYDE	380U	UG/KG	2,4-DINITROTOLUENE
380U	UG/KG	PHENOL	380U	UG/KG	DIETHYL PHTHALATE
380U	UG/KG	BIS(2-CHLOROETHYL) ETHER	380U	UG/KG	FLUORENE
380U	UG/KG	2-CHLOROPHENOL	380U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
380U	UG/KG	2-METHYLPHENOL	960U	UG/KG	4-NITROANILINE
380U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	960U	UG/KG	2-METHYL-4,6-DINITROPHENOL
380U	UG/KG	ACETOPHENONE	380U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
380U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	380U	UG/KG	4-BROMOPHENYL PHENYL ETHER
380UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	380U	UG/KG	HEXACHLOROENZENE (HCB)
380U	UG/KG	HEXACHLOROETHANE	380U	UG/KG	ATRAZINE
380UJ	UG/KG	NITROBENZENE	960U	UG/KG	PENTACHLOROPHENOL
380U	UG/KG	ISOPHORONE	380U	UG/KG	PHENANTHRENE
380U	UG/KG	2-NITROPHENOL	380U	UG/KG	ANTHRACENE
380U	UG/KG	2,4-DIMETHYLPHENOL	380U	UG/KG	CARBAZOLE
380U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	380U	UG/KG	DI-N-BUTYLPHTHALATE
380U	UG/KG	2,4-DICHLOROPHENOL	380U	UG/KG	FLUORANTHENE
380U	UG/KG	NAPHTHALENE	380U	UG/KG	PYRENE
380U	UG/KG	4-CHLOROANILINE	380UJ	UG/KG	BENZYL BUTYL PHTHALATE
380U	UG/KG	HEXACHLOROBUTADIENE	380U	UG/KG	3,3'-DICHLOROENZIDINE
380U	UG/KG	CAPROLACTAM	380U	UG/KG	BENZO(A)ANTHRACENE
380U	UG/KG	4-CHLORO-3-METHYLPHENOL	380U	UG/KG	CHRYSENE
380U	UG/KG	2-METHYLNAPHTHALENE	390J	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
380U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	380UJ	UG/KG	DI-N-OCTYLPHTHALATE
380U	UG/KG	2,4,6-TRICHLOROPHENOL	380U	UG/KG	BENZO(B)FLUORANTHENE
960U	UG/KG	2,4,5-TRICHLOROPHENOL	380U	UG/KG	BENZO(K)FLUORANTHENE
380U	UG/KG	1,1-BIPHENYL	380U	UG/KG	BENZO-A-PYRENE
380U	UG/KG	2-CHLORONAPHTHALENE	380U	UG/KG	INDENO (1,2,3-CD) PYRENE
960U	UG/KG	2-NITROANILINE	380U	UG/KG	DIBENZO(A,H)ANTHRACENE
380U	UG/KG	DIMETHYL PHTHALATE	380U	UG/KG	BENZO(GHI)PERYLENE
380U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
380U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
960U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
380U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
960U	UG/KG	2,4-DINITROPHENOL	14	%	% MOISTURE
960U	UG/KG	4-NITROPHENOL			
380U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the maximum quantitation limit.

R-qc indicates that data unusable. Compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gms. 1 when no value is reported, see chlordane constituents. 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG08SBA /

MD No: RS85

Inorg Contractor: SENTIN

Media: SUBSURFACE SOIL (> 12")

D No: RS85

Org Contractor: LIBRTY

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 16:20

Ending:

RESULTS	UNITS	ANALYTE
580JN	UG/KG	2 UNKNOWN CARBOXYLIC ACIDS
11000J	UG/KG	28 UNKNOWN COMPOUNDS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. E-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. Resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chemical constituents 2.constituents or metabolites of technical chloroform

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 17:15

Id/Station: MG09SBA /

MD No: RS86

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS86

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
420U	UG/KG	BENZALDEHYDE	420U	UG/KG	2,4-DINITROTOLUENE
420U	UG/KG	PHENOL	420U	UG/KG	DIETHYL PHTHALATE
420U	UG/KG	BIS(2-CHLOROETHYL) ETHER	420U	UG/KG	FLUORENE
420U	UG/KG	2-CHLOROPHENOL	420U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
420U	UG/KG	2-METHYLPHENOL	1100U	UG/KG	4-NITROANILINE
420U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1100U	UG/KG	2-METHYL-4,6-DINITROPHENOL
420U	UG/KG	ACETOPHENONE	420U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
420U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	420U	UG/KG	4-BROMOPHENYL PHENYL ETHER
420UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	420U	UG/KG	HEXACHLOROENZENE (HCB)
420U	UG/KG	HEXACHLOROETHANE	420U	UG/KG	ATRAZINE
420UJ	UG/KG	NITROBENZENE	1100U	UG/KG	PENTACHLOROPHENOL
420U	UG/KG	ISOPHORONE	420U	UG/KG	PHENANTHRENE
420U	UG/KG	2-NITROPHENOL	420U	UG/KG	ANTHRACENE
420U	UG/KG	2,4-DIMETHYLPHENOL	420U	UG/KG	CARBAZOLE
420U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	420U	UG/KG	DI-N-BUTYLPHTHALATE
420U	UG/KG	2,4-DICHLOROPHENOL	420U	UG/KG	FLUORANTHENE
420U	UG/KG	NAPHTHALENE	420U	UG/KG	PYRENE
420U	UG/KG	4-CHLOROANILINE	420UJ	UG/KG	BENZYL BUTYL PHTHALATE
420U	UG/KG	HEXACHLOROBUTADIENE	420U	UG/KG	3,3'-DICHLOROENZIDINE
420U	UG/KG	CAPROLACTAM	420U	UG/KG	BENZO(A)ANTHRACENE
420U	UG/KG	4-CHLORO-3-METHYLPHENOL	420U	UG/KG	CHRYSENE
420U	UG/KG	2-METHYLNAPHTHALENE	610J	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
420U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	420UJ	UG/KG	DI-N-OCTYLPHTHALATE
420U	UG/KG	2,4,6-TRICHLOROPHENOL	420U	UG/KG	BENZO(B)FLUORANTHENE
1100U	UG/KG	2,4,5-TRICHLOROPHENOL	420U	UG/KG	BENZO(K)FLUORANTHENE
420U	UG/KG	1,1-BIPHENYL	420U	UG/KG	BENZO-A-PYRENE
420U	UG/KG	2-CHLORONAPHTHALENE	420U	UG/KG	INDENO (1,2,3-CD) PYRENE
1100U	UG/KG	2-NITROANILINE	420U	UG/KG	DIBENZO(A,H)ANTHRACENE
420U	UG/KG	DIMETHYL PHTHALATE	420U	UG/KG	BENZO(GHI)PERYLENE
420U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
420U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
1100U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
420U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
1100U	UG/KG	2,4-DINITROPHENOL	22	%	% MOISTURE
1100U	UG/KG	4-NITROPHENOL			
420U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. E-estimated value. N-presumptive evidence of presence of material

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. H-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification

C-confirmed by gcms: 1.when no value is reported, see chloridane constituents 2.constituents or metabolites 3.technical chloridane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 08:45

Id/Station: MG07SBC /

MD No: RS87

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS87

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
380U	UG/KG	BENZALDEHYDE	380U	UG/KG	2,4-DINITROTOLUENE
380U	UG/KG	PHENOL	380U	UG/KG	DIETHYL PHTHALATE
380U	UG/KG	BIS(2-CHLOROETHYL) ETHER	380U	UG/KG	FLUORENE
380U	UG/KG	2-CHLOROPHENOL	380U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
380U	UG/KG	2-METHYLPHENOL	940U	UG/KG	4-NITROANILINE
380U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	940U	UG/KG	2-METHYL-4,6-DINITROPHENOL
380U	UG/KG	ACETOPHENONE	380U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
380U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	380U	UG/KG	4-BROMOPHENYL PHENYL ETHER
380UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	380U	UG/KG	HEXACHLOROENZENE (HCB)
380U	UG/KG	HEXACHLOROETHANE	380U	UG/KG	ATRAZINE
380UJ	UG/KG	NITROBENZENE	940U	UG/KG	PENTACHLOROPHENOL
380U	UG/KG	ISOPHORONE	380U	UG/KG	PHENANTHRENE
380U	UG/KG	2-NITROPHENOL	380U	UG/KG	ANTHRACENE
380U	UG/KG	2,4-DIMETHYLPHENOL	380U	UG/KG	CARBAZOLE
380U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	380U	UG/KG	DI-N-BUTYLPHTHALATE
380U	UG/KG	2,4-DICHLOROPHENOL	380U	UG/KG	FLUORANTHENE
380U	UG/KG	NAPHTHALENE	380U	UG/KG	PYRENE
380U	UG/KG	4-CHLOROANILINE	380UJ	UG/KG	BENZYL BUTYL PHTHALATE
380U	UG/KG	HEXACHLOROBUTADIENE	380U	UG/KG	3,3'-DICHLOROENZIDINE
380U	UG/KG	CAPROLACTAM	380U	UG/KG	BENZO(A)ANTHRACENE
380U	UG/KG	4-CHLORO-3-METHYLPHENOL	380U	UG/KG	CHRYSENE
380U	UG/KG	2-METHYLNAPHTHALENE	570J	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
380U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	380UJ	UG/KG	DI-N-OCTYLPHTHALATE
380U	UG/KG	2,4,6-TRICHLOROPHENOL	380U	UG/KG	BENZO(B)FLUORANTHENE
940U	UG/KG	2,4,5-TRICHLOROPHENOL	380U	UG/KG	BENZO(K)FLUORANTHENE
380U	UG/KG	1,1-BIPHENYL	380U	UG/KG	BENZO-A-PYRENE
380U	UG/KG	2-CHLORONAPHTHALENE	380U	UG/KG	INDENO (1,2,3-CD) PYRENE
940U	UG/KG	2-NITROANILINE	380U	UG/KG	DIBENZO(A,H)ANTHRACENE
380U	UG/KG	DIMETHYL PHTHALATE	380U	UG/KG	BENZO(GHI)PERYLENE
380U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
380U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
940U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
380U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
940U	UG/KG	2,4-DINITROPHENOL	12	%	% MOISTURE
940U	UG/KG	4-NITROPHENOL			
380U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. N/A-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. R-qc may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms. 1-when reported, see chlordane constituents. 2-constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 10:15

Id/Station: MG07SS /

MD No: RS88

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS88

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
380U	UG/KG	BENZALDEHYDE	380U	UG/KG	2,4-DINITROTOLUENE
380U	UG/KG	PHENOL	380U	UG/KG	DIETHYL PHTHALATE
380U	UG/KG	BIS(2-CHLOROETHYL) ETHER	380U	UG/KG	FLUORENE
380U	UG/KG	2-CHLOROPHENOL	380U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
380U	UG/KG	2-METHYLPHENOL	940U	UG/KG	4-NITROANILINE
380U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	940U	UG/KG	2-METHYL-4,6-DINITROPHENOL
380U	UG/KG	ACETOPHENONE	380U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
380U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	380U	UG/KG	4-BROMOPHENYL PHENYL ETHER
380UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	380U	UG/KG	HEXACHLOROENZENE (HCB)
380U	UG/KG	HEXACHLOROETHANE	380U	UG/KG	ATRAZINE
380UJ	UG/KG	NITROBENZENE	940U	UG/KG	PENTACHLOROPHENOL
380U	UG/KG	ISOPHORONE	380U	UG/KG	PHENANTHRENE
380U	UG/KG	2-NITROPHENOL	380U	UG/KG	ANTHRACENE
380U	UG/KG	2,4-DIMETHYLPHENOL	380U	UG/KG	CARBAZOLE
380U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	380U	UG/KG	DI-N-BUTYLPHTHALATE
380U	UG/KG	2,4-DICHLOROPHENOL	380U	UG/KG	FLUORANTHENE
380U	UG/KG	NAPHTHALENE	380U	UG/KG	PYRENE
380U	UG/KG	4-CHLOROANILINE	380UJ	UG/KG	BENZYL BUTYL PHTHALATE
380U	UG/KG	HEXACHLOROBUTADIENE	380U	UG/KG	3,3'-DICHLOROENZIDINE
380U	UG/KG	CAPROLACTAM	380U	UG/KG	BENZO(A)ANTHRACENE
380U	UG/KG	4-CHLORO-3-METHYLPHENOL	380U	UG/KG	CHRYSENE
380U	UG/KG	2-METHYLNAPHTHALENE	2700	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
380U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	380UJ	UG/KG	DI-N-OCTYLPHTHALATE
380U	UG/KG	2,4,6-TRICHLOROPHENOL	380U	UG/KG	BENZO(B)FLUORANTHENE
940U	UG/KG	2,4,5-TRICHLOROPHENOL	380U	UG/KG	BENZO(K)FLUORANTHENE
380U	UG/KG	1,1-BIPHENYL	380U	UG/KG	BENZO-A-PYRENE
380U	UG/KG	2-CHLORONAPHTHALENE	380U	UG/KG	INDENO (1,2,3-CD) PYRENE
940U	UG/KG	2-NITROANILINE	380U	UG/KG	DIBENZO(A,H)ANTHRACENE
380U	UG/KG	DIMETHYL PHTHALATE	380U	UG/KG	BENZO(GHI)PERYLENE
380U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
380U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
940U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
380U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
940U	UG/KG	2,4-DINITROPHENOL	12	%	% MOISTURE
940U	UG/KG	4-NITROPHENOL			
380U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NI-interferences. J-estimated value. N-presumptive evidence of presence of material

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 10:15

Id/Station: MG07SS /

MD No: RS88

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS88

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
24000J	UG/KG	29 UNKNOWN COMPOUNDS
310JN	UG/KG	UNKNOWN CARBOXYLIC ACID

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. re-sampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see methane components 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 14:00

Id/Station: MG10SBA /

MD No: RS89

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS89

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
360U	UG/KG	BENZALDEHYDE	360U	UG/KG	2,4-DINITROTOLUENE
360U	UG/KG	PHENOL	360U	UG/KG	DIETHYL PHTHALATE
360U	UG/KG	BIS(2-CHLOROETHYL) ETHER	360U	UG/KG	FLUORENE
360U	UG/KG	2-CHLOROPHENOL	360U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
360U	UG/KG	2-METHYLPHENOL	910U	UG/KG	4-NITROANILINE
360U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	910U	UG/KG	2-METHYL-4,6-DINITROPHENOL
360U	UG/KG	ACETOPHENONE	360U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
360U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	360U	UG/KG	4-BROMOPHENYL PHENYL ETHER
360UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	360U	UG/KG	HEXACHLOROENZENE (HCB)
360U	UG/KG	HEXACHLOROETHANE	360U	UG/KG	ATRAZINE
360UJ	UG/KG	NITROBENZENE	910U	UG/KG	PENTACHLOROPHENOL
360U	UG/KG	ISOPHORONE	360U	UG/KG	PHENANTHRENE
360U	UG/KG	2-NITROPHENOL	360U	UG/KG	ANTHRACENE
360U	UG/KG	2,4-DIMETHYLPHENOL	360U	UG/KG	CARBAZOLE
360U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	360U	UG/KG	DI-N-BUTYLPHTHALATE
360U	UG/KG	2,4-DICHLOROPHENOL	360U	UG/KG	FLUORANTHENE
360U	UG/KG	NAPHTHALENE	360U	UG/KG	PYRENE
360U	UG/KG	4-CHLOROANILINE	360UJ	UG/KG	BENZYL BUTYL PHTHALATE
360U	UG/KG	HEXACHLOROBUTADIENE	360U	UG/KG	3,3'-DICHLOROENZIDINE
360U	UG/KG	CAPROLACTAM	360U	UG/KG	BENZO(A)ANTHRACENE
360U	UG/KG	4-CHLORO-3-METHYLPHENOL	360U	UG/KG	CHRYSENE
360U	UG/KG	2-METHYLNAPHTHALENE	360UJ	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
360U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	360UJ	UG/KG	DI-N-OCTYLPHTHALATE
360U	UG/KG	2,4,6-TRICHLOROPHENOL	360U	UG/KG	BENZO(B)FLUORANTHENE
910U	UG/KG	2,4,5-TRICHLOROPHENOL	360U	UG/KG	BENZO(K)FLUORANTHENE
360U	UG/KG	1,1-BIPHENYL	360U	UG/KG	BENZO-A-PYRENE
360U	UG/KG	2-CHLORONAPHTHALENE	360U	UG/KG	INDENO (1,2,3-CD) PYRENE
910U	UG/KG	2-NITROANILINE	360U	UG/KG	DIBENZO(A,H)ANTHRACENE
360U	UG/KG	DIMETHYL PHTHALATE	360U	UG/KG	BENZO(GHI)PERYLENE
360U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
360U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
910U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
360U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
910U	UG/KG	2,4-DINITROPHENOL	9	%	% MOISTURE
910U	UG/KG	4-NITROPHENOL			
360U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by qcms. 1. when no value is reported, see chlordane constituents. 2. constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 14:00

Id/Station: MG10SBA /

MD No: RS89

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS89

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
560J	UG/KG	6 UNKNOWN COMPOUNDS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qs indicates that data unusable. compound may or may not be present. re-sampling and re-analysis is necessary for verification.

C-confirmed by gms: 1 when no value is reported, see chlordane constituents. 2 constituents or metabolites of technical chlordane.

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 15:00

Id/Station: MG10SBB /

MD No: RS90

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS90

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
380U	UG/KG	BENZALDEHYDE	380U	UG/KG	2,4-DINITROTOLUENE
380U	UG/KG	PHENOL	380U	UG/KG	DIETHYL PHTHALATE
380U	UG/KG	BIS(2-CHLOROETHYL) ETHER	380U	UG/KG	FLUORENE
380U	UG/KG	2-CHLOROPHENOL	380U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
380U	UG/KG	2-METHYLPHENOL	960U	UG/KG	4-NITROANILINE
380U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	960U	UG/KG	2-METHYL-4,6-DINITROPHENOL
380U	UG/KG	ACETOPHENONE	380U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
380U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	380U	UG/KG	4-BROMOPHENYL PHENYL ETHER
380UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	380U	UG/KG	HEXACHLOROENZENE (HCB)
380U	UG/KG	HEXACHLOROETHANE	380U	UG/KG	ATRAZINE
380UJ	UG/KG	NITROBENZENE	960U	UG/KG	PENTACHLOROPHENOL
380U	UG/KG	ISOPHORONE	380U	UG/KG	PHENANTHRENE
380U	UG/KG	2-NITROPHENOL	380U	UG/KG	ANTHRACENE
380U	UG/KG	2,4-DIMETHYLPHENOL	380U	UG/KG	CARBAZOLE
380U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	380U	UG/KG	DI-N-BUTYLPHTHALATE
380U	UG/KG	2,4-DICHLOROPHENOL	380U	UG/KG	FLUORANTHENE
380U	UG/KG	NAPHTHALENE	380U	UG/KG	PYRENE
380U	UG/KG	4-CHLOROANILINE	380UJ	UG/KG	BENZYL BUTYL PHTHALATE
380U	UG/KG	HEXACHLOROBUTADIENE	380U	UG/KG	3,3'-DICHLOROENZIDINE
380U	UG/KG	CAPROLACTAM	380U	UG/KG	BENZO(A)ANTHRACENE
380U	UG/KG	4-CHLORO-3-METHYLPHENOL	380U	UG/KG	CHRYSENE
380U	UG/KG	2-METHYLNAPHTHALENE	380UJ	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
380U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	380UJ	UG/KG	DI-N-OCTYLPHTHALATE
380U	UG/KG	2,4,6-TRICHLOROPHENOL	380U	UG/KG	BENZO(B)FLUORANTHENE
960U	UG/KG	2,4,5-TRICHLOROPHENOL	380U	UG/KG	BENZO(K)FLUORANTHENE
380U	UG/KG	1,1-BIPHENYL	380U	UG/KG	BENZO-A-PYRENE
380U	UG/KG	2-CHLORONAPHTHALENE	380U	UG/KG	INDENO (1,2,3-CD) PYRENE
960U	UG/KG	2-NITROANILINE	380U	UG/KG	DIBENZO(A,H)ANTHRACENE
380U	UG/KG	DIMETHYL PHTHALATE	380U	UG/KG	BENZO(GHI)PERYLENE
380U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
380U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
960U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
380U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
960U	UG/KG	2,4-DINITROPHENOL	14	%	% MOISTURE
960U	UG/KG	4-NITROPHENOL			
380U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. P-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-compound by gcms: 1.when no value is reported, see chloridane constituents. 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG10SBB /

MD No: RS90

Inorg Contractor: SENTIN

Media: SUBSURFACE SOIL (> 12")

D No: RS90

Org Contractor: LIBRTY

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/10/1999 15:00

Ending:

RESULTS	UNITS	ANALYTE
180J	UG/KG	2 UNKNOWN COMPOUNDS
87JN	UG/KG	UNKNOWN ACID ESTER

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED.

A-average value. NA-not analyzed. NAI-interference. E-estimated value. N-presumptive evidence of presence of material

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported 2.constituents or metabolites of technical chemicals

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 16:15

Id/Station: MG11SBA /

MD No: RS91

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS91

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
410U	UG/KG	BENZALDEHYDE	410U	UG/KG	2,4-DINITROTOLUENE
410U	UG/KG	PHENOL	410U	UG/KG	DIETHYL PHTHALATE
410U	UG/KG	BIS(2-CHLOROETHYL) ETHER	410U	UG/KG	FLUORENE
410U	UG/KG	2-CHLOROPHENOL	410U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
410U	UG/KG	2-METHYLPHENOL	1000U	UG/KG	4-NITROANILINE
410U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1000U	UG/KG	2-METHYL-4,6-DINITROPHENOL
410U	UG/KG	ACETOPHENONE	410U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
410U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	410U	UG/KG	4-BROMOPHENYL PHENYL ETHER
410UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	410U	UG/KG	HEXACHLOROENZENE (HCB)
410U	UG/KG	HEXACHLOROETHANE	410U	UG/KG	ATRAZINE
410UJ	UG/KG	NITROBENZENE	1000U	UG/KG	PENTACHLOROPHENOL
410U	UG/KG	ISOPHORONE	410U	UG/KG	PHENANTHRENE
410U	UG/KG	2-NITROPHENOL	410U	UG/KG	ANTHRACENE
410U	UG/KG	2,4-DIMETHYLPHENOL	410U	UG/KG	CARBAZOLE
410U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	410U	UG/KG	DI-N-BUTYLPHTHALATE
410U	UG/KG	2,4-DICHLOROPHENOL	410U	UG/KG	FLUORANTHENE
410U	UG/KG	NAPHTHALENE	410U	UG/KG	PYRENE
410U	UG/KG	4-CHLOROANILINE	410UJ	UG/KG	BENZYL BUTYL PHTHALATE
410U	UG/KG	HEXACHLOROBUTADIENE	410U	UG/KG	3,3'-DICHLOROENZIDINE
410U	UG/KG	CAPROLACTAM	410U	UG/KG	BENZO(A)ANTHRACENE
410U	UG/KG	4-CHLORO-3-METHYLPHENOL	410U	UG/KG	CHRYSENE
410U	UG/KG	2-METHYLNAPHTHALENE	3100J	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
410U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	410UJ	UG/KG	DI-N-OCTYLPHTHALATE
410U	UG/KG	2,4,6-TRICHLOROPHENOL	410U	UG/KG	BENZO(B)FLUORANTHENE
1000U	UG/KG	2,4,5-TRICHLOROPHENOL	410U	UG/KG	BENZO(K)FLUORANTHENE
410U	UG/KG	1,1-BIPHENYL	410U	UG/KG	BENZO-A-PYRENE
410U	UG/KG	2-CHLORONAPHTHALENE	410U	UG/KG	INDENO (1,2,3-CD) PYRENE
1000U	UG/KG	2-NITROANILINE	410U	UG/KG	DIBENZO(A,H)ANTHRACENE
410U	UG/KG	DIMETHYL PHTHALATE	410U	UG/KG	BENZO(GHI)PERYLENE
410U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
410U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
1000U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
410U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
1000U	UG/KG	2,4-DINITROPHENOL	20	%	% MOISTURE
1000U	UG/KG	4-NITROPHENOL			
410U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. IAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. background may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 17:00

Id/Station: MG11SBB /

MD No: RS92

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS92

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
400U	UG/KG	BENZALDEHYDE	400U	UG/KG	2,4-DINITROTOLUENE
400U	UG/KG	PHENOL	400U	UG/KG	DIETHYL PHTHALATE
400U	UG/KG	BIS(2-CHLOROETHYL) ETHER	400U	UG/KG	FLUORENE
400U	UG/KG	2-CHLOROPHENOL	400U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
400U	UG/KG	2-METHYLPHENOL	1000U	UG/KG	4-NITROANILINE
400U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1000U	UG/KG	2-METHYL-4,6-DINITROPHENOL
400U	UG/KG	ACETOPHENONE	400U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
400U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	400U	UG/KG	4-BROMOPHENYL PHENYL ETHER
400UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	400U	UG/KG	HEXACHLOROENZENE (HCB)
400U	UG/KG	HEXACHLOROETHANE	400U	UG/KG	ATRAZINE
400UJ	UG/KG	NITROBENZENE	1000U	UG/KG	PENTACHLOROPHENOL
400U	UG/KG	ISOPHORONE	400U	UG/KG	PHENANTHRENE
400U	UG/KG	2-NITROPHENOL	400U	UG/KG	ANTHRACENE
400U	UG/KG	2,4-DIMETHYLPHENOL	400U	UG/KG	CARBAZOLE
400U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	400U	UG/KG	DI-N-BUTYLPHTHALATE
400U	UG/KG	2,4-DICHLOROPHENOL	52J	UG/KG	FLUORANTHENE
400U	UG/KG	NAPHTHALENE	400U	UG/KG	PYRENE
400U	UG/KG	4-CHLOROANILINE	400UJ	UG/KG	BENZYL BUTYL PHTHALATE
400U	UG/KG	HEXACHLOROBUTADIENE	400U	UG/KG	3,3'-DICHLOROENZIDINE
400U	UG/KG	CAPROLACTAM	400U	UG/KG	BENZO(A)ANTHRACENE
400U	UG/KG	4-CHLORO-3-METHYLPHENOL	400U	UG/KG	CHRYSENE
400U	UG/KG	2-METHYLNAPHTHALENE	760J	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
400U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	400UJ	UG/KG	DI-N-OCTYLPHTHALATE
400U	UG/KG	2,4,6-TRICHLOROPHENOL	400U	UG/KG	BENZO(B)FLUORANTHENE
1000U	UG/KG	2,4,5-TRICHLOROPHENOL	400U	UG/KG	BENZO(K)FLUORANTHENE
400U	UG/KG	1,1-BIPHENYL	400U	UG/KG	BENZO-A-PYRENE
400U	UG/KG	2-CHLORONAPHTHALENE	400U	UG/KG	INDENO (1,2,3-CD) PYRENE
1000U	UG/KG	2-NITROANILINE	400U	UG/KG	DIBENZO(A,H)ANTHRACENE
400U	UG/KG	DIMETHYL PHTHALATE	400U	UG/KG	BENZO(GHI)PERYLENE
400U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
400U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
1000U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
400U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
1000U	UG/KG	2,4-DINITROPHENOL	18	%	% MOISTURE
1000U	UG/KG	4-NITROPHENOL			
400U	UG/KG	DIBENZOFURAN			

A-average value NA-not analyzed NAI-interferences J-estimated value N-presumptive evidence of presence of material

K-actual value is known to be less than value given L-actual value is known to be greater than value given U- material was analyzed for but not detected the number is the minimum quantitation limit

R-qc indicates that data available compound may or may not be present resampling and reanalysis is necessary for verification

C-confirmed by qcms 1 when no value is reported, see chlordane constituents 2 constituents of metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG11SBB /

MD No: RS92

Inorg Contractor: SENTIN

Media: SUBSURFACE SOIL (> 12")

D No: RS92

Org Contractor: LIBRTY

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/10/1999 17:00

Ending:

RESULTS	UNITS	ANALYTE
21000J	UG/KG	29 UNKNOWN COMPOUNDS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. M-presumptive evidence of presence of material.

L-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

Q- indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane components. 2.constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 17:30

Id/Station: MG11SBC /

MD No: RS93

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS93

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
410U	UG/KG	BENZALDEHYDE	410U	UG/KG	2,4-DINITROTOLUENE
410U	UG/KG	PHENOL	410U	UG/KG	DIETHYL PHTHALATE
410U	UG/KG	BIS(2-CHLOROETHYL) ETHER	410U	UG/KG	FLUORENE
410U	UG/KG	2-CHLOROPHENOL	410U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
410U	UG/KG	2-METHYLPHENOL	1000U	UG/KG	4-NITROANILINE
410U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1000U	UG/KG	2-METHYL-4,6-DINITROPHENOL
410U	UG/KG	ACETOPHENONE	410U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
410U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	410U	UG/KG	4-BROMOPHENYL PHENYL ETHER
410U	UG/KG	N-NITROSODI-N-PROPYLAMINE	410U	UG/KG	HEXACHLOROENZENE (HCB)
410U	UG/KG	HEXACHLOROETHANE	410U	UG/KG	ATRAZINE
410U	UG/KG	NITROBENZENE	1000U	UG/KG	PENTACHLOROPHENOL
410U	UG/KG	ISOPHORONE	410U	UG/KG	PHENANTHRENE
410U	UG/KG	2-NITROPHENOL	410U	UG/KG	ANTHRACENE
410U	UG/KG	2,4-DIMETHYLPHENOL	410U	UG/KG	CARBAZOLE
410U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	410U	UG/KG	DI-N-BUTYLPHTHALATE
410U	UG/KG	2,4-DICHLOROPHENOL	410U	UG/KG	FLUORANTHENE
410U	UG/KG	NAPHTHALENE	410U	UG/KG	PYRENE
410U	UG/KG	4-CHLOROANILINE	410U	UG/KG	BENZYL BUTYL PHTHALATE
410U	UG/KG	HEXACHLOROBTADIENE	410U	UG/KG	3,3'-DICHLOROENZIDINE
410U	UG/KG	CAPROLACTAM	410U	UG/KG	BENZO(A)ANTHRACENE
410U	UG/KG	4-CHLORO-3-METHYLPHENOL	410U	UG/KG	CHRYSENE
410U	UG/KG	2-METHYLNAPHTHALENE	410U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
410U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	410U	UG/KG	DI-N-OCTYLPHTHALATE
410U	UG/KG	2,4,6-TRICHLOROPHENOL	410U	UG/KG	BENZO(B)FLUORANTHENE
1000U	UG/KG	2,4,5-TRICHLOROPHENOL	410U	UG/KG	BENZO(K)FLUORANTHENE
410U	UG/KG	1,1-BIPHENYL	410U	UG/KG	BENZO-A-PYRENE
410U	UG/KG	2-CHLORONAPHTHALENE	410U	UG/KG	INDENO (1,2,3-CD) PYRENE
1000U	UG/KG	2-NITROANILINE	410U	UG/KG	DIBENZO(A,H)ANTHRACENE
410U	UG/KG	DIMETHYL PHTHALATE	410U	UG/KG	BENZO(GHI)PERYLENE
410U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
410U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
1000U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
410U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
1000U	UG/KG	2,4-DINITROPHENOL	20	%	% MOISTURE
1000U	UG/KG	4-NITROPHENOL			
410U	UG/KG	DIBENZOFURAN			

A-average value NA-not analyzed NAI-interferences J-estimated value N-presumptive evidence of presence of material.

K-actual value is known to be less than value given L-actual value is known to be greater than value given U-material was analyzed for but not detected the number is the minimum concentration limit.

R-qc indicates that data uncertainty compound may or may not be present resampling and reanalysis as necessary for verification.

C-confirmed by gcms 1 when no value is reported, see chlordane constituents 2.constituents of metabolites of technical chlordane

Sample 1000 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG11SBC /

MD No: RS93

Inorg Contractor: SENTIN

Media: SUBSURFACE SOIL (> 12")

D No: RS93

Org Contractor: LIBRTY

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/10/1999 17:30

Ending:

RESULTS	UNITS	ANALYTE
3400J	UG/KG	20 UNKNOWN COMPOUNDS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. E-estimated value. N-presumptive evidence of presence of material.

R-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed but not detected: the number is the minimum quantitation limit.

U-ugc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane treatments 2.constituents or metabolites of technical chlordane

Sample 109 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:10

Id/Station: MG13SS /

MD No: RS95

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS95

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
350UJ	UG/KG	BENZALDEHYDE	350UJ	UG/KG	2,4-DINITROTOLUENE
350UJ	UG/KG	PHENOL	350UJ	UG/KG	DIETHYL PHTHALATE
350UJ	UG/KG	BIS(2-CHLOROETHYL) ETHER	350UJ	UG/KG	FLUORENE
350UJ	UG/KG	2-CHLOROPHENOL	350UJ	UG/KG	4-CHLOROPHENYL PHENYL ETHER
350UJ	UG/KG	2-METHYLPHENOL	890UJ	UG/KG	4-NITROANILINE
350UJ	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	890UJ	UG/KG	2-METHYL-4,6-DINITROPHENOL
41J	UG/KG	ACETOPHENONE	350UJ	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
350UJ	UG/KG	(3-AND/OR 4-)METHYLPHENOL	350UJ	UG/KG	4-BROMOPHENYL PHENYL ETHER
350UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	350UJ	UG/KG	HEXACHLOROENZENE (HCB)
350UJ	UG/KG	HEXACHLOROETHANE	350UJ	UG/KG	ATRAZINE
350UJ	UG/KG	NITROBENZENE	890UJ	UG/KG	PENTACHLOROPHENOL
350UJ	UG/KG	ISOPHORONE	350UJ	UG/KG	PHENANTHRENE
350UJ	UG/KG	2-NITROPHENOL	350UJ	UG/KG	ANTHRACENE
350UJ	UG/KG	2,4-DIMETHYLPHENOL	350UJ	UG/KG	CARBAZOLE
350UJ	UG/KG	BIS(2-CHLOROETHOXY)METHANE	350UJ	UG/KG	DI-N-BUTYLPHTHALATE
350UJ	UG/KG	2,4-DICHLOROPHENOL	350UJ	UG/KG	FLUORANTHENE
350UJ	UG/KG	NAPHTHALENE	350UJ	UG/KG	PYRENE
350UJ	UG/KG	4-CHLOROANILINE	350UJ	UG/KG	BENZYL BUTYL PHTHALATE
350UJ	UG/KG	HEXACHLOROBUTADIENE	350UJ	UG/KG	3,3'-DICHLOROENZIDINE
350UJ	UG/KG	CAPROLACTAM	350UJ	UG/KG	BENZO(A)ANTHRACENE
350UJ	UG/KG	4-CHLORO-3-METHYLPHENOL	350UJ	UG/KG	CHRYSENE
350UJ	UG/KG	2-METHYLNAPHTHALENE	350UJ	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
350UJ	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	350UJ	UG/KG	DI-N-OCTYLPHTHALATE
350UJ	UG/KG	2,4,6-TRICHLOROPHENOL	350UJ	UG/KG	BENZO(B)FLUORANTHENE
890UJ	UG/KG	2,4,5-TRICHLOROPHENOL	350UJ	UG/KG	BENZO(K)FLUORANTHENE
350UJ	UG/KG	1,1-BIPHENYL	350UJ	UG/KG	BENZO-A-PYRENE
350UJ	UG/KG	2-CHLORONAPHTHALENE	350UJ	UG/KG	INDENO (1,2,3-CD) PYRENE
890UJ	UG/KG	2-NITROANILINE	350UJ	UG/KG	DIBENZO(A,H)ANTHRACENE
350UJ	UG/KG	DIMETHYL PHTHALATE	350UJ	UG/KG	BENZO(GHI)PERYLENE
350UJ	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
350UJ	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
890UJ	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
350UJ	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
890UJ	UG/KG	2,4-DINITROPHENOL	7	%	% MOISTURE
890UJ	UG/KG	4-NITROPHENOL			
350UJ	UG/KG	DIBENZOFURAN			

EXCESSIVE HOLDING TIME

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data is reliable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms. 1. when no value is reported, see chlordane constituents. 2. constituents are metabolites of technical chlordane

Sample 109 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG13SS /

MD No: RS95

Inorg Contractor: SENTIN

Media: SURFACE SOIL (0" - 12")

D No: RS95

Org Contractor: LIBRTY

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/11/1999 08:10

Ending:

RESULTS	UNITS	ANALYTE
7600J	UG/KG	22 UNKNOWN COMPOUNDS

DATA REPORTED AS IDENTIFIED BY CUP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-intermittent. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported for detected constituents 2.constituents or metabolites of technical categories

Sample 108 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:45

Id/Station: MG12SBA /

MD No: RS96

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS96

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
3900U	UG/KG	BENZALDEHYDE	3900U	UG/KG	2,4-DINITROTOLUENE
3900U	UG/KG	PHENOL	3900U	UG/KG	DIETHYL PHTHALATE
3900U	UG/KG	BIS(2-CHLOROETHYL) ETHER	990J	UG/KG	FLUORENE
3900U	UG/KG	2-CHLOROPHENOL	3900U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
3900U	UG/KG	2-METHYLPHENOL	9900U	UG/KG	4-NITROANILINE
3900U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	9900U	UG/KG	2-METHYL-4,6-DINITROPHENOL
3900U	UG/KG	ACETOPHENONE	3900U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
3900U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	3900U	UG/KG	4-BROMOPHENYL PHENYL ETHER
3900U	UG/KG	N-NITROSODI-N-PROPYLAMINE	3900U	UG/KG	HEXACHLOROENZENE (HCB)
3900U	UG/KG	HEXACHLOROETHANE	3900U	UG/KG	ATRAZINE
3900U	UG/KG	NITROBENZENE	9900U	UG/KG	PENTACHLOROPHENOL
3900U	UG/KG	ISOPHORONE	2200J	UG/KG	PHENANTHRENE
3900U	UG/KG	2-NITROPHENOL	3900U	UG/KG	ANTHRACENE
3900U	UG/KG	2,4-DIMETHYLPHENOL	3900U	UG/KG	CARBAZOLE
3900U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	3900U	UG/KG	DI-N-BUTYLPHTHALATE
3900U	UG/KG	2,4-DICHLOROPHENOL	3900U	UG/KG	FLUORANTHENE
2100J	UG/KG	NAPHTHALENE	3900U	UG/KG	PYRENE
3900U	UG/KG	4-CHLOROANILINE	3900U	UG/KG	BENZYL BUTYL PHTHALATE
3900U	UG/KG	HEXACHLOROBTADIENE	3900U	UG/KG	3,3'-DICHLOROENZIDINE
3900U	UG/KG	CAPROLACTAM	3900U	UG/KG	BENZO(A)ANTHRACENE
3900U	UG/KG	4-CHLORO-3-METHYLPHENOL	3900U	UG/KG	CHRYSENE
14000	UG/KG	2-METHYLNAPHTHALENE	3900U	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
3900U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	3900U	UG/KG	DI-N-OCTYLPHTHALATE
3900U	UG/KG	2,4,6-TRICHLOROPHENOL	3900U	UG/KG	BENZO(B)FLUORANTHENE
9900U	UG/KG	2,4,5-TRICHLOROPHENOL	3900U	UG/KG	BENZO(K)FLUORANTHENE
1100J	UG/KG	1,1-BIPHENYL	3900U	UG/KG	BENZO-A-PYRENE
3900U	UG/KG	2-CHLORONAPHTHALENE	3900U	UG/KG	INDENO (1,2,3-CD) PYRENE
9900U	UG/KG	2-NITROANILINE	3900U	UG/KG	DIBENZO(A,H)ANTHRACENE
3900U	UG/KG	DIMETHYL PHTHALATE	3900U	UG/KG	BENZO(GHI)PERYLENE
3900U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
3900U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
9900U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
3900U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
9900U	UG/KG	2,4-DINITROPHENOL	16	%	% MOISTURE
9900U	UG/KG	4-NITROPHENOL			
3900U	UG/KG	DIBENZOFURAN			

A-average value, NA-not analyzed, NAI-interferences, J-estimated value, N-presumptive evidence of presence of material.

R-actual value is known to be less than value given, L-actual value is known to be greater than value given, U-material was analyzed for but not detected (the number is the minimum quantitation limit).

Nepc indicates that this reusable compound may or may not be present (resampling and reanalysis is necessary for verification).

C-confirmed by GCMS, 1 when no value is reported, see chlordan constituents, 2, constituents of metabolites of technical chlordan.

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 14:00

Id/Station: MG10SBA /

MD No: RS89

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS89

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
360U	UG/KG	BENZALDEHYDE	360U	UG/KG	2,4-DINITROTOLUENE
360U	UG/KG	PHENOL	360U	UG/KG	DIETHYL PHTHALATE
360U	UG/KG	BIS(2-CHLOROETHYL) ETHER	360U	UG/KG	FLUORENE
360U	UG/KG	2-CHLOROPHENOL	360U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
360U	UG/KG	2-METHYLPHENOL	910U	UG/KG	4-NITROANILINE
360U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	910U	UG/KG	2-METHYL-4,6-DINITROPHENOL
360U	UG/KG	ACETOPHENONE	360U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
360U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	360U	UG/KG	4-BROMOPHENYL PHENYL ETHER
360UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	360U	UG/KG	HEXACHLOROENZENE (HCB)
360U	UG/KG	HEXACHLOROETHANE	360U	UG/KG	ATRAZINE
360UJ	UG/KG	NITROBENZENE	910U	UG/KG	PENTACHLOROPHENOL
360U	UG/KG	ISOPHORONE	360U	UG/KG	PHENANTHRENE
360U	UG/KG	2-NITROPHENOL	360U	UG/KG	ANTHRACENE
360U	UG/KG	2,4-DIMETHYLPHENOL	360U	UG/KG	CARBAZOLE
360U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	360U	UG/KG	DI-N-BUTYLPHTHALATE
360U	UG/KG	2,4-DICHLOROPHENOL	360U	UG/KG	FLUORANTHENE
360U	UG/KG	NAPHTHALENE	360U	UG/KG	PYRENE
360U	UG/KG	4-CHLOROANILINE	360UJ	UG/KG	BENZYL BUTYL PHTHALATE
360U	UG/KG	HEXACHLOROBUTADIENE	360U	UG/KG	3,3'-DICHLOROENZIDINE
360U	UG/KG	CAPROLACTAM	360U	UG/KG	BENZO(A)ANTHRACENE
360U	UG/KG	4-CHLORO-3-METHYLPHENOL	360U	UG/KG	CHRYSENE
360U	UG/KG	2-METHYLNAPHTHALENE	360UJ	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
360U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	360UJ	UG/KG	DI-N-OCTYLPHTHALATE
360U	UG/KG	2,4,6-TRICHLOROPHENOL	360U	UG/KG	BENZO(B)FLUORANTHENE
910U	UG/KG	2,4,5-TRICHLOROPHENOL	360U	UG/KG	BENZO(K)FLUORANTHENE
360U	UG/KG	1,1-BIPHENYL	360U	UG/KG	BENZO-A-PYRENE
360U	UG/KG	2-CHLORONAPHTHALENE	360U	UG/KG	INDENO (1,2,3-CD) PYRENE
910U	UG/KG	2-NITROANILINE	360U	UG/KG	DIBENZO(A,H)ANTHRACENE
360U	UG/KG	DIMETHYL PHTHALATE	360U	UG/KG	BENZO(GHI)PERYLENE
360U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
360U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
910U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
360U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
910U	UG/KG	2,4-DINITROPHENOL	9	%	% MOISTURE
910U	UG/KG	4-NITROPHENOL			
360U	UG/KG	DIBENZOFURAN			

A-average value NA-not analyzed; NAI-interferences; J-estimated value; N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable - compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by GCMS. 1 when no value is reported, see chlordane constituents. 2.constituents or metabolites of technical chlordane

Sample 1000 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG10SBA /

MD No: RS89

Inorg Contractor: SENTIN

Media: SUBSURFACE SOIL (> 12")

D No: RS89

Org Contractor: LIBRTY

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/10/1999 14:00

Ending:

RESULTS	UNITS	ANALYTE
560J	UG/KG	6 UNKNOWN COMPOUNDS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by qmst: 1 when no value is reported, see chlordane constituents. 2 constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 15:00

Id/Station: MG10SBB /

MD No: RS90

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS90

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
380U	UG/KG	BENZALDEHYDE	380U	UG/KG	2,4-DINITROTOLUENE
380U	UG/KG	PHENOL	380U	UG/KG	DIETHYL PHTHALATE
380U	UG/KG	BIS(2-CHLOROETHYL) ETHER	380U	UG/KG	FLUORENE
380U	UG/KG	2-CHLOROPHENOL	380U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
380U	UG/KG	2-METHYLPHENOL	960U	UG/KG	4-NITROANILINE
380U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	960U	UG/KG	2-METHYL-4,6-DINITROPHENOL
380U	UG/KG	ACETOPHENONE	380U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
380U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	380U	UG/KG	4-BROMOPHENYL PHENYL ETHER
380UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	380U	UG/KG	HEXACHLORO BENZENE (HCB)
380U	UG/KG	HEXACHLOROETHANE	380U	UG/KG	ATRAZINE
380UJ	UG/KG	NITROBENZENE	960U	UG/KG	PENTACHLOROPHENOL
380U	UG/KG	ISOPHORONE	380U	UG/KG	PHENANTHRENE
380U	UG/KG	2-NITROPHENOL	380U	UG/KG	ANTHRACENE
380U	UG/KG	2,4-DIMETHYLPHENOL	380U	UG/KG	CARBAZOLE
380U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	380U	UG/KG	DI-N-BUTYL PHTHALATE
380U	UG/KG	2,4-DICHLOROPHENOL	380U	UG/KG	FLUORANTHENE
380U	UG/KG	NAPHTHALENE	380U	UG/KG	PYRENE
380U	UG/KG	4-CHLOROANILINE	380UJ	UG/KG	BENZYL BUTYL PHTHALATE
380U	UG/KG	HEXACHLOROBUTADIENE	380U	UG/KG	3,3'-DICHLORO BENZIDINE
380U	UG/KG	CAPROLACTAM	380U	UG/KG	BENZO(A)ANTHRACENE
380U	UG/KG	4-CHLORO-3-METHYLPHENOL	380U	UG/KG	CHRYSENE
380U	UG/KG	2-METHYLNAPHTHALENE	380UJ	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
380U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	380UJ	UG/KG	DI-N-OCTYL PHTHALATE
380U	UG/KG	2,4,6-TRICHLOROPHENOL	380U	UG/KG	BENZO(B)FLUORANTHENE
960U	UG/KG	2,4,5-TRICHLOROPHENOL	380U	UG/KG	BENZO(K)FLUORANTHENE
380U	UG/KG	1,1-BIPHENYL	380U	UG/KG	BENZO-A-PYRENE
380U	UG/KG	2-CHLORONAPHTHALENE	380U	UG/KG	INDENO (1,2,3-CD) PYRENE
960U	UG/KG	2-NITROANILINE	380U	UG/KG	DIBENZO(A,H)ANTHRACENE
380U	UG/KG	DIMETHYL PHTHALATE	380U	UG/KG	BENZO(GHI)PERYLENE
380U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLORO BENZENE
380U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLORO BENZENE
960U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLORO BENZENE
380U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLORO BENZENE
960U	UG/KG	2,4-DINITROPHENOL	14	%	% MOISTURE
960U	UG/KG	4-NITROPHENOL			
380U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. L-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected, the number is the minimum quantitation limit.

R-qq indicates that data unusable. compound may or may not be present. re-sampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see distillate constituents. 2.constituents or metabolites of technical chlordane

Sample 10000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF Case No: 27562

Beginning: 11/10/1999 16:15

Id/Station: MG11SBA / MD No: RS91

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12") D No: RS91

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
410U	UG/KG	BENZALDEHYDE	410U	UG/KG	2,4-DINITROTOLUENE
410U	UG/KG	PHENOL	410U	UG/KG	DIETHYL PHTHALATE
410U	UG/KG	BIS(2-CHLOROETHYL) ETHER	410U	UG/KG	FLUORENE
410U	UG/KG	2-CHLOROPHENOL	410U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
410U	UG/KG	2-METHYLPHENOL	1000U	UG/KG	4-NITROANILINE
410U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1000U	UG/KG	2-METHYL-4,6-DINITROPHENOL
410U	UG/KG	ACETOPHENONE	410U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
410U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	410U	UG/KG	4-BROMOPHENYL PHENYL ETHER
410UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	410U	UG/KG	HEXACHLOROETHANE
410U	UG/KG	HEXACHLOROETHANE	410U	UG/KG	ATRAZINE
410UJ	UG/KG	NITROBENZENE	1000U	UG/KG	PENTACHLOROPHENOL
410U	UG/KG	ISOPHORONE	410U	UG/KG	PHENANTHRENE
410U	UG/KG	2-NITROPHENOL	410U	UG/KG	ANTHRACENE
410U	UG/KG	2,4-DIMETHYLPHENOL	410U	UG/KG	CARBAZOLE
410U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	410U	UG/KG	DI-N-BUTYLPHTHALATE
410U	UG/KG	2,4-DICHLOROPHENOL	410U	UG/KG	FLUORANTHENE
410U	UG/KG	NAPHTHALENE	410U	UG/KG	PYRENE
410U	UG/KG	4-CHLOROANILINE	410UJ	UG/KG	BENZYL BUTYL PHTHALATE
410U	UG/KG	HEXACHLOROBUTADIENE	410U	UG/KG	3,3'-DICHLOROENZIDINE
410U	UG/KG	CAPROLACTAM	410U	UG/KG	BENZO(A)ANTHRACENE
410U	UG/KG	4-CHLORO-3-METHYLPHENOL	410U	UG/KG	CHRYSENE
410U	UG/KG	2-METHYLNAPHTHALENE	3100J	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
410U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	410UJ	UG/KG	DI-N-OCTYLPHTHALATE
410U	UG/KG	2,4,6-TRICHLOROPHENOL	410U	UG/KG	BENZO(B)FLUORANTHENE
1000U	UG/KG	2,4,5-TRICHLOROPHENOL	410U	UG/KG	BENZO(K)FLUORANTHENE
410U	UG/KG	1,1-BIPHENYL	410U	UG/KG	BENZO-A-PYRENE
410U	UG/KG	2-CHLORONAPHTHALENE	410U	UG/KG	INDENO (1,2,3-CD) PYRENE
1000U	UG/KG	2-NITROANILINE	410U	UG/KG	DIBENZO(A,H)ANTHRACENE
410U	UG/KG	DIMETHYL PHTHALATE	410U	UG/KG	BENZO(GH)PERYLENE
410U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
410U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
1000U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
410U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
1000U	UG/KG	2,4-DINITROPHENOL	20	%	% MOISTURE
1000U	UG/KG	4-NITROPHENOL			
410U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1. when no value is reported, see chlordane constituents 2. constituents or metabolites of technical chlordane

Sample 10 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 17:00

Id/Station: MG11SBB /

MD No: RS92

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS92

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
400U	UG/KG	BENZALDEHYDE	400U	UG/KG	2,4-DINITROTOLUENE
400U	UG/KG	PHENOL	400U	UG/KG	DIETHYL PHTHALATE
400U	UG/KG	BIS(2-CHLOROETHYL) ETHER	400U	UG/KG	FLUORENE
400U	UG/KG	2-CHLOROPHENOL	400U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
400U	UG/KG	2-METHYLPHENOL	1000U	UG/KG	4-NITROANILINE
400U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1000U	UG/KG	2-METHYL-4,6-DINITROPHENOL
400U	UG/KG	ACETOPHENONE	400U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
400U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	400U	UG/KG	4-BROMOPHENYL PHENYL ETHER
400UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	400U	UG/KG	HEXACHLOROBENZENE (HCB)
400U	UG/KG	HEXACHLOROETHANE	400U	UG/KG	ATRAZINE
400UJ	UG/KG	NITROBENZENE	1000U	UG/KG	PENTACHLOROPHENOL
400U	UG/KG	ISOPHORONE	400U	UG/KG	PHENANTHRENE
400U	UG/KG	2-NITROPHENOL	400U	UG/KG	ANTHRACENE
400U	UG/KG	2,4-DIMETHYLPHENOL	400U	UG/KG	CARBAZOLE
400U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	400U	UG/KG	DI-N-BUTYLPHTHALATE
400U	UG/KG	2,4-DICHLOROPHENOL	52J	UG/KG	FLUORANTHENE
400U	UG/KG	NAPHTHALENE	400U	UG/KG	PYRENE
400U	UG/KG	4-CHLOROANILINE	400UJ	UG/KG	BENZYL BUTYL PHTHALATE
400U	UG/KG	HEXACHLOROBUTADIENE	400U	UG/KG	3,3'-DICHLOROBENZIDINE
400U	UG/KG	CAPROLACTAM	400U	UG/KG	BENZO(A)ANTHRACENE
400U	UG/KG	4-CHLORO-3-METHYLPHENOL	400U	UG/KG	CHRYSENE
400U	UG/KG	2-METHYLNAPHTHALENE	760J	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
400U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	400UJ	UG/KG	DI-N-OCTYLPHTHALATE
400U	UG/KG	2,4,6-TRICHLOROPHENOL	400U	UG/KG	BENZO(B)FLUORANTHENE
1000U	UG/KG	2,4,5-TRICHLOROPHENOL	400U	UG/KG	BENZO(K)FLUORANTHENE
400U	UG/KG	1,1-BIPHENYL	400U	UG/KG	BENZO-A-PYRENE
400U	UG/KG	2-CHLORONAPHTHALENE	400U	UG/KG	INDENO (1,2,3-CD) PYRENE
1000U	UG/KG	2-NITROANILINE	400U	UG/KG	DIBENZO(A,H)ANTHRACENE
400U	UG/KG	DIMETHYL PHTHALATE	400U	UG/KG	BENZO(GH)PERYLENE
400U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROBENZENE
400U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROBENZENE
1000U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROBENZENE
400U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROBENZENE
1000U	UG/KG	2,4-DINITROPHENOL	18	%	% MOISTURE
1000U	UG/KG	4-NITROPHENOL			
400U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-actual was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unreliable. compound may or may not be present. resampling and reanalysis is recommended for verification.

C-confirmed by gcms. 1 value no value is reported, see chlordane constituents. 2.constituents or metabolites. 3.technical chlordane

Sample 100000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:30

Id/Station: MG12SS /

MD No: RS94

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS94

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
440U	UG/KG	BENZALDEHYDE	440U	UG/KG	2,4-DINITROTOLUENE
440U	UG/KG	PHENOL	440U	UG/KG	DIETHYL PHTHALATE
440U	UG/KG	BIS(2-CHLOROETHYL) ETHER	440U	UG/KG	FLUORENE
440U	UG/KG	2-CHLOROPHENOL	440U	UG/KG	4-CHLOROPHENYL PHENYL ETHER
440U	UG/KG	2-METHYLPHENOL	1100U	UG/KG	4-NITROANILINE
440U	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	1100U	UG/KG	2-METHYL-4,6-DINITROPHENOL
440U	UG/KG	ACETOPHENONE	440U	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
440U	UG/KG	(3-AND/OR 4-)METHYLPHENOL	440U	UG/KG	4-BROMOPHENYL PHENYL ETHER
440UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	440U	UG/KG	HEXACHLOROBENZENE (HCB)
440U	UG/KG	HEXACHLOROETHANE	440U	UG/KG	ATRAZINE
440UJ	UG/KG	NITROBENZENE	1100U	UG/KG	PENTACHLOROPHENOL
440U	UG/KG	ISOPHORONE	72J	UG/KG	PHENANTHRENE
440U	UG/KG	2-NITROPHENOL	440U	UG/KG	ANTHRACENE
440U	UG/KG	2,4-DIMETHYLPHENOL	440U	UG/KG	CARBAZOLE
440U	UG/KG	BIS(2-CHLOROETHOXY)METHANE	440U	UG/KG	DI-N-BUTYLPHTHALATE
440U	UG/KG	2,4-DICHLOROPHENOL	210J	UG/KG	FLUORANTHENE
440U	UG/KG	NAPHTHALENE	120J	UG/KG	PYRENE
440U	UG/KG	4-CHLOROANILINE	440UJ	UG/KG	BENZYL BUTYL PHTHALATE
440U	UG/KG	HEXACHLOROBUTADIENE	440U	UG/KG	3,3'-DICHLOROBENZIDINE
440U	UG/KG	CAPROLACTAM	440U	UG/KG	BENZO(A)ANTHRACENE
440U	UG/KG	4-CHLORO-3-METHYLPHENOL	47J	UG/KG	CHRYSENE
440U	UG/KG	2-METHYLNAPHTHALENE	500J	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
440U	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	440UJ	UG/KG	DI-N-OCTYLPHTHALATE
440U	UG/KG	2,4,6-TRICHLOROPHENOL	59J	UG/KG	BENZO(B)FLUORANTHENE
1100U	UG/KG	2,4,5-TRICHLOROPHENOL	440U	UG/KG	BENZO(K)FLUORANTHENE
440U	UG/KG	1,1-BIPHENYL	440U	UG/KG	BENZO-A-PYRENE
440U	UG/KG	2-CHLORONAPHTHALENE	440U	UG/KG	INDENO (1,2,3-CD) PYRENE
1100U	UG/KG	2-NITROANILINE	440U	UG/KG	DIBENZO(A,H)ANTHRACENE
440U	UG/KG	DIMETHYL PHTHALATE	440U	UG/KG	BENZO(GHI)PERYLENE
440U	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROBENZENE
440U	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROBENZENE
1100U	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROBENZENE
440U	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROBENZENE
1100U	UG/KG	2,4-DINITROPHENOL	25	%	% MOISTURE
1100U	UG/KG	4-NITROPHENOL			
440U	UG/KG	DIBENZOFURAN			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data is reliable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gas chromatography. when no value is reported, see chlordane constituents 2.constituents are metabolites of technical chlordane

Sample 1000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

EXTRACTABLES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:10

Id/Station: MG13SS /

MD No: RS95

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS95

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
350UJ	UG/KG	BENZALDEHYDE	350UJ	UG/KG	2,4-DINITROTOLUENE
350UJ	UG/KG	PHENOL	350UJ	UG/KG	DIETHYL PHTHALATE
350UJ	UG/KG	BIS(2-CHLOROETHYL) ETHER	350UJ	UG/KG	FLUORENE
350UJ	UG/KG	2-CHLOROPHENOL	350UJ	UG/KG	4-CHLOROPHENYL PHENYL ETHER
350UJ	UG/KG	2-METHYLPHENOL	890UJ	UG/KG	4-NITROANILINE
350UJ	UG/KG	BIS(2-CHLOROISOPROPYL) ETHER	890UJ	UG/KG	2-METHYL-4,6-DINITROPHENOL
41J	UG/KG	ACETOPHENONE	350UJ	UG/KG	N-NITROSODIPHENYLAMINE/DIPHENYLAMINE
350UJ	UG/KG	(3-AND/OR 4-)METHYLPHENOL	350UJ	UG/KG	4-BROMOPHENYL PHENYL ETHER
350UJ	UG/KG	N-NITROSODI-N-PROPYLAMINE	350UJ	UG/KG	HEXACHLOROENZENE (HCB)
350UJ	UG/KG	HEXACHLOROETHANE	350UJ	UG/KG	ATRAZINE
350UJ	UG/KG	NITROBENZENE	890UJ	UG/KG	PENTACHLOROPHENOL
350UJ	UG/KG	ISOPHORONE	350UJ	UG/KG	PHENANTHRENE
350UJ	UG/KG	2-NITROPHENOL	350UJ	UG/KG	ANTHRACENE
350UJ	UG/KG	2,4-DIMETHYLPHENOL	350UJ	UG/KG	CARBAZOLE
350UJ	UG/KG	BIS(2-CHLOROETHOXY)METHANE	350UJ	UG/KG	DI-N-BUTYLPHTHALATE
350UJ	UG/KG	2,4-DICHLOROPHENOL	350UJ	UG/KG	FLUORANTHENE
350UJ	UG/KG	NAPHTHALENE	350UJ	UG/KG	PYRENE
350UJ	UG/KG	4-CHLOROANILINE	350UJ	UG/KG	BENZYL BUTYL PHTHALATE
350UJ	UG/KG	HEXACHLOROBUTADIENE	350UJ	UG/KG	3,3'-DICHLOROENZIDINE
350UJ	UG/KG	CAPROLACTAM	350UJ	UG/KG	BENZO(A)ANTHRACENE
350UJ	UG/KG	4-CHLORO-3-METHYLPHENOL	350UJ	UG/KG	CHRYSENE
350UJ	UG/KG	2-METHYLNAPHTHALENE	350UJ	UG/KG	BIS(2-ETHYLHEXYL) PHTHALATE
350UJ	UG/KG	HEXACHLOROCYCLOPENTADIENE (HCCP)	350UJ	UG/KG	DI-N-OCTYLPHTHALATE
350UJ	UG/KG	2,4,6-TRICHLOROPHENOL	350UJ	UG/KG	BENZO(B)FLUORANTHENE
890UJ	UG/KG	2,4,5-TRICHLOROPHENOL	350UJ	UG/KG	BENZO(K)FLUORANTHENE
350UJ	UG/KG	1,1-BIPHENYL	350UJ	UG/KG	BENZO-A-PYRENE
350UJ	UG/KG	2-CHLORONAPHTHALENE	350UJ	UG/KG	INDENO (1,2,3-CD) PYRENE
890UJ	UG/KG	2-NITROANILINE	350UJ	UG/KG	DIBENZO(A,H)ANTHRACENE
350UJ	UG/KG	DIMETHYL PHTHALATE	350UJ	UG/KG	BENZO(GHI)PERYLENE
350UJ	UG/KG	2,6-DINITROTOLUENE	NA	UG/KG	1,3-DICHLOROENZENE
350UJ	UG/KG	ACENAPHTHYLENE	NA	UG/KG	1,4-DICHLOROENZENE
890UJ	UG/KG	3-NITROANILINE	NA	UG/KG	1,2-DICHLOROENZENE
350UJ	UG/KG	ACENAPHTHENE	NA	UG/KG	1,2,4-TRICHLOROENZENE
890UJ	UG/KG	2,4-DINITROPHENOL	7	%	% MOISTURE
890UJ	UG/KG	4-NITROPHENOL			
350UJ	UG/KG	DIBENZOFURAN			

EXCESSIVE HOLDING TIME

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. F-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data for sample compound may or may not be present. resampling and analysis is necessary for verification.

C-confirmed by GCs. If value is reported, see chlordane constituents. 2.constituents are metabolites of technical chlordane

EXTRACTABLES SAMPLE ANALYSIS

EPA - REGION IV SESD, ATHENS, GA

Production Date: 12/29/1999 14:08

Sample 1091 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:45

Id/Station: MG12SBA /

MD No: RS96

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS96

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
11000J	UG/KG	16 UNKNOWN COMPOUNDS
8200NJ	UG/KG	NAPHTHALENE, 1-METHYL-
24000JN	UG/KG	3-DIMETHYLNAPHTHALENE ISOMERS
25000JN	UG/KG	4 TRIMETHYLNAPHTHALENE ISOMERS
11000JN	UG/KG	3 SUBSTITUTED NAPHTHALENES
4300JN	UG/KG	METHYLANTHRACENE
4500JN	UG/KG	METHYLPHENANTHRENE

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value, NA-not analyzed, NAI-interferences, J-estimated value, N-presumptive evidence of presence of material.

K-actual value is known to be less than value given, L-actual value is known to be greater than value given, U-material was analyzed for but not detected, the number is the minimum quantitation limit.

R-oc indicates that data unusable, compound may or may not be present, resampling and reanalysis is necessary for verification.

1. chlorinated hydrocarbons, 2. chlorinated hydrocarbons, 3. chlorinated hydrocarbons, 4. chlorinated hydrocarbons, 5. chlorinated hydrocarbons, 6. chlorinated hydrocarbons, 7. chlorinated hydrocarbons, 8. chlorinated hydrocarbons, 9. chlorinated hydrocarbons, 10. chlorinated hydrocarbons, 11. chlorinated hydrocarbons, 12. chlorinated hydrocarbons, 13. chlorinated hydrocarbons, 14. chlorinated hydrocarbons, 15. chlorinated hydrocarbons, 16. chlorinated hydrocarbons, 17. chlorinated hydrocarbons, 18. chlorinated hydrocarbons, 19. chlorinated hydrocarbons, 20. chlorinated hydrocarbons, 21. chlorinated hydrocarbons, 22. chlorinated hydrocarbons, 23. chlorinated hydrocarbons, 24. chlorinated hydrocarbons, 25. chlorinated hydrocarbons, 26. chlorinated hydrocarbons, 27. chlorinated hydrocarbons, 28. chlorinated hydrocarbons, 29. chlorinated hydrocarbons, 30. chlorinated hydrocarbons, 31. chlorinated hydrocarbons, 32. chlorinated hydrocarbons, 33. chlorinated hydrocarbons, 34. chlorinated hydrocarbons, 35. chlorinated hydrocarbons, 36. chlorinated hydrocarbons, 37. chlorinated hydrocarbons, 38. chlorinated hydrocarbons, 39. chlorinated hydrocarbons, 40. chlorinated hydrocarbons, 41. chlorinated hydrocarbons, 42. chlorinated hydrocarbons, 43. chlorinated hydrocarbons, 44. chlorinated hydrocarbons, 45. chlorinated hydrocarbons, 46. chlorinated hydrocarbons, 47. chlorinated hydrocarbons, 48. chlorinated hydrocarbons, 49. chlorinated hydrocarbons, 50. chlorinated hydrocarbons, 51. chlorinated hydrocarbons, 52. chlorinated hydrocarbons, 53. chlorinated hydrocarbons, 54. chlorinated hydrocarbons, 55. chlorinated hydrocarbons, 56. chlorinated hydrocarbons, 57. chlorinated hydrocarbons, 58. chlorinated hydrocarbons, 59. chlorinated hydrocarbons, 60. chlorinated hydrocarbons, 61. chlorinated hydrocarbons, 62. chlorinated hydrocarbons, 63. chlorinated hydrocarbons, 64. chlorinated hydrocarbons, 65. chlorinated hydrocarbons, 66. chlorinated hydrocarbons, 67. chlorinated hydrocarbons, 68. chlorinated hydrocarbons, 69. chlorinated hydrocarbons, 70. chlorinated hydrocarbons, 71. chlorinated hydrocarbons, 72. chlorinated hydrocarbons, 73. chlorinated hydrocarbons, 74. chlorinated hydrocarbons, 75. chlorinated hydrocarbons, 76. chlorinated hydrocarbons, 77. chlorinated hydrocarbons, 78. chlorinated hydrocarbons, 79. chlorinated hydrocarbons, 80. chlorinated hydrocarbons, 81. chlorinated hydrocarbons, 82. chlorinated hydrocarbons, 83. chlorinated hydrocarbons, 84. chlorinated hydrocarbons, 85. chlorinated hydrocarbons, 86. chlorinated hydrocarbons, 87. chlorinated hydrocarbons, 88. chlorinated hydrocarbons, 89. chlorinated hydrocarbons, 90. chlorinated hydrocarbons, 91. chlorinated hydrocarbons, 92. chlorinated hydrocarbons, 93. chlorinated hydrocarbons, 94. chlorinated hydrocarbons, 95. chlorinated hydrocarbons, 96. chlorinated hydrocarbons, 97. chlorinated hydrocarbons, 98. chlorinated hydrocarbons, 99. chlorinated hydrocarbons, 100. chlorinated hydrocarbons.

Rec'd 1/3/00 HK



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY


Region 4

Science and Ecosystem Support Division
980 College Station Road
Athens, Georgia 30605-2720

MEMORANDUM

Date: 12/27/1999

Subject: Results of VOLATILES Organic Chemistry Section Sample Analysis
00-0101 CTS of Asheville Inc
Skyland, NC

From: Goddard, Denise 

To: Rigger, Don

CC: Heather Kennedy
START

cc: QA Office

Attached are the results of analysis of samples collected as part of the subject project. If you have any questions, please contact me.

ATTACHMENT

ORGANIC DATA QUALIFIER REPORT

Case Number:	27562	Project Number	00-0101	SAS Number	N/A
Site ID.	CTS of Asheville Inc., Skyland, NC				
Date:	12/10/99				

<u>Affected Samples</u>	<u>Compound or Fraction</u>	<u>Flag Used</u>	<u>Reason</u>
VOA			
1060-1093	styrene	R	action low in PE sample
1060-1065,1067, 1068,1070-1081	dichlorodifluoromethane, chloromethane, vinyl chloride, 1,1,2-trichloro-1,2,2-trifluoroethane	J	erratic response factor
1060	trichloroethene	J	< quantitation limit
1065	1,1-dichloroethane, 1,1,1-trichloroethane, benzene, trichloroethene, methylcyclohexane, ethylbenzene, isopropylbenzene	J	< quantitation limit
1066	dichlorodifluoromethane, chloromethane, vinyl chloride, acetone, methyl acetate, 2-butanone, 1,2-dibromo-3-chloropropane	J	erratic response factor
	cis-1,2-dichloroethene, 1,1,1-trichloroethane, trichloroethene, toluene	J	< quantitation limit
	cis-1,2-dichloroethene, 1,1,1-trichloroethane, trichloroethene, methylcyclohexane, toluene, ethylbenzene, xylene(tptal), isopropylbenzene	J	high surrogate recovery
1067-1069	trichloroethene	J	< quantitation limit
1069	all compounds except styrene	J	exceeded holding times
	1,1,2-trichloro-1,2,2-trifluoroethane, acetone, cyclohexane	J	erratic response factor
1070	1,1,2-trichloro-1,2,2-trifluoroethane, 1,1,1-trichloroethane, carbon tetrachloride, ethylbenzene	J	< quantitation limit
	1,1,2-trichloro-1,2,2-trifluoroethane, 1,1,1-trichloroethane, carbon tetrachloride, methylcyclohexane, tetrachloroethene, ethylbenzene, xylene(total), isopropylbenzene	J	high surrogate recovery

ORGANIC DATA QUALIFIER REPORT

Case Number:	27562	Project Number	00-0101	SAS Number	N/A
Site ID:	CTS of Asheville Inc., Skyland, NC				
Date:	12/10/99				

<u>Affected Samples</u>	<u>Compound or Fraction</u>	<u>Flag Used</u>	<u>Reason</u>
1079	4-methyl-2-pentanone, toluene, trans-1,3-dichloropropene, 1,1,2-trichloroethane, tetrachloroethene, 2-hexanone, dibromochloromethane, 1,2-dibromoethane, chlorobenzene, ethylbenzene, xylene(total), bromoform, isopropylbenzene, 1,1,2,2-tetrachloroethane, 1,3-dichlorobenzene, 1,4-dichlorobenzene, 1,2-dichlorobenzene, 1,2-dibromo-3-chloropropane, 1,2,4-trichlorobenzene	J	low internal standard recovery
1082-1090	dichlorodifluoromethane, 1,1,2-trichloro-1,2,2-trifluoroethane	J	erratic response factor
1091	dichlorodifluoromethane, chloromethane, vinyl chloride, 1,1,2-trichloro-1,2,2-trifluoroethane, acetone, carbon disulfide, methyl acetate, 4-methyl-2-pentanone, 1,2-dibromo-3-chloropropane	J	erratic response factor
	acetone, 1,1,1-trichloroethane, methylcyclohexane, ethylbenzene	J	high surrogate recovery
	ethylbenzene	J	< quantitation limit
	trichloroethene	J	dilution exceeded holding times
1092	acetone	J	erratic response factor
	toluene	J	< quantitation limit
<u>BNA</u>			
1060-1067,1069,1070	bis(2-chloroethyl)ether, 3,3'-dichlorobenzidine, benzo(k)fluoranthene	J	erratic response factor
1060	fluoranthene	J	< quantitation limit
1065	1,1'-biphenyl, carbazole, fluoranthene	J	< quantitation limit
1066	pyrene	J	< quantitation limit

ORGANIC DATA QUALIFIER REPORT

Case Number:	27562	Project Number	00-0101	SAS Number	N/A
Site ID:	CTS of Asheville Inc., Skyland, NC				

Date: 12/10/99

<u>Affected Samples</u>	<u>Compound or Fraction</u>	<u>Flag Used</u>	<u>Reason</u>
1067	phenanthrene, fluoranthene, pyrene, benzo(a)anthracene, chrysene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, indeno(1,2,3-cd)pyrene	J	< quantitation limit
1068	2,4-dinitrophenol, 3,3'-dichlorobenzidine, benzo(k)fluoranthene	J	erratic response factor
	benzaldehyde, fluoranthene, pyrene, chrysene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, indeno(1,2,3-cd)pyrene, dibenzo(a,h)anthracene, benzo(g,h,i)perylene	J	< quantitation limit
1069	pyrene	J	< quantitation limit
1070	fluorene, pyrene	J	< quantitation limit
1071	2,4-dinitrophenol, 3,3'-dichlorobenzidine, benzo(k)fluoranthene	J	erratic response factor
	acetophenone, naphthalene	J	< quantitation limit
1072,1074-1078	phenol, diethylphthalate, 4-nitroaniline, carbazole, butylbenzylphthalate, di-n- octylphthalate	J	erratic response factor
1072	benzaldehyde	J	< quantitation limit
1073	phenol, diethylphthalate, 4-nitroaniline, carbazole, butylbenzylphthalate, 3,3'- dichlorobenzidine, di-n-octylphthalate	J	erratic response factor
1075	naphthalene	J	< quantitation limit
1080-1082,1084- 1087,1089	N-Nitroso-di-n-propylamine, nitrobenzene, butylbenzylphthalate, bis(2-ethylhexyl)phthalate, di-n-octylphthalate	J	erratic response factor
1080	benzaldehyde	J	< quantitation limit
1083	N-Nitroso-di-n-propylamine, nitrobenzene, butylbenzylphthalate, di-n-octylphthalate	J	erratic response factor

ORGANIC DATA QUALIFIER REPORT

Case Number:	27562	Project Number	00-0101	SAS Number	N/A
Site ID:	CTS of Asheville Inc., Skyland, NC				
Date:	12/10/99				

<u>Affected Samples</u>	<u>Compound or Fraction</u>	<u>Flag Used</u>	<u>Reason</u>
1087	fluoranthene	J	< quantitation limit
1089	phenanthrene, fluoranthene, pyrene, chrysene, benzo(b)fluoranthene	J	< quantitation limit
1090	all compounds	J	exceeded holding times
	bis(2-chloroethyl)ether, N-Nitroso-di-n-propylamine, 2-nitroaniline	J	erratic response factor
	acetophenone	J	< quantitation limit
1091	naphthalene, 1,1'-biphenyl, fluorene, phenanthrene	J	< quantitation limit
<u>PES</u>			
1060-1068,1070-1089	endrin aldehyde	R	action low in PE sample
1060-1091	alpha-BHC, delta-BHC, gamma-BHC	J	erratic response factor
1060	endrin ketone	J	< quantitation limit
1064	dieldrin, endrin, 4,4'-DDD, 4,4'-DDT	J	< quantitation limit
	endrin, 4,4'-DDD, 4,4'-DDT	N	difference in columns
1065	endosulfan I	N	difference in columns
		J	action high in PE sample, high surrogate recovery
1066	4,4'-DDD	J	high surrogate recovery
	endrin, aroclor-1254	J,N	high surrogate recovery, difference in columns
	endosulfan sulfate	J	high surrogate recovery
1067	endosulfan I	J	action high in PE sample
1068	aroclor-1260	J,N	high surrogate recovery, difference in columns

ORGANIC DATA QUALIFIER REPORT

Case Number:	27562	Project Number	00-0101	SAS Number	N/A
Site ID.	CTS of Asheville Inc., Skyland, NC				
Date:	12/10/99				

<u>Affected Samples</u>	<u>Compound or Fraction</u>	<u>Flag Used</u>	<u>Reason</u>
1069	endosulfan sulfate, gamma-chlordane	N	difference in columns
1069	endrin aldehyde	J	action low in PE sample
1070	heptachlor epoxide, dieldrin, endosulfan sulfate, 4,4'-DDT	N	difference in columns
1071	4,4'-DDE, methoxychlor	J	< quantitation limit
1072	heptachlor epoxide, 4,4'-DDD, endrin ketone	J	< quantitation limit
	heptachlor epoxide, 4,4'-DDD	N	difference in columns
1073	alpha-BHC, gamma-chlordane	J,N	< quantitation limit, difference in columns
1075	dieldrin, 4,4'-DDE	J,N	< quantitation limit, difference in columns
1077	alpha-BHC	J,N	< quantitation limit, difference in columns
1078	beta-BHC	J,N	< quantitation limit, difference in columns
1079	beta-BHC, dieldrin, endrin	J	< quantitation limit
	beta-BHC	N	difference in columns
1080,1083	dieldrin	J,N	< quantitation limit, difference in columns
1085	alpha-chlordane	J,N	< quantitation limit, difference in columns
1087	aroclor-1260	J	< quantitation limit
1089	alpha-chlordane	N	difference in columns
1090	endrin aldehyde	J	< quantitation limit, action low in PE sample,
		N	difference in columns

ORGANIC DATA QUALIFIER REPORT

Project
Number

00-0101

SAS Number

N/A

Case Number:

27562

Site ID.

CTS of Asheville Inc., Skyland, NC

Date:

12/10/99

Affected Samples

Compound or Fraction

Flag
Used

Reason

1091

endrin aldehyde

J

action low in PE sample,
high surrogate recovery

1091

alpha-chlordane

J

high surrogate recovery

endrin aldehyde, alpha-chlordane

N

difference in columns

Sample 1092 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 07:00

Id/Station: MG01BS /

Ending:

Media: TRIP BLANK - SOIL

D No: RS62

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
10U	UG/KG	DICHLORODIFLUOROMETHANE
10U	UG/KG	CHLOROMETHANE
10U	UG/KG	VINYL CHLORIDE
10U	UG/KG	BROMOMETHANE
10U	UG/KG	CHLOROETHANE
10U	UG/KG	TRICHLOROFLUOROMETHANE
10U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)
10U	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)
10UJ	UG/KG	ACETONE
10U	UG/KG	CARBON DISULFIDE
10U	UG/KG	METHYL ACETATE
10U	UG/KG	METHYLENE CHLORIDE
10U	UG/KG	TRANS-1,2-DICHLOROETHENE
10U	UG/KG	METHYL T-BUTYL ETHER (MTBE)
10U	UG/KG	1,1-DICHLOROETHANE
10U	UG/KG	CIS-1,2-DICHLOROETHENE
10U	UG/KG	METHYL ETHYL KETONE
10U	UG/KG	CHLOROFORM
10U	UG/KG	1,1,1-TRICHLOROETHANE
10U	UG/KG	CYCLOHEXANE
10U	UG/KG	CARBON TETRACHLORIDE
10U	UG/KG	BENZENE
10U	UG/KG	1,2-DICHLOROETHANE
10U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)
10U	UG/KG	METHYLCYCLOHEXANE
10U	UG/KG	1,2-DICHLOROPROPANE
10U	UG/KG	BROMODICHLOROMETHANE
10U	UG/KG	CIS-1,3-DICHLOROPROPENE
10U	UG/KG	METHYL ISOBUTYL KETONE
1J	UG/KG	TOLUENE
10U	UG/KG	TRANS-1,3-DICHLOROPROPENE
10U	UG/KG	1,1,2-TRICHLOROETHANE
10U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)
10U	UG/KG	METHYL BUTYL KETONE
10U	UG/KG	DIBROMOCHLOROMETHANE
10U	UG/KG	1,2-DIBROMOETHANE (EDB)

RESULTS	UNITS	ANALYTE
10U	UG/KG	CHLOROBENZENE
10U	UG/KG	ETHYL BENZENE
10U	UG/KG	TOTAL XYLENES
10UR	UG/KG	STYRENE
10U	UG/KG	BROMOFORM
10U	UG/KG	ISOPROPYL BENZENE
10U	UG/KG	1,1,2,2-TETRACHLOROETHANE
10U	UG/KG	1,3-DICHLOROBENZENE
10U	UG/KG	1,4-DICHLOROBENZENE
10U	UG/KG	1,2-DICHLOROBENZENE
10U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
10U	UG/KG	1,2,4-TRICHLOROBENZENE
NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
0.4	%	% MOISTURE

A-detectable value. NA-not analyzed. NAI-interferences. J-estimated value. U-unquantifiable evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. UGL is the minimum quantitation limit.

Rep. indicates that data unusable. compound may or may not be present. reanalysis or reanalysis is necessary for verification.

Concentration by gcms: 1.when no value is reported, see laboratory comments for possible units or metabolites of technical chlordane

Sample 1092 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 07:00

Id/Station: MG01BS /

Ending:

Media: TRIP BLANK - SOIL

D No: RS62

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
18J	UG/KG	2 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NA-not determined. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. F-expected but not analyzed for but not detected. the number is the minimum quantity found.

R-qc indicates that if the substance is present any it may not be present. resampling and reanalysis is suggested. C-confirmed by government laboratory. 1-organochlorine chlordane constituents. 2-constituents of hydrocarbon petroleum hydrocarbons.

C-confirmed by government laboratory. 1-organochlorine chlordane constituents. 2-constituents of hydrocarbon petroleum hydrocarbons.

Sample 1060 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 08:25

Id/Station: MG01SS /

MD No: RS63

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS63

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
11UJ	UG/KG	DICHLORODIFLUOROMETHANE	11U	UG/KG	CHLOROBENZENE
11UJ	UG/KG	CHLOROMETHANE	11U	UG/KG	ETHYL BENZENE
11UJ	UG/KG	VINYL CHLORIDE	11U	UG/KG	TOTAL XYLENES
11U	UG/KG	BROMOMETHANE	11UR	UG/KG	STYRENE
11U	UG/KG	CHLOROETHANE	11U	UG/KG	BROMOFORM
11U	UG/KG	TRICHLOROFLUOROMETHANE	11U	UG/KG	ISOPROPYLBENZENE
11U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	11U	UG/KG	1,1,2,2-TETRACHLOROETHANE
11UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	11U	UG/KG	1,3-DICHLOROBENZENE
11U	UG/KG	ACETONE	11U	UG/KG	1,4-DICHLOROBENZENE
11U	UG/KG	CARBON DISULFIDE	11U	UG/KG	1,2-DICHLOROBENZENE
11U	UG/KG	METHYL ACETATE	11U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
11U	UG/KG	METHYLENE CHLORIDE	11U	UG/KG	1,2,4-TRICHLOROBENZENE
11U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
11U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	12	%	% MOISTURE
11U	UG/KG	1,1-DICHLOROETHANE			
11U	UG/KG	CIS-1,2-DICHLOROETHENE			
11U	UG/KG	METHYL ETHYL KETONE			
11U	UG/KG	CHLOROFORM			
11U	UG/KG	1,1,1-TRICHLOROETHANE			
11U	UG/KG	CYCLOHEXANE			
11U	UG/KG	CARBON TETRACHLORIDE			
11U	UG/KG	BENZENE			
11U	UG/KG	1,2-DICHLOROETHANE			
3J	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
11U	UG/KG	METHYLCYCLOHEXANE			
11U	UG/KG	1,2-DICHLOROPROPANE			
11U	UG/KG	BROMODICHLOROMETHANE			
11U	UG/KG	CIS-1,3-DICHLOROPROPENE			
11U	UG/KG	METHYL ISOBUTYL KETONE			
11U	UG/KG	TOLUENE			
11U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
11U	UG/KG	1,1,2-TRICHLOROETHANE			
11U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
11U	UG/KG	METHYL BUTYL KETONE			
11U	UG/KG	DIBROMOCHLOROMETHANE			
11U	UG/KG	1,2-DIBROMOETHANE (EDB)			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1060 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 08:25

Id/Station: MG01SS /

MD No: RS63

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS63

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
97J	UG/KG	2 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents. 2.constituents or metabolites of technical chlordane

Sample 1061 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 09:45

Id/Station: MG01SBA /

MD No: RS64

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS64

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
11UJ	UG/KG	DICHLORODIFLUOROMETHANE	11U	UG/KG	CHLOROBENZENE
11UJ	UG/KG	CHLOROMETHANE	11U	UG/KG	ETHYL BENZENE
11UJ	UG/KG	VINYL CHLORIDE	11U	UG/KG	TOTAL XYLENES
11U	UG/KG	BROMOMETHANE	11UR	UG/KG	STYRENE
11U	UG/KG	CHLOROETHANE	11U	UG/KG	BROMOFORM
11U	UG/KG	TRICHLOROFLUOROMETHANE	11U	UG/KG	ISOPROPYLBENZENE
11U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	11U	UG/KG	1,1,2,2-TETRACHLOROETHANE
11UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	11U	UG/KG	1,3-DICHLOROBENZENE
11U	UG/KG	ACETONE	11U	UG/KG	1,4-DICHLOROBENZENE
11U	UG/KG	CARBON DISULFIDE	11U	UG/KG	1,2-DICHLOROBENZENE
11U	UG/KG	METHYL ACETATE	11U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
11U	UG/KG	METHYLENE CHLORIDE	11U	UG/KG	1,2,4-TRICHLOROBENZENE
11U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
11U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	12	%	% MOISTURE
11U	UG/KG	1,1-DICHLOROETHANE			
11U	UG/KG	CIS-1,2-DICHLOROETHENE			
11U	UG/KG	METHYL ETHYL KETONE			
11U	UG/KG	CHLOROFORM			
11U	UG/KG	1,1,1-TRICHLOROETHANE			
11U	UG/KG	CYCLOHEXANE			
11U	UG/KG	CARBON TETRACHLORIDE			
11U	UG/KG	BENZENE			
11U	UG/KG	1,2-DICHLOROETHANE			
11U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
11U	UG/KG	METHYLCYCLOHEXANE			
11U	UG/KG	1,2-DICHLOROPROPANE			
11U	UG/KG	BROMODICHLOROMETHANE			
11U	UG/KG	CIS-1,3-DICHLOROPROPENE			
11U	UG/KG	METHYL ISOBUTYL KETONE			
11U	UG/KG	TOLUENE			
11U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
11U	UG/KG	1,1,2-TRICHLOROETHANE			
11U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
11U	UG/KG	METHYL BUTYL KETONE			
11U	UG/KG	DIBROMOCHLOROMETHANE			
11U	UG/KG	1,2-DIBROMOETHANE (EDB)			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable: compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1061 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc Skyland, NC

Program: NSF Case No: 27562

Id/Station: MG01SBA / MD No: RS64

Media: SUBSURFACE SOIL (> 12") D No: RS64

Inorg Contractor: SENTIN

Org Contractor: LIBRTY

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 09:45

Ending:

RESULTS	UNITS	ANALYTE
130J	UG/KG	2 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents. 2.constituents or metabolites of technical chlordane

Sample 1062 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 10:50

Id/Station: MG01SBB /

MD No: RS65

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS65

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
11UJ	UG/KG	DICHLORODIFLUOROMETHANE
11UJ	UG/KG	CHLOROMETHANE
11UJ	UG/KG	VINYL CHLORIDE
11U	UG/KG	BROMOMETHANE
11U	UG/KG	CHLOROETHANE
11U	UG/KG	TRICHLOROFLUOROMETHANE
11U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)
11UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)
11U	UG/KG	ACETONE
11U	UG/KG	CARBON DISULFIDE
11U	UG/KG	METHYL ACETATE
11U	UG/KG	METHYLENE CHLORIDE
11U	UG/KG	TRANS-1,2-DICHLOROETHENE
11U	UG/KG	METHYL T-BUTYL ETHER (MTBE)
11U	UG/KG	1,1-DICHLOROETHANE
11U	UG/KG	CIS-1,2-DICHLOROETHENE
11U	UG/KG	METHYL ETHYL KETONE
11U	UG/KG	CHLOROFORM
11U	UG/KG	1,1,1-TRICHLOROETHANE
11U	UG/KG	CYCLOHEXANE
11U	UG/KG	CARBON TETRACHLORIDE
11U	UG/KG	BENZENE
11U	UG/KG	1,2-DICHLOROETHANE
11U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)
11U	UG/KG	METHYLCYCLOHEXANE
11U	UG/KG	1,2-DICHLOROPROPANE
11U	UG/KG	BROMODICHLOROMETHANE
11U	UG/KG	CIS-1,3-DICHLOROPROPENE
11U	UG/KG	METHYL ISOBUTYL KETONE
11U	UG/KG	TOLUENE
11U	UG/KG	TRANS-1,3-DICHLOROPROPENE
11U	UG/KG	1,1,2-TRICHLOROETHANE
11U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)
11U	UG/KG	METHYL BUTYL KETONE
11U	UG/KG	DIBROMOCHLOROMETHANE
11U	UG/KG	1,2-DIBROMOETHANE (EDB)

RESULTS	UNITS	ANALYTE
11U	UG/KG	CHLOROBENZENE
11U	UG/KG	ETHYL BENZENE
11U	UG/KG	TOTAL XYLENES
11UR	UG/KG	STYRENE
11U	UG/KG	BROMOFORM
11U	UG/KG	ISOPROPYLBENZENE
11U	UG/KG	1,1,2,2-TETRACHLOROETHANE
11U	UG/KG	1,3-DICHLOROBENZENE
11U	UG/KG	1,4-DICHLOROBENZENE
11U	UG/KG	1,2-DICHLOROBENZENE
11U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
11U	UG/KG	1,2,4-TRICHLOROBENZENE
NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
9	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by qcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1062 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc Skyland, NC
Program: NSF Case No: 27562
Id/Station: MG01SBB / MD No: RS65
Media: SUBSURFACE SOIL (> 12") D No: RS65

Produced by: Goddard, Denise
Requestor:
Project Leader: DRIGGER
Beginning: 11/09/1999 10:50
Ending:

Inorg Contractor: SENTIN
Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
130J	UG/KG	2 LABORATORY ARTIFACTS
540J	UG/KG	6 UNKNOWN COMPOUNDS
22NJ	UG/KG	NAPHTHALENE, DECAHYDRO-
48NJ	UG/KG	NAPHTHALENE, DECAHYDRO-2-MET

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. U-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see table same constituents 2.constituents or metabolites of technical chlordane

Sample 1063 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 10:25

Id/Station: MG02SS /

MD No: RS66

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS66

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
11UJ	UG/KG	DICHLORODIFLUOROMETHANE	11U	UG/KG	CHLOROBENZENE
11UJ	UG/KG	CHLOROMETHANE	11U	UG/KG	ETHYL BENZENE
11UJ	UG/KG	VINYL CHLORIDE	11U	UG/KG	TOTAL XYLENES
11U	UG/KG	BROMOMETHANE	11UR	UG/KG	STYRENE
11U	UG/KG	CHLOROETHANE	11U	UG/KG	BROMOFORM
11U	UG/KG	TRICHLOROFLUOROMETHANE	11U	UG/KG	ISOPROPYLBENZENE
11U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	11U	UG/KG	1,1,2,2-TETRACHLOROETHANE
11UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	11U	UG/KG	1,3-DICHLOROBENZENE
11U	UG/KG	ACETONE	11U	UG/KG	1,4-DICHLOROBENZENE
11U	UG/KG	CARBON DISULFIDE	11U	UG/KG	1,2-DICHLOROBENZENE
11U	UG/KG	METHYL ACETATE	11U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
11U	UG/KG	METHYLENE CHLORIDE	11U	UG/KG	1,2,4-TRICHLOROBENZENE
11U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
11U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	11	%	% MOISTURE
11U	UG/KG	1,1-DICHLOROETHANE			
11U	UG/KG	CIS-1,2-DICHLOROETHENE			
11U	UG/KG	METHYL ETHYL KETONE			
11U	UG/KG	CHLOROFORM			
11U	UG/KG	1,1,1-TRICHLOROETHANE			
11U	UG/KG	CYCLOHEXANE			
11U	UG/KG	CARBON TETRACHLORIDE			
11U	UG/KG	BENZENE			
11U	UG/KG	1,2-DICHLOROETHANE			
11U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
11U	UG/KG	METHYLCYCLOHEXANE			
11U	UG/KG	1,2-DICHLOROPROPANE			
11U	UG/KG	BROMODICHLOROMETHANE			
11U	UG/KG	CIS-1,3-DICHLOROPROPENE			
11U	UG/KG	METHYL ISOBUTYL KETONE			
11U	UG/KG	TOLUENE			
11U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
11U	UG/KG	1,1,2-TRICHLOROETHANE			
11U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
11U	UG/KG	METHYL BUTYL KETONE			
11U	UG/KG	DIBROMOCHLOROMETHANE			
11U	UG/KG	1,2-DIBROMOETHANE (EDB)			

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by GC/MS. 1-when no value is reported, see chlordane constituents 2-constituents or tetrahalides of technical chlordane

Sample 1063 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc Skyland, NC

Program: NSF Case No: 27562

Id/Station: MG02SS / MD No: RS66

Media: SURFACE SOIL (0" - 12") D No: RS66

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 10:25

Ending:

Inorg Contractor: SENTIN

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
70J	UG/KG	2 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB. IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. E-estimated value. N-presumptive evidence of presence of material

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported. 2. chlorinated constituents 3. constituents or metabolites of technical pentane

Sample 1064 FY 2000 Project: 00-0101

VOLATILES SCAN

Facility: CTS of Asheville Inc Skyland, NC
 Program: NSF Case No: 27562
 Id/Station: MG02SBA / MD No: RS67
 Media: SUBSURFACE SOIL (> 12") D No: RS67

Produced by: Goddard, Denise
 Requestor:
 Project Leader: DRIGGER
 Beginning: 11/09/1999 11:25
 Ending:

Inorg Contractor: SENTIN
 Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
11UJ	UG/KG	DICHLORODIFLUOROMETHANE
11UJ	UG/KG	CHLOROMETHANE
11UJ	UG/KG	VINYL CHLORIDE
11U	UG/KG	BROMOMETHANE
11U	UG/KG	CHLOROETHANE
11U	UG/KG	TRICHLOROFLUOROMETHANE
11U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)
11UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)
11U	UG/KG	ACETONE
11U	UG/KG	CARBON DISULFIDE
11U	UG/KG	METHYL ACETATE
11U	UG/KG	METHYLENE CHLORIDE
11U	UG/KG	TRANS-1,2-DICHLOROETHENE
11U	UG/KG	METHYL T-BUTYL ETHER (MTBE)
11U	UG/KG	1,1-DICHLOROETHANE
11U	UG/KG	CIS-1,2-DICHLOROETHENE
11U	UG/KG	METHYL ETHYL KETONE
11U	UG/KG	CHLOROFORM
11U	UG/KG	1,1,1-TRICHLOROETHANE
11U	UG/KG	CYCLOHEXANE
11U	UG/KG	CARBON TETRACHLORIDE
11U	UG/KG	BENZENE
11U	UG/KG	1,2-DICHLOROETHANE
11U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)
11U	UG/KG	METHYLCYCLOHEXANE
11U	UG/KG	1,2-DICHLOROPROPANE
11U	UG/KG	BROMODICHLOROMETHANE
11U	UG/KG	CIS-1,3-DICHLOROPROPENE
11U	UG/KG	METHYL ISOBUTYL KETONE
11U	UG/KG	TOLUENE
11U	UG/KG	TRANS-1,3-DICHLOROPROPENE
11U	UG/KG	1,1,2-TRICHLOROETHANE
11U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)
11U	UG/KG	METHYL BUTYL KETONE
11U	UG/KG	DIBROMOCHLOROMETHANE
11U	UG/KG	1,2-DIBROMOETHANE (EDB)

RESULTS	UNITS	ANALYTE
11U	UG/KG	CHLOROBENZENE
11U	UG/KG	ETHYL BENZENE
11U	UG/KG	TOTAL XYLENES
11UR	UG/KG	STYRENE
11U	UG/KG	BROMOFORM
11U	UG/KG	ISOPROPYLBENZENE
11U	UG/KG	1,1,2,2-TETRACHLOROETHANE
11U	UG/KG	1,3-DICHLOROBENZENE
11U	UG/KG	1,4-DICHLOROBENZENE
11U	UG/KG	1,2-DICHLOROBENZENE
11U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
11U	UG/KG	1,2,4-TRICHLOROBENZENE
NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
9	%	% MOISTURE

A-average value; NA-not analyzed; NAI-interferences; J-estimated value; N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qg indicates that data unreliable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by GC/MS. 1 when a value is reported, see chlordane constituents. 2 constituents or metabolites of technical chlordane

Sample 1064 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG02SBA /

MD No: RS67

Media: SUBSURFACE SOIL (> 12")

D No: RS67

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 11:25

Ending:

Inorg Contractor: SENTIN

Org Contractor: LIBRTY

RESULTS UNITS

ANALYTE

230J UG/KG 4 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interferences. E-estimated value. N-presumptive evidence of presence of material

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification

C-confirmed by gcms: 1.when no value is reported. see chitane constituents 2.constituents or metabolites of technical chemicals

Sample 1065 FY 2000 Project: 00-0101

VOLATILES SCAN

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG01SD /

MD No: RS68

Media: SEDIMENT

D No: RS68

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 09:00

Ending:

Inorg Contractor: SENTIN

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
19UJ	UG/KG	DICHLORODIFLUOROMETHANE
19UJ	UG/KG	CHLOROMETHANE
19UJ	UG/KG	VINYL CHLORIDE
19U	UG/KG	BROMOMETHANE
19U	UG/KG	CHLOROETHANE
19U	UG/KG	TRICHLOROFLUOROMETHANE
19U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)
19UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)
32U	UG/KG	ACETONE
19U	UG/KG	CARBON DISULFIDE
19U	UG/KG	METHYL ACETATE
19U	UG/KG	METHYLENE CHLORIDE
19U	UG/KG	TRANS-1,2-DICHLOROETHENE
19U	UG/KG	METHYL T-BUTYL ETHER (MTBE)
2J	UG/KG	1,1-DICHLOROETHANE
88	UG/KG	CIS-1,2-DICHLOROETHENE
19U	UG/KG	METHYL ETHYL KETONE
19U	UG/KG	CHLOROFORM
2J	UG/KG	1,1,1-TRICHLOROETHANE
19U	UG/KG	CYCLOHEXANE
19U	UG/KG	CARBON TETRACHLORIDE
10J	UG/KG	BENZENE
19U	UG/KG	1,2-DICHLOROETHANE
4J	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)
14J	UG/KG	METHYLCYCLOHEXANE
19U	UG/KG	1,2-DICHLOROPROPANE
19U	UG/KG	BROMODICHLOROMETHANE
19U	UG/KG	CIS-1,3-DICHLOROPROPENE
19U	UG/KG	METHYL ISOBUTYL KETONE
22	UG/KG	TOLUENE
19U	UG/KG	TRANS-1,3-DICHLOROPROPENE
19U	UG/KG	1,1,2-TRICHLOROETHANE
19U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)
19U	UG/KG	METHYL BUTYL KETONE
19U	UG/KG	DIBROMOCHLOROMETHANE
19U	UG/KG	1,2-DIBROMOETHANE (EDB)

RESULTS	UNITS	ANALYTE
19U	UG/KG	CHLOROBENZENE
7J	UG/KG	ETHYL BENZENE
33	UG/KG	TOTAL XYLENES
19UR	UG/KG	STYRENE
19U	UG/KG	BROMOFORM
7J	UG/KG	ISOPROPYLBENZENE
19U	UG/KG	1,1,2,2-TETRACHLOROETHANE
19U	UG/KG	1,3-DICHLOROBENZENE
19U	UG/KG	1,4-DICHLOROBENZENE
19U	UG/KG	1,2-DICHLOROBENZENE
19U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
19U	UG/KG	1,2,4-TRICHLOROBENZENE
NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
34	%	% MOISTURE

A-average value; NA-not analyzed; NAI-interferences; J-estimated value; N-not reported; K-actual value is known to be less than value given; L-actual value is known to be greater than value given; U-material was analyzed for but not detected, the number is the maximum quantitation limit; R-qc indicates that data is usable; compound may or may not be present; presence of metabolites of technical chlordane; C-confirmed by grant; 1 when no value is reported, see chlordane constituents; 2 when no value is reported, see chlordane metabolites of technical chlordane.

Sample 1065 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc Skyland, NC
 Program: NSF Case No: 27562
 Id/Station: MG01SD / MD No: RS68
 Media: SEDIMENT D No: RS68

Produced by: Goddard, Denise
 Requestor:
 Project Leader: DRIGGER
 Beginning: 11/09/1999 09:00
 Ending:

Inorg Contractor: SENTIN
 Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
70NJ	UG/KG	BENZENE, 1-METHYL-4- (1-METHY
43NJ	UG/KG	BENZENE, (1-METHYLETHYL) -
300JN	UG/KG	6 SUBSTITUTED BENZENES
55NJ	UG/KG	BENZENE, 1, 4-DIETHYL-
20NJ	UG/KG	BENZENE, 1-METHYL-4-PROPYL-
25NJ	UG/KG	BENZENE, 1-METHYL-4- (1-METHY
43NJ	UG/KG	BENZENE, 2-ETHYL-1, 3-DIMETHY
12J	UG/KG	LABORATORY ARTIFACT
55NJ	UG/KG	BENZENE, 1-ETHYL-2, 3-DIMETHY
75NJ	UG/KG	BENZENE, 1, 2, 4, 5 - TETRAMETHYL
430J	UG/KG	5 UNKNOWN COMPOUNDS
84JN	UG/KG	METHYLQUINOLINE
400NJ	UG/KG	1H-INDENE, 2, 3-DIHYDRO-4, 7-D
95JN	UG/KG	2 ETHYLMETHYLBENZENE ISOMERS

DATA REPORTED AS IDENTIFIED BY CLP1. RESULTS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interfered. N-estimated value. N-presumptive evidence of presence of material.
 K-actual value is known to be less than value given. K-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.
 R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.
 C-confirmed by gc/ms: 1.when no value is reported. 2. priority constituents 3. constituents or metabolites of technical structures

Sample 1066 FY 2000 Project: 00-0101

VOLATILES SCAN

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG02SD /

MD No: RS69

Media: SEDIMENT

D No: RS69

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 09:15

Ending:

Inorg Contractor: SENTIN

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
150UJ	UG/KG	DICHLORODIFLUOROMETHANE
150UJ	UG/KG	CHLOROMETHANE
150UJ	UG/KG	VINYL CHLORIDE
150U	UG/KG	BROMOMETHANE
150U	UG/KG	CHLOROETHANE
150U	UG/KG	TRICHLOROFLUOROMETHANE
150U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)
150U	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)
150UJ	UG/KG	ACETONE
150U	UG/KG	CARBON DISULFIDE
150UJ	UG/KG	METHYL ACETATE
150U	UG/KG	METHYLENE CHLORIDE
150U	UG/KG	TRANS-1,2-DICHLOROETHENE
150U	UG/KG	METHYL T-BUTYL ETHER (MTBE)
150U	UG/KG	1,1-DICHLOROETHANE
46J	UG/KG	CIS-1,2-DICHLOROETHENE
150UJ	UG/KG	METHYL ETHYL KETONE
150U	UG/KG	CHLOROFORM
120J	UG/KG	1,1,1-TRICHLOROETHANE
150U	UG/KG	CYCLOHEXANE
150U	UG/KG	CARBON TETRACHLORIDE
150U	UG/KG	BENZENE
150U	UG/KG	1,2-DICHLOROETHANE
17J	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)
630J	UG/KG	METHYLCYCLOHEXANE
150U	UG/KG	1,2-DICHLOROPROPANE
150U	UG/KG	BROMODICHLOROMETHANE
150U	UG/KG	CIS-1,3-DICHLOROPROPENE
150U	UG/KG	METHYL ISOBUTYL KETONE
100J	UG/KG	TOLUENE
150U	UG/KG	TRANS-1,3-DICHLOROPROPENE
150U	UG/KG	1,1,2-TRICHLOROETHANE
150U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)
150U	UG/KG	METHYL BUTYL KETONE
150U	UG/KG	DIBROMOCHLOROMETHANE
150U	UG/KG	1,2-DIBROMOETHANE (EDB)

RESULTS	UNITS	ANALYTE
150U	UG/KG	CHLOROBENZENE
290J	UG/KG	ETHYL BENZENE
970J	UG/KG	TOTAL XYLENES
150UR	UG/KG	STYRENE
150U	UG/KG	BROMOFORM
240J	UG/KG	ISOPROPYLBENZENE
150U	UG/KG	1,1,2,2-TETRACHLOROETHANE
150U	UG/KG	1,3-DICHLOROBENZENE
150U	UG/KG	1,4-DICHLOROBENZENE
150U	UG/KG	1,2-DICHLOROBENZENE
150UJ	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
150U	UG/KG	1,2,4-TRICHLOROBENZENE
NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
32	%	% MOISTURE

A-average value, NA-not analyzed, NAI-interferences, J-estimated value, U-presumptive evidence of presence of material.

K-actual value is known to be less than value given, L-actual value is known to be greater than value given, U-material was analyzed for but not detected, the number is the minimum quantitation limit.

R- indicates that data unusable, compound may or may not be present, reanalysis is necessary for verification.

C-confirmed by grams, 1 when no value is reported, see chlordane compounds, 2,4-dinitrochlorobenzene metabolites of technical chlordane

Sample 1066 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc Skyland, NC
 Program: NSF Case No: 27562
 Id/Station: MG02SD / MD No: RS69
 Media: SEDIMENT D No: RS69

Produced by: Goddard, Denise
 Requestor:
 Project Leader: DRIGGER
 Beginning: 11/09/1999 09:15
 Ending:

Inorg Contractor: SENTIN
 Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
310000J	UG/KG	11 UNKNOWN COMPOUNDS
23000JN	UG/KG	2 SUBSTITUTED BENZENES
2400NJ	UG/KG	BENZENE, 1-ETHYL-2-METHYL-
9900NJ	UG/KG	NAPHTHALENE, DECAHYDRO-, TRA
18000JN	UG/KG	SUBSTITUTED NAPHTHALENE

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NAI-interference. E-estimated value. N-presumptive evidence of presence of material

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed but not detected. the number is the minimum quantity that

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for confirmation.

C-confirmed by gcms: 1.when no value is reported. 2.constituents or metabolites of legal or biological concern

Sample 1067 FY 2000 Project: 00-0101

VOLATILES SCAN

Facility: CTS of Asheville Inc Skyland, NC
 Program: NSF Case No: 27562
 Id/Station: MG03SD / MD No: RS70
 Media: SEDIMENT D No: RS70

Produced by: Goddard, Denise
 Requestor:
 Project Leader: DRIGGER
 Beginning: 11/09/1999 10:45
 Ending:

Inorg Contractor: SENTIN
 Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
14UJ	UG/KG	DICHLORODIFLUOROMETHANE
14UJ	UG/KG	CHLOROMETHANE
14UJ	UG/KG	VINYL CHLORIDE
14U	UG/KG	BROMOMETHANE
14U	UG/KG	CHLOROETHANE
14U	UG/KG	TRICHLOROFLUOROMETHANE
14U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)
14UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)
14U	UG/KG	ACETONE
14U	UG/KG	CARBON DISULFIDE
14U	UG/KG	METHYL ACETATE
14U	UG/KG	METHYLENE CHLORIDE
14U	UG/KG	TRANS-1,2-DICHLOROETHENE
14U	UG/KG	METHYL T-BUTYL ETHER (MTBE)
14U	UG/KG	1,1-DICHLOROETHANE
14U	UG/KG	CIS-1,2-DICHLOROETHENE
14U	UG/KG	METHYL ETHYL KETONE
14U	UG/KG	CHLOROFORM
14U	UG/KG	1,1,1-TRICHLOROETHANE
14U	UG/KG	CYCLOHEXANE
14U	UG/KG	CARBON TETRACHLORIDE
14U	UG/KG	BENZENE
14U	UG/KG	1,2-DICHLOROETHANE
12J	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)
14U	UG/KG	METHYLCYCLOHEXANE
14U	UG/KG	1,2-DICHLOROPROPANE
14U	UG/KG	BROMODICHLOROMETHANE
14U	UG/KG	CIS-1,3-DICHLOROPROPENE
14U	UG/KG	METHYL ISOBUTYL KETONE
14U	UG/KG	TOLUENE
14U	UG/KG	TRANS-1,3-DICHLOROPROPENE
14U	UG/KG	1,1,2-TRICHLOROETHANE
14U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)
14U	UG/KG	METHYL BUTYL KETONE
14U	UG/KG	DIBROMOCHLOROMETHANE
14U	UG/KG	1,2-DIBROMOETHANE (EDB)

RESULTS	UNITS	ANALYTE
14U	UG/KG	CHLOROENZENE
14U	UG/KG	ETHYL BENZENE
14U	UG/KG	TOTAL XYLENES
14UR	UG/KG	STYRENE
14U	UG/KG	BROMOFORM
14U	UG/KG	ISOPROPYLBENZENE
14U	UG/KG	1,1,2,2-TETRACHLOROETHANE
14U	UG/KG	1,3-DICHLOROENZENE
14U	UG/KG	1,4-DICHLOROENZENE
14U	UG/KG	1,2-DICHLOROENZENE
14U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
14U	UG/KG	1,2,4-TRICHLOROENZENE
NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
29	%	% MOISTURE

Average value. D=not analyzed. NAI=interferences. I=estimated value. L=lower limit. U=upper limit. NA=not analyzed. L=actual value is less than value given. U=material was analyzed for but not detected. The number is the minimum quantitation limit.
 Report values that are unusable. compound may or may not be present. Further analysis is necessary for verification.
 Manufactured by gas chromatography when no value is reported. see chloroform and chloroethane for metabolites of technical chloroform.

Sample 1067 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 10:45

Id/Station: MG03SD /

MD No: RS70

Inorg Contractor: SENTIN

Ending:

Media: SEDIMENT

D No: RS70

Org Contractor: LIBRTY

RESULTS UNITS ANALYTE

55J UG/KG 3 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY AEP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. NA1-not analyzed. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-unknown if was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. expected that or may not be present. resampling and reanalysis is necessary for verification

C-confirmed by gcms: 1.when a number is given, it is a number. 2.when a number is given, it is a number. 3.when a number is given, it is a number. 4.when a number is given, it is a number. 5.when a number is given, it is a number. 6.when a number is given, it is a number. 7.when a number is given, it is a number. 8.when a number is given, it is a number. 9.when a number is given, it is a number. 10.when a number is given, it is a number.

Sample 1068 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:45

Id/Station: MG03SS /

MD No: RS71

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS71

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
13UJ	UG/KG	DICHLORODIFLUOROMETHANE	13U	UG/KG	CHLOROBENZENE
13UJ	UG/KG	CHLOROMETHANE	13U	UG/KG	ETHYL BENZENE
13UJ	UG/KG	VINYL CHLORIDE	13U	UG/KG	TOTAL XYLENES
13U	UG/KG	BROMOMETHANE	13UR	UG/KG	STYRENE
13U	UG/KG	CHLOROETHANE	13U	UG/KG	BROMOFORM
13U	UG/KG	TRICHLOROFLUOROMETHANE	13U	UG/KG	ISOPROPYL BENZENE
13U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	13U	UG/KG	1,1,2,2-TETRACHLOROETHANE
13UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	13U	UG/KG	1,3-DICHLOROBENZENE
13U	UG/KG	ACETONE	13U	UG/KG	1,4-DICHLOROBENZENE
13U	UG/KG	CARBON DISULFIDE	13U	UG/KG	1,2-DICHLOROBENZENE
13U	UG/KG	METHYL ACETATE	13U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
13U	UG/KG	METHYLENE CHLORIDE	13U	UG/KG	1,2,4-TRICHLOROBENZENE
13U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
13U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	22	%	% MOISTURE
13U	UG/KG	1,1-DICHLOROETHANE			
13U	UG/KG	CIS-1,2-DICHLOROETHENE			
13U	UG/KG	METHYL ETHYL KETONE			
13U	UG/KG	CHLOROFORM			
13U	UG/KG	1,1,1-TRICHLOROETHANE			
13U	UG/KG	CYCLOHEXANE			
13U	UG/KG	CARBON TETRACHLORIDE			
13U	UG/KG	BENZENE			
13U	UG/KG	1,2-DICHLOROETHANE			
11J	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
13U	UG/KG	METHYLCYCLOHEXANE			
13U	UG/KG	1,2-DICHLOROPROPANE			
13U	UG/KG	BROMODICHLOROMETHANE			
13U	UG/KG	CIS-1,3-DICHLOROPROPENE			
13U	UG/KG	METHYL ISOBUTYL KETONE			
13U	UG/KG	TOLUENE			
13U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
13U	UG/KG	1,1,2-TRICHLOROETHANE			
13U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
13U	UG/KG	METHYL BUTYL KETONE			
13U	UG/KG	DIBROMOCHLOROMETHANE			
13U	UG/KG	1,2-DIBROMOETHANE (EDB)			

Average value. NA-not analyzed. NAI-interferences. J-estimated value by presumptive evidence of presence of material.

L-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. L-quantifier is the minimum quantitation limit.

* indicates that data unusable. compound may or may not be present. re-sampling and re-analysis is necessary for verification.

* indicates by grams. 1 when no value is reported, see chlordane and dieldrin. 2 is components or metabolites of technical chlordane

Sample 1068 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:45

Id/Station: MG03SS /

MD No: RS71

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS71

Org Contractor: LIBRTY

RESULTS UNITS ANALYTE
28J UG/KG 2 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value; NA-not analyzed; B-below detection limit; C-confirmed by grams; D-detectable, see chlordane constituents; E-constituents of the total chlordane; F-confirmed by gas chromatography; G-gas chromatography; H-half of the amount reported; I-identified; J-estimated value; K-actual value is known to be less than the amount reported; L-actual value is known to be greater than the amount reported; M-matrix was analyzed for but not detected; the number is the amount of material analyzed; N-presumptive evidence of presence of material; O-other; P-prior to the date of sampling; Q-quantity; R-qc indicates that data is subject to re-sampling and re-analysis for verification; S-suspect; T-total; U-unknown; V-volatilized; W-water; X-xenobiotic; Y-yield; Z-zero.

Sample 1069 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:15

Id/Station: MG03SBA /

MD No: RS72

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS72

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
12UJ	UG/KG	DICHLORODIFLUOROMETHANE	12UJ	UG/KG	CHLOROBENZENE
12UJ	UG/KG	CHLOROMETHANE	12UJ	UG/KG	ETHYL BENZENE
12UJ	UG/KG	VINYL CHLORIDE	12UJ	UG/KG	TOTAL XYLENES
12UJ	UG/KG	BROMOMETHANE	12UR	UG/KG	STYRENE
12UJ	UG/KG	CHLOROETHANE	12UJ	UG/KG	BROMOFORM
12UJ	UG/KG	TRICHLOROFLUOROMETHANE	12UJ	UG/KG	ISOPROPYLBENZENE
12UJ	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	12UJ	UG/KG	1,1,2,2-TETRACHLOROETHANE
12UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	12UJ	UG/KG	1,3-DICHLOROBENZENE
12UJ	UG/KG	ACETONE	12UJ	UG/KG	1,4-DICHLOROBENZENE
12UJ	UG/KG	CARBON DISULFIDE	12UJ	UG/KG	1,2-DICHLOROBENZENE
12UJ	UG/KG	METHYL ACETATE	12UJ	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
12UJ	UG/KG	METHYLENE CHLORIDE	12UJ	UG/KG	1,2,4-TRICHLOROBENZENE
12UJ	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
12UJ	UG/KG	METHYL T-BUTYL ETHER (MTBE)	20	%	% MOISTURE
12UJ	UG/KG	1,1-DICHLOROETHANE			
12UJ	UG/KG	CIS-1,2-DICHLOROETHENE			
12UJ	UG/KG	METHYL ETHYL KETONE			
12UJ	UG/KG	CHLOROFORM			
12UJ	UG/KG	1,1,1-TRICHLOROETHANE			
12UJ	UG/KG	CYCLOHEXANE			
12UJ	UG/KG	CARBON TETRACHLORIDE			
12UJ	UG/KG	BENZENE			
12UJ	UG/KG	1,2-DICHLOROETHANE			
3J	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
12UJ	UG/KG	METHYLCYCLOHEXANE			
12UJ	UG/KG	1,2-DICHLOROPROPANE			
12UJ	UG/KG	BROMODICHLOROMETHANE			
12UJ	UG/KG	CIS-1,3-DICHLOROPROPENE			
12UJ	UG/KG	METHYL ISOBUTYL KETONE			
12UJ	UG/KG	TOLUENE			
12UJ	UG/KG	TRANS-1,3-DICHLOROPROPENE			
12UJ	UG/KG	1,1,2-TRICHLOROETHANE			
12UJ	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
12UJ	UG/KG	METHYL BUTYL KETONE			
12UJ	UG/KG	DIBROMOCHLOROMETHANE			
12UJ	UG/KG	1,2-DIBROMOETHANE (EDB)			

EXECUTIVE HOLDING TIME

A - as reported; B - not analyzed; NA - interferences; J - estimated value; P - presumptive; + - trace of presence of material.

F - the value is present, but is less than value given. L - actual value is known to be greater than value given. U - material was analyzed for but not detected. Q - the number is the minimum quantitation limit.

R - the value is not quantifiable. compound may or may not be present, but appears to be present. analysis is necessary for verification.

C - value is reported as 0.00 when no value is reported, see chlordane constituents. 2,3,4,5-tetrahydro-1,2,4-dioxin is a metabolite of technical chlordane.

Sample 1070 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:15

Id/Station: MG03SBB /

MD No: RS73

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS73

Inorg Contractor: SENTIN

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
55000J	UG/KG	6 UNKNOWN COMPOUNDS
3600NJ	UG/KG	BENZENE, 4-ETHYL-1, 2-DIMETHY
3500NJ	UG/KG	1H-INDENE, 1-ETHYLIDENE-
1600NJ	UG/KG	NAPHTHALENE, 1-METHYL-
6900JN	UG/KG	3 TRIMETHYLBENZENE ISOMERS
4800JN	UG/KG	2 ETHYLMETHYLBENZENE ISOMERS

DATA REPORTED AS IDENTIFIED - QUALITY CONTROL NOT VERIFIED

A-average value. NA-not analyzed. L-lead. U-undetected. D-detectable. N-presumptive evidence of presence of material. K-actual value is known to be less than value given. G-given. P-predicted value is known to be greater than value given. M-maximum value. R-actual value is known to be less than value given. R-qc indicates that data may be present. resampling and reanalysis is necessary. C-confirmed by gms. 1. whole body. 2. constituents. 3. constituents or metabolites. 4. constituents.

Sample 1071 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:10

Id/Station: MG05SS /

MD No: RS74

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS74

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
12UJ	UG/KG	DICHLORODIFLUOROMETHANE
12UJ	UG/KG	CHLOROMETHANE
12UJ	UG/KG	VINYL CHLORIDE
12U	UG/KG	BROMOMETHANE
12U	UG/KG	CHLOROETHANE
12U	UG/KG	TRICHLOROFLUOROMETHANE
12U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)
12UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)
12U	UG/KG	ACETONE
12U	UG/KG	CARBON DISULFIDE
12U	UG/KG	METHYL ACETATE
12U	UG/KG	METHYLENE CHLORIDE
12U	UG/KG	TRANS-1,2-DICHLOROETHENE
12U	UG/KG	METHYL T-BUTYL ETHER (MTBE)
12U	UG/KG	1,1-DICHLOROETHANE
12U	UG/KG	CIS-1,2-DICHLOROETHENE
12U	UG/KG	METHYL ETHYL KETONE
12U	UG/KG	CHLOROFORM
12U	UG/KG	1,1,1-TRICHLOROETHANE
12U	UG/KG	CYCLOHEXANE
12U	UG/KG	CARBON TETRACHLORIDE
12U	UG/KG	BENZENE
12U	UG/KG	1,2-DICHLOROETHANE
29	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)
12U	UG/KG	METHYLCYCLOHEXANE
12U	UG/KG	1,2-DICHLOROPROPANE
12U	UG/KG	BROMODICHLOROMETHANE
12U	UG/KG	CIS-1,3-DICHLOROPROPENE
12U	UG/KG	METHYL ISOBUTYL KETONE
12U	UG/KG	TOLUENE
12U	UG/KG	TRANS-1,3-DICHLOROPROPENE
12U	UG/KG	1,1,2-TRICHLOROETHANE
12U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)
12U	UG/KG	METHYL BUTYL KETONE
12U	UG/KG	DIBROMOCHLOROMETHANE
12U	UG/KG	1,2-DIBROMOETHANE (EDB)

RESULTS	UNITS	ANALYTE
12U	UG/KG	CHLOROBENZENE
12U	UG/KG	ETHYL BENZENE
12U	UG/KG	TOTAL XYLENES
12UR	UG/KG	STYRENE
12U	UG/KG	BROMOFORM
12U	UG/KG	ISOPROPYLBENZENE
12U	UG/KG	1,1,2,2-TETRACHLOROETHANE
12U	UG/KG	1,3-DICHLOROBENZENE
12U	UG/KG	1,4-DICHLOROBENZENE
12U	UG/KG	1,2-DICHLOROBENZENE
12U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
12U	UG/KG	1,2,4-TRICHLOROBENZENE
NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
17	%	% MOISTURE

U-coverage value: NA-not analyzed. NAI-interferences. J-estimated value. N-presumably true value independent of presence of material.

L-actual value is shown to be less than value given. L-actual value is shown to be greater than value given. U-material was analyzed for but not detected. U-coverage is the minimum quantitation limit.

NA-indicates that data unusable. compound may or may not be present. missing data. U-coverage is necessary for verification.

U-coverage value: NA, when no value is reported. see chloroform components for the list of the possibilities of technical chloroform.

Sample 1071 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:10

Id/Station: MG05SS /

MD No: RS74

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS74

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
100J	UG/KG	2 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY OUR LAB - HAS NOT VERIFIED

A-average value. NA-not analyzed. N/A-not determined. U-estimated value. N-presumptive evidence of presence of compound

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. ND-not detected for but not detected. the number is the number of samples analyzed

R-qc indicates that data are reliable. R-nc indicates that data are not reliable. R-nc indicates that data are not reliable. R-nc indicates that data are not reliable.

C-confirmed by gcms: 1.whole and separate. 2.whole and separate. 3.whole and separate. 4.whole and separate. 5.whole and separate.

Sample 1072 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:45

Id/Station: MG05SBA /

MD No: RS75

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS75

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
120J	UG/KG	3 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. N-not determined. U-estimated value. N-presumptive evidence of presence of material
 K-actual value is known to be less than value given. L-actual value is known to be greater than value given. M-material was analyzed for but not detected. the number is the minimum amount detected.
 R-qc indicates that data is questionable. R-qc may or may not be present. resampling and reanalysis is recommended.
 C-confirmed by gc/ms. 1.constituents or metabolites of dieldrin. 2.constituents or metabolites of dieldrin. 3.constituents or metabolites of dieldrin.

Sample 1073 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:02

Id/Station: MG04SS /

MD No: RS76

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS76

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
13UJ	UG/KG	DICHLORODIFLUOROMETHANE	13U	UG/KG	CHLOROBENZENE
13UJ	UG/KG	CHLOROMETHANE	13U	UG/KG	ETHYL BENZENE
13UJ	UG/KG	VINYL CHLORIDE	13U	UG/KG	TOTAL XYLENES
13U	UG/KG	BROMOMETHANE	13UR	UG/KG	STYRENE
13U	UG/KG	CHLOROETHANE	13U	UG/KG	BROMOFORM
13U	UG/KG	TRICHLOROFLUOROMETHANE	13U	UG/KG	ISOPROPYLBENZENE
13U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	13U	UG/KG	1,1,2,2-TETRACHLOROETHANE
13UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	13U	UG/KG	1,3-DICHLOROBENZENE
13U	UG/KG	ACETONE	13U	UG/KG	1,4-DICHLOROBENZENE
13U	UG/KG	CARBON DISULFIDE	13U	UG/KG	1,2-DICHLOROBENZENE
13U	UG/KG	METHYL ACETATE	13U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
13U	UG/KG	METHYLENE CHLORIDE	13U	UG/KG	1,2,4-TRICHLOROBENZENE
13U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
13U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	22	%	% MOISTURE
13U	UG/KG	1,1-DICHLOROETHANE			
13U	UG/KG	CIS-1,2-DICHLOROETHENE			
13U	UG/KG	METHYL ETHYL KETONE			
13U	UG/KG	CHLOROFORM			
13U	UG/KG	1,1,1-TRICHLOROETHANE			
13U	UG/KG	CYCLOHEXANE			
13U	UG/KG	CARBON TETRACHLORIDE			
13U	UG/KG	BENZENE			
13U	UG/KG	1,2-DICHLOROETHANE			
13U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
13U	UG/KG	METHYLCYCLOHEXANE			
13U	UG/KG	1,2-DICHLOROPROPANE			
13U	UG/KG	BROMODICHLOROMETHANE			
13U	UG/KG	CIS-1,3-DICHLOROPROPENE			
13U	UG/KG	METHYL ISOBUTYL KETONE			
13U	UG/KG	TOLUENE			
13U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
13U	UG/KG	1,1,2-TRICHLOROETHANE			
13U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
13U	UG/KG	METHYL BUTYL KETONE			
13U	UG/KG	DIBROMOCHLOROMETHANE			
13U	UG/KG	1,2-DIBROMOETHANE (EDB)			

A=average value, NA=not analyzed, NAI=interferences, J=estimated value, B=positive evidence of presence of material.

R=actual value is known to be less than value given, L=actual value is known to be greater than value given, U=material was analyzed but not detected, the number is the minimum quantitation limit.

U=unusable data, compound may or may not be present, reanalysis and reanalysis is necessary for verification.

Q=quantified by gcms: 1.when no value is reported, see chlorinated solvent parent constituents or metabolites of technical chlorinated

Sample 1073 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:02

Id/Station: MG04SS /

MD No: RS76

Inorg Contractor: SENTIN

Media: SURFACE SOIL (0" - 12")

D No: RS76

Org Contractor: LIBRTY

Ending:

RESULTS	UNITS	ANALYTE
64J	UG/KG	2 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value. NA-not analyzed. I-interference. E-estimated value. N-presumptive evidence of presence of compound.
K-actual value is known to be less than the given actual value is known to be greater than zero. P-prior sample analyzed for but not detected the number is the number of samples analyzed.
R-qc indicates that it is probable that what may or may not be present. resampling and reanalysis is recommended.
C-confirmed by gas chromatography. 2-constituents are not listed in the EPA list of volatile organic compounds.

Sample 1074 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:10

Id/Station: MG04SBA /

MD No: RS77

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS77

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
12UJ	UG/KG	DICHLORODIFLUOROMETHANE	12U	UG/KG	CHLOROBENZENE
12UJ	UG/KG	CHLOROMETHANE	12U	UG/KG	ETHYL BENZENE
12UJ	UG/KG	VINYL CHLORIDE	12U	UG/KG	TOTAL XYLENES
12U	UG/KG	BROMOMETHANE	12UR	UG/KG	STYRENE
12U	UG/KG	CHLOROETHANE	12U	UG/KG	BROMOFORM
12U	UG/KG	TRICHLOROFLUOROMETHANE	12U	UG/KG	ISOPROPYLBENZENE
12U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	12U	UG/KG	1,1,2,2-TETRACHLOROETHANE
12UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	12U	UG/KG	1,3-DICHLOROBENZENE
12U	UG/KG	ACETONE	12U	UG/KG	1,4-DICHLOROBENZENE
12U	UG/KG	CARBON DISULFIDE	12U	UG/KG	1,2-DICHLOROBENZENE
12U	UG/KG	METHYL ACETATE	12U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
12U	UG/KG	METHYLENE CHLORIDE	12U	UG/KG	1,2,4-TRICHLOROBENZENE
12U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
12U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	14	%	% MOISTURE
12U	UG/KG	1,1-DICHLOROETHANE			
12U	UG/KG	CIS-1,2-DICHLOROETHENE			
12U	UG/KG	METHYL ETHYL KETONE			
12U	UG/KG	CHLOROFORM			
12U	UG/KG	1,1,1-TRICHLOROETHANE			
12U	UG/KG	CYCLOHEXANE			
12U	UG/KG	CARBON TETRACHLORIDE			
12U	UG/KG	BENZENE			
12U	UG/KG	1,2-DICHLOROETHANE			
12U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
12U	UG/KG	METHYLCYCLOHEXANE			
12U	UG/KG	1,2-DICHLOROPROPANE			
12U	UG/KG	BROMODICHLOROMETHANE			
12U	UG/KG	CIS-1,3-DICHLOROPROPENE			
12U	UG/KG	METHYL ISOBUTYL KETONE			
12U	UG/KG	TOLUENE			
12U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
12U	UG/KG	1,1,2-TRICHLOROETHANE			
12U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
12U	UG/KG	METHYL BUTYL KETONE			
12U	UG/KG	DIBROMOCHLOROMETHANE			
12U	UG/KG	1,2-DIBROMOETHANE (EDB)			

A=analyte value. NA-not analyzed. NAI=interferences. L=less than value. U=presumptive evidence of presence of material.

L=analyte value is known to be less than value given. L=less than value known to be greater than value given. U=material was analyzed for but not detected. the number is the minimum quantitation limit.

RQ=requires that data unusable. compound may or may not be present. re-sampling and reanalysis is necessary for verification

Conducted by gcms: 1.when no value is reported, see the table for constituents or metabolites of technical chloro-

Sample 1075 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:30

Id/Station: MG06SS /

MD No: RS78

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS78

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
12UJ	UG/KG	DICHLORODIFLUOROMETHANE	12U	UG/KG	CHLOROBENZENE
12UJ	UG/KG	CHLOROMETHANE	12U	UG/KG	ETHYL BENZENE
12UJ	UG/KG	VINYL CHLORIDE	12U	UG/KG	TOTAL XYLENES
12U	UG/KG	BROMOMETHANE	12UR	UG/KG	STYRENE
12U	UG/KG	CHLOROETHANE	12U	UG/KG	BROMOFORM
12U	UG/KG	TRICHLOROFLUOROMETHANE	12U	UG/KG	ISOPROPYLBENZENE
12U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	12U	UG/KG	1,1,2,2-TETRACHLOROETHANE
12UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	12U	UG/KG	1,3-DICHLOROBENZENE
12U	UG/KG	ACETONE	12U	UG/KG	1,4-DICHLOROBENZENE
12U	UG/KG	CARBON DISULFIDE	12U	UG/KG	1,2-DICHLOROBENZENE
12U	UG/KG	METHYL ACETATE	12U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
12U	UG/KG	METHYLENE CHLORIDE	12U	UG/KG	1,2,4-TRICHLOROBENZENE
12U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
12U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	20	%	% MOISTURE
12U	UG/KG	1,1-DICHLOROETHANE			
12U	UG/KG	CIS-1,2-DICHLOROETHENE			
12U	UG/KG	METHYL ETHYL KETONE			
12U	UG/KG	CHLOROFORM			
12U	UG/KG	1,1,1-TRICHLOROETHANE			
12U	UG/KG	CYCLOHEXANE			
12U	UG/KG	CARBON TETRACHLORIDE			
12U	UG/KG	BENZENE			
12U	UG/KG	1,2-DICHLOROETHANE			
12U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
12U	UG/KG	METHYLCYCLOHEXANE			
12U	UG/KG	1,2-DICHLOROPROPANE			
12U	UG/KG	BROMODICHLOROMETHANE			
12U	UG/KG	CIS-1,3-DICHLOROPROPENE			
12U	UG/KG	METHYL ISOBUTYL KETONE			
12U	UG/KG	TOLUENE			
12U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
12U	UG/KG	1,1,2-TRICHLOROETHANE			
12U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
12U	UG/KG	METHYL BUTYL KETONE			
12U	UG/KG	DIBROMOCHLOROMETHANE			
12U	UG/KG	1,2-DIBROMOETHANE (DBE)			

A-average value. NA-not analyzed. NAI-interferences. The number value is presumptive evidence of presence of material.

R-actual value is known to be less than value given. L-actual value is known to be greater than value given. If material was analyzed but not detected, the number is the minimum quantitation limit.

BU- indicates that data unusable. compound may or may not be present. re-sampling and reanalysis is necessary for verification.

Calculated by gcms: 1.when no value is reported, see column for detection limit. 2. constituents or metabolites. 3. technical chlorobenzene.

Sample 1074 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:10

Id/Station: MG04SBA /

MD No: RS77

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS77

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
270J	UG/KG	4 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average value, B-backup sample, CAI-interferences, J-estimated value, N-presumptive evidence, P-presence of multiple

K-actual value is known to be less than value given, L-actual value is known to be greater than value given, U-unknown, W-was analyzed for but not detected, the number in the parentheses after the unit

R-qq indicates that the compound may or may not be present, resampling, and to marginally, resampling for confirmation,

C-confirmed by a second analysis, see chlordane constituents 2, constants in method 814-814 technical chlordane

Sample 1076 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF Case No: 27562

Beginning: 11/09/1999 14:50

Id/Station: MG06SBA / MD No: RS79

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12") D No: RS79

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
12UJ	UG/KG	DICHLORODIFLUOROMETHANE	12U	UG/KG	CHLOROBENZENE
12UJ	UG/KG	CHLOROMETHANE	12U	UG/KG	ETHYL BENZENE
12UJ	UG/KG	VINYL CHLORIDE	12U	UG/KG	TOTAL XYLENES
12U	UG/KG	BROMOMETHANE	12UR	UG/KG	STYRENE
12U	UG/KG	CHLOROETHANE	12U	UG/KG	BROMOFORM
12U	UG/KG	TRICHLOROFLUOROMETHANE	12U	UG/KG	ISOPROPYL BENZENE
12U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	12U	UG/KG	1,1,2,2-TETRACHLOROETHANE
12UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	12U	UG/KG	1,3-DICHLOROBENZENE
12U	UG/KG	ACETONE	12U	UG/KG	1,4-DICHLOROBENZENE
12U	UG/KG	CARBON DISULFIDE	12U	UG/KG	1,2-DICHLOROBENZENE
12U	UG/KG	METHYL ACETATE	12U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
12U	UG/KG	METHYLENE CHLORIDE	12U	UG/KG	1,2,4-TRICHLOROBENZENE
12U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
12U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	14	%	% MOISTURE
12U	UG/KG	1,1-DICHLOROETHANE			
12U	UG/KG	CIS-1,2-DICHLOROETHENE			
12U	UG/KG	METHYL ETHYL KETONE			
12U	UG/KG	CHLOROFORM			
12U	UG/KG	1,1,1-TRICHLOROETHANE			
12U	UG/KG	CYCLOHEXANE			
12U	UG/KG	CARBON TETRACHLORIDE			
12U	UG/KG	BENZENE			
12U	UG/KG	1,2-DICHLOROETHANE			
12U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
12U	UG/KG	METHYLCYCLOHEXANE			
12U	UG/KG	1,2-DICHLOROPROPANE			
12U	UG/KG	BROMODICHLOROMETHANE			
12U	UG/KG	CIS-1,3-DICHLOROPROPENE			
12U	UG/KG	METHYL ISOBUTYL KETONE			
12U	UG/KG	TOLUENE			
12U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
12U	UG/KG	1,1,2-TRICHLOROETHANE			
12U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
12U	UG/KG	METHYL BUTYL KETONE			
12U	UG/KG	DIBROMOCHLOROMETHANE			
12U	UG/KG	1,2-DIBROMOETHANE (EDB)			

Average value. NA-not analyzed. NAI-interference. P-presumptive evidence of presence of material

R-Relative value is known to be less than value given, L-Relative value is known to be greater than value given, U-material was analyzed for but not detected, the number is the minimum quantitation limit.

R- indicates that data unusable, comp and may be necessary for re-sampling and reanalysis is necessary for verification.

(C) confirmed by gcms: 1.when no value is reported, the value is zero 2.constituents or metabolites of technical origin

Sample 1077 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 15:45

Id/Station: MG07SBA /

MD No: RS80

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS80

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
11UJ	UG/KG	DICHLORODIFLUOROMETHANE
11UJ	UG/KG	CHLOROMETHANE
11UJ	UG/KG	VINYL CHLORIDE
11U	UG/KG	BROMOMETHANE
11U	UG/KG	CHLOROETHANE
11U	UG/KG	TRICHLOROFLUOROMETHANE
11U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)
11UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)
69U	UG/KG	ACETONE
11U	UG/KG	CARBON DISULFIDE
11U	UG/KG	METHYL ACETATE
11U	UG/KG	METHYLENE CHLORIDE
11U	UG/KG	TRANS-1,2-DICHLOROETHENE
11U	UG/KG	METHYL T-BUTYL ETHER (MTBE)
11U	UG/KG	1,1-DICHLOROETHANE
11U	UG/KG	CIS-1,2-DICHLOROETHENE
11U	UG/KG	METHYL ETHYL KETONE
11U	UG/KG	CHLOROFORM
11U	UG/KG	1,1,1-TRICHLOROETHANE
11U	UG/KG	CYCLOHEXANE
11U	UG/KG	CARBON TETRACHLORIDE
11U	UG/KG	BENZENE
11U	UG/KG	1,2-DICHLOROETHANE
11U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)
11U	UG/KG	METHYLCYCLOHEXANE
11U	UG/KG	1,2-DICHLOROPROPANE
11U	UG/KG	BROMODICHLOROMETHANE
11U	UG/KG	CIS-1,3-DICHLOROPROPENE
11U	UG/KG	METHYL ISOBUTYL KETONE
11U	UG/KG	TOLUENE
11U	UG/KG	TRANS-1,3-DICHLOROPROPENE
11U	UG/KG	1,1,2-TRICHLOROETHANE
11U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)
11U	UG/KG	METHYL BUTYL KETONE
11U	UG/KG	DIBROMOCHLOROETHANE
11U	UG/KG	1,2-DIBROMOETHANE (EDB)

RESULTS	UNITS	ANALYTE
11U	UG/KG	CHLOROBENZENE
11U	UG/KG	ETHYL BENZENE
11U	UG/KG	TOTAL XYLENES
11UR	UG/KG	STYRENE
11U	UG/KG	BROMOFORM
11U	UG/KG	ISOPROPYLBENZENE
11U	UG/KG	1,1,2,2-TETRACHLOROETHANE
11U	UG/KG	1,3-DICHLOROBENZENE
11U	UG/KG	1,4-DICHLOROBENZENE
11U	UG/KG	1,2-DICHLOROBENZENE
11U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
11U	UG/KG	1,2,4-TRICHLOROBENZENE
NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
10	%	% MOISTURE

A-average value. NA-not analyzed. NAI-not analyzed. N-presumptive evidence of presence of material. R-actual value is known to be less than value given. U-material was not detected. The number is the minimum quantitation limit. R-qt indicates that data unusable. 1 when no value is reported. 2 when sampling and reanalysis is necessary for verification. 3-confirmed by GC/MS. 1 when no value is reported. 2-constituents or metabolites of technical grade.

Sample 1077 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 15:45

Id/Station: MG07SBA /

MD No: RS80

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS80

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
220J	UG/KG	3 LABORATORY ARTIFACTS

DATA REPRODUCED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

A-average; B-not detected; C-NAI-interferences; J-estimated value; N-prescription and
K-actual value is known to be greater than value given; L-actual value is known to be greater than
R-quantity of data indicates compound may or may not be present; S-resampling and/or
C-continued monitoring; value is reported, see chlordane constituents; U-material was analyzed for but not detected, the number
indicates the number of samples analyzed; U-material was analyzed for but not detected, the number indicates the number of samples analyzed.
Qualities of technical chlordane

Sample 1078 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 17:00

Id/Station: MG07SBB /

MD No: RS81

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS81

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
11UJ	UG/KG	DICHLORODIFLUOROMETHANE
11UJ	UG/KG	CHLOROMETHANE
11UJ	UG/KG	VINYL CHLORIDE
11U	UG/KG	BROMOMETHANE
11U	UG/KG	CHLOROETHANE
11U	UG/KG	TRICHLOROFLUOROMETHANE
11U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)
11UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)
11U	UG/KG	ACETONE
11U	UG/KG	CARBON DISULFIDE
11U	UG/KG	METHYL ACETATE
11U	UG/KG	METHYLENE CHLORIDE
11U	UG/KG	TRANS-1,2-DICHLOROETHENE
11U	UG/KG	METHYL T-BUTYL ETHER (MTBE)
11U	UG/KG	1,1-DICHLOROETHANE
11U	UG/KG	CIS-1,2-DICHLOROETHENE
11U	UG/KG	METHYL ETHYL KETONE
11U	UG/KG	CHLOROFORM
11U	UG/KG	1,1,1-TRICHLOROETHANE
11U	UG/KG	CYCLOHEXANE
11U	UG/KG	CARBON TETRACHLORIDE
11U	UG/KG	BENZENE
11U	UG/KG	1,2-DICHLOROETHANE
11U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)
11U	UG/KG	METHYLCYCLOHEXANE
11U	UG/KG	1,2-DICHLOROPROPANE
11U	UG/KG	BROMODICHLOROMETHANE
11U	UG/KG	CIS-1,3-DICHLOROPROPENE
11U	UG/KG	METHYL ISOBUTYL KETONE
11U	UG/KG	TOLUENE
11U	UG/KG	TRANS-1,3-DICHLOROPROPENE
11U	UG/KG	1,1,2-TRICHLOROETHANE
11U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)
11U	UG/KG	METHYL BUTYL KETONE
11U	UG/KG	DIBROMOCHLOROMETHANE
11U	UG/KG	1,2-DIBROMOETHANE (EDB)

RESULTS	UNITS	ANALYTE
11U	UG/KG	CHLOROENZENE
11U	UG/KG	ETHYL BENZENE
11U	UG/KG	TOTAL XYLENES
11UR	UG/KG	STYRENE
11U	UG/KG	BROMOFORM
11U	UG/KG	ISOPROPYLBENZENE
11U	UG/KG	1,1,2,2-TETRACHLOROETHANE
11U	UG/KG	1,3-DICHLOROENZENE
11U	UG/KG	1,4-DICHLOROENZENE
11U	UG/KG	1,2-DICHLOROENZENE
11U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
11U	UG/KG	1,2,4-TRICHLOROENZENE
NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
12	%	% MOISTURE

A-average value. NA-not analyzed. NAt-anticipated. N-estimated value. N-presumptive evidence of presence of analyte.
 K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-unknown. U-not detected. the number is the minimum quantity tested.
 P-qc indicates that data unusable. reanalysis is necessary. R-qc indicates that data unusable. reanalysis is necessary. R-qc indicates that data unusable. reanalysis is necessary.
 C-confirmed by gc/ms. 1.when no values reported. 2.constituents or metabolites of technical equipment.

Sample 1078 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 17:00

Id/Station: MG07SBB /

MD No: RS81

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS81

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
220J	UG/KG	2 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

Analyzed as follows: NAI-interferences. J-estimated value. L-actual value is known to be less than value given. U-actual value is known to be greater than value given. ND-not detected. P-presence of material. Q-quantity of material was analyzed for but not detected. S-quantity of material was analyzed for but not detected. T-quantity of material was analyzed for but not detected. V-quantity of material was analyzed for but not detected. W-quantity of material was analyzed for but not detected. X-quantity of material was analyzed for but not detected. Y-quantity of material was analyzed for but not detected. Z-quantity of material was analyzed for but not detected.

Most compounds may or may not be present, but if present, the value reported is the concentration of the compound in the sample. If a value is reported, see chemical constituents table for the name of the compound.

The presence of material.

Quantitation limit.

The presence of technical chlordane.

Sample 1079 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 16:00

Id/Station: MG08SS /

MD No: RS84

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS84

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
12UJ	UG/KG	DICHLORODIFLUOROMETHANE
12UJ	UG/KG	CHLOROMETHANE
12UJ	UG/KG	VINYL CHLORIDE
12U	UG/KG	BROMOMETHANE
12U	UG/KG	CHLOROETHANE
12U	UG/KG	TRICHLOROFLUOROMETHANE
12U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)
12UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)
12U	UG/KG	ACETONE
12U	UG/KG	CARBON DISULFIDE
12U	UG/KG	METHYL ACETATE
12U	UG/KG	METHYLENE CHLORIDE
12U	UG/KG	TRANS-1,2-DICHLOROETHENE
12U	UG/KG	METHYL T-BUTYL ETHER (MTBE)
12U	UG/KG	1,1-DICHLOROETHANE
12U	UG/KG	CIS-1,2-DICHLOROETHENE
12U	UG/KG	METHYL ETHYL KETONE
12U	UG/KG	CHLOROFORM
12U	UG/KG	1,1,1-TRICHLOROETHANE
12U	UG/KG	CYCLOHEXANE
12U	UG/KG	CARBON TETRACHLORIDE
12U	UG/KG	BENZENE
12U	UG/KG	1,2-DICHLOROETHANE
12U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)
12U	UG/KG	METHYLCYCLOHEXANE
12U	UG/KG	1,2-DICHLOROPROPANE
12U	UG/KG	BROMODICHLOROMETHANE
12U	UG/KG	CIS-1,3-DICHLOROPROPENE
12UJ	UG/KG	METHYL ISOBUTYL KETONE
12UJ	UG/KG	TOLUENE
12UJ	UG/KG	TRANS-1,3-DICHLOROPROPENE
12UJ	UG/KG	1,1,2-TRICHLOROETHANE
12UJ	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)
12UJ	UG/KG	METHYL BUTYL KETONE
12UJ	UG/KG	DIBROMOCHLOROMETHANE
12UJ	UG/KG	1,2-DIBROMOETHANE (EDB)

RESULTS	UNITS	ANALYTE
12UJ	UG/KG	CHLOROBENZENE
12UJ	UG/KG	ETHYL BENZENE
12UJ	UG/KG	TOTAL XYLENES
12UR	UG/KG	STYRENE
12UJ	UG/KG	BROMOFORM
12UJ	UG/KG	ISOPROPYLBENZENE
12UJ	UG/KG	1,1,2,2-TETRACHLOROETHANE
12UJ	UG/KG	1,3-DICHLOROBENZENE
12UJ	UG/KG	1,4-DICHLOROBENZENE
12UJ	UG/KG	1,2-DICHLOROBENZENE
12UJ	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
12UJ	UG/KG	1,2,4-TRICHLOROBENZENE
NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
18	%	% MOISTURE

A-average value; NA-not analyzed; NA-intermediate or presumptive value; N-presumptive evidence of presence of material.

K-actual value is known to be less than value given; L-actual value is known to be greater than value given; U-material was analyzed but not detected, the number is the minimum quantitation level.

R-qc indicates that data unreliable and reanalysis is necessary; R-qc indicates that data unreliable and reanalysis is necessary.

C-confirmed by GCMS. 1,when reanalysis is necessary for volatile organic constituents 2.constituents or metalurities of total organic carbon.

Sample 1079 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 16:00

Id/Station: MG08SS /

MD No: RS84

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS84

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
230J	UG/KG	4 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

- 0 - average value. NA-not analyzed. NAI-interferences. U-estimated value. N - no evidence of presence of material.
- L - actual value known to be less than value given. L - actual value known to be more than value given. U-material was analyzed but not quantitated because the number is the minimum quantitation limit.
- U - indicating that data unusable. compound may or may not be present. reanalysis is necessary for verification
- 1 - reported to 0.001. when no value is reported, see child file for details. 2 - artifacts or metabolites of technical chlordane

Sample 1080 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 16:20

Id/Station: MG08SBA /

MD No: RS85

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS85

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
12UJ	UG/KG	DICHLORODIFLUOROMETHANE	12U	UG/KG	CHLOROBENZENE
12UJ	UG/KG	CHLOROMETHANE	12U	UG/KG	ETHYL BENZENE
12UJ	UG/KG	VINYL CHLORIDE	12U	UG/KG	TOTAL XYLENES
12U	UG/KG	BROMOMETHANE	12UR	UG/KG	STYRENE
12U	UG/KG	CHLOROETHANE	12U	UG/KG	BROMOFORM
12U	UG/KG	TRICHLOROFLUOROMETHANE	12U	UG/KG	ISOPROPYLBENZENE
12U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	12U	UG/KG	1,1,2,2-TETRACHLOROETHANE
12UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	12U	UG/KG	1,3-DICHLOROBENZENE
12U	UG/KG	ACETONE	12U	UG/KG	1,4-DICHLOROBENZENE
12U	UG/KG	CARBON DISULFIDE	12U	UG/KG	1,2-DICHLOROBENZENE
12U	UG/KG	METHYL ACETATE	12U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
12U	UG/KG	METHYLENE CHLORIDE	12U	UG/KG	1,2,4-TRICHLOROBENZENE
12U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
12U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	14	%	% MOISTURE
12U	UG/KG	1,1-DICHLOROETHANE			
12U	UG/KG	CIS-1,2-DICHLOROETHENE			
12U	UG/KG	METHYL ETHYL KETONE			
12U	UG/KG	CHLOROFORM			
12U	UG/KG	1,1,1-TRICHLOROETHANE			
12U	UG/KG	CYCLOHEXANE			
12U	UG/KG	CARBON TETRACHLORIDE			
12U	UG/KG	BENZENE			
12U	UG/KG	1,2-DICHLOROETHANE			
12U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
12U	UG/KG	METHYLCYCLOHEXANE			
12U	UG/KG	1,2-DICHLOROPROPANE			
12U	UG/KG	BROMODICHLOROMETHANE			
12U	UG/KG	CIS-1,3-DICHLOROPROPENE			
12U	UG/KG	METHYL ISOBUTYL KETONE			
12U	UG/KG	TOLUENE			
12U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
12U	UG/KG	1,1,2-TRICHLOROETHANE			
12U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
12U	UG/KG	METHYL BUTYL KETONE			
12U	UG/KG	DIBROMOCHLOROMETHANE			
12U	UG/KG	1,2-DIBROMOETHANE (DBP)			

Average value. NA-not analyzed. NAI-interfered or not identified. U-unreliable. L-less than value given. H-greater than value given. UH-unreliable and greater than value given. UH-1. The number is the minimum quantitation limit. R-re-sampling and reanalysis is necessary. 1. The number is the minimum quantitation limit. 2. constituents or metabolites of technical grade.

Average value. NA-not analyzed. NAI-interfered or not identified. U-unreliable. L-less than value given. H-greater than value given. UH-unreliable and greater than value given. UH-1. The number is the minimum quantitation limit. R-re-sampling and reanalysis is necessary. 1. The number is the minimum quantitation limit. 2. constituents or metabolites of technical grade.

Sample 1080 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 16:20

Id/Station: MG08SBA /

MD No: RS85

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS85

Org Contractor: LIBRTY

RESULTS UNITS ANALYTE

350J UG/KG 3 LABORATORY ARTIFACTS

DATA REPORT IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

Acme was utilized for
Kluge in the event of
Rack. Indicates that
C. 10/10/1999

...interferences. J-estimated value. If present
...value given. L-actual value is known to be present
...compound may or may not be present. See
...is reported, see chlorine gas, etc.

...presence of material.

...material was analyzed for but not detected. The
...primary for verification.
...technical chlordane

Sample 1081 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 17:15

Id/Station: MG09SBA /

MD No: RS86

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS86

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
13UJ	UG/KG	DICHLORODIFLUOROMETHANE
13UJ	UG/KG	CHLOROMETHANE
13UJ	UG/KG	VINYL CHLORIDE
13U	UG/KG	BROMOMETHANE
13U	UG/KG	CHLOROETHANE
13U	UG/KG	TRICHLOROFLUOROMETHANE
13U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)
13UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)
13U	UG/KG	ACETONE
13U	UG/KG	CARBON DISULFIDE
13U	UG/KG	METHYL ACETATE
13U	UG/KG	METHYLENE CHLORIDE
13U	UG/KG	TRANS-1,2-DICHLOROETHENE
13U	UG/KG	METHYL T-BUTYL ETHER (MTBE)
13U	UG/KG	1,1-DICHLOROETHANE
13U	UG/KG	CIS-1,2-DICHLOROETHENE
13U	UG/KG	METHYL ETHYL KETONE
13U	UG/KG	CHLOROFORM
13U	UG/KG	1,1,1-TRICHLOROETHANE
13U	UG/KG	CYCLOHEXANE
13U	UG/KG	CARBON TETRACHLORIDE
13U	UG/KG	BENZENE
13U	UG/KG	1,2-DICHLOROETHANE
13U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)
13U	UG/KG	METHYLCYCLOHEXANE
13U	UG/KG	1,2-DICHLOROPROPANE
13U	UG/KG	BROMODICHLOROMETHANE
13U	UG/KG	CIS-1,3-DICHLOROPROPENE
13U	UG/KG	METHYL ISOBUTYL KETONE
13U	UG/KG	TOLUENE
13U	UG/KG	TRANS-1,3-DICHLOROPROPENE
13U	UG/KG	1,1,2-TRICHLOROETHANE
13U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)
13U	UG/KG	METHYL BUTYL KETONE
13U	UG/KG	DIBROMOCHLOROMETHANE
13U	UG/KG	1,2-DIBROMOETHANE (EDB)

RESULTS	UNITS	ANALYTE
13U	UG/KG	CHLOROBENZENE
13U	UG/KG	ETHYL BENZENE
13U	UG/KG	TOTAL XYLENES
13UR	UG/KG	STYRENE
13U	UG/KG	BROMOFORM
13U	UG/KG	ISOPROPYLBENZENE
13U	UG/KG	1,1,2,2-TETRACHLOROETHANE
13U	UG/KG	1,3-DICHLOROBENZENE
13U	UG/KG	1,4-DICHLOROBENZENE
13U	UG/KG	1,2-DICHLOROBENZENE
13U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
13U	UG/KG	1,2,4-TRICHLOROBENZENE
NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
22	%	% MOISTURE

A-average value. NA-not analyzed. NAI-not analyzed. N-presumptive evidence of presence of moisture.

K-actual value is known to be less than value given. K-greater than value given. U-unknown value. U-number is the minimum quantitation limit.

R-qc indicates that data unusable. complete reanalysis, re-sampling and reanalysis is necessary for confirmation.

C-confirmed by gcms: 1.when no value is reported for a constituent; 2.constituents or metabolites of technical materials.

Sample 1081 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 17:15

Id/Station: MG09SBA /

MD No: RS86

Inorg Contractor: SENTIN

Media: SUBSURFACE SOIL (> 12")

D No: RS86

Org Contractor: LIBRTY

Ending:

RESULTS	UNITS	ANALYTE
45J	UG/KG	2 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

N=not analyzed, NAI=interferences, J=estimated value, L=actual value, <=value of material.

L should never be less than value given. L-actual value is shown if the amount of material analyzed for but not detected. If not detected, it is below the detection limit.

If not detected, it is below the detection limit. Compound may or may not be present. See EPA 8160-G-99-001 for necessary for verification.

When a value is reported, see chlordane column for the compound name. If not reported, it is not technical chlordane.

Sample 1082 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 08:45

Id/Station: MG07SBC /

MD No: RS87

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS87

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
11UJ	UG/KG	DICHLORODIFLUOROMETHANE	11U	UG/KG	CHLOROBENZENE
11U	UG/KG	CHLOROMETHANE	11U	UG/KG	ETHYL BENZENE
11U	UG/KG	VINYL CHLORIDE	11U	UG/KG	TOTAL XYLENES
11U	UG/KG	BROMOMETHANE	11UR	UG/KG	STYRENE
11U	UG/KG	CHLOROETHANE	11U	UG/KG	BROMOFORM
11U	UG/KG	TRICHLOROFLUOROMETHANE	11U	UG/KG	ISOPROPYLBENZENE
11U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	11U	UG/KG	1,1,2,2-TETRACHLOROETHANE
11UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	11U	UG/KG	1,3-DICHLOROENZENE
11U	UG/KG	ACETONE	11U	UG/KG	1,4-DICHLOROENZENE
11U	UG/KG	CARBON DISULFIDE	11U	UG/KG	1,2-DICHLOROENZENE
11U	UG/KG	METHYL ACETATE	11U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
11U	UG/KG	METHYLENE CHLORIDE	11U	UG/KG	1,2,4-TRICHLOROENZENE
11U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
11U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	12	%	% MOISTURE
11U	UG/KG	1,1-DICHLOROETHANE			
11U	UG/KG	CIS-1,2-DICHLOROETHENE			
11U	UG/KG	METHYL ETHYL KETONE			
11U	UG/KG	CHLOROFORM			
11U	UG/KG	1,1,1-TRICHLOROETHANE			
11U	UG/KG	CYCLOHEXANE			
11U	UG/KG	CARBON TETRACHLORIDE			
11U	UG/KG	BENZENE			
11U	UG/KG	1,2-DICHLOROETHANE			
11U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
11U	UG/KG	METHYLCYCLOHEXANE			
11U	UG/KG	1,2-DICHLOROPROPANE			
11U	UG/KG	BROMODICHLOROMETHANE			
11U	UG/KG	CIS-1,3-DICHLOROPROPENE			
11U	UG/KG	METHYL ISOBUTYL KETONE			
11U	UG/KG	TOLUENE			
11U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
11U	UG/KG	1,1,2-TRICHLOROETHANE			
11U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
11U	UG/KG	METHYL BUTYL KETONE			
11U	UG/KG	DIBROMOCHLOROMETHANE			
11U	UG/KG	1,2-DIBROMOETHANE (DIB)			

A-average value. NA-not analyzed. NAL-not analyzed. NALQ-not analyzed. N-presumptive evidence of presence of analyte.

K-actual value is known to be less than or equal to the value given. LQ-known to be greater than value given. LQ-minimum quantity.

R-qc indicates that data available through reanalysis is not present. resampling and reanalysis is necessary for confirmation.

C-confirmed by grams: 1.whole analyte 2.constituents 3.constituents of metabolites of the analyte

Sample 1082 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF Case No: 27562

Beginning: 11/10/1999 08:45

Id/Station: MG07SBC / MD No: RS87

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12") D No: RS87

Org Contractor: LIBRTY

RESULTS UNITS ANALYTE
270J UG/KG 3 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NOT VERIFIED

1. Compounds which were not analyzed. NAI-interferences. J-estimated value. N-never analyzed. U-unknown. U-material was analyzed for but not detected. U-number is the minimum quantitation limit.
2. Actual value shown to be less than value given. L-actual value is less than value given. U-material was analyzed for but not detected. U-number is the minimum quantitation limit.
3. Estimated value shown to be unusable. compound may or may not be present. U-number is the minimum quantitation limit. U-number is necessary for verification.
4. Estimated value shown. When no value is reported, see chlordane. U-number is the minimum quantitation limit. U-number is necessary for verification. U-number is the minimum quantitation limit.

Sample 1083 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 10:15

Id/Station: MG07SS /

MD No: RS88

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS88

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
11UJ	UG/KG	DICHLORODIFLUOROMETHANE
11U	UG/KG	CHLOROMETHANE
11U	UG/KG	VINYL CHLORIDE
11U	UG/KG	BROMOMETHANE
11U	UG/KG	CHLOROETHANE
11U	UG/KG	TRICHLOROFLUOROMETHANE
11U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)
11UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)
11U	UG/KG	ACETONE
11U	UG/KG	CARBON DISULFIDE
11U	UG/KG	METHYL ACETATE
11U	UG/KG	METHYLENE CHLORIDE
11U	UG/KG	TRANS-1,2-DICHLOROETHENE
11U	UG/KG	METHYL T-BUTYL ETHER (MTBE)
11U	UG/KG	1,1-DICHLOROETHANE
11U	UG/KG	CIS-1,2-DICHLOROETHENE
11U	UG/KG	METHYL ETHYL KETONE
11U	UG/KG	CHLOROFORM
11U	UG/KG	1,1,1-TRICHLOROETHANE
11U	UG/KG	CYCLOHEXANE
11U	UG/KG	CARBON TETRACHLORIDE
11U	UG/KG	BENZENE
11U	UG/KG	1,2-DICHLOROETHANE
11U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)
11U	UG/KG	METHYLCYCLOHEXANE
11U	UG/KG	1,2-DICHLOROPROPANE
11U	UG/KG	BROMODICHLOROMETHANE
11U	UG/KG	CIS-1,3-DICHLOROPROPENE
11U	UG/KG	METHYL ISOBUTYL KETONE
11U	UG/KG	TOLUENE
11U	UG/KG	TRANS-1,3-DICHLOROPROPENE
11U	UG/KG	1,1,2-TRICHLOROETHANE
11U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)
11U	UG/KG	METHYL BUTYL KETONE
11U	UG/KG	DIBROMODICHLOROMETHANE
11U	UG/KG	1,2-DIBROMOETHANE (E-DB)

RESULTS	UNITS	ANALYTE
11U	UG/KG	CHLOROBENZENE
11U	UG/KG	ETHYL BENZENE
11U	UG/KG	TOTAL XYLENES
11UR	UG/KG	STYRENE
11U	UG/KG	BROMOFORM
11U	UG/KG	ISOPROPYLBENZENE
11U	UG/KG	1,1,2,2-TETRACHLOROETHANE
11U	UG/KG	1,3-DICHLOROBENZENE
11U	UG/KG	1,4-DICHLOROBENZENE
11U	UG/KG	1,2-DICHLOROBENZENE
11U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
11U	UG/KG	1,2,4-TRICHLOROBENZENE
NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
12	%	% MOISTURE

A-average value. NA-not analyzed. NAL-not analyzed. NAL value. N-presumptive evidence of presence.

K-actual value is known to be less than value given. K-actual value is known to be greater than value given. L-actual value is less than value detected. the number is the minimum concentration.

R-qc indicates that data quality is acceptable. R-actual value is present. resampling and reanalysis is necessary.

C-confirmed by GCMS: 1.when no other method is used. 2.constituents or metabolites.

Sample 1083 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF Case No: 27562

Beginning: 11/10/1999 10:15

Id/Station: MG07SS / MD No: RS88

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12") D No: RS88

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
300J	UG/KG	3 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - IDS NO. 1083

NAI-not analyzed. NAI-interferences. U-estimate. U-actual value. U-actual value. U-actual value. U-actual value. U-actual value.

presence of material. U-material was analyzed for but not detected. U-material was analyzed for but not detected. U-material was analyzed for but not detected.

Sample 1084 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 14:00

Id/Station: MG10SBA /

MD No: RS89

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS89

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
11UJ	UG/KG	DICHLORODIFLUOROMETHANE	11U	UG/KG	CHLORO BENZENE
11U	UG/KG	CHLOROMETHANE	11U	UG/KG	ETHYL BENZENE
11U	UG/KG	VINYL CHLORIDE	11U	UG/KG	TOTAL XYLENES
11U	UG/KG	BROMOMETHANE	11UR	UG/KG	STYRENE
11U	UG/KG	CHLOROETHANE	11U	UG/KG	BROMOFORM
11U	UG/KG	TRICHLOROFLUOROMETHANE	11U	UG/KG	ISOPROPYL BENZENE
11U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	11U	UG/KG	1,1,2,2-TETRACHLOROETHANE
11UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	11U	UG/KG	1,3-DICHLORO BENZENE
11U	UG/KG	ACETONE	11U	UG/KG	1,4-DICHLORO BENZENE
11U	UG/KG	CARBON DISULFIDE	11U	UG/KG	1,2-DICHLORO BENZENE
11U	UG/KG	METHYL ACETATE	11U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
11U	UG/KG	METHYLENE CHLORIDE	11U	UG/KG	1,2,4-TRICHLORO BENZENE
11U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
11U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	9	%	% MOISTURE
11U	UG/KG	1,1-DICHLOROETHANE			
11U	UG/KG	CIS-1,2-DICHLOROETHENE			
11U	UG/KG	METHYL ETHYL KETONE			
11U	UG/KG	CHLOROFORM			
11U	UG/KG	1,1,1-TRICHLOROETHANE			
11U	UG/KG	CYCLOHEXANE			
11U	UG/KG	CARBON TETRACHLORIDE			
11U	UG/KG	BENZENE			
11U	UG/KG	1,2-DICHLOROETHANE			
11U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
11U	UG/KG	METHYLCYCLOHEXANE			
11U	UG/KG	1,2-DICHLOROPROPANE			
11U	UG/KG	BROMODICHLOROMETHANE			
11U	UG/KG	CIS-1,3-DICHLOROPROPENE			
11U	UG/KG	METHYL ISOBUTYL KETONE			
11U	UG/KG	TOLUENE			
11U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
11U	UG/KG	1,1,2-TRICHLOROETHANE			
11U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
11U	UG/KG	METHYL BUTYL KETONE			
11U	UG/KG	DIBROMOCHLOROMETHANE			
11U	UG/KG	1,2-DIBROMOETHANE (EDB)			

A-average value. NA-not analyzed. 1.estimated value. N-presumptive evidence of presence of constituent.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. ND-not detected. the number is the minimum sample size.

R-qc indicates that data meets quality control criteria. R-qc indicates that data meets quality control criteria. resampling and reanalysis is not required for this data.

C-confirmed by gauss. 1.constituents 2.constituents 3.metabolites 4.constituents

Sample 1085 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Facility: CTS of Asheville Inc

Skyland, NC

Requestor:

Program: NSF

Case No: 27562

Project Leader: DRIGGER

Id/Station: MG10SBB /

MD No: RS90

Inorg Contractor: SENTIN

Beginning: 11/10/1999 15:00

Media: SUBSURFACE SOIL (> 12")

D No: RS90

Org Contractor: LIBRTY

Ending:

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
12UJ	UG/KG	DICHLORODIFLUOROMETHANE	12U	UG/KG	CHLOROBENZENE
12U	UG/KG	CHLOROMETHANE	12U	UG/KG	ETHYL BENZENE
12U	UG/KG	VINYL CHLORIDE	12U	UG/KG	TOTAL XYLENES
12U	UG/KG	BROMOMETHANE	12UR	UG/KG	STYRENE
12U	UG/KG	CHLOROETHANE	12U	UG/KG	BROMOFORM
12U	UG/KG	TRICHLOROFLUOROMETHANE	12U	UG/KG	ISOPROPYLBENZENE
12U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	12U	UG/KG	1,1,2,2-TETRACHLOROETHANE
12UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	12U	UG/KG	1,3-DICHLOROBENZENE
12U	UG/KG	ACETONE	12U	UG/KG	1,4-DICHLOROBENZENE
12U	UG/KG	CARBON DISULFIDE	12U	UG/KG	1,2-DICHLOROBENZENE
12U	UG/KG	METHYL ACETATE	12U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
12U	UG/KG	METHYLENE CHLORIDE	12U	UG/KG	1,2,4-TRICHLOROBENZENE
12U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
12U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	14	%	% MOISTURE
12U	UG/KG	1,1-DICHLOROETHANE			
12U	UG/KG	CIS-1,2-DICHLOROETHENE			
12U	UG/KG	METHYL ETHYL KETONE			
12U	UG/KG	CHLOROFORM			
12U	UG/KG	1,1,1-TRICHLOROETHANE			
12U	UG/KG	CYCLOHEXANE			
12U	UG/KG	CARBON TETRACHLORIDE			
12U	UG/KG	BENZENE			
12U	UG/KG	1,2-DICHLOROETHANE			
12U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
12U	UG/KG	METHYLCYCLOHEXANE			
12U	UG/KG	1,2-DICHLOROPROPANE			
12U	UG/KG	BROMODICHLOROMETHANE			
12U	UG/KG	CIS-1,3-DICHLOROPROPENE			
12U	UG/KG	METHYL ISOBUTYL KETONE			
12U	UG/KG	TOLUENE			
12U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
12U	UG/KG	1,1,2-TRICHLOROETHANE			
12U	UG/KG	TETRAFLUOROETHENE (TETRACHLOROETHYLENE)			
12U	UG/KG	METHYL BUTYL KETONE			
12U	UG/KG	DIBROMODICHLOROMETHANE			
12U	UG/KG	1,2-DIBROMOETHANE (EDB)			

A-average value. NA-not analyzed. E-estimated value. N-presumptive evidence of presence. R-actual value is known to be greater than value. R-qc indicates that data is quality controlled. R-qc not be present. re-sampling and re-analysis. C-conformed by gross. 1-at least 1 constituent. 2-constituents or more. 3-constituents or more. 4-constituents or more.

Sample 1086 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 16:15

Id/Station: MG11SBA /

MD No: RS91

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS91

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
12UJ	UG/KG	DICHLORODIFLUOROMETHANE	12U	UG/KG	CHLOROBENZENE
12U	UG/KG	CHLOROMETHANE	12U	UG/KG	ETHYL BENZENE
12U	UG/KG	VINYL CHLORIDE	12U	UG/KG	TOTAL XYLENES
12U	UG/KG	BROMOMETHANE	12UR	UG/KG	STYRENE
12U	UG/KG	CHLOROETHANE	12U	UG/KG	BROMOFORM
12U	UG/KG	TRICHLOROFLUOROMETHANE	12U	UG/KG	ISOPROPYLBENZENE
12U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	12U	UG/KG	1,1,2,2-TETRACHLOROETHANE
12UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	12U	UG/KG	1,3-DICHLOROBENZENE
12U	UG/KG	ACETONE	12U	UG/KG	1,4-DICHLOROBENZENE
12U	UG/KG	CARBON DISULFIDE	12U	UG/KG	1,2-DICHLOROBENZENE
12U	UG/KG	METHYL ACETATE	12U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
12U	UG/KG	METHYLENE CHLORIDE	12U	UG/KG	1,2,4-TRICHLOROBENZENE
12U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
12U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	20	%	% MOISTURE
12U	UG/KG	1,1-DICHLOROETHANE			
12U	UG/KG	CIS-1,2-DICHLOROETHENE			
12U	UG/KG	METHYL ETHYL KETONE			
12U	UG/KG	CHLOROFORM			
12U	UG/KG	1,1,1-TRICHLOROETHANE			
12U	UG/KG	CYCLOHEXANE			
12U	UG/KG	CARBON TETRACHLORIDE			
12U	UG/KG	BENZENE			
12U	UG/KG	1,2-DICHLOROETHANE			
12U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
12U	UG/KG	METHYLCYCLOHEXANE			
12U	UG/KG	1,2-DICHLOROPROPANE			
12U	UG/KG	BROMODICHLOROMETHANE			
12U	UG/KG	CIS-1,3-DICHLOROPROPENE			
12U	UG/KG	METHYL ISOBUTYL KETONE			
12U	UG/KG	TOLUENE			
12U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
12U	UG/KG	1,1,2-TRICHLOROETHANE			
12U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
12U	UG/KG	METHYL BUTYL KETONE			
12U	UG/KG	DIBROMOCHLOROMETHANE			
12U	UG/KG	1,2-DIBROMOETHANE (EDB)			

A-average value, NA-not analyzed, U-unknown value, J-estimated value, N-presumptive evidence of presence of moisture

K-actual value is known to be less than the value shown, actual value is known to be greater than value shown, (number) is the number of samples analyzed for but not detected.

R-cc indicates that this constituent is possible, but may not be present, resampling and reanalysis is recommended.

C-c-confirmed by other methods, 1-chlordane constituents, 2-constituents of major concern, 3-constituents of minor concern.

Sample 1087 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 17:00

Id/Station: MG11SBB /

MD No: RS92

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS92

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
200J	UG/KG	2 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB - REVISED VERSION

Analytical value. NA-not analyzed. NAI-interferences. P-presumptive evidence of presence of material.

R-true value is known to be less than value given. L-true value is known to be greater than value given. U-material was analyzed but not quantified. QL-quantification limit is the minimum quantitation limit.

Flag indicates that data unusable. compound may be present. C-confirmation and reanalysis is necessary for verification.

Detection limit by gcms: 1 when no value is reported, the detection limit is for the constituents or metabolites of technical character.

Sample 1088 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 17:30

Id/Station: MG11SBC /

MD No: RS93

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS93

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
12UJ	UG/KG	DICHLORODIFLUOROMETHANE	12U	UG/KG	CHLOROBENZENE
12U	UG/KG	CHLOROMETHANE	12U	UG/KG	ETHYL BENZENE
12U	UG/KG	VINYL CHLORIDE	12U	UG/KG	TOTAL XYLENES
12U	UG/KG	BROMOMETHANE	12UR	UG/KG	STYRENE
12U	UG/KG	CHLOROETHANE	12U	UG/KG	BROMOFORM
12U	UG/KG	TRICHLOROFLUOROMETHANE	12U	UG/KG	ISOPROPYLBENZENE
12U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	12U	UG/KG	1,1,2,2-TETRACHLOROETHANE
12UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	12U	UG/KG	1,3-DICHLOROBENZENE
12U	UG/KG	ACETONE	12U	UG/KG	1,4-DICHLOROBENZENE
12U	UG/KG	CARBON DISULFIDE	12U	UG/KG	1,2-DICHLOROBENZENE
12U	UG/KG	METHYL ACETATE	12U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
12U	UG/KG	METHYLENE CHLORIDE	12U	UG/KG	1,2,4-TRICHLOROBENZENE
12U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
12U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	20	%	% MOISTURE
12U	UG/KG	1,1-DICHLOROETHANE			
12U	UG/KG	CIS-1,2-DICHLOROETHENE			
12U	UG/KG	METHYL ETHYL KETONE			
12U	UG/KG	CHLOROFORM			
12U	UG/KG	1,1,1-TRICHLOROETHANE			
12U	UG/KG	CYCLOHEXANE			
12U	UG/KG	CARBON TETRACHLORIDE			
12U	UG/KG	BENZENE			
12U	UG/KG	1,2-DICHLOROETHANE			
12U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
12U	UG/KG	METHYLCYCLOHEXANE			
12U	UG/KG	1,2-DICHLOROPROPANE			
12U	UG/KG	BROMODICHLOROMETHANE			
12U	UG/KG	CIS-1,3-DICHLOROPROPENE			
12U	UG/KG	METHYL ISOBUTYL KETONE			
12U	UG/KG	TOLUENE			
12U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
12U	UG/KG	1,1,2-TRICHLOROETHANE			
12U	UG/KG	1,1,2,2-TETRACHLOROETHANE (TETRACHLOROETHYLENE)			
12U	UG/KG	METHYL BUTYL KETONE			
12U	UG/KG	DIBROMOCHLOROMETHANE			
12U	UG/KG	1,1-DIBROMOETHANE (EDB)			

A-average value, J-estimated value, N-presumptive value, L-actual value, U-unknown value.

R-actual value, C-confirmed by another sample, D-did not analyze, L-actual value is known to be greater than the reporting limit, NA-not analyzed for but not detected, the number in the parenthesis is the reporting limit.

B-qc indicates that the sample was analyzed and may or may not be present, (re-sample if any results are reported).

C-confirmed by another sample, if any is reported, see chlordane constituents. (20-100 ug/kg is the reporting limit for chlordane)

Sample 1088 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 17:30

Id/Station: MG11SBC /

MD No: RS93

Inorg Contractor: SENTIN

Media: SUBSURFACE SOIL (> 12")

D No: RS93

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
150J	UG/KG	2 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAB 10-1101 10-1101

1. average value. NA-not analyzed. NAI-interference. 2. 100% of the
3. value is known to be less than value given. 4. 100% of the
5. indicates that data unusable. 6. 100% of the data is
7. determined by gcms. 8. 1 when no value is reported, 0 when value is

9. presumptive evidence of presence of material
10. 100% greater than value given. 11. U-material was analyzed for
12. sampling and reanalysis is necessary for verification.
13. 100% of constituents or metabolites of technical origin.

Sample 1089 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:30

Id/Station: MG12SS /

MD No: RS94

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS94

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
13UJ	UG/KG	DICHLORODIFLUOROMETHANE	13U	UG/KG	CHLOROBENZENE
13U	UG/KG	CHLOROMETHANE	13U	UG/KG	ETHYL BENZENE
13U	UG/KG	VINYL CHLORIDE	13U	UG/KG	TOTAL XYLENES
13U	UG/KG	BROMOMETHANE	13UR	UG/KG	STYRENE
13U	UG/KG	CHLOROETHANE	13U	UG/KG	BROMOFORM
13U	UG/KG	TRICHLOROFLUOROMETHANE	13U	UG/KG	ISOPROPYL BENZENE
13U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	13U	UG/KG	1,1,2,2-TETRACHLOROETHANE
13UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	13U	UG/KG	1,3-DICHLOROBENZENE
13U	UG/KG	ACETONE	13U	UG/KG	1,4-DICHLOROBENZENE
13U	UG/KG	CARBON DISULFIDE	13U	UG/KG	1,2-DICHLOROBENZENE
13U	UG/KG	METHYL ACETATE	13U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
13U	UG/KG	METHYLENE CHLORIDE	13U	UG/KG	1,2,4-TRICHLOROBENZENE
13U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
13U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	25	%	% MOISTURE
13U	UG/KG	1,1-DICHLOROETHANE			
13U	UG/KG	CIS-1,2-DICHLOROETHENE			
13U	UG/KG	METHYL ETHYL KETONE			
13U	UG/KG	CHLOROFORM			
13U	UG/KG	1,1,1-TRICHLOROETHANE			
13U	UG/KG	CYCLOHEXANE			
13U	UG/KG	CARBON TETRACHLORIDE			
13U	UG/KG	BENZENE			
13U	UG/KG	1,2-DICHLOROETHANE			
13U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
13U	UG/KG	METHYLCYCLOHEXANE			
13U	UG/KG	1,2-DICHLOROPROPANE			
13U	UG/KG	BROMODICHLOROMETHANE			
13U	UG/KG	CIS-1,3-DICHLOROPROPENE			
13U	UG/KG	METHYL ISOBUTYL KETONE			
13U	UG/KG	TOLUENE			
13U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
13U	UG/KG	1,1,2-TRICHLOROETHANE			
13U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
13U	UG/KG	METHYL BUTYL KETONE			
13U	UG/KG	DIBROMOCHLOROMETHANE			
13U	UG/KG	1,2-DIBROMOETHANE (EDB)			

A-average value, NA-not available, N/A-interferences, J-estimated value, N-procedure not used, D-duplicate of the original.

K-actual value, R-qc value, L-actual value is known to be greater than the reported value, D-duplicate was analyzed for but not detected, the number in parentheses indicates the detection limit.

R-qc indicates that the compound may or may not be present, re-sampling is required for confirmation.

C-confirmation, if the value is repeated, see chlordane constituents for the detection limit of the original chlordane.

Sample 1089 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:30

Id/Station: MG12SS /

MD No: RS94

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS94

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
180J	UG/KG	3 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED BY CLP LAL NOT VERIFIED

A: actual value, NA: not analyzed, NAI: interferences
 K: actual value is known to be less than value given
 R: indicates that data unusable, compound not
 C: confirmed by gcms; 1 when no value is reported

not value, 1: presumptive evidence of presence of material
 U: actual value is greater than value given, U: material was not analyzed
 100: 100% sampling and reanalysis is necessary for verification
 1000: 1000% constituents or metabolites of technical chemical

Sample 1090 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:10

Id/Station: MG13SS /

MD No: RS95

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS95

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE	RESULTS	UNITS	ANALYTE
11UJ	UG/KG	DICHLORODIFLUOROMETHANE	11U	UG/KG	CHLOROBENZENE
11U	UG/KG	CHLOROMETHANE	11U	UG/KG	ETHYL BENZENE
11U	UG/KG	VINYL CHLORIDE	11U	UG/KG	TOTAL XYLENES
11U	UG/KG	BROMOMETHANE	11UR	UG/KG	STYRENE
11U	UG/KG	CHLOROETHANE	11U	UG/KG	BROMOFORM
11U	UG/KG	TRICHLOROFUOROMETHANE	11U	UG/KG	ISOPROPYL BENZENE
11U	UG/KG	1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	11U	UG/KG	1,1,2,2-TETRACHLOROETHANE
11UJ	UG/KG	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	11U	UG/KG	1,3-DICHLORO BENZENE
11U	UG/KG	ACETONE	11U	UG/KG	1,4-DICHLORO BENZENE
11U	UG/KG	CARBON DISULFIDE	11U	UG/KG	1,2-DICHLORO BENZENE
11U	UG/KG	METHYL ACETATE	11U	UG/KG	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
11U	UG/KG	METHYLENE CHLORIDE	11U	UG/KG	1,2,4-TRICHLORO BENZENE
11U	UG/KG	TRANS-1,2-DICHLOROETHENE	NA	UG/KG	1,2-DICHLOROETHENE (TOTAL)
11U	UG/KG	METHYL T-BUTYL ETHER (MTBE)	7	%	% MOISTURE
11U	UG/KG	1,1-DICHLOROETHANE			
11U	UG/KG	CIS-1,2-DICHLOROETHENE			
11U	UG/KG	METHYL ETHYL KETONE			
11U	UG/KG	CHLOROFORM			
11U	UG/KG	1,1,1-TRICHLOROETHANE			
11U	UG/KG	CYCLOHEXANE			
11U	UG/KG	CARBON TETRACHLORIDE			
11U	UG/KG	BENZENE			
11U	UG/KG	1,2-DICHLOROETHANE			
11U	UG/KG	TRICHLOROETHENE (TRICHLOROETHYLENE)			
11U	UG/KG	METHYLCYCLOHEXANE			
11U	UG/KG	1,2-DICHLOROPROPANE			
11U	UG/KG	BROMODICHLOROMETHANE			
11U	UG/KG	CIS-1,3-DICHLOROPROPENE			
11U	UG/KG	METHYL ISOBUTYL KETONE			
11U	UG/KG	TOLUENE			
11U	UG/KG	TRANS-1,3-DICHLOROPROPENE			
11U	UG/KG	1,1,2-TRICHLOROETHANE			
11U	UG/KG	TETRACHLOROETHENE (TETRACHLOROETHYLENE)			
11U	UG/KG	METHYL BUTYL KETONE			
11U	UG/KG	DIBROMOCHLOROMETHANE			
11U	UG/KG	1,2-DIBROMOETHANE (DBE)			

A-average value, NA-not analyzed, NAI-not identified, NAD-not detected, P-presumptive evidence of presence of material.

R-actual value is known to be less than value given, < -value given, >-value given, U-undetected, L-unknown, M-minimum, N-not, Q-quantity, S-sample, T-total, the number is the minimum quantity.

U indicates that data unusable, non-petroleum hydrocarbons, naphthalene, sampling and reanalysis is necessary for petroleum.

Q determined by gcms: 1, when no values are given for 2 constituents or metabolites of petroleum hydrocarbons.

Sample 1090 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

MISCELLANEOUS COMPOUNDS

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:10

Id/Station: MG13SS /

MD No: RS95

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS95

Org Contractor: LIBRTY

RESULTS UNITS ANALYTE

160J UG/KG 2 LABORATORY ARTIFACTS

DATA REPORTED AS IDENTIFIED (I) UNDETECTED (U) NOT VERIFIED (N)

A-average value. NA-not analyzed. NA-estimated value. N-presumptive evidence of presence.
K-actual value is known to be less than value given. K-actual value is known to be greater than value given.
R-qc indicates that data was reviewed and confirmed. R-1. resampling and reanalysis is recommended.
C-confirmed by grams: 1. value is given for all constituents 2. constituents are not detected. the number is the number of samples.

Sample 1091 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

VOLATILES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:45

Id/Station: MG12SBA /

MD No: RS96

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS96

Org Contractor: LIBRTY

RESULTS UNITS ANALYTE	RESULTS UNITS ANALYTE
24UJ UG/KG DICHLORODIFLUOROMETHANE	24U UG/KG CHLOROBENZENE
24UJ UG/KG CHLOROMETHANE	6J UG/KG ETHYL BENZENE
24UJ UG/KG VINYL CHLORIDE	24U UG/KG TOTAL XYLENES
24U UG/KG BROMOMETHANE	24UR UG/KG STYRENE
24U UG/KG CHLOROETHANE	24U UG/KG BROMOFORM
24U UG/KG TRICHLOROFLUOROMETHANE	24U UG/KG ISOPROPYLBENZENE
24U UG/KG 1,1-DICHLOROETHENE (1,1-DICHLOROETHYLENE)	24U UG/KG 1,1,2,2-TETRACHLOROETHANE
24UJ UG/KG 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113)	24U UG/KG 1,3-DICHLOROBENZENE
270J UG/KG ACETONE	24U UG/KG 1,4-DICHLOROBENZENE
24UJ UG/KG CARBON DISULFIDE	24U UG/KG 1,2-DICHLOROBENZENE
24UJ UG/KG METHYL ACETATE	24UJ UG/KG 1,2-DIBROMO-3-CHLOROPROPANE (DBCP)
24U UG/KG METHYLENE CHLORIDE	24U UG/KG 1,2,4-TRICHLOROBENZENE
24U UG/KG TRANS-1,2-DICHLOROETHENE	NA UG/KG 1,2-DICHLOROETHENE (TOTAL)
24U UG/KG METHYL T-BUTYL ETHER (MTBE)	16 % % MOISTURE
24U UG/KG 1,1-DICHLOROETHANE	
24U UG/KG CIS-1,2-DICHLOROETHENE	
24U UG/KG METHYL ETHYL KETONE	
24U UG/KG CHLOROFORM	
170J UG/KG 1,1,1-TRICHLOROETHANE	
24U UG/KG CYCLOHEXANE	
24U UG/KG CARBON TETRACHLORIDE	
24U UG/KG BENZENE	
24U UG/KG 1,2-DICHLOROETHANE	
910J UG/KG TRICHLOROETHENE (TRICHLOROETHYLENE)	
130J UG/KG METHYLCYCLOHEXANE	
24U UG/KG 1,2-DICHLOROPROPANE	
24U UG/KG BROMODICHLOROMETHANE	
24U UG/KG CIS-1,3-DICHLOROPROPENE	
24UJ UG/KG METHYL ISOBUTYL KETONE	
24U UG/KG TOLUENE	
24U UG/KG TRANS-1,3-DICHLOROPROPENE	
24U UG/KG 1,1,2-TRICHLOROETHANE	
24U UG/KG TETRACHLOROETHENE (TETRACHLOROETHYLENE)	
24UJ UG/KG METHYL BUTYL KETONE	
24U UG/KG DIBROMOCHLOROMETHANE	
24U UG/KG 1,2-DIBROMOETHANE (1,2-DIBROMOETHANE)	

NA-not analyzed. NAI-interference. U-unreliable. L-limit known to be less than value given. LCL-limit of detection. UCL-limit of data unusable. compound name or number. 1 when no value is reported, see table.

U-unreliable. L-limit of detection. UCL-limit of data unusable. compound name or number. 1 when no value is reported, see table. U-unreliable. L-limit of detection. UCL-limit of data unusable. compound name or number. 1 when no value is reported, see table.

Sample 1091 FY 2000 Project: 00-0101

MISCELLANEOUS COMPOUNDS

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG12SBA /

MD No: RS96

Media: SUBSURFACE SOIL (> 12")

D No: RS96

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/11/1999 08:45

Ending:

Inorg Contractor: SENTIN

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
22000J	UG/KG	14 UNKNOWN COMPOUNDS
1200J	UG/KG	2 UNKNOWN ALKENES
1500NJ	UG/KG	NAPHTHALENE, DECAHYDRO-, TRA
7000NJ	UG/KG	NAPHTHALENE, DECAHYDRO-2-MET

DATA REPORTED AS IDENTIF

SAMPLE IDS NOT VERIFIED

A-average value. NA-not analyzed.
 K-actual value is known to be less than
 R-qc indicates that data unusable.
 C-confirmed by gcms: 1.when no v;

estimated value. N-pres
 actual value is known to be
 not be present. resampling
 constituents 2

improvement of
 greater than value
 applied for but not detected. the number is the
 constraints in part



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 4

Science and Ecosystem Support Division
980 College Station Road
Athens, Georgia 30605-2720

MEMORANDUM

Date: 12/29/1999

Subject: Results of PESTICIDES/PCB Organic Chemistry Section Sample Analysis
00-0101 CTS of Asheville Inc
Skyland, NC

From: Goddard, Denise

A handwritten signature in black ink, appearing to be "DG", written over the name "Denise Goddard".

To: Rigger, Don

CC: Heather Kennedy
START

Thru: QA Office

Attached are the results of analysis of samples collected as part of the subject project. If you have any questions, please contact me.

ATTACHMENT

Sample 1066 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 08:25

Id/Station: MG01SS /

MD No: RS63

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS63

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
1.9UJ	UG/KG	ALPHA-BHC
1.9U	UG/KG	BETA-BHC
1.9UJ	UG/KG	DELTA-BHC
1.9UJ	UG/KG	GAMMA-BHC (LINDANE)
1.9U	UG/KG	HEPTACHLOR
1.9U	UG/KG	ALDRIN
1.9U	UG/KG	HEPTACHLOR EPOXIDE
1.9U	UG/KG	ENDOSULFAN I (ALPHA)
3.8U	UG/KG	DIELDRIN
3.8U	UG/KG	4,4'-DDE (P,P'-DDE)
3.8U	UG/KG	ENDRIN
3.8U	UG/KG	ENDOSULFAN II (BETA)
3.8U	UG/KG	4,4'-DDD (P,P'-DDD)
3.8U	UG/KG	ENDOSULFAN SULFATE
3.8U	UG/KG	4,4'-DDT (P,P'-DDT)
19U	UG/KG	METHOXYCHLOR
0.43J	UG/KG	ENDRIN KETONE
3.8UR	UG/KG	ENDRIN ALDEHYDE
1.9U	UG/KG	ALPHA-CHLORDANE /2
1.9U	UG/KG	GAMMA-CHLORDANE /2
190U	UG/KG	TOXAPHENE
38U	UG/KG	PCB-1016 (AROCLOR 1016)
76U	UG/KG	PCB-1221 (AROCLOR 1221)
38U	UG/KG	PCB-1232 (AROCLOR 1232)
38U	UG/KG	PCB-1242 (AROCLOR 1242)
38U	UG/KG	PCB-1248 (AROCLOR 1248)
38U	UG/KG	PCB-1254 (AROCLOR 1254)
38U	UG/KG	PCB-1260 (AROCLOR 1260)
12	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 106000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 09:45

Id/Station: MG01SBA /

MD No: RS64

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS64

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
1.9UJ	UG/KG	ALPHA-BHC
1.9U	UG/KG	BETA-BHC
1.9UJ	UG/KG	DELTA-BHC
1.9UJ	UG/KG	GAMMA-BHC (LINDANE)
1.9U	UG/KG	HEPTACHLOR
1.9U	UG/KG	ALDRIN
1.9U	UG/KG	HEPTACHLOR EPOXIDE
1.9U	UG/KG	ENDOSULFAN I (ALPHA)
3.8U	UG/KG	DIELDRIN
3.8U	UG/KG	4,4'-DDE (P,P'-DDE)
3.8U	UG/KG	ENDRIN
3.8U	UG/KG	ENDOSULFAN II (BETA)
3.8U	UG/KG	4,4'-DDD (P,P'-DDD)
3.8U	UG/KG	ENDOSULFAN SULFATE
3.8U	UG/KG	4,4'-DDT (P,P'-DDT)
19U	UG/KG	METHOXYCHLOR
3.8U	UG/KG	ENDRIN KETONE
3.8UR	UG/KG	ENDRIN ALDEHYDE
1.9U	UG/KG	ALPHA-CHLORDANE /2
1.9U	UG/KG	GAMMA-CHLORDANE /2
190U	UG/KG	TOXAPHENE
38U	UG/KG	PCB-1016 (AROCLOR 1016)
76U	UG/KG	PCB-1221 (AROCLOR 1221)
38U	UG/KG	PCB-1232 (AROCLOR 1232)
38U	UG/KG	PCB-1242 (AROCLOR 1242)
38U	UG/KG	PCB-1248 (AROCLOR 1248)
38U	UG/KG	PCB-1254 (AROCLOR 1254)
38U	UG/KG	PCB-1260 (AROCLOR 1260)
12	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordanes constituents 2.constituents or metabolites of technical chlordanes

Sample 100000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 10:50

Id/Station: MG01SBB /

MD No: RS65

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS65

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
1.9UJ	UG/KG	ALPHA-BHC
1.9U	UG/KG	BETA-BHC
1.9UJ	UG/KG	DELTA-BHC
1.9UJ	UG/KG	GAMMA-BHC (LINDANE)
1.9U	UG/KG	HEPTACHLOR
1.9U	UG/KG	ALDRIN
1.9U	UG/KG	HEPTACHLOR EPOXIDE
1.9U	UG/KG	ENDOSULFAN I (ALPHA)
1.9U	UG/KG	DIELDRIN
3.6U	UG/KG	4,4'-DDE (P,P'-DDE)
3.6U	UG/KG	ENDRIN
3.6U	UG/KG	ENDOSULFAN II (BETA)
3.6U	UG/KG	4,4'-DDD (P,P'-DDD)
3.6U	UG/KG	ENDOSULFAN SULFATE
3.6U	UG/KG	4,4'-DDT (P,P'-DDT)
19U	UG/KG	METHOXYCHLOR
3.6U	UG/KG	ENDRIN KETONE
3.6UR	UG/KG	ENDRIN ALDEHYDE
1.9U	UG/KG	ALPHA-CHLORDANE /2
1.9U	UG/KG	GAMMA-CHLORDANE /2
190U	UG/KG	TOXAPHENE
36U	UG/KG	PCB-1016 (AROCLOR 1016)
74U	UG/KG	PCB-1221 (AROCLOR 1221)
36U	UG/KG	PCB-1232 (AROCLOR 1232)
36U	UG/KG	PCB-1242 (AROCLOR 1242)
36U	UG/KG	PCB-1248 (AROCLOR 1248)
36U	UG/KG	PCB-1254 (AROCLOR 1254)
36U	UG/KG	PCB-1260 (AROCLOR 1260)
9.0	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordanne constituents 2.constituents or metabolites of technical chlordanne

Sample 1086 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 10:25

Id/Station: MG02SS /

MD No: RS66

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS66

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
1.9UJ	UG/KG	ALPHA-BHC
1.9U	UG/KG	BETA-BHC
1.9UJ	UG/KG	DELTA-BHC
1.9UJ	UG/KG	GAMMA-BHC (LINDANE)
1.9U	UG/KG	HEPTACHLOR
1.9U	UG/KG	ALDRIN
1.9U	UG/KG	HEPTACHLOR EPOXIDE
1.9U	UG/KG	ENDOSULFAN I (ALPHA)
3.7U	UG/KG	DIELDRIN
3.7U	UG/KG	4,4'-DDE (P,P'-DDE)
3.7U	UG/KG	ENDRIN
3.7U	UG/KG	ENDOSULFAN II (BETA)
3.7U	UG/KG	4,4'-DDD (P,P'-DDD)
3.7U	UG/KG	ENDOSULFAN SULFATE
3.7U	UG/KG	4,4'-DDT (P,P'-DDT)
19U	UG/KG	METHOXYCHLOR
3.7U	UG/KG	ENDRIN KETONE
3.7UR	UG/KG	ENDRIN ALDEHYDE
1.9U	UG/KG	ALPHA-CHLORDANE /2
1.9U	UG/KG	GAMMA-CHLORDANE /2
190U	UG/KG	TOXAPHENE
37U	UG/KG	PCB-1016 (AROCLOR 1016)
75U	UG/KG	PCB-1221 (AROCLOR 1221)
37U	UG/KG	PCB-1232 (AROCLOR 1232)
37U	UG/KG	PCB-1242 (AROCLOR 1242)
37U	UG/KG	PCB-1248 (AROCLOR 1248)
37U	UG/KG	PCB-1254 (AROCLOR 1254)
37U	UG/KG	PCB-1260 (AROCLOR 1260)
11	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1 when no value is reported, see chlordanes constituents. 2 constituents or metabolites of technical chlordanes

Sample 1084 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 11:25

Id/Station: MG02SBA /

MD No: RS67

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS67

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
1.9UJ	UG/KG	ALPHA-BHC
1.9U	UG/KG	BETA-BHC
1.9UJ	UG/KG	DELTA-BHC
1.9UJ	UG/KG	GAMMA-BHC (LINDANE)
1.9U	UG/KG	HEPTACHLOR
1.9U	UG/KG	ALDRIN
1.9U	UG/KG	HEPTACHLOR EPOXIDE
1.9U	UG/KG	ENDOSULFAN I (ALPHA)
1.3J	UG/KG	DIELDRIN
3.6U	UG/KG	4,4'-DDE (P,P'-DDE)
0.62JN	UG/KG	ENDRIN
3.6U	UG/KG	ENDOSULFAN II (BETA)
1.6JN	UG/KG	4,4'-DDD (P,P'-DDD)
3.6U	UG/KG	ENDOSULFAN SULFATE
1.8JN	UG/KG	4,4'-DDT (P,P'-DDT)
19U	UG/KG	METHOXYCHLOR
3.6U	UG/KG	ENDRIN KETONE
3.6UR	UG/KG	ENDRIN ALDEHYDE
1.9U	UG/KG	ALPHA-CHLORDANE /2
1.9U	UG/KG	GAMMA-CHLORDANE /2
190U	UG/KG	TOXAPHENE
36U	UG/KG	PCB-1016 (AROCLOR 1016)
74U	UG/KG	PCB-1221 (AROCLOR 1221)
36U	UG/KG	PCB-1232 (AROCLOR 1232)
36U	UG/KG	PCB-1242 (AROCLOR 1242)
36U	UG/KG	PCB-1248 (AROCLOR 1248)
36U	UG/KG	PCB-1254 (AROCLOR 1254)
36U	UG/KG	PCB-1260 (AROCLOR 1260)
9.0	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported. see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1065 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 09:00

Id/Station: MG01SD /

MD No: RS68

Inorg Contractor: SENTIN

Ending:

Media: SEDIMENT

D No: RS68

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.6UJ	UG/KG	ALPHA-BHC
2.6U	UG/KG	BETA-BHC
2.6UJ	UG/KG	DELTA-BHC
7.0UJ	UG/KG	GAMMA-BHC (LINDANE)
2.6U	UG/KG	HEPTACHLOR
2.6U	UG/KG	ALDRIN
2.6U	UG/KG	HEPTACHLOR EPOXIDE
16NJ	UG/KG	ENDOSULFAN I (ALPHA)
5.0U	UG/KG	DIELDRIN
5.0U	UG/KG	4,4'-DDE (P,P'-DDE)
15U	UG/KG	ENDRIN
5.0U	UG/KG	ENDOSULFAN II (BETA)
17J	UG/KG	4,4'-DDD (P,P'-DDD)
5.0U	UG/KG	ENDOSULFAN SULFATE
38U	UG/KG	4,4'-DDT (P,P'-DDT)
26U	UG/KG	METHOXYCHLOR
5.0U	UG/KG	ENDRIN KETONE
5.0UR	UG/KG	ENDRIN ALDEHYDE
7.6U	UG/KG	ALPHA-CHLORDANE /2
2.6U	UG/KG	GAMMA-CHLORDANE /2
260U	UG/KG	TOXAPHENE
50U	UG/KG	PCB-1016 (AROCLOR 1016)
100U	UG/KG	PCB-1221 (AROCLOR 1221)
50U	UG/KG	PCB-1232 (AROCLOR 1232)
50U	UG/KG	PCB-1242 (AROCLOR 1242)
50U	UG/KG	PCB-1248 (AROCLOR 1248)
50U	UG/KG	PCB-1254 (AROCLOR 1254)
50U	UG/KG	PCB-1260 (AROCLOR 1260)
34	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected the number is the minimum quantitation limit.

R- indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordan constituents 2.constituents or metabolites of technical chlordan

Sample 1066 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 09:15

Id/Station: MG02SD /

MD No: RS69

Inorg Contractor: SENTIN

Ending:

Media: SEDIMENT

D No: RS69

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
5.4UJ	UG/KG	ALPHA-BHC
5.5U	UG/KG	BETA-BHC
2.5UJ	UG/KG	DELTA-BHC
2.5UJ	UG/KG	GAMMA-BHC (LINDANE)
2.5U	UG/KG	HEPTACHLOR
2.5U	UG/KG	ALDRIN
2.5U	UG/KG	HEPTACHLOR EPOXIDE
2.5U	UG/KG	ENDOSULFAN I (ALPHA)
4.8U	UG/KG	DIELDRIN
4.8U	UG/KG	4,4'-DDE (P,P'-DDE)
5.8NJ	UG/KG	ENDRIN
4.8U	UG/KG	ENDOSULFAN II (BETA)
3.8U	UG/KG	4,4'-DDD (P,P'-DDD)
7.4J	UG/KG	ENDOSULFAN SULFATE
4.8U	UG/KG	4,4'-DDT (P,P'-DDT)
25U	UG/KG	METHOXYCHLOR
4.8U	UG/KG	ENDRIN KETONE
4.8UR	UG/KG	ENDRIN ALDEHYDE
2.6U	UG/KG	ALPHA-CHLORDANE /2
2.5U	UG/KG	GAMMA-CHLORDANE /2
250U	UG/KG	TOXAPHENE
48U	UG/KG	PCB-1016 (AROCLOR 1016)
98U	UG/KG	PCB-1221 (AROCLOR 1221)
48U	UG/KG	PCB-1232 (AROCLOR 1232)
48U	UG/KG	PCB-1242 (AROCLOR 1242)
48U	UG/KG	PCB-1248 (AROCLOR 1248)
120NJ	UG/KG	PCB-1254 (AROCLOR 1254)
48U	UG/KG	PCB-1260 (AROCLOR 1260)
32	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material
 K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.
 R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.
 C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1067 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 10:45

Id/Station: MG03SD /

MD No: RS70

Inorg Contractor: SENTIN

Ending:

Media: SEDIMENT

D No: RS70

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.4UJ	UG/KG	ALPHA-BHC
2.4U	UG/KG	BETA-BHC
2.4UJ	UG/KG	DELTA-BHC
2.4UJ	UG/KG	GAMMA-BHC (LINDANE)
2.4U	UG/KG	HEPTACHLOR
2.4U	UG/KG	ALDRIN
2.4U	UG/KG	HEPTACHLOR EPOXIDE
1.0J	UG/KG	ENDOSULFAN I (ALPHA)
4.6U	UG/KG	DIELDRIN
4.6U	UG/KG	4,4'-DDE (P,P'-DDE)
4.6U	UG/KG	ENDRIN
4.6U	UG/KG	ENDOSULFAN II (BETA)
4.6U	UG/KG	4,4'-DDD (P,P'-DDD)
4.6U	UG/KG	ENDOSULFAN SULFATE
4.6U	UG/KG	4,4'-DDT (P,P'-DDT)
24U	UG/KG	METHOXYCHLOR
4.6U	UG/KG	ENDRIN KETONE
4.6UR	UG/KG	ENDRIN ALDEHYDE
2.4U	UG/KG	ALPHA-CHLORDANE /2
2.4U	UG/KG	GAMMA-CHLORDANE /2
240U	UG/KG	TOXAPHENE
46U	UG/KG	PCB-1016 (AROCLOR 1016)
94U	UG/KG	PCB-1221 (AROCLOR 1221)
46U	UG/KG	PCB-1232 (AROCLOR 1232)
46U	UG/KG	PCB-1242 (AROCLOR 1242)
46U	UG/KG	PCB-1248 (AROCLOR 1248)
46U	UG/KG	PCB-1254 (AROCLOR 1254)
82	UG/KG	PCB-1260 (AROCLOR 1260)
29	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. The number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confined by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1068 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:45

Id/Station: MG03SS /

MD No: RS71

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS71

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.2UJ	UG/KG	ALPHA-BHC
2.2U	UG/KG	BETA-BHC
2.2UJ	UG/KG	DELTA-BHC
2.2UJ	UG/KG	GAMMA-BHC (LINDANE)
2.2U	UG/KG	HEPTACHLOR
2.2U	UG/KG	ALDRIN
2.2U	UG/KG	HEPTACHLOR EPOXIDE
2.2U	UG/KG	ENDOSULFAN I (ALPHA)
4.2U	UG/KG	DIELDRIN
4.2U	UG/KG	4,4'-DDE (P,P'-DDE)
4.2U	UG/KG	ENDRIN
4.2U	UG/KG	ENDOSULFAN II (BETA)
4.2U	UG/KG	4,4'-DDD (P,P'-DDD)
4.2U	UG/KG	ENDOSULFAN SULFATE
4.2U	UG/KG	4,4'-DDT (P,P'-DDT)
22U	UG/KG	METHOXYCHLOR
4.2U	UG/KG	ENDRIN KETONE
4.2UR	UG/KG	ENDRIN ALDEHYDE
2.2U	UG/KG	ALPHA-CHLORDANE /2
2.2U	UG/KG	GAMMA-CHLORDANE /2
220U	UG/KG	TOXAPHENE
42U	UG/KG	PCB-1016 (AROCLOR 1016)
86U	UG/KG	PCB-1221 (AROCLOR 1221)
42U	UG/KG	PCB-1232 (AROCLOR 1232)
42U	UG/KG	PCB-1242 (AROCLOR 1242)
42U	UG/KG	PCB-1248 (AROCLOR 1248)
42U	UG/KG	PCB-1254 (AROCLOR 1254)
150NJ	UG/KG	PCB-1260 (AROCLOR 1260)
22	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1065 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:15

Id/Station: MG03SBA /

MD No: RS72

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS72

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
6.9UJ	UG/KG	ALPHA-BHC
16U	UG/KG	BETA-BHC
2.1UJ	UG/KG	DELTA-BHC
5.8UJ	UG/KG	GAMMA-BHC (LINDANE)
7.8	UG/KG	HEPTACHLOR
2.1U	UG/KG	ALDRIN
2.1U	UG/KG	HEPTACHLOR EPOXIDE
11U	UG/KG	ENDOSULFAN I (ALPHA)
19	UG/KG	DIELDRIN
4.1U	UG/KG	4,4'-DDE (P,P'-DDE)
4.1U	UG/KG	ENDRIN
4.1U	UG/KG	ENDOSULFAN II (BETA)
4.1U	UG/KG	4,4'-DDD (P,P'-DDD)
12N	UG/KG	ENDOSULFAN SULFATE
4.1U	UG/KG	4,4'-DDT (P,P'-DDT)
21U	UG/KG	METHOXYCHLOR
4.1U	UG/KG	ENDRIN KETONE
18J	UG/KG	ENDRIN ALDEHYDE
2.1U	UG/KG	ALPHA-CHLORDANE /2
31N	UG/KG	GAMMA-CHLORDANE /2
210U	UG/KG	TOXAPHENE
41U	UG/KG	PCB-1016 (AROCLOR 1016)
84U	UG/KG	PCB-1221 (AROCLOR 1221)
41U	UG/KG	PCB-1232 (AROCLOR 1232)
41U	UG/KG	PCB-1242 (AROCLOR 1242)
41U	UG/KG	PCB-1248 (AROCLOR 1248)
41U	UG/KG	PCB-1254 (AROCLOR 1254)
41U	UG/KG	PCB-1260 (AROCLOR 1260)
20	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

B-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected; the number is the minimum quantitation limit.

X qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordan constituents 2.constituents or metabolites of technical chlordan

Sample 1070 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:15

Id/Station: MG03SBB /

MD No: RS73

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS73

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
4.3UJ	UG/KG	ALPHA-BHC
10U	UG/KG	BETA-BHC
2.6UJ	UG/KG	DELTA-BHC
3.0UJ	UG/KG	GAMMA-BHC (LINDANE)
2.6U	UG/KG	HEPTACHLOR
2.6U	UG/KG	ALDRIN
20N	UG/KG	HEPTACHLOR EPOXIDE
2.6U	UG/KG	ENDOSULFAN I (ALPHA)
32N	UG/KG	DIELDRIN
5.1U	UG/KG	4,4'-DDE (P,P'-DDE)
5.1U	UG/KG	ENDRIN
5.1U	UG/KG	ENDOSULFAN II (BETA)
18U	UG/KG	4,4'-DDD (P,P'-DDD)
18N	UG/KG	ENDOSULFAN SULFATE
34N	UG/KG	4,4'-DDT (P,P'-DDT)
26U	UG/KG	METHOXYCHLOR
5.1U	UG/KG	ENDRIN KETONE
9.4UR	UG/KG	ENDRIN ALDEHYDE
2.6U	UG/KG	ALPHA-CHLORDANE /2
35U	UG/KG	GAMMA-CHLORDANE /2
260U	UG/KG	TOXAPHENE
51U	UG/KG	PCB-1016 (AROCLOR 1016)
100U	UG/KG	PCB-1221 (AROCLOR 1221)
51U	UG/KG	PCB-1232 (AROCLOR 1232)
51U	UG/KG	PCB-1242 (AROCLOR 1242)
51U	UG/KG	PCB-1248 (AROCLOR 1248)
51U	UG/KG	PCB-1254 (AROCLOR 1254)
51U	UG/KG	PCB-1260 (AROCLOR 1260)
35	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1 when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1071 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:10

Id/Station: MG05SS /

MD No: RS74

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS74

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.0UJ	UG/KG	ALPHA-BHC
2.0U	UG/KG	BETA-BHC
2.0UJ	UG/KG	DELTA-BHC
2.0UJ	UG/KG	GAMMA-BHC (LINDANE)
2.0U	UG/KG	HEPTACHLOR
2.0U	UG/KG	ALDRIN
2.0U	UG/KG	HEPTACHLOR EPOXIDE
2.0U	UG/KG	ENDOSULFAN I (ALPHA)
4.0U	UG/KG	DIELDRIN
1.8J	UG/KG	4,4'-DDE (P,P'-DDE)
4.0U	UG/KG	ENDRIN
4.0U	UG/KG	ENDOSULFAN II (BETA)
4.0U	UG/KG	4,4'-DDD (P,P'-DDD)
4.0U	UG/KG	ENDOSULFAN SULFATE
4.0U	UG/KG	4,4'-DDT (P,P'-DDT)
8.6J	UG/KG	METHOXYCHLOR
4.0U	UG/KG	ENDRIN KETONE
4.0UR	UG/KG	ENDRIN ALDEHYDE
2.0U	UG/KG	ALPHA-CHLORDANE /2
2.0U	UG/KG	GAMMA-CHLORDANE /2
200U	UG/KG	TOXAPHENE
40U	UG/KG	PCB-1016 (AROCLOR 1016)
81U	UG/KG	PCB-1221 (AROCLOR 1221)
40U	UG/KG	PCB-1232 (AROCLOR 1232)
40U	UG/KG	PCB-1242 (AROCLOR 1242)
40U	UG/KG	PCB-1248 (AROCLOR 1248)
40U	UG/KG	PCB-1254 (AROCLOR 1254)
240	UG/KG	PCB-1260 (AROCLOR 1260)
17	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordanes constituents 2.constituents or metabolites of technical chlordanes

Sample 1072 FY 2000 Project: 00-0101

PESTICIDES SCAN

Facility: CTS of Asheville Inc

Skyland, NC

Program: NSF

Case No: 27562

Id/Station: MG05SBA /

MD No: RS75

Inorg Contractor: SENTIN

Media: SUBSURFACE SOIL (> 12")

D No: RS75

Org Contractor: LIBRTY

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 13:45

Ending:

RESULTS	UNITS	ANALYTE
2.0UJ	UG/KG	ALPHA-BHC
2.0U	UG/KG	BETA-BHC
2.0UJ	UG/KG	DELTA-BHC
2.0UJ	UG/KG	GAMMA-BHC (LINDANE)
2.0U	UG/KG	HEPTACHLOR
2.0U	UG/KG	ALDRIN
0.20JN	UG/KG	HEPTACHLOR EPOXIDE
2.0U	UG/KG	ENDOSULFAN I (ALPHA)
3.8U	UG/KG	DIELDRIN
3.8U	UG/KG	4,4'-DDE (P,P'-DDE)
3.8U	UG/KG	ENDRIN
3.8U	UG/KG	ENDOSULFAN II (BETA)
0.68JN	UG/KG	4,4'-DDD (P,P'-DDD)
3.8U	UG/KG	ENDOSULFAN SULFATE
3.8U	UG/KG	4,4'-DDT (P,P'-DDT)
20U	UG/KG	METHOXYCHLOR
0.88J	UG/KG	ENDRIN KETONE
3.8UR	UG/KG	ENDRIN ALDEHYDE
2.0U	UG/KG	ALPHA-CHLORDANE /2
2.0U	UG/KG	GAMMA-CHLORDANE /2
200U	UG/KG	TOXAPHENE
38U	UG/KG	PCB-1016 (AROCLOR 1016)
78U	UG/KG	PCB-1221 (AROCLOR 1221)
38U	UG/KG	PCB-1232 (AROCLOR 1232)
38U	UG/KG	PCB-1242 (AROCLOR 1242)
38U	UG/KG	PCB-1248 (AROCLOR 1248)
38U	UG/KG	PCB-1254 (AROCLOR 1254)
38U	UG/KG	PCB-1260 (AROCLOR 1260)
14	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. -material was analyzed for but not detected. the number is the maximum quantitation limit.

R-qc indicates that data measurable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms. 1-when no value is reported, see chlordane constituents. 2-constituents or metabolites of technical chlordane

Sample 1073 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:02

Id/Station: MG04SS /

MD No: RS76

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS76

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
1.2JN	UG/KG	ALPHA-BHC
2.2U	UG/KG	BETA-BHC
2.2UJ	UG/KG	DELTA-BHC
2.2UJ	UG/KG	GAMMA-BHC (LINDANE)
2.2U	UG/KG	HEPTACHLOR
2.2U	UG/KG	ALDRIN
2.2U	UG/KG	HEPTACHLOR EPOXIDE
2.2U	UG/KG	ENDOSULFAN I (ALPHA)
4.2U	UG/KG	DIELDRIN
4.2U	UG/KG	4,4'-DDE (P,P'-DDE)
4.2U	UG/KG	ENDRIN
4.2U	UG/KG	ENDOSULFAN II (BETA)
4.2U	UG/KG	4,4'-DDD (P,P'-DDD)
4.2U	UG/KG	ENDOSULFAN SULFATE
4.2U	UG/KG	4,4'-DDT (P,P'-DDT)
22U	UG/KG	METHOXYCHLOR
4.2U	UG/KG	ENDRIN KETONE
4.2UR	UG/KG	ENDRIN ALDEHYDE
2.2U	UG/KG	ALPHA-CHLORDANE /2
0.46JN	UG/KG	GAMMA-CHLORDANE /2
220U	UG/KG	TOXAPHENE
42U	UG/KG	PCB-1016 (AROCLOR 1016)
86U	UG/KG	PCB-1221 (AROCLOR 1221)
42U	UG/KG	PCB-1232 (AROCLOR 1232)
42U	UG/KG	PCB-1242 (AROCLOR 1242)
42U	UG/KG	PCB-1248 (AROCLOR 1248)
42U	UG/KG	PCB-1254 (AROCLOR 1254)
42U	UG/KG	PCB-1260 (AROCLOR 1260)
22	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.
 K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.
 R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.
 C-confirmed by gcms: 1.when no value is reported, see chlorobenzene constituents 2.constituents or metabolites of technical chlordane

Sample 1074 FY 2000 Project: 00-0101

PESTICIDES SCAN

Facility: CTS of Asheville Inc Skyland, NC

Program: NSF Case No: 27562

Id/Station: MG04SBA / MD No: RS77

Media: SUBSURFACE SOIL (> 12") D No: RS77 Inorg Contractor: SENTIN

Org Contractor: LIBRTY

Produced by: Goddard, Denise

Requestor:

Project Leader: DRIGGER

Beginning: 11/09/1999 14:10

Ending:

RESULTS	UNITS	ANALYTE
2.0UJ	UG/KG	ALPHA-BHC
2.0U	UG/KG	BETA-BHC
2.0UJ	UG/KG	DELTA-BHC
2.0UJ	UG/KG	GAMMA-BHC (LINDANE)
2.0U	UG/KG	HEPTACHLOR
2.0U	UG/KG	ALDRIN
2.0U	UG/KG	HEPTACHLOR EPOXIDE
2.0U	UG/KG	ENDOSULFAN I (ALPHA)
3.8U	UG/KG	DIELDRIN
3.8U	UG/KG	4,4'-DDE (P,P'-DDE)
3.8U	UG/KG	ENDRIN
3.8U	UG/KG	ENDOSULFAN II (BETA)
3.8U	UG/KG	4,4'-DDD (P,P'-DDD)
3.8U	UG/KG	ENDOSULFAN SULFATE
3.8U	UG/KG	4,4'-DDT (P,P'-DDT)
20U	UG/KG	METHOXYCHLOR
3.8U	UG/KG	ENDRIN KETONE
3.8UR	UG/KG	ENDRIN ALDEHYDE
2.0U	UG/KG	ALPHA-CHLORDANE /2
2.0U	UG/KG	GAMMA-CHLORDANE /2
200U	UG/KG	TOXAPHENE
38U	UG/KG	PCB-1016 (AROCLOR 1016)
78U	UG/KG	PCB-1221 (AROCLOR 1221)
38U	UG/KG	PCB-1232 (AROCLOR 1232)
38U	UG/KG	PCB-1242 (AROCLOR 1242)
38U	UG/KG	PCB-1248 (AROCLOR 1248)
38U	UG/KG	PCB-1254 (AROCLOR 1254)
38U	UG/KG	PCB-1260 (AROCLOR 1260)
14	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the maximum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by grant. 1 when no value is reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1075 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:30

Id/Station: MG06SS /

MD No: RS78

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS78

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.1UJ	UG/KG	ALPHA-BHC
2.1U	UG/KG	BETA-BHC
2.1UJ	UG/KG	DELTA-BHC
2.1UJ	UG/KG	GAMMA-BHC (LINDANE)
2.1U	UG/KG	HEPTACHLOR
2.1U	UG/KG	ALDRIN
2.1U	UG/KG	HEPTACHLOR EPOXIDE
2.1U	UG/KG	ENDOSULFAN I (ALPHA)
1.6JN	UG/KG	DIELDRIN
0.51JN	UG/KG	4,4'-DDE (P,P'-DDE)
4.1U	UG/KG	ENDRIN
4.1U	UG/KG	ENDOSULFAN II (BETA)
4.1U	UG/KG	4,4'-DDD (P,P'-DDD)
4.1U	UG/KG	ENDOSULFAN SULFATE
4.1U	UG/KG	4,4'-DDT (P,P'-DDT)
21U	UG/KG	METHOXYCHLOR
4.1U	UG/KG	ENDRIN KETONE
4.1UR	UG/KG	ENDRIN ALDEHYDE
2.1U	UG/KG	ALPHA-CHLORDANE /2
2.1U	UG/KG	GAMMA-CHLORDANE /2
210U	UG/KG	TOXAPHENE
41U	UG/KG	PCB-1016 (AROCLOR 1016)
84U	UG/KG	PCB-1221 (AROCLOR 1221)
41U	UG/KG	PCB-1232 (AROCLOR 1232)
41U	UG/KG	PCB-1242 (AROCLOR 1242)
41U	UG/KG	PCB-1248 (AROCLOR 1248)
41U	UG/KG	PCB-1254 (AROCLOR 1254)
97	UG/KG	PCB-1260 (AROCLOR 1260)
20	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.
 K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.
 R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.
 C-confirmed by gcms: 1.when no value is reported, see collected constituents 2.constituents or metabolites of technical chlordane

Sample 1076 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 14:50

Id/Station: MG06SBA /

MD No: RS79

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS79

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.0UJ	UG/KG	ALPHA-BHC
2.0U	UG/KG	BETA-BHC
2.0UJ	UG/KG	DELTA-BHC
2.0UJ	UG/KG	GAMMA-BHC (LINDANE)
2.0U	UG/KG	HEPTACHLOR
2.0U	UG/KG	ALDRIN
2.0U	UG/KG	HEPTACHLOR EPOXIDE
2.0U	UG/KG	ENDOSULFAN I (ALPHA)
3.8U	UG/KG	DIELDRIN
3.8U	UG/KG	4,4'-DDE (P,P'-DDE)
3.8U	UG/KG	ENDRIN
3.8U	UG/KG	ENDOSULFAN II (BETA)
3.8U	UG/KG	4,4'-DDD (P,P'-DDD)
3.8U	UG/KG	ENDOSULFAN SULFATE
3.8U	UG/KG	4,4'-DDT (P,P'-DDT)
20U	UG/KG	METHOXYCHLOR
3.8U	UG/KG	ENDRIN KETONE
3.8UR	UG/KG	ENDRIN ALDEHYDE
2.0U	UG/KG	ALPHA-CHLORDANE /2
2.0U	UG/KG	GAMMA-CHLORDANE /2
200U	UG/KG	TOXAPHENE
38U	UG/KG	PCB-1016 (AROCLOR 1016)
78U	UG/KG	PCB-1221 (AROCLOR 1221)
38U	UG/KG	PCB-1232 (AROCLOR 1232)
38U	UG/KG	PCB-1242 (AROCLOR 1242)
38U	UG/KG	PCB-1248 (AROCLOR 1248)
38U	UG/KG	PCB-1254 (AROCLOR 1254)
38U	UG/KG	PCB-1260 (AROCLOR 1260)
14	%	% MOISTURE

A-average value, NA-not analyzed, NAI-interferences, J-estimated value, N-presumptive evidence of presence of material.

K-actual value is known to be less than value given, L-actual value is known to be greater than value given, U-material was analyzed for but not detected, the number is the minimum quantitation limit.

R-qc indicates that data is unusable, compound may or may not be present, resampling and reanalysis is necessary for verification.

C-confirmed by gas chromatography, when no value is reported, see chlordane constituents 2, constituents or metabolites of technical chlordane

Sample 1077 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 15:45

Id/Station: MG07SBA /

MD No: RS80

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS80

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
0.29JN	UG/KG	ALPHA-BHC
1.9U	UG/KG	BETA-BHC
1.9UJ	UG/KG	DELTA-BHC
1.9UJ	UG/KG	GAMMA-BHC (LINDANE)
1.9U	UG/KG	HEPTACHLOR
1.9U	UG/KG	ALDRIN
1.9U	UG/KG	HEPTACHLOR EPOXIDE
1.9U	UG/KG	ENDOSULFAN I (ALPHA)
3.7U	UG/KG	DIELDRIN
3.7U	UG/KG	4,4'-DDE (P,P'-DDE)
3.7U	UG/KG	ENDRIN
3.7U	UG/KG	ENDOSULFAN II (BETA)
3.7U	UG/KG	4,4'-DDD (P,P'-DDD)
3.7U	UG/KG	ENDOSULFAN SULFATE
3.7U	UG/KG	4,4'-DDT (P,P'-DDT)
19U	UG/KG	METHOXYCHLOR
3.7U	UG/KG	ENDRIN KETONE
3.7UR	UG/KG	ENDRIN ALDEHYDE
1.9U	UG/KG	ALPHA-CHLORDANE /2
1.9U	UG/KG	GAMMA-CHLORDANE /2
190U	UG/KG	TOXAPHENE
37U	UG/KG	PCB-1016 (AROCLOR 1016)
74U	UG/KG	PCB-1221 (AROCLOR 1221)
37U	UG/KG	PCB-1232 (AROCLOR 1232)
37U	UG/KG	PCB-1242 (AROCLOR 1242)
37U	UG/KG	PCB-1248 (AROCLOR 1248)
37U	UG/KG	PCB-1254 (AROCLOR 1254)
37U	UG/KG	PCB-1260 (AROCLOR 1260)
10	%	% MOISTURE

A-average value; NA-not analyzed; NAI-interferences; J-estimated value; N-presumptive evidence of presence of material.

K-actual value is known to be less than value given; L-actual value is known to be greater than value given; U-material was analyzed for but not detected; the number is the maximum quantitation limit.

R-nc indicates that data unusable; compound may or may not be present; resampling or reanalysis is necessary for verification.

C-confirmed by per # 1 when no value is reported, see chlordane constituents; 2,6-substituents or mixtures of technical chlordane

Sample 1078 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 17:00

Id/Station: MG07SBB /

MD No: RS81

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS81

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
1.9UJ	UG/KG	ALPHA-BHC
0.91JN	UG/KG	BETA-BHC
1.9UJ	UG/KG	DELTA-BHC
1.9UJ	UG/KG	GAMMA-BHC (LINDANE)
1.9U	UG/KG	HEPTACHLOR
1.9U	UG/KG	ALDRIN
1.9U	UG/KG	HEPTACHLOR EPOXIDE
1.9U	UG/KG	ENDOSULFAN I (ALPHA)
3.8U	UG/KG	DIELDRIN
3.8U	UG/KG	4,4'-DDE (P,P'-DDE)
3.8U	UG/KG	ENDRIN
3.8U	UG/KG	ENDOSULFAN II (BETA)
3.8U	UG/KG	4,4'-DDD (P,P'-DDD)
3.8U	UG/KG	ENDOSULFAN SULFATE
3.8U	UG/KG	4,4'-DDT (P,P'-DDT)
19U	UG/KG	METHOXYCHLOR
3.8U	UG/KG	ENDRIN KETONE
3.8UR	UG/KG	ENDRIN ALDEHYDE
1.9U	UG/KG	ALPHA-CHLORDANE /2
1.9U	UG/KG	GAMMA-CHLORDANE /2
190U	UG/KG	TOXAPHENE
38U	UG/KG	PCB-1016 (AROCLOR 1016)
76U	UG/KG	PCB-1221 (AROCLOR 1221)
38U	UG/KG	PCB-1232 (AROCLOR 1232)
38U	UG/KG	PCB-1242 (AROCLOR 1242)
38U	UG/KG	PCB-1248 (AROCLOR 1248)
38U	UG/KG	PCB-1254 (AROCLOR 1254)
38U	UG/KG	PCB-1260 (AROCLOR 1260)
12	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. The number is the minimum quantitation limit.

R-nc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see chlordane constituents, 2.constituents or metabolites of technical chlordane

Sample 1079 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 16:00

Id/Station: MG08SS /

MD No: RS84

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS84

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.1UJ	UG/KG	ALPHA-BHC
1.2JN	UG/KG	BETA-BHC
2.1UJ	UG/KG	DELTA-BHC
2.1UJ	UG/KG	GAMMA-BHC (LINDANE)
2.1U	UG/KG	HEPTACHLOR
2.1U	UG/KG	ALDRIN
2.1U	UG/KG	HEPTACHLOR EPOXIDE
2.1U	UG/KG	ENDOSULFAN I (ALPHA)
2.6J	UG/KG	DIELDRIN
4.0U	UG/KG	4,4'-DDE (P,P'-DDE)
3.7J	UG/KG	ENDRIN
4.0U	UG/KG	ENDOSULFAN II (BETA)
4.0U	UG/KG	4,4'-DDD (P,P'-DDD)
14	UG/KG	ENDOSULFAN SULFATE
4.5U	UG/KG	4,4'-DDT (P,P'-DDT)
21U	UG/KG	METHOXYCHLOR
4.0U	UG/KG	ENDRIN KETONE
4.0UR	UG/KG	ENDRIN ALDEHYDE
2.1U	UG/KG	ALPHA-CHLORDANE /2
2.1U	UG/KG	GAMMA-CHLORDANE /2
210U	UG/KG	TOXAPHENE
40U	UG/KG	PCB-1016 (AROCLOR 1016)
82U	UG/KG	PCB-1221 (AROCLOR 1221)
40U	UG/KG	PCB-1232 (AROCLOR 1232)
40U	UG/KG	PCB-1242 (AROCLOR 1242)
40U	UG/KG	PCB-1248 (AROCLOR 1248)
40U	UG/KG	PCB-1254 (AROCLOR 1254)
40U	UG/KG	PCB-1260 (AROCLOR 1260)
18	%	% MOISTURE

A-average value. NA-not analyzed. NA1-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. ND-material was analyzed for but not detected, the number is the minimum quantitation limit.

R-qc indicates that data unusable for sample and may or may not be present. resampling and reanalysis as necessary for verification.

C-confirmed by gross 1 when no values reported, see chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1086 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 16:20

Id/Station: MG08SBA /

MD No: RS85

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS85

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.0UJ	UG/KG	ALPHA-BHC
2.0U	UG/KG	BETA-BHC
2.0UJ	UG/KG	DELTA-BHC
2.0UJ	UG/KG	GAMMA-BHC (LINDANE)
2.0U	UG/KG	HEPTACHLOR
2.0U	UG/KG	ALDRIN
2.0U	UG/KG	HEPTACHLOR EPOXIDE
2.0U	UG/KG	ENDOSULFAN I (ALPHA)
0.48JN	UG/KG	DIELDRIN
3.8U	UG/KG	4,4'-DDE (P,P'-DDE)
3.8U	UG/KG	ENDRIN
3.8U	UG/KG	ENDOSULFAN II (BETA)
3.8U	UG/KG	4,4'-DDD (P,P'-DDD)
3.8U	UG/KG	ENDOSULFAN SULFATE
3.8U	UG/KG	4,4'-DDT (P,P'-DDT)
20U	UG/KG	METHOXYCHLOR
3.8U	UG/KG	ENDRIN KETONE
3.8UR	UG/KG	ENDRIN ALDEHYDE
2.0U	UG/KG	ALPHA-CHLORDANE /2
2.0U	UG/KG	GAMMA-CHLORDANE /2
200U	UG/KG	TOXAPHENE
38U	UG/KG	PCB-1016 (AROCLOR 1016)
78U	UG/KG	PCB-1221 (AROCLOR 1221)
38U	UG/KG	PCB-1232 (AROCLOR 1232)
38U	UG/KG	PCB-1242 (AROCLOR 1242)
38U	UG/KG	PCB-1248 (AROCLOR 1248)
38U	UG/KG	PCB-1254 (AROCLOR 1254)
38U	UG/KG	PCB-1260 (AROCLOR 1260)
14	%	% MOISTURE

A - average value. NA - not analyzed. NAI - interferences. J - estimated value. M - presumptive evidence of presence of material.

R - actual value is known to be less than value given. L - actual value is known to be greater than value given. U - material was analyzed for but not detected. 0.05 - number is the minimum quantitation limit.

ND - indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

1 - determined by grams. 1 - when no value is reported, see chlordane constituents. 2 - constituents or metabolites of technical chlordane

Sample 1081 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 17:15

Id/Station: MG09SBA /

MD No: RS86

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS86

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.2UJ	UG/KG	ALPHA-BHC
2.2U	UG/KG	BETA-BHC
2.2UJ	UG/KG	DELTA-BHC
2.2UJ	UG/KG	GAMMA-BHC (LINDANE)
2.2U	UG/KG	HEPTACHLOR
2.2U	UG/KG	ALDRIN
2.2U	UG/KG	HEPTACHLOR EPOXIDE
2.2U	UG/KG	ENDOSULFAN I (ALPHA)
4.2U	UG/KG	DIELDRIN
4.2U	UG/KG	4,4'-DDE (P,P'-DDE)
4.2U	UG/KG	ENDRIN
4.2U	UG/KG	ENDOSULFAN II (BETA)
4.2U	UG/KG	4,4'-DDD (P,P'-DDD)
4.2U	UG/KG	ENDOSULFAN SULFATE
4.2U	UG/KG	4,4'-DDT (P,P'-DDT)
22U	UG/KG	METHOXYCHLOR
4.2U	UG/KG	ENDRIN KETONE
4.2UR	UG/KG	ENDRIN ALDEHYDE
2.2U	UG/KG	ALPHA-CHLORDANE /2
2.2U	UG/KG	GAMMA-CHLORDANE /2
220U	UG/KG	TOXAPHENE
42U	UG/KG	PCB-1016 (AROCLOR 1016)
86U	UG/KG	PCB-1221 (AROCLOR 1221)
42U	UG/KG	PCB-1232 (AROCLOR 1232)
42U	UG/KG	PCB-1242 (AROCLOR 1242)
42U	UG/KG	PCB-1248 (AROCLOR 1248)
42U	UG/KG	PCB-1254 (AROCLOR 1254)
42U	UG/KG	PCB-1260 (AROCLOR 1260)
22	%	% MOISTURE

A-average value, NA-not analyzed, NAI-interferences, J-estimated value, N-presumptive evidence of presence of material.

K-actual value is known to be less than value given, L-actual value is known to be greater than value given, U-material was analyzed for but not detected, the number is the minimum quantitation limit.

R-qc indicates that this substance or compound may or may not be present, resampling and reanalysis is necessary for verification.

C-confirmed by gc/ms-1 when this value is reported, see chlordane constituents 2.constituents or parent/child of technical chlordane

Sample 1082 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 08:45

Id/Station: MG07SBC /

MD No: RS87

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS87

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
1.9UJ	UG/KG	ALPHA-BHC
1.9U	UG/KG	BETA-BHC
1.9UJ	UG/KG	DELTA-BHC
1.9UJ	UG/KG	GAMMA-BHC (LINDANE)
1.9U	UG/KG	HEPTACHLOR
1.9U	UG/KG	ALDRIN
1.9U	UG/KG	HEPTACHLOR EPOXIDE
1.9U	UG/KG	ENDOSULFAN I (ALPHA)
3.8U	UG/KG	DIELDRIN
3.8U	UG/KG	4,4'-DDE (P,P'-DDE)
3.8U	UG/KG	ENDRIN
3.8U	UG/KG	ENDOSULFAN II (BETA)
3.8U	UG/KG	4,4'-DDD (P,P'-DDD)
3.8U	UG/KG	ENDOSULFAN SULFATE
3.8U	UG/KG	4,4'-DDT (P,P'-DDT)
19U	UG/KG	METHOXYCHLOR
3.8U	UG/KG	ENDRIN KETONE
3.8UR	UG/KG	ENDRIN ALDEHYDE
1.9U	UG/KG	ALPHA-CHLORDANE /2
1.9U	UG/KG	GAMMA-CHLORDANE /2
190U	UG/KG	TOXAPHENE
38U	UG/KG	PCB-1016 (AROCLOR 1016)
76U	UG/KG	PCB-1221 (AROCLOR 1221)
38U	UG/KG	PCB-1232 (AROCLOR 1232)
38U	UG/KG	PCB-1242 (AROCLOR 1242)
38U	UG/KG	PCB-1248 (AROCLOR 1248)
38U	UG/KG	PCB-1254 (AROCLOR 1254)
38U	UG/KG	PCB-1260 (AROCLOR 1260)
12	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. E-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported, see the dioxane constituents 2.constituents or metabolites of technical chlordane

Sample 1083 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 10:15

Id/Station: MG07SS /

MD No: RS88

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS88

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
1.9UJ	UG/KG	ALPHA-BHC
1.9U	UG/KG	BETA-BHC
1.9UJ	UG/KG	DELTA-BHC
1.9UJ	UG/KG	GAMMA-BHC (LINDANE)
1.9U	UG/KG	HEPTACHLOR
1.9U	UG/KG	ALDRIN
1.9U	UG/KG	HEPTACHLOR EPOXIDE
1.9U	UG/KG	ENDOSULFAN I (ALPHA)
0.41JN	UG/KG	DIELDRIN
3.8U	UG/KG	4,4'-DDE (P,P'-DDE)
3.8U	UG/KG	ENDRIN
3.8U	UG/KG	ENDOSULFAN II (BETA)
3.8U	UG/KG	4,4'-DDD (P,P'-DDD)
3.8U	UG/KG	ENDOSULFAN SULFATE
3.8U	UG/KG	4,4'-DDT (P,P'-DDT)
19U	UG/KG	METHOXYCHLOR
3.8U	UG/KG	ENDRIN KETONE
3.8UR	UG/KG	ENDRIN ALDEHYDE
1.9U	UG/KG	ALPHA-CHLORDANE /2
1.9U	UG/KG	GAMMA-CHLORDANE /2
190U	UG/KG	TOXAPHENE
38U	UG/KG	PCB-1016 (AROCLOR 1016)
76U	UG/KG	PCB-1221 (AROCLOR 1221)
38U	UG/KG	PCB-1232 (AROCLOR 1232)
38U	UG/KG	PCB-1242 (AROCLOR 1242)
38U	UG/KG	PCB-1248 (AROCLOR 1248)
38U	UG/KG	PCB-1254 (AROCLOR 1254)
42	UG/KG	PCB-1260 (AROCLOR 1260)
12	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data uncertainty compound may or may not be present. resampling and reanalysis necessary for verification.

C-confirmed by GCMS: 1.when no value is reported, see chlordane constituents 2.constituents of the isomers of technical chlordane

Sample 1084 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 14:00

Id/Station: MG10SBA /

MD No: RS89

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS89

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
1.9UJ	UG/KG	ALPHA-BHC
1.9U	UG/KG	BETA-BHC
1.9UJ	UG/KG	DELTA-BHC
1.9UJ	UG/KG	GAMMA-BHC (LINDANE)
1.9U	UG/KG	HEPTACHLOR
1.9U	UG/KG	ALDRIN
1.9U	UG/KG	HEPTACHLOR EPOXIDE
1.9U	UG/KG	ENDOSULFAN I (ALPHA)
3.6U	UG/KG	DIELDRIN
3.6U	UG/KG	4,4'-DDE (P,P'-DDE)
3.6U	UG/KG	ENDRIN
3.6U	UG/KG	ENDOSULFAN II (BETA)
3.6U	UG/KG	4,4'-DDD (P,P'-DDD)
3.6U	UG/KG	ENDOSULFAN SULFATE
3.6U	UG/KG	4,4'-DDT (P,P'-DDT)
19U	UG/KG	METHOXYCHLOR
3.6U	UG/KG	ENDRIN KETONE
3.6UR	UG/KG	ENDRIN ALDEHYDE
1.9U	UG/KG	ALPHA-CHLORDANE /2
1.9U	UG/KG	GAMMA-CHLORDANE /2
190U	UG/KG	TOXAPHENE
36U	UG/KG	PCB-1016 (AROCLOR 1016)
74U	UG/KG	PCB-1221 (AROCLOR 1221)
36U	UG/KG	PCB-1232 (AROCLOR 1232)
36U	UG/KG	PCB-1242 (AROCLOR 1242)
36U	UG/KG	PCB-1248 (AROCLOR 1248)
36U	UG/KG	PCB-1254 (AROCLOR 1254)
36U	UG/KG	PCB-1260 (AROCLOR 1260)
9.0	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. E-estimated value. N-presumptive evidence of presence of material

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported. see the name of elements. 2.constituents or metabolites of technical name of pesticide.

Sample 1085 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 15:00

Id/Station: MG10SBB /

MD No: RS90

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS90

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.0UJ	UG/KG	ALPHA-BHC
2.0U	UG/KG	BETA-BHC
2.0UJ	UG/KG	DELTA-BHC
2.0UJ	UG/KG	GAMMA-BHC (LINDANE)
2.0U	UG/KG	HEPTACHLOR
2.0U	UG/KG	ALDRIN
2.0U	UG/KG	HEPTACHLOR EPOXIDE
2.0U	UG/KG	ENDOSULFAN I (ALPHA)
3.8U	UG/KG	DIELDRIN
3.8U	UG/KG	4,4'-DDE (P,P'-DDE)
3.8U	UG/KG	ENDRIN
3.8U	UG/KG	ENDOSULFAN II (BETA)
3.8U	UG/KG	4,4'-DDD (P,P'-DDD)
3.8U	UG/KG	ENDOSULFAN SULFATE
3.8U	UG/KG	4,4'-DDT (P,P'-DDT)
20U	UG/KG	METHOXYCHLOR
3.8U	UG/KG	ENDRIN KETONE
3.8UR	UG/KG	ENDRIN ALDEHYDE
0.35JN	UG/KG	ALPHA-CHLORDANE /2
2.0U	UG/KG	GAMMA-CHLORDANE /2
200U	UG/KG	TOXAPHENE
38U	UG/KG	PCB-1016 (AROCLOR 1016)
78U	UG/KG	PCB-1221 (AROCLOR 1221)
38U	UG/KG	PCB-1232 (AROCLOR 1232)
38U	UG/KG	PCB-1242 (AROCLOR 1242)
38U	UG/KG	PCB-1248 (AROCLOR 1248)
38U	UG/KG	PCB-1254 (AROCLOR 1254)
38U	UG/KG	PCB-1260 (AROCLOR 1260)
14	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data are suspect. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by GCMS. 1 when an value is reported, see chlordane constituents. 2 constituents or metabolites of technical chlordane

Sample 1086 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 16:15

Id/Station: MG11SBA /

MD No: RS91

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS91

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.1UJ	UG/KG	ALPHA-BHC
2.1U	UG/KG	BETA-BHC
2.1UJ	UG/KG	DELTA-BHC
2.1UJ	UG/KG	GAMMA-BHC (LINDANE)
2.1U	UG/KG	HEPTACHLOR
2.1U	UG/KG	ALDRIN
2.1U	UG/KG	HEPTACHLOR EPOXIDE
2.1U	UG/KG	ENDOSULFAN I (ALPHA)
4.1U	UG/KG	DIELDRIN
4.1U	UG/KG	4,4'-DDE (P,P'-DDE)
4.1U	UG/KG	ENDRIN
4.1U	UG/KG	ENDOSULFAN II (BETA)
4.1U	UG/KG	4,4'-DDD (P,P'-DDD)
4.1U	UG/KG	ENDOSULFAN SULFATE
4.1U	UG/KG	4,4'-DDT (P,P'-DDT)
21U	UG/KG	METHOXYCHLOR
4.1U	UG/KG	ENDRIN KETONE
4.1UR	UG/KG	ENDRIN ALDEHYDE
2.1U	UG/KG	ALPHA-CHLORDANE /2
2.1U	UG/KG	GAMMA-CHLORDANE /2
210U	UG/KG	TOXAPHENE
41U	UG/KG	PCB-1016 (AROCLOR 1016)
84U	UG/KG	PCB-1221 (AROCLOR 1221)
41U	UG/KG	PCB-1232 (AROCLOR 1232)
41U	UG/KG	PCB-1242 (AROCLOR 1242)
41U	UG/KG	PCB-1248 (AROCLOR 1248)
41U	UG/KG	PCB-1254 (AROCLOR 1254)
41U	UG/KG	PCB-1260 (AROCLOR 1260)
20	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interference. E-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. compound may or may not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gcms: 1.when no value is reported. 2.alpha-chlordane constituents 2.constituents or metabolites of technical chlordane

Sample 1087 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 17:00

Id/Station: MG11SBB /

MD No: RS92

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS92

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.1UJ	UG/KG	ALPHA-BHC
2.1U	UG/KG	BETA-BHC
2.1UJ	UG/KG	DELTA-BHC
2.1UJ	UG/KG	GAMMA-BHC (LINDANE)
2.1U	UG/KG	HEPTACHLOR
2.1U	UG/KG	ALDRIN
2.1U	UG/KG	HEPTACHLOR EPOXIDE
2.1U	UG/KG	ENDOSULFAN I (ALPHA)
4.0U	UG/KG	DIELDRIN
4.0U	UG/KG	4,4'-DDE (P,P'-DDE)
4.0U	UG/KG	ENDRIN
4.0U	UG/KG	ENDOSULFAN II (BETA)
4.0U	UG/KG	4,4'-DDD (P,P'-DDD)
4.0U	UG/KG	ENDOSULFAN SULFATE
4.0U	UG/KG	4,4'-DDT (P,P'-DDT)
21U	UG/KG	METHOXYCHLOR
4.0U	UG/KG	ENDRIN KETONE
4.0UR	UG/KG	ENDRIN ALDEHYDE
2.1U	UG/KG	ALPHA-CHLORDANE /2
2.1U	UG/KG	GAMMA-CHLORDANE /2
210U	UG/KG	TOXAPHENE
40U	UG/KG	PCB-1016 (AROCLOR 1016)
82U	UG/KG	PCB-1221 (AROCLOR 1221)
40U	UG/KG	PCB-1232 (AROCLOR 1232)
40U	UG/KG	PCB-1242 (AROCLOR 1242)
40U	UG/KG	PCB-1248 (AROCLOR 1248)
40U	UG/KG	PCB-1254 (AROCLOR 1254)
6.6J	UG/KG	PCB-1260 (AROCLOR 1260)
18	%	% MOISTURE

A-average value, NA-not analyzed, NAI-interferences, J-estimated value, N-presumptive evidence of presence of material.

K-actual value is known to be less than value given, L-actual value is known to be greater than value given, U-material was analyzed for but not detected (the number is the minimum quantitation limit).

R-nc indicates that data are reliable, compound may or may not be present, resampling and reanalysis is necessary for verification.

C-confirmed by gcms. If a value is reported, see chlordane constituents, 2,4-dichlorobiphenyls, and isomers of technical chlordane.

Sample 1088 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/10/1999 17:30

Id/Station: MG11SBC /

MD No: RS93

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS93

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.1UJ	UG/KG	ALPHA-BHC
2.1U	UG/KG	BETA-BHC
2.1UJ	UG/KG	DELTA-BHC
2.1UJ	UG/KG	GAMMA-BHC (LINDANE)
2.1U	UG/KG	HEPTACHLOR
2.1U	UG/KG	ALDRIN
2.1U	UG/KG	HEPTACHLOR EPOXIDE
2.1U	UG/KG	ENDOSULFAN I (ALPHA)
4.1U	UG/KG	DIELDRIN
4.1U	UG/KG	4,4'-DDE (P,P'-DDE)
4.1U	UG/KG	ENDRIN
4.1U	UG/KG	ENDOSULFAN II (BETA)
4.1U	UG/KG	4,4'-DDD (P,P'-DDD)
4.1U	UG/KG	ENDOSULFAN SULFATE
4.1U	UG/KG	4,4'-DDT (P,P'-DDT)
21U	UG/KG	METHOXYCHLOR
4.1U	UG/KG	ENDRIN KETONE
4.1UR	UG/KG	ENDRIN ALDEHYDE
2.1U	UG/KG	ALPHA-CHLORDANE /2
2.1U	UG/KG	GAMMA-CHLORDANE /2
210U	UG/KG	TOXAPHENE
41U	UG/KG	PCB-1016 (AROCLOR 1016)
84U	UG/KG	PCB-1221 (AROCLOR 1221)
41U	UG/KG	PCB-1232 (AROCLOR 1232)
41U	UG/KG	PCB-1242 (AROCLOR 1242)
41U	UG/KG	PCB-1248 (AROCLOR 1248)
41U	UG/KG	PCB-1254 (AROCLOR 1254)
41U	UG/KG	PCB-1260 (AROCLOR 1260)
20	%	% MOISTURE

A-average value. NA-not analyzed. NAJ-interference. N-estimated value. N-presumptive evidence of presence of material.

K-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed for but not detected. the number is the minimum quantitation limit.

R-qc indicates that data unusable. (see compound method) 1-not be present. resampling and reanalysis is necessary for verification.

C-confirmed by gc/ms: 1.when no value is reported. 2.constituents or metabolites of technical grade base.

Sample 1085 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:30

Id/Station: MG12SS /

MD No: RS94

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS94

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.3UJ	UG/KG	ALPHA-BHC
2.3U	UG/KG	BETA-BHC
2.3UJ	UG/KG	DELTA-BHC
2.3UJ	UG/KG	GAMMA-BHC (LINDANE)
2.3U	UG/KG	HEPTACHLOR
2.3U	UG/KG	ALDRIN
2.3U	UG/KG	HEPTACHLOR EPOXIDE
2.3U	UG/KG	ENDOSULFAN I (ALPHA)
4.4U	UG/KG	DIELDRIN
4.4U	UG/KG	4,4'-DDE (P,P'-DDE)
4.4U	UG/KG	ENDRIN
4.4U	UG/KG	ENDOSULFAN II (BETA)
4.4U	UG/KG	4,4'-DDD (P,P'-DDD)
4.4U	UG/KG	ENDOSULFAN SULFATE
5.7	UG/KG	4,4'-DDT (P,P'-DDT)
23U	UG/KG	METHOXYCHLOR
4.4U	UG/KG	ENDRIN KETONE
4.4UR	UG/KG	ENDRIN ALDEHYDE
4.2N	UG/KG	ALPHA-CHLORDANE /2
2.3U	UG/KG	GAMMA-CHLORDANE /2
230U	UG/KG	TOXAPHENE
44U	UG/KG	PCB-1016 (AROCLOR 1016)
89U	UG/KG	PCB-1221 (AROCLOR 1221)
44U	UG/KG	PCB-1232 (AROCLOR 1232)
44U	UG/KG	PCB-1242 (AROCLOR 1242)
44U	UG/KG	PCB-1248 (AROCLOR 1248)
44U	UG/KG	PCB-1254 (AROCLOR 1254)
44U	UG/KG	PCB-1260 (AROCLOR 1260)
25	%	% MOISTURE

A-actual value; NA-not analyzed; NAI-interferences; J-estimated value; N-presumptive evidence of presence of material.

K-known value is known to be less than value given; L-actual value is known to be greater than value given; U-material was analyzed for but not detected; the number is the maximum quantitation limit.

R-represents that data unusable; compound may or may not be present; re-sampling and re-analysis is necessary for verification.

Concentration by grams/l when no value is reported, see chlordanes constituents; 2 constituents are metabolites of technical chlordanes

Sample 1090 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:10

Id/Station: MG13SS /

MD No: RS95

Inorg Contractor: SENTIN

Ending:

Media: SURFACE SOIL (0" - 12")

D No: RS95

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
1.8UJ	UG/KG	ALPHA-BHC
1.8U	UG/KG	BETA-BHC
1.8UJ	UG/KG	DELTA-BHC
1.8UJ	UG/KG	GAMMA-BHC (LINDANE)
1.8U	UG/KG	HEPTACHLOR
1.8U	UG/KG	ALDRIN
1.8U	UG/KG	HEPTACHLOR EPOXIDE
1.8U	UG/KG	ENDOSULFAN I (ALPHA)
3.5U	UG/KG	DIELDRIN
3.5U	UG/KG	4,4'-DDE (P,P'-DDE)
3.5U	UG/KG	ENDRIN
3.5U	UG/KG	ENDOSULFAN II (BETA)
3.5U	UG/KG	4,4'-DDD (P,P'-DDD)
3.5U	UG/KG	ENDOSULFAN SULFATE
3.5U	UG/KG	4,4'-DDT (P,P'-DDT)
18U	UG/KG	METHOXYCHLOR
3.5U	UG/KG	ENDRIN KETONE
0.67JN	UG/KG	ENDRIN ALDEHYDE
1.8U	UG/KG	ALPHA-CHLORDANE /2
1.8U	UG/KG	GAMMA-CHLORDANE /2
180U	UG/KG	TOXAPHENE
35U	UG/KG	PCB-1016 (AROCLOR 1016)
72U	UG/KG	PCB-1221 (AROCLOR 1221)
35U	UG/KG	PCB-1232 (AROCLOR 1232)
35U	UG/KG	PCB-1242 (AROCLOR 1242)
35U	UG/KG	PCB-1248 (AROCLOR 1248)
35U	UG/KG	PCB-1254 (AROCLOR 1254)
35U	UG/KG	PCB-1260 (AROCLOR 1260)
7.0	%	% MOISTURE

A-average value. NA-not analyzed. NAI-interfered analysis. U-estimated value. N-presumptive evidence of presence of material.
 K-actual value is known to be less than value given. >-actual value is known to be greater than value given. UJ-material was analyzed for but not detected. the number is the minimum quantitation limit
 R-qc indicates that data unusable. 0.01-amount may not be present. resampling and reanalysis is necessary for confirmation.
 C-confirmed by gcms: 1.when no value is reported. 2.constituents or metabolites of herbicides: aldicarb

Sample 109000 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/11/1999 08:45

Id/Station: MG12SBA /

MD No: RS96

Inorg Contractor: SENTIN

Ending:

Media: SUBSURFACE SOIL (> 12")

D No: RS96

Org Contractor: LIBRTY

RESULTS	UNITS	ANALYTE
2.0UJ	UG/KG	ALPHA-BHC
2.0U	UG/KG	BETA-BHC
2.0UJ	UG/KG	DELTA-BHC
4.1UJ	UG/KG	GAMMA-BHC (LINDANE)
2.0U	UG/KG	HEPTACHLOR
2.0U	UG/KG	ALDRIN
3.9U	UG/KG	HEPTACHLOR EPOXIDE
11U	UG/KG	ENDOSULFAN I (ALPHA)
4.4U	UG/KG	DIELDRIN
3.9U	UG/KG	4,4'-DDE (P,P'-DDE)
3.9U	UG/KG	ENDRIN
3.9U	UG/KG	ENDOSULFAN II (BETA)
5.3U	UG/KG	4,4'-DDD (P,P'-DDD)
3.9U	UG/KG	ENDOSULFAN SULFATE
6.7U	UG/KG	4,4'-DDT (P,P'-DDT)
20U	UG/KG	METHOXYCHLOR
3.9U	UG/KG	ENDRIN KETONE
4.2NJ	UG/KG	ENDRIN ALDEHYDE
8.3NJ	UG/KG	ALPHA-CHLORDANE /2
10U	UG/KG	GAMMA-CHLORDANE /2
200U	UG/KG	TOXAPHENE
39U	UG/KG	PCB-1016 (AROCLOR 1016)
80U	UG/KG	PCB-1221 (AROCLOR 1221)
39U	UG/KG	PCB-1232 (AROCLOR 1232)
39U	UG/KG	PCB-1242 (AROCLOR 1242)
39U	UG/KG	PCB-1248 (AROCLOR 1248)
39U	UG/KG	PCB-1254 (AROCLOR 1254)
39U	UG/KG	PCB-1260 (AROCLOR 1260)
16	%	% MOISTURE

A - average value; NA - not analyzed; NAI - interferences; J - estimated value; /1 - presumed evidence of presence of material.

R - actual value is known to be less than value given; L - actual value is known to be greater than value given; U - material was analyzed for but not detected; /2 - number is the minimum quantitation limit.

B - indicates that data unusable; compound may or may not be present; re-sampling and re-analysis is necessary for verification.

C - controlled by permit; /1 when no value is reported, see chlordane consent order; /2 - parent chlordane or metabolites of technical chlordane

Sample 1093 FY 2000 Project: 00-0101

Produced by: Goddard, Denise

PESTICIDES SCAN

Requestor:

Facility: CTS of Asheville Inc

Skyland, NC

Project Leader: DRIGGER

Program: NSF

Case No: 27562

Beginning: 11/09/1999 13:00

Id/Station: QA009PES /

MD No: RS60

Inorg Contractor: SENTIN

Ending:

Media: WATSPK

D No: RS60

Org Contractor: LIBRTY

P01204P,0011603E,0014202V,0011604CN,0003054M

RESULTS	UNITS	ANALYTE
0.71	UG/L	ALPHA-BHC
0.050U	UG/L	BETA-BHC
0.050U	UG/L	DELTA-BHC
0.050U	UG/L	GAMMA-BHC (LINDANE)
0.050U	UG/L	HEPTACHLOR
0.050U	UG/L	ALDRIN
0.16	UG/L	HEPTACHLOR EPOXIDE
0.23	UG/L	ENDOSULFAN I (ALPHA)
0.10U	UG/L	DIELDRIN
0.29	UG/L	4,4'-DDE (P,P'-DDE)
0.10U	UG/L	ENDRIN
0.22	UG/L	ENDOSULFAN II (BETA)
0.49	UG/L	4,4'-DDD (P,P'-DDD)
0.10U	UG/L	ENDOSULFAN SULFATE
0.0012J	UG/L	4,4'-DDT (P,P'-DDT)
0.50U	UG/L	METHOXYCHLOR
0.73	UG/L	ENDRIN KETONE
0.018J	UG/L	ENDRIN ALDEHYDE
0.16	UG/L	ALPHA-CHLORDANE /2
0.050U	UG/L	GAMMA-CHLORDANE /2
5.0U	UG/L	TOXAPHENE
1.0U	UG/L	PCB-1016 (AROCLOR 1016)
2.0U	UG/L	PCB-1221 (AROCLOR 1221)
1.0U	UG/L	PCB-1232 (AROCLOR 1232)
1.0U	UG/L	PCB-1242 (AROCLOR 1242)
1.0U	UG/L	PCB-1248 (AROCLOR 1248)
1.0U	UG/L	PCB-1254 (AROCLOR 1254)
1.0U	UG/L	PCB-1260 (AROCLOR 1260)

A-average value. NA-not analyzed. NAI-interferences. J-estimated value. U-presumptive evidence of presence of material.

L-actual value is known to be less than value given. L-actual value is known to be greater than value given. U-material was analyzed but not detected. L-quantity is the minimum quantitation limit.

U-actual value is known to be less than value given. U-material was analyzed but not detected. L-quantity is the minimum quantitation limit.

U-actual value is known to be less than value given. U-material was analyzed but not detected. L-quantity is the minimum quantitation limit.

U-actual value is known to be less than value given. U-material was analyzed but not detected. L-quantity is the minimum quantitation limit.